

AAFCO Check Sample Program

All Labs and All Methods Report

Sort by Method

Proficiency Testing

Sample # 201231

Preconditioning cattle starter, Medicated



AAFCO

Association of American Feed Control Officials

Robust statistics not used if < 6 labs reporting, in this case the Z Scores are included for information only (Grey).

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
000	Urea (%)	0920	1.4550	0.01000	1.9663	0.40209	0.06750	4	-1.27	000.99	0
000	Urea (%)	0505	1.8350	0.03000	1.9663	0.40209	0.06750	4	-0.33	000.02	0
000	Urea (%)	0039	2.2850	0.01000	1.9663	0.40209	0.06750	4	0.79	000.99	0
000	Urea (%)	0019	2.2900	0.22000	1.9663	0.40209	0.06750	4	0.81	000.02	0
001	Loss on Drying (%)	0618	5.1450	0.21000	7.8552	0.30423	0.07817	89	-8.91	001.07	0
001	Loss on Drying (%)	0618	6.1200	0.14000	7.8552	0.30423	0.07817	89	-5.70	001.99	0
001	Loss on Drying (%)	0536	6.9600	0.04000	7.8552	0.30423	0.07817	89	-2.94	001.99	0
001	Loss on Drying (%)	0676	6.9810	0.06800	7.8552	0.30423	0.07817	89	-2.87	001.99	0
001	Loss on Drying (%)	0510	7.1250	0.05000	7.8552	0.30423	0.07817	89	-2.40	001.99	0
001	Loss on Drying (%)	0171	7.2250	0.17000	7.8552	0.30423	0.07817	89	-2.07	001.07	0
001	Loss on Drying (%)	0720	7.2700	0.02000	7.8552	0.30423	0.07817	89	-1.92	001.99	0
001	Loss on Drying (%)	0038	7.2850	0.23000	7.8552	0.30423	0.07817	89	-1.87	001.07	0
001	Loss on Drying (%)	0866	7.3445	0.01700	7.8552	0.30423	0.07817	89	-1.68	001.99	0
001	Loss on Drying (%)	0029	7.3550	0.05000	7.8552	0.30423	0.07817	89	-1.64	001.00	0
001	Loss on Drying (%)	0297	7.4850	0.11000	7.8552	0.30423	0.07817	89	-1.22	001.07	0
001	Loss on Drying (%)	2009	7.5008	0.00160	7.8552	0.30423	0.07817	89	-1.16	001.07	0
001	Loss on Drying (%)	0628	7.5050	0.33000	7.8552	0.30423	0.07817	89	-1.15	001.99	0
001	Loss on Drying (%)	0948	7.5050	0.01000	7.8552	0.30423	0.07817	89	-1.15	001.99	0
001	Loss on Drying (%)	0683	7.5300	0.02000	7.8552	0.30423	0.07817	89	-1.07	001.07	0
001	Loss on Drying (%)	0891	7.5782	0.00390	7.8552	0.30423	0.07817	89	-0.91	001.03	0
001	Loss on Drying (%)	0936	7.5900	0.02000	7.8552	0.30423	0.07817	89	-0.87	001.03	0
001	Loss on Drying (%)	0353	7.6250	0.25000	7.8552	0.30423	0.07817	89	-0.76	001.07	0
001	Loss on Drying (%)	0845	7.6250	0.07000	7.8552	0.30423	0.07817	89	-0.76	001.07	0
001	Loss on Drying (%)	0887	7.6300	0.02000	7.8552	0.30423	0.07817	89	-0.74	001.03	0
001	Loss on Drying (%)	0027	7.6400	0.02000	7.8552	0.30423	0.07817	89	-0.71	001.00	0
001	Loss on Drying (%)	0015	7.6650	0.01000	7.8552	0.30423	0.07817	89	-0.63	001.07	0
001	Loss on Drying (%)	0788	7.6700	0.14000	7.8552	0.30423	0.07817	89	-0.61	001.00	0
001	Loss on Drying (%)	0413	7.7000	0.20000	7.8552	0.30423	0.07817	89	-0.51	001.07	0
001	Loss on Drying (%)	0902	7.7278	0.01170	7.8552	0.30423	0.07817	89	-0.42	001.03	0
001	Loss on Drying (%)	0849	7.7285	0.09700	7.8552	0.30423	0.07817	89	-0.42	001.07	0
001	Loss on Drying (%)	0898	7.7350	0.01000	7.8552	0.30423	0.07817	89	-0.39	001.03	0
001	Loss on Drying (%)	0899	7.7400	0.02000	7.8552	0.30423	0.07817	89	-0.38	001.03	0
001	Loss on Drying (%)	0309	7.7495	0.01900	7.8552	0.30423	0.07817	89	-0.35	001.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0938	7.7500	0.00000	7.8552	0.30423	0.07817	89	-0.35	001.03	0
001	Loss on Drying (%)	0098	7.7550	0.01000	7.8552	0.30423	0.07817	89	-0.33	001.07	0
001	Loss on Drying (%)	0619	7.7650	0.09000	7.8552	0.30423	0.07817	89	-0.30	001.03	0
001	Loss on Drying (%)	0505	7.7650	0.15000	7.8552	0.30423	0.07817	89	-0.30	001.99	0
001	Loss on Drying (%)	0895	7.7700	0.02000	7.8552	0.30423	0.07817	89	-0.28	001.03	0
001	Loss on Drying (%)	0065	7.7700	0.00000	7.8552	0.30423	0.07817	89	-0.28	001.07	0
001	Loss on Drying (%)	0950	7.7800	0.00000	7.8552	0.30423	0.07817	89	-0.25	001.03	0
001	Loss on Drying (%)	0571	7.7800	0.08000	7.8552	0.30423	0.07817	89	-0.25	001.07	0
001	Loss on Drying (%)	0178	7.7850	0.15000	7.8552	0.30423	0.07817	89	-0.23	001.07	0
001	Loss on Drying (%)	0035	7.7900	0.00000	7.8552	0.30423	0.07817	89	-0.21	001.07	0
001	Loss on Drying (%)	0878	7.7950	0.07000	7.8552	0.30423	0.07817	89	-0.20	001.03	0
001	Loss on Drying (%)	0686	7.8000	0.12000	7.8552	0.30423	0.07817	89	-0.18	001.03	0
001	Loss on Drying (%)	0868	7.8050	0.01000	7.8552	0.30423	0.07817	89	-0.16	001.03	0
001	Loss on Drying (%)	0089	7.8050	0.01000	7.8552	0.30423	0.07817	89	-0.16	001.07	0
001	Loss on Drying (%)	0900	7.8150	0.03000	7.8552	0.30423	0.07817	89	-0.13	001.03	0
001	Loss on Drying (%)	0908	7.8400	0.00000	7.8552	0.30423	0.07817	89	-0.05	001.03	0
001	Loss on Drying (%)	0139	7.8400	0.04000	7.8552	0.30423	0.07817	89	-0.05	001.07	0
001	Loss on Drying (%)	0903	7.8450	0.01000	7.8552	0.30423	0.07817	89	-0.03	001.03	0
001	Loss on Drying (%)	0894	7.8500	0.00000	7.8552	0.30423	0.07817	89	-0.02	001.03	0
001	Loss on Drying (%)	0935	7.8650	0.01000	7.8552	0.30423	0.07817	89	0.03	001.03	0
001	Loss on Drying (%)	0893	7.8700	0.02000	7.8552	0.30423	0.07817	89	0.05	001.03	0
001	Loss on Drying (%)	0592	7.8700	0.06000	7.8552	0.30423	0.07817	89	0.05	001.07	0
001	Loss on Drying (%)	0695	7.9050	0.13000	7.8552	0.30423	0.07817	89	0.16	001.07	0
001	Loss on Drying (%)	0187	7.9150	0.01000	7.8552	0.30423	0.07817	89	0.20	001.07	0
001	Loss on Drying (%)	0886	7.9250	0.05000	7.8552	0.30423	0.07817	89	0.23	001.03	0
001	Loss on Drying (%)	0675	7.9400	0.08000	7.8552	0.30423	0.07817	89	0.28	001.07	0
001	Loss on Drying (%)	0004	7.9500	0.02000	7.8552	0.30423	0.07817	89	0.31	001.07	0
001	Loss on Drying (%)	0610	7.9550	0.13000	7.8552	0.30423	0.07817	89	0.33	001.05	0
001	Loss on Drying (%)	0872	7.9550	0.01000	7.8552	0.30423	0.07817	89	0.33	001.07	0
001	Loss on Drying (%)	0590	7.9600	0.30000	7.8552	0.30423	0.07817	89	0.34	001.08	0
001	Loss on Drying (%)	0074	7.9650	0.07000	7.8552	0.30423	0.07817	89	0.36	001.07	0
001	Loss on Drying (%)	0337	7.9700	0.12000	7.8552	0.30423	0.07817	89	0.38	001.08	0
001	Loss on Drying (%)	0783	7.9750	0.13000	7.8552	0.30423	0.07817	89	0.39	001.00	0
001	Loss on Drying (%)	0689	8.0000	0.00000	7.8552	0.30423	0.07817	89	0.48	001.07	0
001	Loss on Drying (%)	0630	8.0200	0.06000	7.8552	0.30423	0.07817	89	0.54	001.99	0
001	Loss on Drying (%)	0889	8.0250	0.05000	7.8552	0.30423	0.07817	89	0.56	001.99	0
001	Loss on Drying (%)	0843	8.0300	0.28000	7.8552	0.30423	0.07817	89	0.57	001.07	0
001	Loss on Drying (%)	0049	8.0600	0.18000	7.8552	0.30423	0.07817	89	0.67	001.07	0
001	Loss on Drying (%)	0581	8.0650	0.09000	7.8552	0.30423	0.07817	89	0.69	001.07	0
001	Loss on Drying (%)	0951	8.1000	0.12000	7.8552	0.30423	0.07817	89	0.80	001.99	0
001	Loss on Drying (%)	0607	8.1010	0.05900	7.8552	0.30423	0.07817	89	0.81	001.07	0
001	Loss on Drying (%)	0918	8.1200	0.02000	7.8552	0.30423	0.07817	89	0.87	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0278	8.1700	0.10000	7.8552	0.30423	0.07817	89	1.03	001.07	0
001	Loss on Drying (%)	0733	8.1700	0.00000	7.8552	0.30423	0.07817	89	1.03	001.99	0
001	Loss on Drying (%)	0912	8.1700	0.00000	7.8552	0.30423	0.07817	89	1.03	001.99	0
001	Loss on Drying (%)	0307	8.2000	0.20000	7.8552	0.30423	0.07817	89	1.13	001.07	0
001	Loss on Drying (%)	0169	8.2350	0.07000	7.8552	0.30423	0.07817	89	1.25	001.00	0
001	Loss on Drying (%)	0366	8.3000	0.40000	7.8552	0.30423	0.07817	89	1.46	001.07	0
001	Loss on Drying (%)	0596	8.3150	0.01000	7.8552	0.30423	0.07817	89	1.51	001.00	0
001	Loss on Drying (%)	0629	8.3400	0.04000	7.8552	0.30423	0.07817	89	1.59	001.99	0
001	Loss on Drying (%)	0652	8.3500	0.10000	7.8552	0.30423	0.07817	89	1.63	001.08	0
001	Loss on Drying (%)	0037	8.4600	0.08000	7.8552	0.30423	0.07817	89	1.99	001.99	0
001	Loss on Drying (%)	0357	8.4900	0.12000	7.8552	0.30423	0.07817	89	2.09	001.99	0
001	Loss on Drying (%)	0142	8.5000	0.00000	7.8552	0.30423	0.07817	89	2.12	001.07	0
001	Loss on Drying (%)	2011	8.5150	0.01000	7.8552	0.30423	0.07817	89	2.17	001.07	0
001	Loss on Drying (%)	2001	8.6250	0.11000	7.8552	0.30423	0.07817	89	2.53	001.99	0
001	Loss on Drying (%)	0882	8.6400	0.04000	7.8552	0.30423	0.07817	89	2.58	001.03	0
001	Loss on Drying (%)	0045	8.8500	0.10000	7.8552	0.30423	0.07817	89	3.27	001.07	0
001	Loss on Drying (%)	0504	8.8550	0.39000	7.8552	0.30423	0.07817	89	3.29	001.00	0
001	Loss on Drying (%)	0305	9.0000	0.04000	7.8552	0.30423	0.07817	89	3.76	001.99	0
001	Loss on Drying (%)	0693	8.1700	0.76000	7.8552	0.30423	0.07817	89	1.03	001.07	1
001	Loss on Drying (%)	0083	93.155	0.13000	7.8552	0.30423	0.07817	89	280.38	001.07	2
001	Loss on Drying (%)	1001	7.6300	0.04000	7.8552	0.30423	0.07817	89	-0.74	001.00	8
001	Loss on Drying (%)	0787	7.7300	0.04000	7.8552	0.30423	0.07817	89	-0.41	001.00	8
001	Loss on Drying (%)	0732	8.1850	0.03000	7.8552	0.30423	0.07817	89	1.08	001.99	8
002	Protein (%)	0647	10.200	0.20000	12.731	0.38896	0.16880	244	-6.51	002.06	0
002	Protein (%)	0297	10.645	0.01000	12.731	0.38896	0.16880	244	-5.36	002.11	0
002	Protein (%)	0720	11.185	0.01000	12.731	0.38896	0.16880	244	-3.98	002.11	0
002	Protein (%)	0098	11.275	0.01000	12.731	0.38896	0.16880	244	-3.74	002.01	0
002	Protein (%)	0144	11.595	0.07000	12.731	0.38896	0.16880	244	-2.92	002.06	0
002	Protein (%)	0017	11.895	0.21000	12.731	0.38896	0.16880	244	-2.15	002.06	0
002	Protein (%)	0014	11.900	0.60000	12.731	0.38896	0.16880	244	-2.14	002.06	0
002	Protein (%)	0026	11.910	0.08000	12.731	0.38896	0.16880	244	-2.11	002.06	0
002	Protein (%)	0861	11.945	0.29000	12.731	0.38896	0.16880	244	-2.02	002.06	0
002	Protein (%)	0307	11.950	0.30000	12.731	0.38896	0.16880	244	-2.01	002.02	0
002	Protein (%)	0039	12.002	0.13700	12.731	0.38896	0.16880	244	-1.88	002.05	0
002	Protein (%)	0042	12.020	0.12000	12.731	0.38896	0.16880	244	-1.83	002.02	0
002	Protein (%)	0353	12.030	0.10000	12.731	0.38896	0.16880	244	-1.80	002.06	0
002	Protein (%)	0932	12.050	0.04000	12.731	0.38896	0.16880	244	-1.75	002.05	0
002	Protein (%)	0202	12.060	0.08000	12.731	0.38896	0.16880	244	-1.73	002.06	0
002	Protein (%)	0028	12.075	0.27000	12.731	0.38896	0.16880	244	-1.69	002.00	0
002	Protein (%)	0887	12.095	0.01000	12.731	0.38896	0.16880	244	-1.64	002.05	0
002	Protein (%)	0100	12.120	0.12000	12.731	0.38896	0.16880	244	-1.57	002.06	0
002	Protein (%)	0011	12.130	0.00000	12.731	0.38896	0.16880	244	-1.55	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0242	12.135	0.07000	12.731	0.38896	0.16880	244	-1.53	002.06	0
002	Protein (%)	0681	12.160	0.16000	12.731	0.38896	0.16880	244	-1.47	002.99	0
002	Protein (%)	0646	12.170	0.06000	12.731	0.38896	0.16880	244	-1.44	002.06	0
002	Protein (%)	0019	12.180	0.16000	12.731	0.38896	0.16880	244	-1.42	002.06	0
002	Protein (%)	0297	12.185	0.13000	12.731	0.38896	0.16880	244	-1.40	002.06	0
002	Protein (%)	0405	12.200	0.16000	12.731	0.38896	0.16880	244	-1.37	002.04	0
002	Protein (%)	2001	12.205	0.11000	12.731	0.38896	0.16880	244	-1.35	002.04	0
002	Protein (%)	0951	12.215	0.11000	12.731	0.38896	0.16880	244	-1.33	002.11	0
002	Protein (%)	0121	12.220	0.19800	12.731	0.38896	0.16880	244	-1.31	002.01	0
002	Protein (%)	0015	12.250	0.06000	12.731	0.38896	0.16880	244	-1.24	002.00	0
002	Protein (%)	0952	12.250	0.12000	12.731	0.38896	0.16880	244	-1.24	002.05	0
002	Protein (%)	0891	12.259	0.00450	12.731	0.38896	0.16880	244	-1.22	002.05	0
002	Protein (%)	0123	12.265	0.07000	12.731	0.38896	0.16880	244	-1.20	002.06	0
002	Protein (%)	0728	12.275	0.53000	12.731	0.38896	0.16880	244	-1.17	002.04	0
002	Protein (%)	0935	12.275	0.07000	12.731	0.38896	0.16880	244	-1.17	002.05	0
002	Protein (%)	0682	12.295	0.53000	12.731	0.38896	0.16880	244	-1.12	002.06	0
002	Protein (%)	0820	12.301	0.11200	12.731	0.38896	0.16880	244	-1.11	002.06	0
002	Protein (%)	0622	12.302	0.00250	12.731	0.38896	0.16880	244	-1.10	002.05	0
002	Protein (%)	0950	12.320	0.00000	12.731	0.38896	0.16880	244	-1.06	002.05	0
002	Protein (%)	0354	12.325	0.05000	12.731	0.38896	0.16880	244	-1.05	002.05	0
002	Protein (%)	0042	12.325	0.07000	12.731	0.38896	0.16880	244	-1.05	002.06	0
002	Protein (%)	0298	12.340	0.02000	12.731	0.38896	0.16880	244	-1.01	002.06	0
002	Protein (%)	0921	12.345	0.01000	12.731	0.38896	0.16880	244	-0.99	002.05	0
002	Protein (%)	0358	12.350	0.36000	12.731	0.38896	0.16880	244	-0.98	002.06	0
002	Protein (%)	0051	12.350	0.10000	12.731	0.38896	0.16880	244	-0.98	002.06	0
002	Protein (%)	0226	12.350	0.10000	12.731	0.38896	0.16880	244	-0.98	002.06	0
002	Protein (%)	0512	12.365	0.17000	12.731	0.38896	0.16880	244	-0.94	002.06	0
002	Protein (%)	0187	12.370	0.10000	12.731	0.38896	0.16880	244	-0.93	002.04	0
002	Protein (%)	0407	12.370	0.30000	12.731	0.38896	0.16880	244	-0.93	002.06	0
002	Protein (%)	0758	12.370	0.22000	12.731	0.38896	0.16880	244	-0.93	002.06	0
002	Protein (%)	2012	12.390	0.36000	12.731	0.38896	0.16880	244	-0.88	002.06	0
002	Protein (%)	0027	12.395	0.07000	12.731	0.38896	0.16880	244	-0.87	002.06	0
002	Protein (%)	0911	12.400	0.00000	12.731	0.38896	0.16880	244	-0.85	002.05	0
002	Protein (%)	0138	12.415	0.06700	12.731	0.38896	0.16880	244	-0.81	002.06	0
002	Protein (%)	0552	12.415	0.09000	12.731	0.38896	0.16880	244	-0.81	002.05	0
002	Protein (%)	0036	12.419	0.07640	12.731	0.38896	0.16880	244	-0.80	002.02	0
002	Protein (%)	0944	12.435	0.05000	12.731	0.38896	0.16880	244	-0.76	002.05	0
002	Protein (%)	0882	12.443	0.20100	12.731	0.38896	0.16880	244	-0.74	002.06	0
002	Protein (%)	0623	12.446	0.50480	12.731	0.38896	0.16880	244	-0.73	002.05	0
002	Protein (%)	0692	12.450	0.70000	12.731	0.38896	0.16880	244	-0.72	002.06	0
002	Protein (%)	0571	12.461	0.04000	12.731	0.38896	0.16880	244	-0.70	002.06	0
002	Protein (%)	0148	12.495	0.09000	12.731	0.38896	0.16880	244	-0.61	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0106	12.495	0.15000	12.731	0.38896	0.16880	244	-0.61	002.06	0
002	Protein (%)	0651	12.499	0.00400	12.731	0.38896	0.16880	244	-0.60	002.05	0
002	Protein (%)	0940	12.500	0.20000	12.731	0.38896	0.16880	244	-0.60	002.00	0
002	Protein (%)	0652	12.500	0.20000	12.731	0.38896	0.16880	244	-0.60	002.01	0
002	Protein (%)	0689	12.500	0.00000	12.731	0.38896	0.16880	244	-0.60	002.05	0
002	Protein (%)	0010	12.500	0.40000	12.731	0.38896	0.16880	244	-0.60	002.06	0
002	Protein (%)	0610	12.500	0.00000	12.731	0.38896	0.16880	244	-0.60	002.06	0
002	Protein (%)	0955	12.500	0.20000	12.731	0.38896	0.16880	244	-0.60	002.06	0
002	Protein (%)	0723	12.505	0.05000	12.731	0.38896	0.16880	244	-0.58	002.01	0
002	Protein (%)	0831	12.505	0.17000	12.731	0.38896	0.16880	244	-0.58	002.06	0
002	Protein (%)	0062	12.506	0.70100	12.731	0.38896	0.16880	244	-0.58	002.01	0
002	Protein (%)	0726	12.525	0.00300	12.731	0.38896	0.16880	244	-0.53	002.06	0
002	Protein (%)	0229	12.530	0.10000	12.731	0.38896	0.16880	244	-0.52	002.06	0
002	Protein (%)	0008	12.535	0.11000	12.731	0.38896	0.16880	244	-0.51	002.06	0
002	Protein (%)	0590	12.540	0.38000	12.731	0.38896	0.16880	244	-0.49	002.06	0
002	Protein (%)	0693	12.540	0.12000	12.731	0.38896	0.16880	244	-0.49	002.06	0
002	Protein (%)	0607	12.545	0.06000	12.731	0.38896	0.16880	244	-0.48	002.01	0
002	Protein (%)	0868	12.545	0.01000	12.731	0.38896	0.16880	244	-0.48	002.05	0
002	Protein (%)	0783	12.545	0.39000	12.731	0.38896	0.16880	244	-0.48	002.06	0
002	Protein (%)	0546	12.560	0.06800	12.731	0.38896	0.16880	244	-0.44	002.06	0
002	Protein (%)	0536	12.575	0.19000	12.731	0.38896	0.16880	244	-0.40	002.03	0
002	Protein (%)	0653	12.580	0.30000	12.731	0.38896	0.16880	244	-0.39	002.01	0
002	Protein (%)	0881	12.584	0.01500	12.731	0.38896	0.16880	244	-0.38	002.01	0
002	Protein (%)	0619	12.590	0.02000	12.731	0.38896	0.16880	244	-0.36	002.06	0
002	Protein (%)	0037	12.595	0.13000	12.731	0.38896	0.16880	244	-0.35	002.06	0
002	Protein (%)	0860	12.600	0.19300	12.731	0.38896	0.16880	244	-0.34	002.01	0
002	Protein (%)	0610	12.600	0.00000	12.731	0.38896	0.16880	244	-0.34	002.01	0
002	Protein (%)	0541	12.605	0.15000	12.731	0.38896	0.16880	244	-0.33	002.06	0
002	Protein (%)	0849	12.608	0.16400	12.731	0.38896	0.16880	244	-0.32	002.05	0
002	Protein (%)	0948	12.610	0.02000	12.731	0.38896	0.16880	244	-0.31	002.05	0
002	Protein (%)	0354	12.615	0.01000	12.731	0.38896	0.16880	244	-0.30	002.06	0
002	Protein (%)	0886	12.625	0.03000	12.731	0.38896	0.16880	244	-0.27	002.05	0
002	Protein (%)	0898	12.645	0.01000	12.731	0.38896	0.16880	244	-0.22	002.05	0
002	Protein (%)	0038	12.645	0.55000	12.731	0.38896	0.16880	244	-0.22	002.06	0
002	Protein (%)	0350	12.648	0.06000	12.731	0.38896	0.16880	244	-0.21	002.01	0
002	Protein (%)	0098	12.650	0.90000	12.731	0.38896	0.16880	244	-0.21	002.06	0
002	Protein (%)	0178	12.650	0.34000	12.731	0.38896	0.16880	244	-0.21	002.05	0
002	Protein (%)	0620	12.651	0.07690	12.731	0.38896	0.16880	244	-0.21	002.05	0
002	Protein (%)	0675	12.655	0.07000	12.731	0.38896	0.16880	244	-0.20	002.05	0
002	Protein (%)	0894	12.655	0.01000	12.731	0.38896	0.16880	244	-0.20	002.05	0
002	Protein (%)	0626	12.656	0.10000	12.731	0.38896	0.16880	244	-0.19	002.06	0
002	Protein (%)	0139	12.660	0.10000	12.731	0.38896	0.16880	244	-0.18	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0848	12.665	0.15000	12.731	0.38896	0.16880	244	-0.17	002.01	0
002	Protein (%)	0736	12.685	0.19000	12.731	0.38896	0.16880	244	-0.12	002.06	0
002	Protein (%)	0160	12.688	0.75000	12.731	0.38896	0.16880	244	-0.11	002.10	0
002	Protein (%)	0713	12.690	0.02000	12.731	0.38896	0.16880	244	-0.11	002.11	0
002	Protein (%)	2012	12.695	0.09000	12.731	0.38896	0.16880	244	-0.09	002.05	0
002	Protein (%)	0047	12.695	0.17000	12.731	0.38896	0.16880	244	-0.09	002.06	0
002	Protein (%)	0629	12.695	0.01000	12.731	0.38896	0.16880	244	-0.09	002.10	0
002	Protein (%)	2009	12.699	0.02300	12.731	0.38896	0.16880	244	-0.08	002.05	0
002	Protein (%)	0199	12.700	0.14000	12.731	0.38896	0.16880	244	-0.08	002.05	0
002	Protein (%)	0142	12.700	0.00000	12.731	0.38896	0.16880	244	-0.08	002.06	0
002	Protein (%)	0294	12.700	0.20000	12.731	0.38896	0.16880	244	-0.08	002.06	0
002	Protein (%)	0673	12.700	0.20000	12.731	0.38896	0.16880	244	-0.08	002.06	0
002	Protein (%)	0208	12.700	0.20000	12.731	0.38896	0.16880	244	-0.08	002.08	0
002	Protein (%)	0951	12.705	0.17000	12.731	0.38896	0.16880	244	-0.07	002.01	0
002	Protein (%)	0948	12.705	0.07000	12.731	0.38896	0.16880	244	-0.07	002.06	0
002	Protein (%)	0194	12.715	0.03000	12.731	0.38896	0.16880	244	-0.04	002.05	0
002	Protein (%)	0938	12.720	0.04000	12.731	0.38896	0.16880	244	-0.03	002.05	0
002	Protein (%)	0563	12.725	0.04540	12.731	0.38896	0.16880	244	-0.02	002.08	0
002	Protein (%)	0902	12.727	0.01700	12.731	0.38896	0.16880	244	-0.01	002.05	0
002	Protein (%)	0874	12.730	0.00000	12.731	0.38896	0.16880	244	0.00	002.04	0
002	Protein (%)	0001	12.730	0.40000	12.731	0.38896	0.16880	244	0.00	002.06	0
002	Protein (%)	0660	12.730	0.20000	12.731	0.38896	0.16880	244	0.00	002.06	0
002	Protein (%)	0686	12.735	0.23000	12.731	0.38896	0.16880	244	0.01	002.06	0
002	Protein (%)	0083	12.740	0.12000	12.731	0.38896	0.16880	244	0.02	002.06	0
002	Protein (%)	0885	12.750	0.14000	12.731	0.38896	0.16880	244	0.05	002.05	0
002	Protein (%)	0615	12.750	0.48000	12.731	0.38896	0.16880	244	0.05	002.06	0
002	Protein (%)	0910	12.750	0.30000	12.731	0.38896	0.16880	244	0.05	002.06	0
002	Protein (%)	0893	12.755	0.01000	12.731	0.38896	0.16880	244	0.06	002.05	0
002	Protein (%)	0733	12.760	0.02000	12.731	0.38896	0.16880	244	0.07	002.06	0
002	Protein (%)	0309	12.760	0.12000	12.731	0.38896	0.16880	244	0.07	002.08	0
002	Protein (%)	0936	12.765	0.01000	12.731	0.38896	0.16880	244	0.09	002.05	0
002	Protein (%)	0505	12.770	0.04000	12.731	0.38896	0.16880	244	0.10	002.06	0
002	Protein (%)	0816	12.770	0.08000	12.731	0.38896	0.16880	244	0.10	002.06	0
002	Protein (%)	0716	12.775	0.01000	12.731	0.38896	0.16880	244	0.11	002.01	0
002	Protein (%)	0003	12.775	0.05000	12.731	0.38896	0.16880	244	0.11	002.06	0
002	Protein (%)	2011	12.790	0.20000	12.731	0.38896	0.16880	244	0.15	002.05	0
002	Protein (%)	0208	12.800	0.20000	12.731	0.38896	0.16880	244	0.18	002.06	0
002	Protein (%)	0278	12.800	0.00000	12.731	0.38896	0.16880	244	0.18	002.06	0
002	Protein (%)	0366	12.800	0.20000	12.731	0.38896	0.16880	244	0.18	002.06	0
002	Protein (%)	0913	12.800	0.20000	12.731	0.38896	0.16880	244	0.18	002.06	0
002	Protein (%)	0879	12.805	0.39000	12.731	0.38896	0.16880	244	0.19	002.05	0
002	Protein (%)	0872	12.805	0.03000	12.731	0.38896	0.16880	244	0.19	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0914	12.815	0.07000	12.731	0.38896	0.16880	244	0.21	002.07	0
002	Protein (%)	0674	12.815	0.01000	12.731	0.38896	0.16880	244	0.21	002.05	0
002	Protein (%)	0643	12.845	0.19000	12.731	0.38896	0.16880	244	0.29	002.99	0
002	Protein (%)	0032	12.850	0.50000	12.731	0.38896	0.16880	244	0.30	002.06	0
002	Protein (%)	0175	12.850	0.10000	12.731	0.38896	0.16880	244	0.30	002.06	0
002	Protein (%)	2004	12.850	0.90000	12.731	0.38896	0.16880	244	0.30	002.99	0
002	Protein (%)	0722	12.852	0.08030	12.731	0.38896	0.16880	244	0.31	002.05	0
002	Protein (%)	0908	12.855	0.05000	12.731	0.38896	0.16880	244	0.32	002.05	0
002	Protein (%)	0934	12.855	0.03000	12.731	0.38896	0.16880	244	0.32	002.05	0
002	Protein (%)	0029	12.855	0.37000	12.731	0.38896	0.16880	244	0.32	002.06	0
002	Protein (%)	0520	12.855	0.11000	12.731	0.38896	0.16880	244	0.32	002.06	0
002	Protein (%)	0868	12.855	0.07000	12.731	0.38896	0.16880	244	0.32	002.06	0
002	Protein (%)	0009	12.860	0.04000	12.731	0.38896	0.16880	244	0.33	002.06	0
002	Protein (%)	0695	12.865	0.11000	12.731	0.38896	0.16880	244	0.34	002.06	0
002	Protein (%)	0160	12.866	0.85000	12.731	0.38896	0.16880	244	0.35	002.06	0
002	Protein (%)	0739	12.870	0.38000	12.731	0.38896	0.16880	244	0.36	002.06	0
002	Protein (%)	0006	12.878	0.16100	12.731	0.38896	0.16880	244	0.38	002.06	0
002	Protein (%)	0939	12.885	0.05000	12.731	0.38896	0.16880	244	0.39	002.02	0
002	Protein (%)	0674	12.885	0.19000	12.731	0.38896	0.16880	244	0.39	002.06	0
002	Protein (%)	0413	12.900	0.60000	12.731	0.38896	0.16880	244	0.43	002.06	0
002	Protein (%)	0152	12.900	0.00000	12.731	0.38896	0.16880	244	0.43	002.02	0
002	Protein (%)	0878	12.900	0.20000	12.731	0.38896	0.16880	244	0.43	002.05	0
002	Protein (%)	0630	12.900	0.14000	12.731	0.38896	0.16880	244	0.43	002.06	0
002	Protein (%)	0825	12.900	0.00000	12.731	0.38896	0.16880	244	0.43	002.06	0
002	Protein (%)	0857	12.900	0.12000	12.731	0.38896	0.16880	244	0.43	002.06	0
002	Protein (%)	0826	12.900	0.38000	12.731	0.38896	0.16880	244	0.43	002.99	0
002	Protein (%)	0168	12.915	0.25000	12.731	0.38896	0.16880	244	0.47	002.06	0
002	Protein (%)	0589	12.920	0.28000	12.731	0.38896	0.16880	244	0.48	002.06	0
002	Protein (%)	0036	12.925	0.03000	12.731	0.38896	0.16880	244	0.50	002.06	0
002	Protein (%)	0903	12.930	0.02000	12.731	0.38896	0.16880	244	0.51	002.05	0
002	Protein (%)	0900	12.945	0.05000	12.731	0.38896	0.16880	244	0.55	002.03	0
002	Protein (%)	0619	12.950	0.30000	12.731	0.38896	0.16880	244	0.56	002.05	0
002	Protein (%)	0045	12.950	0.30000	12.731	0.38896	0.16880	244	0.56	002.06	0
002	Protein (%)	0683	12.955	0.13000	12.731	0.38896	0.16880	244	0.57	002.05	0
002	Protein (%)	0089	12.955	0.03000	12.731	0.38896	0.16880	244	0.57	002.06	0
002	Protein (%)	0760	12.960	0.02000	12.731	0.38896	0.16880	244	0.59	002.06	0
002	Protein (%)	0108	12.965	0.09000	12.731	0.38896	0.16880	244	0.60	002.06	0
002	Protein (%)	0074	12.980	0.04000	12.731	0.38896	0.16880	244	0.64	002.06	0
002	Protein (%)	0596	12.990	0.88000	12.731	0.38896	0.16880	244	0.66	002.05	0
002	Protein (%)	0790	12.995	0.31000	12.731	0.38896	0.16880	244	0.68	002.06	0
002	Protein (%)	0004	13.000	0.00000	12.731	0.38896	0.16880	244	0.69	002.06	0
002	Protein (%)	0899	13.005	0.01000	12.731	0.38896	0.16880	244	0.70	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0504	13.020	0.28000	12.731	0.38896	0.16880	244	0.74	002.04	0
002	Protein (%)	0895	13.030	0.02000	12.731	0.38896	0.16880	244	0.77	002.05	0
002	Protein (%)	0169	13.040	0.32000	12.731	0.38896	0.16880	244	0.79	002.02	0
002	Protein (%)	0164	13.040	0.08000	12.731	0.38896	0.16880	244	0.79	002.06	0
002	Protein (%)	0676	13.041	0.86900	12.731	0.38896	0.16880	244	0.79	002.06	0
002	Protein (%)	2016	13.045	0.33000	12.731	0.38896	0.16880	244	0.81	002.06	0
002	Protein (%)	0769	13.050	0.10000	12.731	0.38896	0.16880	244	0.82	002.06	0
002	Protein (%)	0553	13.053	0.34700	12.731	0.38896	0.16880	244	0.83	002.06	0
002	Protein (%)	0065	13.063	0.02440	12.731	0.38896	0.16880	244	0.85	002.06	0
002	Protein (%)	0955	13.100	0.00000	12.731	0.38896	0.16880	244	0.95	002.05	0
002	Protein (%)	0738	13.100	0.04000	12.731	0.38896	0.16880	244	0.95	002.06	0
002	Protein (%)	0592	13.130	0.06000	12.731	0.38896	0.16880	244	1.02	002.06	0
002	Protein (%)	0199	13.130	0.16000	12.731	0.38896	0.16880	244	1.02	002.06	0
002	Protein (%)	2003	13.130	0.16000	12.731	0.38896	0.16880	244	1.02	002.06	0
002	Protein (%)	0504	13.135	0.25000	12.731	0.38896	0.16880	244	1.04	002.06	0
002	Protein (%)	0687	13.150	0.10000	12.731	0.38896	0.16880	244	1.08	002.06	0
002	Protein (%)	0510	13.150	0.30000	12.731	0.38896	0.16880	244	1.08	002.06	0
002	Protein (%)	0205	13.160	0.06000	12.731	0.38896	0.16880	244	1.10	002.06	0
002	Protein (%)	0802	13.160	0.08000	12.731	0.38896	0.16880	244	1.10	002.06	0
002	Protein (%)	0871	13.185	0.01000	12.731	0.38896	0.16880	244	1.17	002.02	0
002	Protein (%)	0840	13.185	0.09000	12.731	0.38896	0.16880	244	1.17	002.06	0
002	Protein (%)	0417	13.195	0.25000	12.731	0.38896	0.16880	244	1.19	002.06	0
002	Protein (%)	0598	13.200	0.14000	12.731	0.38896	0.16880	244	1.20	002.06	0
002	Protein (%)	0880	13.200	0.00000	12.731	0.38896	0.16880	244	1.20	002.06	0
002	Protein (%)	0305	13.205	0.21000	12.731	0.38896	0.16880	244	1.22	002.05	0
002	Protein (%)	0033	13.223	0.17400	12.731	0.38896	0.16880	244	1.26	002.06	0
002	Protein (%)	0171	13.250	0.10000	12.731	0.38896	0.16880	244	1.33	002.06	0
002	Protein (%)	0265	13.250	0.30000	12.731	0.38896	0.16880	244	1.33	002.06	0
002	Protein (%)	0618	13.255	0.04700	12.731	0.38896	0.16880	244	1.34	002.06	0
002	Protein (%)	0941	13.260	0.26000	12.731	0.38896	0.16880	244	1.36	002.06	0
002	Protein (%)	0788	13.265	0.03000	12.731	0.38896	0.16880	244	1.37	002.06	0
002	Protein (%)	0425	13.270	0.04000	12.731	0.38896	0.16880	244	1.38	002.06	0
002	Protein (%)	0034	13.280	0.12000	12.731	0.38896	0.16880	244	1.41	002.06	0
002	Protein (%)	0953	13.315	0.21000	12.731	0.38896	0.16880	244	1.50	002.06	0
002	Protein (%)	0574	13.320	0.06000	12.731	0.38896	0.16880	244	1.51	002.06	0
002	Protein (%)	0529	13.340	0.06000	12.731	0.38896	0.16880	244	1.56	002.06	0
002	Protein (%)	0536	13.340	0.30000	12.731	0.38896	0.16880	244	1.56	002.99	0
002	Protein (%)	0018	13.345	0.25000	12.731	0.38896	0.16880	244	1.58	002.06	0
002	Protein (%)	0035	13.385	0.13000	12.731	0.38896	0.16880	244	1.68	002.06	0
002	Protein (%)	0628	13.400	0.52000	12.731	0.38896	0.16880	244	1.72	002.06	0
002	Protein (%)	1007	13.425	0.21000	12.731	0.38896	0.16880	244	1.78	002.06	0
002	Protein (%)	2006	13.440	0.26000	12.731	0.38896	0.16880	244	1.82	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0720	13.445	0.03000	12.731	0.38896	0.16880	244	1.83	002.06	0
002	Protein (%)	0843	13.465	0.77000	12.731	0.38896	0.16880	244	1.89	002.06	0
002	Protein (%)	0190	13.480	0.12000	12.731	0.38896	0.16880	244	1.92	002.06	0
002	Protein (%)	0859	13.512	0.37800	12.731	0.38896	0.16880	244	2.01	002.06	0
002	Protein (%)	0300	13.527	0.74500	12.731	0.38896	0.16880	244	2.04	002.06	0
002	Protein (%)	0665	13.570	0.14000	12.731	0.38896	0.16880	244	2.16	002.11	0
002	Protein (%)	0011	13.600	0.00000	12.731	0.38896	0.16880	244	2.23	002.11	0
002	Protein (%)	0132	13.610	0.02000	12.731	0.38896	0.16880	244	2.26	002.06	0
002	Protein (%)	0670	13.665	0.01000	12.731	0.38896	0.16880	244	2.40	002.06	0
002	Protein (%)	0889	13.720	0.42000	12.731	0.38896	0.16880	244	2.54	002.11	0
002	Protein (%)	0263	13.785	0.07760	12.731	0.38896	0.16880	244	2.71	002.06	0
002	Protein (%)	0337	13.815	0.11000	12.731	0.38896	0.16880	244	2.79	002.06	0
002	Protein (%)	0912	14.000	0.00000	12.731	0.38896	0.16880	244	3.26	002.06	0
002	Protein (%)	0918	14.315	0.55000	12.731	0.38896	0.16880	244	4.07	002.06	0
002	Protein (%)	0845	14.610	0.26000	12.731	0.38896	0.16880	244	4.83	002.00	0
002	Protein (%)	0121	12.050	1.2400	12.731	0.38896	0.16880	244	-1.75	002.06	1
002	Protein (%)	0049	12.785	0.99000	12.731	0.38896	0.16880	244	0.14	002.06	1
002	Protein (%)	0956	13.200	1.6000	12.731	0.38896	0.16880	244	1.20	002.06	1
002	Protein (%)	0539	13.735	1.0700	12.731	0.38896	0.16880	244	2.58	002.06	1
002	Protein (%)	0876	14.125	2.2500	12.731	0.38896	0.16880	244	3.58	002.06	1
002	Protein (%)	0357	8.2000	0.00000	12.731	0.38896	0.16880	244	-11.65	002.03	2
002	Protein (%)	0650	16.535	0.03000	12.731	0.38896	0.16880	244	9.78	002.06	2
002	Protein (%)	0838	11.740	0.26000	12.731	0.38896	0.16880	244	-2.55	002.06	8
002	Protein (%)	0777	12.375	0.11000	12.731	0.38896	0.16880	244	-0.92	002.06	8
002	Protein (%)	0776	12.430	0.18000	12.731	0.38896	0.16880	244	-0.78	002.06	8
002	Protein (%)	0832	12.475	0.21000	12.731	0.38896	0.16880	244	-0.66	002.06	8
002	Protein (%)	0778	12.480	0.08000	12.731	0.38896	0.16880	244	-0.65	002.06	8
002	Protein (%)	0830	12.515	0.03000	12.731	0.38896	0.16880	244	-0.56	002.06	8
002	Protein (%)	0841	12.590	0.04000	12.731	0.38896	0.16880	244	-0.36	002.06	8
002	Protein (%)	0779	12.630	0.28000	12.731	0.38896	0.16880	244	-0.26	002.06	8
002	Protein (%)	0792	12.665	0.55000	12.731	0.38896	0.16880	244	-0.17	002.06	8
002	Protein (%)	0780	12.670	0.14000	12.731	0.38896	0.16880	244	-0.16	002.06	8
002	Protein (%)	0774	12.685	0.13000	12.731	0.38896	0.16880	244	-0.12	002.06	8
002	Protein (%)	0811	12.695	0.07000	12.731	0.38896	0.16880	244	-0.09	002.06	8
002	Protein (%)	0752	12.745	0.19000	12.731	0.38896	0.16880	244	0.03	002.06	8
002	Protein (%)	0789	12.750	0.24000	12.731	0.38896	0.16880	244	0.05	002.06	8
002	Protein (%)	0765	12.755	0.01000	12.731	0.38896	0.16880	244	0.06	002.06	8
002	Protein (%)	0732	12.760	0.02000	12.731	0.38896	0.16880	244	0.07	002.06	8
002	Protein (%)	0753	12.765	0.31000	12.731	0.38896	0.16880	244	0.09	002.06	8
002	Protein (%)	0800	12.765	0.03000	12.731	0.38896	0.16880	244	0.09	002.06	8
002	Protein (%)	0813	12.775	0.17000	12.731	0.38896	0.16880	244	0.11	002.06	8
002	Protein (%)	1004	12.780	0.28000	12.731	0.38896	0.16880	244	0.12	002.06	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0746	12.805	0.13000	12.731	0.38896	0.16880	244	0.19	002.06	8
002	Protein (%)	0754	12.810	0.08000	12.731	0.38896	0.16880	244	0.20	002.06	8
002	Protein (%)	0745	12.820	0.04000	12.731	0.38896	0.16880	244	0.23	002.06	8
002	Protein (%)	0756	12.840	0.08000	12.731	0.38896	0.16880	244	0.28	002.06	8
002	Protein (%)	0837	12.880	0.44000	12.731	0.38896	0.16880	244	0.38	002.06	8
002	Protein (%)	0751	12.885	0.21000	12.731	0.38896	0.16880	244	0.39	002.06	8
002	Protein (%)	0817	12.900	0.10000	12.731	0.38896	0.16880	244	0.43	002.06	8
002	Protein (%)	0824	12.900	0.20000	12.731	0.38896	0.16880	244	0.43	002.06	8
002	Protein (%)	0809	12.910	0.16000	12.731	0.38896	0.16880	244	0.46	002.06	8
002	Protein (%)	1006	12.910	0.42000	12.731	0.38896	0.16880	244	0.46	002.06	8
002	Protein (%)	1008	12.930	0.02000	12.731	0.38896	0.16880	244	0.51	002.06	8
002	Protein (%)	0766	12.935	0.01000	12.731	0.38896	0.16880	244	0.52	002.06	8
002	Protein (%)	0791	12.935	0.07000	12.731	0.38896	0.16880	244	0.52	002.06	8
002	Protein (%)	0741	12.940	0.70000	12.731	0.38896	0.16880	244	0.54	002.06	8
002	Protein (%)	0772	12.950	0.12000	12.731	0.38896	0.16880	244	0.56	002.06	8
002	Protein (%)	0823	12.950	0.10000	12.731	0.38896	0.16880	244	0.56	002.06	8
002	Protein (%)	0834	12.950	0.14000	12.731	0.38896	0.16880	244	0.56	002.06	8
002	Protein (%)	0795	12.955	0.13000	12.731	0.38896	0.16880	244	0.57	002.06	8
002	Protein (%)	0757	12.965	0.03000	12.731	0.38896	0.16880	244	0.60	002.06	8
002	Protein (%)	0794	12.970	0.20000	12.731	0.38896	0.16880	244	0.61	002.06	8
002	Protein (%)	0749	12.975	0.09000	12.731	0.38896	0.16880	244	0.63	002.06	8
002	Protein (%)	0750	12.990	0.10000	12.731	0.38896	0.16880	244	0.66	002.06	8
002	Protein (%)	0835	12.992	0.26500	12.731	0.38896	0.16880	244	0.67	002.06	8
002	Protein (%)	0815	13.020	0.04000	12.731	0.38896	0.16880	244	0.74	002.06	8
002	Protein (%)	0798	13.030	0.02000	12.731	0.38896	0.16880	244	0.77	002.06	8
002	Protein (%)	0828	13.030	0.04000	12.731	0.38896	0.16880	244	0.77	002.06	8
002	Protein (%)	0818	13.050	0.10000	12.731	0.38896	0.16880	244	0.82	002.06	8
002	Protein (%)	0836	13.050	0.10000	12.731	0.38896	0.16880	244	0.82	002.06	8
002	Protein (%)	0775	13.055	0.07000	12.731	0.38896	0.16880	244	0.83	002.06	8
002	Protein (%)	0747	13.081	0.04350	12.731	0.38896	0.16880	244	0.90	002.06	8
002	Protein (%)	0812	13.105	0.13000	12.731	0.38896	0.16880	244	0.96	002.06	8
002	Protein (%)	0755	13.115	0.11000	12.731	0.38896	0.16880	244	0.99	002.06	8
002	Protein (%)	0842	13.120	0.04000	12.731	0.38896	0.16880	244	1.00	002.06	8
002	Protein (%)	0768	13.135	0.01000	12.731	0.38896	0.16880	244	1.04	002.06	8
002	Protein (%)	0740	13.137	0.18700	12.731	0.38896	0.16880	244	1.04	002.06	8
002	Protein (%)	0796	13.140	0.02000	12.731	0.38896	0.16880	244	1.05	002.06	8
002	Protein (%)	0814	13.155	0.05000	12.731	0.38896	0.16880	244	1.09	002.06	8
002	Protein (%)	0771	13.170	0.02000	12.731	0.38896	0.16880	244	1.13	002.06	8
002	Protein (%)	0803	13.170	0.20000	12.731	0.38896	0.16880	244	1.13	002.06	8
002	Protein (%)	1002	13.180	1.2000	12.731	0.38896	0.16880	244	1.15	002.06	8
002	Protein (%)	0744	13.185	0.01000	12.731	0.38896	0.16880	244	1.17	002.06	8
002	Protein (%)	0797	13.205	0.11000	12.731	0.38896	0.16880	244	1.22	002.06	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0808	13.205	0.03000	12.731	0.38896	0.16880	244	1.22	002.06	8
002	Protein (%)	0770	13.310	0.00000	12.731	0.38896	0.16880	244	1.49	002.06	8
002	Protein (%)	0810	13.315	0.29000	12.731	0.38896	0.16880	244	1.50	002.06	8
002	Protein (%)	0743	13.318	0.33800	12.731	0.38896	0.16880	244	1.51	002.06	8
002	Protein (%)	1000	13.340	0.02000	12.731	0.38896	0.16880	244	1.56	002.06	8
002	Protein (%)	1009	13.340	0.04000	12.731	0.38896	0.16880	244	1.56	002.06	8
002	Protein (%)	0781	13.355	0.45000	12.731	0.38896	0.16880	244	1.60	002.06	8
002	Protein (%)	0805	13.380	0.12000	12.731	0.38896	0.16880	244	1.67	002.06	8
002	Protein (%)	0807	13.400	0.12000	12.731	0.38896	0.16880	244	1.72	002.06	8
002	Protein (%)	0748	13.435	0.11000	12.731	0.38896	0.16880	244	1.81	002.06	8
002	Protein (%)	0742	13.440	0.00000	12.731	0.38896	0.16880	244	1.82	002.06	8
002	Protein (%)	1010	13.440	0.08000	12.731	0.38896	0.16880	244	1.82	002.06	8
002	Protein (%)	0799	13.445	0.35000	12.731	0.38896	0.16880	244	1.83	002.06	8
002	Protein (%)	1001	13.505	0.67000	12.731	0.38896	0.16880	244	1.99	002.06	8
002	Protein (%)	0787	13.560	0.04000	12.731	0.38896	0.16880	244	2.13	002.06	8
002	Protein (%)	0804	13.565	0.13000	12.731	0.38896	0.16880	244	2.14	002.06	8
002	Protein (%)	0806	13.625	0.09000	12.731	0.38896	0.16880	244	2.30	002.06	8
003	Fat (%)	0880	1.3700	0.22000	2.3226	0.19571	0.08583	175	-4.87	003.99	0
003	Fat (%)	0788	1.5900	0.26000	2.3226	0.19571	0.08583	175	-3.74	003.99	0
003	Fat (%)	0011	1.6000	0.00000	2.3226	0.19571	0.08583	175	-3.69	003.11	0
003	Fat (%)	0951	1.6850	0.25000	2.3226	0.19571	0.08583	175	-3.26	003.99	0
003	Fat (%)	0574	1.7300	0.38000	2.3226	0.19571	0.08583	175	-3.03	003.14	0
003	Fat (%)	0062	1.7580	0.06600	2.3226	0.19571	0.08583	175	-2.88	003.10	0
003	Fat (%)	0297	1.8100	0.00000	2.3226	0.19571	0.08583	175	-2.62	003.06	0
003	Fat (%)	0357	1.8500	0.10000	2.3226	0.19571	0.08583	175	-2.41	003.14	0
003	Fat (%)	0647	1.8600	0.28000	2.3226	0.19571	0.08583	175	-2.36	003.07	0
003	Fat (%)	0940	1.8700	0.22000	2.3226	0.19571	0.08583	175	-2.31	003.12	0
003	Fat (%)	0051	1.9150	0.09000	2.3226	0.19571	0.08583	175	-2.08	003.09	0
003	Fat (%)	0952	1.9300	0.02000	2.3226	0.19571	0.08583	175	-2.01	003.10	0
003	Fat (%)	0226	1.9500	0.10000	2.3226	0.19571	0.08583	175	-1.90	003.09	0
003	Fat (%)	1007	1.9500	0.00000	2.3226	0.19571	0.08583	175	-1.90	003.10	0
003	Fat (%)	0504	1.9750	0.33000	2.3226	0.19571	0.08583	175	-1.78	003.01	0
003	Fat (%)	0175	1.9900	0.02000	2.3226	0.19571	0.08583	175	-1.70	003.14	0
003	Fat (%)	0003	2.0000	0.18000	2.3226	0.19571	0.08583	175	-1.65	003.06	0
003	Fat (%)	0623	2.0322	0.08870	2.3226	0.19571	0.08583	175	-1.48	003.10	0
003	Fat (%)	0144	2.0350	0.11000	2.3226	0.19571	0.08583	175	-1.47	003.14	0
003	Fat (%)	0034	2.0400	0.00000	2.3226	0.19571	0.08583	175	-1.44	003.10	0
003	Fat (%)	0042	2.0600	0.02000	2.3226	0.19571	0.08583	175	-1.34	003.10	0
003	Fat (%)	0885	2.0600	0.04000	2.3226	0.19571	0.08583	175	-1.34	003.10	0
003	Fat (%)	2011	2.0700	0.14000	2.3226	0.19571	0.08583	175	-1.29	003.10	0
003	Fat (%)	0607	2.0795	0.16470	2.3226	0.19571	0.08583	175	-1.24	003.10	0
003	Fat (%)	0720	2.0800	0.04000	2.3226	0.19571	0.08583	175	-1.24	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0695	2.0900	0.00000	2.3226	0.19571	0.08583	175	-1.19	003.10	0
003	Fat (%)	0944	2.1000	0.04000	2.3226	0.19571	0.08583	175	-1.14	003.10	0
003	Fat (%)	0913	2.1100	0.02000	2.3226	0.19571	0.08583	175	-1.09	003.14	0
003	Fat (%)	0861	2.1500	0.06000	2.3226	0.19571	0.08583	175	-0.88	003.10	0
003	Fat (%)	0337	2.1550	0.09000	2.3226	0.19571	0.08583	175	-0.86	003.00	0
003	Fat (%)	0121	2.1565	0.07500	2.3226	0.19571	0.08583	175	-0.85	003.09	0
003	Fat (%)	0294	2.1600	0.08000	2.3226	0.19571	0.08583	175	-0.83	003.06	0
003	Fat (%)	0297	2.1600	0.06000	2.3226	0.19571	0.08583	175	-0.83	003.11	0
003	Fat (%)	0089	2.1600	0.00000	2.3226	0.19571	0.08583	175	-0.83	003.14	0
003	Fat (%)	0912	2.1600	0.00000	2.3226	0.19571	0.08583	175	-0.83	003.14	0
003	Fat (%)	0900	2.1650	0.05000	2.3226	0.19571	0.08583	175	-0.81	003.12	0
003	Fat (%)	0887	2.1750	0.01000	2.3226	0.19571	0.08583	175	-0.75	003.10	0
003	Fat (%)	0202	2.1750	0.11000	2.3226	0.19571	0.08583	175	-0.75	003.14	0
003	Fat (%)	0728	2.1850	0.01000	2.3226	0.19571	0.08583	175	-0.70	003.10	0
003	Fat (%)	0903	2.1850	0.01000	2.3226	0.19571	0.08583	175	-0.70	003.12	0
003	Fat (%)	0178	2.1900	0.04000	2.3226	0.19571	0.08583	175	-0.68	003.10	0
003	Fat (%)	0891	2.1942	0.00270	2.3226	0.19571	0.08583	175	-0.66	003.14	0
003	Fat (%)	0354	2.2000	0.04000	2.3226	0.19571	0.08583	175	-0.63	003.06	0
003	Fat (%)	0152	2.2000	0.00000	2.3226	0.19571	0.08583	175	-0.63	003.09	0
003	Fat (%)	0242	2.2100	0.04000	2.3226	0.19571	0.08583	175	-0.58	003.10	0
003	Fat (%)	0783	2.2200	0.08000	2.3226	0.19571	0.08583	175	-0.52	003.10	0
003	Fat (%)	0199	2.2250	0.01000	2.3226	0.19571	0.08583	175	-0.50	003.06	0
003	Fat (%)	0164	2.2300	0.06000	2.3226	0.19571	0.08583	175	-0.47	003.01	0
003	Fat (%)	0895	2.2300	0.02000	2.3226	0.19571	0.08583	175	-0.47	003.12	0
003	Fat (%)	0160	2.2315	0.15840	2.3226	0.19571	0.08583	175	-0.47	003.10	0
003	Fat (%)	0546	2.2350	0.09000	2.3226	0.19571	0.08583	175	-0.45	003.99	0
003	Fat (%)	0629	2.2400	0.06000	2.3226	0.19571	0.08583	175	-0.42	003.10	0
003	Fat (%)	0720	2.2400	0.02000	2.3226	0.19571	0.08583	175	-0.42	003.11	0
003	Fat (%)	0936	2.2400	0.02000	2.3226	0.19571	0.08583	175	-0.42	003.12	0
003	Fat (%)	0037	2.2400	0.02000	2.3226	0.19571	0.08583	175	-0.42	003.14	0
003	Fat (%)	0047	2.2500	0.02000	2.3226	0.19571	0.08583	175	-0.37	003.99	0
003	Fat (%)	0305	2.2550	0.01000	2.3226	0.19571	0.08583	175	-0.35	003.10	0
003	Fat (%)	0660	2.2550	0.25000	2.3226	0.19571	0.08583	175	-0.35	003.13	0
003	Fat (%)	0563	2.2561	0.03260	2.3226	0.19571	0.08583	175	-0.34	003.14	0
003	Fat (%)	0148	2.2600	0.02000	2.3226	0.19571	0.08583	175	-0.32	003.06	0
003	Fat (%)	0425	2.2600	0.02000	2.3226	0.19571	0.08583	175	-0.32	003.06	0
003	Fat (%)	0687	2.2600	0.02000	2.3226	0.19571	0.08583	175	-0.32	003.06	0
003	Fat (%)	0894	2.2600	0.02000	2.3226	0.19571	0.08583	175	-0.32	003.12	0
003	Fat (%)	0893	2.2650	0.01000	2.3226	0.19571	0.08583	175	-0.29	003.12	0
003	Fat (%)	0693	2.2650	0.05000	2.3226	0.19571	0.08583	175	-0.29	003.10	0
003	Fat (%)	0911	2.2700	0.02000	2.3226	0.19571	0.08583	175	-0.27	003.12	0
003	Fat (%)	0529	2.2700	0.18000	2.3226	0.19571	0.08583	175	-0.27	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0098	2.2750	0.01000	2.3226	0.19571	0.08583	175	-0.24	003.10	0
003	Fat (%)	0552	2.2800	0.04000	2.3226	0.19571	0.08583	175	-0.22	003.06	0
003	Fat (%)	0598	2.2800	0.00000	2.3226	0.19571	0.08583	175	-0.22	003.14	0
003	Fat (%)	0169	2.2800	0.10000	2.3226	0.19571	0.08583	175	-0.22	003.06	0
003	Fat (%)	0108	2.2800	0.10000	2.3226	0.19571	0.08583	175	-0.22	003.14	0
003	Fat (%)	0938	2.2850	0.01000	2.3226	0.19571	0.08583	175	-0.19	003.12	0
003	Fat (%)	0298	2.2900	0.02000	2.3226	0.19571	0.08583	175	-0.17	003.10	0
003	Fat (%)	0619	2.2900	0.22000	2.3226	0.19571	0.08583	175	-0.17	003.10	0
003	Fat (%)	0723	2.2950	0.03000	2.3226	0.19571	0.08583	175	-0.14	003.09	0
003	Fat (%)	0142	2.3000	0.40000	2.3226	0.19571	0.08583	175	-0.12	003.00	0
003	Fat (%)	0689	2.3000	0.20000	2.3226	0.19571	0.08583	175	-0.12	003.06	0
003	Fat (%)	0689	2.3000	0.00000	2.3226	0.19571	0.08583	175	-0.12	003.10	0
003	Fat (%)	0868	2.3000	0.14000	2.3226	0.19571	0.08583	175	-0.12	003.10	0
003	Fat (%)	0169	2.3000	0.26000	2.3226	0.19571	0.08583	175	-0.12	003.14	0
003	Fat (%)	0265	2.3000	0.00000	2.3226	0.19571	0.08583	175	-0.12	003.14	0
003	Fat (%)	0278	2.3000	0.00000	2.3226	0.19571	0.08583	175	-0.12	003.14	0
003	Fat (%)	0956	2.3000	0.20000	2.3226	0.19571	0.08583	175	-0.12	003.14	0
003	Fat (%)	0026	2.3050	0.07000	2.3226	0.19571	0.08583	175	-0.09	003.00	0
003	Fat (%)	0935	2.3050	0.01000	2.3226	0.19571	0.08583	175	-0.09	003.12	0
003	Fat (%)	0098	2.3100	0.06000	2.3226	0.19571	0.08583	175	-0.06	003.09	0
003	Fat (%)	0229	2.3100	0.02000	2.3226	0.19571	0.08583	175	-0.06	003.14	0
003	Fat (%)	0871	2.3150	0.01000	2.3226	0.19571	0.08583	175	-0.04	003.06	0
003	Fat (%)	0100	2.3200	0.08000	2.3226	0.19571	0.08583	175	-0.01	003.10	0
003	Fat (%)	0939	2.3200	0.04000	2.3226	0.19571	0.08583	175	-0.01	003.12	0
003	Fat (%)	0520	2.3200	0.16000	2.3226	0.19571	0.08583	175	-0.01	003.14	0
003	Fat (%)	0581	2.3300	0.14000	2.3226	0.19571	0.08583	175	0.04	003.14	0
003	Fat (%)	0898	2.3350	0.03000	2.3226	0.19571	0.08583	175	0.06	003.12	0
003	Fat (%)	0899	2.3350	0.01000	2.3226	0.19571	0.08583	175	0.06	003.12	0
003	Fat (%)	0027	2.3400	0.00000	2.3226	0.19571	0.08583	175	0.09	003.09	0
003	Fat (%)	0510	2.3500	0.10000	2.3226	0.19571	0.08583	175	0.14	003.09	0
003	Fat (%)	0673	2.3500	0.10000	2.3226	0.19571	0.08583	175	0.14	003.09	0
003	Fat (%)	0413	2.3500	0.10000	2.3226	0.19571	0.08583	175	0.14	003.14	0
003	Fat (%)	0171	2.3500	0.12000	2.3226	0.19571	0.08583	175	0.14	003.12	0
003	Fat (%)	0309	2.3575	0.03100	2.3226	0.19571	0.08583	175	0.18	003.00	0
003	Fat (%)	0358	2.3600	0.04000	2.3226	0.19571	0.08583	175	0.19	003.14	0
003	Fat (%)	0950	2.3600	0.02000	2.3226	0.19571	0.08583	175	0.19	003.10	0
003	Fat (%)	0948	2.3700	0.08000	2.3226	0.19571	0.08583	175	0.24	003.09	0
003	Fat (%)	0035	2.3750	0.01000	2.3226	0.19571	0.08583	175	0.27	003.00	0
003	Fat (%)	0665	2.3800	0.00000	2.3226	0.19571	0.08583	175	0.29	003.06	0
003	Fat (%)	2006	2.3850	0.15000	2.3226	0.19571	0.08583	175	0.32	003.00	0
003	Fat (%)	0004	2.3850	0.03000	2.3226	0.19571	0.08583	175	0.32	003.09	0
003	Fat (%)	0123	2.3900	0.10000	2.3226	0.19571	0.08583	175	0.34	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0033	2.3900	0.26000	2.3226	0.19571	0.08583	175	0.34	003.13	0
003	Fat (%)	0849	2.3905	0.05900	2.3226	0.19571	0.08583	175	0.35	003.09	0
003	Fat (%)	0726	2.3935	0.12100	2.3226	0.19571	0.08583	175	0.36	003.14	0
003	Fat (%)	0300	2.3950	0.08400	2.3226	0.19571	0.08583	175	0.37	003.00	0
003	Fat (%)	0910	2.3950	0.07000	2.3226	0.19571	0.08583	175	0.37	003.06	0
003	Fat (%)	0032	2.4000	0.20000	2.3226	0.19571	0.08583	175	0.40	003.06	0
003	Fat (%)	0366	2.4000	0.00000	2.3226	0.19571	0.08583	175	0.40	003.10	0
003	Fat (%)	0015	2.4050	0.07000	2.3226	0.19571	0.08583	175	0.42	003.00	0
003	Fat (%)	0653	2.4100	0.00000	2.3226	0.19571	0.08583	175	0.45	003.09	0
003	Fat (%)	0187	2.4100	0.02000	2.3226	0.19571	0.08583	175	0.45	003.13	0
003	Fat (%)	0686	2.4100	0.14000	2.3226	0.19571	0.08583	175	0.45	003.14	0
003	Fat (%)	0902	2.4116	0.00100	2.3226	0.19571	0.08583	175	0.45	003.12	0
003	Fat (%)	0083	2.4150	0.17000	2.3226	0.19571	0.08583	175	0.47	003.06	0
003	Fat (%)	0045	2.4250	0.09000	2.3226	0.19571	0.08583	175	0.52	003.10	0
003	Fat (%)	0001	2.4292	0.20990	2.3226	0.19571	0.08583	175	0.54	003.14	0
003	Fat (%)	0049	2.4300	0.20000	2.3226	0.19571	0.08583	175	0.55	003.14	0
003	Fat (%)	0354	2.4350	0.05000	2.3226	0.19571	0.08583	175	0.57	003.09	0
003	Fat (%)	0505	2.4350	0.03000	2.3226	0.19571	0.08583	175	0.57	003.09	0
003	Fat (%)	0630	2.4400	0.10000	2.3226	0.19571	0.08583	175	0.60	003.99	0
003	Fat (%)	0350	2.4480	0.02000	2.3226	0.19571	0.08583	175	0.64	003.09	0
003	Fat (%)	0263	2.4500	0.00660	2.3226	0.19571	0.08583	175	0.65	003.09	0
003	Fat (%)	0682	2.4550	0.01000	2.3226	0.19571	0.08583	175	0.68	003.06	0
003	Fat (%)	0908	2.4550	0.01000	2.3226	0.19571	0.08583	175	0.68	003.12	0
003	Fat (%)	0190	2.4600	0.02000	2.3226	0.19571	0.08583	175	0.70	003.14	0
003	Fat (%)	0646	2.4650	0.05000	2.3226	0.19571	0.08583	175	0.73	003.13	0
003	Fat (%)	0955	2.4650	0.13000	2.3226	0.19571	0.08583	175	0.73	003.14	0
003	Fat (%)	0934	2.4750	0.01000	2.3226	0.19571	0.08583	175	0.78	003.12	0
003	Fat (%)	0512	2.4770	0.19600	2.3226	0.19571	0.08583	175	0.79	003.09	0
003	Fat (%)	0106	2.4800	0.06000	2.3226	0.19571	0.08583	175	0.80	003.00	0
003	Fat (%)	0039	2.4825	0.09500	2.3226	0.19571	0.08583	175	0.82	003.00	0
003	Fat (%)	0175	2.4850	0.13000	2.3226	0.19571	0.08583	175	0.83	003.00	0
003	Fat (%)	0354	2.4850	0.03000	2.3226	0.19571	0.08583	175	0.83	003.00	0
003	Fat (%)	0676	2.4872	0.05600	2.3226	0.19571	0.08583	175	0.84	003.06	0
003	Fat (%)	0307	2.5000	0.40000	2.3226	0.19571	0.08583	175	0.91	003.00	0
003	Fat (%)	0886	2.5050	0.07000	2.3226	0.19571	0.08583	175	0.93	003.12	0
003	Fat (%)	0878	2.5050	0.09000	2.3226	0.19571	0.08583	175	0.93	003.14	0
003	Fat (%)	0590	2.5200	0.26000	2.3226	0.19571	0.08583	175	1.01	003.09	0
003	Fat (%)	0009	2.5250	0.09000	2.3226	0.19571	0.08583	175	1.03	003.14	0
003	Fat (%)	0738	2.5250	0.05000	2.3226	0.19571	0.08583	175	1.03	003.99	0
003	Fat (%)	0205	2.5485	0.42300	2.3226	0.19571	0.08583	175	1.15	003.13	0
003	Fat (%)	0733	2.5550	0.05000	2.3226	0.19571	0.08583	175	1.19	003.09	0
003	Fat (%)	2012	2.5550	0.37000	2.3226	0.19571	0.08583	175	1.19	003.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0674	2.5650	0.01000	2.3226	0.19571	0.08583	175	1.24	003.09	0
003	Fat (%)	0713	2.5650	0.01000	2.3226	0.19571	0.08583	175	1.24	003.11	0
003	Fat (%)	0353	2.5650	0.15000	2.3226	0.19571	0.08583	175	1.24	003.09	0
003	Fat (%)	0675	2.5700	0.02000	2.3226	0.19571	0.08583	175	1.26	003.09	0
003	Fat (%)	0918	2.5850	0.35000	2.3226	0.19571	0.08583	175	1.34	003.10	0
003	Fat (%)	0620	2.5884	0.05020	2.3226	0.19571	0.08583	175	1.36	003.09	0
003	Fat (%)	0139	2.5900	0.04000	2.3226	0.19571	0.08583	175	1.37	003.00	0
003	Fat (%)	2009	2.5940	0.00400	2.3226	0.19571	0.08583	175	1.39	003.10	0
003	Fat (%)	0615	2.6300	0.12000	2.3226	0.19571	0.08583	175	1.57	003.00	0
003	Fat (%)	0681	2.6500	0.04000	2.3226	0.19571	0.08583	175	1.67	003.99	0
003	Fat (%)	0132	2.6500	0.06000	2.3226	0.19571	0.08583	175	1.67	003.00	0
003	Fat (%)	0881	2.6605	0.14300	2.3226	0.19571	0.08583	175	1.73	003.10	0
003	Fat (%)	0670	2.6700	0.08000	2.3226	0.19571	0.08583	175	1.78	003.12	0
003	Fat (%)	0683	2.6700	0.08000	2.3226	0.19571	0.08583	175	1.78	003.14	0
003	Fat (%)	0065	2.6925	0.00500	2.3226	0.19571	0.08583	175	1.89	003.00	0
003	Fat (%)	0596	2.7100	0.02000	2.3226	0.19571	0.08583	175	1.98	003.00	0
003	Fat (%)	0028	2.7100	0.26000	2.3226	0.19571	0.08583	175	1.98	003.13	0
003	Fat (%)	2001	2.7300	0.06000	2.3226	0.19571	0.08583	175	2.08	003.06	0
003	Fat (%)	0628	2.7700	0.04000	2.3226	0.19571	0.08583	175	2.29	003.14	0
003	Fat (%)	0722	2.7749	0.21770	2.3226	0.19571	0.08583	175	2.31	003.09	0
003	Fat (%)	0194	2.7750	0.03000	2.3226	0.19571	0.08583	175	2.31	003.00	0
003	Fat (%)	0848	2.8150	0.31000	2.3226	0.19571	0.08583	175	2.52	003.00	0
003	Fat (%)	0889	2.8350	0.13000	2.3226	0.19571	0.08583	175	2.62	003.11	0
003	Fat (%)	0407	2.8800	0.00000	2.3226	0.19571	0.08583	175	2.85	003.14	0
003	Fat (%)	0876	1.6400	0.62000	2.3226	0.19571	0.08583	175	-3.49	003.00	1
003	Fat (%)	0208	1.7250	0.51000	2.3226	0.19571	0.08583	175	-3.05	003.13	1
003	Fat (%)	0879	2.1300	0.50000	2.3226	0.19571	0.08583	175	-0.98	003.06	1
003	Fat (%)	0019	3.0850	0.63000	2.3226	0.19571	0.08583	175	3.90	003.14	1
003	Fat (%)	0536	4.4450	0.67000	2.3226	0.19571	0.08583	175	10.84	003.99	1
003	Fat (%)	0574	4.6600	0.36000	2.3226	0.19571	0.08583	175	11.94	003.06	2
003	Fat (%)	0787	1.8050	0.17000	2.3226	0.19571	0.08583	175	-2.64	003.99	8
003	Fat (%)	0781	2.0150	0.11000	2.3226	0.19571	0.08583	175	-1.57	003.10	8
003	Fat (%)	0732	2.5350	0.01000	2.3226	0.19571	0.08583	175	1.09	003.09	8
003	Fat (%)	1001	3.5050	0.11000	2.3226	0.19571	0.08583	175	6.04	003.99	8
004	Fiber (%)	0307	18.950	0.30000	22.061	1.2611	0.31397	156	-2.47	004.07	0
004	Fiber (%)	0950	18.965	0.09000	22.061	1.2611	0.31397	156	-2.45	004.03	0
004	Fiber (%)	0720	19.050	0.10000	22.061	1.2611	0.31397	156	-2.39	004.11	0
004	Fiber (%)	0034	19.261	0.01600	22.061	1.2611	0.31397	156	-2.22	004.00	0
004	Fiber (%)	0893	19.485	0.01000	22.061	1.2611	0.31397	156	-2.04	004.06	0
004	Fiber (%)	0895	19.575	0.03000	22.061	1.2611	0.31397	156	-1.97	004.06	0
004	Fiber (%)	0871	19.600	0.40000	22.061	1.2611	0.31397	156	-1.95	004.00	0
004	Fiber (%)	0019	19.750	0.32000	22.061	1.2611	0.31397	156	-1.83	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0902	19.941	0.00600	22.061	1.2611	0.31397	156	-1.68	004.06	0
004	Fiber (%)	0900	19.995	0.09000	22.061	1.2611	0.31397	156	-1.64	004.06	0
004	Fiber (%)	0903	20.025	0.03000	22.061	1.2611	0.31397	156	-1.61	004.06	0
004	Fiber (%)	0951	20.045	0.13000	22.061	1.2611	0.31397	156	-1.60	004.11	0
004	Fiber (%)	0899	20.055	0.01000	22.061	1.2611	0.31397	156	-1.59	004.06	0
004	Fiber (%)	0944	20.085	0.09000	22.061	1.2611	0.31397	156	-1.57	004.00	0
004	Fiber (%)	0940	20.135	0.85000	22.061	1.2611	0.31397	156	-1.53	004.99	0
004	Fiber (%)	0123	20.435	0.05000	22.061	1.2611	0.31397	156	-1.29	004.07	0
004	Fiber (%)	0921	20.510	0.50000	22.061	1.2611	0.31397	156	-1.23	004.00	0
004	Fiber (%)	0536	20.595	0.45000	22.061	1.2611	0.31397	156	-1.16	004.07	0
004	Fiber (%)	0504	20.600	0.94000	22.061	1.2611	0.31397	156	-1.16	004.00	0
004	Fiber (%)	2011	20.650	0.10000	22.061	1.2611	0.31397	156	-1.12	004.00	0
004	Fiber (%)	0026	20.720	0.38000	22.061	1.2611	0.31397	156	-1.06	004.07	0
004	Fiber (%)	0160	20.795	0.35240	22.061	1.2611	0.31397	156	-1.00	004.07	0
004	Fiber (%)	0610	20.800	0.40000	22.061	1.2611	0.31397	156	-1.00	004.06	0
004	Fiber (%)	0520	20.850	0.14000	22.061	1.2611	0.31397	156	-0.96	004.07	0
004	Fiber (%)	0278	20.900	0.00000	22.061	1.2611	0.31397	156	-0.92	004.07	0
004	Fiber (%)	0013	20.910	0.40000	22.061	1.2611	0.31397	156	-0.91	004.07	0
004	Fiber (%)	0039	20.943	0.47300	22.061	1.2611	0.31397	156	-0.89	004.00	0
004	Fiber (%)	2006	20.955	0.13000	22.061	1.2611	0.31397	156	-0.88	004.06	0
004	Fiber (%)	0713	21.020	0.02000	22.061	1.2611	0.31397	156	-0.83	004.11	0
004	Fiber (%)	0860	21.060	0.10000	22.061	1.2611	0.31397	156	-0.79	004.06	0
004	Fiber (%)	0683	21.060	0.30000	22.061	1.2611	0.31397	156	-0.79	004.07	0
004	Fiber (%)	0686	21.070	1.7000	22.061	1.2611	0.31397	156	-0.79	004.07	0
004	Fiber (%)	0918	21.095	0.03000	22.061	1.2611	0.31397	156	-0.77	004.06	0
004	Fiber (%)	0938	21.105	0.03000	22.061	1.2611	0.31397	156	-0.76	004.06	0
004	Fiber (%)	2012	21.110	0.08000	22.061	1.2611	0.31397	156	-0.75	004.07	0
004	Fiber (%)	0205	21.150	0.70000	22.061	1.2611	0.31397	156	-0.72	004.06	0
004	Fiber (%)	0194	21.195	0.03000	22.061	1.2611	0.31397	156	-0.69	004.00	0
004	Fiber (%)	0720	21.195	0.13000	22.061	1.2611	0.31397	156	-0.69	004.06	0
004	Fiber (%)	0190	21.200	0.20000	22.061	1.2611	0.31397	156	-0.68	004.07	0
004	Fiber (%)	0913	21.250	0.30000	22.061	1.2611	0.31397	156	-0.64	004.07	0
004	Fiber (%)	0726	21.267	0.17800	22.061	1.2611	0.31397	156	-0.63	004.07	0
004	Fiber (%)	0089	21.270	0.02000	22.061	1.2611	0.31397	156	-0.63	004.07	0
004	Fiber (%)	0935	21.295	0.01000	22.061	1.2611	0.31397	156	-0.61	004.06	0
004	Fiber (%)	0552	21.400	0.56000	22.061	1.2611	0.31397	156	-0.52	004.06	0
004	Fiber (%)	0032	21.400	0.40000	22.061	1.2611	0.31397	156	-0.52	004.07	0
004	Fiber (%)	0510	21.400	0.60000	22.061	1.2611	0.31397	156	-0.52	004.07	0
004	Fiber (%)	0955	21.400	1.0000	22.061	1.2611	0.31397	156	-0.52	004.07	0
004	Fiber (%)	0629	21.400	0.00000	22.061	1.2611	0.31397	156	-0.52	004.99	0
004	Fiber (%)	0898	21.415	0.03000	22.061	1.2611	0.31397	156	-0.51	004.06	0
004	Fiber (%)	0199	21.445	0.71000	22.061	1.2611	0.31397	156	-0.49	004.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0628	21.465	0.05000	22.061	1.2611	0.31397	156	-0.47	004.07	0
004	Fiber (%)	0553	21.475	0.81000	22.061	1.2611	0.31397	156	-0.46	004.07	0
004	Fiber (%)	0708	21.480	0.20000	22.061	1.2611	0.31397	156	-0.46	004.07	0
004	Fiber (%)	0956	21.500	0.20000	22.061	1.2611	0.31397	156	-0.44	004.07	0
004	Fiber (%)	0353	21.510	0.40000	22.061	1.2611	0.31397	156	-0.44	004.00	0
004	Fiber (%)	0175	21.550	0.10000	22.061	1.2611	0.31397	156	-0.40	004.00	0
004	Fiber (%)	0033	21.600	0.20000	22.061	1.2611	0.31397	156	-0.37	004.07	0
004	Fiber (%)	0563	21.619	0.03110	22.061	1.2611	0.31397	156	-0.35	004.00	0
004	Fiber (%)	0563	21.619	0.03110	22.061	1.2611	0.31397	156	-0.35	004.07	0
004	Fiber (%)	0074	21.675	0.15000	22.061	1.2611	0.31397	156	-0.31	004.07	0
004	Fiber (%)	0529	21.685	0.01000	22.061	1.2611	0.31397	156	-0.30	004.07	0
004	Fiber (%)	0003	21.730	0.06000	22.061	1.2611	0.31397	156	-0.26	004.07	0
004	Fiber (%)	0722	21.794	0.20770	22.061	1.2611	0.31397	156	-0.21	004.06	0
004	Fiber (%)	0675	21.805	0.29000	22.061	1.2611	0.31397	156	-0.20	004.06	0
004	Fiber (%)	0042	21.835	0.63000	22.061	1.2611	0.31397	156	-0.18	004.07	0
004	Fiber (%)	0413	21.850	0.30000	22.061	1.2611	0.31397	156	-0.17	004.07	0
004	Fiber (%)	0098	21.855	0.09000	22.061	1.2611	0.31397	156	-0.16	004.06	0
004	Fiber (%)	0512	21.865	1.4300	22.061	1.2611	0.31397	156	-0.16	004.06	0
004	Fiber (%)	0670	21.880	0.26000	22.061	1.2611	0.31397	156	-0.14	004.06	0
004	Fiber (%)	0607	21.880	1.0004	22.061	1.2611	0.31397	156	-0.14	004.07	0
004	Fiber (%)	0011	21.900	0.00000	22.061	1.2611	0.31397	156	-0.13	004.11	0
004	Fiber (%)	0891	21.945	0.19000	22.061	1.2611	0.31397	156	-0.09	004.07	0
004	Fiber (%)	0027	21.950	0.14000	22.061	1.2611	0.31397	156	-0.09	004.06	0
004	Fiber (%)	0596	21.955	1.2700	22.061	1.2611	0.31397	156	-0.08	004.00	0
004	Fiber (%)	0674	21.960	0.50000	22.061	1.2611	0.31397	156	-0.08	004.06	0
004	Fiber (%)	0202	21.960	0.12000	22.061	1.2611	0.31397	156	-0.08	004.07	0
004	Fiber (%)	0098	21.970	1.3200	22.061	1.2611	0.31397	156	-0.07	004.07	0
004	Fiber (%)	0861	21.975	1.0900	22.061	1.2611	0.31397	156	-0.07	004.07	0
004	Fiber (%)	0876	21.995	1.1100	22.061	1.2611	0.31397	156	-0.05	004.00	0
004	Fiber (%)	0682	22.040	0.58000	22.061	1.2611	0.31397	156	-0.02	004.07	0
004	Fiber (%)	0226	22.050	0.50000	22.061	1.2611	0.31397	156	-0.01	004.00	0
004	Fiber (%)	0581	22.060	0.14000	22.061	1.2611	0.31397	156	0.00	004.07	0
004	Fiber (%)	0689	22.100	0.00000	22.061	1.2611	0.31397	156	0.03	004.06	0
004	Fiber (%)	0297	22.125	0.05000	22.061	1.2611	0.31397	156	0.05	004.07	0
004	Fiber (%)	0939	22.160	0.66000	22.061	1.2611	0.31397	156	0.08	004.07	0
004	Fiber (%)	0894	22.190	0.02000	22.061	1.2611	0.31397	156	0.10	004.06	0
004	Fiber (%)	0035	22.240	0.06000	22.061	1.2611	0.31397	156	0.14	004.07	0
004	Fiber (%)	0936	22.290	0.18000	22.061	1.2611	0.31397	156	0.18	004.06	0
004	Fiber (%)	0592	22.325	0.15000	22.061	1.2611	0.31397	156	0.21	004.07	0
004	Fiber (%)	0653	22.325	0.19000	22.061	1.2611	0.31397	156	0.21	004.06	0
004	Fiber (%)	0665	22.335	0.21000	22.061	1.2611	0.31397	156	0.22	004.11	0
004	Fiber (%)	0045	22.350	1.5000	22.061	1.2611	0.31397	156	0.23	004.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0265	22.350	0.50000	22.061	1.2611	0.31397	156	0.23	004.07	0
004	Fiber (%)	0029	22.360	0.08000	22.061	1.2611	0.31397	156	0.24	004.06	0
004	Fiber (%)	0505	22.360	0.00000	22.061	1.2611	0.31397	156	0.24	004.07	0
004	Fiber (%)	0646	22.375	0.49000	22.061	1.2611	0.31397	156	0.25	004.07	0
004	Fiber (%)	0590	22.405	0.63000	22.061	1.2611	0.31397	156	0.27	004.06	0
004	Fiber (%)	0932	22.435	0.03000	22.061	1.2611	0.31397	156	0.30	004.00	0
004	Fiber (%)	0083	22.445	0.55000	22.061	1.2611	0.31397	156	0.30	004.07	0
004	Fiber (%)	2004	22.450	0.10000	22.061	1.2611	0.31397	156	0.31	004.00	0
004	Fiber (%)	0620	22.460	0.11580	22.061	1.2611	0.31397	156	0.32	004.06	0
004	Fiber (%)	0100	22.465	0.21000	22.061	1.2611	0.31397	156	0.32	004.07	0
004	Fiber (%)	0132	22.545	0.13000	22.061	1.2611	0.31397	156	0.38	004.00	0
004	Fiber (%)	0229	22.550	0.30000	22.061	1.2611	0.31397	156	0.39	004.07	0
004	Fiber (%)	0309	22.550	0.14000	22.061	1.2611	0.31397	156	0.39	004.00	0
004	Fiber (%)	0425	22.550	0.10000	22.061	1.2611	0.31397	156	0.39	004.00	0
004	Fiber (%)	0878	22.550	0.50000	22.061	1.2611	0.31397	156	0.39	004.07	0
004	Fiber (%)	0887	22.565	0.03000	22.061	1.2611	0.31397	156	0.40	004.06	0
004	Fiber (%)	0298	22.610	0.02000	22.061	1.2611	0.31397	156	0.44	004.00	0
004	Fiber (%)	0881	22.616	0.29000	22.061	1.2611	0.31397	156	0.44	004.06	0
004	Fiber (%)	0885	22.630	0.06000	22.061	1.2611	0.31397	156	0.45	004.06	0
004	Fiber (%)	0886	22.670	0.34000	22.061	1.2611	0.31397	156	0.48	004.06	0
004	Fiber (%)	0294	22.750	0.50000	22.061	1.2611	0.31397	156	0.55	004.07	0
004	Fiber (%)	2009	22.822	0.13200	22.061	1.2611	0.31397	156	0.60	004.06	0
004	Fiber (%)	0868	22.845	0.01000	22.061	1.2611	0.31397	156	0.62	004.06	0
004	Fiber (%)	0693	22.880	0.28000	22.061	1.2611	0.31397	156	0.65	004.03	0
004	Fiber (%)	0695	22.915	0.17000	22.061	1.2611	0.31397	156	0.68	004.00	0
004	Fiber (%)	0164	22.950	0.50000	22.061	1.2611	0.31397	156	0.71	004.00	0
004	Fiber (%)	0015	22.970	0.36000	22.061	1.2611	0.31397	156	0.72	004.00	0
004	Fiber (%)	0948	23.040	0.30000	22.061	1.2611	0.31397	156	0.78	004.06	0
004	Fiber (%)	0171	23.050	0.40000	22.061	1.2611	0.31397	156	0.78	004.00	0
004	Fiber (%)	0849	23.055	0.13000	22.061	1.2611	0.31397	156	0.79	004.07	0
004	Fiber (%)	0952	23.130	1.1200	22.061	1.2611	0.31397	156	0.85	004.06	0
004	Fiber (%)	0366	23.200	0.40000	22.061	1.2611	0.31397	156	0.90	004.01	0
004	Fiber (%)	0009	23.250	0.50000	22.061	1.2611	0.31397	156	0.94	004.07	0
004	Fiber (%)	0028	23.250	0.10000	22.061	1.2611	0.31397	156	0.94	004.07	0
004	Fiber (%)	0619	23.250	0.90000	22.061	1.2611	0.31397	156	0.94	004.07	0
004	Fiber (%)	0908	23.320	0.04000	22.061	1.2611	0.31397	156	1.00	004.06	0
004	Fiber (%)	0628	23.380	0.84000	22.061	1.2611	0.31397	156	1.05	004.00	0
004	Fiber (%)	0242	23.385	1.5300	22.061	1.2611	0.31397	156	1.05	004.07	0
004	Fiber (%)	0598	23.405	0.23000	22.061	1.2611	0.31397	156	1.07	004.07	0
004	Fiber (%)	0354	23.425	0.11000	22.061	1.2611	0.31397	156	1.08	004.00	0
004	Fiber (%)	0911	23.450	0.10000	22.061	1.2611	0.31397	156	1.10	004.06	0
004	Fiber (%)	0951	23.495	0.39000	22.061	1.2611	0.31397	156	1.14	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0910	23.500	0.20000	22.061	1.2611	0.31397	156	1.14	004.07	0
004	Fiber (%)	0723	23.540	0.04000	22.061	1.2611	0.31397	156	1.17	004.07	0
004	Fiber (%)	0934	23.625	0.01000	22.061	1.2611	0.31397	156	1.24	004.06	0
004	Fiber (%)	0941	23.625	0.01000	22.061	1.2611	0.31397	156	1.24	004.06	0
004	Fiber (%)	0178	23.685	0.63000	22.061	1.2611	0.31397	156	1.29	004.06	0
004	Fiber (%)	0208	23.700	0.60000	22.061	1.2611	0.31397	156	1.30	004.00	0
004	Fiber (%)	0350	23.710	0.32800	22.061	1.2611	0.31397	156	1.31	004.06	0
004	Fiber (%)	0845	23.830	0.02000	22.061	1.2611	0.31397	156	1.40	004.06	0
004	Fiber (%)	2001	24.000	0.00000	22.061	1.2611	0.31397	156	1.54	004.99	0
004	Fiber (%)	0300	24.169	0.41790	22.061	1.2611	0.31397	156	1.67	004.07	0
004	Fiber (%)	0723	24.190	0.02000	22.061	1.2611	0.31397	156	1.69	004.06	0
004	Fiber (%)	0407	24.255	0.07000	22.061	1.2611	0.31397	156	1.74	004.07	0
004	Fiber (%)	0866	24.295	0.01000	22.061	1.2611	0.31397	156	1.77	004.06	0
004	Fiber (%)	0673	24.300	0.60000	22.061	1.2611	0.31397	156	1.78	004.06	0
004	Fiber (%)	0716	24.675	0.43000	22.061	1.2611	0.31397	156	2.07	004.06	0
004	Fiber (%)	0354	24.705	0.03000	22.061	1.2611	0.31397	156	2.10	004.07	0
004	Fiber (%)	0626	24.760	0.10000	22.061	1.2611	0.31397	156	2.14	004.03	0
004	Fiber (%)	0337	24.770	0.52000	22.061	1.2611	0.31397	156	2.15	004.00	0
004	Fiber (%)	0121	25.535	0.21000	22.061	1.2611	0.31397	156	2.76	004.07	0
004	Fiber (%)	0004	26.465	0.07000	22.061	1.2611	0.31397	156	3.49	004.07	0
004	Fiber (%)	0728	26.765	0.57000	22.061	1.2611	0.31397	156	3.73	004.06	0
004	Fiber (%)	0848	28.585	0.09000	22.061	1.2611	0.31397	156	5.17	004.07	0
004	Fiber (%)	0008	23.480	3.7000	22.061	1.2611	0.31397	156	1.13	004.07	1
004	Fiber (%)	0169	25.250	4.3800	22.061	1.2611	0.31397	156	2.53	004.00	1
005	Ash (%)	0951	5.0700	0.30000	6.7830	0.13758	0.07746	175	-12.45	005.11	0
005	Ash (%)	0826	5.9400	0.28000	6.7830	0.13758	0.07746	175	-6.13	005.99	0
005	Ash (%)	0861	6.0550	0.21000	6.7830	0.13758	0.07746	175	-5.29	005.00	0
005	Ash (%)	0889	6.2850	0.13000	6.7830	0.13758	0.07746	175	-3.62	005.99	0
005	Ash (%)	0874	6.3350	0.17000	6.7830	0.13758	0.07746	175	-3.26	005.00	0
005	Ash (%)	0682	6.3550	0.01000	6.7830	0.13758	0.07746	175	-3.11	005.00	0
005	Ash (%)	0100	6.4550	0.13000	6.7830	0.13758	0.07746	175	-2.38	005.00	0
005	Ash (%)	0880	6.4850	0.13000	6.7830	0.13758	0.07746	175	-2.17	005.00	0
005	Ash (%)	0758	6.5050	0.19000	6.7830	0.13758	0.07746	175	-2.02	005.00	0
005	Ash (%)	0879	6.5100	0.10000	6.7830	0.13758	0.07746	175	-1.98	005.05	0
005	Ash (%)	0831	6.5150	0.15000	6.7830	0.13758	0.07746	175	-1.95	005.00	0
005	Ash (%)	0539	6.5542	0.21030	6.7830	0.13758	0.07746	175	-1.66	005.00	0
005	Ash (%)	0581	6.5650	0.15000	6.7830	0.13758	0.07746	175	-1.58	005.00	0
005	Ash (%)	0001	6.5695	0.24420	6.7830	0.13758	0.07746	175	-1.55	005.00	0
005	Ash (%)	0802	6.5800	0.02000	6.7830	0.13758	0.07746	175	-1.48	005.00	0
005	Ash (%)	0169	6.5850	0.09000	6.7830	0.13758	0.07746	175	-1.44	005.00	0
005	Ash (%)	0208	6.5850	0.09000	6.7830	0.13758	0.07746	175	-1.44	005.00	0
005	Ash (%)	0848	6.5850	0.01000	6.7830	0.13758	0.07746	175	-1.44	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0049	6.5900	0.00000	6.7830	0.13758	0.07746	175	-1.40	005.00	0
005	Ash (%)	0845	6.5950	0.15000	6.7830	0.13758	0.07746	175	-1.37	005.00	0
005	Ash (%)	0425	6.6000	0.02000	6.7830	0.13758	0.07746	175	-1.33	005.00	0
005	Ash (%)	0623	6.6131	0.05990	6.7830	0.13758	0.07746	175	-1.24	005.00	0
005	Ash (%)	0164	6.6200	0.04000	6.7830	0.13758	0.07746	175	-1.19	005.00	0
005	Ash (%)	0723	6.6250	0.01000	6.7830	0.13758	0.07746	175	-1.15	005.00	0
005	Ash (%)	0816	6.6250	0.19000	6.7830	0.13758	0.07746	175	-1.15	005.00	0
005	Ash (%)	0065	6.6294	0.01880	6.7830	0.13758	0.07746	175	-1.12	005.00	0
005	Ash (%)	0675	6.6350	0.07000	6.7830	0.13758	0.07746	175	-1.08	005.00	0
005	Ash (%)	2006	6.6350	0.09000	6.7830	0.13758	0.07746	175	-1.08	005.00	0
005	Ash (%)	0951	6.6350	0.05000	6.7830	0.13758	0.07746	175	-1.08	005.05	0
005	Ash (%)	0042	6.6500	0.10000	6.7830	0.13758	0.07746	175	-0.97	005.00	0
005	Ash (%)	0413	6.6500	0.10000	6.7830	0.13758	0.07746	175	-0.97	005.00	0
005	Ash (%)	0673	6.6500	0.10000	6.7830	0.13758	0.07746	175	-0.97	005.99	0
005	Ash (%)	0891	6.6534	0.02320	6.7830	0.13758	0.07746	175	-0.94	005.05	0
005	Ash (%)	0139	6.6550	0.01000	6.7830	0.13758	0.07746	175	-0.93	005.00	0
005	Ash (%)	0358	6.6600	0.10000	6.7830	0.13758	0.07746	175	-0.89	005.00	0
005	Ash (%)	0840	6.6600	0.12000	6.7830	0.13758	0.07746	175	-0.89	005.00	0
005	Ash (%)	0820	6.6605	0.07100	6.7830	0.13758	0.07746	175	-0.89	005.00	0
005	Ash (%)	0160	6.6617	0.12550	6.7830	0.13758	0.07746	175	-0.88	005.00	0
005	Ash (%)	0921	6.6650	0.05000	6.7830	0.13758	0.07746	175	-0.86	005.00	0
005	Ash (%)	2016	6.6650	0.15000	6.7830	0.13758	0.07746	175	-0.86	005.00	0
005	Ash (%)	0148	6.6750	0.07000	6.7830	0.13758	0.07746	175	-0.79	005.00	0
005	Ash (%)	0693	6.6800	0.08000	6.7830	0.13758	0.07746	175	-0.75	005.00	0
005	Ash (%)	0736	6.6800	0.04000	6.7830	0.13758	0.07746	175	-0.75	005.00	0
005	Ash (%)	0887	6.6800	0.02000	6.7830	0.13758	0.07746	175	-0.75	005.05	0
005	Ash (%)	0510	6.6850	0.03000	6.7830	0.13758	0.07746	175	-0.71	005.00	0
005	Ash (%)	0739	6.6900	0.16000	6.7830	0.13758	0.07746	175	-0.68	005.00	0
005	Ash (%)	0912	6.7000	0.00000	6.7830	0.13758	0.07746	175	-0.60	005.03	0
005	Ash (%)	0026	6.7050	0.01000	6.7830	0.13758	0.07746	175	-0.57	005.00	0
005	Ash (%)	0132	6.7050	0.23000	6.7830	0.13758	0.07746	175	-0.57	005.00	0
005	Ash (%)	0589	6.7050	0.17000	6.7830	0.13758	0.07746	175	-0.57	005.00	0
005	Ash (%)	0674	6.7050	0.09000	6.7830	0.13758	0.07746	175	-0.57	005.00	0
005	Ash (%)	0305	6.7150	0.01000	6.7830	0.13758	0.07746	175	-0.49	005.00	0
005	Ash (%)	0596	6.7150	0.09000	6.7830	0.13758	0.07746	175	-0.49	005.00	0
005	Ash (%)	0202	6.7150	0.13000	6.7830	0.13758	0.07746	175	-0.49	005.99	0
005	Ash (%)	0004	6.7200	0.00000	6.7830	0.13758	0.07746	175	-0.46	005.00	0
005	Ash (%)	0083	6.7200	0.18000	6.7830	0.13758	0.07746	175	-0.46	005.00	0
005	Ash (%)	0913	6.7250	0.13000	6.7830	0.13758	0.07746	175	-0.42	005.00	0
005	Ash (%)	0953	6.7250	0.05000	6.7830	0.13758	0.07746	175	-0.42	005.00	0
005	Ash (%)	2011	6.7250	0.07000	6.7830	0.13758	0.07746	175	-0.42	005.05	0
005	Ash (%)	0505	6.7350	0.11000	6.7830	0.13758	0.07746	175	-0.35	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0936	6.7350	0.03000	6.7830	0.13758	0.07746	175	-0.35	005.05	0
005	Ash (%)	0138	6.7395	0.12100	6.7830	0.13758	0.07746	175	-0.32	005.00	0
005	Ash (%)	0229	6.7400	0.16000	6.7830	0.13758	0.07746	175	-0.31	005.00	0
005	Ash (%)	0541	6.7450	0.03000	6.7830	0.13758	0.07746	175	-0.28	005.00	0
005	Ash (%)	0015	6.7500	0.02000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0098	6.7500	0.14000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0108	6.7500	0.04000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0152	6.7500	0.10000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0520	6.7500	0.16000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0598	6.7500	0.06000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0615	6.7500	0.10000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0956	6.7500	0.10000	6.7830	0.13758	0.07746	175	-0.24	005.00	0
005	Ash (%)	0935	6.7500	0.02000	6.7830	0.13758	0.07746	175	-0.24	005.05	0
005	Ash (%)	0940	6.7500	0.06000	6.7830	0.13758	0.07746	175	-0.24	005.05	0
005	Ash (%)	0728	6.7500	0.08000	6.7830	0.13758	0.07746	175	-0.24	005.99	0
005	Ash (%)	0035	6.7550	0.03000	6.7830	0.13758	0.07746	175	-0.20	005.00	0
005	Ash (%)	0546	6.7550	0.21000	6.7830	0.13758	0.07746	175	-0.20	005.99	0
005	Ash (%)	0722	6.7574	0.08780	6.7830	0.13758	0.07746	175	-0.19	005.00	0
005	Ash (%)	0353	6.7600	0.02000	6.7830	0.13758	0.07746	175	-0.17	005.00	0
005	Ash (%)	0630	6.7600	0.16000	6.7830	0.13758	0.07746	175	-0.17	005.00	0
005	Ash (%)	0309	6.7610	0.01800	6.7830	0.13758	0.07746	175	-0.16	005.00	0
005	Ash (%)	0881	6.7610	0.03600	6.7830	0.13758	0.07746	175	-0.16	005.00	0
005	Ash (%)	0354	6.7650	0.03000	6.7830	0.13758	0.07746	175	-0.13	005.00	0
005	Ash (%)	0089	6.7700	0.00000	6.7830	0.13758	0.07746	175	-0.09	005.00	0
005	Ash (%)	0689	6.7750	0.05000	6.7830	0.13758	0.07746	175	-0.06	005.05	0
005	Ash (%)	0643	6.7850	0.05000	6.7830	0.13758	0.07746	175	0.01	005.00	0
005	Ash (%)	0178	6.7850	0.01000	6.7830	0.13758	0.07746	175	0.01	005.05	0
005	Ash (%)	0908	6.7850	0.01000	6.7830	0.13758	0.07746	175	0.01	005.05	0
005	Ash (%)	0651	6.7860	0.03600	6.7830	0.13758	0.07746	175	0.02	005.00	0
005	Ash (%)	0062	6.7885	0.05500	6.7830	0.13758	0.07746	175	0.04	005.00	0
005	Ash (%)	0045	6.7900	0.24000	6.7830	0.13758	0.07746	175	0.05	005.00	0
005	Ash (%)	0620	6.7900	0.09000	6.7830	0.13758	0.07746	175	0.05	005.00	0
005	Ash (%)	0733	6.7900	0.00000	6.7830	0.13758	0.07746	175	0.05	005.00	0
005	Ash (%)	0618	6.7912	0.06890	6.7830	0.13758	0.07746	175	0.06	005.00	0
005	Ash (%)	0175	6.7950	0.09000	6.7830	0.13758	0.07746	175	0.09	005.00	0
005	Ash (%)	0893	6.7950	0.01000	6.7830	0.13758	0.07746	175	0.09	005.05	0
005	Ash (%)	0357	6.8000	0.00000	6.7830	0.13758	0.07746	175	0.12	005.00	0
005	Ash (%)	0652	6.8000	0.20000	6.7830	0.13758	0.07746	175	0.12	005.99	0
005	Ash (%)	0123	6.8050	0.01000	6.7830	0.13758	0.07746	175	0.16	005.00	0
005	Ash (%)	0187	6.8050	0.01000	6.7830	0.13758	0.07746	175	0.16	005.00	0
005	Ash (%)	0900	6.8050	0.03000	6.7830	0.13758	0.07746	175	0.16	005.03	0
005	Ash (%)	0038	6.8100	0.02000	6.7830	0.13758	0.07746	175	0.20	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	2012	6.8100	0.02000	6.7830	0.13758	0.07746	175	0.20	005.00	0
005	Ash (%)	0903	6.8100	0.02000	6.7830	0.13758	0.07746	175	0.20	005.05	0
005	Ash (%)	0278	6.8150	0.03000	6.7830	0.13758	0.07746	175	0.23	005.00	0
005	Ash (%)	0194	6.8200	0.02000	6.7830	0.13758	0.07746	175	0.27	005.00	0
005	Ash (%)	0650	6.8200	0.18000	6.7830	0.13758	0.07746	175	0.27	005.00	0
005	Ash (%)	0918	6.8200	0.04000	6.7830	0.13758	0.07746	175	0.27	005.00	0
005	Ash (%)	0590	6.8200	0.02000	6.7830	0.13758	0.07746	175	0.27	005.05	0
005	Ash (%)	0563	6.8293	0.00090	6.7830	0.13758	0.07746	175	0.34	005.00	0
005	Ash (%)	0051	6.8300	0.08000	6.7830	0.13758	0.07746	175	0.34	005.00	0
005	Ash (%)	0298	6.8300	0.02000	6.7830	0.13758	0.07746	175	0.34	005.00	0
005	Ash (%)	0307	6.8300	0.04000	6.7830	0.13758	0.07746	175	0.34	005.00	0
005	Ash (%)	1007	6.8300	0.02000	6.7830	0.13758	0.07746	175	0.34	005.00	0
005	Ash (%)	0895	6.8300	0.02000	6.7830	0.13758	0.07746	175	0.34	005.05	0
005	Ash (%)	0574	6.8300	0.32000	6.7830	0.13758	0.07746	175	0.34	005.99	0
005	Ash (%)	0350	6.8340	0.15600	6.7830	0.13758	0.07746	175	0.37	005.00	0
005	Ash (%)	0553	6.8350	0.27000	6.7830	0.13758	0.07746	175	0.38	005.00	0
005	Ash (%)	0783	6.8350	0.07000	6.7830	0.13758	0.07746	175	0.38	005.00	0
005	Ash (%)	0871	6.8350	0.01000	6.7830	0.13758	0.07746	175	0.38	005.05	0
005	Ash (%)	0171	6.8400	0.12000	6.7830	0.13758	0.07746	175	0.41	005.00	0
005	Ash (%)	0950	6.8400	0.02000	6.7830	0.13758	0.07746	175	0.41	005.05	0
005	Ash (%)	0670	6.8450	0.01000	6.7830	0.13758	0.07746	175	0.45	005.00	0
005	Ash (%)	0033	6.8450	0.01000	6.7830	0.13758	0.07746	175	0.45	005.05	0
005	Ash (%)	0610	6.8500	0.10000	6.7830	0.13758	0.07746	175	0.49	005.02	0
005	Ash (%)	0622	6.8531	0.02670	6.7830	0.13758	0.07746	175	0.51	005.00	0
005	Ash (%)	0653	6.8600	0.02000	6.7830	0.13758	0.07746	175	0.56	005.00	0
005	Ash (%)	0121	6.8645	0.04500	6.7830	0.13758	0.07746	175	0.59	005.05	0
005	Ash (%)	0029	6.8650	0.13000	6.7830	0.13758	0.07746	175	0.60	005.00	0
005	Ash (%)	0948	6.8650	0.01000	6.7830	0.13758	0.07746	175	0.60	005.00	0
005	Ash (%)	0695	6.8650	0.13000	6.7830	0.13758	0.07746	175	0.60	005.05	0
005	Ash (%)	0894	6.8650	0.01000	6.7830	0.13758	0.07746	175	0.60	005.05	0
005	Ash (%)	0607	6.8687	0.05450	6.7830	0.13758	0.07746	175	0.62	005.00	0
005	Ash (%)	0552	6.8700	0.02000	6.7830	0.13758	0.07746	175	0.63	005.00	0
005	Ash (%)	0760	6.8700	0.06000	6.7830	0.13758	0.07746	175	0.63	005.00	0
005	Ash (%)	2001	6.8750	0.01000	6.7830	0.13758	0.07746	175	0.67	005.00	0
005	Ash (%)	0932	6.8850	0.03000	6.7830	0.13758	0.07746	175	0.74	005.00	0
005	Ash (%)	0242	6.9000	0.04000	6.7830	0.13758	0.07746	175	0.85	005.00	0
005	Ash (%)	0629	6.9000	0.00000	6.7830	0.13758	0.07746	175	0.85	005.99	0
005	Ash (%)	2004	6.9000	0.14000	6.7830	0.13758	0.07746	175	0.85	005.99	0
005	Ash (%)	0660	6.9050	0.03000	6.7830	0.13758	0.07746	175	0.89	005.00	0
005	Ash (%)	0646	6.9100	0.02000	6.7830	0.13758	0.07746	175	0.92	005.01	0
005	Ash (%)	0144	6.9200	0.10000	6.7830	0.13758	0.07746	175	1.00	005.00	0
005	Ash (%)	0849	6.9265	0.02700	6.7830	0.13758	0.07746	175	1.04	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0899	6.9300	0.02000	6.7830	0.13758	0.07746	175	1.07	005.05	0
005	Ash (%)	0886	6.9350	0.03000	6.7830	0.13758	0.07746	175	1.10	005.05	0
005	Ash (%)	0769	6.9400	0.08000	6.7830	0.13758	0.07746	175	1.14	005.00	0
005	Ash (%)	0938	6.9450	0.07000	6.7830	0.13758	0.07746	175	1.18	005.05	0
005	Ash (%)	0294	6.9500	0.10000	6.7830	0.13758	0.07746	175	1.21	005.05	0
005	Ash (%)	0939	6.9500	0.10000	6.7830	0.13758	0.07746	175	1.21	005.99	0
005	Ash (%)	0902	6.9601	0.03100	6.7830	0.13758	0.07746	175	1.29	005.05	0
005	Ash (%)	0263	6.9650	0.00500	6.7830	0.13758	0.07746	175	1.32	005.05	0
005	Ash (%)	0676	6.9700	0.18000	6.7830	0.13758	0.07746	175	1.36	005.99	0
005	Ash (%)	0536	6.9750	0.03000	6.7830	0.13758	0.07746	175	1.40	005.99	0
005	Ash (%)	0866	6.9780	0.04800	6.7830	0.13758	0.07746	175	1.42	005.05	0
005	Ash (%)	0681	6.9800	0.08000	6.7830	0.13758	0.07746	175	1.43	005.99	0
005	Ash (%)	0898	6.9850	0.07000	6.7830	0.13758	0.07746	175	1.47	005.05	0
005	Ash (%)	0878	6.9950	0.07000	6.7830	0.13758	0.07746	175	1.54	005.05	0
005	Ash (%)	0885	7.0100	0.04000	6.7830	0.13758	0.07746	175	1.65	005.00	0
005	Ash (%)	0683	7.0100	0.10000	6.7830	0.13758	0.07746	175	1.65	005.05	0
005	Ash (%)	0619	7.0200	0.08000	6.7830	0.13758	0.07746	175	1.72	005.05	0
005	Ash (%)	2009	7.0593	0.05530	6.7830	0.13758	0.07746	175	2.01	005.05	0
005	Ash (%)	0868	7.0650	0.01000	6.7830	0.13758	0.07746	175	2.05	005.05	0
005	Ash (%)	0337	7.1000	0.04000	6.7830	0.13758	0.07746	175	2.30	005.00	0
005	Ash (%)	0142	7.1500	0.10000	6.7830	0.13758	0.07746	175	2.67	005.00	0
005	Ash (%)	0226	7.1500	0.10000	6.7830	0.13758	0.07746	175	2.67	005.00	0
005	Ash (%)	0504	7.1750	0.27000	6.7830	0.13758	0.07746	175	2.85	005.00	0
005	Ash (%)	0628	7.1900	0.04000	6.7830	0.13758	0.07746	175	2.96	005.99	0
005	Ash (%)	0592	7.2500	0.12000	6.7830	0.13758	0.07746	175	3.39	005.05	0
005	Ash (%)	0720	7.2500	0.30000	6.7830	0.13758	0.07746	175	3.39	005.05	0
005	Ash (%)	0297	7.4000	0.00000	6.7830	0.13758	0.07746	175	4.48	005.00	0
005	Ash (%)	0882	7.7950	0.05000	6.7830	0.13758	0.07746	175	7.36	005.05	0
005	Ash (%)	0713	8.3950	0.01000	6.7830	0.13758	0.07746	175	11.72	005.11	0
005	Ash (%)	0720	8.6750	0.01000	6.7830	0.13758	0.07746	175	13.75	005.11	0
005	Ash (%)	0297	8.9250	0.09000	6.7830	0.13758	0.07746	175	15.57	005.11	0
005	Ash (%)	0008	6.5300	0.48000	6.7830	0.13758	0.07746	175	-1.84	005.00	1
005	Ash (%)	0265	6.6000	0.40000	6.7830	0.13758	0.07746	175	-1.33	005.00	1
005	Ash (%)	0417	6.6750	0.51000	6.7830	0.13758	0.07746	175	-0.79	005.00	1
005	Ash (%)	0366	7.1000	0.40000	6.7830	0.13758	0.07746	175	2.30	005.00	1
005	Ash (%)	0407	32.560	0.40000	6.7830	0.13758	0.07746	175	187.36	005.00	2
005	Ash (%)	0800	6.3950	0.11000	6.7830	0.13758	0.07746	175	-2.82	005.00	8
005	Ash (%)	0779	6.4400	0.02000	6.7830	0.13758	0.07746	175	-2.49	005.00	8
005	Ash (%)	0838	6.4800	0.18000	6.7830	0.13758	0.07746	175	-2.20	005.00	8
005	Ash (%)	0778	6.5000	0.06000	6.7830	0.13758	0.07746	175	-2.06	005.00	8
005	Ash (%)	0796	6.5150	0.03000	6.7830	0.13758	0.07746	175	-1.95	005.00	8
005	Ash (%)	0806	6.5600	0.08000	6.7830	0.13758	0.07746	175	-1.62	005.00	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0745	6.5750	0.03000	6.7830	0.13758	0.07746	175	-1.51	005.00	8
005	Ash (%)	0777	6.5750	0.13000	6.7830	0.13758	0.07746	175	-1.51	005.00	8
005	Ash (%)	0795	6.5750	0.09000	6.7830	0.13758	0.07746	175	-1.51	005.00	8
005	Ash (%)	0841	6.5900	0.02000	6.7830	0.13758	0.07746	175	-1.40	005.00	8
005	Ash (%)	0753	6.6050	0.05000	6.7830	0.13758	0.07746	175	-1.29	005.00	8
005	Ash (%)	0811	6.6300	0.04000	6.7830	0.13758	0.07746	175	-1.11	005.00	8
005	Ash (%)	0780	6.6400	0.00000	6.7830	0.13758	0.07746	175	-1.04	005.00	8
005	Ash (%)	0750	6.6450	0.15000	6.7830	0.13758	0.07746	175	-1.00	005.00	8
005	Ash (%)	0803	6.6450	0.15000	6.7830	0.13758	0.07746	175	-1.00	005.00	8
005	Ash (%)	0810	6.6450	0.05000	6.7830	0.13758	0.07746	175	-1.00	005.00	8
005	Ash (%)	0807	6.6600	0.10000	6.7830	0.13758	0.07746	175	-0.89	005.00	8
005	Ash (%)	0798	6.6650	0.01000	6.7830	0.13758	0.07746	175	-0.86	005.00	8
005	Ash (%)	0809	6.6700	0.16000	6.7830	0.13758	0.07746	175	-0.82	005.00	8
005	Ash (%)	0747	6.6705	0.00100	6.7830	0.13758	0.07746	175	-0.82	005.00	8
005	Ash (%)	0805	6.6750	0.13000	6.7830	0.13758	0.07746	175	-0.79	005.00	8
005	Ash (%)	0741	6.6800	0.06000	6.7830	0.13758	0.07746	175	-0.75	005.00	8
005	Ash (%)	0808	6.6800	0.04000	6.7830	0.13758	0.07746	175	-0.75	005.00	8
005	Ash (%)	0749	6.6850	0.21000	6.7830	0.13758	0.07746	175	-0.71	005.00	8
005	Ash (%)	1008	6.6900	0.08000	6.7830	0.13758	0.07746	175	-0.68	005.00	8
005	Ash (%)	0752	6.6950	0.09000	6.7830	0.13758	0.07746	175	-0.64	005.00	8
005	Ash (%)	1000	6.6950	0.03000	6.7830	0.13758	0.07746	175	-0.64	005.00	8
005	Ash (%)	1004	6.6995	0.11300	6.7830	0.13758	0.07746	175	-0.61	005.00	8
005	Ash (%)	1006	6.7000	0.12000	6.7830	0.13758	0.07746	175	-0.60	005.00	8
005	Ash (%)	0818	6.7000	0.10000	6.7830	0.13758	0.07746	175	-0.60	005.00	8
005	Ash (%)	0797	6.7050	0.03000	6.7830	0.13758	0.07746	175	-0.57	005.00	8
005	Ash (%)	0799	6.7050	0.09000	6.7830	0.13758	0.07746	175	-0.57	005.00	8
005	Ash (%)	1009	6.7100	0.10000	6.7830	0.13758	0.07746	175	-0.53	005.00	8
005	Ash (%)	0830	6.7200	0.10000	6.7830	0.13758	0.07746	175	-0.46	005.00	8
005	Ash (%)	0744	6.7200	0.02000	6.7830	0.13758	0.07746	175	-0.46	005.00	8
005	Ash (%)	0742	6.7200	0.04000	6.7830	0.13758	0.07746	175	-0.46	005.02	8
005	Ash (%)	0751	6.7300	0.10000	6.7830	0.13758	0.07746	175	-0.39	005.00	8
005	Ash (%)	0804	6.7350	0.05000	6.7830	0.13758	0.07746	175	-0.35	005.00	8
005	Ash (%)	0757	6.7400	0.04000	6.7830	0.13758	0.07746	175	-0.31	005.00	8
005	Ash (%)	0781	6.7400	0.08000	6.7830	0.13758	0.07746	175	-0.31	005.00	8
005	Ash (%)	0812	6.7400	0.20000	6.7830	0.13758	0.07746	175	-0.31	005.00	8
005	Ash (%)	0813	6.7400	0.02000	6.7830	0.13758	0.07746	175	-0.31	005.00	8
005	Ash (%)	0842	6.7450	0.05000	6.7830	0.13758	0.07746	175	-0.28	005.00	8
005	Ash (%)	0756	6.7450	0.01000	6.7830	0.13758	0.07746	175	-0.28	005.00	8
005	Ash (%)	0814	6.7450	0.07000	6.7830	0.13758	0.07746	175	-0.28	005.00	8
005	Ash (%)	0834	6.7450	0.01000	6.7830	0.13758	0.07746	175	-0.28	005.00	8
005	Ash (%)	0817	6.7500	0.10000	6.7830	0.13758	0.07746	175	-0.24	005.00	8
005	Ash (%)	0835	6.7500	0.16000	6.7830	0.13758	0.07746	175	-0.24	005.00	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0815	6.7550	0.03000	6.7830	0.13758	0.07746	175	-0.20	005.00	8
005	Ash (%)	0755	6.7550	0.13000	6.7830	0.13758	0.07746	175	-0.20	005.00	8
005	Ash (%)	0740	6.7665	0.15900	6.7830	0.13758	0.07746	175	-0.12	005.00	8
005	Ash (%)	0775	6.7700	0.00000	6.7830	0.13758	0.07746	175	-0.09	005.00	8
005	Ash (%)	0754	6.7750	0.03000	6.7830	0.13758	0.07746	175	-0.06	005.00	8
005	Ash (%)	0774	6.7750	0.11000	6.7830	0.13758	0.07746	175	-0.06	005.00	8
005	Ash (%)	0746	6.7800	0.12000	6.7830	0.13758	0.07746	175	-0.02	005.00	8
005	Ash (%)	0743	6.7895	0.17900	6.7830	0.13758	0.07746	175	0.05	005.00	8
005	Ash (%)	0832	6.7950	0.15000	6.7830	0.13758	0.07746	175	0.09	005.00	8
005	Ash (%)	0765	6.8150	0.07000	6.7830	0.13758	0.07746	175	0.23	005.00	8
005	Ash (%)	1002	6.8250	0.03000	6.7830	0.13758	0.07746	175	0.31	005.00	8
005	Ash (%)	0732	6.8300	0.00000	6.7830	0.13758	0.07746	175	0.34	005.00	8
005	Ash (%)	0771	6.8650	0.21000	6.7830	0.13758	0.07746	175	0.60	005.00	8
005	Ash (%)	1010	6.8650	0.03000	6.7830	0.13758	0.07746	175	0.60	005.00	8
005	Ash (%)	0828	6.8850	0.05000	6.7830	0.13758	0.07746	175	0.74	005.00	8
005	Ash (%)	0768	6.8900	0.02000	6.7830	0.13758	0.07746	175	0.78	005.00	8
005	Ash (%)	0772	6.8950	0.05000	6.7830	0.13758	0.07746	175	0.81	005.00	8
005	Ash (%)	0766	6.9000	0.04000	6.7830	0.13758	0.07746	175	0.85	005.00	8
005	Ash (%)	0776	6.9400	0.08000	6.7830	0.13758	0.07746	175	1.14	005.00	8
005	Ash (%)	0748	6.9550	0.01000	6.7830	0.13758	0.07746	175	1.25	005.00	8
005	Ash (%)	0770	7.0350	0.03000	6.7830	0.13758	0.07746	175	1.83	005.00	8
006	Total sugars (%)	0670	3.9800	0.02000	5.1163	0.95840	0.07250	4	-1.19	006.99	0
006	Total sugars (%)	0689	4.7000	0.20000	5.1163	0.95840	0.07250	4	-0.43	006.01	0
006	Total sugars (%)	0951	5.6850	0.07000	5.1163	0.95840	0.07250	4	0.59	006.99	0
006	Total sugars (%)	0912	6.1000	0.00000	5.1163	0.95840	0.07250	4	1.03	006.99	0
008	Fiber (%)	0686	25.900	0.62000	29.406	1.3681	0.52760	52	-2.56	008.08	0
008	Fiber (%)	0026	26.470	0.38000	29.406	1.3681	0.52760	52	-2.15	008.08	0
008	Fiber (%)	0033	27.400	0.06000	29.406	1.3681	0.52760	52	-1.47	008.08	0
008	Fiber (%)	0354	27.415	0.33000	29.406	1.3681	0.52760	52	-1.46	008.08	0
008	Fiber (%)	0590	27.525	0.35000	29.406	1.3681	0.52760	52	-1.37	008.02	0
008	Fiber (%)	0720	27.675	0.03000	29.406	1.3681	0.52760	52	-1.27	008.99	0
008	Fiber (%)	0226	27.700	0.40000	29.406	1.3681	0.52760	52	-1.25	008.02	0
008	Fiber (%)	0882	27.910	0.62000	29.406	1.3681	0.52760	52	-1.09	008.08	0
008	Fiber (%)	0592	28.065	0.47000	29.406	1.3681	0.52760	52	-0.98	008.08	0
008	Fiber (%)	2012	28.115	1.7100	29.406	1.3681	0.52760	52	-0.94	008.08	0
008	Fiber (%)	0001	28.235	0.09000	29.406	1.3681	0.52760	52	-0.86	008.08	0
008	Fiber (%)	0004	28.315	0.47000	29.406	1.3681	0.52760	52	-0.80	008.08	0
008	Fiber (%)	0723	28.450	0.10000	29.406	1.3681	0.52760	52	-0.70	008.08	0
008	Fiber (%)	2004	28.450	0.50000	29.406	1.3681	0.52760	52	-0.70	008.08	0
008	Fiber (%)	0912	28.620	0.00000	29.406	1.3681	0.52760	52	-0.57	008.08	0
008	Fiber (%)	0164	28.750	0.50000	29.406	1.3681	0.52760	52	-0.48	008.08	0
008	Fiber (%)	0278	28.800	0.80000	29.406	1.3681	0.52760	52	-0.44	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
008	Fiber (%)	0956	28.800	0.40000	29.406	1.3681	0.52760	52	-0.44	008.08	0
008	Fiber (%)	0160	28.962	0.68330	29.406	1.3681	0.52760	52	-0.32	008.08	0
008	Fiber (%)	0357	29.000	0.80000	29.406	1.3681	0.52760	52	-0.30	008.08	0
008	Fiber (%)	0083	29.050	0.70000	29.406	1.3681	0.52760	52	-0.26	008.08	0
008	Fiber (%)	0918	29.110	0.92000	29.406	1.3681	0.52760	52	-0.22	008.08	0
008	Fiber (%)	0035	29.215	0.03000	29.406	1.3681	0.52760	52	-0.14	008.08	0
008	Fiber (%)	0148	29.290	0.02000	29.406	1.3681	0.52760	52	-0.08	008.08	0
008	Fiber (%)	0939	29.375	0.57000	29.406	1.3681	0.52760	52	-0.02	008.08	0
008	Fiber (%)	0728	29.400	0.92000	29.406	1.3681	0.52760	52	0.00	008.02	0
008	Fiber (%)	0307	29.500	0.80000	29.406	1.3681	0.52760	52	0.07	008.99	0
008	Fiber (%)	0353	29.630	0.02000	29.406	1.3681	0.52760	52	0.16	008.02	0
008	Fiber (%)	0309	29.645	0.05700	29.406	1.3681	0.52760	52	0.17	008.02	0
008	Fiber (%)	0504	29.680	0.20000	29.406	1.3681	0.52760	52	0.20	008.02	0
008	Fiber (%)	0294	29.700	0.20000	29.406	1.3681	0.52760	52	0.21	008.08	0
008	Fiber (%)	0297	29.730	1.1800	29.406	1.3681	0.52760	52	0.24	008.08	0
008	Fiber (%)	0035	29.815	0.13000	29.406	1.3681	0.52760	52	0.30	008.02	0
008	Fiber (%)	0413	30.000	1.2000	29.406	1.3681	0.52760	52	0.43	008.08	0
008	Fiber (%)	0045	30.050	0.10000	29.406	1.3681	0.52760	52	0.47	008.08	0
008	Fiber (%)	0037	30.080	0.50000	29.406	1.3681	0.52760	52	0.49	008.08	0
008	Fiber (%)	0148	30.285	0.05000	29.406	1.3681	0.52760	52	0.64	008.02	0
008	Fiber (%)	0106	30.365	0.85000	29.406	1.3681	0.52760	52	0.70	008.08	0
008	Fiber (%)	0098	30.370	0.56000	29.406	1.3681	0.52760	52	0.70	008.02	0
008	Fiber (%)	0581	30.480	0.40000	29.406	1.3681	0.52760	52	0.79	008.08	0
008	Fiber (%)	0675	30.485	0.41000	29.406	1.3681	0.52760	52	0.79	008.02	0
008	Fiber (%)	0646	30.505	0.89000	29.406	1.3681	0.52760	52	0.80	008.08	0
008	Fiber (%)	0265	30.550	0.10000	29.406	1.3681	0.52760	52	0.84	008.05	0
008	Fiber (%)	0948	30.565	0.57000	29.406	1.3681	0.52760	52	0.85	008.02	0
008	Fiber (%)	0049	30.745	1.6900	29.406	1.3681	0.52760	52	0.98	008.08	0
008	Fiber (%)	0861	30.910	1.8000	29.406	1.3681	0.52760	52	1.10	008.08	0
008	Fiber (%)	0263	31.015	0.38500	29.406	1.3681	0.52760	52	1.18	008.08	0
008	Fiber (%)	0358	31.095	1.4900	29.406	1.3681	0.52760	52	1.23	008.08	0
008	Fiber (%)	0693	31.315	0.81000	29.406	1.3681	0.52760	52	1.40	008.08	0
008	Fiber (%)	0187	31.340	0.26000	29.406	1.3681	0.52760	52	1.41	008.02	0
008	Fiber (%)	0510	32.250	0.30000	29.406	1.3681	0.52760	52	2.08	008.08	0
008	Fiber (%)	0405	32.395	0.01000	29.406	1.3681	0.52760	52	2.18	008.02	0
008	Fiber (%)	0536	42.365	0.15000	29.406	1.3681	0.52760	52	9.47	008.08	2
009	Fiber (%)	0889	20.410	0.30000	44.569	2.0752	0.71901	44	-11.64	009.99	0
009	Fiber (%)	0720	36.530	0.04000	44.569	2.0752	0.71901	44	-3.87	009.99	0
009	Fiber (%)	0226	39.500	0.20000	44.569	2.0752	0.71901	44	-2.44	009.07	0
009	Fiber (%)	0083	40.300	1.2000	44.569	2.0752	0.71901	44	-2.06	009.09	0
009	Fiber (%)	2004	41.000	0.40000	44.569	2.0752	0.71901	44	-1.72	009.09	0
009	Fiber (%)	0693	41.570	0.58000	44.569	2.0752	0.71901	44	-1.45	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
009	Fiber (%)	0912	41.570	0.00000	44.569	2.0752	0.71901	44	-1.45	009.09	0
009	Fiber (%)	0354	42.545	0.23000	44.569	2.0752	0.71901	44	-0.98	009.09	0
009	Fiber (%)	0357	42.550	0.10000	44.569	2.0752	0.71901	44	-0.97	009.09	0
009	Fiber (%)	0178	42.580	2.5600	44.569	2.0752	0.71901	44	-0.96	009.07	0
009	Fiber (%)	0164	43.050	0.70000	44.569	2.0752	0.71901	44	-0.73	009.09	0
009	Fiber (%)	0294	43.400	0.80000	44.569	2.0752	0.71901	44	-0.56	009.09	0
009	Fiber (%)	0037	43.760	1.0800	44.569	2.0752	0.71901	44	-0.39	009.09	0
009	Fiber (%)	0646	43.840	0.54000	44.569	2.0752	0.71901	44	-0.35	009.09	0
009	Fiber (%)	0590	44.050	2.6000	44.569	2.0752	0.71901	44	-0.25	009.07	0
009	Fiber (%)	0278	44.050	0.10000	44.569	2.0752	0.71901	44	-0.25	009.09	0
009	Fiber (%)	0723	44.100	0.20000	44.569	2.0752	0.71901	44	-0.23	009.09	0
009	Fiber (%)	0160	44.110	1.0403	44.569	2.0752	0.71901	44	-0.22	009.09	0
009	Fiber (%)	0918	44.125	1.0100	44.569	2.0752	0.71901	44	-0.21	009.09	0
009	Fiber (%)	0728	44.125	1.5700	44.569	2.0752	0.71901	44	-0.21	009.99	0
009	Fiber (%)	0861	44.310	0.84000	44.569	2.0752	0.71901	44	-0.12	009.09	0
009	Fiber (%)	0001	44.605	1.9900	44.569	2.0752	0.71901	44	0.02	009.09	0
009	Fiber (%)	0510	44.700	0.80000	44.569	2.0752	0.71901	44	0.06	009.09	0
009	Fiber (%)	0187	44.720	0.14000	44.569	2.0752	0.71901	44	0.07	009.07	0
009	Fiber (%)	0106	44.785	0.73000	44.569	2.0752	0.71901	44	0.10	009.09	0
009	Fiber (%)	0939	44.785	0.87000	44.569	2.0752	0.71901	44	0.10	009.09	0
009	Fiber (%)	0307	44.950	0.70000	44.569	2.0752	0.71901	44	0.18	009.07	0
009	Fiber (%)	0686	44.965	0.09000	44.569	2.0752	0.71901	44	0.19	009.09	0
009	Fiber (%)	0956	45.150	1.5000	44.569	2.0752	0.71901	44	0.28	009.09	0
009	Fiber (%)	0413	45.550	0.70000	44.569	2.0752	0.71901	44	0.47	009.09	0
009	Fiber (%)	0882	45.560	1.1200	44.569	2.0752	0.71901	44	0.48	009.09	0
009	Fiber (%)	0504	45.650	1.0000	44.569	2.0752	0.71901	44	0.52	009.04	0
009	Fiber (%)	0265	45.650	0.10000	44.569	2.0752	0.71901	44	0.52	009.09	0
009	Fiber (%)	0581	45.970	0.98000	44.569	2.0752	0.71901	44	0.68	009.09	0
009	Fiber (%)	0045	46.500	2.2000	44.569	2.0752	0.71901	44	0.93	009.07	0
009	Fiber (%)	0353	46.595	0.13000	44.569	2.0752	0.71901	44	0.98	009.07	0
009	Fiber (%)	0948	46.835	0.11000	44.569	2.0752	0.71901	44	1.09	009.09	0
009	Fiber (%)	0297	46.890	0.26000	44.569	2.0752	0.71901	44	1.12	009.09	0
009	Fiber (%)	0049	46.920	0.58000	44.569	2.0752	0.71901	44	1.13	009.09	0
009	Fiber (%)	0309	47.050	0.00600	44.569	2.0752	0.71901	44	1.20	009.07	0
009	Fiber (%)	0675	47.520	0.18000	44.569	2.0752	0.71901	44	1.42	009.07	0
009	Fiber (%)	0868	50.690	0.08000	44.569	2.0752	0.71901	44	2.95	009.04	0
009	Fiber (%)	0098	51.100	1.0000	44.569	2.0752	0.71901	44	3.15	009.07	0
009	Fiber (%)	0536	52.480	0.28000	44.569	2.0752	0.71901	44	3.81	009.09	0
009	Fiber (%)	2012	44.770	3.9600	44.569	2.0752	0.71901	44	0.10	009.09	1
010	Moisture (%)	0826	5.3100	0.22000	7.8289	0.46547	0.09931	21	-5.41	010.03	0
010	Moisture (%)	0546	5.3188	0.00170	7.8289	0.46547	0.09931	21	-5.39	010.03	0
010	Moisture (%)	0940	7.0650	0.19000	7.8289	0.46547	0.09931	21	-1.64	010.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
010	Moisture (%)	0168	7.3600	0.02000	7.8289	0.46547	0.09931	21	-1.01	010.99	0
010	Moisture (%)	0948	7.5050	0.01000	7.8289	0.46547	0.09931	21	-0.70	010.99	0
010	Moisture (%)	0843	7.6350	0.01000	7.8289	0.46547	0.09931	21	-0.42	010.03	0
010	Moisture (%)	2004	7.6800	0.04000	7.8289	0.46547	0.09931	21	-0.32	010.99	0
010	Moisture (%)	0722	7.6977	0.01380	7.8289	0.46547	0.09931	21	-0.28	010.99	0
010	Moisture (%)	0871	7.7350	0.05000	7.8289	0.46547	0.09931	21	-0.20	010.99	0
010	Moisture (%)	0939	7.7500	0.32000	7.8289	0.46547	0.09931	21	-0.17	010.99	0
010	Moisture (%)	0164	7.7550	0.25000	7.8289	0.46547	0.09931	21	-0.16	010.03	0
010	Moisture (%)	0208	7.8500	0.02000	7.8289	0.46547	0.09931	21	0.05	010.03	0
010	Moisture (%)	0952	7.8800	0.04000	7.8289	0.46547	0.09931	21	0.11	010.99	0
010	Moisture (%)	0713	8.0200	0.02000	7.8289	0.46547	0.09931	21	0.41	010.11	0
010	Moisture (%)	0716	8.0200	0.02000	7.8289	0.46547	0.09931	21	0.41	010.99	0
010	Moisture (%)	0673	8.3000	0.20000	7.8289	0.46547	0.09931	21	1.01	010.99	0
010	Moisture (%)	0405	8.3800	0.04000	7.8289	0.46547	0.09931	21	1.18	010.99	0
010	Moisture (%)	0879	8.6150	0.57000	7.8289	0.46547	0.09931	21	1.69	010.99	0
010	Moisture (%)	0951	9.0400	0.00000	7.8289	0.46547	0.09931	21	2.60	010.11	0
010	Moisture (%)	0921	9.0450	0.03000	7.8289	0.46547	0.09931	21	2.61	010.99	0
010	Moisture (%)	0720	9.2200	0.02000	7.8289	0.46547	0.09931	21	2.99	010.11	0
010	Moisture (%)	0615	7.8500	1.2200	7.8289	0.46547	0.09931	21	0.05	010.03	1
011	Loss on Drying (%)	0226	7.7000	0.20000	8.7841	0.27667	0.08248	88	-3.92	011.01	0
011	Loss on Drying (%)	0681	7.8950	0.11000	8.7841	0.27667	0.08248	88	-3.21	011.99	0
011	Loss on Drying (%)	2006	7.9150	0.13000	8.7841	0.27667	0.08248	88	-3.14	011.01	0
011	Loss on Drying (%)	0132	8.0050	0.01000	8.7841	0.27667	0.08248	88	-2.82	011.01	0
011	Loss on Drying (%)	0874	8.1250	0.05000	8.7841	0.27667	0.08248	88	-2.38	011.01	0
011	Loss on Drying (%)	0294	8.2000	0.00000	8.7841	0.27667	0.08248	88	-2.11	011.01	0
011	Loss on Drying (%)	2012	8.2700	0.02000	8.7841	0.27667	0.08248	88	-1.86	011.01	0
011	Loss on Drying (%)	0350	8.3175	0.04300	8.7841	0.27667	0.08248	88	-1.69	011.01	0
011	Loss on Drying (%)	2016	8.3300	0.30000	8.7841	0.27667	0.08248	88	-1.64	011.01	0
011	Loss on Drying (%)	0417	8.3800	0.02000	8.7841	0.27667	0.08248	88	-1.46	011.02	0
011	Loss on Drying (%)	0942	8.3900	0.02000	8.7841	0.27667	0.08248	88	-1.42	011.02	0
011	Loss on Drying (%)	0171	8.4150	0.13000	8.7841	0.27667	0.08248	88	-1.33	011.01	0
011	Loss on Drying (%)	0175	8.4500	0.10000	8.7841	0.27667	0.08248	88	-1.21	011.01	0
011	Loss on Drying (%)	0646	8.4550	0.19000	8.7841	0.27667	0.08248	88	-1.19	011.01	0
011	Loss on Drying (%)	0598	8.4650	0.01000	8.7841	0.27667	0.08248	88	-1.15	011.01	0
011	Loss on Drying (%)	0802	8.4750	0.03000	8.7841	0.27667	0.08248	88	-1.12	011.01	0
011	Loss on Drying (%)	0309	8.4950	0.13000	8.7841	0.27667	0.08248	88	-1.04	011.01	0
011	Loss on Drying (%)	0541	8.5250	0.03000	8.7841	0.27667	0.08248	88	-0.94	011.99	0
011	Loss on Drying (%)	0955	8.5500	0.16000	8.7841	0.27667	0.08248	88	-0.85	011.01	0
011	Loss on Drying (%)	0033	8.5600	0.06000	8.7841	0.27667	0.08248	88	-0.81	011.01	0
011	Loss on Drying (%)	0062	8.5735	0.11100	8.7841	0.27667	0.08248	88	-0.76	011.01	0
011	Loss on Drying (%)	0881	8.5755	0.00500	8.7841	0.27667	0.08248	88	-0.75	011.01	0
011	Loss on Drying (%)	0857	8.6000	0.00000	8.7841	0.27667	0.08248	88	-0.67	011.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0552	8.6100	0.04000	8.7841	0.27667	0.08248	88	-0.63	011.01	0
011	Loss on Drying (%)	0008	8.6450	0.01000	8.7841	0.27667	0.08248	88	-0.50	011.01	0
011	Loss on Drying (%)	0574	8.6550	0.39000	8.7841	0.27667	0.08248	88	-0.47	011.01	0
011	Loss on Drying (%)	0953	8.6650	0.09000	8.7841	0.27667	0.08248	88	-0.43	011.01	0
011	Loss on Drying (%)	0736	8.6700	0.04000	8.7841	0.27667	0.08248	88	-0.41	011.01	0
011	Loss on Drying (%)	0760	8.7150	0.03000	8.7841	0.27667	0.08248	88	-0.25	011.01	0
011	Loss on Drying (%)	0769	8.7300	0.06000	8.7841	0.27667	0.08248	88	-0.20	011.01	0
011	Loss on Drying (%)	0622	8.7339	0.04040	8.7841	0.27667	0.08248	88	-0.18	011.01	0
011	Loss on Drying (%)	0660	8.7350	0.21000	8.7841	0.27667	0.08248	88	-0.18	011.01	0
011	Loss on Drying (%)	0650	8.7450	0.45000	8.7841	0.27667	0.08248	88	-0.14	011.01	0
011	Loss on Drying (%)	0100	8.7500	0.04000	8.7841	0.27667	0.08248	88	-0.12	011.01	0
011	Loss on Drying (%)	0825	8.7500	0.10000	8.7841	0.27667	0.08248	88	-0.12	011.01	0
011	Loss on Drying (%)	0728	8.7550	0.15000	8.7841	0.27667	0.08248	88	-0.11	011.01	0
011	Loss on Drying (%)	0738	8.7600	0.02000	8.7841	0.27667	0.08248	88	-0.09	011.01	0
011	Loss on Drying (%)	0651	8.7740	0.00400	8.7841	0.27667	0.08248	88	-0.04	011.01	0
011	Loss on Drying (%)	0108	8.7750	0.27000	8.7841	0.27667	0.08248	88	-0.03	011.01	0
011	Loss on Drying (%)	0138	8.7750	0.03800	8.7841	0.27667	0.08248	88	-0.03	011.01	0
011	Loss on Drying (%)	0816	8.7800	0.08000	8.7841	0.27667	0.08248	88	-0.01	011.01	0
011	Loss on Drying (%)	0674	8.7900	0.06000	8.7841	0.27667	0.08248	88	0.02	011.01	0
011	Loss on Drying (%)	0510	8.8000	0.20000	8.7841	0.27667	0.08248	88	0.06	011.01	0
011	Loss on Drying (%)	0670	8.8000	0.06000	8.7841	0.27667	0.08248	88	0.06	011.01	0
011	Loss on Drying (%)	0843	8.8000	0.02000	8.7841	0.27667	0.08248	88	0.06	011.01	0
011	Loss on Drying (%)	0620	8.8014	0.19890	8.7841	0.27667	0.08248	88	0.06	011.01	0
011	Loss on Drying (%)	1007	8.8150	0.03000	8.7841	0.27667	0.08248	88	0.11	011.01	0
011	Loss on Drying (%)	0675	8.8200	0.00000	8.7841	0.27667	0.08248	88	0.13	011.01	0
011	Loss on Drying (%)	0026	8.8300	0.46000	8.7841	0.27667	0.08248	88	0.17	011.01	0
011	Loss on Drying (%)	0148	8.8400	0.02000	8.7841	0.27667	0.08248	88	0.20	011.01	0
011	Loss on Drying (%)	0520	8.8450	0.15000	8.7841	0.27667	0.08248	88	0.22	011.01	0
011	Loss on Drying (%)	0739	8.8500	0.00000	8.7841	0.27667	0.08248	88	0.24	011.01	0
011	Loss on Drying (%)	0790	8.8550	0.21000	8.7841	0.27667	0.08248	88	0.26	011.01	0
011	Loss on Drying (%)	0354	8.8700	0.02000	8.7841	0.27667	0.08248	88	0.31	011.01	0
011	Loss on Drying (%)	0242	8.8800	0.06000	8.7841	0.27667	0.08248	88	0.35	011.01	0
011	Loss on Drying (%)	0098	8.8850	0.11000	8.7841	0.27667	0.08248	88	0.36	011.01	0
011	Loss on Drying (%)	0820	8.8865	0.00300	8.7841	0.27667	0.08248	88	0.37	011.01	0
011	Loss on Drying (%)	0682	8.8950	0.11000	8.7841	0.27667	0.08248	88	0.40	011.01	0
011	Loss on Drying (%)	0589	8.9100	0.02000	8.7841	0.27667	0.08248	88	0.46	011.01	0
011	Loss on Drying (%)	0229	8.9200	0.04000	8.7841	0.27667	0.08248	88	0.49	011.01	0
011	Loss on Drying (%)	0358	8.9250	0.01000	8.7841	0.27667	0.08248	88	0.51	011.01	0
011	Loss on Drying (%)	0407	8.9250	0.03000	8.7841	0.27667	0.08248	88	0.51	011.01	0
011	Loss on Drying (%)	0848	8.9300	0.06000	8.7841	0.27667	0.08248	88	0.53	011.01	0
011	Loss on Drying (%)	0152	8.9500	0.10000	8.7841	0.27667	0.08248	88	0.60	011.01	0
011	Loss on Drying (%)	0722	8.9601	0.04360	8.7841	0.27667	0.08248	88	0.64	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0194	8.9630	0.03000	8.7841	0.27667	0.08248	88	0.65	011.01	0
011	Loss on Drying (%)	0723	8.9700	0.04000	8.7841	0.27667	0.08248	88	0.67	011.01	0
011	Loss on Drying (%)	0831	8.9850	0.01000	8.7841	0.27667	0.08248	88	0.73	011.01	0
011	Loss on Drying (%)	0208	9.0000	0.00000	8.7841	0.27667	0.08248	88	0.78	011.01	0
011	Loss on Drying (%)	0539	9.0000	0.12000	8.7841	0.27667	0.08248	88	0.78	011.01	0
011	Loss on Drying (%)	0202	9.0100	0.20000	8.7841	0.27667	0.08248	88	0.82	011.02	0
011	Loss on Drying (%)	0840	9.0350	0.05000	8.7841	0.27667	0.08248	88	0.91	011.01	0
011	Loss on Drying (%)	0144	9.0450	0.05000	8.7841	0.27667	0.08248	88	0.94	011.01	0
011	Loss on Drying (%)	0921	9.0450	0.03000	8.7841	0.27667	0.08248	88	0.94	011.01	0
011	Loss on Drying (%)	0123	9.0600	0.06000	8.7841	0.27667	0.08248	88	1.00	011.01	0
011	Loss on Drying (%)	0164	9.0700	0.02000	8.7841	0.27667	0.08248	88	1.03	011.01	0
011	Loss on Drying (%)	0541	9.0700	0.06000	8.7841	0.27667	0.08248	88	1.03	011.01	0
011	Loss on Drying (%)	0596	9.0700	0.04000	8.7841	0.27667	0.08248	88	1.03	011.01	0
011	Loss on Drying (%)	0653	9.0800	0.08000	8.7841	0.27667	0.08248	88	1.07	011.01	0
011	Loss on Drying (%)	0758	9.0850	0.01000	8.7841	0.27667	0.08248	88	1.09	011.01	0
011	Loss on Drying (%)	0265	9.1000	0.00000	8.7841	0.27667	0.08248	88	1.14	011.01	0
011	Loss on Drying (%)	0623	9.1241	0.19790	8.7841	0.27667	0.08248	88	1.23	011.01	0
011	Loss on Drying (%)	0913	9.1300	0.02000	8.7841	0.27667	0.08248	88	1.25	011.01	0
011	Loss on Drying (%)	0643	9.2500	0.10000	8.7841	0.27667	0.08248	88	1.68	011.01	0
011	Loss on Drying (%)	0205	9.2635	0.10100	8.7841	0.27667	0.08248	88	1.73	011.01	0
011	Loss on Drying (%)	0563	9.3133	0.00260	8.7841	0.27667	0.08248	88	1.91	011.01	0
011	Loss on Drying (%)	0553	9.3650	0.09000	8.7841	0.27667	0.08248	88	2.10	011.01	0
011	Loss on Drying (%)	0861	9.5350	0.01000	8.7841	0.27667	0.08248	88	2.71	011.01	0
011	Loss on Drying (%)	0051	8.6000	0.56000	8.7841	0.27667	0.08248	88	-0.67	011.01	1
011	Loss on Drying (%)	0160	8.7919	0.54440	8.7841	0.27667	0.08248	88	0.03	011.01	1
011	Loss on Drying (%)	0880	9.1650	1.4500	8.7841	0.27667	0.08248	88	1.38	011.01	1
011	Loss on Drying (%)	0859	91.355	0.05100	8.7841	0.27667	0.08248	88	298.45	011.01	2
011	Loss on Drying (%)	1002	8.4750	0.07000	8.7841	0.27667	0.08248	88	-1.12	011.01	8
011	Loss on Drying (%)	0765	8.4750	0.03000	8.7841	0.27667	0.08248	88	-1.12	011.01	8
011	Loss on Drying (%)	1004	8.4940	0.16400	8.7841	0.27667	0.08248	88	-1.05	011.01	8
011	Loss on Drying (%)	0805	8.5750	0.11000	8.7841	0.27667	0.08248	88	-0.76	011.01	8
011	Loss on Drying (%)	0771	8.5900	0.02000	8.7841	0.27667	0.08248	88	-0.70	011.01	8
011	Loss on Drying (%)	1006	8.6200	0.12000	8.7841	0.27667	0.08248	88	-0.59	011.01	8
011	Loss on Drying (%)	0812	8.6450	0.01000	8.7841	0.27667	0.08248	88	-0.50	011.01	8
011	Loss on Drying (%)	0772	8.6750	0.01000	8.7841	0.27667	0.08248	88	-0.39	011.01	8
011	Loss on Drying (%)	0817	8.6800	0.14000	8.7841	0.27667	0.08248	88	-0.38	011.01	8
011	Loss on Drying (%)	0828	8.6900	0.00000	8.7841	0.27667	0.08248	88	-0.34	011.01	8
011	Loss on Drying (%)	0823	8.7000	0.00000	8.7841	0.27667	0.08248	88	-0.30	011.01	8
011	Loss on Drying (%)	0768	8.7050	0.01000	8.7841	0.27667	0.08248	88	-0.29	011.01	8
011	Loss on Drying (%)	0766	8.7100	0.04000	8.7841	0.27667	0.08248	88	-0.27	011.01	8
011	Loss on Drying (%)	0837	8.7200	0.16000	8.7841	0.27667	0.08248	88	-0.23	011.01	8
011	Loss on Drying (%)	0830	8.7250	0.05000	8.7841	0.27667	0.08248	88	-0.21	011.01	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0804	8.7300	0.08000	8.7841	0.27667	0.08248	88	-0.20	011.01	8
011	Loss on Drying (%)	0781	8.7379	0.00190	8.7841	0.27667	0.08248	88	-0.17	011.01	8
011	Loss on Drying (%)	0796	8.7400	0.02000	8.7841	0.27667	0.08248	88	-0.16	011.01	8
011	Loss on Drying (%)	0798	8.7400	0.16000	8.7841	0.27667	0.08248	88	-0.16	011.01	8
011	Loss on Drying (%)	0770	8.7450	0.07000	8.7841	0.27667	0.08248	88	-0.14	011.01	8
011	Loss on Drying (%)	0803	8.7450	0.19000	8.7841	0.27667	0.08248	88	-0.14	011.01	8
011	Loss on Drying (%)	0814	8.7500	0.00000	8.7841	0.27667	0.08248	88	-0.12	011.01	8
011	Loss on Drying (%)	0836	8.7500	0.10000	8.7841	0.27667	0.08248	88	-0.12	011.01	8
011	Loss on Drying (%)	0800	8.7600	0.06000	8.7841	0.27667	0.08248	88	-0.09	011.01	8
011	Loss on Drying (%)	0748	8.7700	0.00000	8.7841	0.27667	0.08248	88	-0.05	011.01	8
011	Loss on Drying (%)	0799	8.7850	0.09000	8.7841	0.27667	0.08248	88	0.00	011.01	8
011	Loss on Drying (%)	0815	8.7950	0.13000	8.7841	0.27667	0.08248	88	0.04	011.01	8
011	Loss on Drying (%)	1010	8.7950	0.07000	8.7841	0.27667	0.08248	88	0.04	011.01	8
011	Loss on Drying (%)	0824	8.8000	0.00000	8.7841	0.27667	0.08248	88	0.06	011.01	8
011	Loss on Drying (%)	0795	8.8050	0.07000	8.7841	0.27667	0.08248	88	0.08	011.01	8
011	Loss on Drying (%)	0806	8.8100	0.04000	8.7841	0.27667	0.08248	88	0.09	011.01	8
011	Loss on Drying (%)	0744	8.8150	0.09000	8.7841	0.27667	0.08248	88	0.11	011.01	8
011	Loss on Drying (%)	0789	8.8150	0.05000	8.7841	0.27667	0.08248	88	0.11	011.01	8
011	Loss on Drying (%)	0794	8.8150	0.03000	8.7841	0.27667	0.08248	88	0.11	011.01	8
011	Loss on Drying (%)	0818	8.8200	0.04000	8.7841	0.27667	0.08248	88	0.13	011.01	8
011	Loss on Drying (%)	0742	8.8300	0.02000	8.7841	0.27667	0.08248	88	0.17	011.01	8
011	Loss on Drying (%)	0743	8.8400	0.02400	8.7841	0.27667	0.08248	88	0.20	011.01	8
011	Loss on Drying (%)	0792	8.8450	0.01000	8.7841	0.27667	0.08248	88	0.22	011.01	8
011	Loss on Drying (%)	1009	8.8850	0.13000	8.7841	0.27667	0.08248	88	0.36	011.01	8
011	Loss on Drying (%)	0745	8.8900	0.06000	8.7841	0.27667	0.08248	88	0.38	011.01	8
011	Loss on Drying (%)	0747	8.8915	0.11810	8.7841	0.27667	0.08248	88	0.39	011.01	8
011	Loss on Drying (%)	0746	8.9150	0.05000	8.7841	0.27667	0.08248	88	0.47	011.01	8
011	Loss on Drying (%)	0741	8.9200	0.00000	8.7841	0.27667	0.08248	88	0.49	011.01	8
011	Loss on Drying (%)	0791	8.9200	0.00000	8.7841	0.27667	0.08248	88	0.49	011.01	8
011	Loss on Drying (%)	0834	8.9200	0.12000	8.7841	0.27667	0.08248	88	0.49	011.01	8
011	Loss on Drying (%)	0780	8.9350	0.13000	8.7841	0.27667	0.08248	88	0.55	011.01	8
011	Loss on Drying (%)	0807	8.9350	0.01000	8.7841	0.27667	0.08248	88	0.55	011.01	8
011	Loss on Drying (%)	0775	8.9500	0.26000	8.7841	0.27667	0.08248	88	0.60	011.01	8
011	Loss on Drying (%)	0751	8.9650	0.09000	8.7841	0.27667	0.08248	88	0.65	011.01	8
011	Loss on Drying (%)	0838	8.9750	0.15000	8.7841	0.27667	0.08248	88	0.69	011.01	8
011	Loss on Drying (%)	0797	8.9850	0.01000	8.7841	0.27667	0.08248	88	0.73	011.01	8
011	Loss on Drying (%)	0777	9.0050	0.17000	8.7841	0.27667	0.08248	88	0.80	011.01	8
011	Loss on Drying (%)	0809	9.0100	0.04000	8.7841	0.27667	0.08248	88	0.82	011.01	8
011	Loss on Drying (%)	0740	9.0115	0.03500	8.7841	0.27667	0.08248	88	0.82	011.01	8
011	Loss on Drying (%)	0755	9.0200	0.12000	8.7841	0.27667	0.08248	88	0.85	011.01	8
011	Loss on Drying (%)	0757	9.0250	0.01000	8.7841	0.27667	0.08248	88	0.87	011.01	8
011	Loss on Drying (%)	0749	9.0450	0.03000	8.7841	0.27667	0.08248	88	0.94	011.01	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0753	9.0550	0.09000	8.7841	0.27667	0.08248	88	0.98	011.01	8
011	Loss on Drying (%)	0810	9.0600	0.06000	8.7841	0.27667	0.08248	88	1.00	011.01	8
011	Loss on Drying (%)	0774	9.0600	0.14000	8.7841	0.27667	0.08248	88	1.00	011.01	8
011	Loss on Drying (%)	1008	9.0700	0.00000	8.7841	0.27667	0.08248	88	1.03	011.01	8
011	Loss on Drying (%)	0752	9.0800	0.22000	8.7841	0.27667	0.08248	88	1.07	011.01	8
011	Loss on Drying (%)	0756	9.0850	0.09000	8.7841	0.27667	0.08248	88	1.09	011.01	8
011	Loss on Drying (%)	0813	9.0900	0.06000	8.7841	0.27667	0.08248	88	1.11	011.01	8
011	Loss on Drying (%)	0754	9.1050	0.07000	8.7841	0.27667	0.08248	88	1.16	011.01	8
011	Loss on Drying (%)	0750	9.1200	0.06000	8.7841	0.27667	0.08248	88	1.21	011.01	8
011	Loss on Drying (%)	0835	9.1300	0.12000	8.7841	0.27667	0.08248	88	1.25	011.01	8
011	Loss on Drying (%)	0779	9.1450	0.01000	8.7841	0.27667	0.08248	88	1.30	011.01	8
011	Loss on Drying (%)	0841	9.1600	0.02000	8.7841	0.27667	0.08248	88	1.36	011.01	8
011	Loss on Drying (%)	0776	9.1950	0.29000	8.7841	0.27667	0.08248	88	1.49	011.01	8
011	Loss on Drying (%)	0811	9.2300	0.04000	8.7841	0.27667	0.08248	88	1.61	011.01	8
011	Loss on Drying (%)	0808	9.2400	0.04000	8.7841	0.27667	0.08248	88	1.65	011.02	8
011	Loss on Drying (%)	0832	9.3150	0.01000	8.7841	0.27667	0.08248	88	1.92	011.01	8
011	Loss on Drying (%)	0778	9.3250	0.03000	8.7841	0.27667	0.08248	88	1.96	011.01	8
011	Loss on Drying (%)	1000	9.3450	0.03000	8.7841	0.27667	0.08248	88	2.03	011.01	8
011	Loss on Drying (%)	0842	9.3450	0.09000	8.7841	0.27667	0.08248	88	2.03	011.02	8
012	Starch (%)	0682	11.970	1.3600	14.799	1.1906	0.47000	32	-2.38	012.00	0
012	Starch (%)	0008	12.300	0.00000	14.799	1.1906	0.47000	32	-2.10	012.04	0
012	Starch (%)	0885	12.540	1.0000	14.799	1.1906	0.47000	32	-1.90	012.03	0
012	Starch (%)	0713	12.960	0.20000	14.799	1.1906	0.47000	32	-1.54	012.11	0
012	Starch (%)	0918	13.265	2.0700	14.799	1.1906	0.47000	32	-1.29	012.01	0
012	Starch (%)	0265	13.600	1.0000	14.799	1.1906	0.47000	32	-1.01	012.01	0
012	Starch (%)	0510	13.850	0.50000	14.799	1.1906	0.47000	32	-0.80	012.04	0
012	Starch (%)	0354	14.020	0.22000	14.799	1.1906	0.47000	32	-0.65	012.00	0
012	Starch (%)	0939	14.415	0.57000	14.799	1.1906	0.47000	32	-0.32	012.00	0
012	Starch (%)	0951	14.455	0.43000	14.799	1.1906	0.47000	32	-0.29	012.00	0
012	Starch (%)	0716	14.470	0.38000	14.799	1.1906	0.47000	32	-0.28	012.00	0
012	Starch (%)	0956	14.500	0.00000	14.799	1.1906	0.47000	32	-0.25	012.01	0
012	Starch (%)	0920	14.510	0.08000	14.799	1.1906	0.47000	32	-0.24	012.00	0
012	Starch (%)	0407	14.585	0.09000	14.799	1.1906	0.47000	32	-0.18	012.03	0
012	Starch (%)	0178	14.615	0.11000	14.799	1.1906	0.47000	32	-0.15	012.00	0
012	Starch (%)	0353	14.695	0.59000	14.799	1.1906	0.47000	32	-0.09	012.04	0
012	Starch (%)	0160	14.780	0.18000	14.799	1.1906	0.47000	32	-0.02	012.04	0
012	Starch (%)	0686	14.855	0.69000	14.799	1.1906	0.47000	32	0.05	012.01	0
012	Starch (%)	0297	15.140	0.16000	14.799	1.1906	0.47000	32	0.29	012.03	0
012	Starch (%)	0878	15.150	0.50000	14.799	1.1906	0.47000	32	0.30	012.00	0
012	Starch (%)	0278	15.150	0.30000	14.799	1.1906	0.47000	32	0.30	012.04	0
012	Starch (%)	0689	15.200	0.80000	14.799	1.1906	0.47000	32	0.34	012.00	0
012	Starch (%)	0619	15.300	0.40000	14.799	1.1906	0.47000	32	0.42	012.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
012 Starch (%)		2004	15.500	0.40000	14.799	1.1906	0.47000	32	0.59	012.01	0
012 Starch (%)		0723	15.525	0.05000	14.799	1.1906	0.47000	32	0.61	012.00	0
012 Starch (%)		0955	15.700	0.00000	14.799	1.1906	0.47000	32	0.76	012.02	0
012 Starch (%)		0720	16.030	0.06000	14.799	1.1906	0.47000	32	1.03	012.11	0
012 Starch (%)		0098	16.350	0.50000	14.799	1.1906	0.47000	32	1.30	012.03	0
012 Starch (%)		0948	16.930	0.44000	14.799	1.1906	0.47000	32	1.79	012.04	0
012 Starch (%)		0951	17.185	0.01000	14.799	1.1906	0.47000	32	2.00	012.11	0
012 Starch (%)		0106	17.200	1.8000	14.799	1.1906	0.47000	32	2.02	012.04	0
012 Starch (%)		0297	17.455	0.15000	14.799	1.1906	0.47000	32	2.23	012.11	0
012 Starch (%)		0673	17.650	2.7000	14.799	1.1906	0.47000	32	2.39	012.00	1
012 Starch (%)		0797	3.0150	0.27000	14.799	1.1906	0.47000	32	-9.90	012.02	8
013 Fat (%)		0618	1.9050	0.37000	3.0244	0.47717	0.15094	64	-2.35	013.08	0
013 Fat (%)		0716	2.1800	0.04000	3.0244	0.47717	0.15094	64	-1.77	013.10	0
013 Fat (%)		0845	2.3050	0.29000	3.0244	0.47717	0.15094	64	-1.51	013.10	0
013 Fat (%)		0229	2.3650	0.15000	3.0244	0.47717	0.15094	64	-1.38	013.00	0
013 Fat (%)		0033	2.3650	0.17000	3.0244	0.47717	0.15094	64	-1.38	013.10	0
013 Fat (%)		0689	2.4000	0.20000	3.0244	0.47717	0.15094	64	-1.31	013.00	0
013 Fat (%)		0673	2.4500	0.10000	3.0244	0.47717	0.15094	64	-1.20	013.10	0
013 Fat (%)		0681	2.5100	0.04000	3.0244	0.47717	0.15094	64	-1.08	013.00	0
013 Fat (%)		0148	2.5200	0.00000	3.0244	0.47717	0.15094	64	-1.06	013.02	0
013 Fat (%)		0242	2.5350	0.19000	3.0244	0.47717	0.15094	64	-1.03	013.00	0
013 Fat (%)		2003	2.5600	0.18000	3.0244	0.47717	0.15094	64	-0.97	013.10	0
013 Fat (%)		0736	2.5950	0.11000	3.0244	0.47717	0.15094	64	-0.90	013.02	0
013 Fat (%)		0015	2.6000	0.20000	3.0244	0.47717	0.15094	64	-0.89	013.02	0
013 Fat (%)		0739	2.6150	0.41000	3.0244	0.47717	0.15094	64	-0.86	013.02	0
013 Fat (%)		0951	2.6150	0.01000	3.0244	0.47717	0.15094	64	-0.86	013.12	0
013 Fat (%)		0868	2.6550	0.03000	3.0244	0.47717	0.15094	64	-0.77	013.10	0
013 Fat (%)		0831	2.6850	0.05000	3.0244	0.47717	0.15094	64	-0.71	013.02	0
013 Fat (%)		0758	2.6950	0.15000	3.0244	0.47717	0.15094	64	-0.69	013.02	0
013 Fat (%)		0720	2.7000	0.00000	3.0244	0.47717	0.15094	64	-0.68	013.12	0
013 Fat (%)		0910	2.7900	0.08000	3.0244	0.47717	0.15094	64	-0.49	013.00	0
013 Fat (%)		0026	2.7950	0.13000	3.0244	0.47717	0.15094	64	-0.48	013.02	0
013 Fat (%)		0610	2.8000	0.20000	3.0244	0.47717	0.15094	64	-0.47	013.10	0
013 Fat (%)		0160	2.8073	0.02260	3.0244	0.47717	0.15094	64	-0.45	013.10	0
013 Fat (%)		0353	2.8300	0.12000	3.0244	0.47717	0.15094	64	-0.41	013.10	0
013 Fat (%)		0297	2.8750	0.17000	3.0244	0.47717	0.15094	64	-0.31	013.00	0
013 Fat (%)		2004	2.8800	0.08000	3.0244	0.47717	0.15094	64	-0.30	013.00	0
013 Fat (%)		0861	2.9050	0.13000	3.0244	0.47717	0.15094	64	-0.25	013.00	0
013 Fat (%)		0417	2.9150	0.19000	3.0244	0.47717	0.15094	64	-0.23	013.10	0
013 Fat (%)		0948	2.9250	0.13000	3.0244	0.47717	0.15094	64	-0.21	013.00	0
013 Fat (%)		0874	3.0250	0.05000	3.0244	0.47717	0.15094	64	0.00	013.02	0
013 Fat (%)		0921	3.0300	0.46000	3.0244	0.47717	0.15094	64	0.01	013.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0309	3.0300	0.42000	3.0244	0.47717	0.15094	64	0.01	013.00	0
013 Fat (%)		0825	3.0500	0.10000	3.0244	0.47717	0.15094	64	0.05	013.02	0
013 Fat (%)		0802	3.0950	0.19000	3.0244	0.47717	0.15094	64	0.15	013.02	0
013 Fat (%)		0652	3.1000	0.00000	3.0244	0.47717	0.15094	64	0.16	013.10	0
013 Fat (%)		0660	3.1000	0.22000	3.0244	0.47717	0.15094	64	0.16	013.10	0
013 Fat (%)		0354	3.1350	0.01000	3.0244	0.47717	0.15094	64	0.23	013.02	0
013 Fat (%)		0208	3.1650	0.13000	3.0244	0.47717	0.15094	64	0.29	013.02	0
013 Fat (%)		0914	3.1750	0.05000	3.0244	0.47717	0.15094	64	0.32	013.00	0
013 Fat (%)		0760	3.1950	0.17000	3.0244	0.47717	0.15094	64	0.36	013.02	0
013 Fat (%)		0826	3.1950	0.05000	3.0244	0.47717	0.15094	64	0.36	013.00	0
013 Fat (%)		0337	3.1950	0.57000	3.0244	0.47717	0.15094	64	0.36	013.02	0
013 Fat (%)		0695	3.2050	0.09000	3.0244	0.47717	0.15094	64	0.38	013.00	0
013 Fat (%)		0650	3.2650	0.01000	3.0244	0.47717	0.15094	64	0.50	013.02	0
013 Fat (%)		0164	3.2900	0.02000	3.0244	0.47717	0.15094	64	0.56	013.02	0
013 Fat (%)		0553	3.2900	0.10000	3.0244	0.47717	0.15094	64	0.56	013.02	0
013 Fat (%)		0051	3.3000	0.26000	3.0244	0.47717	0.15094	64	0.58	013.02	0
013 Fat (%)		0100	3.3200	0.04000	3.0244	0.47717	0.15094	64	0.62	013.02	0
013 Fat (%)		0769	3.3250	0.05000	3.0244	0.47717	0.15094	64	0.63	013.02	0
013 Fat (%)		0171	3.3350	0.09000	3.0244	0.47717	0.15094	64	0.65	013.02	0
013 Fat (%)		0906	3.3496	0.36730	3.0244	0.47717	0.15094	64	0.68	013.00	0
013 Fat (%)		0682	3.4100	0.10000	3.0244	0.47717	0.15094	64	0.81	013.02	0
013 Fat (%)		0932	3.4900	0.18000	3.0244	0.47717	0.15094	64	0.98	013.02	0
013 Fat (%)		0202	3.5200	0.32000	3.0244	0.47717	0.15094	64	1.04	013.00	0
013 Fat (%)		0816	3.5250	0.15000	3.0244	0.47717	0.15094	64	1.05	013.02	0
013 Fat (%)		0008	3.5350	0.25000	3.0244	0.47717	0.15094	64	1.07	013.02	0
013 Fat (%)		2016	3.5800	0.34000	3.0244	0.47717	0.15094	64	1.16	013.00	0
013 Fat (%)		0581	3.6500	0.08000	3.0244	0.47717	0.15094	64	1.31	013.13	0
013 Fat (%)		0643	3.6700	0.14000	3.0244	0.47717	0.15094	64	1.35	013.02	0
013 Fat (%)		0790	3.7100	0.28000	3.0244	0.47717	0.15094	64	1.44	013.02	0
013 Fat (%)		0840	3.8150	0.27000	3.0244	0.47717	0.15094	64	1.66	013.02	0
013 Fat (%)		0265	3.9500	0.10000	3.0244	0.47717	0.15094	64	1.94	013.13	0
013 Fat (%)		0676	4.2290	0.05000	3.0244	0.47717	0.15094	64	2.52	013.02	0
013 Fat (%)		0675	4.5750	0.01000	3.0244	0.47717	0.15094	64	3.25	013.02	0
013 Fat (%)		0775	2.6050	0.15000	3.0244	0.47717	0.15094	64	-0.88	013.02	8
013 Fat (%)		0757	2.6150	0.11000	3.0244	0.47717	0.15094	64	-0.86	013.02	8
013 Fat (%)		0778	2.6850	0.09000	3.0244	0.47717	0.15094	64	-0.71	013.02	8
013 Fat (%)		0791	2.7200	0.22000	3.0244	0.47717	0.15094	64	-0.64	013.02	8
013 Fat (%)		0776	2.7350	0.03000	3.0244	0.47717	0.15094	64	-0.61	013.02	8
013 Fat (%)		0805	2.7400	0.12000	3.0244	0.47717	0.15094	64	-0.60	013.02	8
013 Fat (%)		0834	2.7500	0.08000	3.0244	0.47717	0.15094	64	-0.58	013.02	8
013 Fat (%)		0804	2.7900	0.20000	3.0244	0.47717	0.15094	64	-0.49	013.02	8
013 Fat (%)		0780	2.8050	0.09000	3.0244	0.47717	0.15094	64	-0.46	013.02	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0800	2.8050	0.57000	3.0244	0.47717	0.15094	64	-0.46	013.02	8
013 Fat (%)		0832	2.8100	0.02000	3.0244	0.47717	0.15094	64	-0.45	013.02	8
013 Fat (%)		0747	2.8190	0.08400	3.0244	0.47717	0.15094	64	-0.43	013.02	8
013 Fat (%)		0753	2.8200	0.20000	3.0244	0.47717	0.15094	64	-0.43	013.02	8
013 Fat (%)		1009	2.8200	0.16000	3.0244	0.47717	0.15094	64	-0.43	013.02	8
013 Fat (%)		0750	2.8300	0.04000	3.0244	0.47717	0.15094	64	-0.41	013.02	8
013 Fat (%)		0779	2.8350	0.07000	3.0244	0.47717	0.15094	64	-0.40	013.02	8
013 Fat (%)		0744	2.8750	0.07000	3.0244	0.47717	0.15094	64	-0.31	013.02	8
013 Fat (%)		0803	2.8750	0.09000	3.0244	0.47717	0.15094	64	-0.31	013.02	8
013 Fat (%)		0752	2.8800	0.10000	3.0244	0.47717	0.15094	64	-0.30	013.02	8
013 Fat (%)		0774	2.8800	0.18000	3.0244	0.47717	0.15094	64	-0.30	013.02	8
013 Fat (%)		0792	2.8850	0.45000	3.0244	0.47717	0.15094	64	-0.29	013.02	8
013 Fat (%)		1004	2.9030	0.12200	3.0244	0.47717	0.15094	64	-0.25	013.02	8
013 Fat (%)		0740	2.9445	0.36300	3.0244	0.47717	0.15094	64	-0.17	013.02	8
013 Fat (%)		0837	2.9700	0.30000	3.0244	0.47717	0.15094	64	-0.11	013.02	8
013 Fat (%)		0742	2.9750	0.11000	3.0244	0.47717	0.15094	64	-0.10	013.02	8
013 Fat (%)		0751	2.9800	0.24000	3.0244	0.47717	0.15094	64	-0.09	013.02	8
013 Fat (%)		0755	2.9800	0.34000	3.0244	0.47717	0.15094	64	-0.09	013.02	8
013 Fat (%)		0836	3.0000	0.00000	3.0244	0.47717	0.15094	64	-0.05	013.02	8
013 Fat (%)		0743	3.0005	0.15500	3.0244	0.47717	0.15094	64	-0.05	013.02	8
013 Fat (%)		0741	3.0050	0.29000	3.0244	0.47717	0.15094	64	-0.04	013.02	8
013 Fat (%)		0754	3.0050	0.07000	3.0244	0.47717	0.15094	64	-0.04	013.02	8
013 Fat (%)		0777	3.0050	0.11000	3.0244	0.47717	0.15094	64	-0.04	013.02	8
013 Fat (%)		0748	3.0200	0.14000	3.0244	0.47717	0.15094	64	-0.01	013.02	8
013 Fat (%)		0807	3.0200	0.00000	3.0244	0.47717	0.15094	64	-0.01	013.02	8
013 Fat (%)		0745	3.0400	0.10000	3.0244	0.47717	0.15094	64	0.03	013.02	8
013 Fat (%)		0835	3.0400	0.20000	3.0244	0.47717	0.15094	64	0.03	013.02	8
013 Fat (%)		0798	3.0450	0.01000	3.0244	0.47717	0.15094	64	0.04	013.02	8
013 Fat (%)		0823	3.0500	0.10000	3.0244	0.47717	0.15094	64	0.05	013.02	8
013 Fat (%)		0756	3.0550	0.03000	3.0244	0.47717	0.15094	64	0.06	013.02	8
013 Fat (%)		1008	3.0550	0.03000	3.0244	0.47717	0.15094	64	0.06	013.02	8
013 Fat (%)		0746	3.0900	0.18000	3.0244	0.47717	0.15094	64	0.14	013.02	8
013 Fat (%)		0765	3.1050	0.15000	3.0244	0.47717	0.15094	64	0.17	013.02	8
013 Fat (%)		0799	3.1450	0.23000	3.0244	0.47717	0.15094	64	0.25	013.02	8
013 Fat (%)		0828	3.1900	0.04000	3.0244	0.47717	0.15094	64	0.35	013.02	8
013 Fat (%)		0824	3.2500	0.10000	3.0244	0.47717	0.15094	64	0.47	013.02	8
013 Fat (%)		0794	3.2800	0.12000	3.0244	0.47717	0.15094	64	0.54	013.02	8
013 Fat (%)		0811	3.2800	0.06000	3.0244	0.47717	0.15094	64	0.54	013.02	8
013 Fat (%)		0771	3.3150	0.03000	3.0244	0.47717	0.15094	64	0.61	013.02	8
013 Fat (%)		0768	3.3250	0.01000	3.0244	0.47717	0.15094	64	0.63	013.02	8
013 Fat (%)		0770	3.3400	0.04000	3.0244	0.47717	0.15094	64	0.66	013.02	8
013 Fat (%)		0795	3.3400	0.08000	3.0244	0.47717	0.15094	64	0.66	013.02	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013	Fat (%)	0766	3.3500	0.02000	3.0244	0.47717	0.15094	64	0.68	013.02	8
013	Fat (%)	0749	3.3500	0.08000	3.0244	0.47717	0.15094	64	0.68	013.02	8
013	Fat (%)	0841	3.3600	0.06000	3.0244	0.47717	0.15094	64	0.70	013.02	8
013	Fat (%)	0772	3.3700	0.04000	3.0244	0.47717	0.15094	64	0.72	013.02	8
013	Fat (%)	1006	3.4300	0.14000	3.0244	0.47717	0.15094	64	0.85	013.02	8
013	Fat (%)	0810	3.4400	0.02000	3.0244	0.47717	0.15094	64	0.87	013.02	8
013	Fat (%)	0813	3.4600	0.02000	3.0244	0.47717	0.15094	64	0.91	013.02	8
013	Fat (%)	1000	3.4700	0.02000	3.0244	0.47717	0.15094	64	0.93	013.02	8
013	Fat (%)	0817	3.4850	0.11000	3.0244	0.47717	0.15094	64	0.97	013.02	8
013	Fat (%)	0806	3.4900	0.30000	3.0244	0.47717	0.15094	64	0.98	013.02	8
013	Fat (%)	0814	3.4950	0.29000	3.0244	0.47717	0.15094	64	0.99	013.02	8
013	Fat (%)	0796	3.5350	0.21000	3.0244	0.47717	0.15094	64	1.07	013.02	8
013	Fat (%)	0812	3.6450	0.09000	3.0244	0.47717	0.15094	64	1.30	013.02	8
013	Fat (%)	0815	3.6450	0.29000	3.0244	0.47717	0.15094	64	1.30	013.02	8
013	Fat (%)	0842	3.6650	0.07000	3.0244	0.47717	0.15094	64	1.34	013.02	8
013	Fat (%)	0818	3.6800	0.06000	3.0244	0.47717	0.15094	64	1.37	013.02	8
013	Fat (%)	0808	3.6950	0.11000	3.0244	0.47717	0.15094	64	1.41	013.02	8
013	Fat (%)	1010	3.7250	0.09000	3.0244	0.47717	0.15094	64	1.47	013.02	8
013	Fat (%)	0809	3.7300	0.14000	3.0244	0.47717	0.15094	64	1.48	013.00	8
013	Fat (%)	1002	4.4150	1.8700	3.0244	0.47717	0.15094	64	2.91	013.02	8
013	Fat (%)	0830	4.7550	0.53000	3.0244	0.47717	0.15094	64	3.63	013.02	8
013	Fat (%)	0838	4.7850	0.37000	3.0244	0.47717	0.15094	64	3.69	013.12	8
014	Fiber, total dietary (TDF) (%)	0878	49.950	1.5000			1.5000	1			
015	Aluminum (ppm)	0049	147.06	3.8700	180.72	21.984	3.9139	11	-1.53	015.41	0
015	Aluminum (ppm)	0560	162.00	4.0000	180.72	21.984	3.9139	11	-0.85	015.42	0
015	Aluminum (ppm)	0553	169.00	0.00000	180.72	21.984	3.9139	11	-0.53	015.53	0
015	Aluminum (ppm)	0011	170.60	3.0825	180.72	21.984	3.9139	11	-0.46	015.41	0
015	Aluminum (ppm)	0164	172.50	7.0000	180.72	21.984	3.9139	11	-0.37	015.41	0
015	Aluminum (ppm)	0510	177.50	5.0000	180.72	21.984	3.9139	11	-0.15	015.43	0
015	Aluminum (ppm)	0171	180.00	14.000	180.72	21.984	3.9139	11	-0.03	015.41	0
015	Aluminum (ppm)	0169	194.50	3.0000	180.72	21.984	3.9139	11	0.63	015.43	0
015	Aluminum (ppm)	0912	199.00	0.00000	180.72	21.984	3.9139	11	0.83	015.53	0
015	Aluminum (ppm)	0520	203.10	2.2000	180.72	21.984	3.9139	11	1.02	015.41	0
015	Aluminum (ppm)	0021	223.35	0.90000	180.72	21.984	3.9139	11	1.94	015.42	0
015	Aluminum (ppm)	0353	203.05	42.700	180.72	21.984	3.9139	11	1.02	015.43	1
017	Boron (ppm)	0021	0.00000	0.00000	10.733	0.49841	0.35400	10	-21.53	017.42	0
017	Boron (ppm)	0560	9.8900	0.42000	10.733	0.49841	0.35400	10	-1.69	017.42	0
017	Boron (ppm)	0693	10.450	0.58000	10.733	0.49841	0.35400	10	-0.57	017.42	0
017	Boron (ppm)	0358	10.495	0.09000	10.733	0.49841	0.35400	10	-0.48	017.41	0
017	Boron (ppm)	0045	10.700	1.0000	10.733	0.49841	0.35400	10	-0.07	017.42	0
017	Boron (ppm)	0049	10.795	1.2300	10.733	0.49841	0.35400	10	0.12	017.41	0
017	Boron (ppm)	0912	10.900	0.00000	10.733	0.49841	0.35400	10	0.34	017.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
017	Boron (ppm)	0510	11.000	0.00000	10.733	0.49841	0.35400	10	0.54	017.43	0
017	Boron (ppm)	0353	12.730	0.14000	10.733	0.49841	0.35400	10	4.01	017.43	0
017	Boron (ppm)	0294	13.640	0.08000	10.733	0.49841	0.35400	10	5.83	017.43	0
019	Calcium (%)	0921	0.19735	0.00450	0.89138	0.04953	0.02911	172	-14.01	019.31	0
019	Calcium (%)	0889	0.68000	0.00000	0.89138	0.04953	0.02911	172	-4.27	019.99	0
019	Calcium (%)	0144	0.69500	0.01000	0.89138	0.04953	0.02911	172	-3.97	019.41	0
019	Calcium (%)	0612	0.72000	0.00000	0.89138	0.04953	0.02911	172	-3.46	019.32	0
019	Calcium (%)	0716	0.73000	0.00000	0.89138	0.04953	0.02911	172	-3.26	019.00	0
019	Calcium (%)	0047	0.73500	0.01000	0.89138	0.04953	0.02911	172	-3.16	019.52	0
019	Calcium (%)	0623	0.73985	0.01210	0.89138	0.04953	0.02911	172	-3.06	019.00	0
019	Calcium (%)	0720	0.74500	0.01000	0.89138	0.04953	0.02911	172	-2.96	019.41	0
019	Calcium (%)	0405	0.76500	0.01000	0.89138	0.04953	0.02911	172	-2.55	019.41	0
019	Calcium (%)	0938	0.79000	0.00000	0.89138	0.04953	0.02911	172	-2.05	019.00	0
019	Calcium (%)	0686	0.79000	0.12000	0.89138	0.04953	0.02911	172	-2.05	019.03	0
019	Calcium (%)	0001	0.80820	0.00360	0.89138	0.04953	0.02911	172	-1.68	019.31	0
019	Calcium (%)	0879	0.81000	0.10000	0.89138	0.04953	0.02911	172	-1.64	019.08	0
019	Calcium (%)	0944	0.81650	0.00300	0.89138	0.04953	0.02911	172	-1.51	019.00	0
019	Calcium (%)	0596	0.82000	0.06000	0.89138	0.04953	0.02911	172	-1.44	019.31	0
019	Calcium (%)	0019	0.82000	0.04000	0.89138	0.04953	0.02911	172	-1.44	019.41	0
019	Calcium (%)	0142	0.83500	0.03000	0.89138	0.04953	0.02911	172	-1.14	019.31	0
019	Calcium (%)	0354	0.83500	0.01000	0.89138	0.04953	0.02911	172	-1.14	019.31	0
019	Calcium (%)	0139	0.83550	0.00700	0.89138	0.04953	0.02911	172	-1.13	019.31	0
019	Calcium (%)	0026	0.83700	0.00600	0.89138	0.04953	0.02911	172	-1.10	019.41	0
019	Calcium (%)	0039	0.84000	0.02200	0.89138	0.04953	0.02911	172	-1.04	019.31	0
019	Calcium (%)	0407	0.84000	0.00000	0.89138	0.04953	0.02911	172	-1.04	019.41	0
019	Calcium (%)	0199	0.84000	0.06000	0.89138	0.04953	0.02911	172	-1.04	019.53	0
019	Calcium (%)	0512	0.84015	0.08570	0.89138	0.04953	0.02911	172	-1.03	019.41	0
019	Calcium (%)	0065	0.84275	0.00350	0.89138	0.04953	0.02911	172	-0.98	019.31	0
019	Calcium (%)	0229	0.84500	0.01000	0.89138	0.04953	0.02911	172	-0.94	019.41	0
019	Calcium (%)	0357	0.84500	0.01000	0.89138	0.04953	0.02911	172	-0.94	019.42	0
019	Calcium (%)	0106	0.84850	0.00100	0.89138	0.04953	0.02911	172	-0.87	019.42	0
019	Calcium (%)	0629	0.85000	0.00000	0.89138	0.04953	0.02911	172	-0.84	019.08	0
019	Calcium (%)	0871	0.85000	0.00000	0.89138	0.04953	0.02911	172	-0.84	019.08	0
019	Calcium (%)	0940	0.85000	0.04000	0.89138	0.04953	0.02911	172	-0.84	019.08	0
019	Calcium (%)	0089	0.85000	0.00000	0.89138	0.04953	0.02911	172	-0.84	019.41	0
019	Calcium (%)	0297	0.85000	0.00000	0.89138	0.04953	0.02911	172	-0.84	019.43	0
019	Calcium (%)	0553	0.85150	0.01500	0.89138	0.04953	0.02911	172	-0.81	019.41	0
019	Calcium (%)	0676	0.85175	0.05150	0.89138	0.04953	0.02911	172	-0.80	019.99	0
019	Calcium (%)	0598	0.85220	0.00880	0.89138	0.04953	0.02911	172	-0.79	019.41	0
019	Calcium (%)	0955	0.85300	0.03800	0.89138	0.04953	0.02911	172	-0.77	019.44	0
019	Calcium (%)	0045	0.85400	0.07800	0.89138	0.04953	0.02911	172	-0.75	019.42	0
019	Calcium (%)	0689	0.85500	0.01000	0.89138	0.04953	0.02911	172	-0.73	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0670	0.85650	0.00300	0.89138	0.04953	0.02911	172	-0.70	019.31	0
019	Calcium (%)	0622	0.85680	0.00620	0.89138	0.04953	0.02911	172	-0.70	019.00	0
019	Calcium (%)	0042	0.85700	0.06600	0.89138	0.04953	0.02911	172	-0.69	019.43	0
019	Calcium (%)	0590	0.86000	0.00000	0.89138	0.04953	0.02911	172	-0.63	019.08	0
019	Calcium (%)	0175	0.86000	0.02000	0.89138	0.04953	0.02911	172	-0.63	019.31	0
019	Calcium (%)	0123	0.86000	0.02000	0.89138	0.04953	0.02911	172	-0.63	019.41	0
019	Calcium (%)	0620	0.86025	0.02530	0.89138	0.04953	0.02911	172	-0.63	019.00	0
019	Calcium (%)	0874	0.86115	0.01110	0.89138	0.04953	0.02911	172	-0.61	019.31	0
019	Calcium (%)	0051	0.86125	0.02430	0.89138	0.04953	0.02911	172	-0.61	019.41	0
019	Calcium (%)	0004	0.86250	0.00500	0.89138	0.04953	0.02911	172	-0.58	019.41	0
019	Calcium (%)	0881	0.86300	0.03000	0.89138	0.04953	0.02911	172	-0.57	019.00	0
019	Calcium (%)	0722	0.86435	0.03590	0.89138	0.04953	0.02911	172	-0.55	019.32	0
019	Calcium (%)	0011	0.86480	0.00680	0.89138	0.04953	0.02911	172	-0.54	019.41	0
019	Calcium (%)	0887	0.86500	0.01000	0.89138	0.04953	0.02911	172	-0.53	019.00	0
019	Calcium (%)	0935	0.86500	0.01000	0.89138	0.04953	0.02911	172	-0.53	019.00	0
019	Calcium (%)	0687	0.86500	0.01000	0.89138	0.04953	0.02911	172	-0.53	019.31	0
019	Calcium (%)	0939	0.86500	0.03000	0.89138	0.04953	0.02911	172	-0.53	019.31	0
019	Calcium (%)	0948	0.86500	0.01000	0.89138	0.04953	0.02911	172	-0.53	019.31	0
019	Calcium (%)	0164	0.86500	0.01000	0.89138	0.04953	0.02911	172	-0.53	019.41	0
019	Calcium (%)	0425	0.86500	0.01000	0.89138	0.04953	0.02911	172	-0.53	019.41	0
019	Calcium (%)	0619	0.86900	0.03800	0.89138	0.04953	0.02911	172	-0.45	019.41	0
019	Calcium (%)	0911	0.87000	0.00000	0.89138	0.04953	0.02911	172	-0.43	019.00	0
019	Calcium (%)	0536	0.87000	0.02000	0.89138	0.04953	0.02911	172	-0.43	019.31	0
019	Calcium (%)	0169	0.87000	0.04000	0.89138	0.04953	0.02911	172	-0.43	019.32	0
019	Calcium (%)	0692	0.87000	0.00000	0.89138	0.04953	0.02911	172	-0.43	019.42	0
019	Calcium (%)	0675	0.87000	0.00000	0.89138	0.04953	0.02911	172	-0.43	019.43	0
019	Calcium (%)	0647	0.87000	0.02000	0.89138	0.04953	0.02911	172	-0.43	019.44	0
019	Calcium (%)	0505	0.87100	0.02200	0.89138	0.04953	0.02911	172	-0.41	019.31	0
019	Calcium (%)	0898	0.87500	0.01000	0.89138	0.04953	0.02911	172	-0.33	019.00	0
019	Calcium (%)	0008	0.87500	0.10600	0.89138	0.04953	0.02911	172	-0.33	019.43	0
019	Calcium (%)	0014	0.87550	0.00100	0.89138	0.04953	0.02911	172	-0.32	019.31	0
019	Calcium (%)	0178	0.87800	0.00600	0.89138	0.04953	0.02911	172	-0.27	019.31	0
019	Calcium (%)	0350	0.87900	0.01600	0.89138	0.04953	0.02911	172	-0.25	019.41	0
019	Calcium (%)	2001	0.88000	0.00000	0.89138	0.04953	0.02911	172	-0.23	019.31	0
019	Calcium (%)	0948	0.88000	0.04000	0.89138	0.04953	0.02911	172	-0.23	019.33	0
019	Calcium (%)	0910	0.88000	0.00000	0.89138	0.04953	0.02911	172	-0.23	019.41	0
019	Calcium (%)	0353	0.88000	0.02000	0.89138	0.04953	0.02911	172	-0.23	019.43	0
019	Calcium (%)	0300	0.88250	0.08100	0.89138	0.04953	0.02911	172	-0.18	019.41	0
019	Calcium (%)	0563	0.88275	0.00250	0.89138	0.04953	0.02911	172	-0.17	019.31	0
019	Calcium (%)	2009	0.88445	0.00370	0.89138	0.04953	0.02911	172	-0.14	019.08	0
019	Calcium (%)	0934	0.88500	0.01000	0.89138	0.04953	0.02911	172	-0.13	019.00	0
019	Calcium (%)	0003	0.88500	0.01000	0.89138	0.04953	0.02911	172	-0.13	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0049	0.88500	0.01000	0.89138	0.04953	0.02911	172	-0.13	019.41	0
019	Calcium (%)	0413	0.88500	0.07000	0.89138	0.04953	0.02911	172	-0.13	019.41	0
019	Calcium (%)	0028	0.88500	0.03000	0.89138	0.04953	0.02911	172	-0.13	019.43	0
019	Calcium (%)	0849	0.88650	0.01300	0.89138	0.04953	0.02911	172	-0.10	019.08	0
019	Calcium (%)	0018	0.88800	0.01000	0.89138	0.04953	0.02911	172	-0.07	019.31	0
019	Calcium (%)	0560	0.88855	0.02110	0.89138	0.04953	0.02911	172	-0.06	019.42	0
019	Calcium (%)	0653	0.88950	0.00100	0.89138	0.04953	0.02911	172	-0.04	019.31	0
019	Calcium (%)	0936	0.89000	0.00000	0.89138	0.04953	0.02911	172	-0.03	019.00	0
019	Calcium (%)	2004	0.89150	0.00300	0.89138	0.04953	0.02911	172	0.00	019.44	0
019	Calcium (%)	0607	0.89290	0.00380	0.89138	0.04953	0.02911	172	0.03	019.08	0
019	Calcium (%)	0305	0.89500	0.01000	0.89138	0.04953	0.02911	172	0.07	019.31	0
019	Calcium (%)	0083	0.89500	0.03000	0.89138	0.04953	0.02911	172	0.07	019.41	0
019	Calcium (%)	0035	0.89500	0.01000	0.89138	0.04953	0.02911	172	0.07	019.42	0
019	Calcium (%)	0693	0.89500	0.01000	0.89138	0.04953	0.02911	172	0.07	019.42	0
019	Calcium (%)	0651	0.89600	0.00200	0.89138	0.04953	0.02911	172	0.09	019.00	0
019	Calcium (%)	0205	0.89650	0.00900	0.89138	0.04953	0.02911	172	0.10	019.42	0
019	Calcium (%)	0148	0.89850	0.00100	0.89138	0.04953	0.02911	172	0.14	019.41	0
019	Calcium (%)	0035	0.90000	0.00000	0.89138	0.04953	0.02911	172	0.17	019.32	0
019	Calcium (%)	0074	0.90000	0.02000	0.89138	0.04953	0.02911	172	0.17	019.41	0
019	Calcium (%)	0358	0.90000	0.02000	0.89138	0.04953	0.02911	172	0.17	019.41	0
019	Calcium (%)	0610	0.90000	0.00000	0.89138	0.04953	0.02911	172	0.17	019.41	0
019	Calcium (%)	0628	0.90000	0.02000	0.89138	0.04953	0.02911	172	0.17	019.44	0
019	Calcium (%)	0208	0.90200	0.02400	0.89138	0.04953	0.02911	172	0.21	019.41	0
019	Calcium (%)	0171	0.90250	0.00500	0.89138	0.04953	0.02911	172	0.22	019.41	0
019	Calcium (%)	0894	0.90500	0.01000	0.89138	0.04953	0.02911	172	0.28	019.00	0
019	Calcium (%)	0899	0.90500	0.01000	0.89138	0.04953	0.02911	172	0.28	019.00	0
019	Calcium (%)	0038	0.90600	0.00000	0.89138	0.04953	0.02911	172	0.30	019.31	0
019	Calcium (%)	0726	0.90780	0.00400	0.89138	0.04953	0.02911	172	0.33	019.42	0
019	Calcium (%)	0208	0.90800	0.07000	0.89138	0.04953	0.02911	172	0.34	019.31	0
019	Calcium (%)	0950	0.91000	0.00000	0.89138	0.04953	0.02911	172	0.38	019.00	0
019	Calcium (%)	0152	0.91000	0.02000	0.89138	0.04953	0.02911	172	0.38	019.31	0
019	Calcium (%)	0307	0.91000	0.02000	0.89138	0.04953	0.02911	172	0.38	019.31	0
019	Calcium (%)	0298	0.91000	0.02000	0.89138	0.04953	0.02911	172	0.38	019.41	0
019	Calcium (%)	0006	0.91300	0.00000	0.89138	0.04953	0.02911	172	0.44	019.43	0
019	Calcium (%)	0138	0.91400	0.02800	0.89138	0.04953	0.02911	172	0.46	019.08	0
019	Calcium (%)	0723	0.91500	0.01000	0.89138	0.04953	0.02911	172	0.48	019.31	0
019	Calcium (%)	0017	0.91500	0.01000	0.89138	0.04953	0.02911	172	0.48	019.43	0
019	Calcium (%)	0891	0.91740	0.02800	0.89138	0.04953	0.02911	172	0.53	019.00	0
019	Calcium (%)	0186	0.91850	0.01900	0.89138	0.04953	0.02911	172	0.55	019.42	0
019	Calcium (%)	0504	0.91950	0.01500	0.89138	0.04953	0.02911	172	0.57	019.42	0
019	Calcium (%)	0885	0.92000	0.04000	0.89138	0.04953	0.02911	172	0.58	019.08	0
019	Calcium (%)	0366	0.92000	0.04000	0.89138	0.04953	0.02911	172	0.58	019.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0903	0.92000	0.02000	0.89138	0.04953	0.02911	172	0.58	019.00	0
019	Calcium (%)	0674	0.92000	0.02000	0.89138	0.04953	0.02911	172	0.58	019.31	0
019	Calcium (%)	0682	0.92000	0.00000	0.89138	0.04953	0.02911	172	0.58	019.41	0
019	Calcium (%)	0190	0.92000	0.02000	0.89138	0.04953	0.02911	172	0.58	019.42	0
019	Calcium (%)	0038	0.92050	0.01900	0.89138	0.04953	0.02911	172	0.59	019.43	0
019	Calcium (%)	0121	0.92100	0.04400	0.89138	0.04953	0.02911	172	0.60	019.43	0
019	Calcium (%)	0908	0.92500	0.01000	0.89138	0.04953	0.02911	172	0.68	019.00	0
019	Calcium (%)	0673	0.92500	0.01000	0.89138	0.04953	0.02911	172	0.68	019.08	0
019	Calcium (%)	0263	0.92830	0.00640	0.89138	0.04953	0.02911	172	0.75	019.32	0
019	Calcium (%)	0900	0.93000	0.02000	0.89138	0.04953	0.02911	172	0.78	019.00	0
019	Calcium (%)	0278	0.93000	0.04000	0.89138	0.04953	0.02911	172	0.78	019.42	0
019	Calcium (%)	0510	0.93000	0.02000	0.89138	0.04953	0.02911	172	0.78	019.43	0
019	Calcium (%)	0848	0.93000	0.00000	0.89138	0.04953	0.02911	172	0.78	019.41	0
019	Calcium (%)	0878	0.93300	0.02600	0.89138	0.04953	0.02911	172	0.84	019.00	0
019	Calcium (%)	0027	0.93500	0.01000	0.89138	0.04953	0.02911	172	0.88	019.43	0
019	Calcium (%)	0242	0.94000	0.04000	0.89138	0.04953	0.02911	172	0.98	019.41	0
019	Calcium (%)	0036	0.94050	0.02100	0.89138	0.04953	0.02911	172	0.99	019.32	0
019	Calcium (%)	0868	0.94150	0.00700	0.89138	0.04953	0.02911	172	1.01	019.31	0
019	Calcium (%)	0893	0.94500	0.01000	0.89138	0.04953	0.02911	172	1.08	019.00	0
019	Calcium (%)	0100	0.94500	0.05000	0.89138	0.04953	0.02911	172	1.08	019.41	0
019	Calcium (%)	0572	0.94950	0.01900	0.89138	0.04953	0.02911	172	1.17	019.53	0
019	Calcium (%)	0895	0.95000	0.02000	0.89138	0.04953	0.02911	172	1.18	019.00	0
019	Calcium (%)	0912	0.95400	0.00000	0.89138	0.04953	0.02911	172	1.26	019.53	0
019	Calcium (%)	0650	0.95500	0.01000	0.89138	0.04953	0.02911	172	1.28	019.31	0
019	Calcium (%)	2012	0.95500	0.03000	0.89138	0.04953	0.02911	172	1.28	019.43	0
019	Calcium (%)	0886	0.95550	0.00900	0.89138	0.04953	0.02911	172	1.29	019.00	0
019	Calcium (%)	0036	0.95800	0.01180	0.89138	0.04953	0.02911	172	1.35	019.03	0
019	Calcium (%)	0902	0.96460	0.00440	0.89138	0.04953	0.02911	172	1.48	019.00	0
019	Calcium (%)	0194	0.96500	0.01000	0.89138	0.04953	0.02911	172	1.49	019.00	0
019	Calcium (%)	2011	0.96500	0.03000	0.89138	0.04953	0.02911	172	1.49	019.00	0
019	Calcium (%)	0868	0.96700	0.00400	0.89138	0.04953	0.02911	172	1.53	019.00	0
019	Calcium (%)	0168	0.96910	0.02020	0.89138	0.04953	0.02911	172	1.57	019.43	0
019	Calcium (%)	0265	0.97000	0.16000	0.89138	0.04953	0.02911	172	1.59	019.42	0
019	Calcium (%)	0294	0.97000	0.00000	0.89138	0.04953	0.02911	172	1.59	019.43	0
019	Calcium (%)	0504	0.97600	0.00400	0.89138	0.04953	0.02911	172	1.71	019.32	0
019	Calcium (%)	0226	0.98500	0.01000	0.89138	0.04953	0.02911	172	1.89	019.41	0
019	Calcium (%)	0202	0.98500	0.01000	0.89138	0.04953	0.02911	172	1.89	019.42	0
019	Calcium (%)	0689	0.99000	0.02000	0.89138	0.04953	0.02911	172	1.99	019.08	0
019	Calcium (%)	0307	0.99500	0.01000	0.89138	0.04953	0.02911	172	2.09	019.03	0
019	Calcium (%)	0160	0.99580	0.03400	0.89138	0.04953	0.02911	172	2.11	019.42	0
019	Calcium (%)	0520	1.0090	0.24000	0.89138	0.04953	0.02911	172	2.37	019.41	0
019	Calcium (%)	0552	1.0200	0.14000	0.89138	0.04953	0.02911	172	2.60	019.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0187	1.0250	0.01000	0.89138	0.04953	0.02911	172	2.70	019.42	0
019	Calcium (%)	2006	1.0400	0.16000	0.89138	0.04953	0.02911	172	3.00	019.00	0
019	Calcium (%)	0939	1.0500	0.00000	0.89138	0.04953	0.02911	172	3.20	019.00	0
019	Calcium (%)	0683	1.0550	0.03000	0.89138	0.04953	0.02911	172	3.30	019.00	0
019	Calcium (%)	0337	1.0850	0.07000	0.89138	0.04953	0.02911	172	3.91	019.99	0
019	Calcium (%)	0665	1.4500	0.10000	0.89138	0.04953	0.02911	172	11.28	019.99	0
019	Calcium (%)	0108	8.2500	1.1200	0.89138	0.04953	0.02911	172	148.58	019.31	0
019	Calcium (%)	0037	46.960	92.080	0.89138	0.04953	0.02911	172	930.19	019.42	2
021	Cobalt (ppm)	0619	3.6100	0.48000	5.1909	1.0473	0.27574	22	-1.51	021.41	0
021	Cobalt (ppm)	0208	3.9950	0.01000	5.1909	1.0473	0.27574	22	-1.14	021.31	0
021	Cobalt (ppm)	0910	4.1050	0.61000	5.1909	1.0473	0.27574	22	-1.04	021.53	0
021	Cobalt (ppm)	0912	4.3400	0.00000	5.1909	1.0473	0.27574	22	-0.81	021.53	0
021	Cobalt (ppm)	0553	4.3800	0.00000	5.1909	1.0473	0.27574	22	-0.77	021.53	0
021	Cobalt (ppm)	0629	4.5750	0.05000	5.1909	1.0473	0.27574	22	-0.59	021.41	0
021	Cobalt (ppm)	0560	4.5800	0.72000	5.1909	1.0473	0.27574	22	-0.58	021.42	0
021	Cobalt (ppm)	0610	4.6400	0.04000	5.1909	1.0473	0.27574	22	-0.53	021.34	0
021	Cobalt (ppm)	0693	4.6450	0.29000	5.1909	1.0473	0.27574	22	-0.52	021.42	0
021	Cobalt (ppm)	0106	4.7400	0.48000	5.1909	1.0473	0.27574	22	-0.43	021.42	0
021	Cobalt (ppm)	0164	5.0000	0.20000	5.1909	1.0473	0.27574	22	-0.18	021.41	0
021	Cobalt (ppm)	0011	5.1933	0.10350	5.1909	1.0473	0.27574	22	0.00	021.41	0
021	Cobalt (ppm)	0689	5.2000	0.40000	5.1909	1.0473	0.27574	22	0.01	021.31	0
021	Cobalt (ppm)	0171	5.4000	0.20000	5.1909	1.0473	0.27574	22	0.20	021.41	0
021	Cobalt (ppm)	0199	5.4950	1.0700	5.1909	1.0473	0.27574	22	0.29	021.53	0
021	Cobalt (ppm)	0038	5.9000	0.00000	5.1909	1.0473	0.27574	22	0.68	021.43	0
021	Cobalt (ppm)	0169	6.0000	0.08000	5.1909	1.0473	0.27574	22	0.77	021.43	0
021	Cobalt (ppm)	0939	6.1000	0.54000	5.1909	1.0473	0.27574	22	0.87	021.31	0
021	Cobalt (ppm)	0607	6.3106	0.25280	5.1909	1.0473	0.27574	22	1.07	021.99	0
021	Cobalt (ppm)	0021	6.6000	0.40000	5.1909	1.0473	0.27574	22	1.35	021.42	0
021	Cobalt (ppm)	0596	6.6450	0.05000	5.1909	1.0473	0.27574	22	1.39	021.34	0
021	Cobalt (ppm)	0510	6.7550	0.09000	5.1909	1.0473	0.27574	22	1.49	021.43	0
021	Cobalt (ppm)	0955	6.4350	3.1700	5.1909	1.0473	0.27574	22	1.19	021.41	1
022	Copper (ppm)	0026	0.00340	0.00020	38.883	4.5929	1.6151	90	-8.47	022.41	0
022	Copper (ppm)	0889	21.500	1.0000	38.883	4.5929	1.6151	90	-3.78	022.99	0
022	Copper (ppm)	0921	29.550	1.9000	38.883	4.5929	1.6151	90	-2.03	022.31	0
022	Copper (ppm)	0208	31.500	7.0000	38.883	4.5929	1.6151	90	-1.61	022.41	0
022	Copper (ppm)	0307	32.200	0.40000	38.883	4.5929	1.6151	90	-1.46	022.31	0
022	Copper (ppm)	0596	32.420	0.18000	38.883	4.5929	1.6151	90	-1.41	022.31	0
022	Copper (ppm)	0004	32.500	1.0000	38.883	4.5929	1.6151	90	-1.39	022.41	0
022	Copper (ppm)	0049	32.550	0.70000	38.883	4.5929	1.6151	90	-1.38	022.41	0
022	Copper (ppm)	0619	32.650	4.5000	38.883	4.5929	1.6151	90	-1.36	022.41	0
022	Copper (ppm)	0628	33.000	4.0000	38.883	4.5929	1.6151	90	-1.28	022.35	0
022	Copper (ppm)	0350	33.000	0.00000	38.883	4.5929	1.6151	90	-1.28	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (ppm)	0629	33.225	0.45000	38.883	4.5929	1.6151	90	-1.23	022.41	0
022	Copper (ppm)	0229	34.000	2.0000	38.883	4.5929	1.6151	90	-1.06	022.41	0
022	Copper (ppm)	0098	34.075	3.7300	38.883	4.5929	1.6151	90	-1.05	022.41	0
022	Copper (ppm)	0300	34.143	1.5900	38.883	4.5929	1.6151	90	-1.03	022.41	0
022	Copper (ppm)	0171	34.500	1.0000	38.883	4.5929	1.6151	90	-0.95	022.41	0
022	Copper (ppm)	0278	34.850	0.90000	38.883	4.5929	1.6151	90	-0.88	022.42	0
022	Copper (ppm)	0590	34.950	1.5000	38.883	4.5929	1.6151	90	-0.86	022.31	0
022	Copper (ppm)	0074	35.000	0.00000	38.883	4.5929	1.6151	90	-0.85	022.41	0
022	Copper (ppm)	0297	35.000	0.00000	38.883	4.5929	1.6151	90	-0.85	022.43	0
022	Copper (ppm)	0910	35.500	1.0000	38.883	4.5929	1.6151	90	-0.74	022.41	0
022	Copper (ppm)	0939	35.540	1.8600	38.883	4.5929	1.6151	90	-0.73	022.31	0
022	Copper (ppm)	2004	35.700	1.2000	38.883	4.5929	1.6151	90	-0.69	022.44	0
022	Copper (ppm)	0425	35.950	0.10000	38.883	4.5929	1.6151	90	-0.64	022.41	0
022	Copper (ppm)	0175	36.000	4.0000	38.883	4.5929	1.6151	90	-0.63	022.31	0
022	Copper (ppm)	0682	36.275	1.2300	38.883	4.5929	1.6151	90	-0.57	022.41	0
022	Copper (ppm)	0726	36.275	0.09000	38.883	4.5929	1.6151	90	-0.57	022.42	0
022	Copper (ppm)	0689	36.500	4.8000	38.883	4.5929	1.6151	90	-0.52	022.31	0
022	Copper (ppm)	0164	36.500	1.0000	38.883	4.5929	1.6151	90	-0.52	022.41	0
022	Copper (ppm)	0178	36.560	1.6000	38.883	4.5929	1.6151	90	-0.51	022.31	0
022	Copper (ppm)	0598	36.920	3.9400	38.883	4.5929	1.6151	90	-0.43	022.41	0
022	Copper (ppm)	0610	37.000	2.0000	38.883	4.5929	1.6151	90	-0.41	022.41	0
022	Copper (ppm)	0505	37.100	0.80000	38.883	4.5929	1.6151	90	-0.39	022.31	0
022	Copper (ppm)	0358	37.260	0.00000	38.883	4.5929	1.6151	90	-0.35	022.41	0
022	Copper (ppm)	0354	37.700	0.54000	38.883	4.5929	1.6151	90	-0.26	022.31	0
022	Copper (ppm)	0512	37.975	2.5100	38.883	4.5929	1.6151	90	-0.20	022.41	0
022	Copper (ppm)	0011	37.980	2.8000	38.883	4.5929	1.6151	90	-0.20	022.41	0
022	Copper (ppm)	0242	38.000	2.0000	38.883	4.5929	1.6151	90	-0.19	022.41	0
022	Copper (ppm)	0553	38.100	0.60000	38.883	4.5929	1.6151	90	-0.17	022.41	0
022	Copper (ppm)	0045	38.350	2.7000	38.883	4.5929	1.6151	90	-0.12	022.42	0
022	Copper (ppm)	0607	38.682	1.0767	38.883	4.5929	1.6151	90	-0.04	022.99	0
022	Copper (ppm)	0948	38.685	0.39000	38.883	4.5929	1.6151	90	-0.04	022.33	0
022	Copper (ppm)	0148	38.890	0.04000	38.883	4.5929	1.6151	90	0.00	022.41	0
022	Copper (ppm)	0042	38.950	2.7000	38.883	4.5929	1.6151	90	0.01	022.43	0
022	Copper (ppm)	0692	39.000	0.00000	38.883	4.5929	1.6151	90	0.03	022.42	0
022	Copper (ppm)	0008	39.100	8.4000	38.883	4.5929	1.6151	90	0.05	022.43	0
022	Copper (ppm)	0560	39.450	0.10000	38.883	4.5929	1.6151	90	0.12	022.42	0
022	Copper (ppm)	0083	39.500	1.0000	38.883	4.5929	1.6151	90	0.13	022.41	0
022	Copper (ppm)	0520	39.650	3.7600	38.883	4.5929	1.6151	90	0.17	022.41	0
022	Copper (ppm)	0563	39.710	0.22000	38.883	4.5929	1.6151	90	0.18	022.31	0
022	Copper (ppm)	0675	39.795	0.71000	38.883	4.5929	1.6151	90	0.20	022.43	0
022	Copper (ppm)	0208	40.000	0.00000	38.883	4.5929	1.6151	90	0.24	022.31	0
022	Copper (ppm)	0868	40.000	0.00000	38.883	4.5929	1.6151	90	0.24	022.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (ppm)	0357	40.000	0.00000	38.883	4.5929	1.6151	90	0.24	022.42	0
022	Copper (ppm)	0353	40.255	0.11000	38.883	4.5929	1.6151	90	0.30	022.43	0
022	Copper (ppm)	0912	40.300	0.00000	38.883	4.5929	1.6151	90	0.31	022.53	0
022	Copper (ppm)	0100	40.500	1.0000	38.883	4.5929	1.6151	90	0.35	022.41	0
022	Copper (ppm)	0510	40.500	1.0000	38.883	4.5929	1.6151	90	0.35	022.43	0
022	Copper (ppm)	0305	40.575	0.27000	38.883	4.5929	1.6151	90	0.37	022.31	0
022	Copper (ppm)	0572	40.700	2.0000	38.883	4.5929	1.6151	90	0.40	022.53	0
022	Copper (ppm)	0674	40.890	0.32000	38.883	4.5929	1.6151	90	0.44	022.31	0
022	Copper (ppm)	0038	40.950	0.90000	38.883	4.5929	1.6151	90	0.45	022.43	0
022	Copper (ppm)	0955	40.950	1.7000	38.883	4.5929	1.6151	90	0.45	022.44	0
022	Copper (ppm)	0265	41.000	6.0000	38.883	4.5929	1.6151	90	0.46	022.42	0
022	Copper (ppm)	0413	41.600	2.0000	38.883	4.5929	1.6151	90	0.59	022.42	0
022	Copper (ppm)	0160	41.645	1.1500	38.883	4.5929	1.6151	90	0.60	022.42	0
022	Copper (ppm)	0106	41.800	1.4000	38.883	4.5929	1.6151	90	0.64	022.42	0
022	Copper (ppm)	0673	42.000	0.00000	38.883	4.5929	1.6151	90	0.68	022.31	0
022	Copper (ppm)	0190	42.215	0.53000	38.883	4.5929	1.6151	90	0.73	022.42	0
022	Copper (ppm)	0504	42.225	0.47000	38.883	4.5929	1.6151	90	0.73	022.32	0
022	Copper (ppm)	0029	42.335	3.5500	38.883	4.5929	1.6151	90	0.75	022.41	0
022	Copper (ppm)	0720	42.436	0.44800	38.883	4.5929	1.6151	90	0.77	022.41	0
022	Copper (ppm)	0405	42.500	5.0000	38.883	4.5929	1.6151	90	0.79	022.41	0
022	Copper (ppm)	0693	42.560	3.9400	38.883	4.5929	1.6151	90	0.80	022.42	0
022	Copper (ppm)	0199	42.800	5.0000	38.883	4.5929	1.6151	90	0.85	022.53	0
022	Copper (ppm)	0366	43.000	2.0000	38.883	4.5929	1.6151	90	0.90	022.42	0
022	Copper (ppm)	0186	43.850	1.9000	38.883	4.5929	1.6151	90	1.08	022.42	0
022	Copper (ppm)	0169	43.850	1.5000	38.883	4.5929	1.6151	90	1.08	022.43	0
022	Copper (ppm)	0121	44.231	1.3370	38.883	4.5929	1.6151	90	1.16	022.43	0
022	Copper (ppm)	0407	44.250	0.08000	38.883	4.5929	1.6151	90	1.17	022.41	0
022	Copper (ppm)	0226	44.500	1.0000	38.883	4.5929	1.6151	90	1.22	022.41	0
022	Copper (ppm)	0038	45.000	2.0000	38.883	4.5929	1.6151	90	1.33	022.32	0
022	Copper (ppm)	0021	45.250	6.1000	38.883	4.5929	1.6151	90	1.39	022.42	0
022	Copper (ppm)	0187	45.495	0.09000	38.883	4.5929	1.6151	90	1.44	022.42	0
022	Copper (ppm)	0003	45.500	1.0000	38.883	4.5929	1.6151	90	1.44	022.41	0
022	Copper (ppm)	0202	47.005	0.01000	38.883	4.5929	1.6151	90	1.77	022.42	0
022	Copper (ppm)	2012	48.220	3.3200	38.883	4.5929	1.6151	90	2.03	022.43	0
022	Copper (ppm)	0294	48.290	2.2200	38.883	4.5929	1.6151	90	2.05	022.43	0
022	Copper (ppm)	0035	48.500	1.0000	38.883	4.5929	1.6151	90	2.09	022.42	0
022	Copper (ppm)	0035	49.000	0.00000	38.883	4.5929	1.6151	90	2.20	022.32	0
022	Copper (ppm)	0168	28.500	16.200	38.883	4.5929	1.6151	90	-2.26	022.43	1
022	Copper (ppm)	0051	47.240	24.460	38.883	4.5929	1.6151	90	1.82	022.41	1
022	Copper (ppm)	0536	148.00	2.0000	38.883	4.5929	1.6151	90	23.76	022.31	2
023	Fluorine (%)	0619	0.00445	0.00010			0.00010	1			
025	Iron (ppm)	0278	135.00	42.000	451.16	41.592	12.038	72	-7.60	025.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (ppm)	0889	300.50	5.0000	451.16	41.592	12.038	72	-3.62	025.99	0
025	Iron (ppm)	0305	302.89	0.39000	451.16	41.592	12.038	72	-3.57	025.31	0
025	Iron (ppm)	0921	307.45	12.300	451.16	41.592	12.038	72	-3.46	025.31	0
025	Iron (ppm)	0353	345.20	27.800	451.16	41.592	12.038	72	-2.55	025.43	0
025	Iron (ppm)	2012	350.15	20.000	451.16	41.592	12.038	72	-2.43	025.43	0
025	Iron (ppm)	0726	357.45	12.300	451.16	41.592	12.038	72	-2.25	025.42	0
025	Iron (ppm)	0187	371.86	7.0300	451.16	41.592	12.038	72	-1.91	025.42	0
025	Iron (ppm)	0912	377.00	0.00000	451.16	41.592	12.038	72	-1.78	025.53	0
025	Iron (ppm)	0505	378.50	7.0000	451.16	41.592	12.038	72	-1.75	025.31	0
025	Iron (ppm)	0300	380.68	35.131	451.16	41.592	12.038	72	-1.69	025.41	0
025	Iron (ppm)	0670	392.50	3.0000	451.16	41.592	12.038	72	-1.41	025.31	0
025	Iron (ppm)	0629	394.50	3.0000	451.16	41.592	12.038	72	-1.36	025.31	0
025	Iron (ppm)	0628	395.50	11.000	451.16	41.592	12.038	72	-1.34	025.31	0
025	Iron (ppm)	0596	398.28	5.6800	451.16	41.592	12.038	72	-1.27	025.31	0
025	Iron (ppm)	0629	402.00	0.00000	451.16	41.592	12.038	72	-1.18	025.41	0
025	Iron (ppm)	0106	402.50	1.0000	451.16	41.592	12.038	72	-1.17	025.42	0
025	Iron (ppm)	0307	407.00	14.000	451.16	41.592	12.038	72	-1.06	025.31	0
025	Iron (ppm)	0598	418.20	12.200	451.16	41.592	12.038	72	-0.79	025.41	0
025	Iron (ppm)	0407	425.00	0.00000	451.16	41.592	12.038	72	-0.63	025.41	0
025	Iron (ppm)	0939	431.10	6.3700	451.16	41.592	12.038	72	-0.48	025.31	0
025	Iron (ppm)	0242	432.00	20.000	451.16	41.592	12.038	72	-0.46	025.41	0
025	Iron (ppm)	0425	434.60	2.4000	451.16	41.592	12.038	72	-0.40	025.41	0
025	Iron (ppm)	0175	436.00	8.0000	451.16	41.592	12.038	72	-0.36	025.31	0
025	Iron (ppm)	2004	437.00	8.0000	451.16	41.592	12.038	72	-0.34	025.41	0
025	Iron (ppm)	0955	437.50	25.000	451.16	41.592	12.038	72	-0.33	025.41	0
025	Iron (ppm)	0297	438.50	3.0000	451.16	41.592	12.038	72	-0.30	025.43	0
025	Iron (ppm)	0100	442.00	6.0000	451.16	41.592	12.038	72	-0.22	025.41	0
025	Iron (ppm)	0607	446.81	10.568	451.16	41.592	12.038	72	-0.10	025.99	0
025	Iron (ppm)	0229	449.00	14.000	451.16	41.592	12.038	72	-0.05	025.41	0
025	Iron (ppm)	0160	449.70	11.000	451.16	41.592	12.038	72	-0.04	025.42	0
025	Iron (ppm)	0553	451.00	6.0000	451.16	41.592	12.038	72	0.00	025.41	0
025	Iron (ppm)	0098	452.50	26.600	451.16	41.592	12.038	72	0.03	025.41	0
025	Iron (ppm)	0164	452.50	7.0000	451.16	41.592	12.038	72	0.03	025.41	0
025	Iron (ppm)	0350	453.50	7.0000	451.16	41.592	12.038	72	0.06	025.41	0
025	Iron (ppm)	0051	454.01	24.010	451.16	41.592	12.038	72	0.07	025.41	0
025	Iron (ppm)	0689	456.10	2.4000	451.16	41.592	12.038	72	0.12	025.31	0
025	Iron (ppm)	0148	456.70	4.2000	451.16	41.592	12.038	72	0.13	025.41	0
025	Iron (ppm)	0520	458.95	3.1000	451.16	41.592	12.038	72	0.19	025.41	0
025	Iron (ppm)	0171	459.50	5.0000	451.16	41.592	12.038	72	0.20	025.41	0
025	Iron (ppm)	0354	460.78	0.69000	451.16	41.592	12.038	72	0.23	025.31	0
025	Iron (ppm)	0413	463.50	15.000	451.16	41.592	12.038	72	0.30	025.42	0
025	Iron (ppm)	0874	464.50	3.0000	451.16	41.592	12.038	72	0.32	025.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (ppm)	0675	465.79	2.1400	451.16	41.592	12.038	72	0.35	025.43	0
025	Iron (ppm)	0008	468.50	47.000	451.16	41.592	12.038	72	0.42	025.43	0
025	Iron (ppm)	0042	469.00	30.000	451.16	41.592	12.038	72	0.43	025.43	0
025	Iron (ppm)	0226	470.00	6.0000	451.16	41.592	12.038	72	0.45	025.41	0
025	Iron (ppm)	0560	470.50	13.000	451.16	41.592	12.038	72	0.46	025.42	0
025	Iron (ppm)	0358	471.02	2.4700	451.16	41.592	12.038	72	0.48	025.41	0
025	Iron (ppm)	0045	472.00	52.000	451.16	41.592	12.038	72	0.50	025.42	0
025	Iron (ppm)	0021	474.45	34.700	451.16	41.592	12.038	72	0.56	025.42	0
025	Iron (ppm)	0337	475.27	36.330	451.16	41.592	12.038	72	0.58	025.32	0
025	Iron (ppm)	0011	475.30	6.0650	451.16	41.592	12.038	72	0.58	025.41	0
025	Iron (ppm)	0682	478.62	7.7600	451.16	41.592	12.038	72	0.66	025.41	0
025	Iron (ppm)	0720	479.00	3.6000	451.16	41.592	12.038	72	0.67	025.41	0
025	Iron (ppm)	0049	479.22	15.680	451.16	41.592	12.038	72	0.67	025.41	0
025	Iron (ppm)	0208	481.00	18.000	451.16	41.592	12.038	72	0.72	025.41	0
025	Iron (ppm)	0868	482.50	5.0000	451.16	41.592	12.038	72	0.75	025.31	0
025	Iron (ppm)	0692	483.50	1.0000	451.16	41.592	12.038	72	0.78	025.42	0
025	Iron (ppm)	0083	485.00	50.000	451.16	41.592	12.038	72	0.81	025.41	0
025	Iron (ppm)	0510	485.00	6.0000	451.16	41.592	12.038	72	0.81	025.43	0
025	Iron (ppm)	0693	495.00	12.000	451.16	41.592	12.038	72	1.05	025.42	0
025	Iron (ppm)	0504	495.90	13.800	451.16	41.592	12.038	72	1.08	025.32	0
025	Iron (ppm)	0948	496.88	1.2600	451.16	41.592	12.038	72	1.10	025.33	0
025	Iron (ppm)	0294	497.63	1.9400	451.16	41.592	12.038	72	1.12	025.43	0
025	Iron (ppm)	0563	505.90	5.8000	451.16	41.592	12.038	72	1.32	025.31	0
025	Iron (ppm)	0038	513.00	16.000	451.16	41.592	12.038	72	1.49	025.31	0
025	Iron (ppm)	0169	516.50	5.0000	451.16	41.592	12.038	72	1.57	025.43	0
025	Iron (ppm)	0405	517.00	2.0000	451.16	41.592	12.038	72	1.58	025.41	0
025	Iron (ppm)	0003	519.50	5.0000	451.16	41.592	12.038	72	1.64	025.41	0
025	Iron (ppm)	0038	554.50	17.000	451.16	41.592	12.038	72	2.48	025.43	0
025	Iron (ppm)	0366	577.50	13.000	451.16	41.592	12.038	72	3.04	025.42	0
025	Iron (ppm)	0265	481.50	131.00	451.16	41.592	12.038	72	0.73	025.42	1
027	Magnesium (%)	0305	0.12500	0.01000	0.21934	0.01285	0.00699	83	-7.34	027.31	0
027	Magnesium (%)	0720	0.16500	0.01000	0.21934	0.01285	0.00699	83	-4.23	027.41	0
027	Magnesium (%)	0142	0.18500	0.05000	0.21934	0.01285	0.00699	83	-2.67	027.31	0
027	Magnesium (%)	0307	0.20000	0.00000	0.21934	0.01285	0.00699	83	-1.50	027.31	0
027	Magnesium (%)	0229	0.20000	0.00000	0.21934	0.01285	0.00699	83	-1.50	027.41	0
027	Magnesium (%)	0889	0.20000	0.00000	0.21934	0.01285	0.00699	83	-1.50	027.99	0
027	Magnesium (%)	0874	0.20335	0.00090	0.21934	0.01285	0.00699	83	-1.24	027.31	0
027	Magnesium (%)	0921	0.20360	0.00240	0.21934	0.01285	0.00699	83	-1.22	027.31	0
027	Magnesium (%)	0051	0.20400	0.00180	0.21934	0.01285	0.00699	83	-1.19	027.41	0
027	Magnesium (%)	0596	0.20500	0.01000	0.21934	0.01285	0.00699	83	-1.12	027.31	0
027	Magnesium (%)	2004	0.20750	0.00100	0.21934	0.01285	0.00699	83	-0.92	027.44	0
027	Magnesium (%)	0505	0.20800	0.00600	0.21934	0.01285	0.00699	83	-0.88	027.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0300	0.20900	0.01200	0.21934	0.01285	0.00699	83	-0.80	027.41	0
027	Magnesium (%)	0045	0.20900	0.01600	0.21934	0.01285	0.00699	83	-0.80	027.42	0
027	Magnesium (%)	0629	0.20975	0.00050	0.21934	0.01285	0.00699	83	-0.75	027.41	0
027	Magnesium (%)	0939	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.31	0
027	Magnesium (%)	0003	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.41	0
027	Magnesium (%)	0049	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.41	0
027	Magnesium (%)	0164	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.41	0
027	Magnesium (%)	0628	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.41	0
027	Magnesium (%)	0278	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.42	0
027	Magnesium (%)	0357	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.42	0
027	Magnesium (%)	0297	0.21000	0.00000	0.21934	0.01285	0.00699	83	-0.73	027.43	0
027	Magnesium (%)	0868	0.21100	0.00200	0.21934	0.01285	0.00699	83	-0.65	027.31	0
027	Magnesium (%)	0106	0.21100	0.00400	0.21934	0.01285	0.00699	83	-0.65	027.42	0
027	Magnesium (%)	0553	0.21200	0.00600	0.21934	0.01285	0.00699	83	-0.57	027.41	0
027	Magnesium (%)	0038	0.21250	0.00300	0.21934	0.01285	0.00699	83	-0.53	027.31	0
027	Magnesium (%)	0038	0.21250	0.00300	0.21934	0.01285	0.00699	83	-0.53	027.43	0
027	Magnesium (%)	0675	0.21250	0.00300	0.21934	0.01285	0.00699	83	-0.53	027.43	0
027	Magnesium (%)	0065	0.21280	0.00100	0.21934	0.01285	0.00699	83	-0.51	027.31	0
027	Magnesium (%)	0026	0.21450	0.00700	0.21934	0.01285	0.00699	83	-0.38	027.41	0
027	Magnesium (%)	0175	0.21500	0.01000	0.21934	0.01285	0.00699	83	-0.34	027.31	0
027	Magnesium (%)	0689	0.21500	0.01000	0.21934	0.01285	0.00699	83	-0.34	027.31	0
027	Magnesium (%)	0242	0.21500	0.01000	0.21934	0.01285	0.00699	83	-0.34	027.41	0
027	Magnesium (%)	0037	0.21500	0.01000	0.21934	0.01285	0.00699	83	-0.34	027.42	0
027	Magnesium (%)	0619	0.21650	0.02300	0.21934	0.01285	0.00699	83	-0.22	027.41	0
027	Magnesium (%)	0263	0.21685	0.00190	0.21934	0.01285	0.00699	83	-0.19	027.32	0
027	Magnesium (%)	0560	0.21705	0.00110	0.21934	0.01285	0.00699	83	-0.18	027.42	0
027	Magnesium (%)	0139	0.21720	0.00300	0.21934	0.01285	0.00699	83	-0.17	027.31	0
027	Magnesium (%)	0563	0.21745	0.00190	0.21934	0.01285	0.00699	83	-0.15	027.31	0
027	Magnesium (%)	0148	0.21750	0.00100	0.21934	0.01285	0.00699	83	-0.14	027.41	0
027	Magnesium (%)	0598	0.21845	0.00250	0.21934	0.01285	0.00699	83	-0.07	027.41	0
027	Magnesium (%)	0171	0.21900	0.00200	0.21934	0.01285	0.00699	83	-0.03	027.41	0
027	Magnesium (%)	0035	0.22000	0.00000	0.21934	0.01285	0.00699	83	0.05	027.32	0
027	Magnesium (%)	0208	0.22000	0.00600	0.21934	0.01285	0.00699	83	0.05	027.41	0
027	Magnesium (%)	0350	0.22000	0.00000	0.21934	0.01285	0.00699	83	0.05	027.41	0
027	Magnesium (%)	0358	0.22000	0.00000	0.21934	0.01285	0.00699	83	0.05	027.41	0
027	Magnesium (%)	0413	0.22000	0.00000	0.21934	0.01285	0.00699	83	0.05	027.41	0
027	Magnesium (%)	0425	0.22000	0.00000	0.21934	0.01285	0.00699	83	0.05	027.41	0
027	Magnesium (%)	0186	0.22000	0.01000	0.21934	0.01285	0.00699	83	0.05	027.42	0
027	Magnesium (%)	0692	0.22000	0.00000	0.21934	0.01285	0.00699	83	0.05	027.42	0
027	Magnesium (%)	0011	0.22275	0.00010	0.21934	0.01285	0.00699	83	0.27	027.41	0
027	Magnesium (%)	0042	0.22300	0.02200	0.21934	0.01285	0.00699	83	0.28	027.43	0
027	Magnesium (%)	0955	0.22400	0.00200	0.21934	0.01285	0.00699	83	0.36	027.44	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0572	0.22450	0.00300	0.21934	0.01285	0.00699	83	0.40	027.53	0
027	Magnesium (%)	0169	0.22500	0.01000	0.21934	0.01285	0.00699	83	0.44	027.32	0
027	Magnesium (%)	0098	0.22500	0.01000	0.21934	0.01285	0.00699	83	0.44	027.41	0
027	Magnesium (%)	0366	0.22500	0.01000	0.21934	0.01285	0.00699	83	0.44	027.42	0
027	Magnesium (%)	2012	0.22500	0.01000	0.21934	0.01285	0.00699	83	0.44	027.43	0
027	Magnesium (%)	0650	0.22615	0.01190	0.21934	0.01285	0.00699	83	0.53	027.31	0
027	Magnesium (%)	0504	0.22650	0.00700	0.21934	0.01285	0.00699	83	0.56	027.32	0
027	Magnesium (%)	0726	0.22680	0.00080	0.21934	0.01285	0.00699	83	0.58	027.42	0
027	Magnesium (%)	0083	0.23000	0.00000	0.21934	0.01285	0.00699	83	0.83	027.41	0
027	Magnesium (%)	0035	0.23000	0.00000	0.21934	0.01285	0.00699	83	0.83	027.42	0
027	Magnesium (%)	0510	0.23000	0.00000	0.21934	0.01285	0.00699	83	0.83	027.43	0
027	Magnesium (%)	0520	0.23045	0.01710	0.21934	0.01285	0.00699	83	0.86	027.41	0
027	Magnesium (%)	0208	0.23400	0.02200	0.21934	0.01285	0.00699	83	1.14	027.31	0
027	Magnesium (%)	0354	0.23500	0.01000	0.21934	0.01285	0.00699	83	1.22	027.31	0
027	Magnesium (%)	0100	0.23500	0.01000	0.21934	0.01285	0.00699	83	1.22	027.41	0
027	Magnesium (%)	0226	0.23500	0.01000	0.21934	0.01285	0.00699	83	1.22	027.41	0
027	Magnesium (%)	0682	0.23500	0.03000	0.21934	0.01285	0.00699	83	1.22	027.41	0
027	Magnesium (%)	0265	0.23500	0.03000	0.21934	0.01285	0.00699	83	1.22	027.42	0
027	Magnesium (%)	0693	0.23500	0.01000	0.21934	0.01285	0.00699	83	1.22	027.42	0
027	Magnesium (%)	0912	0.23500	0.00000	0.21934	0.01285	0.00699	83	1.22	027.53	0
027	Magnesium (%)	0407	0.23550	0.00100	0.21934	0.01285	0.00699	83	1.26	027.41	0
027	Magnesium (%)	0536	0.24000	0.06000	0.21934	0.01285	0.00699	83	1.61	027.31	0
027	Magnesium (%)	0021	0.24000	0.02000	0.21934	0.01285	0.00699	83	1.61	027.42	0
027	Magnesium (%)	0187	0.24000	0.00000	0.21934	0.01285	0.00699	83	1.61	027.42	0
027	Magnesium (%)	0294	0.24000	0.00000	0.21934	0.01285	0.00699	83	1.61	027.43	0
027	Magnesium (%)	0160	0.24490	0.00140	0.21934	0.01285	0.00699	83	1.99	027.42	0
027	Magnesium (%)	0202	0.25500	0.01000	0.21934	0.01285	0.00699	83	2.77	027.42	0
027	Magnesium (%)	0353	0.25500	0.01000	0.21934	0.01285	0.00699	83	2.77	027.43	0
027	Magnesium (%)	0405	0.26500	0.01000	0.21934	0.01285	0.00699	83	3.55	027.41	0
027	Magnesium (%)	0008	0.11350	0.18300	0.21934	0.01285	0.00699	83	-8.23	027.43	1
028	Manganese (ppm)	0305	60.530	0.30000	105.85	6.5483	2.8812	85	-6.92	028.31	0
028	Manganese (ppm)	0536	87.450	1.1000	105.85	6.5483	2.8812	85	-2.81	028.31	0
028	Manganese (ppm)	0178	88.830	1.0200	105.85	6.5483	2.8812	85	-2.60	028.31	0
028	Manganese (ppm)	0921	89.450	0.50000	105.85	6.5483	2.8812	85	-2.50	028.31	0
028	Manganese (ppm)	0350	91.500	5.0000	105.85	6.5483	2.8812	85	-2.19	028.41	0
028	Manganese (ppm)	0955	92.600	1.2000	105.85	6.5483	2.8812	85	-2.02	028.44	0
028	Manganese (ppm)	0300	94.873	0.11900	105.85	6.5483	2.8812	85	-1.68	028.41	0
028	Manganese (ppm)	0208	96.500	3.0000	105.85	6.5483	2.8812	85	-1.43	028.41	0
028	Manganese (ppm)	0037	97.325	0.21000	105.85	6.5483	2.8812	85	-1.30	028.42	0
028	Manganese (ppm)	0407	97.815	0.91000	105.85	6.5483	2.8812	85	-1.23	028.41	0
028	Manganese (ppm)	0307	98.000	4.0000	105.85	6.5483	2.8812	85	-1.20	028.31	0
028	Manganese (ppm)	0939	98.865	2.6700	105.85	6.5483	2.8812	85	-1.07	028.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (ppm)	0297	99.000	0.00000	105.85	6.5483	2.8812	85	-1.05	028.43	0
028	Manganese (ppm)	0098	99.340	0.46000	105.85	6.5483	2.8812	85	-0.99	028.41	0
028	Manganese (ppm)	0425	99.500	0.60000	105.85	6.5483	2.8812	85	-0.97	028.41	0
028	Manganese (ppm)	0512	100.07	10.260	105.85	6.5483	2.8812	85	-0.88	028.41	0
028	Manganese (ppm)	0229	100.50	1.0000	105.85	6.5483	2.8812	85	-0.82	028.41	0
028	Manganese (ppm)	0242	100.50	3.0000	105.85	6.5483	2.8812	85	-0.82	028.41	0
028	Manganese (ppm)	0675	100.77	1.2500	105.85	6.5483	2.8812	85	-0.78	028.43	0
028	Manganese (ppm)	0689	100.80	2.0000	105.85	6.5483	2.8812	85	-0.77	028.31	0
028	Manganese (ppm)	0590	101.00	6.0000	105.85	6.5483	2.8812	85	-0.74	028.31	0
028	Manganese (ppm)	0051	101.22	0.26000	105.85	6.5483	2.8812	85	-0.71	028.41	0
028	Manganese (ppm)	0003	101.50	1.0000	105.85	6.5483	2.8812	85	-0.66	028.41	0
028	Manganese (ppm)	0100	101.50	1.0000	105.85	6.5483	2.8812	85	-0.66	028.41	0
028	Manganese (ppm)	0164	101.50	3.0000	105.85	6.5483	2.8812	85	-0.66	028.41	0
028	Manganese (ppm)	0042	101.55	8.9000	105.85	6.5483	2.8812	85	-0.66	028.43	0
028	Manganese (ppm)	0049	101.69	3.4900	105.85	6.5483	2.8812	85	-0.64	028.41	0
028	Manganese (ppm)	0148	101.95	0.30000	105.85	6.5483	2.8812	85	-0.59	028.41	0
028	Manganese (ppm)	0553	102.00	4.0000	105.85	6.5483	2.8812	85	-0.59	028.41	0
028	Manganese (ppm)	2004	102.00	0.00000	105.85	6.5483	2.8812	85	-0.59	028.44	0
028	Manganese (ppm)	0596	102.86	1.1600	105.85	6.5483	2.8812	85	-0.46	028.31	0
028	Manganese (ppm)	0074	103.00	4.0000	105.85	6.5483	2.8812	85	-0.43	028.41	0
028	Manganese (ppm)	0171	103.50	1.0000	105.85	6.5483	2.8812	85	-0.36	028.41	0
028	Manganese (ppm)	0610	103.50	1.0000	105.85	6.5483	2.8812	85	-0.36	028.41	0
028	Manganese (ppm)	0607	104.21	7.1477	105.85	6.5483	2.8812	85	-0.25	028.99	0
028	Manganese (ppm)	0354	104.89	0.92000	105.85	6.5483	2.8812	85	-0.15	028.31	0
028	Manganese (ppm)	0045	105.00	6.0000	105.85	6.5483	2.8812	85	-0.13	028.42	0
028	Manganese (ppm)	0720	105.47	0.28000	105.85	6.5483	2.8812	85	-0.06	028.41	0
028	Manganese (ppm)	0868	105.50	1.0000	105.85	6.5483	2.8812	85	-0.05	028.31	0
028	Manganese (ppm)	0106	105.50	1.0000	105.85	6.5483	2.8812	85	-0.05	028.42	0
028	Manganese (ppm)	0357	105.50	1.0000	105.85	6.5483	2.8812	85	-0.05	028.42	0
028	Manganese (ppm)	0510	105.50	1.0000	105.85	6.5483	2.8812	85	-0.05	028.43	0
028	Manganese (ppm)	0186	106.50	7.0000	105.85	6.5483	2.8812	85	0.10	028.42	0
028	Manganese (ppm)	0038	106.50	1.0000	105.85	6.5483	2.8812	85	0.10	028.43	0
028	Manganese (ppm)	0598	107.15	4.3000	105.85	6.5483	2.8812	85	0.20	028.41	0
028	Manganese (ppm)	2012	107.16	1.1900	105.85	6.5483	2.8812	85	0.20	028.43	0
028	Manganese (ppm)	0011	107.19	0.98500	105.85	6.5483	2.8812	85	0.21	028.41	0
028	Manganese (ppm)	0910	107.50	3.0000	105.85	6.5483	2.8812	85	0.25	028.41	0
028	Manganese (ppm)	0572	107.50	3.0000	105.85	6.5483	2.8812	85	0.25	028.53	0
028	Manganese (ppm)	0358	107.61	1.1300	105.85	6.5483	2.8812	85	0.27	028.41	0
028	Manganese (ppm)	0520	107.95	9.3000	105.85	6.5483	2.8812	85	0.32	028.41	0
028	Manganese (ppm)	0619	108.00	6.0000	105.85	6.5483	2.8812	85	0.33	028.41	0
028	Manganese (ppm)	0294	109.04	1.1200	105.85	6.5483	2.8812	85	0.49	028.43	0
028	Manganese (ppm)	0948	109.07	5.5800	105.85	6.5483	2.8812	85	0.49	028.33	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (ppm)	0505	109.50	1.0000	105.85	6.5483	2.8812	85	0.56	028.31	0
028	Manganese (ppm)	0563	109.50	2.4000	105.85	6.5483	2.8812	85	0.56	028.31	0
028	Manganese (ppm)	0083	109.50	5.0000	105.85	6.5483	2.8812	85	0.56	028.41	0
028	Manganese (ppm)	0278	109.50	1.0000	105.85	6.5483	2.8812	85	0.56	028.42	0
028	Manganese (ppm)	0190	109.61	0.17000	105.85	6.5483	2.8812	85	0.57	028.42	0
028	Manganese (ppm)	0121	109.76	4.0300	105.85	6.5483	2.8812	85	0.60	028.43	0
028	Manganese (ppm)	0208	110.00	12.000	105.85	6.5483	2.8812	85	0.63	028.31	0
028	Manganese (ppm)	0226	110.00	4.0000	105.85	6.5483	2.8812	85	0.63	028.41	0
028	Manganese (ppm)	0560	110.00	4.0000	105.85	6.5483	2.8812	85	0.63	028.42	0
028	Manganese (ppm)	0682	110.17	0.52000	105.85	6.5483	2.8812	85	0.66	028.41	0
028	Manganese (ppm)	0169	110.50	1.0000	105.85	6.5483	2.8812	85	0.71	028.43	0
028	Manganese (ppm)	0353	110.65	5.7000	105.85	6.5483	2.8812	85	0.73	028.43	0
028	Manganese (ppm)	0187	110.79	2.1200	105.85	6.5483	2.8812	85	0.76	028.42	0
028	Manganese (ppm)	0504	110.95	0.30000	105.85	6.5483	2.8812	85	0.78	028.32	0
028	Manganese (ppm)	0038	111.00	4.0000	105.85	6.5483	2.8812	85	0.79	028.32	0
028	Manganese (ppm)	0035	111.00	0.00000	105.85	6.5483	2.8812	85	0.79	028.42	0
028	Manganese (ppm)	0413	111.00	4.0000	105.85	6.5483	2.8812	85	0.79	028.42	0
028	Manganese (ppm)	0693	111.15	7.3000	105.85	6.5483	2.8812	85	0.81	028.42	0
028	Manganese (ppm)	0175	111.50	7.0000	105.85	6.5483	2.8812	85	0.86	028.31	0
028	Manganese (ppm)	0628	112.00	4.0000	105.85	6.5483	2.8812	85	0.94	028.31	0
028	Manganese (ppm)	0202	112.98	0.00000	105.85	6.5483	2.8812	85	1.09	028.42	0
028	Manganese (ppm)	0366	113.00	0.00000	105.85	6.5483	2.8812	85	1.09	028.42	0
028	Manganese (ppm)	0692	113.50	13.000	105.85	6.5483	2.8812	85	1.17	028.42	0
028	Manganese (ppm)	0726	114.60	1.0000	105.85	6.5483	2.8812	85	1.34	028.42	0
028	Manganese (ppm)	0912	115.00	0.00000	105.85	6.5483	2.8812	85	1.40	028.53	0
028	Manganese (ppm)	0035	115.50	1.0000	105.85	6.5483	2.8812	85	1.47	028.32	0
028	Manganese (ppm)	0160	116.95	1.5000	105.85	6.5483	2.8812	85	1.70	028.42	0
028	Manganese (ppm)	0199	117.95	14.100	105.85	6.5483	2.8812	85	1.85	028.53	0
028	Manganese (ppm)	0629	120.00	2.0000	105.85	6.5483	2.8812	85	2.16	028.31	0
028	Manganese (ppm)	0021	121.95	6.1000	105.85	6.5483	2.8812	85	2.46	028.42	0
028	Manganese (ppm)	0405	148.50	1.0000	105.85	6.5483	2.8812	85	6.51	028.41	0
028	Manganese (ppm)	0168	68.250	15.900	105.85	6.5483	2.8812	85	-5.74	028.43	1
028	Manganese (ppm)	0008	103.55	16.900	105.85	6.5483	2.8812	85	-0.35	028.43	1
028	Manganese (ppm)	0265	116.00	20.000	105.85	6.5483	2.8812	85	1.55	028.42	1
028	Manganese (ppm)	0026	0.01080	0.00160	105.85	6.5483	2.8812	85	-16.16	028.41	2
031	Phosphorus (%)	0921	0.63480	0.01520	0.85131	0.03561	0.01696	169	-6.08	031.01	0
031	Phosphorus (%)	0879	0.64500	0.03000	0.85131	0.03561	0.01696	169	-5.79	031.99	0
031	Phosphorus (%)	0042	0.70550	0.01900	0.85131	0.03561	0.01696	169	-4.10	031.43	0
031	Phosphorus (%)	0673	0.74000	0.04000	0.85131	0.03561	0.01696	169	-3.13	031.99	0
031	Phosphorus (%)	0065	0.75100	0.00400	0.85131	0.03561	0.01696	169	-2.82	031.01	0
031	Phosphorus (%)	0893	0.76000	0.00000	0.85131	0.03561	0.01696	169	-2.56	031.01	0
031	Phosphorus (%)	0536	0.76000	0.02000	0.85131	0.03561	0.01696	169	-2.56	031.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0665	0.76500	0.03000	0.85131	0.03561	0.01696	169	-2.42	031.01	0
031	Phosphorus (%)	0940	0.76500	0.01000	0.85131	0.03561	0.01696	169	-2.42	031.01	0
031	Phosphorus (%)	0144	0.77000	0.04000	0.85131	0.03561	0.01696	169	-2.28	031.41	0
031	Phosphorus (%)	0138	0.77100	0.00800	0.85131	0.03561	0.01696	169	-2.26	031.06	0
031	Phosphorus (%)	0337	0.77500	0.03000	0.85131	0.03561	0.01696	169	-2.14	031.01	0
031	Phosphorus (%)	0607	0.77940	0.00060	0.85131	0.03561	0.01696	169	-2.02	031.01	0
031	Phosphorus (%)	0596	0.78000	0.02000	0.85131	0.03561	0.01696	169	-2.00	031.01	0
031	Phosphorus (%)	0100	0.78000	0.02000	0.85131	0.03561	0.01696	169	-2.00	031.41	0
031	Phosphorus (%)	0723	0.78500	0.01000	0.85131	0.03561	0.01696	169	-1.86	031.01	0
031	Phosphorus (%)	0647	0.79000	0.00000	0.85131	0.03561	0.01696	169	-1.72	031.44	0
031	Phosphorus (%)	0205	0.79450	0.01300	0.85131	0.03561	0.01696	169	-1.60	031.42	0
031	Phosphorus (%)	0619	0.79650	0.00700	0.85131	0.03561	0.01696	169	-1.54	031.41	0
031	Phosphorus (%)	0686	0.80000	0.02000	0.85131	0.03561	0.01696	169	-1.44	031.06	0
031	Phosphorus (%)	0019	0.80000	0.08000	0.85131	0.03561	0.01696	169	-1.44	031.41	0
031	Phosphorus (%)	0720	0.80000	0.02000	0.85131	0.03561	0.01696	169	-1.44	031.41	0
031	Phosphorus (%)	0297	0.80000	0.02000	0.85131	0.03561	0.01696	169	-1.44	031.43	0
031	Phosphorus (%)	0357	0.80500	0.01000	0.85131	0.03561	0.01696	169	-1.30	031.42	0
031	Phosphorus (%)	0229	0.81000	0.00000	0.85131	0.03561	0.01696	169	-1.16	031.41	0
031	Phosphorus (%)	0202	0.81000	0.00000	0.85131	0.03561	0.01696	169	-1.16	031.42	0
031	Phosphorus (%)	0692	0.81000	0.08000	0.85131	0.03561	0.01696	169	-1.16	031.42	0
031	Phosphorus (%)	0199	0.81000	0.06000	0.85131	0.03561	0.01696	169	-1.16	031.53	0
031	Phosphorus (%)	0512	0.81415	0.08370	0.85131	0.03561	0.01696	169	-1.04	031.41	0
031	Phosphorus (%)	0018	0.81500	0.01600	0.85131	0.03561	0.01696	169	-1.02	031.01	0
031	Phosphorus (%)	0186	0.81500	0.00600	0.85131	0.03561	0.01696	169	-1.02	031.42	0
031	Phosphorus (%)	0874	0.82065	0.00430	0.85131	0.03561	0.01696	169	-0.86	031.01	0
031	Phosphorus (%)	0038	0.82200	0.00400	0.85131	0.03561	0.01696	169	-0.82	031.01	0
031	Phosphorus (%)	0036	0.82230	0.05940	0.85131	0.03561	0.01696	169	-0.81	031.01	0
031	Phosphorus (%)	0004	0.82400	0.00400	0.85131	0.03561	0.01696	169	-0.77	031.41	0
031	Phosphorus (%)	0108	0.82500	0.07000	0.85131	0.03561	0.01696	169	-0.74	031.01	0
031	Phosphorus (%)	0716	0.82500	0.01000	0.85131	0.03561	0.01696	169	-0.74	031.01	0
031	Phosphorus (%)	0728	0.82500	0.01000	0.85131	0.03561	0.01696	169	-0.74	031.01	0
031	Phosphorus (%)	0413	0.82500	0.05000	0.85131	0.03561	0.01696	169	-0.74	031.41	0
031	Phosphorus (%)	0425	0.82500	0.01000	0.85131	0.03561	0.01696	169	-0.74	031.41	0
031	Phosphorus (%)	0353	0.82500	0.01000	0.85131	0.03561	0.01696	169	-0.74	031.43	0
031	Phosphorus (%)	2004	0.82550	0.01500	0.85131	0.03561	0.01696	169	-0.72	031.44	0
031	Phosphorus (%)	0955	0.82900	0.02000	0.85131	0.03561	0.01696	169	-0.63	031.44	0
031	Phosphorus (%)	0152	0.83000	0.02000	0.85131	0.03561	0.01696	169	-0.60	031.01	0
031	Phosphorus (%)	0175	0.83000	0.02000	0.85131	0.03561	0.01696	169	-0.60	031.01	0
031	Phosphorus (%)	0871	0.83000	0.02000	0.85131	0.03561	0.01696	169	-0.60	031.01	0
031	Phosphorus (%)	0885	0.83000	0.00000	0.85131	0.03561	0.01696	169	-0.60	031.01	0
031	Phosphorus (%)	0164	0.83000	0.02000	0.85131	0.03561	0.01696	169	-0.60	031.41	0
031	Phosphorus (%)	0190	0.83000	0.02000	0.85131	0.03561	0.01696	169	-0.60	031.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0148	0.83100	0.00600	0.85131	0.03561	0.01696	169	-0.57	031.41	0
031	Phosphorus (%)	0354	0.83500	0.01000	0.85131	0.03561	0.01696	169	-0.46	031.01	0
031	Phosphorus (%)	0687	0.83500	0.01000	0.85131	0.03561	0.01696	169	-0.46	031.01	0
031	Phosphorus (%)	0049	0.83500	0.01000	0.85131	0.03561	0.01696	169	-0.46	031.41	0
031	Phosphorus (%)	0242	0.83500	0.01000	0.85131	0.03561	0.01696	169	-0.46	031.41	0
031	Phosphorus (%)	0278	0.83500	0.03000	0.85131	0.03561	0.01696	169	-0.46	031.42	0
031	Phosphorus (%)	0350	0.83600	0.00600	0.85131	0.03561	0.01696	169	-0.43	031.41	0
031	Phosphorus (%)	0178	0.83900	0.00600	0.85131	0.03561	0.01696	169	-0.35	031.01	0
031	Phosphorus (%)	0300	0.83950	0.06500	0.85131	0.03561	0.01696	169	-0.33	031.41	0
031	Phosphorus (%)	0910	0.84000	0.00000	0.85131	0.03561	0.01696	169	-0.32	031.00	0
031	Phosphorus (%)	0895	0.84000	0.00000	0.85131	0.03561	0.01696	169	-0.32	031.01	0
031	Phosphorus (%)	2011	0.84000	0.02000	0.85131	0.03561	0.01696	169	-0.32	031.01	0
031	Phosphorus (%)	0047	0.84000	0.04000	0.85131	0.03561	0.01696	169	-0.32	031.03	0
031	Phosphorus (%)	0298	0.84000	0.02000	0.85131	0.03561	0.01696	169	-0.32	031.41	0
031	Phosphorus (%)	0405	0.84000	0.02000	0.85131	0.03561	0.01696	169	-0.32	031.41	0
031	Phosphorus (%)	0407	0.84000	0.00000	0.85131	0.03561	0.01696	169	-0.32	031.41	0
031	Phosphorus (%)	0017	0.84000	0.04000	0.85131	0.03561	0.01696	169	-0.32	031.43	0
031	Phosphorus (%)	0106	0.84350	0.01100	0.85131	0.03561	0.01696	169	-0.22	031.42	0
031	Phosphorus (%)	0208	0.84500	0.02000	0.85131	0.03561	0.01696	169	-0.18	031.01	0
031	Phosphorus (%)	0683	0.84500	0.01000	0.85131	0.03561	0.01696	169	-0.18	031.01	0
031	Phosphorus (%)	0899	0.84500	0.01000	0.85131	0.03561	0.01696	169	-0.18	031.01	0
031	Phosphorus (%)	0171	0.84500	0.01000	0.85131	0.03561	0.01696	169	-0.18	031.41	0
031	Phosphorus (%)	0693	0.84500	0.01000	0.85131	0.03561	0.01696	169	-0.18	031.42	0
031	Phosphorus (%)	2009	0.84580	0.00560	0.85131	0.03561	0.01696	169	-0.15	031.01	0
031	Phosphorus (%)	0014	0.84650	0.01500	0.85131	0.03561	0.01696	169	-0.14	031.42	0
031	Phosphorus (%)	0572	0.84650	0.02300	0.85131	0.03561	0.01696	169	-0.14	031.53	0
031	Phosphorus (%)	0036	0.84695	0.00170	0.85131	0.03561	0.01696	169	-0.12	031.03	0
031	Phosphorus (%)	0008	0.84750	0.07900	0.85131	0.03561	0.01696	169	-0.11	031.43	0
031	Phosphorus (%)	0629	0.85000	0.02000	0.85131	0.03561	0.01696	169	-0.04	031.01	0
031	Phosphorus (%)	0651	0.85000	0.00400	0.85131	0.03561	0.01696	169	-0.04	031.01	0
031	Phosphorus (%)	0628	0.85000	0.00000	0.85131	0.03561	0.01696	169	-0.04	031.41	0
031	Phosphorus (%)	0033	0.85100	0.01400	0.85131	0.03561	0.01696	169	-0.01	031.03	0
031	Phosphorus (%)	0001	0.85200	0.00600	0.85131	0.03561	0.01696	169	0.02	031.03	0
031	Phosphorus (%)	0726	0.85245	0.00290	0.85131	0.03561	0.01696	169	0.03	031.42	0
031	Phosphorus (%)	0891	0.85280	0.01740	0.85131	0.03561	0.01696	169	0.04	031.01	0
031	Phosphorus (%)	0011	0.85305	0.00750	0.85131	0.03561	0.01696	169	0.05	031.02	0
031	Phosphorus (%)	0263	0.85490	0.00440	0.85131	0.03561	0.01696	169	0.10	031.01	0
031	Phosphorus (%)	0194	0.85500	0.01000	0.85131	0.03561	0.01696	169	0.10	031.01	0
031	Phosphorus (%)	0887	0.85500	0.01000	0.85131	0.03561	0.01696	169	0.10	031.01	0
031	Phosphorus (%)	0123	0.85500	0.03000	0.85131	0.03561	0.01696	169	0.10	031.41	0
031	Phosphorus (%)	0366	0.85500	0.03000	0.85131	0.03561	0.01696	169	0.10	031.42	0
031	Phosphorus (%)	0902	0.85510	0.00500	0.85131	0.03561	0.01696	169	0.11	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0039	0.85700	0.02400	0.85131	0.03561	0.01696	169	0.16	031.01	0
031	Phosphorus (%)	0045	0.85700	0.05400	0.85131	0.03561	0.01696	169	0.16	031.42	0
031	Phosphorus (%)	0208	0.85750	0.00500	0.85131	0.03561	0.01696	169	0.17	031.41	0
031	Phosphorus (%)	0504	0.85950	0.05500	0.85131	0.03561	0.01696	169	0.23	031.42	0
031	Phosphorus (%)	0881	0.86000	0.00200	0.85131	0.03561	0.01696	169	0.24	031.01	0
031	Phosphorus (%)	0908	0.86000	0.00000	0.85131	0.03561	0.01696	169	0.24	031.01	0
031	Phosphorus (%)	0948	0.86000	0.02000	0.85131	0.03561	0.01696	169	0.24	031.01	0
031	Phosphorus (%)	0358	0.86000	0.02000	0.85131	0.03561	0.01696	169	0.24	031.41	0
031	Phosphorus (%)	0187	0.86000	0.00000	0.85131	0.03561	0.01696	169	0.24	031.42	0
031	Phosphorus (%)	0675	0.86000	0.00000	0.85131	0.03561	0.01696	169	0.24	031.43	0
031	Phosphorus (%)	0590	0.86000	0.00000	0.85131	0.03561	0.01696	169	0.24	031.99	0
031	Phosphorus (%)	0889	0.86000	0.06000	0.85131	0.03561	0.01696	169	0.24	031.99	0
031	Phosphorus (%)	0626	0.86150	0.05100	0.85131	0.03561	0.01696	169	0.29	031.01	0
031	Phosphorus (%)	0622	0.86205	0.00650	0.85131	0.03561	0.01696	169	0.30	031.01	0
031	Phosphorus (%)	0722	0.86295	0.01270	0.85131	0.03561	0.01696	169	0.33	031.01	0
031	Phosphorus (%)	0886	0.86400	0.00400	0.85131	0.03561	0.01696	169	0.36	031.01	0
031	Phosphorus (%)	0676	0.86460	0.00580	0.85131	0.03561	0.01696	169	0.37	031.99	0
031	Phosphorus (%)	0051	0.86470	0.01420	0.85131	0.03561	0.01696	169	0.38	031.41	0
031	Phosphorus (%)	0305	0.86500	0.01000	0.85131	0.03561	0.01696	169	0.38	031.01	0
031	Phosphorus (%)	0689	0.86500	0.01000	0.85131	0.03561	0.01696	169	0.38	031.01	0
031	Phosphorus (%)	0900	0.86500	0.01000	0.85131	0.03561	0.01696	169	0.38	031.01	0
031	Phosphorus (%)	0903	0.86500	0.01000	0.85131	0.03561	0.01696	169	0.38	031.01	0
031	Phosphorus (%)	0083	0.86500	0.01000	0.85131	0.03561	0.01696	169	0.38	031.41	0
031	Phosphorus (%)	0848	0.86500	0.03000	0.85131	0.03561	0.01696	169	0.38	031.41	0
031	Phosphorus (%)	0849	0.86550	0.00900	0.85131	0.03561	0.01696	169	0.40	031.01	0
031	Phosphorus (%)	0598	0.86895	0.00910	0.85131	0.03561	0.01696	169	0.50	031.41	0
031	Phosphorus (%)	0650	0.87000	0.02000	0.85131	0.03561	0.01696	169	0.52	031.01	0
031	Phosphorus (%)	0307	0.87000	0.04000	0.85131	0.03561	0.01696	169	0.52	031.03	0
031	Phosphorus (%)	0003	0.87000	0.00000	0.85131	0.03561	0.01696	169	0.52	031.41	0
031	Phosphorus (%)	0074	0.87000	0.00000	0.85131	0.03561	0.01696	169	0.52	031.41	0
031	Phosphorus (%)	0089	0.87000	0.00000	0.85131	0.03561	0.01696	169	0.52	031.41	0
031	Phosphorus (%)	2001	0.87000	0.00000	0.85131	0.03561	0.01696	169	0.52	031.99	0
031	Phosphorus (%)	0139	0.87050	0.00100	0.85131	0.03561	0.01696	169	0.54	031.01	0
031	Phosphorus (%)	0620	0.87140	0.00180	0.85131	0.03561	0.01696	169	0.56	031.01	0
031	Phosphorus (%)	0011	0.87360	0.00020	0.85131	0.03561	0.01696	169	0.63	031.41	0
031	Phosphorus (%)	0911	0.87500	0.01000	0.85131	0.03561	0.01696	169	0.67	031.01	0
031	Phosphorus (%)	0939	0.87500	0.01000	0.85131	0.03561	0.01696	169	0.67	031.01	0
031	Phosphorus (%)	0950	0.87500	0.01000	0.85131	0.03561	0.01696	169	0.67	031.01	0
031	Phosphorus (%)	0682	0.87500	0.01000	0.85131	0.03561	0.01696	169	0.67	031.41	0
031	Phosphorus (%)	0021	0.87500	0.01000	0.85131	0.03561	0.01696	169	0.67	031.42	0
031	Phosphorus (%)	2012	0.87500	0.05000	0.85131	0.03561	0.01696	169	0.67	031.43	0
031	Phosphorus (%)	0878	0.87800	0.00400	0.85131	0.03561	0.01696	169	0.75	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0938	0.88000	0.00000	0.85131	0.03561	0.01696	169	0.81	031.01	0
031	Phosphorus (%)	0169	0.88000	0.04000	0.85131	0.03561	0.01696	169	0.81	031.03	0
031	Phosphorus (%)	0098	0.88000	0.06000	0.85131	0.03561	0.01696	169	0.81	031.41	0
031	Phosphorus (%)	0035	0.88000	0.00000	0.85131	0.03561	0.01696	169	0.81	031.42	0
031	Phosphorus (%)	0944	0.88300	0.00000	0.85131	0.03561	0.01696	169	0.89	031.01	0
031	Phosphorus (%)	0894	0.88500	0.01000	0.85131	0.03561	0.01696	169	0.95	031.01	0
031	Phosphorus (%)	0936	0.88500	0.01000	0.85131	0.03561	0.01696	169	0.95	031.01	0
031	Phosphorus (%)	0552	0.88500	0.01000	0.85131	0.03561	0.01696	169	0.95	031.99	0
031	Phosphorus (%)	0121	0.88550	0.00900	0.85131	0.03561	0.01696	169	0.96	031.43	0
031	Phosphorus (%)	0563	0.88610	0.00300	0.85131	0.03561	0.01696	169	0.98	031.01	0
031	Phosphorus (%)	0653	0.88700	0.00200	0.85131	0.03561	0.01696	169	1.00	031.01	0
031	Phosphorus (%)	0168	0.88985	0.06650	0.85131	0.03561	0.01696	169	1.08	031.43	0
031	Phosphorus (%)	0670	0.89000	0.02000	0.85131	0.03561	0.01696	169	1.09	031.01	0
031	Phosphorus (%)	0898	0.89000	0.00000	0.85131	0.03561	0.01696	169	1.09	031.01	0
031	Phosphorus (%)	0868	0.89050	0.00100	0.85131	0.03561	0.01696	169	1.10	031.01	0
031	Phosphorus (%)	0006	0.89150	0.01100	0.85131	0.03561	0.01696	169	1.13	031.43	0
031	Phosphorus (%)	0934	0.89500	0.01000	0.85131	0.03561	0.01696	169	1.23	031.01	0
031	Phosphorus (%)	0037	0.89500	0.01000	0.85131	0.03561	0.01696	169	1.23	031.42	0
031	Phosphorus (%)	0038	0.89500	0.03800	0.85131	0.03561	0.01696	169	1.23	031.43	0
031	Phosphorus (%)	0142	0.90000	0.00000	0.85131	0.03561	0.01696	169	1.37	031.01	0
031	Phosphorus (%)	0935	0.90000	0.00000	0.85131	0.03561	0.01696	169	1.37	031.01	0
031	Phosphorus (%)	0505	0.90000	0.00000	0.85131	0.03561	0.01696	169	1.37	031.02	0
031	Phosphorus (%)	0610	0.90000	0.00000	0.85131	0.03561	0.01696	169	1.37	031.41	0
031	Phosphorus (%)	0028	0.90000	0.00000	0.85131	0.03561	0.01696	169	1.37	031.43	0
031	Phosphorus (%)	0035	0.91000	0.00000	0.85131	0.03561	0.01696	169	1.65	031.01	0
031	Phosphorus (%)	0674	0.91000	0.00000	0.85131	0.03561	0.01696	169	1.65	031.01	0
031	Phosphorus (%)	0294	0.91000	0.00000	0.85131	0.03561	0.01696	169	1.65	031.43	0
031	Phosphorus (%)	0560	0.91255	0.02050	0.85131	0.03561	0.01696	169	1.72	031.42	0
031	Phosphorus (%)	0226	0.91500	0.01000	0.85131	0.03561	0.01696	169	1.79	031.41	0
031	Phosphorus (%)	0265	0.91500	0.09000	0.85131	0.03561	0.01696	169	1.79	031.42	0
031	Phosphorus (%)	0027	0.91600	0.01000	0.85131	0.03561	0.01696	169	1.82	031.43	0
031	Phosphorus (%)	2006	0.92000	0.04000	0.85131	0.03561	0.01696	169	1.93	031.01	0
031	Phosphorus (%)	0160	0.92045	0.00150	0.85131	0.03561	0.01696	169	1.94	031.42	0
031	Phosphorus (%)	0510	0.93000	0.00000	0.85131	0.03561	0.01696	169	2.21	031.43	0
031	Phosphorus (%)	0504	0.95200	0.06600	0.85131	0.03561	0.01696	169	2.83	031.03	0
031	Phosphorus (%)	0912	0.98000	0.00000	0.85131	0.03561	0.01696	169	3.61	031.53	0
031	Phosphorus (%)	0623	0.79755	0.10330	0.85131	0.03561	0.01696	169	-1.51	031.01	1
031	Phosphorus (%)	0520	0.88285	0.12290	0.85131	0.03561	0.01696	169	0.89	031.41	1
031	Phosphorus (%)	0553	0.96500	0.21000	0.85131	0.03561	0.01696	169	3.19	031.41	1
032	Potassium (%)	0720	0.86000	0.02000	1.1838	0.06766	0.02676	119	-4.79	032.41	0
032	Potassium (%)	0921	0.90900	0.05520	1.1838	0.06766	0.02676	119	-4.06	032.31	0
032	Potassium (%)	0889	0.96500	0.01000	1.1838	0.06766	0.02676	119	-3.23	032.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0350	0.99500	0.00000	1.1838	0.06766	0.02676	119	-2.79	032.41	0
032	Potassium (%)	0144	1.0350	0.01000	1.1838	0.06766	0.02676	119	-2.20	032.41	0
032	Potassium (%)	0017	1.0350	0.05000	1.1838	0.06766	0.02676	119	-2.20	032.43	0
032	Potassium (%)	0019	1.0600	0.12000	1.1838	0.06766	0.02676	119	-1.83	032.41	0
032	Potassium (%)	0139	1.0845	0.00700	1.1838	0.06766	0.02676	119	-1.47	032.02	0
032	Potassium (%)	0029	1.0880	0.08400	1.1838	0.06766	0.02676	119	-1.42	032.41	0
032	Potassium (%)	0881	1.0925	0.01300	1.1838	0.06766	0.02676	119	-1.35	032.02	0
032	Potassium (%)	0065	1.0933	0.00290	1.1838	0.06766	0.02676	119	-1.34	032.31	0
032	Potassium (%)	0108	1.0950	0.09000	1.1838	0.06766	0.02676	119	-1.31	032.02	0
032	Potassium (%)	0619	1.0950	0.07000	1.1838	0.06766	0.02676	119	-1.31	032.41	0
032	Potassium (%)	0860	1.1000	0.02000	1.1838	0.06766	0.02676	119	-1.24	032.43	0
032	Potassium (%)	0536	1.1100	0.04000	1.1838	0.06766	0.02676	119	-1.09	032.31	0
032	Potassium (%)	0039	1.1105	0.03500	1.1838	0.06766	0.02676	119	-1.08	032.31	0
032	Potassium (%)	0178	1.1110	0.05200	1.1838	0.06766	0.02676	119	-1.08	032.31	0
032	Potassium (%)	0357	1.1150	0.01000	1.1838	0.06766	0.02676	119	-1.02	032.42	0
032	Potassium (%)	0647	1.1230	0.04600	1.1838	0.06766	0.02676	119	-0.90	032.44	0
032	Potassium (%)	0307	1.1250	0.01000	1.1838	0.06766	0.02676	119	-0.87	032.31	0
032	Potassium (%)	0723	1.1250	0.01000	1.1838	0.06766	0.02676	119	-0.87	032.31	0
032	Potassium (%)	2006	1.1250	0.01000	1.1838	0.06766	0.02676	119	-0.87	032.99	0
032	Potassium (%)	0670	1.1300	0.01400	1.1838	0.06766	0.02676	119	-0.79	032.31	0
032	Potassium (%)	0123	1.1300	0.04000	1.1838	0.06766	0.02676	119	-0.79	032.41	0
032	Potassium (%)	0628	1.1300	0.02000	1.1838	0.06766	0.02676	119	-0.79	032.41	0
032	Potassium (%)	0106	1.1300	0.04000	1.1838	0.06766	0.02676	119	-0.79	032.42	0
032	Potassium (%)	0939	1.1350	0.01000	1.1838	0.06766	0.02676	119	-0.72	032.31	0
032	Potassium (%)	0187	1.1350	0.01000	1.1838	0.06766	0.02676	119	-0.72	032.42	0
032	Potassium (%)	0512	1.1380	0.12800	1.1838	0.06766	0.02676	119	-0.68	032.41	0
032	Potassium (%)	0047	1.1400	0.04000	1.1838	0.06766	0.02676	119	-0.65	032.02	0
032	Potassium (%)	0169	1.1400	0.04000	1.1838	0.06766	0.02676	119	-0.65	032.32	0
032	Potassium (%)	0045	1.1400	0.06000	1.1838	0.06766	0.02676	119	-0.65	032.42	0
032	Potassium (%)	0042	1.1400	0.12000	1.1838	0.06766	0.02676	119	-0.65	032.43	0
032	Potassium (%)	0955	1.1400	0.04000	1.1838	0.06766	0.02676	119	-0.65	032.44	0
032	Potassium (%)	0014	1.1450	0.03000	1.1838	0.06766	0.02676	119	-0.57	032.31	0
032	Potassium (%)	0004	1.1475	0.00100	1.1838	0.06766	0.02676	119	-0.54	032.41	0
032	Potassium (%)	0300	1.1485	0.06900	1.1838	0.06766	0.02676	119	-0.52	032.41	0
032	Potassium (%)	0142	1.1500	0.10000	1.1838	0.06766	0.02676	119	-0.50	032.31	0
032	Potassium (%)	0673	1.1500	0.00000	1.1838	0.06766	0.02676	119	-0.50	032.31	0
032	Potassium (%)	0366	1.1500	0.02000	1.1838	0.06766	0.02676	119	-0.50	032.42	0
032	Potassium (%)	0051	1.1520	0.00490	1.1838	0.06766	0.02676	119	-0.47	032.41	0
032	Potassium (%)	0596	1.1550	0.03000	1.1838	0.06766	0.02676	119	-0.43	032.31	0
032	Potassium (%)	0229	1.1550	0.01000	1.1838	0.06766	0.02676	119	-0.43	032.41	0
032	Potassium (%)	0242	1.1550	0.03000	1.1838	0.06766	0.02676	119	-0.43	032.41	0
032	Potassium (%)	0011	1.1561	0.00150	1.1838	0.06766	0.02676	119	-0.41	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0003	1.1600	0.02000	1.1838	0.06766	0.02676	119	-0.35	032.41	0
032	Potassium (%)	0083	1.1600	0.02000	1.1838	0.06766	0.02676	119	-0.35	032.41	0
032	Potassium (%)	0874	1.1630	0.00400	1.1838	0.06766	0.02676	119	-0.31	032.31	0
032	Potassium (%)	0505	1.1650	0.01000	1.1838	0.06766	0.02676	119	-0.28	032.31	0
032	Potassium (%)	0164	1.1650	0.01000	1.1838	0.06766	0.02676	119	-0.28	032.41	0
032	Potassium (%)	0008	1.1650	0.05000	1.1838	0.06766	0.02676	119	-0.28	032.43	0
032	Potassium (%)	2001	1.1700	0.00000	1.1838	0.06766	0.02676	119	-0.20	032.31	0
032	Potassium (%)	0049	1.1700	0.00000	1.1838	0.06766	0.02676	119	-0.20	032.41	0
032	Potassium (%)	0358	1.1700	0.00000	1.1838	0.06766	0.02676	119	-0.20	032.41	0
032	Potassium (%)	2004	1.1700	0.02000	1.1838	0.06766	0.02676	119	-0.20	032.44	0
032	Potassium (%)	0171	1.1750	0.01600	1.1838	0.06766	0.02676	119	-0.13	032.41	0
032	Potassium (%)	0175	1.1800	0.02000	1.1838	0.06766	0.02676	119	-0.06	032.31	0
032	Potassium (%)	0278	1.1800	0.02000	1.1838	0.06766	0.02676	119	-0.06	032.42	0
032	Potassium (%)	0148	1.1835	0.00100	1.1838	0.06766	0.02676	119	0.00	032.41	0
032	Potassium (%)	0590	1.1850	0.01000	1.1838	0.06766	0.02676	119	0.02	032.02	0
032	Potassium (%)	0425	1.1850	0.01000	1.1838	0.06766	0.02676	119	0.02	032.41	0
032	Potassium (%)	0682	1.1850	0.01000	1.1838	0.06766	0.02676	119	0.02	032.41	0
032	Potassium (%)	0689	1.1900	0.02000	1.1838	0.06766	0.02676	119	0.09	032.31	0
032	Potassium (%)	0413	1.1900	0.00000	1.1838	0.06766	0.02676	119	0.09	032.41	0
032	Potassium (%)	0297	1.1900	0.02000	1.1838	0.06766	0.02676	119	0.09	032.43	0
032	Potassium (%)	0026	1.1950	0.01000	1.1838	0.06766	0.02676	119	0.17	032.41	0
032	Potassium (%)	0353	1.1950	0.05000	1.1838	0.06766	0.02676	119	0.17	032.43	0
032	Potassium (%)	0675	1.1950	0.01000	1.1838	0.06766	0.02676	119	0.17	032.43	0
032	Potassium (%)	2012	1.1950	0.03000	1.1838	0.06766	0.02676	119	0.17	032.43	0
032	Potassium (%)	0208	1.1975	0.12700	1.1838	0.06766	0.02676	119	0.20	032.41	0
032	Potassium (%)	0598	1.1985	0.00900	1.1838	0.06766	0.02676	119	0.22	032.41	0
032	Potassium (%)	0305	1.2000	0.02000	1.1838	0.06766	0.02676	119	0.24	032.31	0
032	Potassium (%)	0035	1.2000	0.00000	1.1838	0.06766	0.02676	119	0.24	032.42	0
032	Potassium (%)	0205	1.2050	0.01000	1.1838	0.06766	0.02676	119	0.31	032.42	0
032	Potassium (%)	0001	1.2050	0.01000	1.1838	0.06766	0.02676	119	0.31	032.99	0
032	Potassium (%)	0868	1.2100	0.02000	1.1838	0.06766	0.02676	119	0.39	032.31	0
032	Potassium (%)	0098	1.2100	0.06000	1.1838	0.06766	0.02676	119	0.39	032.41	0
032	Potassium (%)	0074	1.2150	0.01000	1.1838	0.06766	0.02676	119	0.46	032.41	0
032	Potassium (%)	0910	1.2150	0.03000	1.1838	0.06766	0.02676	119	0.46	032.41	0
032	Potassium (%)	0021	1.2150	0.01000	1.1838	0.06766	0.02676	119	0.46	032.42	0
032	Potassium (%)	0035	1.2200	0.00000	1.1838	0.06766	0.02676	119	0.54	032.32	0
032	Potassium (%)	0037	1.2200	0.02000	1.1838	0.06766	0.02676	119	0.54	032.42	0
032	Potassium (%)	0560	1.2203	0.01200	1.1838	0.06766	0.02676	119	0.54	032.42	0
032	Potassium (%)	0038	1.2250	0.03000	1.1838	0.06766	0.02676	119	0.61	032.31	0
032	Potassium (%)	0186	1.2250	0.03000	1.1838	0.06766	0.02676	119	0.61	032.42	0
032	Potassium (%)	0510	1.2250	0.01000	1.1838	0.06766	0.02676	119	0.61	032.43	0
032	Potassium (%)	0208	1.2300	0.00000	1.1838	0.06766	0.02676	119	0.68	032.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0650	1.2300	0.00000	1.1838	0.06766	0.02676	119	0.68	032.31	0
032	Potassium (%)	0612	1.2350	0.01000	1.1838	0.06766	0.02676	119	0.76	032.32	0
032	Potassium (%)	0693	1.2350	0.01000	1.1838	0.06766	0.02676	119	0.76	032.42	0
032	Potassium (%)	0572	1.2350	0.03000	1.1838	0.06766	0.02676	119	0.76	032.53	0
032	Potassium (%)	0726	1.2375	0.02500	1.1838	0.06766	0.02676	119	0.79	032.42	0
032	Potassium (%)	0036	1.2380	0.00050	1.1838	0.06766	0.02676	119	0.80	032.32	0
032	Potassium (%)	0520	1.2395	0.11700	1.1838	0.06766	0.02676	119	0.82	032.41	0
032	Potassium (%)	0848	1.2400	0.00000	1.1838	0.06766	0.02676	119	0.83	032.41	0
032	Potassium (%)	0692	1.2400	0.02000	1.1838	0.06766	0.02676	119	0.83	032.42	0
032	Potassium (%)	0010	1.2400	0.04000	1.1838	0.06766	0.02676	119	0.83	032.43	0
032	Potassium (%)	0121	1.2415	0.00700	1.1838	0.06766	0.02676	119	0.85	032.43	0
032	Potassium (%)	0610	1.2450	0.01000	1.1838	0.06766	0.02676	119	0.90	032.41	0
032	Potassium (%)	0504	1.2500	0.06000	1.1838	0.06766	0.02676	119	0.98	032.02	0
032	Potassium (%)	0407	1.2500	0.00000	1.1838	0.06766	0.02676	119	0.98	032.41	0
032	Potassium (%)	0912	1.2500	0.00000	1.1838	0.06766	0.02676	119	0.98	032.53	0
032	Potassium (%)	0226	1.2550	0.01000	1.1838	0.06766	0.02676	119	1.05	032.41	0
032	Potassium (%)	0038	1.2550	0.01000	1.1838	0.06766	0.02676	119	1.05	032.43	0
032	Potassium (%)	0028	1.2600	0.00000	1.1838	0.06766	0.02676	119	1.13	032.43	0
032	Potassium (%)	0100	1.2650	0.03000	1.1838	0.06766	0.02676	119	1.20	032.41	0
032	Potassium (%)	0563	1.2725	0.00500	1.1838	0.06766	0.02676	119	1.31	032.02	0
032	Potassium (%)	0563	1.2725	0.00500	1.1838	0.06766	0.02676	119	1.31	032.31	0
032	Potassium (%)	0190	1.2750	0.01000	1.1838	0.06766	0.02676	119	1.35	032.42	0
032	Potassium (%)	0504	1.2765	0.04700	1.1838	0.06766	0.02676	119	1.37	032.42	0
032	Potassium (%)	0265	1.2800	0.12000	1.1838	0.06766	0.02676	119	1.42	032.42	0
032	Potassium (%)	0948	1.2805	0.00100	1.1838	0.06766	0.02676	119	1.43	032.33	0
032	Potassium (%)	0948	1.2810	0.04800	1.1838	0.06766	0.02676	119	1.44	032.31	0
032	Potassium (%)	0168	1.2843	0.04910	1.1838	0.06766	0.02676	119	1.49	032.43	0
032	Potassium (%)	0202	1.2900	0.02000	1.1838	0.06766	0.02676	119	1.57	032.42	0
032	Potassium (%)	0160	1.2982	0.01730	1.1838	0.06766	0.02676	119	1.69	032.42	0
032	Potassium (%)	0013	1.3300	0.06000	1.1838	0.06766	0.02676	119	2.16	032.32	0
032	Potassium (%)	0294	1.4550	0.01000	1.1838	0.06766	0.02676	119	4.01	032.43	0
032	Potassium (%)	0405	1.5300	0.02000	1.1838	0.06766	0.02676	119	5.12	032.41	0
032	Potassium (%)	0665	1.1000	0.20000	1.1838	0.06766	0.02676	119	-1.24	032.02	1
032	Potassium (%)	0354	0.13000	0.02000	1.1838	0.06766	0.02676	119	-15.57	032.31	2
033	Salt (%)	0619	0.24300	0.00800	0.66334	0.04731	0.01873	110	-8.89	033.99	0
033	Salt (%)	0536	0.37000	0.02000	0.66334	0.04731	0.01873	110	-6.20	033.99	0
033	Salt (%)	0358	0.38000	0.02000	0.66334	0.04731	0.01873	110	-5.99	033.99	0
033	Salt (%)	0887	0.39000	0.02000	0.66334	0.04731	0.01873	110	-5.78	033.00	0
033	Salt (%)	0121	0.40800	0.02800	0.66334	0.04731	0.01873	110	-5.40	033.99	0
033	Salt (%)	0017	0.42000	0.02000	0.66334	0.04731	0.01873	110	-5.14	033.00	0
033	Salt (%)	0950	0.42500	0.01000	0.66334	0.04731	0.01873	110	-5.04	033.00	0
033	Salt (%)	2006	0.43500	0.01000	0.66334	0.04731	0.01873	110	-4.83	033.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt (%)	0027	0.43500	0.01000	0.66334	0.04731	0.01873	110	-4.83	033.99	0
033	Salt (%)	2001	0.48000	0.00000	0.66334	0.04731	0.01873	110	-3.88	033.00	0
033	Salt (%)	0881	0.53350	0.01100	0.66334	0.04731	0.01873	110	-2.74	033.00	0
033	Salt (%)	0848	0.54500	0.01000	0.66334	0.04731	0.01873	110	-2.50	033.03	0
033	Salt (%)	2011	0.54800	0.00600	0.66334	0.04731	0.01873	110	-2.44	033.01	0
033	Salt (%)	0895	0.55000	0.02000	0.66334	0.04731	0.01873	110	-2.40	033.00	0
033	Salt (%)	0891	0.55890	0.00420	0.66334	0.04731	0.01873	110	-2.21	033.00	0
033	Salt (%)	0681	0.56500	0.03000	0.66334	0.04731	0.01873	110	-2.08	033.99	0
033	Salt (%)	0934	0.57500	0.01000	0.66334	0.04731	0.01873	110	-1.87	033.00	0
033	Salt (%)	0868	0.58000	0.00000	0.66334	0.04731	0.01873	110	-1.76	033.00	0
033	Salt (%)	0898	0.58000	0.00000	0.66334	0.04731	0.01873	110	-1.76	033.00	0
033	Salt (%)	0908	0.58000	0.00000	0.66334	0.04731	0.01873	110	-1.76	033.00	0
033	Salt (%)	0935	0.58000	0.00000	0.66334	0.04731	0.01873	110	-1.76	033.00	0
033	Salt (%)	0894	0.59000	0.00000	0.66334	0.04731	0.01873	110	-1.55	033.00	0
033	Salt (%)	0938	0.59500	0.01000	0.66334	0.04731	0.01873	110	-1.44	033.00	0
033	Salt (%)	0902	0.60855	0.00430	0.66334	0.04731	0.01873	110	-1.16	033.00	0
033	Salt (%)	0505	0.61000	0.02000	0.66334	0.04731	0.01873	110	-1.13	033.03	0
033	Salt (%)	0265	0.62500	0.05000	0.66334	0.04731	0.01873	110	-0.81	033.03	0
033	Salt (%)	0144	0.63000	0.02000	0.66334	0.04731	0.01873	110	-0.70	033.03	0
033	Salt (%)	0899	0.63500	0.01000	0.66334	0.04731	0.01873	110	-0.60	033.00	0
033	Salt (%)	0936	0.63500	0.03000	0.66334	0.04731	0.01873	110	-0.60	033.00	0
033	Salt (%)	0686	0.63500	0.01000	0.66334	0.04731	0.01873	110	-0.60	033.01	0
033	Salt (%)	0309	0.63900	0.05800	0.66334	0.04731	0.01873	110	-0.51	033.00	0
033	Salt (%)	0726	0.64000	0.00000	0.66334	0.04731	0.01873	110	-0.49	033.03	0
033	Salt (%)	0886	0.64200	0.02000	0.66334	0.04731	0.01873	110	-0.45	033.00	0
033	Salt (%)	0871	0.64500	0.01000	0.66334	0.04731	0.01873	110	-0.39	033.00	0
033	Salt (%)	0900	0.64500	0.01000	0.66334	0.04731	0.01873	110	-0.39	033.00	0
033	Salt (%)	0903	0.64500	0.01000	0.66334	0.04731	0.01873	110	-0.39	033.00	0
033	Salt (%)	0910	0.64500	0.05000	0.66334	0.04731	0.01873	110	-0.39	033.00	0
033	Salt (%)	0164	0.64500	0.07000	0.66334	0.04731	0.01873	110	-0.39	033.01	0
033	Salt (%)	0596	0.64500	0.01000	0.66334	0.04731	0.01873	110	-0.39	033.01	0
033	Salt (%)	0878	0.64850	0.00900	0.66334	0.04731	0.01873	110	-0.31	033.00	0
033	Salt (%)	0045	0.64950	0.02300	0.66334	0.04731	0.01873	110	-0.29	033.00	0
033	Salt (%)	0298	0.65000	0.02000	0.66334	0.04731	0.01873	110	-0.28	033.00	0
033	Salt (%)	0366	0.65000	0.06000	0.66334	0.04731	0.01873	110	-0.28	033.00	0
033	Salt (%)	0590	0.65000	0.00000	0.66334	0.04731	0.01873	110	-0.28	033.01	0
033	Salt (%)	0893	0.65500	0.01000	0.66334	0.04731	0.01873	110	-0.18	033.00	0
033	Salt (%)	0861	0.65500	0.07000	0.66334	0.04731	0.01873	110	-0.18	033.01	0
033	Salt (%)	0178	0.65600	0.02600	0.66334	0.04731	0.01873	110	-0.16	033.01	0
033	Salt (%)	0353	0.66000	0.02000	0.66334	0.04731	0.01873	110	-0.07	033.00	0
033	Salt (%)	0911	0.66000	0.00000	0.66334	0.04731	0.01873	110	-0.07	033.00	0
033	Salt (%)	0413	0.66000	0.02000	0.66334	0.04731	0.01873	110	-0.07	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt (%)	0425	0.66000	0.00000	0.66334	0.04731	0.01873	110	-0.07	033.01	0
033	Salt (%)	0229	0.66500	0.01000	0.66334	0.04731	0.01873	110	0.04	033.01	0
033	Salt (%)	0629	0.66500	0.01000	0.66334	0.04731	0.01873	110	0.04	033.01	0
033	Salt (%)	0029	0.66850	0.01300	0.66334	0.04731	0.01873	110	0.11	033.01	0
033	Salt (%)	0098	0.67000	0.06000	0.66334	0.04731	0.01873	110	0.14	033.01	0
033	Salt (%)	0199	0.67000	0.04000	0.66334	0.04731	0.01873	110	0.14	033.01	0
033	Salt (%)	0407	0.67000	0.00000	0.66334	0.04731	0.01873	110	0.14	033.00	0
033	Salt (%)	0100	0.67000	0.00000	0.66334	0.04731	0.01873	110	0.14	033.01	0
033	Salt (%)	0939	0.67000	0.00000	0.66334	0.04731	0.01873	110	0.14	033.01	0
033	Salt (%)	0004	0.67000	0.00000	0.66334	0.04731	0.01873	110	0.14	033.05	0
033	Salt (%)	0160	0.67200	0.01600	0.66334	0.04731	0.01873	110	0.18	033.00	0
033	Salt (%)	0011	0.67490	0.01220	0.66334	0.04731	0.01873	110	0.24	033.01	0
033	Salt (%)	0885	0.67500	0.01000	0.66334	0.04731	0.01873	110	0.25	033.00	0
033	Salt (%)	0001	0.67500	0.01000	0.66334	0.04731	0.01873	110	0.25	033.01	0
033	Salt (%)	0307	0.67500	0.01000	0.66334	0.04731	0.01873	110	0.25	033.01	0
033	Salt (%)	0337	0.67500	0.01000	0.66334	0.04731	0.01873	110	0.25	033.01	0
033	Salt (%)	0689	0.67500	0.01000	0.66334	0.04731	0.01873	110	0.25	033.05	0
033	Salt (%)	0148	0.67850	0.01500	0.66334	0.04731	0.01873	110	0.32	033.01	0
033	Salt (%)	0042	0.68000	0.02000	0.66334	0.04731	0.01873	110	0.35	033.01	0
033	Salt (%)	0021	0.68000	0.00000	0.66334	0.04731	0.01873	110	0.35	033.01	0
033	Salt (%)	0242	0.68000	0.00000	0.66334	0.04731	0.01873	110	0.35	033.01	0
033	Salt (%)	0039	0.68250	0.00300	0.66334	0.04731	0.01873	110	0.41	033.01	0
033	Salt (%)	0205	0.68400	0.01400	0.66334	0.04731	0.01873	110	0.44	033.01	0
033	Salt (%)	0723	0.68500	0.01000	0.66334	0.04731	0.01873	110	0.46	033.00	0
033	Salt (%)	0083	0.68500	0.03000	0.66334	0.04731	0.01873	110	0.46	033.01	0
033	Salt (%)	0278	0.69000	0.00000	0.66334	0.04731	0.01873	110	0.56	033.01	0
033	Salt (%)	0673	0.69000	0.02000	0.66334	0.04731	0.01873	110	0.56	033.99	0
033	Salt (%)	0106	0.69050	0.02300	0.66334	0.04731	0.01873	110	0.57	033.01	0
033	Salt (%)	0670	0.69105	0.02430	0.66334	0.04731	0.01873	110	0.59	033.01	0
033	Salt (%)	0175	0.69500	0.01000	0.66334	0.04731	0.01873	110	0.67	033.01	0
033	Salt (%)	0194	0.69500	0.01000	0.66334	0.04731	0.01873	110	0.67	033.01	0
033	Salt (%)	0354	0.69500	0.01000	0.66334	0.04731	0.01873	110	0.67	033.01	0
033	Salt (%)	0171	0.69500	0.03000	0.66334	0.04731	0.01873	110	0.67	033.05	0
033	Salt (%)	2009	0.69690	0.00800	0.66334	0.04731	0.01873	110	0.71	033.00	0
033	Salt (%)	0208	0.69950	0.00900	0.66334	0.04731	0.01873	110	0.76	033.99	0
033	Salt (%)	0169	0.70000	0.00000	0.66334	0.04731	0.01873	110	0.77	033.00	0
033	Salt (%)	0003	0.70000	0.00000	0.66334	0.04731	0.01873	110	0.77	033.01	0
033	Salt (%)	0674	0.70000	0.04000	0.66334	0.04731	0.01873	110	0.77	033.01	0
033	Salt (%)	0682	0.70000	0.22000	0.66334	0.04731	0.01873	110	0.77	033.01	0
033	Salt (%)	0948	0.70000	0.00000	0.66334	0.04731	0.01873	110	0.77	033.01	0
033	Salt (%)	0683	0.70500	0.01000	0.66334	0.04731	0.01873	110	0.88	033.00	0
033	Salt (%)	0019	0.70500	0.01000	0.66334	0.04731	0.01873	110	0.88	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt (%)	0226	0.70500	0.01000	0.66334	0.04731	0.01873	110	0.88	033.01	0
033	Salt (%)	0849	0.70650	0.01300	0.66334	0.04731	0.01873	110	0.91	033.00	0
033	Salt (%)	0510	0.70900	0.00000	0.66334	0.04731	0.01873	110	0.97	033.01	0
033	Salt (%)	0921	0.71000	0.04000	0.66334	0.04731	0.01873	110	0.99	033.00	0
033	Salt (%)	0944	0.71550	0.00700	0.66334	0.04731	0.01873	110	1.10	033.00	0
033	Salt (%)	0512	0.72000	0.00040	0.66334	0.04731	0.01873	110	1.20	033.00	0
033	Salt (%)	0693	0.72000	0.06000	0.66334	0.04731	0.01873	110	1.20	033.00	0
033	Salt (%)	0716	0.72000	0.00000	0.66334	0.04731	0.01873	110	1.20	033.00	0
033	Salt (%)	0190	0.72000	0.04000	0.66334	0.04731	0.01873	110	1.20	033.03	0
033	Salt (%)	0879	0.72500	0.05000	0.66334	0.04731	0.01873	110	1.30	033.03	0
033	Salt (%)	0650	0.73500	0.01000	0.66334	0.04731	0.01873	110	1.51	033.01	0
033	Salt (%)	0552	0.74000	0.04000	0.66334	0.04731	0.01873	110	1.62	033.99	0
033	Salt (%)	0874	0.74300	0.01400	0.66334	0.04731	0.01873	110	1.68	033.01	0
033	Salt (%)	0008	0.75790	0.12460	0.66334	0.04731	0.01873	110	2.00	033.99	0
033	Salt (%)	0026	0.76000	0.00000	0.66334	0.04731	0.01873	110	2.04	033.01	0
033	Salt (%)	0675	0.77000	0.02000	0.66334	0.04731	0.01873	110	2.25	033.00	0
033	Salt (%)	0955	0.80800	0.00000	0.66334	0.04731	0.01873	110	3.06	033.99	0
033	Salt (%)	0539	0.89200	0.01600	0.66334	0.04731	0.01873	110	4.83	033.00	0
033	Salt (%)	0647	6.3650	0.83000	0.66334	0.04731	0.01873	110	120.53	033.99	2
034	Selenium (ppm)	0021	0.00000	0.00000	0.48495	0.08703	0.02925	16	-5.57	034.42	0
034	Selenium (ppm)	0693	0.00000	0.00000	0.48495	0.08703	0.02925	16	-5.57	034.42	0
034	Selenium (ppm)	0121	0.16350	0.01700	0.48495	0.08703	0.02925	16	-3.69	034.43	0
034	Selenium (ppm)	0169	0.39000	0.00000	0.48495	0.08703	0.02925	16	-1.09	034.04	0
034	Selenium (ppm)	0948	0.39250	0.02900	0.48495	0.08703	0.02925	16	-1.06	034.04	0
034	Selenium (ppm)	0199	0.45000	0.10000	0.48495	0.08703	0.02925	16	-0.40	034.53	0
034	Selenium (ppm)	0026	0.45500	0.07000	0.48495	0.08703	0.02925	16	-0.34	034.04	0
034	Selenium (ppm)	0553	0.51550	0.04100	0.48495	0.08703	0.02925	16	0.35	034.53	0
034	Selenium (ppm)	0164	0.52000	0.00000	0.48495	0.08703	0.02925	16	0.40	034.04	0
034	Selenium (ppm)	0912	0.52000	0.00000	0.48495	0.08703	0.02925	16	0.40	034.53	0
034	Selenium (ppm)	0208	0.52500	0.06600	0.48495	0.08703	0.02925	16	0.46	034.04	0
034	Selenium (ppm)	0171	0.53500	0.01000	0.48495	0.08703	0.02925	16	0.58	034.04	0
034	Selenium (ppm)	0910	0.54900	0.08600	0.48495	0.08703	0.02925	16	0.74	034.99	0
034	Selenium (ppm)	0098	0.55450	0.00100	0.48495	0.08703	0.02925	16	0.80	034.04	0
034	Selenium (ppm)	0610	0.57100	0.03200	0.48495	0.08703	0.02925	16	0.99	034.04	0
034	Selenium (ppm)	0619	0.64700	0.01600	0.48495	0.08703	0.02925	16	1.86	034.43	0
035	Sodium (%)	0720	0.09500	0.01000	0.16112	0.01037	0.00606	94	-6.37	035.41	0
035	Sodium (%)	0108	0.11000	0.00000	0.16112	0.01037	0.00606	94	-4.93	035.05	0
035	Sodium (%)	0354	0.12500	0.01000	0.16112	0.01037	0.00606	94	-3.48	035.31	0
035	Sodium (%)	0874	0.12835	0.00150	0.16112	0.01037	0.00606	94	-3.16	035.31	0
035	Sodium (%)	0144	0.13500	0.01000	0.16112	0.01037	0.00606	94	-2.52	035.41	0
035	Sodium (%)	0089	0.14000	0.00000	0.16112	0.01037	0.00606	94	-2.04	035.41	0
035	Sodium (%)	0242	0.14000	0.00000	0.16112	0.01037	0.00606	94	-2.04	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0297	0.14000	0.00000	0.16112	0.01037	0.00606	94	-2.04	035.43	0
035	Sodium (%)	0045	0.14450	0.01700	0.16112	0.01037	0.00606	94	-1.60	035.42	0
035	Sodium (%)	0510	0.14600	0.00400	0.16112	0.01037	0.00606	94	-1.46	035.43	0
035	Sodium (%)	0921	0.14800	0.00380	0.16112	0.01037	0.00606	94	-1.26	035.31	0
035	Sodium (%)	0139	0.14950	0.00100	0.16112	0.01037	0.00606	94	-1.12	035.05	0
035	Sodium (%)	2006	0.15000	0.00000	0.16112	0.01037	0.00606	94	-1.07	035.01	0
035	Sodium (%)	0358	0.15000	0.00000	0.16112	0.01037	0.00606	94	-1.07	035.41	0
035	Sodium (%)	0021	0.15000	0.00000	0.16112	0.01037	0.00606	94	-1.07	035.42	0
035	Sodium (%)	0148	0.15150	0.00300	0.16112	0.01037	0.00606	94	-0.93	035.41	0
035	Sodium (%)	0008	0.15250	0.02900	0.16112	0.01037	0.00606	94	-0.83	035.43	0
035	Sodium (%)	0405	0.15350	0.00100	0.16112	0.01037	0.00606	94	-0.73	035.41	0
035	Sodium (%)	0300	0.15400	0.00800	0.16112	0.01037	0.00606	94	-0.69	035.41	0
035	Sodium (%)	0868	0.15450	0.00100	0.16112	0.01037	0.00606	94	-0.64	035.31	0
035	Sodium (%)	0042	0.15450	0.01300	0.16112	0.01037	0.00606	94	-0.64	035.43	0
035	Sodium (%)	0305	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.31	0
035	Sodium (%)	0596	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.31	0
035	Sodium (%)	0629	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.31	0
035	Sodium (%)	0939	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.31	0
035	Sodium (%)	0413	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.41	0
035	Sodium (%)	0628	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.41	0
035	Sodium (%)	0682	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.41	0
035	Sodium (%)	0353	0.15500	0.01000	0.16112	0.01037	0.00606	94	-0.59	035.43	0
035	Sodium (%)	0160	0.15550	0.00460	0.16112	0.01037	0.00606	94	-0.54	035.42	0
035	Sodium (%)	0553	0.15600	0.00400	0.16112	0.01037	0.00606	94	-0.49	035.41	0
035	Sodium (%)	0504	0.15650	0.00700	0.16112	0.01037	0.00606	94	-0.44	035.05	0
035	Sodium (%)	0263	0.15700	0.00400	0.16112	0.01037	0.00606	94	-0.40	035.32	0
035	Sodium (%)	2004	0.15850	0.00300	0.16112	0.01037	0.00606	94	-0.25	035.41	0
035	Sodium (%)	0065	0.15875	0.00150	0.16112	0.01037	0.00606	94	-0.23	035.31	0
035	Sodium (%)	0560	0.15880	0.00040	0.16112	0.01037	0.00606	94	-0.22	035.42	0
035	Sodium (%)	0675	0.15900	0.00800	0.16112	0.01037	0.00606	94	-0.20	035.43	0
035	Sodium (%)	0186	0.15950	0.01300	0.16112	0.01037	0.00606	94	-0.16	035.42	0
035	Sodium (%)	0038	0.15950	0.00300	0.16112	0.01037	0.00606	94	-0.16	035.43	0
035	Sodium (%)	0650	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.01	0
035	Sodium (%)	0208	0.16000	0.02000	0.16112	0.01037	0.00606	94	-0.11	035.31	0
035	Sodium (%)	0689	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.31	0
035	Sodium (%)	0049	0.16000	0.02000	0.16112	0.01037	0.00606	94	-0.11	035.41	0
035	Sodium (%)	0083	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.41	0
035	Sodium (%)	0098	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.41	0
035	Sodium (%)	0171	0.16000	0.01000	0.16112	0.01037	0.00606	94	-0.11	035.41	0
035	Sodium (%)	0229	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.41	0
035	Sodium (%)	0298	0.16000	0.02000	0.16112	0.01037	0.00606	94	-0.11	035.41	0
035	Sodium (%)	0610	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0035	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.42	0
035	Sodium (%)	0692	0.16000	0.00000	0.16112	0.01037	0.00606	94	-0.11	035.42	0
035	Sodium (%)	0407	0.16050	0.00100	0.16112	0.01037	0.00606	94	-0.06	035.41	0
035	Sodium (%)	0572	0.16050	0.00100	0.16112	0.01037	0.00606	94	-0.06	035.53	0
035	Sodium (%)	0337	0.16115	0.00270	0.16112	0.01037	0.00606	94	0.00	035.05	0
035	Sodium (%)	0051	0.16155	0.01890	0.16112	0.01037	0.00606	94	0.04	035.41	0
035	Sodium (%)	0955	0.16200	0.00800	0.16112	0.01037	0.00606	94	0.09	035.41	0
035	Sodium (%)	0598	0.16245	0.01090	0.16112	0.01037	0.00606	94	0.13	035.41	0
035	Sodium (%)	0138	0.16350	0.00700	0.16112	0.01037	0.00606	94	0.23	035.01	0
035	Sodium (%)	0205	0.16350	0.00300	0.16112	0.01037	0.00606	94	0.23	035.42	0
035	Sodium (%)	0152	0.16500	0.01000	0.16112	0.01037	0.00606	94	0.37	035.05	0
035	Sodium (%)	0100	0.16500	0.01000	0.16112	0.01037	0.00606	94	0.37	035.41	0
035	Sodium (%)	0164	0.16500	0.01000	0.16112	0.01037	0.00606	94	0.37	035.41	0
035	Sodium (%)	2012	0.16500	0.01000	0.16112	0.01037	0.00606	94	0.37	035.43	0
035	Sodium (%)	0912	0.16500	0.00000	0.16112	0.01037	0.00606	94	0.37	035.53	0
035	Sodium (%)	0029	0.16645	0.00050	0.16112	0.01037	0.00606	94	0.51	035.41	0
035	Sodium (%)	0868	0.16650	0.00100	0.16112	0.01037	0.00606	94	0.52	035.01	0
035	Sodium (%)	0011	0.16705	0.00030	0.16112	0.01037	0.00606	94	0.57	035.41	0
035	Sodium (%)	0208	0.16750	0.01300	0.16112	0.01037	0.00606	94	0.62	035.41	0
035	Sodium (%)	0505	0.16800	0.00400	0.16112	0.01037	0.00606	94	0.66	035.31	0
035	Sodium (%)	0265	0.17000	0.02000	0.16112	0.01037	0.00606	94	0.86	035.42	0
035	Sodium (%)	0307	0.17000	0.00000	0.16112	0.01037	0.00606	94	0.86	035.31	0
035	Sodium (%)	0035	0.17000	0.00000	0.16112	0.01037	0.00606	94	0.86	035.32	0
035	Sodium (%)	0169	0.17000	0.00000	0.16112	0.01037	0.00606	94	0.86	035.32	0
035	Sodium (%)	0123	0.17000	0.00000	0.16112	0.01037	0.00606	94	0.86	035.41	0
035	Sodium (%)	0425	0.17000	0.00000	0.16112	0.01037	0.00606	94	0.86	035.41	0
035	Sodium (%)	0619	0.17100	0.00400	0.16112	0.01037	0.00606	94	0.95	035.41	0
035	Sodium (%)	0948	0.17250	0.00500	0.16112	0.01037	0.00606	94	1.10	035.31	0
035	Sodium (%)	0520	0.17320	0.01360	0.16112	0.01037	0.00606	94	1.16	035.41	0
035	Sodium (%)	0881	0.17350	0.00100	0.16112	0.01037	0.00606	94	1.19	035.05	0
035	Sodium (%)	0178	0.17400	0.00600	0.16112	0.01037	0.00606	94	1.24	035.31	0
035	Sodium (%)	0948	0.17450	0.00700	0.16112	0.01037	0.00606	94	1.29	035.33	0
035	Sodium (%)	0175	0.17500	0.01000	0.16112	0.01037	0.00606	94	1.34	035.31	0
035	Sodium (%)	0278	0.17500	0.01000	0.16112	0.01037	0.00606	94	1.34	035.42	0
035	Sodium (%)	0226	0.17950	0.00100	0.16112	0.01037	0.00606	94	1.77	035.41	0
035	Sodium (%)	0563	0.17970	0.00080	0.16112	0.01037	0.00606	94	1.79	035.31	0
035	Sodium (%)	0187	0.18000	0.00000	0.16112	0.01037	0.00606	94	1.82	035.42	0
035	Sodium (%)	0202	0.18000	0.00000	0.16112	0.01037	0.00606	94	1.82	035.42	0
035	Sodium (%)	0366	0.18000	0.00000	0.16112	0.01037	0.00606	94	1.82	035.42	0
035	Sodium (%)	0294	0.18000	0.02000	0.16112	0.01037	0.00606	94	1.82	035.43	0
035	Sodium (%)	0686	0.18500	0.01000	0.16112	0.01037	0.00606	94	2.30	035.01	0
035	Sodium (%)	0038	0.18900	0.00000	0.16112	0.01037	0.00606	94	2.69	035.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0504	0.19400	0.01800	0.16112	0.01037	0.00606	94	3.17	035.42	0
035	Sodium (%)	0142	0.20500	0.01000	0.16112	0.01037	0.00606	94	4.23	035.31	0
035	Sodium (%)	0106	0.22650	0.01100	0.16112	0.01037	0.00606	94	6.30	035.42	0
035	Sodium (%)	0536	0.24550	0.03100	0.16112	0.01037	0.00606	94	8.13	035.31	1
035	Sodium (%)	0590	0.65680	0.03840	0.16112	0.01037	0.00606	94	47.78	035.05	1
035	Sodium (%)	0670	3.2200	0.02000	0.16112	0.01037	0.00606	94	294.85	035.31	2
036	Sulfur (%)	0889	0.16000	0.00000	0.21691	0.01630	0.00778	32	-3.49	036.99	0
036	Sulfur (%)	0186	0.19250	0.01100	0.21691	0.01630	0.00778	32	-1.50	036.42	0
036	Sulfur (%)	0106	0.19550	0.00500	0.21691	0.01630	0.00778	32	-1.31	036.42	0
036	Sulfur (%)	0229	0.20000	0.00000	0.21691	0.01630	0.00778	32	-1.04	036.04	0
036	Sulfur (%)	0297	0.20000	0.00000	0.21691	0.01630	0.00778	32	-1.04	036.43	0
036	Sulfur (%)	0045	0.20300	0.01600	0.21691	0.01630	0.00778	32	-0.85	036.42	0
036	Sulfur (%)	0357	0.20500	0.01000	0.21691	0.01630	0.00778	32	-0.73	036.42	0
036	Sulfur (%)	0366	0.20500	0.01000	0.21691	0.01630	0.00778	32	-0.73	036.42	0
036	Sulfur (%)	0353	0.20500	0.01000	0.21691	0.01630	0.00778	32	-0.73	036.43	0
036	Sulfur (%)	0629	0.20550	0.00300	0.21691	0.01630	0.00778	32	-0.70	036.42	0
036	Sulfur (%)	0693	0.21000	0.00000	0.21691	0.01630	0.00778	32	-0.42	036.42	0
036	Sulfur (%)	0708	0.21000	0.00600	0.21691	0.01630	0.00778	32	-0.42	036.42	0
036	Sulfur (%)	0407	0.21300	0.00400	0.21691	0.01630	0.00778	32	-0.24	036.42	0
036	Sulfur (%)	0171	0.21350	0.00500	0.21691	0.01630	0.00778	32	-0.21	036.42	0
036	Sulfur (%)	0038	0.21350	0.00500	0.21691	0.01630	0.00778	32	-0.21	036.43	0
036	Sulfur (%)	0042	0.21450	0.01300	0.21691	0.01630	0.00778	32	-0.15	036.43	0
036	Sulfur (%)	0226	0.21500	0.03000	0.21691	0.01630	0.00778	32	-0.12	036.04	0
036	Sulfur (%)	0187	0.21825	0.00210	0.21691	0.01630	0.00778	32	0.08	036.42	0
036	Sulfur (%)	0202	0.22000	0.00000	0.21691	0.01630	0.00778	32	0.19	036.42	0
036	Sulfur (%)	0278	0.22000	0.00000	0.21691	0.01630	0.00778	32	0.19	036.42	0
036	Sulfur (%)	0098	0.22500	0.03000	0.21691	0.01630	0.00778	32	0.50	036.42	0
036	Sulfur (%)	0160	0.22565	0.00570	0.21691	0.01630	0.00778	32	0.54	036.42	0
036	Sulfur (%)	0560	0.22790	0.00300	0.21691	0.01630	0.00778	32	0.67	036.42	0
036	Sulfur (%)	0164	0.23000	0.02000	0.21691	0.01630	0.00778	32	0.80	036.42	0
036	Sulfur (%)	0098	0.23000	0.00000	0.21691	0.01630	0.00778	32	0.80	036.04	0
036	Sulfur (%)	0169	0.23000	0.00000	0.21691	0.01630	0.00778	32	0.80	036.43	0
036	Sulfur (%)	0510	0.23000	0.00000	0.21691	0.01630	0.00778	32	0.80	036.43	0
036	Sulfur (%)	0912	0.23100	0.00000	0.21691	0.01630	0.00778	32	0.86	036.53	0
036	Sulfur (%)	0265	0.24000	0.02000	0.21691	0.01630	0.00778	32	1.42	036.42	0
036	Sulfur (%)	0307	0.25000	0.00000	0.21691	0.01630	0.00778	32	2.03	036.00	0
036	Sulfur (%)	0021	0.25400	0.03000	0.21691	0.01630	0.00778	32	2.28	036.42	0
036	Sulfur (%)	0294	0.26500	0.01000	0.21691	0.01630	0.00778	32	2.95	036.43	0
037	Zinc (ppm)	0026	0.01420	0.00080	160.38	12.658	4.9544	87	-12.67	037.41	0
037	Zinc (ppm)	0889	126.00	4.0000	160.38	12.658	4.9544	87	-2.72	037.99	0
037	Zinc (ppm)	0405	128.00	2.0000	160.38	12.658	4.9544	87	-2.56	037.41	0
037	Zinc (ppm)	0874	136.00	2.0000	160.38	12.658	4.9544	87	-1.93	037.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (ppm)	0629	138.50	1.0000	160.38	12.658	4.9544	87	-1.73	037.41	0
037	Zinc (ppm)	0596	141.07	1.7100	160.38	12.658	4.9544	87	-1.53	037.31	0
037	Zinc (ppm)	0004	141.50	1.0000	160.38	12.658	4.9544	87	-1.49	037.41	0
037	Zinc (ppm)	0598	143.00	4.8000	160.38	12.658	4.9544	87	-1.37	037.41	0
037	Zinc (ppm)	0300	145.58	10.409	160.38	12.658	4.9544	87	-1.17	037.41	0
037	Zinc (ppm)	0297	146.00	2.0000	160.38	12.658	4.9544	87	-1.14	037.43	0
037	Zinc (ppm)	0098	146.20	3.0000	160.38	12.658	4.9544	87	-1.12	037.41	0
037	Zinc (ppm)	0049	146.79	9.2300	160.38	12.658	4.9544	87	-1.07	037.41	0
037	Zinc (ppm)	0307	147.00	2.0000	160.38	12.658	4.9544	87	-1.06	037.31	0
037	Zinc (ppm)	0242	147.50	5.0000	160.38	12.658	4.9544	87	-1.02	037.41	0
037	Zinc (ppm)	0121	147.74	7.2300	160.38	12.658	4.9544	87	-1.00	037.43	0
037	Zinc (ppm)	0610	148.50	3.0000	160.38	12.658	4.9544	87	-0.94	037.41	0
037	Zinc (ppm)	0689	148.70	1.8000	160.38	12.658	4.9544	87	-0.92	037.31	0
037	Zinc (ppm)	0572	149.00	10.000	160.38	12.658	4.9544	87	-0.90	037.53	0
037	Zinc (ppm)	0921	150.30	17.400	160.38	12.658	4.9544	87	-0.80	037.31	0
037	Zinc (ppm)	0164	150.50	5.0000	160.38	12.658	4.9544	87	-0.78	037.41	0
037	Zinc (ppm)	0425	150.85	0.90000	160.38	12.658	4.9544	87	-0.75	037.41	0
037	Zinc (ppm)	0171	152.50	1.0000	160.38	12.658	4.9544	87	-0.62	037.41	0
037	Zinc (ppm)	0042	152.50	15.000	160.38	12.658	4.9544	87	-0.62	037.43	0
037	Zinc (ppm)	0955	152.50	3.0000	160.38	12.658	4.9544	87	-0.62	037.44	0
037	Zinc (ppm)	0208	153.00	4.0000	160.38	12.658	4.9544	87	-0.58	037.41	0
037	Zinc (ppm)	2004	153.50	7.0000	160.38	12.658	4.9544	87	-0.54	037.44	0
037	Zinc (ppm)	0051	153.74	3.7400	160.38	12.658	4.9544	87	-0.52	037.41	0
037	Zinc (ppm)	0350	154.00	2.0000	160.38	12.658	4.9544	87	-0.50	037.41	0
037	Zinc (ppm)	0673	155.00	0.00000	160.38	12.658	4.9544	87	-0.43	037.34	0
037	Zinc (ppm)	0354	155.10	2.8800	160.38	12.658	4.9544	87	-0.42	037.31	0
037	Zinc (ppm)	0590	155.45	0.30000	160.38	12.658	4.9544	87	-0.39	037.31	0
037	Zinc (ppm)	0229	155.50	1.0000	160.38	12.658	4.9544	87	-0.39	037.41	0
037	Zinc (ppm)	0553	155.50	7.0000	160.38	12.658	4.9544	87	-0.39	037.41	0
037	Zinc (ppm)	0505	156.50	11.000	160.38	12.658	4.9544	87	-0.31	037.31	0
037	Zinc (ppm)	0868	157.00	0.00000	160.38	12.658	4.9544	87	-0.27	037.31	0
037	Zinc (ppm)	0074	157.00	4.0000	160.38	12.658	4.9544	87	-0.27	037.41	0
037	Zinc (ppm)	0939	157.48	7.0800	160.38	12.658	4.9544	87	-0.23	037.31	0
037	Zinc (ppm)	0187	157.52	0.07000	160.38	12.658	4.9544	87	-0.23	037.42	0
037	Zinc (ppm)	0358	157.86	3.1500	160.38	12.658	4.9544	87	-0.20	037.41	0
037	Zinc (ppm)	0675	160.28	0.16000	160.38	12.658	4.9544	87	-0.01	037.43	0
037	Zinc (ppm)	0607	160.34	0.07590	160.38	12.658	4.9544	87	0.00	037.99	0
037	Zinc (ppm)	0208	160.50	13.000	160.38	12.658	4.9544	87	0.01	037.31	0
037	Zinc (ppm)	0305	160.50	1.4600	160.38	12.658	4.9544	87	0.01	037.31	0
037	Zinc (ppm)	0407	160.50	1.0000	160.38	12.658	4.9544	87	0.01	037.41	0
037	Zinc (ppm)	0168	160.55	16.300	160.38	12.658	4.9544	87	0.01	037.43	0
037	Zinc (ppm)	0148	160.95	1.3000	160.38	12.658	4.9544	87	0.04	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (ppm)	0003	161.00	2.0000	160.38	12.658	4.9544	87	0.05	037.41	0
037	Zinc (ppm)	0948	161.46	0.40000	160.38	12.658	4.9544	87	0.08	037.33	0
037	Zinc (ppm)	0693	161.65	5.1000	160.38	12.658	4.9544	87	0.10	037.42	0
037	Zinc (ppm)	0910	162.00	4.0000	160.38	12.658	4.9544	87	0.13	037.41	0
037	Zinc (ppm)	0720	162.18	1.2810	160.38	12.658	4.9544	87	0.14	037.41	0
037	Zinc (ppm)	0106	162.50	1.0000	160.38	12.658	4.9544	87	0.17	037.42	0
037	Zinc (ppm)	0357	163.00	2.0000	160.38	12.658	4.9544	87	0.21	037.42	0
037	Zinc (ppm)	0186	164.00	10.000	160.38	12.658	4.9544	87	0.29	037.42	0
037	Zinc (ppm)	0045	164.50	7.0000	160.38	12.658	4.9544	87	0.33	037.42	0
037	Zinc (ppm)	0366	165.50	7.0000	160.38	12.658	4.9544	87	0.40	037.42	0
037	Zinc (ppm)	0726	166.30	0.80000	160.38	12.658	4.9544	87	0.47	037.42	0
037	Zinc (ppm)	0560	166.50	3.0000	160.38	12.658	4.9544	87	0.48	037.42	0
037	Zinc (ppm)	0035	167.50	1.0000	160.38	12.658	4.9544	87	0.56	037.32	0
037	Zinc (ppm)	0100	168.00	8.0000	160.38	12.658	4.9544	87	0.60	037.41	0
037	Zinc (ppm)	0619	168.00	10.000	160.38	12.658	4.9544	87	0.60	037.41	0
037	Zinc (ppm)	0912	168.00	0.00000	160.38	12.658	4.9544	87	0.60	037.53	0
037	Zinc (ppm)	0265	168.50	25.000	160.38	12.658	4.9544	87	0.64	037.42	0
037	Zinc (ppm)	0682	168.87	5.0600	160.38	12.658	4.9544	87	0.67	037.41	0
037	Zinc (ppm)	0353	169.80	9.2000	160.38	12.658	4.9544	87	0.74	037.43	0
037	Zinc (ppm)	2012	169.85	9.4000	160.38	12.658	4.9544	87	0.75	037.43	0
037	Zinc (ppm)	0199	170.00	14.000	160.38	12.658	4.9544	87	0.76	037.53	0
037	Zinc (ppm)	0190	170.35	0.86000	160.38	12.658	4.9544	87	0.79	037.42	0
037	Zinc (ppm)	0563	170.80	0.60000	160.38	12.658	4.9544	87	0.82	037.31	0
037	Zinc (ppm)	0083	171.00	2.0000	160.38	12.658	4.9544	87	0.84	037.41	0
037	Zinc (ppm)	0510	171.00	2.0000	160.38	12.658	4.9544	87	0.84	037.43	0
037	Zinc (ppm)	0692	171.50	11.000	160.38	12.658	4.9544	87	0.88	037.42	0
037	Zinc (ppm)	0294	172.38	1.4400	160.38	12.658	4.9544	87	0.95	037.43	0
037	Zinc (ppm)	0628	173.00	6.0000	160.38	12.658	4.9544	87	1.00	037.33	0
037	Zinc (ppm)	0512	173.35	20.100	160.38	12.658	4.9544	87	1.02	037.41	0
037	Zinc (ppm)	0160	173.85	5.7000	160.38	12.658	4.9544	87	1.06	037.42	0
037	Zinc (ppm)	0038	174.00	6.0000	160.38	12.658	4.9544	87	1.08	037.43	0
037	Zinc (ppm)	0011	175.15	0.25500	160.38	12.658	4.9544	87	1.17	037.41	0
037	Zinc (ppm)	0175	176.00	8.0000	160.38	12.658	4.9544	87	1.23	037.31	0
037	Zinc (ppm)	0021	176.30	13.000	160.38	12.658	4.9544	87	1.26	037.42	0
037	Zinc (ppm)	0226	178.00	2.0000	160.38	12.658	4.9544	87	1.39	037.41	0
037	Zinc (ppm)	0169	178.00	2.0000	160.38	12.658	4.9544	87	1.39	037.43	0
037	Zinc (ppm)	0038	179.50	11.000	160.38	12.658	4.9544	87	1.51	037.32	0
037	Zinc (ppm)	0202	181.48	2.9700	160.38	12.658	4.9544	87	1.67	037.42	0
037	Zinc (ppm)	0413	183.00	8.0000	160.38	12.658	4.9544	87	1.79	037.42	0
037	Zinc (ppm)	0035	191.00	0.00000	160.38	12.658	4.9544	87	2.42	037.42	0
037	Zinc (ppm)	0674	203.88	3.8700	160.38	12.658	4.9544	87	3.44	037.31	0
037	Zinc (ppm)	0008	155.50	39.000	160.38	12.658	4.9544	87	-0.39	037.43	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (ppm)	0504	158.35	32.500	160.38	12.658	4.9544	87	-0.16	037.32	1
037	Zinc (ppm)	0520	176.80	32.600	160.38	12.658	4.9544	87	1.30	037.41	1
037	Zinc (ppm)	0536	353.50	7.0000	160.38	12.658	4.9544	87	15.26	037.31	2
038	Molybdenum (ppm)	0560	1.7400	0.06000	2.1878	0.29905	0.10604	14	-1.50	038.42	0
038	Molybdenum (ppm)	0553	1.8300	0.00000	2.1878	0.29905	0.10604	14	-1.20	038.53	0
038	Molybdenum (ppm)	0171	1.9000	0.00000	2.1878	0.29905	0.10604	14	-0.96	038.41	0
038	Molybdenum (ppm)	0353	2.0450	0.17000	2.1878	0.29905	0.10604	14	-0.48	038.43	0
038	Molybdenum (ppm)	0693	2.0650	0.41000	2.1878	0.29905	0.10604	14	-0.41	038.42	0
038	Molybdenum (ppm)	0912	2.0700	0.00000	2.1878	0.29905	0.10604	14	-0.39	038.53	0
038	Molybdenum (ppm)	0011	2.1693	0.14450	2.1878	0.29905	0.10604	14	-0.06	038.41	0
038	Molybdenum (ppm)	0278	2.1800	0.04000	2.1878	0.29905	0.10604	14	-0.03	038.42	0
038	Molybdenum (ppm)	0038	2.2500	0.10000	2.1878	0.29905	0.10604	14	0.21	038.43	0
038	Molybdenum (ppm)	0297	2.2800	0.10000	2.1878	0.29905	0.10604	14	0.31	038.43	0
038	Molybdenum (ppm)	0169	2.4100	0.06000	2.1878	0.29905	0.10604	14	0.74	038.43	0
038	Molybdenum (ppm)	0021	2.5000	0.20000	2.1878	0.29905	0.10604	14	1.04	038.42	0
038	Molybdenum (ppm)	0106	2.7500	0.10000	2.1878	0.29905	0.10604	14	1.88	038.42	0
038	Molybdenum (ppm)	0510	2.7500	0.10000	2.1878	0.29905	0.10604	14	1.88	038.43	0
038	Molybdenum (ppm)	0029	3.0300	1.4000	2.1878	0.29905	0.10604	14	2.82	038.41	1
041	Vanadium (ppm)	0553	3.0500	0.00000	3.1753	0.15597	0.11433	3	-0.80	041.53	0
041	Vanadium (ppm)	0011	3.1260	0.04300	3.1753	0.15597	0.11433	3	-0.32	041.41	0
041	Vanadium (ppm)	0021	3.3500	0.30000	3.1753	0.15597	0.11433	3	1.12	041.42	0
051	Chlortetracycline (g / ton)	0917	44.450	5.7000	62.605	9.4116	3.8943	18	-1.93	051.03	0
051	Chlortetracycline (g / ton)	0039	45.900	2.0000	62.605	9.4116	3.8943	18	-1.77	051.03	0
051	Chlortetracycline (g / ton)	0512	51.165	7.6500	62.605	9.4116	3.8943	18	-1.22	051.03	0
051	Chlortetracycline (g / ton)	0918	55.150	3.1000	62.605	9.4116	3.8943	18	-0.79	051.03	0
051	Chlortetracycline (g / ton)	0013	56.500	3.0000	62.605	9.4116	3.8943	18	-0.65	051.00	0
051	Chlortetracycline (g / ton)	0010	56.800	5.6000	62.605	9.4116	3.8943	18	-0.62	051.03	0
051	Chlortetracycline (g / ton)	0941	57.700	0.00000	62.605	9.4116	3.8943	18	-0.52	051.03	0
051	Chlortetracycline (g / ton)	0035	62.350	1.7000	62.605	9.4116	3.8943	18	-0.03	051.00	0
051	Chlortetracycline (g / ton)	0218	63.874	4.6967	62.605	9.4116	3.8943	18	0.13	051.00	0
051	Chlortetracycline (g / ton)	0036	64.980	1.5600	62.605	9.4116	3.8943	18	0.25	051.00	0
051	Chlortetracycline (g / ton)	0033	65.925	5.6500	62.605	9.4116	3.8943	18	0.35	051.03	0
051	Chlortetracycline (g / ton)	0004	67.000	0.00000	62.605	9.4116	3.8943	18	0.47	051.03	0
051	Chlortetracycline (g / ton)	0910	68.950	5.4400	62.605	9.4116	3.8943	18	0.67	051.03	0
051	Chlortetracycline (g / ton)	0034	70.300	3.4000	62.605	9.4116	3.8943	18	0.82	051.03	0
051	Chlortetracycline (g / ton)	0001	71.350	2.9000	62.605	9.4116	3.8943	18	0.93	051.03	0
051	Chlortetracycline (g / ton)	0032	71.600	11.400	62.605	9.4116	3.8943	18	0.96	051.03	0
051	Chlortetracycline (g / ton)	0027	72.750	5.3000	62.605	9.4116	3.8943	18	1.08	051.00	0
051	Chlortetracycline (g / ton)	0723	73.000	1.0000	62.605	9.4116	3.8943	18	1.10	051.03	0
082	Sulfamethazine (%)	0019	0.00520	0.00000	0.00680	0.00098	0.00018	13	-1.63	082.01	0
082	Sulfamethazine (%)	0004	0.00555	0.00010	0.00680	0.00098	0.00018	13	-1.27	082.01	0
082	Sulfamethazine (%)	0034	0.00625	0.00010	0.00680	0.00098	0.00018	13	-0.56	082.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
082	Sulfamethazine (%)	0003	0.00630	0.00040	0.00680	0.00098	0.00018	13	-0.51	082.01	0
082	Sulfamethazine (%)	0918	0.00640	0.00000	0.00680	0.00098	0.00018	13	-0.41	082.02	0
082	Sulfamethazine (%)	0035	0.00645	0.00010	0.00680	0.00098	0.00018	13	-0.35	082.00	0
082	Sulfamethazine (%)	0888	0.00665	0.00050	0.00680	0.00098	0.00018	13	-0.15	082.02	0
082	Sulfamethazine (%)	0027	0.00700	0.00020	0.00680	0.00098	0.00018	13	0.21	082.02	0
082	Sulfamethazine (%)	0218	0.00725	0.00010	0.00680	0.00098	0.00018	13	0.46	082.02	0
082	Sulfamethazine (%)	0001	0.00755	0.00010	0.00680	0.00098	0.00018	13	0.77	082.01	0
082	Sulfamethazine (%)	0941	0.00765	0.00030	0.00680	0.00098	0.00018	13	0.87	082.01	0
082	Sulfamethazine (%)	0723	0.00840	0.00040	0.00680	0.00098	0.00018	13	1.64	082.01	0
082	Sulfamethazine (%)	0512	0.00895	0.00010	0.00680	0.00098	0.00018	13	2.20	082.01	0
101	Choline Chloride (mg / lb)	2004	291.50	23.000	329.45	53.669	16.000	2	-0.71	101.01	0
101	Choline Chloride (mg / lb)	0160	367.40	9.0000	329.45	53.669	16.000	2	0.71	101.02	0
105	Thiamine (mg / lb)	0160	1.2085	0.26500			0.26500	1			
106	Vitamin A (KU / lb)	0675	3.3500	0.10000	5.0954	0.98618	0.46077	24	-1.77	106.02	0
106	Vitamin A (KU / lb)	0910	3.8300	0.32000	5.0954	0.98618	0.46077	24	-1.28	106.02	0
106	Vitamin A (KU / lb)	0860	3.8700	0.06000	5.0954	0.98618	0.46077	24	-1.24	106.02	0
106	Vitamin A (KU / lb)	0208	4.0550	0.33000	5.0954	0.98618	0.46077	24	-1.05	106.02	0
106	Vitamin A (KU / lb)	0861	4.4090	0.45400	5.0954	0.98618	0.46077	24	-0.70	106.02	0
106	Vitamin A (KU / lb)	0199	4.4300	0.72000	5.0954	0.98618	0.46077	24	-0.67	106.02	0
106	Vitamin A (KU / lb)	0121	4.4615	0.30900	5.0954	0.98618	0.46077	24	-0.64	106.02	0
106	Vitamin A (KU / lb)	0905	4.5550	0.27000	5.0954	0.98618	0.46077	24	-0.55	106.02	0
106	Vitamin A (KU / lb)	0008	4.6601	1.4009	5.0954	0.98618	0.46077	24	-0.44	106.02	0
106	Vitamin A (KU / lb)	0921	4.7350	1.2700	5.0954	0.98618	0.46077	24	-0.37	106.02	0
106	Vitamin A (KU / lb)	0098	4.8900	0.72000	5.0954	0.98618	0.46077	24	-0.21	106.01	0
106	Vitamin A (KU / lb)	0169	5.0500	0.10000	5.0954	0.98618	0.46077	24	-0.05	106.02	0
106	Vitamin A (KU / lb)	0619	5.1260	0.00000	5.0954	0.98618	0.46077	24	0.03	106.02	0
106	Vitamin A (KU / lb)	0171	5.1500	0.30000	5.0954	0.98618	0.46077	24	0.06	106.00	0
106	Vitamin A (KU / lb)	0227	5.1650	0.45000	5.0954	0.98618	0.46077	24	0.07	106.02	0
106	Vitamin A (KU / lb)	0051	5.4500	0.10000	5.0954	0.98618	0.46077	24	0.36	106.02	0
106	Vitamin A (KU / lb)	0610	5.5500	0.50000	5.0954	0.98618	0.46077	24	0.46	106.02	0
106	Vitamin A (KU / lb)	0004	5.6300	0.06000	5.0954	0.98618	0.46077	24	0.54	106.02	0
106	Vitamin A (KU / lb)	0670	5.7000	0.16000	5.0954	0.98618	0.46077	24	0.61	106.02	0
106	Vitamin A (KU / lb)	0676	6.0000	0.80000	5.0954	0.98618	0.46077	24	0.92	106.02	0
106	Vitamin A (KU / lb)	0512	6.9400	0.05800	5.0954	0.98618	0.46077	24	1.87	106.02	0
106	Vitamin A (KU / lb)	0689	7.5400	1.2400	5.0954	0.98618	0.46077	24	2.48	106.02	0
106	Vitamin A (KU / lb)	0563	7.5723	0.21550	5.0954	0.98618	0.46077	24	2.51	106.02	0
106	Vitamin A (KU / lb)	0160	9.7425	1.1210	5.0954	0.98618	0.46077	24	4.71	106.02	0
106	Vitamin A (KU / lb)	0003	5.1500	2.1000	5.0954	0.98618	0.46077	24	0.06	106.02	1
108	Vitamin D3 (KU / lb)	0098	0.00000	0.00000	0.39083	0.57010	0.11167	3	-0.69	108.01	0
108	Vitamin D3 (KU / lb)	0160	0.12750	0.00500	0.39083	0.57010	0.11167	3	-0.46	108.02	0
108	Vitamin D3 (KU / lb)	0675	1.0450	0.33000	0.39083	0.57010	0.11167	3	1.15	108.02	0
109	Vitamin E (mg / kg)	0098	0.00000	0.00000	13.824	9.0420	0.87540	6	-1.53	109.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
109	Vitamin E (mg / kg)	0675	9.2850	2.0500	13.824	9.0420	0.87540	6	-0.50	109.02	0
109	Vitamin E (mg / kg)	0676	9.7050	0.71000	13.824	9.0420	0.87540	6	-0.46	109.02	0
109	Vitamin E (mg / kg)	0563	17.574	0.32240	13.824	9.0420	0.87540	6	0.41	109.02	0
109	Vitamin E (mg / kg)	0955	19.100	0.60000	13.824	9.0420	0.87540	6	0.58	109.02	0
109	Vitamin E (mg / kg)	0160	26.315	1.5700	13.824	9.0420	0.87540	6	1.38	109.02	0
115	Non Protein Nitrogen (NPN) (%)	0951	0.60500	0.01000	1.6825	0.72417	0.04500	4	-1.49	115.99	0
115	Non Protein Nitrogen (NPN) (%)	0510	1.9450	0.05000	1.6825	0.72417	0.04500	4	0.36	115.00	0
115	Non Protein Nitrogen (NPN) (%)	0015	2.0150	0.07000	1.6825	0.72417	0.04500	4	0.46	115.00	0
115	Non Protein Nitrogen (NPN) (%)	0035	2.1650	0.05000	1.6825	0.72417	0.04500	4	0.67	115.00	0
120	Alanine (%)	0676	0.42400	0.00200	0.50226	0.02827	0.01542	21	-2.77	120.02	0
120	Alanine (%)	0297	0.43450	0.00700	0.50226	0.02827	0.01542	21	-2.40	120.01	0
120	Alanine (%)	0171	0.46600	0.02000	0.50226	0.02827	0.01542	21	-1.28	120.00	0
120	Alanine (%)	0626	0.48100	0.00200	0.50226	0.02827	0.01542	21	-0.75	120.05	0
120	Alanine (%)	0675	0.48500	0.01000	0.50226	0.02827	0.01542	21	-0.61	120.00	0
120	Alanine (%)	0619	0.48850	0.01700	0.50226	0.02827	0.01542	21	-0.49	120.00	0
120	Alanine (%)	0227	0.49000	0.02000	0.50226	0.02827	0.01542	21	-0.43	120.00	0
120	Alanine (%)	0652	0.49000	0.02000	0.50226	0.02827	0.01542	21	-0.43	120.00	0
120	Alanine (%)	0859	0.49350	0.00300	0.50226	0.02827	0.01542	21	-0.31	120.00	0
120	Alanine (%)	0571	0.49700	0.01000	0.50226	0.02827	0.01542	21	-0.19	120.00	0
120	Alanine (%)	0350	0.50000	0.01000	0.50226	0.02827	0.01542	21	-0.08	120.00	0
120	Alanine (%)	0504	0.50500	0.01000	0.50226	0.02827	0.01542	21	0.10	120.00	0
120	Alanine (%)	0941	0.51000	0.02000	0.50226	0.02827	0.01542	21	0.27	120.00	0
120	Alanine (%)	0160	0.51285	0.05310	0.50226	0.02827	0.01542	21	0.37	120.00	0
120	Alanine (%)	0872	0.51800	0.00600	0.50226	0.02827	0.01542	21	0.56	120.00	0
120	Alanine (%)	0644	0.51850	0.01300	0.50226	0.02827	0.01542	21	0.57	120.00	0
120	Alanine (%)	2004	0.51950	0.01900	0.50226	0.02827	0.01542	21	0.61	120.01	0
120	Alanine (%)	0098	0.53250	0.00980	0.50226	0.02827	0.01542	21	1.07	120.02	0
120	Alanine (%)	0910	0.55000	0.04000	0.50226	0.02827	0.01542	21	1.69	120.00	0
120	Alanine (%)	0684	0.56100	0.01800	0.50226	0.02827	0.01542	21	2.08	120.00	0
120	Alanine (%)	0955	0.70700	0.01400	0.50226	0.02827	0.01542	21	7.24	120.00	0
120	Alanine (%)	0008	0.51505	0.08890	0.50226	0.02827	0.01542	21	0.45	120.05	1
121	Arginine (%)	0676	0.43650	0.02900	0.60081	0.03737	0.01740	22	-4.40	121.02	0
121	Arginine (%)	0675	0.44500	0.01000	0.60081	0.03737	0.01740	22	-4.17	121.00	0
121	Arginine (%)	0227	0.48000	0.00000	0.60081	0.03737	0.01740	22	-3.23	121.00	0
121	Arginine (%)	0626	0.52400	0.00800	0.60081	0.03737	0.01740	22	-2.06	121.05	0
121	Arginine (%)	0571	0.57650	0.00500	0.60081	0.03737	0.01740	22	-0.65	121.00	0
121	Arginine (%)	0859	0.57700	0.00600	0.60081	0.03737	0.01740	22	-0.64	121.00	0
121	Arginine (%)	0652	0.58500	0.05000	0.60081	0.03737	0.01740	22	-0.42	121.00	0
121	Arginine (%)	0160	0.59130	0.00920	0.60081	0.03737	0.01740	22	-0.25	121.00	0
121	Arginine (%)	0171	0.59300	0.00200	0.60081	0.03737	0.01740	22	-0.21	121.00	0
121	Arginine (%)	0504	0.59500	0.01000	0.60081	0.03737	0.01740	22	-0.16	121.00	0
121	Arginine (%)	0619	0.59650	0.01700	0.60081	0.03737	0.01740	22	-0.12	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
121	Arginine (%)	0297	0.60300	0.00200	0.60081	0.03737	0.01740	22	0.06	121.01	0
121	Arginine (%)	0008	0.61250	0.05500	0.60081	0.03737	0.01740	22	0.31	121.05	0
121	Arginine (%)	0941	0.61500	0.01000	0.60081	0.03737	0.01740	22	0.38	121.00	0
121	Arginine (%)	0684	0.62000	0.01400	0.60081	0.03737	0.01740	22	0.51	121.00	0
121	Arginine (%)	0098	0.62055	0.02250	0.60081	0.03737	0.01740	22	0.53	121.02	0
121	Arginine (%)	0872	0.62250	0.00900	0.60081	0.03737	0.01740	22	0.58	121.00	0
121	Arginine (%)	0644	0.63700	0.04000	0.60081	0.03737	0.01740	22	0.97	121.00	0
121	Arginine (%)	0350	0.63800	0.00400	0.60081	0.03737	0.01740	22	1.00	121.00	0
121	Arginine (%)	2004	0.63800	0.02600	0.60081	0.03737	0.01740	22	1.00	121.01	0
121	Arginine (%)	0910	0.65000	0.04000	0.60081	0.03737	0.01740	22	1.32	121.00	0
121	Arginine (%)	0955	0.72000	0.01400	0.60081	0.03737	0.01740	22	3.19	121.00	0
122	Aspartic (%)	0160	0.81900	0.00280	0.95052	0.06141	0.02014	21	-2.14	122.00	0
122	Aspartic (%)	0626	0.83300	0.00400	0.95052	0.06141	0.02014	21	-1.91	122.05	0
122	Aspartic (%)	0676	0.88450	0.00700	0.95052	0.06141	0.02014	21	-1.08	122.02	0
122	Aspartic (%)	0171	0.89950	0.00300	0.95052	0.06141	0.02014	21	-0.83	122.00	0
122	Aspartic (%)	0859	0.90450	0.00500	0.95052	0.06141	0.02014	21	-0.75	122.00	0
122	Aspartic (%)	0675	0.90500	0.01000	0.95052	0.06141	0.02014	21	-0.74	122.00	0
122	Aspartic (%)	0571	0.91600	0.02000	0.95052	0.06141	0.02014	21	-0.56	122.00	0
122	Aspartic (%)	0227	0.93500	0.03000	0.95052	0.06141	0.02014	21	-0.25	122.00	0
122	Aspartic (%)	0941	0.94000	0.06000	0.95052	0.06141	0.02014	21	-0.17	122.00	0
122	Aspartic (%)	0504	0.95000	0.02000	0.95052	0.06141	0.02014	21	-0.01	122.00	0
122	Aspartic (%)	0619	0.95300	0.03000	0.95052	0.06141	0.02014	21	0.04	122.00	0
122	Aspartic (%)	2004	0.95850	0.02900	0.95052	0.06141	0.02014	21	0.13	122.01	0
122	Aspartic (%)	0872	0.96050	0.01300	0.95052	0.06141	0.02014	21	0.16	122.00	0
122	Aspartic (%)	0652	0.97000	0.04000	0.95052	0.06141	0.02014	21	0.32	122.00	0
122	Aspartic (%)	0297	0.97550	0.00500	0.95052	0.06141	0.02014	21	0.41	122.01	0
122	Aspartic (%)	0098	0.97750	0.02620	0.95052	0.06141	0.02014	21	0.44	122.02	0
122	Aspartic (%)	0350	1.0055	0.00900	0.95052	0.06141	0.02014	21	0.90	122.00	0
122	Aspartic (%)	0910	1.0150	0.05000	0.95052	0.06141	0.02014	21	1.05	122.00	0
122	Aspartic (%)	0684	1.0185	0.00500	0.95052	0.06141	0.02014	21	1.11	122.00	0
122	Aspartic (%)	0644	1.0330	0.04400	0.95052	0.06141	0.02014	21	1.34	122.00	0
122	Aspartic (%)	0955	1.3150	0.01000	0.95052	0.06141	0.02014	21	5.93	122.00	0
122	Aspartic (%)	0008	0.98150	0.19100	0.95052	0.06141	0.02014	21	0.50	122.05	1
124	Cysteine/Cystine (%)	0008	0.11600	0.01200	0.17016	0.01368	0.00663	21	-3.96	124.05	0
124	Cysteine/Cystine (%)	0910	0.14000	0.02000	0.17016	0.01368	0.00663	21	-2.20	124.00	0
124	Cysteine/Cystine (%)	0227	0.14500	0.01000	0.17016	0.01368	0.00663	21	-1.84	124.02	0
124	Cysteine/Cystine (%)	0297	0.15900	0.00800	0.17016	0.01368	0.00663	21	-0.82	124.01	0
124	Cysteine/Cystine (%)	0504	0.16000	0.00000	0.17016	0.01368	0.00663	21	-0.74	124.00	0
124	Cysteine/Cystine (%)	0644	0.16450	0.00500	0.17016	0.01368	0.00663	21	-0.41	124.00	0
124	Cysteine/Cystine (%)	2004	0.16500	0.00200	0.17016	0.01368	0.00663	21	-0.38	124.01	0
124	Cysteine/Cystine (%)	0350	0.16550	0.00100	0.17016	0.01368	0.00663	21	-0.34	124.00	0
124	Cysteine/Cystine (%)	0684	0.16550	0.00300	0.17016	0.01368	0.00663	21	-0.34	124.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
124	Cysteine/Cystine (%)	0571	0.16700	0.00200	0.17016	0.01368	0.00663	21	-0.23	124.00	0
124	Cysteine/Cystine (%)	0941	0.17000	0.02000	0.17016	0.01368	0.00663	21	-0.01	124.00	0
124	Cysteine/Cystine (%)	0652	0.17000	0.00000	0.17016	0.01368	0.00663	21	-0.01	124.00	0
124	Cysteine/Cystine (%)	0676	0.17150	0.00500	0.17016	0.01368	0.00663	21	0.10	124.05	0
124	Cysteine/Cystine (%)	0859	0.17600	0.00400	0.17016	0.01368	0.00663	21	0.43	124.00	0
124	Cysteine/Cystine (%)	0171	0.17650	0.00500	0.17016	0.01368	0.00663	21	0.46	124.00	0
124	Cysteine/Cystine (%)	0872	0.17850	0.00700	0.17016	0.01368	0.00663	21	0.61	124.00	0
124	Cysteine/Cystine (%)	0098	0.18075	0.00250	0.17016	0.01368	0.00663	21	0.77	124.02	0
124	Cysteine/Cystine (%)	0675	0.18500	0.01000	0.17016	0.01368	0.00663	21	1.08	124.00	0
124	Cysteine/Cystine (%)	0619	0.18750	0.00900	0.17016	0.01368	0.00663	21	1.27	124.00	0
124	Cysteine/Cystine (%)	0955	0.24950	0.00100	0.17016	0.01368	0.00663	21	5.80	124.00	0
124	Cysteine/Cystine (%)	0160	0.26345	0.01270	0.17016	0.01368	0.00663	21	6.82	124.00	0
125	Glutamic (%)	0675	1.3350	0.01000	1.6214	0.10828	0.03319	21	-2.64	125.00	0
125	Glutamic (%)	0626	1.4170	0.01600	1.6214	0.10828	0.03319	21	-1.89	125.05	0
125	Glutamic (%)	0160	1.4952	0.00530	1.6214	0.10828	0.03319	21	-1.17	125.00	0
125	Glutamic (%)	0676	1.5050	0.00600	1.6214	0.10828	0.03319	21	-1.07	125.02	0
125	Glutamic (%)	0504	1.5100	0.04000	1.6214	0.10828	0.03319	21	-1.03	125.00	0
125	Glutamic (%)	0571	1.5350	0.01000	1.6214	0.10828	0.03319	21	-0.80	125.00	0
125	Glutamic (%)	0859	1.5450	0.00600	1.6214	0.10828	0.03319	21	-0.71	125.00	0
125	Glutamic (%)	0227	1.5850	0.03000	1.6214	0.10828	0.03319	21	-0.34	125.00	0
125	Glutamic (%)	2004	1.6100	0.04000	1.6214	0.10828	0.03319	21	-0.11	125.01	0
125	Glutamic (%)	0910	1.6400	0.14000	1.6214	0.10828	0.03319	21	0.17	125.00	0
125	Glutamic (%)	0098	1.6442	0.07560	1.6214	0.10828	0.03319	21	0.21	125.02	0
125	Glutamic (%)	0619	1.6550	0.03000	1.6214	0.10828	0.03319	21	0.31	125.00	0
125	Glutamic (%)	0652	1.6550	0.03000	1.6214	0.10828	0.03319	21	0.31	125.00	0
125	Glutamic (%)	0941	1.6550	0.07000	1.6214	0.10828	0.03319	21	0.31	125.00	0
125	Glutamic (%)	0297	1.6645	0.01100	1.6214	0.10828	0.03319	21	0.40	125.01	0
125	Glutamic (%)	0644	1.6755	0.07500	1.6214	0.10828	0.03319	21	0.50	125.00	0
125	Glutamic (%)	0171	1.6795	0.00500	1.6214	0.10828	0.03319	21	0.54	125.00	0
125	Glutamic (%)	0872	1.7160	0.02400	1.6214	0.10828	0.03319	21	0.87	125.00	0
125	Glutamic (%)	0350	1.7525	0.02100	1.6214	0.10828	0.03319	21	1.21	125.00	0
125	Glutamic (%)	0684	1.7740	0.03200	1.6214	0.10828	0.03319	21	1.41	125.00	0
125	Glutamic (%)	0955	2.2000	0.02000	1.6214	0.10828	0.03319	21	5.34	125.00	0
125	Glutamic (%)	0008	1.7085	0.26100	1.6214	0.10828	0.03319	21	0.80	125.05	1
126	Glycine (%)	0675	0.42500	0.01000	0.46925	0.01894	0.01443	22	-2.34	126.00	0
126	Glycine (%)	0297	0.43350	0.00100	0.46925	0.01894	0.01443	22	-1.89	126.01	0
126	Glycine (%)	0504	0.45500	0.01000	0.46925	0.01894	0.01443	22	-0.75	126.00	0
126	Glycine (%)	0676	0.45550	0.01100	0.46925	0.01894	0.01443	22	-0.73	126.02	0
126	Glycine (%)	0859	0.45650	0.00500	0.46925	0.01894	0.01443	22	-0.67	126.00	0
126	Glycine (%)	0160	0.45860	0.02560	0.46925	0.01894	0.01443	22	-0.56	126.00	0
126	Glycine (%)	0626	0.45900	0.01800	0.46925	0.01894	0.01443	22	-0.54	126.05	0
126	Glycine (%)	0227	0.46000	0.02000	0.46925	0.01894	0.01443	22	-0.49	126.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
126	Glycine (%)	0571	0.46000	0.01200	0.46925	0.01894	0.01443	22	-0.49	126.00	0
126	Glycine (%)	0619	0.46000	0.01400	0.46925	0.01894	0.01443	22	-0.49	126.00	0
126	Glycine (%)	0171	0.46250	0.01100	0.46925	0.01894	0.01443	22	-0.36	126.00	0
126	Glycine (%)	2004	0.46250	0.01100	0.46925	0.01894	0.01443	22	-0.36	126.01	0
126	Glycine (%)	0652	0.46500	0.01000	0.46925	0.01894	0.01443	22	-0.22	126.00	0
126	Glycine (%)	0941	0.48000	0.02000	0.46925	0.01894	0.01443	22	0.57	126.00	0
126	Glycine (%)	0350	0.48250	0.00300	0.46925	0.01894	0.01443	22	0.70	126.00	0
126	Glycine (%)	0644	0.48600	0.01800	0.46925	0.01894	0.01443	22	0.88	126.00	0
126	Glycine (%)	0872	0.48850	0.00100	0.46925	0.01894	0.01443	22	1.02	126.00	0
126	Glycine (%)	0008	0.48900	0.04800	0.46925	0.01894	0.01443	22	1.04	126.05	0
126	Glycine (%)	0684	0.49100	0.01600	0.46925	0.01894	0.01443	22	1.15	126.00	0
126	Glycine (%)	0098	0.49595	0.02090	0.46925	0.01894	0.01443	22	1.41	126.02	0
126	Glycine (%)	0910	0.51500	0.03000	0.46925	0.01894	0.01443	22	2.42	126.00	0
126	Glycine (%)	0955	0.63700	0.00200	0.46925	0.01894	0.01443	22	8.86	126.00	0
127	Histidine (%)	2004	0.22200	0.00800	0.24645	0.01680	0.00751	20	-1.46	127.01	0
127	Histidine (%)	0675	0.22500	0.01000	0.24645	0.01680	0.00751	20	-1.28	127.00	0
127	Histidine (%)	0171	0.22750	0.00700	0.24645	0.01680	0.00751	20	-1.13	127.00	0
127	Histidine (%)	0571	0.22950	0.00100	0.24645	0.01680	0.00751	20	-1.01	127.00	0
127	Histidine (%)	0227	0.23500	0.01000	0.24645	0.01680	0.00751	20	-0.68	127.00	0
127	Histidine (%)	0941	0.23500	0.01000	0.24645	0.01680	0.00751	20	-0.68	127.00	0
127	Histidine (%)	0504	0.24000	0.00000	0.24645	0.01680	0.00751	20	-0.38	127.00	0
127	Histidine (%)	0859	0.24000	0.00200	0.24645	0.01680	0.00751	20	-0.38	127.00	0
127	Histidine (%)	0652	0.24500	0.01000	0.24645	0.01680	0.00751	20	-0.09	127.00	0
127	Histidine (%)	0626	0.24550	0.00900	0.24645	0.01680	0.00751	20	-0.06	127.05	0
127	Histidine (%)	0619	0.24900	0.00800	0.24645	0.01680	0.00751	20	0.15	127.00	0
127	Histidine (%)	0008	0.24900	0.01800	0.24645	0.01680	0.00751	20	0.15	127.05	0
127	Histidine (%)	0098	0.24920	0.00820	0.24645	0.01680	0.00751	20	0.16	127.02	0
127	Histidine (%)	0644	0.25200	0.00800	0.24645	0.01680	0.00751	20	0.33	127.00	0
127	Histidine (%)	0684	0.25750	0.00300	0.24645	0.01680	0.00751	20	0.66	127.00	0
127	Histidine (%)	0872	0.25750	0.00100	0.24645	0.01680	0.00751	20	0.66	127.00	0
127	Histidine (%)	0297	0.26300	0.01200	0.24645	0.01680	0.00751	20	0.99	127.01	0
127	Histidine (%)	0910	0.26500	0.01000	0.24645	0.01680	0.00751	20	1.10	127.00	0
127	Histidine (%)	0350	0.27050	0.00100	0.24645	0.01680	0.00751	20	1.43	127.00	0
127	Histidine (%)	0676	0.37600	0.01400	0.24645	0.01680	0.00751	20	7.71	127.02	0
127	Histidine (%)	0160	0.31585	0.09910	0.24645	0.01680	0.00751	20	4.13	127.00	1
128	Isoleucine (%)	0160	0.29130	0.01680	0.35859	0.02853	0.01063	21	-2.36	128.00	0
128	Isoleucine (%)	0675	0.31500	0.01000	0.35859	0.02853	0.01063	21	-1.53	128.00	0
128	Isoleucine (%)	0955	0.32850	0.00300	0.35859	0.02853	0.01063	21	-1.05	128.00	0
128	Isoleucine (%)	0859	0.33350	0.00100	0.35859	0.02853	0.01063	21	-0.88	128.00	0
128	Isoleucine (%)	0227	0.33500	0.03000	0.35859	0.02853	0.01063	21	-0.83	128.00	0
128	Isoleucine (%)	0171	0.33600	0.01400	0.35859	0.02853	0.01063	21	-0.79	128.00	0
128	Isoleucine (%)	0676	0.34300	0.00000	0.35859	0.02853	0.01063	21	-0.55	128.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
128	Isoleucine (%)	0571	0.34650	0.00900	0.35859	0.02853	0.01063	21	-0.42	128.00	0
128	Isoleucine (%)	0652	0.35500	0.01000	0.35859	0.02853	0.01063	21	-0.13	128.00	0
128	Isoleucine (%)	0626	0.35850	0.00900	0.35859	0.02853	0.01063	21	0.00	128.05	0
128	Isoleucine (%)	0350	0.36050	0.00300	0.35859	0.02853	0.01063	21	0.07	128.00	0
128	Isoleucine (%)	0872	0.36200	0.00600	0.35859	0.02853	0.01063	21	0.12	128.00	0
128	Isoleucine (%)	2004	0.36800	0.01400	0.35859	0.02853	0.01063	21	0.33	128.01	0
128	Isoleucine (%)	0504	0.37000	0.00000	0.35859	0.02853	0.01063	21	0.40	128.00	0
128	Isoleucine (%)	0941	0.37000	0.02000	0.35859	0.02853	0.01063	21	0.40	128.00	0
128	Isoleucine (%)	0684	0.37700	0.00000	0.35859	0.02853	0.01063	21	0.65	128.00	0
128	Isoleucine (%)	0644	0.38000	0.01800	0.35859	0.02853	0.01063	21	0.75	128.00	0
128	Isoleucine (%)	0098	0.38340	0.00140	0.35859	0.02853	0.01063	21	0.87	128.02	0
128	Isoleucine (%)	0619	0.38650	0.01300	0.35859	0.02853	0.01063	21	0.98	128.00	0
128	Isoleucine (%)	0297	0.40550	0.00500	0.35859	0.02853	0.01063	21	1.64	128.01	0
128	Isoleucine (%)	0910	0.42000	0.04000	0.35859	0.02853	0.01063	21	2.15	128.00	0
128	Isoleucine (%)	0008	0.35850	0.10500	0.35859	0.02853	0.01063	21	0.00	128.05	1
129	Leucine (%)	0676	0.64300	0.00200	0.70469	0.04183	0.01422	21	-1.47	129.02	0
129	Leucine (%)	0171	0.64600	0.01400	0.70469	0.04183	0.01422	21	-1.40	129.00	0
129	Leucine (%)	0227	0.65000	0.00000	0.70469	0.04183	0.01422	21	-1.31	129.00	0
129	Leucine (%)	0859	0.65350	0.00900	0.70469	0.04183	0.01422	21	-1.22	129.00	0
129	Leucine (%)	0626	0.66100	0.01600	0.70469	0.04183	0.01422	21	-1.04	129.05	0
129	Leucine (%)	0571	0.68250	0.00700	0.70469	0.04183	0.01422	21	-0.53	129.00	0
129	Leucine (%)	0652	0.68500	0.01000	0.70469	0.04183	0.01422	21	-0.47	129.00	0
129	Leucine (%)	0160	0.68545	0.03250	0.70469	0.04183	0.01422	21	-0.46	129.00	0
129	Leucine (%)	0619	0.69300	0.01800	0.70469	0.04183	0.01422	21	-0.28	129.00	0
129	Leucine (%)	0675	0.69500	0.01000	0.70469	0.04183	0.01422	21	-0.23	129.00	0
129	Leucine (%)	0350	0.70900	0.00000	0.70469	0.04183	0.01422	21	0.10	129.00	0
129	Leucine (%)	0941	0.71000	0.00000	0.70469	0.04183	0.01422	21	0.13	129.00	0
129	Leucine (%)	0872	0.71500	0.00800	0.70469	0.04183	0.01422	21	0.25	129.00	0
129	Leucine (%)	0297	0.71800	0.00400	0.70469	0.04183	0.01422	21	0.32	129.01	0
129	Leucine (%)	2004	0.72100	0.02200	0.70469	0.04183	0.01422	21	0.39	129.01	0
129	Leucine (%)	0644	0.73000	0.02400	0.70469	0.04183	0.01422	21	0.61	129.00	0
129	Leucine (%)	0098	0.73125	0.02810	0.70469	0.04183	0.01422	21	0.64	129.02	0
129	Leucine (%)	0504	0.75500	0.01000	0.70469	0.04183	0.01422	21	1.20	129.00	0
129	Leucine (%)	0910	0.76000	0.06000	0.70469	0.04183	0.01422	21	1.32	129.00	0
129	Leucine (%)	0684	0.76550	0.01700	0.70469	0.04183	0.01422	21	1.45	129.00	0
129	Leucine (%)	0955	0.79450	0.00700	0.70469	0.04183	0.01422	21	2.15	129.00	0
129	Leucine (%)	0008	0.71650	0.10100	0.70469	0.04183	0.01422	21	0.28	129.05	1
130	L-Lysine (%)	0676	0.40900	0.00800	0.48299	0.03393	0.00862	22	-2.18	130.02	0
130	L-Lysine (%)	2004	0.43550	0.01100	0.48299	0.03393	0.00862	22	-1.40	130.01	0
130	L-Lysine (%)	0675	0.44500	0.01000	0.48299	0.03393	0.00862	22	-1.12	130.00	0
130	L-Lysine (%)	0571	0.45550	0.00300	0.48299	0.03393	0.00862	22	-0.81	130.00	0
130	L-Lysine (%)	0171	0.45600	0.00200	0.48299	0.03393	0.00862	22	-0.80	130.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
130	L-Lysine (%)	0859	0.45700	0.00400	0.48299	0.03393	0.00862	22	-0.77	130.00	0
130	L-Lysine (%)	0619	0.46150	0.00700	0.48299	0.03393	0.00862	22	-0.63	130.00	0
130	L-Lysine (%)	0297	0.46550	0.00100	0.48299	0.03393	0.00862	22	-0.52	130.01	0
130	L-Lysine (%)	0652	0.47500	0.01000	0.48299	0.03393	0.00862	22	-0.24	130.00	0
130	L-Lysine (%)	0941	0.48000	0.00000	0.48299	0.03393	0.00862	22	-0.09	130.00	0
130	L-Lysine (%)	0723	0.48200	0.00200	0.48299	0.03393	0.00862	22	-0.03	130.05	0
130	L-Lysine (%)	0227	0.48500	0.03000	0.48299	0.03393	0.00862	22	0.06	130.00	0
130	L-Lysine (%)	0626	0.48950	0.01300	0.48299	0.03393	0.00862	22	0.19	130.05	0
130	L-Lysine (%)	0350	0.49250	0.00300	0.48299	0.03393	0.00862	22	0.28	130.00	0
130	L-Lysine (%)	0872	0.49700	0.00600	0.48299	0.03393	0.00862	22	0.41	130.00	0
130	L-Lysine (%)	0684	0.49800	0.00200	0.48299	0.03393	0.00862	22	0.44	130.00	0
130	L-Lysine (%)	0644	0.50000	0.02000	0.48299	0.03393	0.00862	22	0.50	130.00	0
130	L-Lysine (%)	0910	0.51500	0.03000	0.48299	0.03393	0.00862	22	0.94	130.00	0
130	L-Lysine (%)	0160	0.51600	0.00620	0.48299	0.03393	0.00862	22	0.97	130.00	0
130	L-Lysine (%)	0504	0.52000	0.00000	0.48299	0.03393	0.00862	22	1.09	130.00	0
130	L-Lysine (%)	0098	0.54205	0.01250	0.48299	0.03393	0.00862	22	1.74	130.02	0
130	L-Lysine (%)	0955	0.61450	0.00900	0.48299	0.03393	0.00862	22	3.88	130.00	0
130	L-Lysine (%)	0008	0.48950	0.07500	0.48299	0.03393	0.00862	22	0.19	130.05	1
131	Methionine (%)	0626	0.07100	0.00800	0.15039	0.01657	0.00467	21	-4.79	131.05	0
131	Methionine (%)	0008	0.07400	0.00600	0.15039	0.01657	0.00467	21	-4.61	131.05	0
131	Methionine (%)	0859	0.11450	0.00100	0.15039	0.01657	0.00467	21	-2.17	131.00	0
131	Methionine (%)	0504	0.14000	0.00000	0.15039	0.01657	0.00467	21	-0.63	131.00	0
131	Methionine (%)	0652	0.14000	0.00000	0.15039	0.01657	0.00467	21	-0.63	131.00	0
131	Methionine (%)	0227	0.14000	0.00000	0.15039	0.01657	0.00467	21	-0.63	131.02	0
131	Methionine (%)	0297	0.14100	0.00600	0.15039	0.01657	0.00467	21	-0.57	131.01	0
131	Methionine (%)	0571	0.14400	0.00200	0.15039	0.01657	0.00467	21	-0.39	131.00	0
131	Methionine (%)	0350	0.14700	0.00400	0.15039	0.01657	0.00467	21	-0.20	131.00	0
131	Methionine (%)	0955	0.14950	0.01100	0.15039	0.01657	0.00467	21	-0.05	131.00	0
131	Methionine (%)	0171	0.15100	0.00600	0.15039	0.01657	0.00467	21	0.04	131.00	0
131	Methionine (%)	0619	0.15350	0.00700	0.15039	0.01657	0.00467	21	0.19	131.00	0
131	Methionine (%)	0872	0.15400	0.00200	0.15039	0.01657	0.00467	21	0.22	131.00	0
131	Methionine (%)	2004	0.15500	0.00400	0.15039	0.01657	0.00467	21	0.28	131.01	0
131	Methionine (%)	0098	0.15640	0.00000	0.15039	0.01657	0.00467	21	0.36	131.02	0
131	Methionine (%)	0910	0.16000	0.00000	0.15039	0.01657	0.00467	21	0.58	131.00	0
131	Methionine (%)	0160	0.16385	0.01610	0.15039	0.01657	0.00467	21	0.81	131.00	0
131	Methionine (%)	0676	0.16550	0.01100	0.15039	0.01657	0.00467	21	0.91	131.05	0
131	Methionine (%)	0684	0.16750	0.00300	0.15039	0.01657	0.00467	21	1.03	131.00	0
131	Methionine (%)	0675	0.17500	0.01000	0.15039	0.01657	0.00467	21	1.49	131.00	0
131	Methionine (%)	0644	0.18050	0.00100	0.15039	0.01657	0.00467	21	1.82	131.00	0
131	Methionine (%)	0941	0.13500	0.03000	0.15039	0.01657	0.00467	21	-0.93	131.00	1
132	Phenylalanine (%)	0675	0.34500	0.01000	0.43262	0.02312	0.01285	22	-3.79	132.00	0
132	Phenylalanine (%)	0160	0.35460	0.03100	0.43262	0.02312	0.01285	22	-3.37	132.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
132	Phenylalanine (%)	0227	0.38500	0.01000	0.43262	0.02312	0.01285	22	-2.06	132.00	0
132	Phenylalanine (%)	0676	0.39600	0.00000	0.43262	0.02312	0.01285	22	-1.58	132.02	0
132	Phenylalanine (%)	0626	0.39900	0.01000	0.43262	0.02312	0.01285	22	-1.45	132.05	0
132	Phenylalanine (%)	0008	0.41900	0.04200	0.43262	0.02312	0.01285	22	-0.59	132.05	0
132	Phenylalanine (%)	0941	0.42000	0.02000	0.43262	0.02312	0.01285	22	-0.55	132.00	0
132	Phenylalanine (%)	0571	0.42450	0.01300	0.43262	0.02312	0.01285	22	-0.35	132.00	0
132	Phenylalanine (%)	0171	0.42550	0.00100	0.43262	0.02312	0.01285	22	-0.31	132.00	0
132	Phenylalanine (%)	0619	0.43350	0.00700	0.43262	0.02312	0.01285	22	0.04	132.00	0
132	Phenylalanine (%)	0859	0.43350	0.00300	0.43262	0.02312	0.01285	22	0.04	132.00	0
132	Phenylalanine (%)	0684	0.43550	0.00700	0.43262	0.02312	0.01285	22	0.12	132.00	0
132	Phenylalanine (%)	0504	0.44000	0.00000	0.43262	0.02312	0.01285	22	0.32	132.00	0
132	Phenylalanine (%)	0297	0.44050	0.00700	0.43262	0.02312	0.01285	22	0.34	132.01	0
132	Phenylalanine (%)	2004	0.44150	0.01100	0.43262	0.02312	0.01285	22	0.38	132.01	0
132	Phenylalanine (%)	0350	0.44300	0.01000	0.43262	0.02312	0.01285	22	0.45	132.00	0
132	Phenylalanine (%)	0644	0.44350	0.01700	0.43262	0.02312	0.01285	22	0.47	132.00	0
132	Phenylalanine (%)	0098	0.44720	0.01960	0.43262	0.02312	0.01285	22	0.63	132.02	0
132	Phenylalanine (%)	0872	0.45500	0.00200	0.43262	0.02312	0.01285	22	0.97	132.00	0
132	Phenylalanine (%)	0910	0.47500	0.03000	0.43262	0.02312	0.01285	22	1.83	132.00	0
132	Phenylalanine (%)	0652	0.49500	0.03000	0.43262	0.02312	0.01285	22	2.70	132.00	0
132	Phenylalanine (%)	0955	0.54400	0.00200	0.43262	0.02312	0.01285	22	4.82	132.00	0
133	Proline (%)	0675	0.34500	0.01000	0.57901	0.02255	0.01745	20	-10.38	133.00	0
133	Proline (%)	0350	0.52350	0.00900	0.57901	0.02255	0.01745	20	-2.46	133.00	0
133	Proline (%)	0859	0.54450	0.00900	0.57901	0.02255	0.01745	20	-1.53	133.00	0
133	Proline (%)	2004	0.56200	0.01400	0.57901	0.02255	0.01745	20	-0.75	133.04	0
133	Proline (%)	0652	0.56500	0.01000	0.57901	0.02255	0.01745	20	-0.62	133.00	0
133	Proline (%)	0227	0.57000	0.04000	0.57901	0.02255	0.01745	20	-0.40	133.00	0
133	Proline (%)	0571	0.57100	0.01200	0.57901	0.02255	0.01745	20	-0.35	133.00	0
133	Proline (%)	0676	0.57200	0.01200	0.57901	0.02255	0.01745	20	-0.31	133.05	0
133	Proline (%)	0619	0.57450	0.00900	0.57901	0.02255	0.01745	20	-0.20	133.00	0
133	Proline (%)	0160	0.57490	0.00600	0.57901	0.02255	0.01745	20	-0.18	133.00	0
133	Proline (%)	0504	0.58000	0.02000	0.57901	0.02255	0.01745	20	0.04	133.00	0
133	Proline (%)	0910	0.58500	0.03000	0.57901	0.02255	0.01745	20	0.27	133.00	0
133	Proline (%)	0684	0.58550	0.00500	0.57901	0.02255	0.01745	20	0.29	133.00	0
133	Proline (%)	0008	0.58900	0.06000	0.57901	0.02255	0.01745	20	0.44	133.05	0
133	Proline (%)	0171	0.59350	0.00900	0.57901	0.02255	0.01745	20	0.64	133.00	0
133	Proline (%)	0626	0.59500	0.00800	0.57901	0.02255	0.01745	20	0.71	133.05	0
133	Proline (%)	0644	0.59800	0.01600	0.57901	0.02255	0.01745	20	0.84	133.00	0
133	Proline (%)	0941	0.61000	0.04000	0.57901	0.02255	0.01745	20	1.37	133.00	0
133	Proline (%)	0872	0.63300	0.02200	0.57901	0.02255	0.01745	20	2.39	133.00	0
133	Proline (%)	0955	0.73300	0.00800	0.57901	0.02255	0.01745	20	6.83	133.00	0
134	Serine (%)	0941	0.42500	0.03000	0.46036	0.02741	0.01127	21	-1.29	134.00	0
134	Serine (%)	0676	0.42600	0.00600	0.46036	0.02741	0.01127	21	-1.25	134.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
134	Serine (%)	0910	0.43000	0.02000	0.46036	0.02741	0.01127	21	-1.11	134.00	0
134	Serine (%)	0504	0.43500	0.01000	0.46036	0.02741	0.01127	21	-0.93	134.00	0
134	Serine (%)	0652	0.43500	0.01000	0.46036	0.02741	0.01127	21	-0.93	134.00	0
134	Serine (%)	0675	0.43500	0.01000	0.46036	0.02741	0.01127	21	-0.93	134.00	0
134	Serine (%)	2004	0.45100	0.00400	0.46036	0.02741	0.01127	21	-0.34	134.01	0
134	Serine (%)	0571	0.45150	0.00500	0.46036	0.02741	0.01127	21	-0.32	134.00	0
134	Serine (%)	0160	0.45340	0.01860	0.46036	0.02741	0.01127	21	-0.25	134.00	0
134	Serine (%)	0619	0.45350	0.00700	0.46036	0.02741	0.01127	21	-0.25	134.00	0
134	Serine (%)	0297	0.45450	0.00300	0.46036	0.02741	0.01127	21	-0.21	134.01	0
134	Serine (%)	0171	0.46600	0.01400	0.46036	0.02741	0.01127	21	0.21	134.00	0
134	Serine (%)	0872	0.46700	0.00200	0.46036	0.02741	0.01127	21	0.24	134.00	0
134	Serine (%)	0644	0.46750	0.01700	0.46036	0.02741	0.01127	21	0.26	134.00	0
134	Serine (%)	0859	0.47150	0.01100	0.46036	0.02741	0.01127	21	0.41	134.00	0
134	Serine (%)	0227	0.48000	0.02000	0.46036	0.02741	0.01127	21	0.72	134.00	0
134	Serine (%)	0008	0.48750	0.00900	0.46036	0.02741	0.01127	21	0.99	134.05	0
134	Serine (%)	0626	0.48900	0.00400	0.46036	0.02741	0.01127	21	1.04	134.05	0
134	Serine (%)	0684	0.49350	0.01100	0.46036	0.02741	0.01127	21	1.21	134.00	0
134	Serine (%)	0350	0.50850	0.00300	0.46036	0.02741	0.01127	21	1.76	134.00	0
134	Serine (%)	0955	0.68700	0.02200	0.46036	0.02741	0.01127	21	8.27	134.00	0
134	Serine (%)	0098	0.42280	0.07620	0.46036	0.02741	0.01127	21	-1.37	134.02	1
135	Threonine (%)	0652	0.32500	0.01000	0.35849	0.02211	0.01061	22	-1.51	135.00	0
135	Threonine (%)	0626	0.32650	0.00500	0.35849	0.02211	0.01061	22	-1.45	135.05	0
135	Threonine (%)	0676	0.33300	0.00600	0.35849	0.02211	0.01061	22	-1.15	135.02	0
135	Threonine (%)	0941	0.33500	0.03000	0.35849	0.02211	0.01061	22	-1.06	135.00	0
135	Threonine (%)	0297	0.33750	0.00100	0.35849	0.02211	0.01061	22	-0.95	135.01	0
135	Threonine (%)	0675	0.34500	0.01000	0.35849	0.02211	0.01061	22	-0.61	135.00	0
135	Threonine (%)	0619	0.34600	0.00400	0.35849	0.02211	0.01061	22	-0.56	135.00	0
135	Threonine (%)	0571	0.34700	0.00800	0.35849	0.02211	0.01061	22	-0.52	135.00	0
135	Threonine (%)	0171	0.35400	0.00200	0.35849	0.02211	0.01061	22	-0.20	135.00	0
135	Threonine (%)	0227	0.35500	0.03000	0.35849	0.02211	0.01061	22	-0.16	135.00	0
135	Threonine (%)	0504	0.36000	0.00000	0.35849	0.02211	0.01061	22	0.07	135.00	0
135	Threonine (%)	0910	0.36000	0.00000	0.35849	0.02211	0.01061	22	0.07	135.00	0
135	Threonine (%)	2004	0.36200	0.01600	0.35849	0.02211	0.01061	22	0.16	135.01	0
135	Threonine (%)	0872	0.36750	0.00300	0.35849	0.02211	0.01061	22	0.41	135.00	0
135	Threonine (%)	0098	0.36765	0.02490	0.35849	0.02211	0.01061	22	0.41	135.02	0
135	Threonine (%)	0859	0.37450	0.00700	0.35849	0.02211	0.01061	22	0.72	135.00	0
135	Threonine (%)	0160	0.37490	0.00960	0.35849	0.02211	0.01061	22	0.74	135.00	0
135	Threonine (%)	0008	0.37550	0.02700	0.35849	0.02211	0.01061	22	0.77	135.05	0
135	Threonine (%)	0684	0.37950	0.01100	0.35849	0.02211	0.01061	22	0.95	135.00	0
135	Threonine (%)	0644	0.38200	0.01400	0.35849	0.02211	0.01061	22	1.06	135.00	0
135	Threonine (%)	0350	0.38550	0.00300	0.35849	0.02211	0.01061	22	1.22	135.00	0
135	Threonine (%)	0955	0.43000	0.01200	0.35849	0.02211	0.01061	22	3.24	135.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
136	Tryptophan (%)	0504	0.06500	0.01000	0.11850	0.03685	0.00689	15	-1.45	136.99	0
136	Tryptophan (%)	0868	0.07600	0.00000	0.11850	0.03685	0.00689	15	-1.15	136.01	0
136	Tryptophan (%)	0008	0.08200	0.02200	0.11850	0.03685	0.00689	15	-0.99	136.05	0
136	Tryptophan (%)	0171	0.09050	0.00300	0.11850	0.03685	0.00689	15	-0.76	136.00	0
136	Tryptophan (%)	0955	0.09320	0.02760	0.11850	0.03685	0.00689	15	-0.69	136.01	0
136	Tryptophan (%)	0878	0.10800	0.00000	0.11850	0.03685	0.00689	15	-0.28	136.01	0
136	Tryptophan (%)	0859	0.11900	0.00000	0.11850	0.03685	0.00689	15	0.01	136.03	0
136	Tryptophan (%)	0571	0.12250	0.00300	0.11850	0.03685	0.00689	15	0.11	136.01	0
136	Tryptophan (%)	2004	0.12250	0.00500	0.11850	0.03685	0.00689	15	0.11	136.99	0
136	Tryptophan (%)	0619	0.12450	0.00100	0.11850	0.03685	0.00689	15	0.16	136.00	0
136	Tryptophan (%)	0098	0.13050	0.00700	0.11850	0.03685	0.00689	15	0.33	136.99	0
136	Tryptophan (%)	0227	0.14500	0.01000	0.11850	0.03685	0.00689	15	0.72	136.01	0
136	Tryptophan (%)	0684	0.14600	0.00200	0.11850	0.03685	0.00689	15	0.75	136.00	0
136	Tryptophan (%)	0160	0.19160	0.00680	0.11850	0.03685	0.00689	15	1.98	136.00	0
136	Tryptophan (%)	0644	0.27200	0.00600	0.11850	0.03685	0.00689	15	4.17	136.01	0
137	Tyrosine (%)	0626	0.18350	0.00100	0.29657	0.04517	0.00795	18	-2.50	137.05	0
137	Tyrosine (%)	0859	0.18550	0.00100	0.29657	0.04517	0.00795	18	-2.46	137.00	0
137	Tyrosine (%)	0008	0.23650	0.00900	0.29657	0.04517	0.00795	18	-1.33	137.05	0
137	Tyrosine (%)	0227	0.26000	0.00000	0.29657	0.04517	0.00795	18	-0.81	137.00	0
137	Tyrosine (%)	0504	0.27000	0.00000	0.29657	0.04517	0.00795	18	-0.59	137.00	0
137	Tyrosine (%)	0676	0.28500	0.00200	0.29657	0.04517	0.00795	18	-0.26	137.02	0
137	Tyrosine (%)	0171	0.29200	0.00400	0.29657	0.04517	0.00795	18	-0.10	137.00	0
137	Tyrosine (%)	0098	0.29220	0.00960	0.29657	0.04517	0.00795	18	-0.10	137.02	0
137	Tyrosine (%)	0350	0.29350	0.00500	0.29657	0.04517	0.00795	18	-0.07	137.00	0
137	Tyrosine (%)	0872	0.29600	0.01000	0.29657	0.04517	0.00795	18	-0.01	137.00	0
137	Tyrosine (%)	0684	0.30750	0.02300	0.29657	0.04517	0.00795	18	0.24	137.00	0
137	Tyrosine (%)	0644	0.31200	0.00800	0.29657	0.04517	0.00795	18	0.34	137.00	0
137	Tyrosine (%)	0675	0.32500	0.01000	0.29657	0.04517	0.00795	18	0.63	137.00	0
137	Tyrosine (%)	0941	0.33000	0.02000	0.29657	0.04517	0.00795	18	0.74	137.00	0
137	Tyrosine (%)	0160	0.33545	0.02350	0.29657	0.04517	0.00795	18	0.86	137.00	0
137	Tyrosine (%)	2004	0.34350	0.00700	0.29657	0.04517	0.00795	18	1.04	137.01	0
137	Tyrosine (%)	0297	0.34700	0.00000	0.29657	0.04517	0.00795	18	1.12	137.01	0
137	Tyrosine (%)	0910	0.35500	0.01000	0.29657	0.04517	0.00795	18	1.29	137.00	0
138	Valine (%)	0160	0.31120	0.00720	0.46556	0.03435	0.01429	21	-4.49	138.00	0
138	Valine (%)	0955	0.42400	0.03600	0.46556	0.03435	0.01429	21	-1.21	138.00	0
138	Valine (%)	0675	0.42500	0.01000	0.46556	0.03435	0.01429	21	-1.18	138.00	0
138	Valine (%)	0859	0.43550	0.00100	0.46556	0.03435	0.01429	21	-0.88	138.00	0
138	Valine (%)	0626	0.44300	0.01200	0.46556	0.03435	0.01429	21	-0.66	138.05	0
138	Valine (%)	0571	0.44350	0.00500	0.46556	0.03435	0.01429	21	-0.64	138.00	0
138	Valine (%)	0227	0.44500	0.01000	0.46556	0.03435	0.01429	21	-0.60	138.00	0
138	Valine (%)	2004	0.44650	0.01100	0.46556	0.03435	0.01429	21	-0.55	138.01	0
138	Valine (%)	0652	0.45000	0.02000	0.46556	0.03435	0.01429	21	-0.45	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
138	Valine (%)	0684	0.46350	0.00900	0.46556	0.03435	0.01429	21	-0.06	138.00	0
138	Valine (%)	0941	0.46500	0.03000	0.46556	0.03435	0.01429	21	-0.02	138.00	0
138	Valine (%)	0171	0.46950	0.00100	0.46556	0.03435	0.01429	21	0.11	138.00	0
138	Valine (%)	0872	0.47200	0.00800	0.46556	0.03435	0.01429	21	0.19	138.00	0
138	Valine (%)	0676	0.47400	0.00400	0.46556	0.03435	0.01429	21	0.25	138.02	0
138	Valine (%)	0350	0.48300	0.01200	0.46556	0.03435	0.01429	21	0.51	138.00	0
138	Valine (%)	0644	0.48700	0.01400	0.46556	0.03435	0.01429	21	0.62	138.00	0
138	Valine (%)	0504	0.50000	0.00000	0.46556	0.03435	0.01429	21	1.00	138.00	0
138	Valine (%)	0098	0.50190	0.00980	0.46556	0.03435	0.01429	21	1.06	138.02	0
138	Valine (%)	0619	0.50450	0.01700	0.46556	0.03435	0.01429	21	1.13	138.00	0
138	Valine (%)	0297	0.58650	0.01300	0.46556	0.03435	0.01429	21	3.52	138.01	0
138	Valine (%)	0910	0.60500	0.07000	0.46556	0.03435	0.01429	21	4.06	138.00	0
138	Valine (%)	0008	0.49200	0.12800	0.46556	0.03435	0.01429	21	0.77	138.05	1
139	Taurine (%)	0098	0.00000	0.00000	0.08900	0.10748	0.00960	5	-0.83	139.02	0
139	Taurine (%)	0008	0.00300	0.00600	0.08900	0.10748	0.00960	5	-0.80	139.05	0
139	Taurine (%)	0504	0.03000	0.00000	0.08900	0.10748	0.00960	5	-0.55	139.00	0
139	Taurine (%)	0171	0.20200	0.00200	0.08900	0.10748	0.00960	5	1.05	139.00	0
139	Taurine (%)	0941	0.21000	0.04000	0.08900	0.10748	0.00960	5	1.13	139.00	0
140	Lysine, Free (%)	0859	0.00900	0.00000			0.00000	1			
142	Threonine, free (%)	0859	0.07750	0.00100			0.00100	1			
150	Phytase (U / lb)	0227	157.00	8.0000			8.0000	1			
160	Fructose (%)	0297	0.38300	0.02200			0.02200	1			
161	Galactose (%)	0297	0.00000	0.00000			0.00000	1			
162	Glucose (%)	0297	0.14400	0.00600			0.00600	1			
163	Lactose (%)	0297	0.00000	0.00000			0.00000	1			
164	Maltose (%)	0297	0.15150	0.01700			0.01700	1			
165	Sucrose (%)	0297	2.6700	0.06600			0.06600	1			
166	Raffinose (%)	0297	0.44200	0.05600			0.05600	1			
167	Stachyose (%)	0297	0.41400	0.04800			0.04800	1			
400	Water activity (U)	0589	0.39850	0.01300	0.40267	0.00637	0.00867	3	-0.65	400.01	0
400	Water activity (U)	0227	0.39950	0.01300	0.40267	0.00637	0.00867	3	-0.50	400.99	0
400	Water activity (U)	0942	0.41000	0.00000	0.40267	0.00637	0.00867	3	1.15	400.01	0
516	Arsenic, total (ppm)	0021	0.00000	0.00000	0.19490	0.11262	0.00420	5	-1.73	516.42	0
516	Arsenic, total (ppm)	0948	0.21550	0.00100	0.19490	0.11262	0.00420	5	0.18	516.00	0
516	Arsenic, total (ppm)	0912	0.21600	0.00000	0.19490	0.11262	0.00420	5	0.19	516.53	0
516	Arsenic, total (ppm)	0553	0.26300	0.00000	0.19490	0.11262	0.00420	5	0.60	516.53	0
516	Arsenic, total (ppm)	0171	0.28000	0.02000	0.19490	0.11262	0.00420	5	0.76	516.00	0
518	Cadmium (ppm)	0021	0.00000	0.00000	0.14120	0.09980	0.00280	5	-1.41	518.42	0
518	Cadmium (ppm)	0171	0.07500	0.01000	0.14120	0.09980	0.00280	5	-0.66	518.41	0
518	Cadmium (ppm)	0553	0.18400	0.00000	0.14120	0.09980	0.00280	5	0.43	518.53	0
518	Cadmium (ppm)	0912	0.21500	0.00000	0.14120	0.09980	0.00280	5	0.74	518.53	0
518	Cadmium (ppm)	0948	0.23200	0.00400	0.14120	0.09980	0.00280	5	0.91	518.33	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
520	Chromium (ppm)	0553	4.6000	0.00000	6.3661	1.6155	0.15683	6	-1.09	520.53	0
520	Chromium (ppm)	0912	5.2250	0.00000	6.3661	1.6155	0.15683	6	-0.71	520.53	0
520	Chromium (ppm)	0011	6.2040	0.39100	6.3661	1.6155	0.15683	6	-0.10	520.41	0
520	Chromium (ppm)	2012	6.3050	0.33000	6.3661	1.6155	0.15683	6	-0.04	520.43	0
520	Chromium (ppm)	0171	7.3000	0.20000	6.3661	1.6155	0.15683	6	0.58	520.41	0
520	Chromium (ppm)	0510	8.9300	0.02000	6.3661	1.6155	0.15683	6	1.59	520.43	0
520	Chromium (ppm)	0021	10.250	1.9000	6.3661	1.6155	0.15683	6	2.40	520.42	1
526	Lead (ppm)	0021	0.00000	0.00000	0.05705	0.06390	0.01233	6	-0.89	526.42	0
526	Lead (ppm)	0921	0.00900	0.01600	0.05705	0.06390	0.01233	6	-0.75	526.31	0
526	Lead (ppm)	0171	0.02000	0.04000	0.05705	0.06390	0.01233	6	-0.58	526.41	0
526	Lead (ppm)	0912	0.07200	0.00000	0.05705	0.06390	0.01233	6	0.23	526.53	0
526	Lead (ppm)	0553	0.10300	0.00000	0.05705	0.06390	0.01233	6	0.72	526.53	0
526	Lead (ppm)	0948	0.21900	0.01800	0.05705	0.06390	0.01233	6	2.53	526.33	0
529	Mercury (ppb)	0866	2.0000	0.40000	2.8500	1.2021	0.40000	2	-0.71	529.99	0
529	Mercury (ppb)	0948	3.7000	0.40000	2.8500	1.2021	0.40000	2	0.71	529.99	0
539	Nickel (ppm)	0553	2.0500	0.00000	3.0483	0.83246	0.21567	6	-1.20	539.53	0
539	Nickel (ppm)	0912	2.5210	0.00000	3.0483	0.83246	0.21567	6	-0.63	539.53	0
539	Nickel (ppm)	2012	2.8800	0.52000	3.0483	0.83246	0.21567	6	-0.20	539.43	0
539	Nickel (ppm)	0670	3.2200	0.02000	3.0483	0.83246	0.21567	6	0.21	539.31	0
539	Nickel (ppm)	0011	3.4905	0.25400	3.0483	0.83246	0.21567	6	0.53	539.41	0
539	Nickel (ppm)	0021	4.6500	0.50000	3.0483	0.83246	0.21567	6	1.92	539.42	0
600	Total Aflatoxin (ppb)	0615	1.7500	0.10000	1.9000	0.21213	1.1000	2	-0.71	600.01	0
600	Total Aflatoxin (ppb)	0689	2.0500	2.1000	1.9000	0.21213	1.1000	2	0.71	600.12	0
602	AB2 (ppb)	0918	0.06000	0.00000			0.00000	1			
610	Deoxynivalenol (ppb)	0218	517.00	0.00000	572.67	69.816	113.33	3	-0.80	610.25	0
610	Deoxynivalenol (ppb)	0227	550.00	300.00	572.67	69.816	113.33	3	-0.32	610.01	0
610	Deoxynivalenol (ppb)	0689	651.00	40.000	572.67	69.816	113.33	3	1.12	610.07	0
630	Ochratoxin A (ppb)	0218	0.00000	0.00000	2.0000	2.8284	1.0000	2	-0.71	630.20	0
630	Ochratoxin A (ppb)	0227	4.0000	2.0000	2.0000	2.8284	1.0000	2	0.71	630.01	0
640	T-2 (ppb)	0218	0.00000	0.00000	42.000	59.397	8.0000	2	-0.71	640.25	0
640	T-2 (ppb)	0227	84.000	16.000	42.000	59.397	8.0000	2	0.71	640.01	0
650	Zearalenone (ppb)	0218	0.00000	0.00000	40.613	38.757	23.475	4	-1.05	650.21	0
650	Zearalenone (ppb)	0918	15.450	1.9000	40.613	38.757	23.475	4	-0.65	650.24	0
650	Zearalenone (ppb)	0227	68.000	34.000	40.613	38.757	23.475	4	0.71	650.01	0
650	Zearalenone (ppb)	0689	79.000	58.000	40.613	38.757	23.475	4	0.99	650.06	0