

AAFCO Check Sample Program

All Labs and All Methods Report

Sort by Method

Proficiency Testing

Sample # 201423

Chicken Starter, Medicated



AAFCO

CHECK SAMPLE PROGRAM

Robust statistics not used if < 6 labs reporting, in this case the Z Scores are included for information only (Grey).

Issue Date : 04/30/2014

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
000	Urea (%)	0920	0.00000	0.00000	0.15000	0.21213	0.00000	2	-0.71	000.99	0
000	Urea (%)	0278	0.30000	0.00000	0.15000	0.21213	0.00000	2	0.71	000.02	0
001	Loss on Drying (%)	0618	7.8750	0.23000	9.8186	0.29443	0.09032	68	-6.60	001.99	0
001	Loss on Drying (%)	0618	8.6450	0.15000	9.8186	0.29443	0.09032	68	-3.99	001.07	0
001	Loss on Drying (%)	0609	8.8500	0.10000	9.8186	0.29443	0.09032	68	-3.29	001.07	0
001	Loss on Drying (%)	0536	8.9500	0.48000	9.8186	0.29443	0.09032	68	-2.95	001.99	0
001	Loss on Drying (%)	0720	9.0700	0.08000	9.8186	0.29443	0.09032	68	-2.54	001.99	0
001	Loss on Drying (%)	0948	9.1850	0.07000	9.8186	0.29443	0.09032	68	-2.15	001.99	0
001	Loss on Drying (%)	2058	9.2650	0.25000	9.8186	0.29443	0.09032	68	-1.88	001.99	0
001	Loss on Drying (%)	0015	9.3050	0.13000	9.8186	0.29443	0.09032	68	-1.74	001.07	0
001	Loss on Drying (%)	0309	9.3400	0.24000	9.8186	0.29443	0.09032	68	-1.63	001.00	0
001	Loss on Drying (%)	0852	9.3400	0.32000	9.8186	0.29443	0.09032	68	-1.63	001.99	0
001	Loss on Drying (%)	0353	9.4150	0.19000	9.8186	0.29443	0.09032	68	-1.37	001.07	0
001	Loss on Drying (%)	0683	9.4500	0.06000	9.8186	0.29443	0.09032	68	-1.25	001.07	0
001	Loss on Drying (%)	0038	9.5100	0.02000	9.8186	0.29443	0.09032	68	-1.05	001.07	0
001	Loss on Drying (%)	0581	9.5350	0.07000	9.8186	0.29443	0.09032	68	-0.96	001.07	0
001	Loss on Drying (%)	0089	9.5600	0.00000	9.8186	0.29443	0.09032	68	-0.88	001.07	0
001	Loss on Drying (%)	0297	9.6300	0.06000	9.8186	0.29443	0.09032	68	-0.64	001.07	0
001	Loss on Drying (%)	0913	9.6300	0.08000	9.8186	0.29443	0.09032	68	-0.64	001.07	0
001	Loss on Drying (%)	0186	9.6400	0.08000	9.8186	0.29443	0.09032	68	-0.61	001.03	0
001	Loss on Drying (%)	0889	9.6550	0.01000	9.8186	0.29443	0.09032	68	-0.56	001.99	0
001	Loss on Drying (%)	0065	9.6634	0.05670	9.8186	0.29443	0.09032	68	-0.53	001.07	0
001	Loss on Drying (%)	0035	9.6700	0.16000	9.8186	0.29443	0.09032	68	-0.50	001.07	0
001	Loss on Drying (%)	0845	9.6750	0.17000	9.8186	0.29443	0.09032	68	-0.49	001.07	0
001	Loss on Drying (%)	0629	9.6850	0.15000	9.8186	0.29443	0.09032	68	-0.45	001.99	0
001	Loss on Drying (%)	2059	9.6900	0.00000	9.8186	0.29443	0.09032	68	-0.44	001.07	0
001	Loss on Drying (%)	0510	9.7000	0.00000	9.8186	0.29443	0.09032	68	-0.40	001.99	0
001	Loss on Drying (%)	0171	9.7150	0.03000	9.8186	0.29443	0.09032	68	-0.35	001.07	0
001	Loss on Drying (%)	0504	9.7450	0.15000	9.8186	0.29443	0.09032	68	-0.25	001.00	0
001	Loss on Drying (%)	0413	9.7500	0.10000	9.8186	0.29443	0.09032	68	-0.23	001.07	0
001	Loss on Drying (%)	0610	9.7800	0.02000	9.8186	0.29443	0.09032	68	-0.13	001.05	0
001	Loss on Drying (%)	0083	9.7950	0.15000	9.8186	0.29443	0.09032	68	-0.08	001.07	0
001	Loss on Drying (%)	0868	9.8000	0.00000	9.8186	0.29443	0.09032	68	-0.06	001.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0278	9.8200	0.10000	9.8186	0.29443	0.09032	68	0.00	001.07	0
001	Loss on Drying (%)	2063	9.8350	0.01000	9.8186	0.29443	0.09032	68	0.06	001.03	0
001	Loss on Drying (%)	0675	9.8450	0.01000	9.8186	0.29443	0.09032	68	0.09	001.07	0
001	Loss on Drying (%)	0590	9.8500	0.10000	9.8186	0.29443	0.09032	68	0.11	001.08	0
001	Loss on Drying (%)	0918	9.8500	0.24000	9.8186	0.29443	0.09032	68	0.11	001.99	0
001	Loss on Drying (%)	2042	9.8550	0.01000	9.8186	0.29443	0.09032	68	0.12	001.03	0
001	Loss on Drying (%)	0139	9.8550	0.01000	9.8186	0.29443	0.09032	68	0.12	001.07	0
001	Loss on Drying (%)	0619	9.8600	0.02000	9.8186	0.29443	0.09032	68	0.14	001.03	0
001	Loss on Drying (%)	0226	9.9000	0.00000	9.8186	0.29443	0.09032	68	0.28	001.07	0
001	Loss on Drying (%)	0891	9.9031	0.00540	9.8186	0.29443	0.09032	68	0.29	001.03	0
001	Loss on Drying (%)	2062	9.9200	0.02000	9.8186	0.29443	0.09032	68	0.34	001.03	0
001	Loss on Drying (%)	0004	9.9300	0.28000	9.8186	0.29443	0.09032	68	0.38	001.99	0
001	Loss on Drying (%)	0592	9.9450	0.05000	9.8186	0.29443	0.09032	68	0.43	001.07	0
001	Loss on Drying (%)	0903	9.9650	0.01000	9.8186	0.29443	0.09032	68	0.50	001.03	0
001	Loss on Drying (%)	0505	9.9800	0.02000	9.8186	0.29443	0.09032	68	0.55	001.99	0
001	Loss on Drying (%)	0345	9.9900	0.02000	9.8186	0.29443	0.09032	68	0.58	001.00	0
001	Loss on Drying (%)	0571	9.9900	0.18000	9.8186	0.29443	0.09032	68	0.58	001.07	0
001	Loss on Drying (%)	0689	10.000	0.00000	9.8186	0.29443	0.09032	68	0.62	001.07	0
001	Loss on Drying (%)	0652	10.000	0.00000	9.8186	0.29443	0.09032	68	0.62	001.08	0
001	Loss on Drying (%)	0337	10.005	0.09000	9.8186	0.29443	0.09032	68	0.63	001.08	0
001	Loss on Drying (%)	0357	10.020	0.02000	9.8186	0.29443	0.09032	68	0.68	001.99	0
001	Loss on Drying (%)	0872	10.035	0.01000	9.8186	0.29443	0.09032	68	0.73	001.07	0
001	Loss on Drying (%)	0037	10.045	0.21000	9.8186	0.29443	0.09032	68	0.77	001.99	0
001	Loss on Drying (%)	0897	10.050	0.02000	9.8186	0.29443	0.09032	68	0.79	001.03	0
001	Loss on Drying (%)	0893	10.070	0.00000	9.8186	0.29443	0.09032	68	0.85	001.03	0
001	Loss on Drying (%)	0049	10.075	0.11000	9.8186	0.29443	0.09032	68	0.87	001.07	0
001	Loss on Drying (%)	0895	10.105	0.01000	9.8186	0.29443	0.09032	68	0.97	001.03	0
001	Loss on Drying (%)	0098	10.130	0.02000	9.8186	0.29443	0.09032	68	1.06	001.07	0
001	Loss on Drying (%)	0142	10.130	0.00000	9.8186	0.29443	0.09032	68	1.06	001.07	0
001	Loss on Drying (%)	0878	10.145	0.07000	9.8186	0.29443	0.09032	68	1.11	001.03	0
001	Loss on Drying (%)	0843	10.165	0.15000	9.8186	0.29443	0.09032	68	1.18	001.07	0
001	Loss on Drying (%)	0693	10.200	0.00000	9.8186	0.29443	0.09032	68	1.30	001.07	0
001	Loss on Drying (%)	0169	10.210	0.04000	9.8186	0.29443	0.09032	68	1.33	001.00	0
001	Loss on Drying (%)	0178	10.255	0.09000	9.8186	0.29443	0.09032	68	1.48	001.07	0
001	Loss on Drying (%)	0045	10.450	0.50000	9.8186	0.29443	0.09032	68	2.14	001.07	0
001	Loss on Drying (%)	2068	10.545	0.01000	9.8186	0.29443	0.09032	68	2.47	001.00	0
001	Loss on Drying (%)	2052	10.650	0.10000	9.8186	0.29443	0.09032	68	2.82	001.99	0
001	Loss on Drying (%)	0074	8.9400	0.98000	9.8186	0.29443	0.09032	68	-2.98	001.07	1
002	Protein (%)	0720	15.975	0.13000	17.339	0.24557	0.11476	199	-5.55	002.06	0
002	Protein (%)	0108	16.120	0.06000	17.339	0.24557	0.11476	199	-4.96	002.06	0
002	Protein (%)	0581	16.390	0.26000	17.339	0.24557	0.11476	199	-3.86	002.00	0
002	Protein (%)	0720	16.395	0.01000	17.339	0.24557	0.11476	199	-3.84	002.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0098	16.700	0.00000	17.339	0.24557	0.11476	199	-2.60	002.08	0
002	Protein (%)	0852	16.725	0.17000	17.339	0.24557	0.11476	199	-2.50	002.05	0
002	Protein (%)	0199	16.795	0.09000	17.339	0.24557	0.11476	199	-2.22	002.01	0
002	Protein (%)	2052	16.800	0.00000	17.339	0.24557	0.11476	199	-2.20	002.01	0
002	Protein (%)	0539	16.840	0.02000	17.339	0.24557	0.11476	199	-2.03	002.06	0
002	Protein (%)	0885	16.865	0.03000	17.339	0.24557	0.11476	199	-1.93	002.11	0
002	Protein (%)	0043	16.905	0.03000	17.339	0.24557	0.11476	199	-1.77	002.01	0
002	Protein (%)	0848	16.925	0.05000	17.339	0.24557	0.11476	199	-1.69	002.01	0
002	Protein (%)	0510	16.950	0.10000	17.339	0.24557	0.11476	199	-1.58	002.06	0
002	Protein (%)	2062	16.955	0.09000	17.339	0.24557	0.11476	199	-1.56	002.05	0
002	Protein (%)	0100	16.965	0.05000	17.339	0.24557	0.11476	199	-1.52	002.06	0
002	Protein (%)	0596	16.975	0.19000	17.339	0.24557	0.11476	199	-1.48	002.05	0
002	Protein (%)	0683	16.995	0.05000	17.339	0.24557	0.11476	199	-1.40	002.05	0
002	Protein (%)	0689	17.000	0.20000	17.339	0.24557	0.11476	199	-1.38	002.05	0
002	Protein (%)	2042	17.000	0.00000	17.339	0.24557	0.11476	199	-1.38	002.05	0
002	Protein (%)	0074	17.010	0.10000	17.339	0.24557	0.11476	199	-1.34	002.06	0
002	Protein (%)	0960	17.025	0.19000	17.339	0.24557	0.11476	199	-1.28	002.06	0
002	Protein (%)	0034	17.029	0.25800	17.339	0.24557	0.11476	199	-1.26	002.06	0
002	Protein (%)	0357	17.030	0.06000	17.339	0.24557	0.11476	199	-1.26	002.06	0
002	Protein (%)	0033	17.045	0.11000	17.339	0.24557	0.11476	199	-1.20	002.01	0
002	Protein (%)	0955	17.050	0.10000	17.339	0.24557	0.11476	199	-1.18	002.06	0
002	Protein (%)	0552	17.065	0.07000	17.339	0.24557	0.11476	199	-1.12	002.05	0
002	Protein (%)	0651	17.067	0.04600	17.339	0.24557	0.11476	199	-1.11	002.05	0
002	Protein (%)	0083	17.070	0.22000	17.339	0.24557	0.11476	199	-1.10	002.06	0
002	Protein (%)	0885	17.075	0.15000	17.339	0.24557	0.11476	199	-1.08	002.05	0
002	Protein (%)	0505	17.085	0.07000	17.339	0.24557	0.11476	199	-1.03	002.06	0
002	Protein (%)	0683	17.095	0.09000	17.339	0.24557	0.11476	199	-0.99	002.06	0
002	Protein (%)	0891	17.100	0.00150	17.339	0.24557	0.11476	199	-0.97	002.05	0
002	Protein (%)	0144	17.100	0.16000	17.339	0.24557	0.11476	199	-0.97	002.06	0
002	Protein (%)	0921	17.105	0.47000	17.339	0.24557	0.11476	199	-0.95	002.05	0
002	Protein (%)	0194	17.115	0.03000	17.339	0.24557	0.11476	199	-0.91	002.05	0
002	Protein (%)	0968	17.120	0.17100	17.339	0.24557	0.11476	199	-0.89	002.01	0
002	Protein (%)	0881	17.122	0.04300	17.339	0.24557	0.11476	199	-0.89	002.01	0
002	Protein (%)	0337	17.130	0.40000	17.339	0.24557	0.11476	199	-0.85	002.06	0
002	Protein (%)	0913	17.140	0.12000	17.339	0.24557	0.11476	199	-0.81	002.06	0
002	Protein (%)	0959	17.140	0.52000	17.339	0.24557	0.11476	199	-0.81	002.06	0
002	Protein (%)	0620	17.146	0.10340	17.339	0.24557	0.11476	199	-0.79	002.05	0
002	Protein (%)	0098	17.150	0.06000	17.339	0.24557	0.11476	199	-0.77	002.01	0
002	Protein (%)	0652	17.150	0.10000	17.339	0.24557	0.11476	199	-0.77	002.01	0
002	Protein (%)	0878	17.150	0.04000	17.339	0.24557	0.11476	199	-0.77	002.05	0
002	Protein (%)	0897	17.150	0.10000	17.339	0.24557	0.11476	199	-0.77	002.05	0
002	Protein (%)	0208	17.150	0.10000	17.339	0.24557	0.11476	199	-0.77	002.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0354	17.165	0.03000	17.339	0.24557	0.11476	199	-0.71	002.05	0
002	Protein (%)	0139	17.165	0.05000	17.339	0.24557	0.11476	199	-0.71	002.06	0
002	Protein (%)	0609	17.170	0.10000	17.339	0.24557	0.11476	199	-0.69	002.06	0
002	Protein (%)	0658	17.176	0.08010	17.339	0.24557	0.11476	199	-0.66	002.05	0
002	Protein (%)	0723	17.180	0.00000	17.339	0.24557	0.11476	199	-0.65	002.01	0
002	Protein (%)	2058	17.185	0.11000	17.339	0.24557	0.11476	199	-0.63	002.06	0
002	Protein (%)	0138	17.198	0.10900	17.339	0.24557	0.11476	199	-0.58	002.06	0
002	Protein (%)	0017	17.200	0.00000	17.339	0.24557	0.11476	199	-0.57	002.06	0
002	Protein (%)	2006	17.200	0.02000	17.339	0.24557	0.11476	199	-0.57	002.06	0
002	Protein (%)	0968	17.203	0.02400	17.339	0.24557	0.11476	199	-0.55	002.06	0
002	Protein (%)	0653	17.210	0.06000	17.339	0.24557	0.11476	199	-0.53	002.01	0
002	Protein (%)	0903	17.215	0.01000	17.339	0.24557	0.11476	199	-0.51	002.05	0
002	Protein (%)	0106	17.225	0.01000	17.339	0.24557	0.11476	199	-0.46	002.00	0
002	Protein (%)	2063	17.230	0.02000	17.339	0.24557	0.11476	199	-0.44	002.05	0
002	Protein (%)	0674	17.240	0.00000	17.339	0.24557	0.11476	199	-0.40	002.06	0
002	Protein (%)	0003	17.240	0.02000	17.339	0.24557	0.11476	199	-0.40	002.06	0
002	Protein (%)	0208	17.245	0.15000	17.339	0.24557	0.11476	199	-0.38	002.06	0
002	Protein (%)	0952	17.250	0.00000	17.339	0.24557	0.11476	199	-0.36	002.05	0
002	Protein (%)	0011	17.250	0.12000	17.339	0.24557	0.11476	199	-0.36	002.06	0
002	Protein (%)	0016	17.250	0.10000	17.339	0.24557	0.11476	199	-0.36	002.06	0
002	Protein (%)	0051	17.250	0.10000	17.339	0.24557	0.11476	199	-0.36	002.06	0
002	Protein (%)	0226	17.250	0.10000	17.339	0.24557	0.11476	199	-0.36	002.06	0
002	Protein (%)	0265	17.250	0.10000	17.339	0.24557	0.11476	199	-0.36	002.06	0
002	Protein (%)	0066	17.255	0.07000	17.339	0.24557	0.11476	199	-0.34	002.02	0
002	Protein (%)	0512	17.265	0.17000	17.339	0.24557	0.11476	199	-0.30	002.06	0
002	Protein (%)	0948	17.270	0.06000	17.339	0.24557	0.11476	199	-0.28	002.05	0
002	Protein (%)	0171	17.270	0.14000	17.339	0.24557	0.11476	199	-0.28	002.06	0
002	Protein (%)	0199	17.270	0.24000	17.339	0.24557	0.11476	199	-0.28	002.06	0
002	Protein (%)	0589	17.270	0.32000	17.339	0.24557	0.11476	199	-0.28	002.06	0
002	Protein (%)	2059	17.275	0.08120	17.339	0.24557	0.11476	199	-0.26	002.06	0
002	Protein (%)	0297	17.280	0.04000	17.339	0.24557	0.11476	199	-0.24	002.06	0
002	Protein (%)	0407	17.280	0.40000	17.339	0.24557	0.11476	199	-0.24	002.06	0
002	Protein (%)	0726	17.282	0.00700	17.339	0.24557	0.11476	199	-0.23	002.06	0
002	Protein (%)	0939	17.290	0.06000	17.339	0.24557	0.11476	199	-0.20	002.00	0
002	Protein (%)	2068	17.290	0.02000	17.339	0.24557	0.11476	199	-0.20	002.01	0
002	Protein (%)	0541	17.290	0.18000	17.339	0.24557	0.11476	199	-0.20	002.06	0
002	Protein (%)	0036	17.295	0.17570	17.339	0.24557	0.11476	199	-0.18	002.02	0
002	Protein (%)	0843	17.295	0.01000	17.339	0.24557	0.11476	199	-0.18	002.06	0
002	Protein (%)	0010	17.300	0.20000	17.339	0.24557	0.11476	199	-0.16	002.06	0
002	Protein (%)	2004	17.300	0.20000	17.339	0.24557	0.11476	199	-0.16	002.99	0
002	Protein (%)	0619	17.300	0.00000	17.339	0.24557	0.11476	199	-0.16	002.05	0
002	Protein (%)	0014	17.300	0.00000	17.339	0.24557	0.11476	199	-0.16	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0278	17.300	0.00000	17.339	0.24557	0.11476	199	-0.16	002.06	0
002	Protein (%)	0619	17.300	0.00000	17.339	0.24557	0.11476	199	-0.16	002.06	0
002	Protein (%)	0693	17.300	0.40000	17.339	0.24557	0.11476	199	-0.16	002.06	0
002	Protein (%)	0626	17.303	0.02900	17.339	0.24557	0.11476	199	-0.15	002.06	0
002	Protein (%)	0233	17.305	0.01000	17.339	0.24557	0.11476	199	-0.14	002.06	0
002	Protein (%)	0868	17.315	0.01000	17.339	0.24557	0.11476	199	-0.10	002.06	0
002	Protein (%)	0297	17.315	0.13000	17.339	0.24557	0.11476	199	-0.10	002.11	0
002	Protein (%)	0868	17.320	0.06000	17.339	0.24557	0.11476	199	-0.08	002.05	0
002	Protein (%)	2006	17.320	0.32000	17.339	0.24557	0.11476	199	-0.08	002.05	0
002	Protein (%)	0629	17.320	0.02000	17.339	0.24557	0.11476	199	-0.08	002.10	0
002	Protein (%)	0610	17.325	0.15000	17.339	0.24557	0.11476	199	-0.06	002.01	0
002	Protein (%)	0895	17.325	0.01000	17.339	0.24557	0.11476	199	-0.06	002.05	0
002	Protein (%)	0675	17.330	0.16000	17.339	0.24557	0.11476	199	-0.04	002.05	0
002	Protein (%)	0941	17.335	0.31000	17.339	0.24557	0.11476	199	-0.02	002.05	0
002	Protein (%)	0008	17.335	0.01000	17.339	0.24557	0.11476	199	-0.02	002.06	0
002	Protein (%)	0674	17.345	0.01000	17.339	0.24557	0.11476	199	0.02	002.05	0
002	Protein (%)	0142	17.345	0.01000	17.339	0.24557	0.11476	199	0.02	002.06	0
002	Protein (%)	0955	17.350	0.10000	17.339	0.24557	0.11476	199	0.04	002.05	0
002	Protein (%)	2065	17.350	0.02000	17.339	0.24557	0.11476	199	0.04	002.05	0
002	Protein (%)	0610	17.350	0.00000	17.339	0.24557	0.11476	199	0.04	002.06	0
002	Protein (%)	2023	17.355	0.03000	17.339	0.24557	0.11476	199	0.07	002.01	0
002	Protein (%)	0263	17.360	0.11470	17.339	0.24557	0.11476	199	0.08	002.06	0
002	Protein (%)	0049	17.365	0.11000	17.339	0.24557	0.11476	199	0.11	002.06	0
002	Protein (%)	0563	17.369	0.06310	17.339	0.24557	0.11476	199	0.12	002.08	0
002	Protein (%)	0553	17.370	0.22000	17.339	0.24557	0.11476	199	0.13	002.11	0
002	Protein (%)	0508	17.375	0.28100	17.339	0.24557	0.11476	199	0.14	002.06	0
002	Protein (%)	0242	17.375	0.13000	17.339	0.24557	0.11476	199	0.15	002.06	0
002	Protein (%)	2066	17.380	0.00000	17.339	0.24557	0.11476	199	0.17	002.06	0
002	Protein (%)	0622	17.386	0.21600	17.339	0.24557	0.11476	199	0.19	002.05	0
002	Protein (%)	2022	17.390	0.08000	17.339	0.24557	0.11476	199	0.21	002.05	0
002	Protein (%)	2023	17.390	0.16000	17.339	0.24557	0.11476	199	0.21	002.06	0
002	Protein (%)	0893	17.395	0.01000	17.339	0.24557	0.11476	199	0.23	002.05	0
002	Protein (%)	0958	17.395	0.01000	17.339	0.24557	0.11476	199	0.23	002.06	0
002	Protein (%)	0065	17.399	0.03480	17.339	0.24557	0.11476	199	0.25	002.06	0
002	Protein (%)	0015	17.400	0.04000	17.339	0.24557	0.11476	199	0.25	002.05	0
002	Protein (%)	0618	17.400	0.12000	17.339	0.24557	0.11476	199	0.25	002.06	0
002	Protein (%)	0884	17.400	0.40000	17.339	0.24557	0.11476	199	0.25	002.06	0
002	Protein (%)	0013	17.405	0.19000	17.339	0.24557	0.11476	199	0.27	002.06	0
002	Protein (%)	0148	17.405	0.07000	17.339	0.24557	0.11476	199	0.27	002.06	0
002	Protein (%)	0857	17.410	0.08000	17.339	0.24557	0.11476	199	0.29	002.06	0
002	Protein (%)	0598	17.415	0.27000	17.339	0.24557	0.11476	199	0.31	002.06	0
002	Protein (%)	0009	17.425	0.05000	17.339	0.24557	0.11476	199	0.35	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	2016	17.425	0.01000	17.339	0.24557	0.11476	199	0.35	002.06	0
002	Protein (%)	2067	17.426	0.05400	17.339	0.24557	0.11476	199	0.35	002.05	0
002	Protein (%)	0300	17.430	0.22000	17.339	0.24557	0.11476	199	0.37	002.00	0
002	Protein (%)	0168	17.435	0.37000	17.339	0.24557	0.11476	199	0.39	002.06	0
002	Protein (%)	0298	17.440	0.02000	17.339	0.24557	0.11476	199	0.41	002.06	0
002	Protein (%)	0229	17.440	0.04000	17.339	0.24557	0.11476	199	0.41	002.06	0
002	Protein (%)	0032	17.445	0.27000	17.339	0.24557	0.11476	199	0.43	002.06	0
002	Protein (%)	0921	17.445	0.45000	17.339	0.24557	0.11476	199	0.43	002.06	0
002	Protein (%)	0175	17.450	0.10000	17.339	0.24557	0.11476	199	0.45	002.06	0
002	Protein (%)	0948	17.450	0.10000	17.339	0.24557	0.11476	199	0.45	002.06	0
002	Protein (%)	0006	17.459	0.18800	17.339	0.24557	0.11476	199	0.49	002.06	0
002	Protein (%)	0004	17.460	0.04000	17.339	0.24557	0.11476	199	0.49	002.06	0
002	Protein (%)	0035	17.465	0.03000	17.339	0.24557	0.11476	199	0.51	002.06	0
002	Protein (%)	0038	17.470	0.04000	17.339	0.24557	0.11476	199	0.53	002.06	0
002	Protein (%)	0205	17.475	0.19000	17.339	0.24557	0.11476	199	0.55	002.06	0
002	Protein (%)	0018	17.490	0.08000	17.339	0.24557	0.11476	199	0.61	002.06	0
002	Protein (%)	0650	17.495	0.03000	17.339	0.24557	0.11476	199	0.64	002.06	0
002	Protein (%)	0045	17.500	0.20000	17.339	0.24557	0.11476	199	0.66	002.06	0
002	Protein (%)	0089	17.500	0.00000	17.339	0.24557	0.11476	199	0.66	002.06	0
002	Protein (%)	0294	17.500	0.00000	17.339	0.24557	0.11476	199	0.66	002.06	0
002	Protein (%)	0682	17.510	0.02000	17.339	0.24557	0.11476	199	0.70	002.06	0
002	Protein (%)	2053	17.510	0.08000	17.339	0.24557	0.11476	199	0.70	002.06	0
002	Protein (%)	2003	17.525	0.07000	17.339	0.24557	0.11476	199	0.76	002.06	0
002	Protein (%)	0164	17.530	0.04000	17.339	0.24557	0.11476	199	0.78	002.06	0
002	Protein (%)	0660	17.530	0.04000	17.339	0.24557	0.11476	199	0.78	002.06	0
002	Protein (%)	0646	17.535	0.05000	17.339	0.24557	0.11476	199	0.80	002.06	0
002	Protein (%)	0687	17.535	0.03000	17.339	0.24557	0.11476	199	0.80	002.06	0
002	Protein (%)	0504	17.540	0.08000	17.339	0.24557	0.11476	199	0.82	002.06	0
002	Protein (%)	0571	17.541	0.12500	17.339	0.24557	0.11476	199	0.82	002.06	0
002	Protein (%)	0160	17.550	0.56000	17.339	0.24557	0.11476	199	0.86	002.06	0
002	Protein (%)	0309	17.550	0.20000	17.339	0.24557	0.11476	199	0.86	002.08	0
002	Protein (%)	0643	17.550	0.08000	17.339	0.24557	0.11476	199	0.86	002.99	0
002	Protein (%)	0592	17.558	0.23500	17.339	0.24557	0.11476	199	0.89	002.06	0
002	Protein (%)	0001	17.560	0.06000	17.339	0.24557	0.11476	199	0.90	002.06	0
002	Protein (%)	0190	17.560	0.26000	17.339	0.24557	0.11476	199	0.90	002.06	0
002	Protein (%)	0354	17.565	0.03000	17.339	0.24557	0.11476	199	0.92	002.06	0
002	Protein (%)	0425	17.570	0.04000	17.339	0.24557	0.11476	199	0.94	002.06	0
002	Protein (%)	0353	17.575	0.25000	17.339	0.24557	0.11476	199	0.96	002.06	0
002	Protein (%)	0939	17.580	0.10000	17.339	0.24557	0.11476	199	0.98	002.02	0
002	Protein (%)	0202	17.585	0.37000	17.339	0.24557	0.11476	199	1.00	002.06	0
002	Protein (%)	0553	17.615	0.15000	17.339	0.24557	0.11476	199	1.12	002.06	0
002	Protein (%)	0178	17.625	0.13000	17.339	0.24557	0.11476	199	1.16	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0036	17.640	0.10000	17.339	0.24557	0.11476	199	1.23	002.06	0
002	Protein (%)	0152	17.650	0.10000	17.339	0.24557	0.11476	199	1.27	002.01	0
002	Protein (%)	0037	17.665	0.31000	17.339	0.24557	0.11476	199	1.33	002.06	0
002	Protein (%)	0957	17.680	0.14000	17.339	0.24557	0.11476	199	1.39	002.06	0
002	Protein (%)	0574	17.700	0.10000	17.339	0.24557	0.11476	199	1.47	002.06	0
002	Protein (%)	0964	17.705	0.23000	17.339	0.24557	0.11476	199	1.49	002.06	0
002	Protein (%)	0590	17.725	0.45000	17.339	0.24557	0.11476	199	1.57	002.06	0
002	Protein (%)	0692	17.750	0.30000	17.339	0.24557	0.11476	199	1.67	002.06	0
002	Protein (%)	0880	17.750	0.34000	17.339	0.24557	0.11476	199	1.67	002.06	0
002	Protein (%)	0019	17.765	0.11000	17.339	0.24557	0.11476	199	1.73	002.06	0
002	Protein (%)	0345	17.775	0.15000	17.339	0.24557	0.11476	199	1.78	002.06	0
002	Protein (%)	0946	17.778	0.01900	17.339	0.24557	0.11476	199	1.79	002.07	0
002	Protein (%)	0861	17.785	0.19000	17.339	0.24557	0.11476	199	1.82	002.06	0
002	Protein (%)	0956	17.800	0.20000	17.339	0.24557	0.11476	199	1.88	002.06	0
002	Protein (%)	0043	17.810	0.02000	17.339	0.24557	0.11476	199	1.92	002.06	0
002	Protein (%)	0953	17.820	0.28000	17.339	0.24557	0.11476	199	1.96	002.06	0
002	Protein (%)	0405	17.840	0.16000	17.339	0.24557	0.11476	199	2.04	002.04	0
002	Protein (%)	0941	17.860	0.18000	17.339	0.24557	0.11476	199	2.12	002.06	0
002	Protein (%)	0872	17.973	0.01000	17.339	0.24557	0.11476	199	2.58	002.06	0
002	Protein (%)	0685	18.235	0.01000	17.339	0.24557	0.11476	199	3.65	002.01	0
002	Protein (%)	0536	18.245	0.01000	17.339	0.24557	0.11476	199	3.69	002.05	0
002	Protein (%)	0511	18.340	0.12000	17.339	0.24557	0.11476	199	4.08	002.06	0
002	Protein (%)	0889	18.580	0.02000	17.339	0.24557	0.11476	199	5.05	002.01	0
002	Protein (%)	0918	18.832	0.11700	17.339	0.24557	0.11476	199	6.08	002.06	0
002	Protein (%)	0845	18.880	0.18000	17.339	0.24557	0.11476	199	6.28	002.00	0
002	Protein (%)	0889	19.040	0.02000	17.339	0.24557	0.11476	199	6.93	002.11	0
002	Protein (%)	0520	19.750	0.00000	17.339	0.24557	0.11476	199	9.82	002.06	0
002	Protein (%)	0876	15.270	0.88000	17.339	0.24557	0.11476	199	-8.43	002.06	1
002	Protein (%)	0047	17.165	0.73000	17.339	0.24557	0.11476	199	-0.71	002.06	1
002	Protein (%)	0413	17.200	0.60000	17.339	0.24557	0.11476	199	-0.57	002.06	1
002	Protein (%)	0169	84.475	1.0100	17.339	0.24557	0.11476	199	273.39	002.02	2
003	Fat (%)	0574	1.5900	0.02000	3.1385	0.19380	0.08580	140	-7.99	003.14	0
003	Fat (%)	0720	2.5100	0.22000	3.1385	0.19380	0.08580	140	-3.24	003.00	0
003	Fat (%)	0674	2.5550	0.03000	3.1385	0.19380	0.08580	140	-3.01	003.09	0
003	Fat (%)	0563	2.6339	0.01870	3.1385	0.19380	0.08580	140	-2.60	003.01	0
003	Fat (%)	0574	2.7100	0.14000	3.1385	0.19380	0.08580	140	-2.21	003.06	0
003	Fat (%)	0619	2.7800	0.12000	3.1385	0.19380	0.08580	140	-1.85	003.10	0
003	Fat (%)	2006	2.7950	0.05000	3.1385	0.19380	0.08580	140	-1.77	003.12	0
003	Fat (%)	0952	2.8000	0.04000	3.1385	0.19380	0.08580	140	-1.75	003.10	0
003	Fat (%)	2068	2.8050	0.01000	3.1385	0.19380	0.08580	140	-1.72	003.09	0
003	Fat (%)	0861	2.8050	0.15000	3.1385	0.19380	0.08580	140	-1.72	003.10	0
003	Fat (%)	0300	2.8100	0.14000	3.1385	0.19380	0.08580	140	-1.70	003.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0051	2.8200	0.40000	3.1385	0.19380	0.08580	140	-1.64	003.09	0
003	Fat (%)	0229	2.8250	0.05000	3.1385	0.19380	0.08580	140	-1.62	003.14	0
003	Fat (%)	0208	2.8700	0.08000	3.1385	0.19380	0.08580	140	-1.39	003.13	0
003	Fat (%)	0629	2.8750	0.03000	3.1385	0.19380	0.08580	140	-1.36	003.10	0
003	Fat (%)	0337	2.8800	0.16000	3.1385	0.19380	0.08580	140	-1.33	003.00	0
003	Fat (%)	0646	2.8900	0.04000	3.1385	0.19380	0.08580	140	-1.28	003.13	0
003	Fat (%)	0884	2.9100	0.34000	3.1385	0.19380	0.08580	140	-1.18	003.00	0
003	Fat (%)	0042	2.9100	0.16000	3.1385	0.19380	0.08580	140	-1.18	003.10	0
003	Fat (%)	0720	2.9100	0.00000	3.1385	0.19380	0.08580	140	-1.18	003.11	0
003	Fat (%)	0298	2.9200	0.02000	3.1385	0.19380	0.08580	140	-1.13	003.10	0
003	Fat (%)	0868	2.9300	0.00000	3.1385	0.19380	0.08580	140	-1.08	003.10	0
003	Fat (%)	0693	2.9350	0.09000	3.1385	0.19380	0.08580	140	-1.05	003.10	0
003	Fat (%)	0913	2.9450	0.07000	3.1385	0.19380	0.08580	140	-1.00	003.14	0
003	Fat (%)	0074	2.9500	0.10000	3.1385	0.19380	0.08580	140	-0.97	003.06	0
003	Fat (%)	0152	2.9500	0.10000	3.1385	0.19380	0.08580	140	-0.97	003.09	0
003	Fat (%)	0265	2.9500	0.10000	3.1385	0.19380	0.08580	140	-0.97	003.14	0
003	Fat (%)	0242	2.9550	0.01000	3.1385	0.19380	0.08580	140	-0.95	003.10	0
003	Fat (%)	2067	2.9630	0.03400	3.1385	0.19380	0.08580	140	-0.91	003.10	0
003	Fat (%)	0034	2.9650	0.01000	3.1385	0.19380	0.08580	140	-0.90	003.10	0
003	Fat (%)	0553	2.9700	0.02000	3.1385	0.19380	0.08580	140	-0.87	003.10	0
003	Fat (%)	0202	2.9700	0.08000	3.1385	0.19380	0.08580	140	-0.87	003.14	0
003	Fat (%)	0407	2.9900	0.00000	3.1385	0.19380	0.08580	140	-0.77	003.14	0
003	Fat (%)	0033	2.9950	0.07000	3.1385	0.19380	0.08580	140	-0.74	003.13	0
003	Fat (%)	0357	3.0000	0.00000	3.1385	0.19380	0.08580	140	-0.71	003.14	0
003	Fat (%)	2062	3.0050	0.13000	3.1385	0.19380	0.08580	140	-0.69	003.12	0
003	Fat (%)	0169	3.0200	0.00000	3.1385	0.19380	0.08580	140	-0.61	003.06	0
003	Fat (%)	2063	3.0200	0.00000	3.1385	0.19380	0.08580	140	-0.61	003.06	0
003	Fat (%)	0178	3.0300	0.06000	3.1385	0.19380	0.08580	140	-0.56	003.10	0
003	Fat (%)	0009	3.0350	0.25000	3.1385	0.19380	0.08580	140	-0.53	003.14	0
003	Fat (%)	0553	3.0400	0.02000	3.1385	0.19380	0.08580	140	-0.51	003.11	0
003	Fat (%)	2058	3.0500	0.08000	3.1385	0.19380	0.08580	140	-0.46	003.00	0
003	Fat (%)	0653	3.0500	0.00000	3.1385	0.19380	0.08580	140	-0.46	003.09	0
003	Fat (%)	0598	3.0500	0.06000	3.1385	0.19380	0.08580	140	-0.46	003.14	0
003	Fat (%)	0199	3.0750	0.01000	3.1385	0.19380	0.08580	140	-0.33	003.06	0
003	Fat (%)	0353	3.0750	0.07000	3.1385	0.19380	0.08580	140	-0.33	003.09	0
003	Fat (%)	0171	3.0750	0.15000	3.1385	0.19380	0.08580	140	-0.33	003.12	0
003	Fat (%)	2022	3.0800	0.00000	3.1385	0.19380	0.08580	140	-0.30	003.10	0
003	Fat (%)	0144	3.0800	0.04000	3.1385	0.19380	0.08580	140	-0.30	003.14	0
003	Fat (%)	0552	3.0850	0.03000	3.1385	0.19380	0.08580	140	-0.28	003.06	0
003	Fat (%)	2003	3.0900	0.00000	3.1385	0.19380	0.08580	140	-0.25	003.10	0
003	Fat (%)	0689	3.1000	0.20000	3.1385	0.19380	0.08580	140	-0.20	003.06	0
003	Fat (%)	0609	3.1000	0.30000	3.1385	0.19380	0.08580	140	-0.20	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0689	3.1000	0.20000	3.1385	0.19380	0.08580	140	-0.20	003.10	0
003	Fat (%)	0893	3.1000	0.00000	3.1385	0.19380	0.08580	140	-0.20	003.12	0
003	Fat (%)	0089	3.1000	0.00000	3.1385	0.19380	0.08580	140	-0.20	003.14	0
003	Fat (%)	0278	3.1000	0.00000	3.1385	0.19380	0.08580	140	-0.20	003.14	0
003	Fat (%)	0956	3.1000	0.00000	3.1385	0.19380	0.08580	140	-0.20	003.14	0
003	Fat (%)	0939	3.1050	0.13000	3.1385	0.19380	0.08580	140	-0.17	003.00	0
003	Fat (%)	0045	3.1050	0.03000	3.1385	0.19380	0.08580	140	-0.17	003.10	0
003	Fat (%)	0004	3.1200	0.08000	3.1385	0.19380	0.08580	140	-0.10	003.09	0
003	Fat (%)	0723	3.1200	0.00000	3.1385	0.19380	0.08580	140	-0.10	003.09	0
003	Fat (%)	0098	3.1200	0.22000	3.1385	0.19380	0.08580	140	-0.10	003.10	0
003	Fat (%)	0512	3.1215	0.08100	3.1385	0.19380	0.08580	140	-0.09	003.09	0
003	Fat (%)	0881	3.1220	0.11800	3.1385	0.19380	0.08580	140	-0.09	003.10	0
003	Fat (%)	0001	3.1240	0.10600	3.1385	0.19380	0.08580	140	-0.08	003.14	0
003	Fat (%)	0511	3.1250	0.09000	3.1385	0.19380	0.08580	140	-0.07	003.06	0
003	Fat (%)	0682	3.1250	0.01000	3.1385	0.19380	0.08580	140	-0.07	003.06	0
003	Fat (%)	0520	3.1300	0.20000	3.1385	0.19380	0.08580	140	-0.04	003.14	0
003	Fat (%)	0581	3.1400	0.10000	3.1385	0.19380	0.08580	140	0.01	003.14	0
003	Fat (%)	0889	3.1400	0.04000	3.1385	0.19380	0.08580	140	0.01	003.11	0
003	Fat (%)	0294	3.1450	0.03000	3.1385	0.19380	0.08580	140	0.03	003.06	0
003	Fat (%)	0049	3.1450	0.29000	3.1385	0.19380	0.08580	140	0.03	003.14	0
003	Fat (%)	0968	3.1540	0.05800	3.1385	0.19380	0.08580	140	0.08	003.09	0
003	Fat (%)	0035	3.1550	0.01000	3.1385	0.19380	0.08580	140	0.08	003.00	0
003	Fat (%)	0895	3.1550	0.01000	3.1385	0.19380	0.08580	140	0.08	003.12	0
003	Fat (%)	0508	3.1568	0.08210	3.1385	0.19380	0.08580	140	0.09	003.09	0
003	Fat (%)	0425	3.1600	0.02000	3.1385	0.19380	0.08580	140	0.11	003.06	0
003	Fat (%)	0148	3.1650	0.09000	3.1385	0.19380	0.08580	140	0.14	003.06	0
003	Fat (%)	0878	3.1650	0.15000	3.1385	0.19380	0.08580	140	0.14	003.14	0
003	Fat (%)	0505	3.1700	0.04000	3.1385	0.19380	0.08580	140	0.16	003.09	0
003	Fat (%)	0948	3.1700	0.00000	3.1385	0.19380	0.08580	140	0.16	003.09	0
003	Fat (%)	0233	3.1700	0.02000	3.1385	0.19380	0.08580	140	0.16	003.10	0
003	Fat (%)	0345	3.1750	0.05000	3.1385	0.19380	0.08580	140	0.19	003.00	0
003	Fat (%)	0098	3.1750	0.11000	3.1385	0.19380	0.08580	140	0.19	003.09	0
003	Fat (%)	0100	3.1750	0.01000	3.1385	0.19380	0.08580	140	0.19	003.10	0
003	Fat (%)	0066	3.1750	0.11000	3.1385	0.19380	0.08580	140	0.19	003.14	0
003	Fat (%)	0955	3.1800	0.02000	3.1385	0.19380	0.08580	140	0.21	003.14	0
003	Fat (%)	0891	3.1836	0.00230	3.1385	0.19380	0.08580	140	0.23	003.14	0
003	Fat (%)	0047	3.1850	0.05000	3.1385	0.19380	0.08580	140	0.24	003.99	0
003	Fat (%)	2042	3.1950	0.01000	3.1385	0.19380	0.08580	140	0.29	003.10	0
003	Fat (%)	2023	3.1950	0.07000	3.1385	0.19380	0.08580	140	0.29	003.14	0
003	Fat (%)	0038	3.2050	0.17000	3.1385	0.19380	0.08580	140	0.34	003.09	0
003	Fat (%)	0897	3.2050	0.03000	3.1385	0.19380	0.08580	140	0.34	003.12	0
003	Fat (%)	0536	3.2050	0.17000	3.1385	0.19380	0.08580	140	0.34	003.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0205	3.2150	0.05800	3.1385	0.19380	0.08580	140	0.39	003.13	0
003	Fat (%)	0263	3.2184	0.00330	3.1385	0.19380	0.08580	140	0.41	003.09	0
003	Fat (%)	0354	3.2250	0.03000	3.1385	0.19380	0.08580	140	0.45	003.09	0
003	Fat (%)	0142	3.2300	0.18000	3.1385	0.19380	0.08580	140	0.47	003.00	0
003	Fat (%)	0106	3.2350	0.05000	3.1385	0.19380	0.08580	140	0.50	003.01	0
003	Fat (%)	0903	3.2350	0.01000	3.1385	0.19380	0.08580	140	0.50	003.12	0
003	Fat (%)	0108	3.2400	0.46000	3.1385	0.19380	0.08580	140	0.52	003.14	0
003	Fat (%)	0015	3.2450	0.05000	3.1385	0.19380	0.08580	140	0.55	003.14	0
003	Fat (%)	0226	3.2500	0.10000	3.1385	0.19380	0.08580	140	0.58	003.09	0
003	Fat (%)	0964	3.2500	0.10000	3.1385	0.19380	0.08580	140	0.58	003.09	0
003	Fat (%)	2052	3.2550	0.23000	3.1385	0.19380	0.08580	140	0.60	003.14	0
003	Fat (%)	2053	3.2650	0.03000	3.1385	0.19380	0.08580	140	0.65	003.00	0
003	Fat (%)	0297	3.2700	0.02000	3.1385	0.19380	0.08580	140	0.68	003.06	0
003	Fat (%)	0083	3.2700	0.34000	3.1385	0.19380	0.08580	140	0.68	003.06	0
003	Fat (%)	0885	3.2850	0.03000	3.1385	0.19380	0.08580	140	0.76	003.11	0
003	Fat (%)	0683	3.3000	0.02000	3.1385	0.19380	0.08580	140	0.83	003.14	0
003	Fat (%)	0687	3.3100	0.02000	3.1385	0.19380	0.08580	140	0.88	003.06	0
003	Fat (%)	0726	3.3135	0.03100	3.1385	0.19380	0.08580	140	0.90	003.14	0
003	Fat (%)	0019	3.3150	0.03000	3.1385	0.19380	0.08580	140	0.91	003.14	0
003	Fat (%)	0194	3.3250	0.03000	3.1385	0.19380	0.08580	140	0.96	003.00	0
003	Fat (%)	0354	3.3350	0.01000	3.1385	0.19380	0.08580	140	1.01	003.00	0
003	Fat (%)	0510	3.3500	0.10000	3.1385	0.19380	0.08580	140	1.09	003.09	0
003	Fat (%)	0297	3.3550	0.03000	3.1385	0.19380	0.08580	140	1.12	003.11	0
003	Fat (%)	2065	3.3550	0.01000	3.1385	0.19380	0.08580	140	1.12	003.12	0
003	Fat (%)	0139	3.3600	0.02000	3.1385	0.19380	0.08580	140	1.14	003.00	0
003	Fat (%)	0675	3.3750	0.05000	3.1385	0.19380	0.08580	140	1.22	003.09	0
003	Fat (%)	0685	3.3750	0.01000	3.1385	0.19380	0.08580	140	1.22	003.09	0
003	Fat (%)	0309	3.3950	0.51000	3.1385	0.19380	0.08580	140	1.32	003.00	0
003	Fat (%)	0164	3.4250	0.01000	3.1385	0.19380	0.08580	140	1.48	003.06	0
003	Fat (%)	0596	3.4350	0.01000	3.1385	0.19380	0.08580	140	1.53	003.00	0
003	Fat (%)	0175	3.4400	0.08000	3.1385	0.19380	0.08580	140	1.56	003.00	0
003	Fat (%)	0065	3.4538	0.00250	3.1385	0.19380	0.08580	140	1.63	003.00	0
003	Fat (%)	0889	3.4950	0.01000	3.1385	0.19380	0.08580	140	1.84	003.10	0
003	Fat (%)	0190	3.5050	0.21000	3.1385	0.19380	0.08580	140	1.89	003.14	0
003	Fat (%)	2052	3.5400	0.02000	3.1385	0.19380	0.08580	140	2.07	003.99	0
003	Fat (%)	0017	3.5500	0.70000	3.1385	0.19380	0.08580	140	2.12	003.00	0
003	Fat (%)	0918	3.5950	0.03000	3.1385	0.19380	0.08580	140	2.36	003.06	0
003	Fat (%)	0876	3.6000	0.20000	3.1385	0.19380	0.08580	140	2.38	003.00	0
003	Fat (%)	0413	3.6000	0.00000	3.1385	0.19380	0.08580	140	2.38	003.14	0
003	Fat (%)	0852	3.6300	0.14000	3.1385	0.19380	0.08580	140	2.54	003.06	0
003	Fat (%)	0590	3.6350	0.07000	3.1385	0.19380	0.08580	140	2.56	003.09	0
003	Fat (%)	0848	3.6350	0.07000	3.1385	0.19380	0.08580	140	2.56	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0885	3.6450	0.31000	3.1385	0.19380	0.08580	140	2.61	003.00	0
003	Fat (%)	0946	3.7465	0.25700	3.1385	0.19380	0.08580	140	3.14	003.00	0
003	Fat (%)	0660	5.1200	0.02000	3.1385	0.19380	0.08580	140	10.22	003.13	0
003	Fat (%)	0880	3.1000	2.4000	3.1385	0.19380	0.08580	140	-0.20	003.99	1
003	Fat (%)	0504	3.1700	0.84000	3.1385	0.19380	0.08580	140	0.16	003.01	1
003	Fat (%)	0618	19.220	0.38000	3.1385	0.19380	0.08580	140	82.98	003.10	2
004	Fiber (%)	0939	2.8150	0.31000	3.6930	0.32156	0.12850	123	-2.73	004.07	0
004	Fiber (%)	2042	2.9200	0.02000	3.6930	0.32156	0.12850	123	-2.40	004.03	0
004	Fiber (%)	0553	2.9300	0.24000	3.6930	0.32156	0.12850	123	-2.37	004.07	0
004	Fiber (%)	0407	2.9650	0.09000	3.6930	0.32156	0.12850	123	-2.26	004.07	0
004	Fiber (%)	0008	2.9750	0.55000	3.6930	0.32156	0.12850	123	-2.23	004.07	0
004	Fiber (%)	0202	3.0100	0.10000	3.6930	0.32156	0.12850	123	-2.12	004.07	0
004	Fiber (%)	0510	3.0500	0.10000	3.6930	0.32156	0.12850	123	-2.00	004.07	0
004	Fiber (%)	0913	3.0500	0.30000	3.6930	0.32156	0.12850	123	-2.00	004.07	0
004	Fiber (%)	0278	3.1000	0.00000	3.6930	0.32156	0.12850	123	-1.84	004.07	0
004	Fiber (%)	0144	3.1300	0.18000	3.6930	0.32156	0.12850	123	-1.75	004.07	0
004	Fiber (%)	0345	3.1950	0.11000	3.6930	0.32156	0.12850	123	-1.55	004.00	0
004	Fiber (%)	0042	3.2250	0.29000	3.6930	0.32156	0.12850	123	-1.46	004.07	0
004	Fiber (%)	0897	3.2350	0.01000	3.6930	0.32156	0.12850	123	-1.42	004.06	0
004	Fiber (%)	0337	3.2500	0.04000	3.6930	0.32156	0.12850	123	-1.38	004.00	0
004	Fiber (%)	2052	3.2550	0.01000	3.6930	0.32156	0.12850	123	-1.36	004.07	0
004	Fiber (%)	0505	3.2750	0.01000	3.6930	0.32156	0.12850	123	-1.30	004.07	0
004	Fiber (%)	0619	3.2800	0.04000	3.6930	0.32156	0.12850	123	-1.28	004.07	0
004	Fiber (%)	0354	3.3000	0.32000	3.6930	0.32156	0.12850	123	-1.22	004.07	0
004	Fiber (%)	0098	3.3200	0.00000	3.6930	0.32156	0.12850	123	-1.16	004.07	0
004	Fiber (%)	0066	3.3200	0.20000	3.6930	0.32156	0.12850	123	-1.16	004.07	0
004	Fiber (%)	0596	3.3250	0.15000	3.6930	0.32156	0.12850	123	-1.14	004.00	0
004	Fiber (%)	0646	3.3350	0.09000	3.6930	0.32156	0.12850	123	-1.11	004.07	0
004	Fiber (%)	0956	3.3500	0.10000	3.6930	0.32156	0.12850	123	-1.07	004.07	0
004	Fiber (%)	0265	3.3500	0.30000	3.6930	0.32156	0.12850	123	-1.07	004.07	0
004	Fiber (%)	0885	3.3550	0.01000	3.6930	0.32156	0.12850	123	-1.05	004.11	0
004	Fiber (%)	0708	3.3650	0.09000	3.6930	0.32156	0.12850	123	-1.02	004.07	0
004	Fiber (%)	0169	3.3800	0.00000	3.6930	0.32156	0.12850	123	-0.97	004.00	0
004	Fiber (%)	0033	3.4750	0.01000	3.6930	0.32156	0.12850	123	-0.68	004.07	0
004	Fiber (%)	0629	3.4750	0.05000	3.6930	0.32156	0.12850	123	-0.68	004.99	0
004	Fiber (%)	0038	3.4850	0.21000	3.6930	0.32156	0.12850	123	-0.65	004.06	0
004	Fiber (%)	0015	3.4900	0.08000	3.6930	0.32156	0.12850	123	-0.63	004.07	0
004	Fiber (%)	0592	3.5050	0.05000	3.6930	0.32156	0.12850	123	-0.58	004.07	0
004	Fiber (%)	0034	3.5500	0.10000	3.6930	0.32156	0.12850	123	-0.44	004.00	0
004	Fiber (%)	0590	3.5500	0.30000	3.6930	0.32156	0.12850	123	-0.44	004.06	0
004	Fiber (%)	0190	3.5600	0.12000	3.6930	0.32156	0.12850	123	-0.41	004.07	0
004	Fiber (%)	0723	3.5621	0.00000	3.6930	0.32156	0.12850	123	-0.41	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0009	3.5750	0.27000	3.6930	0.32156	0.12850	123	-0.37	004.07	0
004	Fiber (%)	0208	3.5850	0.59000	3.6930	0.32156	0.12850	123	-0.34	004.00	0
004	Fiber (%)	0003	3.5950	0.15000	3.6930	0.32156	0.12850	123	-0.30	004.07	0
004	Fiber (%)	0229	3.6000	0.20000	3.6930	0.32156	0.12850	123	-0.29	004.07	0
004	Fiber (%)	0297	3.6000	0.04000	3.6930	0.32156	0.12850	123	-0.29	004.07	0
004	Fiber (%)	0520	3.6050	0.29000	3.6930	0.32156	0.12850	123	-0.27	004.07	0
004	Fiber (%)	0504	3.6100	0.16000	3.6930	0.32156	0.12850	123	-0.26	004.00	0
004	Fiber (%)	0918	3.6100	0.14000	3.6930	0.32156	0.12850	123	-0.26	004.06	0
004	Fiber (%)	2053	3.6100	0.10000	3.6930	0.32156	0.12850	123	-0.26	004.07	0
004	Fiber (%)	0681	3.6250	0.09000	3.6930	0.32156	0.12850	123	-0.21	004.00	0
004	Fiber (%)	0178	3.6350	0.47000	3.6930	0.32156	0.12850	123	-0.18	004.07	0
004	Fiber (%)	0884	3.6400	0.28000	3.6930	0.32156	0.12850	123	-0.16	004.00	0
004	Fiber (%)	0083	3.6400	0.30000	3.6930	0.32156	0.12850	123	-0.16	004.07	0
004	Fiber (%)	0100	3.6450	0.15000	3.6930	0.32156	0.12850	123	-0.15	004.07	0
004	Fiber (%)	0861	3.6450	0.25000	3.6930	0.32156	0.12850	123	-0.15	004.07	0
004	Fiber (%)	0425	3.6500	0.10000	3.6930	0.32156	0.12850	123	-0.13	004.00	0
004	Fiber (%)	0653	3.6600	0.08000	3.6930	0.32156	0.12850	123	-0.10	004.06	0
004	Fiber (%)	0194	3.6650	0.03000	3.6930	0.32156	0.12850	123	-0.09	004.00	0
004	Fiber (%)	0354	3.6650	0.03000	3.6930	0.32156	0.12850	123	-0.09	004.00	0
004	Fiber (%)	0946	3.6735	0.05500	3.6930	0.32156	0.12850	123	-0.06	004.99	0
004	Fiber (%)	0512	3.6780	0.01800	3.6930	0.32156	0.12850	123	-0.05	004.06	0
004	Fiber (%)	0952	3.6950	0.01000	3.6930	0.32156	0.12850	123	0.01	004.06	0
004	Fiber (%)	0164	3.7000	0.00000	3.6930	0.32156	0.12850	123	0.02	004.00	0
004	Fiber (%)	0413	3.7000	0.20000	3.6930	0.32156	0.12850	123	0.02	004.07	0
004	Fiber (%)	0881	3.7005	0.04100	3.6930	0.32156	0.12850	123	0.02	004.06	0
004	Fiber (%)	0893	3.7050	0.01000	3.6930	0.32156	0.12850	123	0.04	004.06	0
004	Fiber (%)	0171	3.7200	0.18000	3.6930	0.32156	0.12850	123	0.08	004.00	0
004	Fiber (%)	0685	3.7200	0.02000	3.6930	0.32156	0.12850	123	0.08	004.03	0
004	Fiber (%)	0074	3.7250	0.03000	3.6930	0.32156	0.12850	123	0.10	004.07	0
004	Fiber (%)	0891	3.7461	0.00140	3.6930	0.32156	0.12850	123	0.16	004.07	0
004	Fiber (%)	0511	3.7500	0.10000	3.6930	0.32156	0.12850	123	0.18	004.00	0
004	Fiber (%)	0552	3.7500	0.30000	3.6930	0.32156	0.12850	123	0.18	004.06	0
004	Fiber (%)	0683	3.7550	0.11000	3.6930	0.32156	0.12850	123	0.19	004.07	0
004	Fiber (%)	0563	3.7556	0.10730	3.6930	0.32156	0.12850	123	0.19	004.07	0
004	Fiber (%)	0353	3.7650	0.35000	3.6930	0.32156	0.12850	123	0.22	004.00	0
004	Fiber (%)	0205	3.7700	0.18000	3.6930	0.32156	0.12850	123	0.24	004.06	0
004	Fiber (%)	0300	3.7705	0.08900	3.6930	0.32156	0.12850	123	0.24	004.07	0
004	Fiber (%)	0964	3.7750	0.07000	3.6930	0.32156	0.12850	123	0.25	004.06	0
004	Fiber (%)	0955	3.7850	0.07000	3.6930	0.32156	0.12850	123	0.29	004.07	0
004	Fiber (%)	0298	3.7900	0.02000	3.6930	0.32156	0.12850	123	0.30	004.00	0
004	Fiber (%)	0098	3.7900	0.10000	3.6930	0.32156	0.12850	123	0.30	004.06	0
004	Fiber (%)	0553	3.7900	0.30000	3.6930	0.32156	0.12850	123	0.30	004.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0309	3.7950	0.15000	3.6930	0.32156	0.12850	123	0.32	004.00	0
004	Fiber (%)	0726	3.7965	0.08900	3.6930	0.32156	0.12850	123	0.32	004.07	0
004	Fiber (%)	0682	3.8000	0.20000	3.6930	0.32156	0.12850	123	0.33	004.07	0
004	Fiber (%)	0175	3.8100	0.10000	3.6930	0.32156	0.12850	123	0.36	004.00	0
004	Fiber (%)	0941	3.8100	0.18000	3.6930	0.32156	0.12850	123	0.36	004.06	0
004	Fiber (%)	0968	3.8140	0.17200	3.6930	0.32156	0.12850	123	0.38	004.06	0
004	Fiber (%)	0903	3.8250	0.01000	3.6930	0.32156	0.12850	123	0.41	004.06	0
004	Fiber (%)	0885	3.8400	0.00000	3.6930	0.32156	0.12850	123	0.46	004.06	0
004	Fiber (%)	0868	3.8800	0.04000	3.6930	0.32156	0.12850	123	0.58	004.06	0
004	Fiber (%)	2022	3.8800	0.14000	3.6930	0.32156	0.12850	123	0.58	004.06	0
004	Fiber (%)	0019	3.8800	0.24000	3.6930	0.32156	0.12850	123	0.58	004.07	0
004	Fiber (%)	0226	3.9000	0.20000	3.6930	0.32156	0.12850	123	0.64	004.00	0
004	Fiber (%)	0689	3.9000	0.20000	3.6930	0.32156	0.12850	123	0.64	004.06	0
004	Fiber (%)	0720	3.9000	0.00000	3.6930	0.32156	0.12850	123	0.64	004.11	0
004	Fiber (%)	2068	3.9250	0.05000	3.6930	0.32156	0.12850	123	0.72	004.03	0
004	Fiber (%)	2004	3.9350	0.03000	3.6930	0.32156	0.12850	123	0.75	004.00	0
004	Fiber (%)	0675	3.9350	0.09000	3.6930	0.32156	0.12850	123	0.75	004.06	0
004	Fiber (%)	2006	3.9350	0.13000	3.6930	0.32156	0.12850	123	0.75	004.06	0
004	Fiber (%)	2062	3.9400	0.14000	3.6930	0.32156	0.12850	123	0.77	004.06	0
004	Fiber (%)	0878	3.9450	0.07000	3.6930	0.32156	0.12850	123	0.78	004.06	0
004	Fiber (%)	2065	3.9500	0.02000	3.6930	0.32156	0.12850	123	0.80	004.06	0
004	Fiber (%)	0536	3.9500	0.06000	3.6930	0.32156	0.12850	123	0.80	004.99	0
004	Fiber (%)	0720	3.9550	0.11000	3.6930	0.32156	0.12850	123	0.81	004.06	0
004	Fiber (%)	0089	3.9550	0.01000	3.6930	0.32156	0.12850	123	0.81	004.07	0
004	Fiber (%)	2067	3.9750	0.02000	3.6930	0.32156	0.12850	123	0.88	004.06	0
004	Fiber (%)	0620	3.9901	0.00240	3.6930	0.32156	0.12850	123	0.92	004.06	0
004	Fiber (%)	0848	3.9950	0.15000	3.6930	0.32156	0.12850	123	0.94	004.07	0
004	Fiber (%)	0294	4.0000	0.00000	3.6930	0.32156	0.12850	123	0.95	004.07	0
004	Fiber (%)	0581	4.0000	0.60000	3.6930	0.32156	0.12850	123	0.95	004.07	0
004	Fiber (%)	2023	4.0100	0.18000	3.6930	0.32156	0.12850	123	0.99	004.00	0
004	Fiber (%)	0626	4.0100	0.04000	3.6930	0.32156	0.12850	123	0.99	004.03	0
004	Fiber (%)	0643	4.0800	0.08000	3.6930	0.32156	0.12850	123	1.20	004.07	0
004	Fiber (%)	2063	4.1100	0.02000	3.6930	0.32156	0.12850	123	1.30	004.06	0
004	Fiber (%)	0242	4.1150	0.07000	3.6930	0.32156	0.12850	123	1.31	004.07	0
004	Fiber (%)	0004	4.1200	0.48000	3.6930	0.32156	0.12850	123	1.33	004.07	0
004	Fiber (%)	2058	4.1250	0.03000	3.6930	0.32156	0.12850	123	1.34	004.03	0
004	Fiber (%)	0674	4.1450	0.01000	3.6930	0.32156	0.12850	123	1.41	004.06	0
004	Fiber (%)	0693	4.1550	0.11000	3.6930	0.32156	0.12850	123	1.44	004.03	0
004	Fiber (%)	0199	4.1700	0.14000	3.6930	0.32156	0.12850	123	1.48	004.06	0
004	Fiber (%)	0598	4.2100	0.20000	3.6930	0.32156	0.12850	123	1.61	004.07	0
004	Fiber (%)	0895	4.2700	0.02000	3.6930	0.32156	0.12850	123	1.79	004.06	0
004	Fiber (%)	0948	4.4700	0.12000	3.6930	0.32156	0.12850	123	2.42	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0845	4.6300	0.10000	3.6930	0.32156	0.12850	123	2.91	004.06	0
004	Fiber (%)	0045	4.6450	0.33000	3.6930	0.32156	0.12850	123	2.96	004.01	0
004	Fiber (%)	0609	5.3650	0.01000	3.6930	0.32156	0.12850	123	5.20	004.06	0
004	Fiber (%)	0876	4.0000	1.2000	3.6930	0.32156	0.12850	123	0.95	004.00	1
005	Ash (%)	0957	4.0350	0.07000	5.1457	0.15425	0.05707	137	-7.20	005.00	0
005	Ash (%)	0889	4.5450	0.05000	5.1457	0.15425	0.05707	137	-3.89	005.11	0
005	Ash (%)	0967	4.7800	0.02000	5.1457	0.15425	0.05707	137	-2.37	005.99	0
005	Ash (%)	0539	4.8550	0.01000	5.1457	0.15425	0.05707	137	-1.88	005.00	0
005	Ash (%)	0001	4.8558	0.10510	5.1457	0.15425	0.05707	137	-1.88	005.00	0
005	Ash (%)	0960	4.8700	0.14000	5.1457	0.15425	0.05707	137	-1.79	005.00	0
005	Ash (%)	0042	4.8750	0.21000	5.1457	0.15425	0.05707	137	-1.75	005.00	0
005	Ash (%)	0337	4.8850	0.17000	5.1457	0.15425	0.05707	137	-1.69	005.00	0
005	Ash (%)	0959	4.8850	0.07000	5.1457	0.15425	0.05707	137	-1.69	005.00	0
005	Ash (%)	0169	4.8900	0.10000	5.1457	0.15425	0.05707	137	-1.66	005.00	0
005	Ash (%)	0918	4.9350	0.15000	5.1457	0.15425	0.05707	137	-1.37	005.00	0
005	Ash (%)	0205	4.9450	0.03000	5.1457	0.15425	0.05707	137	-1.30	005.00	0
005	Ash (%)	0065	4.9463	0.00250	5.1457	0.15425	0.05707	137	-1.29	005.00	0
005	Ash (%)	2067	4.9495	0.00100	5.1457	0.15425	0.05707	137	-1.27	005.00	0
005	Ash (%)	0008	4.9500	0.14000	5.1457	0.15425	0.05707	137	-1.27	005.00	0
005	Ash (%)	0609	4.9500	0.04000	5.1457	0.15425	0.05707	137	-1.27	005.00	0
005	Ash (%)	0202	4.9500	0.02000	5.1457	0.15425	0.05707	137	-1.27	005.99	0
005	Ash (%)	0175	4.9550	0.03000	5.1457	0.15425	0.05707	137	-1.24	005.00	0
005	Ash (%)	0178	4.9600	0.02000	5.1457	0.15425	0.05707	137	-1.20	005.00	0
005	Ash (%)	0541	4.9650	0.07000	5.1457	0.15425	0.05707	137	-1.17	005.00	0
005	Ash (%)	2068	4.9650	0.01000	5.1457	0.15425	0.05707	137	-1.17	005.00	0
005	Ash (%)	0848	4.9700	0.06000	5.1457	0.15425	0.05707	137	-1.14	005.00	0
005	Ash (%)	0208	4.9900	0.06000	5.1457	0.15425	0.05707	137	-1.01	005.00	0
005	Ash (%)	0723	4.9906	0.00000	5.1457	0.15425	0.05707	137	-1.01	005.00	0
005	Ash (%)	0100	5.0000	0.04000	5.1457	0.15425	0.05707	137	-0.94	005.00	0
005	Ash (%)	0297	5.0000	0.00000	5.1457	0.15425	0.05707	137	-0.94	005.00	0
005	Ash (%)	0596	5.0000	0.02000	5.1457	0.15425	0.05707	137	-0.94	005.00	0
005	Ash (%)	0956	5.0000	0.00000	5.1457	0.15425	0.05707	137	-0.94	005.00	0
005	Ash (%)	0089	5.0050	0.01000	5.1457	0.15425	0.05707	137	-0.91	005.00	0
005	Ash (%)	0049	5.0100	0.10000	5.1457	0.15425	0.05707	137	-0.88	005.00	0
005	Ash (%)	2062	5.0100	0.14000	5.1457	0.15425	0.05707	137	-0.88	005.05	0
005	Ash (%)	0098	5.0150	0.01000	5.1457	0.15425	0.05707	137	-0.85	005.00	0
005	Ash (%)	0552	5.0150	0.03000	5.1457	0.15425	0.05707	137	-0.85	005.00	0
005	Ash (%)	0861	5.0150	0.05000	5.1457	0.15425	0.05707	137	-0.85	005.00	0
005	Ash (%)	0142	5.0200	0.06000	5.1457	0.15425	0.05707	137	-0.81	005.00	0
005	Ash (%)	0520	5.0250	0.01000	5.1457	0.15425	0.05707	137	-0.78	005.00	0
005	Ash (%)	0148	5.0300	0.10000	5.1457	0.15425	0.05707	137	-0.75	005.00	0
005	Ash (%)	0598	5.0350	0.03000	5.1457	0.15425	0.05707	137	-0.72	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0004	5.0450	0.15000	5.1457	0.15425	0.05707	137	-0.65	005.00	0
005	Ash (%)	0893	5.0550	0.01000	5.1457	0.15425	0.05707	137	-0.59	005.05	0
005	Ash (%)	0563	5.0553	0.02010	5.1457	0.15425	0.05707	137	-0.59	005.00	0
005	Ash (%)	0953	5.0600	0.02000	5.1457	0.15425	0.05707	137	-0.56	005.00	0
005	Ash (%)	0139	5.0650	0.01000	5.1457	0.15425	0.05707	137	-0.52	005.00	0
005	Ash (%)	0845	5.0700	0.08000	5.1457	0.15425	0.05707	137	-0.49	005.00	0
005	Ash (%)	0265	5.0750	0.03000	5.1457	0.15425	0.05707	137	-0.46	005.00	0
005	Ash (%)	0015	5.0800	0.10000	5.1457	0.15425	0.05707	137	-0.43	005.00	0
005	Ash (%)	0964	5.0800	0.02000	5.1457	0.15425	0.05707	137	-0.43	005.00	0
005	Ash (%)	0968	5.0845	0.04700	5.1457	0.15425	0.05707	137	-0.40	005.00	0
005	Ash (%)	0066	5.0850	0.01000	5.1457	0.15425	0.05707	137	-0.39	005.00	0
005	Ash (%)	0229	5.0900	0.06000	5.1457	0.15425	0.05707	137	-0.36	005.00	0
005	Ash (%)	0685	5.0900	0.00000	5.1457	0.15425	0.05707	137	-0.36	005.05	0
005	Ash (%)	0083	5.0950	0.05000	5.1457	0.15425	0.05707	137	-0.33	005.00	0
005	Ash (%)	0674	5.0950	0.13000	5.1457	0.15425	0.05707	137	-0.33	005.00	0
005	Ash (%)	0881	5.0965	0.14700	5.1457	0.15425	0.05707	137	-0.32	005.00	0
005	Ash (%)	0553	5.1050	0.05000	5.1457	0.15425	0.05707	137	-0.26	005.00	0
005	Ash (%)	2052	5.1050	0.05000	5.1457	0.15425	0.05707	137	-0.26	005.05	0
005	Ash (%)	2058	5.1050	0.13000	5.1457	0.15425	0.05707	137	-0.26	005.05	0
005	Ash (%)	0108	5.1100	0.02000	5.1457	0.15425	0.05707	137	-0.23	005.00	0
005	Ash (%)	0186	5.1100	0.02000	5.1457	0.15425	0.05707	137	-0.23	005.00	0
005	Ash (%)	0354	5.1200	0.04000	5.1457	0.15425	0.05707	137	-0.17	005.00	0
005	Ash (%)	0958	5.1300	0.02000	5.1457	0.15425	0.05707	137	-0.10	005.00	0
005	Ash (%)	0689	5.1300	0.02000	5.1457	0.15425	0.05707	137	-0.10	005.05	0
005	Ash (%)	0681	5.1350	0.01000	5.1457	0.15425	0.05707	137	-0.07	005.00	0
005	Ash (%)	0045	5.1450	0.05000	5.1457	0.15425	0.05707	137	0.00	005.00	0
005	Ash (%)	2004	5.1450	0.05000	5.1457	0.15425	0.05707	137	0.00	005.99	0
005	Ash (%)	0152	5.1500	0.10000	5.1457	0.15425	0.05707	137	0.03	005.00	0
005	Ash (%)	0242	5.1600	0.10000	5.1457	0.15425	0.05707	137	0.09	005.00	0
005	Ash (%)	0643	5.1650	0.03000	5.1457	0.15425	0.05707	137	0.13	005.00	0
005	Ash (%)	0660	5.1650	0.15000	5.1457	0.15425	0.05707	137	0.13	005.00	0
005	Ash (%)	0682	5.1700	0.04000	5.1457	0.15425	0.05707	137	0.16	005.00	0
005	Ash (%)	2063	5.1700	0.02000	5.1457	0.15425	0.05707	137	0.16	005.05	0
005	Ash (%)	0164	5.1750	0.03000	5.1457	0.15425	0.05707	137	0.19	005.00	0
005	Ash (%)	0278	5.1800	0.00000	5.1457	0.15425	0.05707	137	0.22	005.00	0
005	Ash (%)	0407	5.1800	0.00000	5.1457	0.15425	0.05707	137	0.22	005.00	0
005	Ash (%)	0653	5.1800	0.04000	5.1457	0.15425	0.05707	137	0.22	005.00	0
005	Ash (%)	2065	5.1800	0.02000	5.1457	0.15425	0.05707	137	0.22	005.05	0
005	Ash (%)	0891	5.1802	0.01700	5.1457	0.15425	0.05707	137	0.22	005.05	0
005	Ash (%)	0651	5.1835	0.01500	5.1457	0.15425	0.05707	137	0.25	005.00	0
005	Ash (%)	0194	5.1850	0.01000	5.1457	0.15425	0.05707	137	0.25	005.00	0
005	Ash (%)	0913	5.1850	0.05000	5.1457	0.15425	0.05707	137	0.25	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0620	5.1900	0.04000	5.1457	0.15425	0.05707	137	0.29	005.00	0
005	Ash (%)	0033	5.1950	0.07000	5.1457	0.15425	0.05707	137	0.32	005.05	0
005	Ash (%)	0903	5.1950	0.01000	5.1457	0.15425	0.05707	137	0.32	005.05	0
005	Ash (%)	0505	5.2000	0.00000	5.1457	0.15425	0.05707	137	0.35	005.00	0
005	Ash (%)	2023	5.2000	0.02000	5.1457	0.15425	0.05707	137	0.35	005.99	0
005	Ash (%)	0693	5.2050	0.01000	5.1457	0.15425	0.05707	137	0.38	005.00	0
005	Ash (%)	0035	5.2100	0.00000	5.1457	0.15425	0.05707	137	0.42	005.00	0
005	Ash (%)	0138	5.2125	0.02500	5.1457	0.15425	0.05707	137	0.43	005.00	0
005	Ash (%)	0650	5.2150	0.21000	5.1457	0.15425	0.05707	137	0.45	005.00	0
005	Ash (%)	0880	5.2150	0.15000	5.1457	0.15425	0.05707	137	0.45	005.00	0
005	Ash (%)	0263	5.2200	0.00000	5.1457	0.15425	0.05707	137	0.48	005.05	0
005	Ash (%)	0683	5.2200	0.16000	5.1457	0.15425	0.05707	137	0.48	005.05	0
005	Ash (%)	0171	5.2250	0.03000	5.1457	0.15425	0.05707	137	0.51	005.00	0
005	Ash (%)	0589	5.2300	0.20000	5.1457	0.15425	0.05707	137	0.55	005.00	0
005	Ash (%)	0646	5.2300	0.04000	5.1457	0.15425	0.05707	137	0.55	005.00	0
005	Ash (%)	2042	5.2300	0.00000	5.1457	0.15425	0.05707	137	0.55	005.05	0
005	Ash (%)	0622	5.2339	0.00030	5.1457	0.15425	0.05707	137	0.57	005.00	0
005	Ash (%)	0574	5.2350	0.15000	5.1457	0.15425	0.05707	137	0.58	005.99	0
005	Ash (%)	0051	5.2450	0.17000	5.1457	0.15425	0.05707	137	0.64	005.00	0
005	Ash (%)	0592	5.2450	0.03000	5.1457	0.15425	0.05707	137	0.64	005.05	0
005	Ash (%)	0144	5.2500	0.02000	5.1457	0.15425	0.05707	137	0.68	005.00	0
005	Ash (%)	2006	5.2500	0.16000	5.1457	0.15425	0.05707	137	0.68	005.00	0
005	Ash (%)	0294	5.2500	0.10000	5.1457	0.15425	0.05707	137	0.68	005.05	0
005	Ash (%)	0921	5.2500	0.00000	5.1457	0.15425	0.05707	137	0.68	005.05	0
005	Ash (%)	0623	5.2528	0.00650	5.1457	0.15425	0.05707	137	0.69	005.00	0
005	Ash (%)	0675	5.2550	0.01000	5.1457	0.15425	0.05707	137	0.71	005.00	0
005	Ash (%)	0298	5.2600	0.02000	5.1457	0.15425	0.05707	137	0.74	005.00	0
005	Ash (%)	0425	5.2600	0.02000	5.1457	0.15425	0.05707	137	0.74	005.00	0
005	Ash (%)	0581	5.2650	0.11000	5.1457	0.15425	0.05707	137	0.77	005.00	0
005	Ash (%)	0353	5.2700	0.04000	5.1457	0.15425	0.05707	137	0.81	005.00	0
005	Ash (%)	0878	5.2700	0.04000	5.1457	0.15425	0.05707	137	0.81	005.05	0
005	Ash (%)	0345	5.2750	0.05000	5.1457	0.15425	0.05707	137	0.84	005.00	0
005	Ash (%)	0590	5.2750	0.05000	5.1457	0.15425	0.05707	137	0.84	005.05	0
005	Ash (%)	0868	5.2800	0.04000	5.1457	0.15425	0.05707	137	0.87	005.05	0
005	Ash (%)	0948	5.2850	0.09000	5.1457	0.15425	0.05707	137	0.90	005.00	0
005	Ash (%)	0610	5.2850	0.03000	5.1457	0.15425	0.05707	137	0.90	005.02	0
005	Ash (%)	0619	5.2850	0.05000	5.1457	0.15425	0.05707	137	0.90	005.05	0
005	Ash (%)	0897	5.2950	0.01000	5.1457	0.15425	0.05707	137	0.97	005.05	0
005	Ash (%)	0226	5.3000	0.20000	5.1457	0.15425	0.05707	137	1.00	005.00	0
005	Ash (%)	0413	5.3000	0.20000	5.1457	0.15425	0.05707	137	1.00	005.05	0
005	Ash (%)	0895	5.3150	0.01000	5.1457	0.15425	0.05707	137	1.10	005.05	0
005	Ash (%)	0885	5.3200	0.00000	5.1457	0.15425	0.05707	137	1.13	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0884	5.3250	0.07000	5.1457	0.15425	0.05707	137	1.16	005.99	0
005	Ash (%)	0629	5.3350	0.07000	5.1457	0.15425	0.05707	137	1.23	005.99	0
005	Ash (%)	0309	5.3400	0.08000	5.1457	0.15425	0.05707	137	1.26	005.00	0
005	Ash (%)	0357	5.3500	0.10000	5.1457	0.15425	0.05707	137	1.32	005.00	0
005	Ash (%)	0510	5.3550	0.03000	5.1457	0.15425	0.05707	137	1.36	005.00	0
005	Ash (%)	0852	5.4000	0.00000	5.1457	0.15425	0.05707	137	1.65	005.00	0
005	Ash (%)	0720	5.4700	0.20000	5.1457	0.15425	0.05707	137	2.10	005.05	0
005	Ash (%)	0536	5.5450	0.01000	5.1457	0.15425	0.05707	137	2.59	005.99	0
005	Ash (%)	0885	5.5800	0.02000	5.1457	0.15425	0.05707	137	2.82	005.11	0
005	Ash (%)	0720	6.3050	0.01000	5.1457	0.15425	0.05707	137	7.52	005.11	0
005	Ash (%)	2022	6.4550	0.23000	5.1457	0.15425	0.05707	137	8.49	005.00	0
005	Ash (%)	0889	6.4800	0.10000	5.1457	0.15425	0.05707	137	8.65	005.05	0
005	Ash (%)	0618	6.6165	0.05900	5.1457	0.15425	0.05707	137	9.54	005.00	0
005	Ash (%)	0658	6.6552	0.08370	5.1457	0.15425	0.05707	137	9.79	005.00	0
005	Ash (%)	0297	7.6300	0.04000	5.1457	0.15425	0.05707	137	16.11	005.11	0
005	Ash (%)	0504	5.2800	0.30000	5.1457	0.15425	0.05707	137	0.87	005.00	1
005	Ash (%)	0652	0.64500	0.01000	5.1457	0.15425	0.05707	137	-29.18	005.99	2
006	Total sugars (%)	2066	3.4050	0.03000	4.7720	0.44721	0.17100	10	-3.06	006.99	0
006	Total sugars (%)	0227	3.4350	0.11000	4.7720	0.44721	0.17100	10	-2.99	006.99	0
006	Total sugars (%)	0720	4.6000	0.02000	4.7720	0.44721	0.17100	10	-0.38	006.99	0
006	Total sugars (%)	0723	4.6400	0.00000	4.7720	0.44721	0.17100	10	-0.30	006.99	0
006	Total sugars (%)	0939	4.7450	0.05000	4.7720	0.44721	0.17100	10	-0.06	006.00	0
006	Total sugars (%)	0407	4.7650	0.15000	4.7720	0.44721	0.17100	10	-0.02	006.01	0
006	Total sugars (%)	0956	4.8500	0.10000	4.7720	0.44721	0.17100	10	0.17	006.99	0
006	Total sugars (%)	0226	5.1000	0.60000	4.7720	0.44721	0.17100	10	0.73	006.99	0
006	Total sugars (%)	0689	5.5500	0.30000	4.7720	0.44721	0.17100	10	1.74	006.01	0
006	Total sugars (%)	0066	6.3150	0.35000	4.7720	0.44721	0.17100	10	3.45	006.00	0
006	Total sugars (%)	0921	4.6200	2.8000	4.7720	0.44721	0.17100	10	-0.34	006.00	1
008	Fiber (%)	0968	3.7950	0.13000	4.9777	0.59770	0.15668	41	-1.98	008.08	0
008	Fiber (%)	0178	3.9650	0.29000	4.9777	0.59770	0.15668	41	-1.69	008.08	0
008	Fiber (%)	2004	4.3100	0.06000	4.9777	0.59770	0.15668	41	-1.12	008.08	0
008	Fiber (%)	0861	4.3200	0.04000	4.9777	0.59770	0.15668	41	-1.10	008.08	0
008	Fiber (%)	0939	4.3250	0.21000	4.9777	0.59770	0.15668	41	-1.09	008.02	0
008	Fiber (%)	0278	4.3500	0.10000	4.9777	0.59770	0.15668	41	-1.05	008.08	0
008	Fiber (%)	0723	4.3600	0.00000	4.9777	0.59770	0.15668	41	-1.03	008.08	0
008	Fiber (%)	0956	4.4000	0.80000	4.9777	0.59770	0.15668	41	-0.97	008.08	0
008	Fiber (%)	0354	4.4800	0.10000	4.9777	0.59770	0.15668	41	-0.83	008.08	0
008	Fiber (%)	0001	4.4850	0.09000	4.9777	0.59770	0.15668	41	-0.82	008.08	0
008	Fiber (%)	0720	4.5000	0.02000	4.9777	0.59770	0.15668	41	-0.80	008.99	0
008	Fiber (%)	0038	4.5700	0.50000	4.9777	0.59770	0.15668	41	-0.68	008.02	0
008	Fiber (%)	0353	4.5700	0.06000	4.9777	0.59770	0.15668	41	-0.68	008.02	0
008	Fiber (%)	0033	4.5900	0.20000	4.9777	0.59770	0.15668	41	-0.65	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
008	Fiber (%)	0164	4.7000	0.00000	4.9777	0.59770	0.15668	41	-0.46	008.08	0
008	Fiber (%)	0265	4.7500	0.10000	4.9777	0.59770	0.15668	41	-0.38	008.05	0
008	Fiber (%)	0098	4.7900	0.12000	4.9777	0.59770	0.15668	41	-0.31	008.02	0
008	Fiber (%)	0083	4.7900	0.44000	4.9777	0.59770	0.15668	41	-0.31	008.08	0
008	Fiber (%)	0148	4.8900	0.00000	4.9777	0.59770	0.15668	41	-0.15	008.08	0
008	Fiber (%)	0405	4.9550	0.11000	4.9777	0.59770	0.15668	41	-0.04	008.02	0
008	Fiber (%)	0309	5.0600	0.06000	4.9777	0.59770	0.15668	41	0.14	008.02	0
008	Fiber (%)	0646	5.0600	0.02000	4.9777	0.59770	0.15668	41	0.14	008.08	0
008	Fiber (%)	0504	5.0850	0.09000	4.9777	0.59770	0.15668	41	0.18	008.02	0
008	Fiber (%)	0148	5.1350	0.05000	4.9777	0.59770	0.15668	41	0.26	008.02	0
008	Fiber (%)	0413	5.1500	0.10000	4.9777	0.59770	0.15668	41	0.29	008.08	0
008	Fiber (%)	0049	5.1550	0.19000	4.9777	0.59770	0.15668	41	0.30	008.08	0
008	Fiber (%)	0948	5.1750	0.29000	4.9777	0.59770	0.15668	41	0.33	008.02	0
008	Fiber (%)	0045	5.2000	0.10000	4.9777	0.59770	0.15668	41	0.37	008.08	0
008	Fiber (%)	0297	5.2800	0.12000	4.9777	0.59770	0.15668	41	0.51	008.08	0
008	Fiber (%)	0918	5.3638	0.02040	4.9777	0.59770	0.15668	41	0.65	008.08	0
008	Fiber (%)	0407	5.4150	0.17000	4.9777	0.59770	0.15668	41	0.73	008.08	0
008	Fiber (%)	0510	5.4500	0.10000	4.9777	0.59770	0.15668	41	0.79	008.08	0
008	Fiber (%)	0263	5.4984	0.02330	4.9777	0.59770	0.15668	41	0.87	008.08	0
008	Fiber (%)	0357	5.5000	0.20000	4.9777	0.59770	0.15668	41	0.87	008.08	0
008	Fiber (%)	0037	5.6100	0.18000	4.9777	0.59770	0.15668	41	1.06	008.08	0
008	Fiber (%)	2052	5.6350	0.61000	4.9777	0.59770	0.15668	41	1.10	008.08	0
008	Fiber (%)	0294	5.6500	0.10000	4.9777	0.59770	0.15668	41	1.12	008.08	0
008	Fiber (%)	0106	5.7450	0.17000	4.9777	0.59770	0.15668	41	1.28	008.08	0
008	Fiber (%)	0581	5.9150	0.43000	4.9777	0.59770	0.15668	41	1.57	008.08	0
008	Fiber (%)	0675	6.1650	0.01000	4.9777	0.59770	0.15668	41	1.99	008.02	0
008	Fiber (%)	0609	7.7200	0.02000	4.9777	0.59770	0.15668	41	4.59	008.02	0
008	Fiber (%)	0693	6.7950	1.5300	4.9777	0.59770	0.15668	41	3.04	008.08	1
009	Fiber (%)	0720	10.925	0.01000	14.160	1.0654	0.31189	38	-3.04	009.99	0
009	Fiber (%)	0278	12.550	0.10000	14.160	1.0654	0.31189	38	-1.51	009.09	0
009	Fiber (%)	0861	12.600	0.14000	14.160	1.0654	0.31189	38	-1.46	009.09	0
009	Fiber (%)	2004	12.600	0.60000	14.160	1.0654	0.31189	38	-1.46	009.09	0
009	Fiber (%)	0049	12.945	0.03000	14.160	1.0654	0.31189	38	-1.14	009.09	0
009	Fiber (%)	0956	13.000	1.0000	14.160	1.0654	0.31189	38	-1.09	009.09	0
009	Fiber (%)	0939	13.040	0.36000	14.160	1.0654	0.31189	38	-1.05	009.09	0
009	Fiber (%)	0968	13.115	0.59000	14.160	1.0654	0.31189	38	-0.98	009.09	0
009	Fiber (%)	0038	13.405	0.23000	14.160	1.0654	0.31189	38	-0.71	009.07	0
009	Fiber (%)	0354	13.480	0.10000	14.160	1.0654	0.31189	38	-0.64	009.09	0
009	Fiber (%)	2052	13.550	0.90000	14.160	1.0654	0.31189	38	-0.57	009.09	0
009	Fiber (%)	0001	13.580	0.46000	14.160	1.0654	0.31189	38	-0.54	009.09	0
009	Fiber (%)	0723	13.770	0.00000	14.160	1.0654	0.31189	38	-0.37	009.09	0
009	Fiber (%)	0164	13.800	0.00000	14.160	1.0654	0.31189	38	-0.34	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
009	Fiber (%)	0294	13.800	0.00000	14.160	1.0654	0.31189	38	-0.34	009.09	0
009	Fiber (%)	0581	13.935	0.21000	14.160	1.0654	0.31189	38	-0.21	009.09	0
009	Fiber (%)	0357	14.050	0.70000	14.160	1.0654	0.31189	38	-0.10	009.09	0
009	Fiber (%)	0407	14.090	0.12000	14.160	1.0654	0.31189	38	-0.07	009.09	0
009	Fiber (%)	0106	14.145	0.25000	14.160	1.0654	0.31189	38	-0.01	009.09	0
009	Fiber (%)	0098	14.200	0.40000	14.160	1.0654	0.31189	38	0.04	009.07	0
009	Fiber (%)	0504	14.320	0.28000	14.160	1.0654	0.31189	38	0.15	009.04	0
009	Fiber (%)	0646	14.390	0.24000	14.160	1.0654	0.31189	38	0.22	009.09	0
009	Fiber (%)	0413	14.450	0.10000	14.160	1.0654	0.31189	38	0.27	009.09	0
009	Fiber (%)	0083	14.650	0.20000	14.160	1.0654	0.31189	38	0.46	009.09	0
009	Fiber (%)	0297	14.760	0.20000	14.160	1.0654	0.31189	38	0.56	009.09	0
009	Fiber (%)	0037	14.810	0.04000	14.160	1.0654	0.31189	38	0.61	009.09	0
009	Fiber (%)	0693	14.865	0.51000	14.160	1.0654	0.31189	38	0.66	009.09	0
009	Fiber (%)	0592	14.895	0.08000	14.160	1.0654	0.31189	38	0.69	009.09	0
009	Fiber (%)	0510	14.950	0.10000	14.160	1.0654	0.31189	38	0.74	009.09	0
009	Fiber (%)	0609	14.985	0.05000	14.160	1.0654	0.31189	38	0.77	009.07	0
009	Fiber (%)	0045	15.000	0.60000	14.160	1.0654	0.31189	38	0.79	009.09	0
009	Fiber (%)	0675	15.085	0.07000	14.160	1.0654	0.31189	38	0.87	009.07	0
009	Fiber (%)	0178	15.135	0.25000	14.160	1.0654	0.31189	38	0.92	009.09	0
009	Fiber (%)	0265	15.300	0.80000	14.160	1.0654	0.31189	38	1.07	009.09	0
009	Fiber (%)	0918	15.336	1.0118	14.160	1.0654	0.31189	38	1.10	009.09	0
009	Fiber (%)	0948	15.490	0.20000	14.160	1.0654	0.31189	38	1.25	009.09	0
009	Fiber (%)	0353	15.660	0.52000	14.160	1.0654	0.31189	38	1.41	009.07	0
009	Fiber (%)	0309	16.330	0.40000	14.160	1.0654	0.31189	38	2.04	009.07	0
010	Moisture (%)	0967	8.8100	0.26000	9.6966	0.52169	0.14824	17	-1.70	010.99	0
010	Moisture (%)	0720	8.8200	0.02000	9.6966	0.52169	0.14824	17	-1.68	010.11	0
010	Moisture (%)	0168	8.8200	0.44000	9.6966	0.52169	0.14824	17	-1.68	010.99	0
010	Moisture (%)	0948	9.1850	0.07000	9.6966	0.52169	0.14824	17	-0.98	010.99	0
010	Moisture (%)	0889	9.2350	0.03000	9.6966	0.52169	0.14824	17	-0.88	010.11	0
010	Moisture (%)	0939	9.6000	0.02000	9.6966	0.52169	0.14824	17	-0.19	010.99	0
010	Moisture (%)	0843	9.7050	0.19000	9.6966	0.52169	0.14824	17	0.02	010.03	0
010	Moisture (%)	0952	9.7150	0.03000	9.6966	0.52169	0.14824	17	0.04	010.99	0
010	Moisture (%)	0964	9.7150	0.01000	9.6966	0.52169	0.14824	17	0.04	010.99	0
010	Moisture (%)	2004	9.7200	0.02000	9.6966	0.52169	0.14824	17	0.04	010.99	0
010	Moisture (%)	0884	9.7800	0.12000	9.6966	0.52169	0.14824	17	0.16	010.99	0
010	Moisture (%)	0208	9.9250	0.55000	9.6966	0.52169	0.14824	17	0.44	010.03	0
010	Moisture (%)	0921	9.9600	0.00000	9.6966	0.52169	0.14824	17	0.50	010.99	0
010	Moisture (%)	0164	10.015	0.57000	9.6966	0.52169	0.14824	17	0.61	010.03	0
010	Moisture (%)	0885	10.380	0.02000	9.6966	0.52169	0.14824	17	1.31	010.11	0
010	Moisture (%)	0553	10.580	0.14000	9.6966	0.52169	0.14824	17	1.69	010.99	0
010	Moisture (%)	0405	10.805	0.03000	9.6966	0.52169	0.14824	17	2.12	010.99	0
011	Loss on Drying (%)	0563	9.7163	0.02390	10.431	0.20687	0.10892	73	-3.45	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0541	9.7600	0.16000	10.431	0.20687	0.10892	73	-3.24	011.99	0
011	Loss on Drying (%)	2016	9.8650	0.25000	10.431	0.20687	0.10892	73	-2.73	011.01	0
011	Loss on Drying (%)	0650	9.8800	0.42000	10.431	0.20687	0.10892	73	-2.66	011.01	0
011	Loss on Drying (%)	0681	9.9150	0.29000	10.431	0.20687	0.10892	73	-2.49	011.03	0
011	Loss on Drying (%)	0848	10.030	0.34000	10.431	0.20687	0.10892	73	-1.94	011.01	0
011	Loss on Drying (%)	0175	10.100	0.20000	10.431	0.20687	0.10892	73	-1.60	011.01	0
011	Loss on Drying (%)	0148	10.150	0.08000	10.431	0.20687	0.10892	73	-1.36	011.01	0
011	Loss on Drying (%)	0857	10.150	0.10000	10.431	0.20687	0.10892	73	-1.36	011.99	0
011	Loss on Drying (%)	0682	10.200	0.04000	10.431	0.20687	0.10892	73	-1.11	011.01	0
011	Loss on Drying (%)	0953	10.200	0.06000	10.431	0.20687	0.10892	73	-1.11	011.01	0
011	Loss on Drying (%)	0881	10.232	0.11100	10.431	0.20687	0.10892	73	-0.96	011.01	0
011	Loss on Drying (%)	0171	10.235	0.11000	10.431	0.20687	0.10892	73	-0.95	011.01	0
011	Loss on Drying (%)	0852	10.260	0.08000	10.431	0.20687	0.10892	73	-0.82	011.99	0
011	Loss on Drying (%)	0008	10.280	0.14000	10.431	0.20687	0.10892	73	-0.73	011.01	0
011	Loss on Drying (%)	0138	10.285	0.05200	10.431	0.20687	0.10892	73	-0.70	011.01	0
011	Loss on Drying (%)	2006	10.290	0.02000	10.431	0.20687	0.10892	73	-0.68	011.01	0
011	Loss on Drying (%)	0298	10.300	0.02000	10.431	0.20687	0.10892	73	-0.63	011.01	0
011	Loss on Drying (%)	0622	10.306	0.00200	10.431	0.20687	0.10892	73	-0.60	011.01	0
011	Loss on Drying (%)	0164	10.315	0.05000	10.431	0.20687	0.10892	73	-0.56	011.01	0
011	Loss on Drying (%)	0552	10.315	0.07000	10.431	0.20687	0.10892	73	-0.56	011.01	0
011	Loss on Drying (%)	0066	10.340	0.04000	10.431	0.20687	0.10892	73	-0.44	011.01	0
011	Loss on Drying (%)	0598	10.340	0.04000	10.431	0.20687	0.10892	73	-0.44	011.01	0
011	Loss on Drying (%)	0574	10.345	0.25000	10.431	0.20687	0.10892	73	-0.41	011.01	0
011	Loss on Drying (%)	0265	10.350	0.10000	10.431	0.20687	0.10892	73	-0.39	011.01	0
011	Loss on Drying (%)	0294	10.350	0.10000	10.431	0.20687	0.10892	73	-0.39	011.01	0
011	Loss on Drying (%)	0958	10.375	0.13000	10.431	0.20687	0.10892	73	-0.27	011.01	0
011	Loss on Drying (%)	2067	10.375	0.00400	10.431	0.20687	0.10892	73	-0.27	011.01	0
011	Loss on Drying (%)	0051	10.380	0.12000	10.431	0.20687	0.10892	73	-0.24	011.01	0
011	Loss on Drying (%)	0658	10.385	0.17050	10.431	0.20687	0.10892	73	-0.22	011.01	0
011	Loss on Drying (%)	0226	10.395	0.03000	10.431	0.20687	0.10892	73	-0.17	011.01	0
011	Loss on Drying (%)	0208	10.400	0.40000	10.431	0.20687	0.10892	73	-0.15	011.01	0
011	Loss on Drying (%)	0620	10.403	0.11600	10.431	0.20687	0.10892	73	-0.13	011.01	0
011	Loss on Drying (%)	0589	10.410	0.02000	10.431	0.20687	0.10892	73	-0.10	011.01	0
011	Loss on Drying (%)	0144	10.415	0.09000	10.431	0.20687	0.10892	73	-0.08	011.01	0
011	Loss on Drying (%)	0194	10.415	0.03000	10.431	0.20687	0.10892	73	-0.08	011.01	0
011	Loss on Drying (%)	0968	10.419	0.00300	10.431	0.20687	0.10892	73	-0.06	011.01	0
011	Loss on Drying (%)	0653	10.420	0.00000	10.431	0.20687	0.10892	73	-0.05	011.01	0
011	Loss on Drying (%)	0033	10.425	0.25000	10.431	0.20687	0.10892	73	-0.03	011.01	0
011	Loss on Drying (%)	0674	10.445	0.01000	10.431	0.20687	0.10892	73	0.07	011.01	0
011	Loss on Drying (%)	0152	10.450	0.10000	10.431	0.20687	0.10892	73	0.09	011.01	0
011	Loss on Drying (%)	0233	10.465	0.05000	10.431	0.20687	0.10892	73	0.17	011.01	0
011	Loss on Drying (%)	0511	10.475	0.27000	10.431	0.20687	0.10892	73	0.21	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0407	10.480	0.04000	10.431	0.20687	0.10892	73	0.24	011.01	0
011	Loss on Drying (%)	0723	10.480	0.00000	10.431	0.20687	0.10892	73	0.24	011.01	0
011	Loss on Drying (%)	0539	10.490	0.08000	10.431	0.20687	0.10892	73	0.29	011.01	0
011	Loss on Drying (%)	0651	10.497	0.01900	10.431	0.20687	0.10892	73	0.32	011.01	0
011	Loss on Drying (%)	0942	10.500	0.20000	10.431	0.20687	0.10892	73	0.34	011.02	0
011	Loss on Drying (%)	0596	10.505	0.07000	10.431	0.20687	0.10892	73	0.36	011.01	0
011	Loss on Drying (%)	0913	10.515	0.15000	10.431	0.20687	0.10892	73	0.41	011.01	0
011	Loss on Drying (%)	0354	10.525	0.01000	10.431	0.20687	0.10892	73	0.46	011.01	0
011	Loss on Drying (%)	0100	10.550	0.28000	10.431	0.20687	0.10892	73	0.58	011.01	0
011	Loss on Drying (%)	0957	10.560	0.00000	10.431	0.20687	0.10892	73	0.63	011.01	0
011	Loss on Drying (%)	2022	10.570	0.06000	10.431	0.20687	0.10892	73	0.67	011.01	0
011	Loss on Drying (%)	0309	10.575	0.07000	10.431	0.20687	0.10892	73	0.70	011.01	0
011	Loss on Drying (%)	0202	10.595	0.03000	10.431	0.20687	0.10892	73	0.79	011.01	0
011	Loss on Drying (%)	0541	10.595	0.09000	10.431	0.20687	0.10892	73	0.79	011.01	0
011	Loss on Drying (%)	0510	10.600	0.20000	10.431	0.20687	0.10892	73	0.82	011.01	0
011	Loss on Drying (%)	0959	10.610	0.12000	10.431	0.20687	0.10892	73	0.87	011.01	0
011	Loss on Drying (%)	2023	10.610	0.04000	10.431	0.20687	0.10892	73	0.87	011.02	0
011	Loss on Drying (%)	0520	10.620	0.10000	10.431	0.20687	0.10892	73	0.92	011.01	0
011	Loss on Drying (%)	0229	10.640	0.04000	10.431	0.20687	0.10892	73	1.01	011.01	0
011	Loss on Drying (%)	0098	10.675	0.07000	10.431	0.20687	0.10892	73	1.18	011.01	0
011	Loss on Drying (%)	0675	10.685	0.03000	10.431	0.20687	0.10892	73	1.23	011.01	0
011	Loss on Drying (%)	0242	10.690	0.02000	10.431	0.20687	0.10892	73	1.25	011.01	0
011	Loss on Drying (%)	0861	10.720	0.04000	10.431	0.20687	0.10892	73	1.40	011.01	0
011	Loss on Drying (%)	0205	10.735	0.09000	10.431	0.20687	0.10892	73	1.47	011.01	0
011	Loss on Drying (%)	0843	10.760	0.44000	10.431	0.20687	0.10892	73	1.59	011.01	0
011	Loss on Drying (%)	0108	10.780	0.30000	10.431	0.20687	0.10892	73	1.69	011.01	0
011	Loss on Drying (%)	0178	10.830	0.08000	10.431	0.20687	0.10892	73	1.93	011.01	0
011	Loss on Drying (%)	0646	11.115	0.27000	10.431	0.20687	0.10892	73	3.31	011.01	0
011	Loss on Drying (%)	0660	11.165	0.07000	10.431	0.20687	0.10892	73	3.55	011.01	0
011	Loss on Drying (%)	0876	11.400	0.00000	10.431	0.20687	0.10892	73	4.69	011.01	0
011	Loss on Drying (%)	0880	9.8200	0.84000	10.431	0.20687	0.10892	73	-2.95	011.01	1
011	Loss on Drying (%)	0960	9.8700	0.82000	10.431	0.20687	0.10892	73	-2.71	011.01	1
011	Loss on Drying (%)	0685	7.4750	0.01000	10.431	0.20687	0.10892	73	-14.29	011.01	2
012	Starch (%)	0918	36.014	0.97900	40.049	2.2925	0.33818	28	-1.76	012.01	0
012	Starch (%)	0956	36.950	1.9000	40.049	2.2925	0.33818	28	-1.35	012.01	0
012	Starch (%)	0297	37.090	0.12000	40.049	2.2925	0.33818	28	-1.29	012.03	0
012	Starch (%)	0609	37.590	0.00000	40.049	2.2925	0.33818	28	-1.07	012.00	0
012	Starch (%)	0278	37.650	0.10000	40.049	2.2925	0.33818	28	-1.05	012.04	0
012	Starch (%)	0510	37.700	0.00000	40.049	2.2925	0.33818	28	-1.02	012.04	0
012	Starch (%)	0885	38.180	0.02000	40.049	2.2925	0.33818	28	-0.82	012.03	0
012	Starch (%)	0407	38.535	0.01000	40.049	2.2925	0.33818	28	-0.66	012.03	0
012	Starch (%)	0098	39.000	0.80000	40.049	2.2925	0.33818	28	-0.46	012.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
012 Starch (%)		0682	39.115	0.05000	40.049	2.2925	0.33818	28	-0.41	012.00	0
012 Starch (%)		0297	39.185	0.13000	40.049	2.2925	0.33818	28	-0.38	012.11	0
012 Starch (%)		0353	39.350	0.26000	40.049	2.2925	0.33818	28	-0.30	012.04	0
012 Starch (%)		2004	39.650	0.30000	40.049	2.2925	0.33818	28	-0.17	012.01	0
012 Starch (%)		0948	39.740	0.26000	40.049	2.2925	0.33818	28	-0.13	012.04	0
012 Starch (%)		0178	40.545	0.65000	40.049	2.2925	0.33818	28	0.22	012.00	0
012 Starch (%)		0619	40.650	0.10000	40.049	2.2925	0.33818	28	0.26	012.00	0
012 Starch (%)		0689	40.900	0.60000	40.049	2.2925	0.33818	28	0.37	012.00	0
012 Starch (%)		0720	40.910	0.02000	40.049	2.2925	0.33818	28	0.38	012.11	0
012 Starch (%)		0878	41.200	0.20000	40.049	2.2925	0.33818	28	0.50	012.00	0
012 Starch (%)		2023	41.600	0.60000	40.049	2.2925	0.33818	28	0.68	012.00	0
012 Starch (%)		0920	41.610	0.38000	40.049	2.2925	0.33818	28	0.68	012.00	0
012 Starch (%)		0683	41.700	0.36000	40.049	2.2925	0.33818	28	0.72	012.00	0
012 Starch (%)		0354	41.740	0.02000	40.049	2.2925	0.33818	28	0.74	012.00	0
012 Starch (%)		0723	41.920	0.00000	40.049	2.2925	0.33818	28	0.82	012.00	0
012 Starch (%)		0885	42.790	0.10000	40.049	2.2925	0.33818	28	1.20	012.11	0
012 Starch (%)		0265	42.850	0.30000	40.049	2.2925	0.33818	28	1.22	012.01	0
012 Starch (%)		0106	43.090	0.72000	40.049	2.2925	0.33818	28	1.33	012.04	0
012 Starch (%)		0889	43.825	0.49000	40.049	2.2925	0.33818	28	1.65	012.11	0
012 Starch (%)		2052	42.050	4.9000	40.049	2.2925	0.33818	28	0.87	012.01	1
013 Fat (%)		0618	3.0420	0.05000	4.1616	0.52195	0.15456	48	-2.15	013.08	0
013 Fat (%)		0845	3.2750	0.35000	4.1616	0.52195	0.15456	48	-1.70	013.10	0
013 Fat (%)		0297	3.3550	0.03000	4.1616	0.52195	0.15456	48	-1.55	013.00	0
013 Fat (%)		0884	3.3750	0.47000	4.1616	0.52195	0.15456	48	-1.51	013.00	0
013 Fat (%)		0033	3.3950	0.17000	4.1616	0.52195	0.15456	48	-1.47	013.10	0
013 Fat (%)		0958	3.4550	0.01000	4.1616	0.52195	0.15456	48	-1.35	013.02	0
013 Fat (%)		0083	3.6000	0.18000	4.1616	0.52195	0.15456	48	-1.08	013.00	0
013 Fat (%)		0504	3.6850	0.03000	4.1616	0.52195	0.15456	48	-0.91	013.00	0
013 Fat (%)		2004	3.7000	0.00000	4.1616	0.52195	0.15456	48	-0.88	013.00	0
013 Fat (%)		0948	3.7350	0.01000	4.1616	0.52195	0.15456	48	-0.82	013.00	0
013 Fat (%)		2003	3.7950	0.07000	4.1616	0.52195	0.15456	48	-0.70	013.10	0
013 Fat (%)		0229	3.8500	0.30000	4.1616	0.52195	0.15456	48	-0.60	013.00	0
013 Fat (%)		0681	3.8750	0.09000	4.1616	0.52195	0.15456	48	-0.55	013.00	0
013 Fat (%)		0955	3.9250	0.01000	4.1616	0.52195	0.15456	48	-0.45	013.13	0
013 Fat (%)		2052	3.9300	0.10000	4.1616	0.52195	0.15456	48	-0.44	013.13	0
013 Fat (%)		2058	3.9400	0.04000	4.1616	0.52195	0.15456	48	-0.42	013.02	0
013 Fat (%)		0208	3.9850	0.09000	4.1616	0.52195	0.15456	48	-0.34	013.02	0
013 Fat (%)		2023	4.0000	0.02000	4.1616	0.52195	0.15456	48	-0.31	013.00	0
013 Fat (%)		0618	4.0250	0.19000	4.1616	0.52195	0.15456	48	-0.26	013.00	0
013 Fat (%)		0610	4.0250	0.01000	4.1616	0.52195	0.15456	48	-0.26	013.10	0
013 Fat (%)		0689	4.0500	0.30000	4.1616	0.52195	0.15456	48	-0.21	013.00	0
013 Fat (%)		0353	4.0950	0.27000	4.1616	0.52195	0.15456	48	-0.13	013.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013	Fat (%)	0660	4.1250	0.19000	4.1616	0.52195	0.15456	48	-0.07	013.10	0
013	Fat (%)	0354	4.1550	0.19000	4.1616	0.52195	0.15456	48	-0.01	013.02	0
013	Fat (%)	0148	4.1600	0.16000	4.1616	0.52195	0.15456	48	0.00	013.02	0
013	Fat (%)	0171	4.1850	0.11000	4.1616	0.52195	0.15456	48	0.04	013.02	0
013	Fat (%)	0051	4.1950	0.05000	4.1616	0.52195	0.15456	48	0.06	013.02	0
013	Fat (%)	0016	4.2250	0.09000	4.1616	0.52195	0.15456	48	0.12	013.02	0
013	Fat (%)	0861	4.2700	0.04000	4.1616	0.52195	0.15456	48	0.21	013.00	0
013	Fat (%)	0337	4.3050	0.45000	4.1616	0.52195	0.15456	48	0.27	013.02	0
013	Fat (%)	0643	4.3350	0.01000	4.1616	0.52195	0.15456	48	0.33	013.02	0
013	Fat (%)	0960	4.3750	0.67000	4.1616	0.52195	0.15456	48	0.41	013.02	0
013	Fat (%)	0309	4.4200	0.26000	4.1616	0.52195	0.15456	48	0.50	013.00	0
013	Fat (%)	0265	4.4500	0.10000	4.1616	0.52195	0.15456	48	0.55	013.13	0
013	Fat (%)	0100	4.5000	0.22000	4.1616	0.52195	0.15456	48	0.65	013.02	0
013	Fat (%)	0959	4.5350	0.13000	4.1616	0.52195	0.15456	48	0.72	013.02	0
013	Fat (%)	0650	4.5400	0.04000	4.1616	0.52195	0.15456	48	0.72	013.02	0
013	Fat (%)	0003	4.5700	0.02000	4.1616	0.52195	0.15456	48	0.78	013.02	0
013	Fat (%)	0202	4.5750	0.23000	4.1616	0.52195	0.15456	48	0.79	013.00	0
013	Fat (%)	0164	4.6500	0.24000	4.1616	0.52195	0.15456	48	0.94	013.02	0
013	Fat (%)	2016	4.6500	0.40000	4.1616	0.52195	0.15456	48	0.94	013.02	0
013	Fat (%)	0581	4.6500	0.08000	4.1616	0.52195	0.15456	48	0.94	013.13	0
013	Fat (%)	0553	4.7100	0.08000	4.1616	0.52195	0.15456	48	1.05	013.02	0
013	Fat (%)	0682	4.8300	0.06000	4.1616	0.52195	0.15456	48	1.28	013.02	0
013	Fat (%)	0957	5.0150	0.05000	4.1616	0.52195	0.15456	48	1.64	013.02	0
013	Fat (%)	0968	5.1175	0.38900	4.1616	0.52195	0.15456	48	1.83	013.10	0
013	Fat (%)	0652	5.3500	0.30000	4.1616	0.52195	0.15456	48	2.28	013.10	0
013	Fat (%)	0675	5.7650	0.07000	4.1616	0.52195	0.15456	48	3.07	013.02	0
013	Fat (%)	0008	4.4100	0.78000	4.1616	0.52195	0.15456	48	0.48	013.02	1
013	Fat (%)	0011	12.100	0.00000	4.1616	0.52195	0.15456	48	15.21	013.02	2
015	Aluminum (mg / kg (ppm))	0164	24.000	0.00000	36.924	4.5137	0.96913	16	-2.86	015.41	0
015	Aluminum (mg / kg (ppm))	0510	25.000	0.00000	36.924	4.5137	0.96913	16	-2.64	015.43	0
015	Aluminum (mg / kg (ppm))	0297	26.500	1.0000	36.924	4.5137	0.96913	16	-2.31	015.43	0
015	Aluminum (mg / kg (ppm))	0011	31.311	0.15300	36.924	4.5137	0.96913	16	-1.24	015.41	0
015	Aluminum (mg / kg (ppm))	0049	32.495	0.35000	36.924	4.5137	0.96913	16	-0.98	015.41	0
015	Aluminum (mg / kg (ppm))	2058	35.260	0.72000	36.924	4.5137	0.96913	16	-0.37	015.43	0
015	Aluminum (mg / kg (ppm))	0171	36.700	2.6000	36.924	4.5137	0.96913	16	-0.05	015.41	0
015	Aluminum (mg / kg (ppm))	0964	37.810	1.6000	36.924	4.5137	0.96913	16	0.20	015.41	0
015	Aluminum (mg / kg (ppm))	0345	37.900	0.20000	36.924	4.5137	0.96913	16	0.22	015.43	0
015	Aluminum (mg / kg (ppm))	0918	38.642	0.68300	36.924	4.5137	0.96913	16	0.38	015.43	0
015	Aluminum (mg / kg (ppm))	0353	39.065	1.7500	36.924	4.5137	0.96913	16	0.47	015.43	0
015	Aluminum (mg / kg (ppm))	0520	40.225	1.8700	36.924	4.5137	0.96913	16	0.73	015.41	0
015	Aluminum (mg / kg (ppm))	0021	40.500	1.0000	36.924	4.5137	0.96913	16	0.79	015.43	0
015	Aluminum (mg / kg (ppm))	0413	40.700	0.48000	36.924	4.5137	0.96913	16	0.84	015.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
015	Aluminum (mg / kg (ppm))	0553	40.800	1.0000	36.924	4.5137	0.96913	16	0.86	015.53	0
015	Aluminum (mg / kg (ppm))	0560	43.750	2.1000	36.924	4.5137	0.96913	16	1.51	015.42	0
015	Aluminum (mg / kg (ppm))	0169	33.700	5.4000	36.924	4.5137	0.96913	16	-0.71	015.43	1
017	Boron (mg / kg (ppm))	0021	0.00000	0.00000	7.2409	0.58433	0.26831	13	-12.39	017.43	0
017	Boron (mg / kg (ppm))	0297	3.0000	0.00000	7.2409	0.58433	0.26831	13	-7.26	017.43	0
017	Boron (mg / kg (ppm))	0096	6.6500	0.10000	7.2409	0.58433	0.26831	13	-1.01	017.52	0
017	Boron (mg / kg (ppm))	0918	6.8250	0.57000	7.2409	0.58433	0.26831	13	-0.71	017.43	0
017	Boron (mg / kg (ppm))	0345	6.9500	0.10000	7.2409	0.58433	0.26831	13	-0.50	017.43	0
017	Boron (mg / kg (ppm))	0560	7.3000	0.72000	7.2409	0.58433	0.26831	13	0.10	017.42	0
017	Boron (mg / kg (ppm))	0045	7.3200	0.76000	7.2409	0.58433	0.26831	13	0.14	017.42	0
017	Boron (mg / kg (ppm))	0693	7.3950	0.13000	7.2409	0.58433	0.26831	13	0.26	017.42	0
017	Boron (mg / kg (ppm))	0413	7.5410	0.24800	7.2409	0.58433	0.26831	13	0.51	017.53	0
017	Boron (mg / kg (ppm))	0510	7.6500	0.10000	7.2409	0.58433	0.26831	13	0.70	017.43	0
017	Boron (mg / kg (ppm))	0049	7.6750	0.47000	7.2409	0.58433	0.26831	13	0.74	017.41	0
017	Boron (mg / kg (ppm))	0353	7.7150	0.19000	7.2409	0.58433	0.26831	13	0.81	017.43	0
017	Boron (mg / kg (ppm))	0294	11.450	0.10000	7.2409	0.58433	0.26831	13	7.20	017.42	0
017	Boron (mg / kg (ppm))	0037	10.100	1.6000	7.2409	0.58433	0.26831	13	4.89	017.43	1
019	Calcium (%)	0658	0.64870	0.00020	0.81839	0.04504	0.01479	158	-3.77	019.00	0
019	Calcium (%)	2006	0.66550	0.01300	0.81839	0.04504	0.01479	158	-3.39	019.99	0
019	Calcium (%)	0036	0.68830	0.01340	0.81839	0.04504	0.01479	158	-2.89	019.43	0
019	Calcium (%)	0510	0.70500	0.01000	0.81839	0.04504	0.01479	158	-2.52	019.43	0
019	Calcium (%)	0139	0.71350	0.00900	0.81839	0.04504	0.01479	158	-2.33	019.31	0
019	Calcium (%)	0553	0.72150	0.02300	0.81839	0.04504	0.01479	158	-2.15	019.41	0
019	Calcium (%)	0142	0.73000	0.00000	0.81839	0.04504	0.01479	158	-1.96	019.31	0
019	Calcium (%)	0144	0.73000	0.02000	0.81839	0.04504	0.01479	158	-1.96	019.41	0
019	Calcium (%)	2067	0.73250	0.00460	0.81839	0.04504	0.01479	158	-1.91	019.31	0
019	Calcium (%)	2052	0.73700	0.00600	0.81839	0.04504	0.01479	158	-1.81	019.43	0
019	Calcium (%)	2055	0.74350	0.06100	0.81839	0.04504	0.01479	158	-1.66	019.43	0
019	Calcium (%)	0038	0.74400	0.04400	0.81839	0.04504	0.01479	158	-1.65	019.43	0
019	Calcium (%)	0043	0.74500	0.01000	0.81839	0.04504	0.01479	158	-1.63	019.43	0
019	Calcium (%)	0043	0.75000	0.00000	0.81839	0.04504	0.01479	158	-1.52	019.00	0
019	Calcium (%)	0242	0.75000	0.00000	0.81839	0.04504	0.01479	158	-1.52	019.99	0
019	Calcium (%)	0300	0.75150	0.01700	0.81839	0.04504	0.01479	158	-1.49	019.41	0
019	Calcium (%)	0610	0.75500	0.03000	0.81839	0.04504	0.01479	158	-1.41	019.41	0
019	Calcium (%)	0065	0.75705	0.01210	0.81839	0.04504	0.01479	158	-1.36	019.31	0
019	Calcium (%)	0511	0.76000	0.04000	0.81839	0.04504	0.01479	158	-1.30	019.41	0
019	Calcium (%)	0520	0.76000	0.04000	0.81839	0.04504	0.01479	158	-1.30	019.41	0
019	Calcium (%)	0921	0.76200	0.00000	0.81839	0.04504	0.01479	158	-1.25	019.31	0
019	Calcium (%)	0623	0.76845	0.00050	0.81839	0.04504	0.01479	158	-1.11	019.00	0
019	Calcium (%)	0563	0.76865	0.00950	0.81839	0.04504	0.01479	158	-1.10	019.31	0
019	Calcium (%)	0089	0.77000	0.00000	0.81839	0.04504	0.01479	158	-1.07	019.41	0
019	Calcium (%)	2058	0.77000	0.02000	0.81839	0.04504	0.01479	158	-1.07	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0407	0.77050	0.00300	0.81839	0.04504	0.01479	158	-1.06	019.41	0
019	Calcium (%)	0016	0.77150	0.00100	0.81839	0.04504	0.01479	158	-1.04	019.52	0
019	Calcium (%)	0878	0.77500	0.03000	0.81839	0.04504	0.01479	158	-0.96	019.00	0
019	Calcium (%)	0019	0.77500	0.03000	0.81839	0.04504	0.01479	158	-0.96	019.41	0
019	Calcium (%)	0039	0.77520	0.00720	0.81839	0.04504	0.01479	158	-0.96	019.31	0
019	Calcium (%)	2067	0.77750	0.00100	0.81839	0.04504	0.01479	158	-0.91	019.00	0
019	Calcium (%)	0051	0.77855	0.02290	0.81839	0.04504	0.01479	158	-0.88	019.41	0
019	Calcium (%)	0620	0.77890	0.00000	0.81839	0.04504	0.01479	158	-0.88	019.00	0
019	Calcium (%)	0653	0.77950	0.00300	0.81839	0.04504	0.01479	158	-0.86	019.31	0
019	Calcium (%)	0154	0.77985	0.01590	0.81839	0.04504	0.01479	158	-0.86	019.52	0
019	Calcium (%)	0035	0.78130	0.00300	0.81839	0.04504	0.01479	158	-0.82	019.42	0
019	Calcium (%)	0186	0.78140	0.00620	0.81839	0.04504	0.01479	158	-0.82	019.42	0
019	Calcium (%)	0596	0.79000	0.04000	0.81839	0.04504	0.01479	158	-0.63	019.31	0
019	Calcium (%)	0265	0.79000	0.04000	0.81839	0.04504	0.01479	158	-0.63	019.42	0
019	Calcium (%)	0205	0.79150	0.01900	0.81839	0.04504	0.01479	158	-0.60	019.42	0
019	Calcium (%)	0651	0.79400	0.00200	0.81839	0.04504	0.01479	158	-0.54	019.00	0
019	Calcium (%)	0893	0.79500	0.01000	0.81839	0.04504	0.01479	158	-0.52	019.00	0
019	Calcium (%)	0233	0.79500	0.01000	0.81839	0.04504	0.01479	158	-0.52	019.31	0
019	Calcium (%)	0074	0.79500	0.03000	0.81839	0.04504	0.01479	158	-0.52	019.41	0
019	Calcium (%)	0297	0.79500	0.01000	0.81839	0.04504	0.01479	158	-0.52	019.43	0
019	Calcium (%)	0011	0.79840	0.00760	0.81839	0.04504	0.01479	158	-0.44	019.41	0
019	Calcium (%)	0881	0.79900	0.02000	0.81839	0.04504	0.01479	158	-0.43	019.00	0
019	Calcium (%)	0505	0.80000	0.00000	0.81839	0.04504	0.01479	158	-0.41	019.31	0
019	Calcium (%)	0171	0.80000	0.00000	0.81839	0.04504	0.01479	158	-0.41	019.41	0
019	Calcium (%)	0199	0.80000	0.00000	0.81839	0.04504	0.01479	158	-0.41	019.43	0
019	Calcium (%)	0723	0.80100	0.00000	0.81839	0.04504	0.01479	158	-0.39	019.31	0
019	Calcium (%)	0178	0.80150	0.00300	0.81839	0.04504	0.01479	158	-0.38	019.31	0
019	Calcium (%)	0889	0.80345	0.00010	0.81839	0.04504	0.01479	158	-0.33	019.99	0
019	Calcium (%)	0868	0.80500	0.00200	0.81839	0.04504	0.01479	158	-0.30	019.31	0
019	Calcium (%)	0504	0.80600	0.02800	0.81839	0.04504	0.01479	158	-0.28	019.32	0
019	Calcium (%)	0504	0.80750	0.01100	0.81839	0.04504	0.01479	158	-0.24	019.42	0
019	Calcium (%)	0014	0.81000	0.00600	0.81839	0.04504	0.01479	158	-0.19	019.31	0
019	Calcium (%)	0152	0.81000	0.02000	0.81839	0.04504	0.01479	158	-0.19	019.31	0
019	Calcium (%)	0169	0.81000	0.00000	0.81839	0.04504	0.01479	158	-0.19	019.32	0
019	Calcium (%)	0049	0.81000	0.02000	0.81839	0.04504	0.01479	158	-0.19	019.41	0
019	Calcium (%)	0164	0.81000	0.02000	0.81839	0.04504	0.01479	158	-0.19	019.41	0
019	Calcium (%)	0229	0.81000	0.02000	0.81839	0.04504	0.01479	158	-0.19	019.41	0
019	Calcium (%)	0298	0.81000	0.02000	0.81839	0.04504	0.01479	158	-0.19	019.41	0
019	Calcium (%)	0682	0.81000	0.00000	0.81839	0.04504	0.01479	158	-0.19	019.41	0
019	Calcium (%)	0848	0.81000	0.00000	0.81839	0.04504	0.01479	158	-0.19	019.41	0
019	Calcium (%)	0096	0.81000	0.00000	0.81839	0.04504	0.01479	158	-0.19	019.42	0
019	Calcium (%)	0357	0.81000	0.00000	0.81839	0.04504	0.01479	158	-0.19	019.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0425	0.81000	0.00000	0.81839	0.04504	0.01479	158	-0.19	019.43	0
019	Calcium (%)	0045	0.81200	0.00600	0.81839	0.04504	0.01479	158	-0.14	019.42	0
019	Calcium (%)	0208	0.81250	0.05300	0.81839	0.04504	0.01479	158	-0.13	019.31	0
019	Calcium (%)	0512	0.81255	0.02690	0.81839	0.04504	0.01479	158	-0.13	019.41	0
019	Calcium (%)	0622	0.81310	0.01580	0.81839	0.04504	0.01479	158	-0.12	019.00	0
019	Calcium (%)	0175	0.81500	0.01000	0.81839	0.04504	0.01479	158	-0.08	019.31	0
019	Calcium (%)	0609	0.81500	0.01000	0.81839	0.04504	0.01479	158	-0.08	019.32	0
019	Calcium (%)	0004	0.81500	0.01000	0.81839	0.04504	0.01479	158	-0.08	019.41	0
019	Calcium (%)	2062	0.81510	0.01200	0.81839	0.04504	0.01479	158	-0.07	019.00	0
019	Calcium (%)	0263	0.81595	0.00090	0.81839	0.04504	0.01479	158	-0.05	019.32	0
019	Calcium (%)	0148	0.81600	0.00400	0.81839	0.04504	0.01479	158	-0.05	019.41	0
019	Calcium (%)	0504	0.81600	0.02000	0.81839	0.04504	0.01479	158	-0.05	019.33	0
019	Calcium (%)	0038	0.81700	0.01000	0.81839	0.04504	0.01479	158	-0.03	019.31	0
019	Calcium (%)	0918	0.81900	0.07400	0.81839	0.04504	0.01479	158	0.01	019.43	0
019	Calcium (%)	0001	0.81965	0.02090	0.81839	0.04504	0.01479	158	0.03	019.31	0
019	Calcium (%)	0560	0.81965	0.02170	0.81839	0.04504	0.01479	158	0.03	019.42	0
019	Calcium (%)	2022	0.82000	0.00000	0.81839	0.04504	0.01479	158	0.04	019.31	0
019	Calcium (%)	0885	0.82000	0.02000	0.81839	0.04504	0.01479	158	0.04	019.08	0
019	Calcium (%)	0687	0.82000	0.02000	0.81839	0.04504	0.01479	158	0.04	019.31	0
019	Calcium (%)	0083	0.82000	0.02000	0.81839	0.04504	0.01479	158	0.04	019.41	0
019	Calcium (%)	0910	0.82000	0.04000	0.81839	0.04504	0.01479	158	0.04	019.41	0
019	Calcium (%)	0106	0.82000	0.02000	0.81839	0.04504	0.01479	158	0.04	019.42	0
019	Calcium (%)	0168	0.82000	0.06000	0.81839	0.04504	0.01479	158	0.04	019.43	0
019	Calcium (%)	0590	0.82500	0.01000	0.81839	0.04504	0.01479	158	0.15	019.08	0
019	Calcium (%)	2063	0.82500	0.01000	0.81839	0.04504	0.01479	158	0.15	019.08	0
019	Calcium (%)	0008	0.82500	0.00400	0.81839	0.04504	0.01479	158	0.15	019.43	0
019	Calcium (%)	0675	0.82500	0.01000	0.81839	0.04504	0.01479	158	0.15	019.43	0
019	Calcium (%)	0096	0.82500	0.03000	0.81839	0.04504	0.01479	158	0.15	019.52	0
019	Calcium (%)	2004	0.82600	0.01000	0.81839	0.04504	0.01479	158	0.17	019.44	0
019	Calcium (%)	2065	0.83000	0.00600	0.81839	0.04504	0.01479	158	0.26	019.00	0
019	Calcium (%)	0939	0.83000	0.02000	0.81839	0.04504	0.01479	158	0.26	019.31	0
019	Calcium (%)	0098	0.83000	0.00000	0.81839	0.04504	0.01479	158	0.26	019.41	0
019	Calcium (%)	0202	0.83000	0.02000	0.81839	0.04504	0.01479	158	0.26	019.42	0
019	Calcium (%)	0345	0.83450	0.02100	0.81839	0.04504	0.01479	158	0.36	019.43	0
019	Calcium (%)	0683	0.83500	0.01000	0.81839	0.04504	0.01479	158	0.37	019.00	0
019	Calcium (%)	0897	0.83500	0.01000	0.81839	0.04504	0.01479	158	0.37	019.00	0
019	Calcium (%)	0650	0.83500	0.01000	0.81839	0.04504	0.01479	158	0.37	019.31	0
019	Calcium (%)	0003	0.83500	0.01000	0.81839	0.04504	0.01479	158	0.37	019.41	0
019	Calcium (%)	0692	0.83500	0.01000	0.81839	0.04504	0.01479	158	0.37	019.42	0
019	Calcium (%)	0964	0.83545	0.01170	0.81839	0.04504	0.01479	158	0.38	019.41	0
019	Calcium (%)	2006	0.83650	0.00100	0.81839	0.04504	0.01479	158	0.40	019.09	0
019	Calcium (%)	0878	0.84000	0.02000	0.81839	0.04504	0.01479	158	0.48	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0413	0.84000	0.06000	0.81839	0.04504	0.01479	158	0.48	019.41	0
019	Calcium (%)	0194	0.84500	0.01000	0.81839	0.04504	0.01479	158	0.59	019.00	0
019	Calcium (%)	0354	0.84500	0.01000	0.81839	0.04504	0.01479	158	0.59	019.31	0
019	Calcium (%)	0948	0.84500	0.01000	0.81839	0.04504	0.01479	158	0.59	019.31	0
019	Calcium (%)	0294	0.84500	0.01000	0.81839	0.04504	0.01479	158	0.59	019.42	0
019	Calcium (%)	0693	0.84500	0.03000	0.81839	0.04504	0.01479	158	0.59	019.42	0
019	Calcium (%)	0033	0.84500	0.02600	0.81839	0.04504	0.01479	158	0.59	019.43	0
019	Calcium (%)	0098	0.84500	0.01000	0.81839	0.04504	0.01479	158	0.59	019.43	0
019	Calcium (%)	0572	0.84540	0.02580	0.81839	0.04504	0.01479	158	0.60	019.53	0
019	Calcium (%)	0208	0.84950	0.02700	0.81839	0.04504	0.01479	158	0.69	019.41	0
019	Calcium (%)	0674	0.85000	0.00000	0.81839	0.04504	0.01479	158	0.70	019.31	0
019	Calcium (%)	2023	0.85000	0.00600	0.81839	0.04504	0.01479	158	0.70	019.41	0
019	Calcium (%)	0037	0.85000	0.00000	0.81839	0.04504	0.01479	158	0.70	019.43	0
019	Calcium (%)	0035	0.85210	0.02760	0.81839	0.04504	0.01479	158	0.75	019.32	0
019	Calcium (%)	0891	0.85390	0.01000	0.81839	0.04504	0.01479	158	0.79	019.00	0
019	Calcium (%)	0138	0.85500	0.00400	0.81839	0.04504	0.01479	158	0.81	019.08	0
019	Calcium (%)	0017	0.85500	0.05000	0.81839	0.04504	0.01479	158	0.81	019.43	0
019	Calcium (%)	0726	0.85555	0.00050	0.81839	0.04504	0.01479	158	0.83	019.42	0
019	Calcium (%)	2042	0.86000	0.00000	0.81839	0.04504	0.01479	158	0.92	019.08	0
019	Calcium (%)	0405	0.86000	0.00000	0.81839	0.04504	0.01479	158	0.92	019.41	0
019	Calcium (%)	2006	0.86350	0.00700	0.81839	0.04504	0.01479	158	1.00	019.00	0
019	Calcium (%)	0903	0.86500	0.01000	0.81839	0.04504	0.01479	158	1.03	019.00	0
019	Calcium (%)	0190	0.86500	0.01000	0.81839	0.04504	0.01479	158	1.03	019.42	0
019	Calcium (%)	0036	0.86650	0.00160	0.81839	0.04504	0.01479	158	1.07	019.03	0
019	Calcium (%)	0968	0.86950	0.00300	0.81839	0.04504	0.01479	158	1.13	019.43	0
019	Calcium (%)	0629	0.87000	0.00000	0.81839	0.04504	0.01479	158	1.15	019.08	0
019	Calcium (%)	0619	0.87350	0.00700	0.81839	0.04504	0.01479	158	1.22	019.41	0
019	Calcium (%)	0884	0.87500	0.03000	0.81839	0.04504	0.01479	158	1.26	019.31	0
019	Calcium (%)	0278	0.87500	0.01000	0.81839	0.04504	0.01479	158	1.26	019.42	0
019	Calcium (%)	0353	0.87500	0.03000	0.81839	0.04504	0.01479	158	1.26	019.43	0
019	Calcium (%)	0629	0.88000	0.00000	0.81839	0.04504	0.01479	158	1.37	019.43	0
019	Calcium (%)	0042	0.88100	0.02000	0.81839	0.04504	0.01479	158	1.39	019.42	0
019	Calcium (%)	0226	0.89000	0.00000	0.81839	0.04504	0.01479	158	1.59	019.41	0
019	Calcium (%)	0413	0.89450	0.03100	0.81839	0.04504	0.01479	158	1.69	019.53	0
019	Calcium (%)	0964	0.89475	0.00650	0.81839	0.04504	0.01479	158	1.70	019.43	0
019	Calcium (%)	0598	0.89640	0.00360	0.81839	0.04504	0.01479	158	1.73	019.41	0
019	Calcium (%)	2068	0.90500	0.01000	0.81839	0.04504	0.01479	158	1.92	019.00	0
019	Calcium (%)	0689	0.92000	0.00000	0.81839	0.04504	0.01479	158	2.26	019.08	0
019	Calcium (%)	0100	0.92000	0.00000	0.81839	0.04504	0.01479	158	2.26	019.41	0
019	Calcium (%)	2053	0.93500	0.01000	0.81839	0.04504	0.01479	158	2.59	019.42	0
019	Calcium (%)	0955	0.93900	0.07600	0.81839	0.04504	0.01479	158	2.68	019.44	0
019	Calcium (%)	0685	0.94500	0.01000	0.81839	0.04504	0.01479	158	2.81	019.44	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0047	0.94500	0.03000	0.81839	0.04504	0.01479	158	2.81	019.52	0
019	Calcium (%)	0536	0.97500	0.01000	0.81839	0.04504	0.01479	158	3.48	019.02	0
019	Calcium (%)	0852	1.0000	0.00000	0.81839	0.04504	0.01479	158	4.03	019.08	0
019	Calcium (%)	0066	1.0250	0.07000	0.81839	0.04504	0.01479	158	4.59	019.31	0
019	Calcium (%)	0337	1.0650	0.03000	0.81839	0.04504	0.01479	158	5.48	019.00	0
019	Calcium (%)	0895	1.1050	0.01000	0.81839	0.04504	0.01479	158	6.36	019.00	0
019	Calcium (%)	0646	1.1250	0.05000	0.81839	0.04504	0.01479	158	6.81	019.00	0
019	Calcium (%)	2055	0.66400	0.10800	0.81839	0.04504	0.01479	158	-3.43	019.53	1
019	Calcium (%)	0108	0.74500	0.09000	0.81839	0.04504	0.01479	158	-1.63	019.31	1
019	Calcium (%)	0018	0.93850	0.12300	0.81839	0.04504	0.01479	158	2.67	019.43	1
019	Calcium (%)	0852	1.0500	0.10000	0.81839	0.04504	0.01479	158	5.14	019.99	1
019	Calcium (%)	0552	1.1700	0.10000	0.81839	0.04504	0.01479	158	7.81	019.00	1
021	Cobalt (mg / kg (ppm))	0164	0.00000	0.00000	0.38089	0.12962	0.03806	18	-2.94	021.31	0
021	Cobalt (mg / kg (ppm))	0021	0.00000	0.00000	0.38089	0.12962	0.03806	18	-2.94	021.43	0
021	Cobalt (mg / kg (ppm))	0096	0.21500	0.01000	0.38089	0.12962	0.03806	18	-1.28	021.52	0
021	Cobalt (mg / kg (ppm))	0560	0.28450	0.09100	0.38089	0.12962	0.03806	18	-0.74	021.42	0
021	Cobalt (mg / kg (ppm))	2055	0.29600	0.01000	0.38089	0.12962	0.03806	18	-0.65	021.53	0
021	Cobalt (mg / kg (ppm))	0169	0.30500	0.01000	0.38089	0.12962	0.03806	18	-0.59	021.43	0
021	Cobalt (mg / kg (ppm))	0098	0.32250	0.04500	0.38089	0.12962	0.03806	18	-0.45	021.52	0
021	Cobalt (mg / kg (ppm))	0011	0.34850	0.06600	0.38089	0.12962	0.03806	18	-0.25	021.41	0
021	Cobalt (mg / kg (ppm))	0918	0.40235	0.10870	0.38089	0.12962	0.03806	18	0.17	021.53	0
021	Cobalt (mg / kg (ppm))	0413	0.41250	0.01900	0.38089	0.12962	0.03806	18	0.24	021.53	0
021	Cobalt (mg / kg (ppm))	0553	0.42500	0.05600	0.38089	0.12962	0.03806	18	0.34	021.53	0
021	Cobalt (mg / kg (ppm))	0038	0.45000	0.10000	0.38089	0.12962	0.03806	18	0.53	021.43	0
021	Cobalt (mg / kg (ppm))	0964	0.45115	0.00570	0.38089	0.12962	0.03806	18	0.54	021.43	0
021	Cobalt (mg / kg (ppm))	0964	0.47670	0.05360	0.38089	0.12962	0.03806	18	0.74	021.41	0
021	Cobalt (mg / kg (ppm))	0003	0.50000	0.04000	0.38089	0.12962	0.03806	18	0.92	021.43	0
021	Cobalt (mg / kg (ppm))	0199	0.50500	0.01000	0.38089	0.12962	0.03806	18	0.96	021.53	0
021	Cobalt (mg / kg (ppm))	0043	0.53000	0.06000	0.38089	0.12962	0.03806	18	1.15	021.43	0
021	Cobalt (mg / kg (ppm))	0510	0.54000	0.00000	0.38089	0.12962	0.03806	18	1.23	021.43	0
021	Cobalt (mg / kg (ppm))	0693	0.21500	0.41000	0.38089	0.12962	0.03806	18	-1.28	021.00	1
022	Copper (mg / kg (ppm))	0042	10.250	0.50000	13.231	1.3324	0.67876	89	-2.24	022.42	0
022	Copper (mg / kg (ppm))	0242	10.500	1.0000	13.231	1.3324	0.67876	89	-2.05	022.99	0
022	Copper (mg / kg (ppm))	0037	10.750	2.9000	13.231	1.3324	0.67876	89	-1.86	022.43	0
022	Copper (mg / kg (ppm))	0066	10.920	0.32000	13.231	1.3324	0.67876	89	-1.73	022.31	0
022	Copper (mg / kg (ppm))	2023	11.450	0.10000	13.231	1.3324	0.67876	89	-1.34	022.53	0
022	Copper (mg / kg (ppm))	2055	11.500	1.0000	13.231	1.3324	0.67876	89	-1.30	022.53	0
022	Copper (mg / kg (ppm))	0208	11.700	1.1400	13.231	1.3324	0.67876	89	-1.15	022.41	0
022	Copper (mg / kg (ppm))	0425	11.750	0.10000	13.231	1.3324	0.67876	89	-1.11	022.43	0
022	Copper (mg / kg (ppm))	0921	11.770	0.00000	13.231	1.3324	0.67876	89	-1.10	022.31	0
022	Copper (mg / kg (ppm))	0169	11.850	0.70000	13.231	1.3324	0.67876	89	-1.04	022.43	0
022	Copper (mg / kg (ppm))	0918	11.970	1.4800	13.231	1.3324	0.67876	89	-0.95	022.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0226	12.000	0.00000	13.231	1.3324	0.67876	89	-0.92	022.41	0
022	Copper (mg / kg (ppm))	0511	12.000	2.0000	13.231	1.3324	0.67876	89	-0.92	022.41	0
022	Copper (mg / kg (ppm))	0297	12.000	0.00000	13.231	1.3324	0.67876	89	-0.92	022.43	0
022	Copper (mg / kg (ppm))	0510	12.000	0.00000	13.231	1.3324	0.67876	89	-0.92	022.43	0
022	Copper (mg / kg (ppm))	0098	12.035	0.19000	13.231	1.3324	0.67876	89	-0.90	022.43	0
022	Copper (mg / kg (ppm))	0178	12.150	1.1000	13.231	1.3324	0.67876	89	-0.81	022.31	0
022	Copper (mg / kg (ppm))	0619	12.150	0.10000	13.231	1.3324	0.67876	89	-0.81	022.41	0
022	Copper (mg / kg (ppm))	0939	12.210	0.28000	13.231	1.3324	0.67876	89	-0.77	022.31	0
022	Copper (mg / kg (ppm))	0726	12.285	0.03000	13.231	1.3324	0.67876	89	-0.71	022.42	0
022	Copper (mg / kg (ppm))	0553	12.300	1.0000	13.231	1.3324	0.67876	89	-0.70	022.41	0
022	Copper (mg / kg (ppm))	0345	12.300	0.40000	13.231	1.3324	0.67876	89	-0.70	022.43	0
022	Copper (mg / kg (ppm))	0164	12.350	0.70000	13.231	1.3324	0.67876	89	-0.66	022.41	0
022	Copper (mg / kg (ppm))	0572	12.400	0.40000	13.231	1.3324	0.67876	89	-0.62	022.53	0
022	Copper (mg / kg (ppm))	0682	12.400	0.20000	13.231	1.3324	0.67876	89	-0.62	022.41	0
022	Copper (mg / kg (ppm))	0964	12.410	0.04000	13.231	1.3324	0.67876	89	-0.62	022.41	0
022	Copper (mg / kg (ppm))	0199	12.450	0.70000	13.231	1.3324	0.67876	89	-0.59	022.53	0
022	Copper (mg / kg (ppm))	0590	12.500	1.0000	13.231	1.3324	0.67876	89	-0.55	022.31	0
022	Copper (mg / kg (ppm))	0083	12.500	1.0000	13.231	1.3324	0.67876	89	-0.55	022.41	0
022	Copper (mg / kg (ppm))	0100	12.500	1.0000	13.231	1.3324	0.67876	89	-0.55	022.41	0
022	Copper (mg / kg (ppm))	0229	12.500	1.0000	13.231	1.3324	0.67876	89	-0.55	022.41	0
022	Copper (mg / kg (ppm))	0692	12.500	0.80000	13.231	1.3324	0.67876	89	-0.55	022.42	0
022	Copper (mg / kg (ppm))	0096	12.500	1.0000	13.231	1.3324	0.67876	89	-0.55	022.52	0
022	Copper (mg / kg (ppm))	0051	12.535	0.39000	13.231	1.3324	0.67876	89	-0.52	022.41	0
022	Copper (mg / kg (ppm))	0353	12.595	0.33000	13.231	1.3324	0.67876	89	-0.48	022.43	0
022	Copper (mg / kg (ppm))	0629	12.600	0.00000	13.231	1.3324	0.67876	89	-0.47	022.43	0
022	Copper (mg / kg (ppm))	0190	12.690	0.46000	13.231	1.3324	0.67876	89	-0.41	022.42	0
022	Copper (mg / kg (ppm))	0629	12.700	0.00000	13.231	1.3324	0.67876	89	-0.40	022.31	0
022	Copper (mg / kg (ppm))	0049	12.715	0.03000	13.231	1.3324	0.67876	89	-0.39	022.41	0
022	Copper (mg / kg (ppm))	0208	12.800	0.40000	13.231	1.3324	0.67876	89	-0.32	022.31	0
022	Copper (mg / kg (ppm))	0008	12.800	0.20000	13.231	1.3324	0.67876	89	-0.32	022.43	0
022	Copper (mg / kg (ppm))	0265	13.000	0.00000	13.231	1.3324	0.67876	89	-0.17	022.42	0
022	Copper (mg / kg (ppm))	0038	13.000	0.00000	13.231	1.3324	0.67876	89	-0.17	022.43	0
022	Copper (mg / kg (ppm))	0968	13.000	0.00000	13.231	1.3324	0.67876	89	-0.17	022.43	0
022	Copper (mg / kg (ppm))	0413	13.080	0.12000	13.231	1.3324	0.67876	89	-0.11	022.53	0
022	Copper (mg / kg (ppm))	0675	13.095	0.09000	13.231	1.3324	0.67876	89	-0.10	022.43	0
022	Copper (mg / kg (ppm))	0563	13.115	0.33000	13.231	1.3324	0.67876	89	-0.09	022.31	0
022	Copper (mg / kg (ppm))	0045	13.200	0.40000	13.231	1.3324	0.67876	89	-0.02	022.42	0
022	Copper (mg / kg (ppm))	0868	13.250	0.10000	13.231	1.3324	0.67876	89	0.01	022.31	0
022	Copper (mg / kg (ppm))	2004	13.300	0.20000	13.231	1.3324	0.67876	89	0.05	022.44	0
022	Copper (mg / kg (ppm))	0520	13.325	1.4700	13.231	1.3324	0.67876	89	0.07	022.41	0
022	Copper (mg / kg (ppm))	0505	13.450	0.30000	13.231	1.3324	0.67876	89	0.16	022.31	0
022	Copper (mg / kg (ppm))	0004	13.500	1.0000	13.231	1.3324	0.67876	89	0.20	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0910	13.500	1.0000	13.231	1.3324	0.67876	89	0.20	022.41	0
022	Copper (mg / kg (ppm))	0096	13.500	1.0000	13.231	1.3324	0.67876	89	0.20	022.42	0
022	Copper (mg / kg (ppm))	0171	13.550	1.5000	13.231	1.3324	0.67876	89	0.24	022.41	0
022	Copper (mg / kg (ppm))	0955	13.550	0.70000	13.231	1.3324	0.67876	89	0.24	022.44	0
022	Copper (mg / kg (ppm))	0964	13.710	0.70000	13.231	1.3324	0.67876	89	0.36	022.43	0
022	Copper (mg / kg (ppm))	0596	13.760	0.72000	13.231	1.3324	0.67876	89	0.40	022.31	0
022	Copper (mg / kg (ppm))	0504	13.790	1.8000	13.231	1.3324	0.67876	89	0.42	022.32	0
022	Copper (mg / kg (ppm))	0693	13.910	1.5000	13.231	1.3324	0.67876	89	0.51	022.42	0
022	Copper (mg / kg (ppm))	0674	13.955	0.57000	13.231	1.3324	0.67876	89	0.54	022.31	0
022	Copper (mg / kg (ppm))	0038	14.000	2.0000	13.231	1.3324	0.67876	89	0.58	022.32	0
022	Copper (mg / kg (ppm))	0186	14.000	0.00000	13.231	1.3324	0.67876	89	0.58	022.42	0
022	Copper (mg / kg (ppm))	0278	14.000	0.20000	13.231	1.3324	0.67876	89	0.58	022.42	0
022	Copper (mg / kg (ppm))	0357	14.000	0.00000	13.231	1.3324	0.67876	89	0.58	022.42	0
022	Copper (mg / kg (ppm))	2058	14.120	0.44000	13.231	1.3324	0.67876	89	0.67	022.43	0
022	Copper (mg / kg (ppm))	0884	14.350	0.30000	13.231	1.3324	0.67876	89	0.84	022.31	0
022	Copper (mg / kg (ppm))	2052	14.350	1.5000	13.231	1.3324	0.67876	89	0.84	022.43	0
022	Copper (mg / kg (ppm))	0098	14.450	2.1000	13.231	1.3324	0.67876	89	0.91	022.41	0
022	Copper (mg / kg (ppm))	0074	14.500	1.0000	13.231	1.3324	0.67876	89	0.95	022.41	0
022	Copper (mg / kg (ppm))	0878	14.500	1.0000	13.231	1.3324	0.67876	89	0.95	022.41	0
022	Copper (mg / kg (ppm))	0560	14.500	1.4000	13.231	1.3324	0.67876	89	0.95	022.42	0
022	Copper (mg / kg (ppm))	0653	14.650	0.08000	13.231	1.3324	0.67876	89	1.06	022.31	0
022	Copper (mg / kg (ppm))	0407	14.795	0.55000	13.231	1.3324	0.67876	89	1.17	022.41	0
022	Copper (mg / kg (ppm))	0148	14.850	0.10000	13.231	1.3324	0.67876	89	1.22	022.41	0
022	Copper (mg / kg (ppm))	0609	15.000	0.00000	13.231	1.3324	0.67876	89	1.33	022.32	0
022	Copper (mg / kg (ppm))	0003	15.000	0.00000	13.231	1.3324	0.67876	89	1.33	022.41	0
022	Copper (mg / kg (ppm))	0106	15.000	0.10000	13.231	1.3324	0.67876	89	1.33	022.42	0
022	Copper (mg / kg (ppm))	0202	15.030	0.02000	13.231	1.3324	0.67876	89	1.35	022.42	0
022	Copper (mg / kg (ppm))	0035	15.150	0.80000	13.231	1.3324	0.67876	89	1.44	022.32	0
022	Copper (mg / kg (ppm))	0948	15.395	0.89000	13.231	1.3324	0.67876	89	1.62	022.33	0
022	Copper (mg / kg (ppm))	0294	15.650	0.70000	13.231	1.3324	0.67876	89	1.82	022.42	0
022	Copper (mg / kg (ppm))	0598	15.920	0.16000	13.231	1.3324	0.67876	89	2.02	022.41	0
022	Copper (mg / kg (ppm))	0610	16.500	1.0000	13.231	1.3324	0.67876	89	2.45	022.41	0
022	Copper (mg / kg (ppm))	0035	16.960	2.6800	13.231	1.3324	0.67876	89	2.80	022.42	0
022	Copper (mg / kg (ppm))	0405	19.500	1.0000	13.231	1.3324	0.67876	89	4.70	022.41	0
022	Copper (mg / kg (ppm))	2022	24.000	2.4000	13.231	1.3324	0.67876	89	8.08	022.31	0
022	Copper (mg / kg (ppm))	0043	25.250	2.5000	13.231	1.3324	0.67876	89	9.02	022.43	0
022	Copper (mg / kg (ppm))	0504	11.934	4.2930	13.231	1.3324	0.67876	89	-0.97	022.33	1
022	Copper (mg / kg (ppm))	0011	14.213	4.0150	13.231	1.3324	0.67876	89	0.74	022.41	1
025	Iron (mg / kg (ppm))	0609	117.50	5.0000	172.46	13.462	5.3057	90	-4.08	025.32	0
025	Iron (mg / kg (ppm))	2055	121.00	4.0000	172.46	13.462	5.3057	90	-3.82	025.53	0
025	Iron (mg / kg (ppm))	0297	138.00	0.00000	172.46	13.462	5.3057	90	-2.56	025.43	0
025	Iron (mg / kg (ppm))	0955	138.50	3.0000	172.46	13.462	5.3057	90	-2.52	025.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0510	147.00	2.0000	172.46	13.462	5.3057	90	-1.89	025.43	0
025	Iron (mg / kg (ppm))	0504	148.35	18.100	172.46	13.462	5.3057	90	-1.79	025.33	0
025	Iron (mg / kg (ppm))	0505	150.00	4.0000	172.46	13.462	5.3057	90	-1.67	025.31	0
025	Iron (mg / kg (ppm))	0043	153.00	6.0000	172.46	13.462	5.3057	90	-1.45	025.43	0
025	Iron (mg / kg (ppm))	0619	153.50	3.0000	172.46	13.462	5.3057	90	-1.41	025.41	0
025	Iron (mg / kg (ppm))	0178	154.45	1.3000	172.46	13.462	5.3057	90	-1.34	025.31	0
025	Iron (mg / kg (ppm))	0918	156.60	23.200	172.46	13.462	5.3057	90	-1.18	025.43	0
025	Iron (mg / kg (ppm))	0226	157.50	1.0000	172.46	13.462	5.3057	90	-1.11	025.41	0
025	Iron (mg / kg (ppm))	0553	157.50	3.0000	172.46	13.462	5.3057	90	-1.11	025.41	0
025	Iron (mg / kg (ppm))	0242	159.50	1.0000	172.46	13.462	5.3057	90	-0.96	025.99	0
025	Iron (mg / kg (ppm))	0051	160.00	2.0000	172.46	13.462	5.3057	90	-0.93	025.41	0
025	Iron (mg / kg (ppm))	0096	160.00	0.00000	172.46	13.462	5.3057	90	-0.93	025.42	0
025	Iron (mg / kg (ppm))	2023	160.00	2.0000	172.46	13.462	5.3057	90	-0.93	025.43	0
025	Iron (mg / kg (ppm))	0598	160.40	3.0000	172.46	13.462	5.3057	90	-0.90	025.41	0
025	Iron (mg / kg (ppm))	2022	161.50	1.0000	172.46	13.462	5.3057	90	-0.81	025.31	0
025	Iron (mg / kg (ppm))	0629	162.00	0.00000	172.46	13.462	5.3057	90	-0.78	025.31	0
025	Iron (mg / kg (ppm))	0345	162.50	1.0000	172.46	13.462	5.3057	90	-0.74	025.43	0
025	Iron (mg / kg (ppm))	0106	163.00	16.000	172.46	13.462	5.3057	90	-0.70	025.42	0
025	Iron (mg / kg (ppm))	0154	163.30	5.8000	172.46	13.462	5.3057	90	-0.68	025.52	0
025	Iron (mg / kg (ppm))	0098	164.55	0.30000	172.46	13.462	5.3057	90	-0.59	025.43	0
025	Iron (mg / kg (ppm))	0413	164.78	11.250	172.46	13.462	5.3057	90	-0.57	025.53	0
025	Iron (mg / kg (ppm))	0563	166.00	4.0000	172.46	13.462	5.3057	90	-0.48	025.31	0
025	Iron (mg / kg (ppm))	0186	166.00	4.0000	172.46	13.462	5.3057	90	-0.48	025.42	0
025	Iron (mg / kg (ppm))	0968	166.50	1.0000	172.46	13.462	5.3057	90	-0.44	025.43	0
025	Iron (mg / kg (ppm))	0229	167.00	6.0000	172.46	13.462	5.3057	90	-0.41	025.41	0
025	Iron (mg / kg (ppm))	2004	167.00	4.0000	172.46	13.462	5.3057	90	-0.41	025.41	0
025	Iron (mg / kg (ppm))	0265	168.00	12.000	172.46	13.462	5.3057	90	-0.33	025.42	0
025	Iron (mg / kg (ppm))	0560	168.00	2.0000	172.46	13.462	5.3057	90	-0.33	025.42	0
025	Iron (mg / kg (ppm))	0511	168.50	15.000	172.46	13.462	5.3057	90	-0.29	025.41	0
025	Iron (mg / kg (ppm))	0037	168.50	2.4000	172.46	13.462	5.3057	90	-0.29	025.43	0
025	Iron (mg / kg (ppm))	0939	168.84	0.89000	172.46	13.462	5.3057	90	-0.27	025.31	0
025	Iron (mg / kg (ppm))	0868	169.00	0.00000	172.46	13.462	5.3057	90	-0.26	025.31	0
025	Iron (mg / kg (ppm))	0004	169.00	4.0000	172.46	13.462	5.3057	90	-0.26	025.41	0
025	Iron (mg / kg (ppm))	0083	169.00	2.0000	172.46	13.462	5.3057	90	-0.26	025.41	0
025	Iron (mg / kg (ppm))	0629	169.00	0.00000	172.46	13.462	5.3057	90	-0.26	025.43	0
025	Iron (mg / kg (ppm))	2052	169.00	12.000	172.46	13.462	5.3057	90	-0.26	025.43	0
025	Iron (mg / kg (ppm))	0425	169.20	0.00000	172.46	13.462	5.3057	90	-0.24	025.43	0
025	Iron (mg / kg (ppm))	0011	169.49	3.0400	172.46	13.462	5.3057	90	-0.22	025.41	0
025	Iron (mg / kg (ppm))	0168	170.00	20.000	172.46	13.462	5.3057	90	-0.18	025.43	0
025	Iron (mg / kg (ppm))	0407	170.33	2.5600	172.46	13.462	5.3057	90	-0.16	025.41	0
025	Iron (mg / kg (ppm))	0199	172.00	8.0000	172.46	13.462	5.3057	90	-0.03	025.53	0
025	Iron (mg / kg (ppm))	0169	172.50	5.0000	172.46	13.462	5.3057	90	0.00	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0948	172.77	0.69000	172.46	13.462	5.3057	90	0.02	025.33	0
025	Iron (mg / kg (ppm))	0074	173.00	10.000	172.46	13.462	5.3057	90	0.04	025.41	0
025	Iron (mg / kg (ppm))	0164	173.00	6.0000	172.46	13.462	5.3057	90	0.04	025.41	0
025	Iron (mg / kg (ppm))	0354	173.99	1.5000	172.46	13.462	5.3057	90	0.11	025.31	0
025	Iron (mg / kg (ppm))	0910	174.50	3.0000	172.46	13.462	5.3057	90	0.15	025.41	0
025	Iron (mg / kg (ppm))	0878	175.00	10.000	172.46	13.462	5.3057	90	0.19	025.41	0
025	Iron (mg / kg (ppm))	0148	175.45	2.5000	172.46	13.462	5.3057	90	0.22	025.41	0
025	Iron (mg / kg (ppm))	0692	175.50	1.0000	172.46	13.462	5.3057	90	0.23	025.42	0
025	Iron (mg / kg (ppm))	0723	176.00	0.00000	172.46	13.462	5.3057	90	0.26	025.31	0
025	Iron (mg / kg (ppm))	0278	176.00	6.0000	172.46	13.462	5.3057	90	0.26	025.42	0
025	Iron (mg / kg (ppm))	0682	176.10	1.8000	172.46	13.462	5.3057	90	0.27	025.41	0
025	Iron (mg / kg (ppm))	0504	176.40	4.2000	172.46	13.462	5.3057	90	0.29	025.32	0
025	Iron (mg / kg (ppm))	0008	176.50	9.0000	172.46	13.462	5.3057	90	0.30	025.43	0
025	Iron (mg / kg (ppm))	0175	177.00	10.000	172.46	13.462	5.3057	90	0.34	025.31	0
025	Iron (mg / kg (ppm))	0038	177.00	8.0000	172.46	13.462	5.3057	90	0.34	025.43	0
025	Iron (mg / kg (ppm))	0208	178.00	6.0000	172.46	13.462	5.3057	90	0.41	025.31	0
025	Iron (mg / kg (ppm))	0171	178.00	2.0000	172.46	13.462	5.3057	90	0.41	025.41	0
025	Iron (mg / kg (ppm))	0049	178.32	16.720	172.46	13.462	5.3057	90	0.44	025.41	0
025	Iron (mg / kg (ppm))	0964	178.85	15.900	172.46	13.462	5.3057	90	0.47	025.41	0
025	Iron (mg / kg (ppm))	0100	179.50	5.0000	172.46	13.462	5.3057	90	0.52	025.41	0
025	Iron (mg / kg (ppm))	0693	179.50	11.000	172.46	13.462	5.3057	90	0.52	025.42	0
025	Iron (mg / kg (ppm))	0208	180.35	18.500	172.46	13.462	5.3057	90	0.59	025.41	0
025	Iron (mg / kg (ppm))	0689	181.10	10.200	172.46	13.462	5.3057	90	0.64	025.31	0
025	Iron (mg / kg (ppm))	0098	181.30	8.0000	172.46	13.462	5.3057	90	0.66	025.41	0
025	Iron (mg / kg (ppm))	0520	181.40	4.2000	172.46	13.462	5.3057	90	0.66	025.41	0
025	Iron (mg / kg (ppm))	0413	182.50	1.0000	172.46	13.462	5.3057	90	0.75	025.42	0
025	Iron (mg / kg (ppm))	0035	184.95	14.900	172.46	13.462	5.3057	90	0.93	025.42	0
025	Iron (mg / kg (ppm))	0294	186.10	4.6000	172.46	13.462	5.3057	90	1.01	025.42	0
025	Iron (mg / kg (ppm))	0190	188.79	0.55000	172.46	13.462	5.3057	90	1.21	025.42	0
025	Iron (mg / kg (ppm))	0964	189.53	0.14000	172.46	13.462	5.3057	90	1.27	025.43	0
025	Iron (mg / kg (ppm))	0038	190.50	1.0000	172.46	13.462	5.3057	90	1.34	025.31	0
025	Iron (mg / kg (ppm))	0035	190.50	1.4000	172.46	13.462	5.3057	90	1.34	025.32	0
025	Iron (mg / kg (ppm))	2058	192.26	3.5600	172.46	13.462	5.3057	90	1.47	025.43	0
025	Iron (mg / kg (ppm))	0726	193.64	0.28900	172.46	13.462	5.3057	90	1.57	025.42	0
025	Iron (mg / kg (ppm))	0596	194.09	9.4300	172.46	13.462	5.3057	90	1.61	025.31	0
025	Iron (mg / kg (ppm))	0042	194.50	3.0000	172.46	13.462	5.3057	90	1.64	025.42	0
025	Iron (mg / kg (ppm))	0033	194.50	3.0000	172.46	13.462	5.3057	90	1.64	025.43	0
025	Iron (mg / kg (ppm))	0066	196.27	5.1100	172.46	13.462	5.3057	90	1.77	025.31	0
025	Iron (mg / kg (ppm))	0405	197.00	2.0000	172.46	13.462	5.3057	90	1.82	025.41	0
025	Iron (mg / kg (ppm))	0337	199.93	5.9900	172.46	13.462	5.3057	90	2.04	025.32	0
025	Iron (mg / kg (ppm))	0045	201.50	1.0000	172.46	13.462	5.3057	90	2.16	025.42	0
025	Iron (mg / kg (ppm))	0003	213.50	9.0000	172.46	13.462	5.3057	90	3.05	025.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0353	223.50	8.8000	172.46	13.462	5.3057	90	3.79	025.43	0
025	Iron (mg / kg (ppm))	0675	289.95	6.6900	172.46	13.462	5.3057	90	8.73	025.43	0
025	Iron (mg / kg (ppm))	0884	201.75	29.500	172.46	13.462	5.3057	90	2.18	025.31	1
027	Magnesium (%)	0889	0.16735	0.00130	0.23164	0.01201	0.00475	82	-5.35	027.99	0
027	Magnesium (%)	0043	0.20000	0.00000	0.23164	0.01201	0.00475	82	-2.63	027.43	0
027	Magnesium (%)	2055	0.20800	0.00400	0.23164	0.01201	0.00475	82	-1.97	027.53	0
027	Magnesium (%)	0553	0.20950	0.00100	0.23164	0.01201	0.00475	82	-1.84	027.41	0
027	Magnesium (%)	0510	0.21000	0.00000	0.23164	0.01201	0.00475	82	-1.80	027.43	0
027	Magnesium (%)	0629	0.21000	0.00000	0.23164	0.01201	0.00475	82	-1.80	027.43	0
027	Magnesium (%)	0504	0.21450	0.00100	0.23164	0.01201	0.00475	82	-1.43	027.33	0
027	Magnesium (%)	0596	0.21500	0.01000	0.23164	0.01201	0.00475	82	-1.39	027.31	0
027	Magnesium (%)	0425	0.21500	0.01000	0.23164	0.01201	0.00475	82	-1.39	027.43	0
027	Magnesium (%)	0675	0.21500	0.01000	0.23164	0.01201	0.00475	82	-1.39	027.43	0
027	Magnesium (%)	0345	0.21550	0.00100	0.23164	0.01201	0.00475	82	-1.34	027.43	0
027	Magnesium (%)	0868	0.21650	0.00100	0.23164	0.01201	0.00475	82	-1.26	027.31	0
027	Magnesium (%)	0065	0.21960	0.00120	0.23164	0.01201	0.00475	82	-1.00	027.31	0
027	Magnesium (%)	0354	0.22000	0.00000	0.23164	0.01201	0.00475	82	-0.97	027.31	0
027	Magnesium (%)	0609	0.22000	0.02000	0.23164	0.01201	0.00475	82	-0.97	027.32	0
027	Magnesium (%)	0229	0.22000	0.00000	0.23164	0.01201	0.00475	82	-0.97	027.41	0
027	Magnesium (%)	0265	0.22000	0.02000	0.23164	0.01201	0.00475	82	-0.97	027.42	0
027	Magnesium (%)	0682	0.22050	0.00500	0.23164	0.01201	0.00475	82	-0.93	027.41	0
027	Magnesium (%)	0300	0.22150	0.00100	0.23164	0.01201	0.00475	82	-0.84	027.44	0
027	Magnesium (%)	0035	0.22230	0.00540	0.23164	0.01201	0.00475	82	-0.78	027.42	0
027	Magnesium (%)	0164	0.22250	0.00500	0.23164	0.01201	0.00475	82	-0.76	027.41	0
027	Magnesium (%)	2004	0.22300	0.00400	0.23164	0.01201	0.00475	82	-0.72	027.44	0
027	Magnesium (%)	0051	0.22305	0.00370	0.23164	0.01201	0.00475	82	-0.72	027.41	0
027	Magnesium (%)	0142	0.22400	0.00800	0.23164	0.01201	0.00475	82	-0.64	027.31	0
027	Magnesium (%)	0175	0.22500	0.01000	0.23164	0.01201	0.00475	82	-0.55	027.31	0
027	Magnesium (%)	0096	0.22500	0.01000	0.23164	0.01201	0.00475	82	-0.55	027.42	0
027	Magnesium (%)	0563	0.22655	0.00150	0.23164	0.01201	0.00475	82	-0.42	027.31	0
027	Magnesium (%)	0413	0.22750	0.00100	0.23164	0.01201	0.00475	82	-0.34	027.53	0
027	Magnesium (%)	0139	0.22785	0.00510	0.23164	0.01201	0.00475	82	-0.32	027.31	0
027	Magnesium (%)	0038	0.22800	0.01200	0.23164	0.01201	0.00475	82	-0.30	027.31	0
027	Magnesium (%)	0008	0.22950	0.00500	0.23164	0.01201	0.00475	82	-0.18	027.43	0
027	Magnesium (%)	0049	0.23000	0.00000	0.23164	0.01201	0.00475	82	-0.14	027.41	0
027	Magnesium (%)	0357	0.23000	0.00000	0.23164	0.01201	0.00475	82	-0.14	027.42	0
027	Magnesium (%)	0037	0.23000	0.00000	0.23164	0.01201	0.00475	82	-0.14	027.43	0
027	Magnesium (%)	0297	0.23000	0.00000	0.23164	0.01201	0.00475	82	-0.14	027.43	0
027	Magnesium (%)	2058	0.23000	0.00000	0.23164	0.01201	0.00475	82	-0.14	027.43	0
027	Magnesium (%)	0242	0.23000	0.00000	0.23164	0.01201	0.00475	82	-0.14	027.99	0
027	Magnesium (%)	0560	0.23020	0.00720	0.23164	0.01201	0.00475	82	-0.12	027.42	0
027	Magnesium (%)	0171	0.23050	0.00500	0.23164	0.01201	0.00475	82	-0.09	027.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0038	0.23050	0.00500	0.23164	0.01201	0.00475	82	-0.09	027.43	0
027	Magnesium (%)	0154	0.23225	0.00430	0.23164	0.01201	0.00475	82	0.05	027.52	0
027	Magnesium (%)	0045	0.23250	0.00700	0.23164	0.01201	0.00475	82	0.07	027.42	0
027	Magnesium (%)	0148	0.23300	0.00200	0.23164	0.01201	0.00475	82	0.11	027.41	0
027	Magnesium (%)	0504	0.23350	0.00700	0.23164	0.01201	0.00475	82	0.15	027.32	0
027	Magnesium (%)	0407	0.23350	0.00100	0.23164	0.01201	0.00475	82	0.15	027.41	0
027	Magnesium (%)	0035	0.23375	0.00170	0.23164	0.01201	0.00475	82	0.18	027.32	0
027	Magnesium (%)	0011	0.23410	0.00200	0.23164	0.01201	0.00475	82	0.20	027.41	0
027	Magnesium (%)	0186	0.23450	0.00100	0.23164	0.01201	0.00475	82	0.24	027.42	0
027	Magnesium (%)	0066	0.23500	0.01000	0.23164	0.01201	0.00475	82	0.28	027.31	0
027	Magnesium (%)	0208	0.23500	0.00800	0.23164	0.01201	0.00475	82	0.28	027.41	0
027	Magnesium (%)	0106	0.23500	0.01000	0.23164	0.01201	0.00475	82	0.28	027.42	0
027	Magnesium (%)	0692	0.23500	0.01000	0.23164	0.01201	0.00475	82	0.28	027.42	0
027	Magnesium (%)	2052	0.23500	0.00400	0.23164	0.01201	0.00475	82	0.28	027.43	0
027	Magnesium (%)	0964	0.23570	0.00980	0.23164	0.01201	0.00475	82	0.34	027.41	0
027	Magnesium (%)	0572	0.23745	0.00790	0.23164	0.01201	0.00475	82	0.48	027.53	0
027	Magnesium (%)	0263	0.23750	0.00020	0.23164	0.01201	0.00475	82	0.49	027.32	0
027	Magnesium (%)	0033	0.23850	0.00300	0.23164	0.01201	0.00475	82	0.57	027.43	0
027	Magnesium (%)	0208	0.23950	0.00500	0.23164	0.01201	0.00475	82	0.65	027.31	0
027	Magnesium (%)	0598	0.23960	0.00320	0.23164	0.01201	0.00475	82	0.66	027.41	0
027	Magnesium (%)	0003	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.41	0
027	Magnesium (%)	0083	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.41	0
027	Magnesium (%)	0098	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.41	0
027	Magnesium (%)	0226	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.41	0
027	Magnesium (%)	2023	0.24000	0.00200	0.23164	0.01201	0.00475	82	0.70	027.41	0
027	Magnesium (%)	0202	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.42	0
027	Magnesium (%)	0294	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.42	0
027	Magnesium (%)	0098	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.43	0
027	Magnesium (%)	0096	0.24000	0.00000	0.23164	0.01201	0.00475	82	0.70	027.52	0
027	Magnesium (%)	0650	0.24015	0.01110	0.23164	0.01201	0.00475	82	0.71	027.31	0
027	Magnesium (%)	0619	0.24250	0.00100	0.23164	0.01201	0.00475	82	0.90	027.41	0
027	Magnesium (%)	0413	0.24500	0.01000	0.23164	0.01201	0.00475	82	1.11	027.41	0
027	Magnesium (%)	0520	0.24500	0.01000	0.23164	0.01201	0.00475	82	1.11	027.41	0
027	Magnesium (%)	0878	0.24500	0.01000	0.23164	0.01201	0.00475	82	1.11	027.41	0
027	Magnesium (%)	0968	0.24850	0.00300	0.23164	0.01201	0.00475	82	1.40	027.43	0
027	Magnesium (%)	0042	0.24950	0.00100	0.23164	0.01201	0.00475	82	1.49	027.42	0
027	Magnesium (%)	0169	0.25000	0.00000	0.23164	0.01201	0.00475	82	1.53	027.32	0
027	Magnesium (%)	0278	0.25000	0.00000	0.23164	0.01201	0.00475	82	1.53	027.42	0
027	Magnesium (%)	0353	0.25000	0.02000	0.23164	0.01201	0.00475	82	1.53	027.43	0
027	Magnesium (%)	0948	0.25500	0.01000	0.23164	0.01201	0.00475	82	1.95	027.33	0
027	Magnesium (%)	0100	0.26500	0.01000	0.23164	0.01201	0.00475	82	2.78	027.41	0
027	Magnesium (%)	0693	0.26500	0.01000	0.23164	0.01201	0.00475	82	2.78	027.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0405	0.27000	0.02000	0.23164	0.01201	0.00475	82	3.19	027.41	0
027	Magnesium (%)	0918	0.21900	0.02600	0.23164	0.01201	0.00475	82	-1.05	027.43	1
027	Magnesium (%)	0964	0.25740	0.02400	0.23164	0.01201	0.00475	82	2.15	027.43	1
028	Manganese (mg / kg (ppm))	0178	137.20	3.6000	172.80	9.2777	4.7680	94	-3.84	028.31	0
028	Manganese (mg / kg (ppm))	2023	142.00	0.00000	172.80	9.2777	4.7680	94	-3.32	028.44	0
028	Manganese (mg / kg (ppm))	0175	144.00	8.0000	172.80	9.2777	4.7680	94	-3.10	028.31	0
028	Manganese (mg / kg (ppm))	0043	147.50	3.0000	172.80	9.2777	4.7680	94	-2.73	028.43	0
028	Manganese (mg / kg (ppm))	0563	150.50	3.0000	172.80	9.2777	4.7680	94	-2.40	028.31	0
028	Manganese (mg / kg (ppm))	0590	150.50	9.0000	172.80	9.2777	4.7680	94	-2.40	028.31	0
028	Manganese (mg / kg (ppm))	0596	152.75	11.930	172.80	9.2777	4.7680	94	-2.16	028.31	0
028	Manganese (mg / kg (ppm))	0619	154.50	3.0000	172.80	9.2777	4.7680	94	-1.97	028.41	0
028	Manganese (mg / kg (ppm))	0510	154.50	1.0000	172.80	9.2777	4.7680	94	-1.97	028.43	0
028	Manganese (mg / kg (ppm))	0921	158.55	0.00000	172.80	9.2777	4.7680	94	-1.54	028.31	0
028	Manganese (mg / kg (ppm))	0208	158.65	7.9000	172.80	9.2777	4.7680	94	-1.52	028.41	0
028	Manganese (mg / kg (ppm))	0407	159.35	0.50000	172.80	9.2777	4.7680	94	-1.45	028.41	0
028	Manganese (mg / kg (ppm))	0511	159.50	3.0000	172.80	9.2777	4.7680	94	-1.43	028.41	0
028	Manganese (mg / kg (ppm))	2055	159.70	4.8000	172.80	9.2777	4.7680	94	-1.41	028.53	0
028	Manganese (mg / kg (ppm))	0425	160.35	0.10000	172.80	9.2777	4.7680	94	-1.34	028.43	0
028	Manganese (mg / kg (ppm))	0553	161.00	6.0000	172.80	9.2777	4.7680	94	-1.27	028.41	0
028	Manganese (mg / kg (ppm))	0051	162.76	2.0000	172.80	9.2777	4.7680	94	-1.08	028.41	0
028	Manganese (mg / kg (ppm))	0505	163.00	2.0000	172.80	9.2777	4.7680	94	-1.06	028.31	0
028	Manganese (mg / kg (ppm))	0629	163.50	1.0000	172.80	9.2777	4.7680	94	-1.00	028.43	0
028	Manganese (mg / kg (ppm))	0610	165.00	10.000	172.80	9.2777	4.7680	94	-0.84	028.41	0
028	Manganese (mg / kg (ppm))	0168	165.00	10.000	172.80	9.2777	4.7680	94	-0.84	028.43	0
028	Manganese (mg / kg (ppm))	0682	165.05	2.5000	172.80	9.2777	4.7680	94	-0.83	028.41	0
028	Manganese (mg / kg (ppm))	0164	166.00	6.0000	172.80	9.2777	4.7680	94	-0.73	028.41	0
028	Manganese (mg / kg (ppm))	0629	167.00	4.0000	172.80	9.2777	4.7680	94	-0.62	028.31	0
028	Manganese (mg / kg (ppm))	0297	167.50	1.0000	172.80	9.2777	4.7680	94	-0.57	028.43	0
028	Manganese (mg / kg (ppm))	0035	168.45	0.30000	172.80	9.2777	4.7680	94	-0.47	028.42	0
028	Manganese (mg / kg (ppm))	0689	168.75	1.5000	172.80	9.2777	4.7680	94	-0.44	028.31	0
028	Manganese (mg / kg (ppm))	0074	170.00	0.00000	172.80	9.2777	4.7680	94	-0.30	028.41	0
028	Manganese (mg / kg (ppm))	0096	170.00	0.00000	172.80	9.2777	4.7680	94	-0.30	028.42	0
028	Manganese (mg / kg (ppm))	0096	170.00	0.00000	172.80	9.2777	4.7680	94	-0.30	028.52	0
028	Manganese (mg / kg (ppm))	0918	170.05	0.05000	172.80	9.2777	4.7680	94	-0.30	028.43	0
028	Manganese (mg / kg (ppm))	0598	170.10	0.40000	172.80	9.2777	4.7680	94	-0.29	028.41	0
028	Manganese (mg / kg (ppm))	0955	170.50	1.0000	172.80	9.2777	4.7680	94	-0.25	028.44	0
028	Manganese (mg / kg (ppm))	0504	170.55	1.9000	172.80	9.2777	4.7680	94	-0.24	028.33	0
028	Manganese (mg / kg (ppm))	0939	170.63	0.99000	172.80	9.2777	4.7680	94	-0.23	028.31	0
028	Manganese (mg / kg (ppm))	0004	171.00	8.0000	172.80	9.2777	4.7680	94	-0.19	028.41	0
028	Manganese (mg / kg (ppm))	0504	171.15	1.7000	172.80	9.2777	4.7680	94	-0.18	028.32	0
028	Manganese (mg / kg (ppm))	0148	171.35	2.3000	172.80	9.2777	4.7680	94	-0.16	028.41	0
028	Manganese (mg / kg (ppm))	0265	171.50	19.000	172.80	9.2777	4.7680	94	-0.14	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0968	171.50	1.0000	172.80	9.2777	4.7680	94	-0.14	028.43	0
028	Manganese (mg / kg (ppm))	0520	171.85	20.100	172.80	9.2777	4.7680	94	-0.10	028.41	0
028	Manganese (mg / kg (ppm))	0208	172.00	14.000	172.80	9.2777	4.7680	94	-0.09	028.31	0
028	Manganese (mg / kg (ppm))	0723	172.00	0.00000	172.80	9.2777	4.7680	94	-0.09	028.31	0
028	Manganese (mg / kg (ppm))	2052	172.00	10.000	172.80	9.2777	4.7680	94	-0.09	028.43	0
028	Manganese (mg / kg (ppm))	0098	172.05	1.1000	172.80	9.2777	4.7680	94	-0.08	028.41	0
028	Manganese (mg / kg (ppm))	0964	172.15	7.1000	172.80	9.2777	4.7680	94	-0.07	028.41	0
028	Manganese (mg / kg (ppm))	0171	172.50	17.000	172.80	9.2777	4.7680	94	-0.03	028.41	0
028	Manganese (mg / kg (ppm))	0242	173.00	2.0000	172.80	9.2777	4.7680	94	0.02	028.99	0
028	Manganese (mg / kg (ppm))	0199	173.70	14.800	172.80	9.2777	4.7680	94	0.10	028.53	0
028	Manganese (mg / kg (ppm))	0948	173.75	5.8800	172.80	9.2777	4.7680	94	0.10	028.33	0
028	Manganese (mg / kg (ppm))	0011	173.95	0.88500	172.80	9.2777	4.7680	94	0.12	028.41	0
028	Manganese (mg / kg (ppm))	0868	174.00	0.00000	172.80	9.2777	4.7680	94	0.13	028.31	0
028	Manganese (mg / kg (ppm))	0229	174.00	2.0000	172.80	9.2777	4.7680	94	0.13	028.41	0
028	Manganese (mg / kg (ppm))	0572	174.50	3.0000	172.80	9.2777	4.7680	94	0.18	028.53	0
028	Manganese (mg / kg (ppm))	0098	174.70	3.8000	172.80	9.2777	4.7680	94	0.21	028.43	0
028	Manganese (mg / kg (ppm))	0878	175.00	10.000	172.80	9.2777	4.7680	94	0.24	028.41	0
028	Manganese (mg / kg (ppm))	0042	175.00	2.0000	172.80	9.2777	4.7680	94	0.24	028.42	0
028	Manganese (mg / kg (ppm))	2004	175.50	5.0000	172.80	9.2777	4.7680	94	0.29	028.44	0
028	Manganese (mg / kg (ppm))	0003	176.00	4.0000	172.80	9.2777	4.7680	94	0.35	028.41	0
028	Manganese (mg / kg (ppm))	0413	176.00	10.000	172.80	9.2777	4.7680	94	0.35	028.42	0
028	Manganese (mg / kg (ppm))	0354	176.03	4.0900	172.80	9.2777	4.7680	94	0.35	028.31	0
028	Manganese (mg / kg (ppm))	2058	177.29	1.1400	172.80	9.2777	4.7680	94	0.48	028.43	0
028	Manganese (mg / kg (ppm))	0035	177.50	5.8000	172.80	9.2777	4.7680	94	0.51	028.32	0
028	Manganese (mg / kg (ppm))	0083	177.50	5.0000	172.80	9.2777	4.7680	94	0.51	028.41	0
028	Manganese (mg / kg (ppm))	0884	177.75	2.3000	172.80	9.2777	4.7680	94	0.53	028.31	0
028	Manganese (mg / kg (ppm))	0226	178.00	2.0000	172.80	9.2777	4.7680	94	0.56	028.41	0
028	Manganese (mg / kg (ppm))	0693	178.00	2.0000	172.80	9.2777	4.7680	94	0.56	028.42	0
028	Manganese (mg / kg (ppm))	0294	178.10	8.4000	172.80	9.2777	4.7680	94	0.57	028.42	0
028	Manganese (mg / kg (ppm))	0038	178.50	1.0000	172.80	9.2777	4.7680	94	0.61	028.32	0
028	Manganese (mg / kg (ppm))	0357	178.50	1.0000	172.80	9.2777	4.7680	94	0.61	028.42	0
028	Manganese (mg / kg (ppm))	0202	178.54	9.0100	172.80	9.2777	4.7680	94	0.62	028.42	0
028	Manganese (mg / kg (ppm))	0560	179.00	0.00000	172.80	9.2777	4.7680	94	0.67	028.42	0
028	Manganese (mg / kg (ppm))	0169	179.50	7.0000	172.80	9.2777	4.7680	94	0.72	028.43	0
028	Manganese (mg / kg (ppm))	0278	180.00	2.0000	172.80	9.2777	4.7680	94	0.78	028.42	0
028	Manganese (mg / kg (ppm))	0910	180.50	7.0000	172.80	9.2777	4.7680	94	0.83	028.41	0
028	Manganese (mg / kg (ppm))	0345	180.50	3.0000	172.80	9.2777	4.7680	94	0.83	028.43	0
028	Manganese (mg / kg (ppm))	2022	181.00	0.00000	172.80	9.2777	4.7680	94	0.88	028.31	0
028	Manganese (mg / kg (ppm))	0353	181.00	0.20000	172.80	9.2777	4.7680	94	0.88	028.43	0
028	Manganese (mg / kg (ppm))	0413	181.28	7.6400	172.80	9.2777	4.7680	94	0.91	028.53	0
028	Manganese (mg / kg (ppm))	0692	182.50	9.0000	172.80	9.2777	4.7680	94	1.05	028.42	0
028	Manganese (mg / kg (ppm))	0033	182.50	5.0000	172.80	9.2777	4.7680	94	1.05	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0038	182.50	11.000	172.80	9.2777	4.7680	94	1.05	028.43	0
028	Manganese (mg / kg (ppm))	0964	183.39	0.84000	172.80	9.2777	4.7680	94	1.14	028.43	0
028	Manganese (mg / kg (ppm))	0675	183.58	1.2700	172.80	9.2777	4.7680	94	1.16	028.43	0
028	Manganese (mg / kg (ppm))	0045	185.50	1.0000	172.80	9.2777	4.7680	94	1.37	028.42	0
028	Manganese (mg / kg (ppm))	0190	186.47	0.87000	172.80	9.2777	4.7680	94	1.47	028.42	0
028	Manganese (mg / kg (ppm))	0186	186.50	3.0000	172.80	9.2777	4.7680	94	1.48	028.42	0
028	Manganese (mg / kg (ppm))	0008	186.50	5.0000	172.80	9.2777	4.7680	94	1.48	028.43	0
028	Manganese (mg / kg (ppm))	0609	190.00	20.000	172.80	9.2777	4.7680	94	1.85	028.32	0
028	Manganese (mg / kg (ppm))	0100	190.00	18.000	172.80	9.2777	4.7680	94	1.85	028.41	0
028	Manganese (mg / kg (ppm))	0021	191.00	12.000	172.80	9.2777	4.7680	94	1.96	028.43	0
028	Manganese (mg / kg (ppm))	0106	191.50	11.000	172.80	9.2777	4.7680	94	2.02	028.42	0
028	Manganese (mg / kg (ppm))	0726	194.65	2.5000	172.80	9.2777	4.7680	94	2.36	028.42	0
028	Manganese (mg / kg (ppm))	0405	202.50	5.0000	172.80	9.2777	4.7680	94	3.20	028.41	0
028	Manganese (mg / kg (ppm))	0037	137.70	44.000	172.80	9.2777	4.7680	94	-3.78	028.43	1
028	Manganese (mg / kg (ppm))	0049	158.55	25.510	172.80	9.2777	4.7680	94	-1.54	028.41	1
031	Phosphorus (%)	0108	0.58000	0.08000	0.75672	0.02900	0.01610	152	-6.09	031.01	0
031	Phosphorus (%)	0921	0.61700	0.00600	0.75672	0.02900	0.01610	152	-4.82	031.01	0
031	Phosphorus (%)	0889	0.65865	0.00490	0.75672	0.02900	0.01610	152	-3.38	031.99	0
031	Phosphorus (%)	0194	0.66500	0.01000	0.75672	0.02900	0.01610	152	-3.16	031.01	0
031	Phosphorus (%)	0043	0.68000	0.00000	0.75672	0.02900	0.01610	152	-2.65	031.43	0
031	Phosphorus (%)	0300	0.68050	0.02100	0.75672	0.02900	0.01610	152	-2.63	031.41	0
031	Phosphorus (%)	2055	0.68100	0.01400	0.75672	0.02900	0.01610	152	-2.61	031.53	0
031	Phosphorus (%)	0692	0.68500	0.05000	0.75672	0.02900	0.01610	152	-2.47	031.42	0
031	Phosphorus (%)	0065	0.69965	0.01730	0.75672	0.02900	0.01610	152	-1.97	031.01	0
031	Phosphorus (%)	0510	0.70000	0.02000	0.75672	0.02900	0.01610	152	-1.96	031.43	0
031	Phosphorus (%)	0014	0.70500	0.01400	0.75672	0.02900	0.01610	152	-1.78	031.42	0
031	Phosphorus (%)	0242	0.70500	0.01000	0.75672	0.02900	0.01610	152	-1.78	031.99	0
031	Phosphorus (%)	0019	0.71000	0.00000	0.75672	0.02900	0.01610	152	-1.61	031.41	0
031	Phosphorus (%)	0089	0.71000	0.00000	0.75672	0.02900	0.01610	152	-1.61	031.41	0
031	Phosphorus (%)	0297	0.71000	0.04000	0.75672	0.02900	0.01610	152	-1.61	031.43	0
031	Phosphorus (%)	0590	0.71000	0.02000	0.75672	0.02900	0.01610	152	-1.61	031.99	0
031	Phosphorus (%)	0619	0.71400	0.01000	0.75672	0.02900	0.01610	152	-1.47	031.41	0
031	Phosphorus (%)	0948	0.71500	0.01000	0.75672	0.02900	0.01610	152	-1.44	031.01	0
031	Phosphorus (%)	0553	0.71600	0.05200	0.75672	0.02900	0.01610	152	-1.40	031.41	0
031	Phosphorus (%)	0620	0.71905	0.00530	0.75672	0.02900	0.01610	152	-1.30	031.01	0
031	Phosphorus (%)	0152	0.72000	0.00000	0.75672	0.02900	0.01610	152	-1.27	031.01	0
031	Phosphorus (%)	0675	0.72000	0.00000	0.75672	0.02900	0.01610	152	-1.27	031.43	0
031	Phosphorus (%)	0178	0.72150	0.01300	0.75672	0.02900	0.01610	152	-1.21	031.01	0
031	Phosphorus (%)	0035	0.72190	0.03460	0.75672	0.02900	0.01610	152	-1.20	031.42	0
031	Phosphorus (%)	2055	0.72250	0.01100	0.75672	0.02900	0.01610	152	-1.18	031.43	0
031	Phosphorus (%)	0042	0.72300	0.00800	0.75672	0.02900	0.01610	152	-1.16	031.42	0
031	Phosphorus (%)	0154	0.72485	0.05510	0.75672	0.02900	0.01610	152	-1.10	031.52	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0144	0.72500	0.01000	0.75672	0.02900	0.01610	152	-1.09	031.41	0
031	Phosphorus (%)	0918	0.72600	0.04000	0.75672	0.02900	0.01610	152	-1.06	031.43	0
031	Phosphorus (%)	0885	0.73000	0.02000	0.75672	0.02900	0.01610	152	-0.92	031.01	0
031	Phosphorus (%)	2042	0.73000	0.00000	0.75672	0.02900	0.01610	152	-0.92	031.01	0
031	Phosphorus (%)	0169	0.73000	0.02000	0.75672	0.02900	0.01610	152	-0.92	031.03	0
031	Phosphorus (%)	0017	0.73000	0.02000	0.75672	0.02900	0.01610	152	-0.92	031.43	0
031	Phosphorus (%)	0138	0.73250	0.01500	0.75672	0.02900	0.01610	152	-0.84	031.06	0
031	Phosphorus (%)	0596	0.73500	0.03000	0.75672	0.02900	0.01610	152	-0.75	031.01	0
031	Phosphorus (%)	0226	0.73500	0.01000	0.75672	0.02900	0.01610	152	-0.75	031.41	0
031	Phosphorus (%)	0171	0.73750	0.00500	0.75672	0.02900	0.01610	152	-0.66	031.41	0
031	Phosphorus (%)	2065	0.73800	0.01000	0.75672	0.02900	0.01610	152	-0.65	031.01	0
031	Phosphorus (%)	0045	0.73850	0.04700	0.75672	0.02900	0.01610	152	-0.63	031.42	0
031	Phosphorus (%)	0511	0.74000	0.04000	0.75672	0.02900	0.01610	152	-0.58	031.01	0
031	Phosphorus (%)	0505	0.74000	0.00000	0.75672	0.02900	0.01610	152	-0.58	031.02	0
031	Phosphorus (%)	0298	0.74000	0.02000	0.75672	0.02900	0.01610	152	-0.58	031.41	0
031	Phosphorus (%)	0425	0.74000	0.00000	0.75672	0.02900	0.01610	152	-0.58	031.43	0
031	Phosphorus (%)	0504	0.74100	0.03800	0.75672	0.02900	0.01610	152	-0.54	031.42	0
031	Phosphorus (%)	0623	0.74140	0.02360	0.75672	0.02900	0.01610	152	-0.53	031.00	0
031	Phosphorus (%)	2004	0.74250	0.01700	0.75672	0.02900	0.01610	152	-0.49	031.44	0
031	Phosphorus (%)	0968	0.74450	0.00300	0.75672	0.02900	0.01610	152	-0.42	031.43	0
031	Phosphorus (%)	0233	0.74500	0.01000	0.75672	0.02900	0.01610	152	-0.40	031.01	0
031	Phosphorus (%)	0337	0.74500	0.07000	0.75672	0.02900	0.01610	152	-0.40	031.01	0
031	Phosphorus (%)	0897	0.74500	0.01000	0.75672	0.02900	0.01610	152	-0.40	031.01	0
031	Phosphorus (%)	2068	0.74500	0.01000	0.75672	0.02900	0.01610	152	-0.40	031.01	0
031	Phosphorus (%)	0047	0.74500	0.05000	0.75672	0.02900	0.01610	152	-0.40	031.03	0
031	Phosphorus (%)	0536	0.74500	0.01000	0.75672	0.02900	0.01610	152	-0.40	031.06	0
031	Phosphorus (%)	0004	0.74500	0.03000	0.75672	0.02900	0.01610	152	-0.40	031.41	0
031	Phosphorus (%)	0229	0.74500	0.03000	0.75672	0.02900	0.01610	152	-0.40	031.41	0
031	Phosphorus (%)	2023	0.74600	0.00800	0.75672	0.02900	0.01610	152	-0.37	031.43	0
031	Phosphorus (%)	0651	0.74950	0.00300	0.75672	0.02900	0.01610	152	-0.25	031.01	0
031	Phosphorus (%)	0016	0.75000	0.00400	0.75672	0.02900	0.01610	152	-0.23	031.01	0
031	Phosphorus (%)	0175	0.75000	0.02000	0.75672	0.02900	0.01610	152	-0.23	031.01	0
031	Phosphorus (%)	2053	0.75000	0.00000	0.75672	0.02900	0.01610	152	-0.23	031.02	0
031	Phosphorus (%)	0049	0.75000	0.02000	0.75672	0.02900	0.01610	152	-0.23	031.41	0
031	Phosphorus (%)	0100	0.75000	0.04000	0.75672	0.02900	0.01610	152	-0.23	031.41	0
031	Phosphorus (%)	0848	0.75000	0.00000	0.75672	0.02900	0.01610	152	-0.23	031.41	0
031	Phosphorus (%)	0096	0.75000	0.02000	0.75672	0.02900	0.01610	152	-0.23	031.42	0
031	Phosphorus (%)	0263	0.75020	0.00080	0.75672	0.02900	0.01610	152	-0.22	031.01	0
031	Phosphorus (%)	0039	0.75140	0.00160	0.75672	0.02900	0.01610	152	-0.18	031.01	0
031	Phosphorus (%)	0038	0.75300	0.00800	0.75672	0.02900	0.01610	152	-0.13	031.01	0
031	Phosphorus (%)	0683	0.75500	0.01000	0.75672	0.02900	0.01610	152	-0.06	031.01	0
031	Phosphorus (%)	0878	0.75500	0.01000	0.75672	0.02900	0.01610	152	-0.06	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	2058	0.75500	0.01000	0.75672	0.02900	0.01610	152	-0.06	031.43	0
031	Phosphorus (%)	0563	0.75955	0.00470	0.75672	0.02900	0.01610	152	0.10	031.01	0
031	Phosphorus (%)	0354	0.76000	0.02000	0.75672	0.02900	0.01610	152	0.11	031.01	0
031	Phosphorus (%)	0622	0.76000	0.00340	0.75672	0.02900	0.01610	152	0.11	031.01	0
031	Phosphorus (%)	2022	0.76000	0.00000	0.75672	0.02900	0.01610	152	0.11	031.01	0
031	Phosphorus (%)	0043	0.76000	0.00000	0.75672	0.02900	0.01610	152	0.11	031.02	0
031	Phosphorus (%)	0164	0.76000	0.02000	0.75672	0.02900	0.01610	152	0.11	031.41	0
031	Phosphorus (%)	0610	0.76000	0.02000	0.75672	0.02900	0.01610	152	0.11	031.41	0
031	Phosphorus (%)	0682	0.76000	0.00000	0.75672	0.02900	0.01610	152	0.11	031.41	0
031	Phosphorus (%)	0190	0.76000	0.02000	0.75672	0.02900	0.01610	152	0.11	031.42	0
031	Phosphorus (%)	0294	0.76000	0.02000	0.75672	0.02900	0.01610	152	0.11	031.42	0
031	Phosphorus (%)	0205	0.76050	0.01500	0.75672	0.02900	0.01610	152	0.13	031.42	0
031	Phosphorus (%)	0629	0.76050	0.00900	0.75672	0.02900	0.01610	152	0.13	031.43	0
031	Phosphorus (%)	0148	0.76150	0.00300	0.75672	0.02900	0.01610	152	0.16	031.41	0
031	Phosphorus (%)	0011	0.76170	0.00280	0.75672	0.02900	0.01610	152	0.17	031.02	0
031	Phosphorus (%)	2067	0.76250	0.01100	0.75672	0.02900	0.01610	152	0.20	031.01	0
031	Phosphorus (%)	0033	0.76250	0.00100	0.75672	0.02900	0.01610	152	0.20	031.43	0
031	Phosphorus (%)	0723	0.76290	0.00000	0.75672	0.02900	0.01610	152	0.21	031.01	0
031	Phosphorus (%)	0407	0.76350	0.01300	0.75672	0.02900	0.01610	152	0.23	031.41	0
031	Phosphorus (%)	0658	0.76475	0.00010	0.75672	0.02900	0.01610	152	0.28	031.01	0
031	Phosphorus (%)	0142	0.76500	0.01000	0.75672	0.02900	0.01610	152	0.29	031.01	0
031	Phosphorus (%)	0629	0.76500	0.01000	0.75672	0.02900	0.01610	152	0.29	031.01	0
031	Phosphorus (%)	0687	0.76500	0.03000	0.75672	0.02900	0.01610	152	0.29	031.01	0
031	Phosphorus (%)	0884	0.76500	0.03000	0.75672	0.02900	0.01610	152	0.29	031.01	0
031	Phosphorus (%)	0910	0.76500	0.05000	0.75672	0.02900	0.01610	152	0.29	031.41	0
031	Phosphorus (%)	0202	0.76500	0.03000	0.75672	0.02900	0.01610	152	0.29	031.42	0
031	Phosphorus (%)	0552	0.76500	0.03000	0.75672	0.02900	0.01610	152	0.29	031.99	0
031	Phosphorus (%)	0726	0.76675	0.00970	0.75672	0.02900	0.01610	152	0.35	031.42	0
031	Phosphorus (%)	0964	0.76685	0.04230	0.75672	0.02900	0.01610	152	0.35	031.41	0
031	Phosphorus (%)	0626	0.76700	0.03400	0.75672	0.02900	0.01610	152	0.35	031.01	0
031	Phosphorus (%)	0001	0.76750	0.01100	0.75672	0.02900	0.01610	152	0.37	031.03	0
031	Phosphorus (%)	0653	0.76850	0.02900	0.75672	0.02900	0.01610	152	0.41	031.01	0
031	Phosphorus (%)	0891	0.76850	0.00320	0.75672	0.02900	0.01610	152	0.41	031.01	0
031	Phosphorus (%)	0512	0.76880	0.05400	0.75672	0.02900	0.01610	152	0.42	031.41	0
031	Phosphorus (%)	0208	0.76900	0.01600	0.75672	0.02900	0.01610	152	0.42	031.01	0
031	Phosphorus (%)	0051	0.76925	0.00250	0.75672	0.02900	0.01610	152	0.43	031.41	0
031	Phosphorus (%)	0357	0.77000	0.00000	0.75672	0.02900	0.01610	152	0.46	031.42	0
031	Phosphorus (%)	0413	0.77050	0.03500	0.75672	0.02900	0.01610	152	0.48	031.53	0
031	Phosphorus (%)	0139	0.77300	0.04800	0.75672	0.02900	0.01610	152	0.56	031.01	0
031	Phosphorus (%)	0036	0.77370	0.00000	0.75672	0.02900	0.01610	152	0.59	031.43	0
031	Phosphorus (%)	0895	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.00	0
031	Phosphorus (%)	0674	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0893	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.01	0
031	Phosphorus (%)	0074	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.41	0
031	Phosphorus (%)	0098	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.41	0
031	Phosphorus (%)	0520	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.41	0
031	Phosphorus (%)	0106	0.77500	0.05000	0.75672	0.02900	0.01610	152	0.63	031.42	0
031	Phosphorus (%)	0037	0.77500	0.01000	0.75672	0.02900	0.01610	152	0.63	031.43	0
031	Phosphorus (%)	0011	0.77570	0.00500	0.75672	0.02900	0.01610	152	0.65	031.41	0
031	Phosphorus (%)	0038	0.77700	0.05800	0.75672	0.02900	0.01610	152	0.70	031.43	0
031	Phosphorus (%)	2006	0.77950	0.01100	0.75672	0.02900	0.01610	152	0.79	031.01	0
031	Phosphorus (%)	0939	0.78000	0.00000	0.75672	0.02900	0.01610	152	0.80	031.01	0
031	Phosphorus (%)	2063	0.78000	0.00000	0.75672	0.02900	0.01610	152	0.80	031.01	0
031	Phosphorus (%)	0413	0.78000	0.04000	0.75672	0.02900	0.01610	152	0.80	031.41	0
031	Phosphorus (%)	0278	0.78000	0.00000	0.75672	0.02900	0.01610	152	0.80	031.42	0
031	Phosphorus (%)	0560	0.78065	0.00930	0.75672	0.02900	0.01610	152	0.83	031.42	0
031	Phosphorus (%)	0008	0.78150	0.00700	0.75672	0.02900	0.01610	152	0.85	031.43	0
031	Phosphorus (%)	0881	0.78450	0.00100	0.75672	0.02900	0.01610	152	0.96	031.01	0
031	Phosphorus (%)	2062	0.78450	0.00900	0.75672	0.02900	0.01610	152	0.96	031.01	0
031	Phosphorus (%)	0572	0.78460	0.00780	0.75672	0.02900	0.01610	152	0.96	031.53	0
031	Phosphorus (%)	0903	0.78500	0.01000	0.75672	0.02900	0.01610	152	0.98	031.01	0
031	Phosphorus (%)	0353	0.78500	0.01000	0.75672	0.02900	0.01610	152	0.98	031.43	0
031	Phosphorus (%)	0035	0.78600	0.00200	0.75672	0.02900	0.01610	152	1.01	031.01	0
031	Phosphorus (%)	0345	0.78650	0.00500	0.75672	0.02900	0.01610	152	1.03	031.43	0
031	Phosphorus (%)	0868	0.78750	0.00100	0.75672	0.02900	0.01610	152	1.06	031.01	0
031	Phosphorus (%)	0036	0.78825	0.00490	0.75672	0.02900	0.01610	152	1.09	031.03	0
031	Phosphorus (%)	0168	0.79000	0.04000	0.75672	0.02900	0.01610	152	1.15	031.43	0
031	Phosphorus (%)	0955	0.79250	0.00700	0.75672	0.02900	0.01610	152	1.23	031.44	0
031	Phosphorus (%)	0199	0.79500	0.01000	0.75672	0.02900	0.01610	152	1.32	031.53	0
031	Phosphorus (%)	0083	0.80000	0.02000	0.75672	0.02900	0.01610	152	1.49	031.41	0
031	Phosphorus (%)	0685	0.80000	0.00000	0.75672	0.02900	0.01610	152	1.49	031.41	0
031	Phosphorus (%)	0186	0.80000	0.01600	0.75672	0.02900	0.01610	152	1.49	031.42	0
031	Phosphorus (%)	0098	0.80000	0.00000	0.75672	0.02900	0.01610	152	1.49	031.43	0
031	Phosphorus (%)	0609	0.80500	0.01000	0.75672	0.02900	0.01610	152	1.66	031.01	0
031	Phosphorus (%)	0208	0.81550	0.05300	0.75672	0.02900	0.01610	152	2.03	031.41	0
031	Phosphorus (%)	0003	0.82000	0.00000	0.75672	0.02900	0.01610	152	2.18	031.41	0
031	Phosphorus (%)	0689	0.82000	0.02000	0.75672	0.02900	0.01610	152	2.18	031.01	0
031	Phosphorus (%)	0964	0.82385	0.01130	0.75672	0.02900	0.01610	152	2.31	031.43	0
031	Phosphorus (%)	0598	0.83245	0.01090	0.75672	0.02900	0.01610	152	2.61	031.41	0
031	Phosphorus (%)	0852	0.87500	0.01000	0.75672	0.02900	0.01610	152	4.08	031.99	0
031	Phosphorus (%)	0066	0.88000	0.02000	0.75672	0.02900	0.01610	152	4.25	031.01	0
031	Phosphorus (%)	2052	0.90800	0.01000	0.75672	0.02900	0.01610	152	5.22	031.43	0
031	Phosphorus (%)	0405	0.91000	0.02000	0.75672	0.02900	0.01610	152	5.29	031.41	0
031	Phosphorus (%)	0265	0.72000	0.10000	0.75672	0.02900	0.01610	152	-1.27	031.42	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0693	0.86000	0.18000	0.75672	0.02900	0.01610	152	3.56	031.42	1
032	Potassium (%)	0889	0.70170	0.02280	0.89134	0.04008	0.01917	89	-4.73	032.99	0
032	Potassium (%)	0968	0.73400	0.02200	0.89134	0.04008	0.01917	89	-3.93	032.43	0
032	Potassium (%)	0511	0.79500	0.01000	0.89134	0.04008	0.01917	89	-2.40	032.41	0
032	Potassium (%)	0553	0.80500	0.05000	0.89134	0.04008	0.01917	89	-2.15	032.41	0
032	Potassium (%)	2055	0.81800	0.02200	0.89134	0.04008	0.01917	89	-1.83	032.53	0
032	Potassium (%)	0096	0.82000	0.02000	0.89134	0.04008	0.01917	89	-1.78	032.52	0
032	Potassium (%)	0609	0.83000	0.02000	0.89134	0.04008	0.01917	89	-1.53	032.32	0
032	Potassium (%)	0675	0.83000	0.00000	0.89134	0.04008	0.01917	89	-1.53	032.43	0
032	Potassium (%)	0619	0.83150	0.00500	0.89134	0.04008	0.01917	89	-1.49	032.41	0
032	Potassium (%)	0142	0.83450	0.00700	0.89134	0.04008	0.01917	89	-1.42	032.31	0
032	Potassium (%)	0139	0.83550	0.00300	0.89134	0.04008	0.01917	89	-1.39	032.02	0
032	Potassium (%)	0045	0.83550	0.01900	0.89134	0.04008	0.01917	89	-1.39	032.42	0
032	Potassium (%)	0683	0.84000	0.08000	0.89134	0.04008	0.01917	89	-1.28	032.31	0
032	Potassium (%)	0563	0.84445	0.00430	0.89134	0.04008	0.01917	89	-1.17	032.31	0
032	Potassium (%)	0043	0.84500	0.01000	0.89134	0.04008	0.01917	89	-1.16	032.43	0
032	Potassium (%)	0510	0.84500	0.01000	0.89134	0.04008	0.01917	89	-1.16	032.43	0
032	Potassium (%)	0208	0.84950	0.04500	0.89134	0.04008	0.01917	89	-1.04	032.41	0
032	Potassium (%)	0108	0.85000	0.06000	0.89134	0.04008	0.01917	89	-1.03	032.02	0
032	Potassium (%)	0964	0.85005	0.06030	0.89134	0.04008	0.01917	89	-1.03	032.41	0
032	Potassium (%)	0042	0.85150	0.00300	0.89134	0.04008	0.01917	89	-0.99	032.42	0
032	Potassium (%)	0868	0.85400	0.00200	0.89134	0.04008	0.01917	89	-0.93	032.31	0
032	Potassium (%)	0144	0.85500	0.05000	0.89134	0.04008	0.01917	89	-0.91	032.41	0
032	Potassium (%)	0035	0.85675	0.01350	0.89134	0.04008	0.01917	89	-0.86	032.42	0
032	Potassium (%)	0297	0.86000	0.02000	0.89134	0.04008	0.01917	89	-0.78	032.43	0
032	Potassium (%)	0106	0.86500	0.03000	0.89134	0.04008	0.01917	89	-0.66	032.42	0
032	Potassium (%)	0918	0.86600	0.07000	0.89134	0.04008	0.01917	89	-0.63	032.43	0
032	Potassium (%)	0357	0.87000	0.00000	0.89134	0.04008	0.01917	89	-0.53	032.42	0
032	Potassium (%)	0065	0.87450	0.01500	0.89134	0.04008	0.01917	89	-0.42	032.31	0
032	Potassium (%)	0354	0.87500	0.01000	0.89134	0.04008	0.01917	89	-0.41	032.31	0
032	Potassium (%)	0294	0.87500	0.01000	0.89134	0.04008	0.01917	89	-0.41	032.42	0
032	Potassium (%)	0300	0.87600	0.00600	0.89134	0.04008	0.01917	89	-0.38	032.41	0
032	Potassium (%)	0035	0.87785	0.01790	0.89134	0.04008	0.01917	89	-0.34	032.32	0
032	Potassium (%)	0881	0.87850	0.00500	0.89134	0.04008	0.01917	89	-0.32	032.02	0
032	Potassium (%)	0154	0.87990	0.00520	0.89134	0.04008	0.01917	89	-0.29	032.52	0
032	Potassium (%)	0629	0.88000	0.00000	0.89134	0.04008	0.01917	89	-0.28	032.31	0
032	Potassium (%)	0011	0.88125	0.00310	0.89134	0.04008	0.01917	89	-0.25	032.41	0
032	Potassium (%)	0629	0.88500	0.00000	0.89134	0.04008	0.01917	89	-0.16	032.43	0
032	Potassium (%)	0202	0.89000	0.00000	0.89134	0.04008	0.01917	89	-0.03	032.42	0
032	Potassium (%)	0425	0.89000	0.02000	0.89134	0.04008	0.01917	89	-0.03	032.43	0
032	Potassium (%)	0407	0.89250	0.02300	0.89134	0.04008	0.01917	89	0.03	032.41	0
032	Potassium (%)	0175	0.89500	0.01000	0.89134	0.04008	0.01917	89	0.09	032.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0083	0.89500	0.01000	0.89134	0.04008	0.01917	89	0.09	032.41	0
032	Potassium (%)	0682	0.89500	0.01000	0.89134	0.04008	0.01917	89	0.09	032.41	0
032	Potassium (%)	0692	0.89500	0.03000	0.89134	0.04008	0.01917	89	0.09	032.42	0
032	Potassium (%)	0353	0.89500	0.01000	0.89134	0.04008	0.01917	89	0.09	032.43	0
032	Potassium (%)	2023	0.89550	0.00100	0.89134	0.04008	0.01917	89	0.10	032.43	0
032	Potassium (%)	0345	0.89600	0.00800	0.89134	0.04008	0.01917	89	0.12	032.43	0
032	Potassium (%)	0596	0.90000	0.02000	0.89134	0.04008	0.01917	89	0.22	032.31	0
032	Potassium (%)	0226	0.90000	0.02000	0.89134	0.04008	0.01917	89	0.22	032.41	0
032	Potassium (%)	0229	0.90000	0.02000	0.89134	0.04008	0.01917	89	0.22	032.41	0
032	Potassium (%)	0598	0.90085	0.00990	0.89134	0.04008	0.01917	89	0.24	032.41	0
032	Potassium (%)	2004	0.90100	0.01600	0.89134	0.04008	0.01917	89	0.24	032.44	0
032	Potassium (%)	0205	0.90400	0.00800	0.89134	0.04008	0.01917	89	0.32	032.42	0
032	Potassium (%)	0049	0.90500	0.01000	0.89134	0.04008	0.01917	89	0.34	032.41	0
032	Potassium (%)	0164	0.90500	0.01000	0.89134	0.04008	0.01917	89	0.34	032.41	0
032	Potassium (%)	0278	0.90500	0.01000	0.89134	0.04008	0.01917	89	0.34	032.42	0
032	Potassium (%)	0037	0.90500	0.01000	0.89134	0.04008	0.01917	89	0.34	032.43	0
032	Potassium (%)	0242	0.90500	0.01000	0.89134	0.04008	0.01917	89	0.34	032.99	0
032	Potassium (%)	0148	0.90850	0.00100	0.89134	0.04008	0.01917	89	0.43	032.41	0
032	Potassium (%)	0008	0.90850	0.01500	0.89134	0.04008	0.01917	89	0.43	032.43	0
032	Potassium (%)	0003	0.91000	0.02000	0.89134	0.04008	0.01917	89	0.47	032.41	0
032	Potassium (%)	0413	0.91000	0.02000	0.89134	0.04008	0.01917	89	0.47	032.41	0
032	Potassium (%)	0096	0.91000	0.02000	0.89134	0.04008	0.01917	89	0.47	032.42	0
032	Potassium (%)	0265	0.91000	0.04000	0.89134	0.04008	0.01917	89	0.47	032.42	0
032	Potassium (%)	0504	0.91450	0.05500	0.89134	0.04008	0.01917	89	0.58	032.42	0
032	Potassium (%)	0033	0.91450	0.01700	0.89134	0.04008	0.01917	89	0.58	032.43	0
032	Potassium (%)	0038	0.91650	0.06900	0.89134	0.04008	0.01917	89	0.63	032.43	0
032	Potassium (%)	0171	0.91750	0.00500	0.89134	0.04008	0.01917	89	0.65	032.41	0
032	Potassium (%)	0560	0.91830	0.02860	0.89134	0.04008	0.01917	89	0.67	032.42	0
032	Potassium (%)	0653	0.91850	0.01500	0.89134	0.04008	0.01917	89	0.68	032.31	0
032	Potassium (%)	0878	0.92000	0.02000	0.89134	0.04008	0.01917	89	0.72	032.41	0
032	Potassium (%)	0051	0.92050	0.01140	0.89134	0.04008	0.01917	89	0.73	032.41	0
032	Potassium (%)	0208	0.92500	0.01600	0.89134	0.04008	0.01917	89	0.84	032.31	0
032	Potassium (%)	0098	0.92500	0.01000	0.89134	0.04008	0.01917	89	0.84	032.41	0
032	Potassium (%)	0098	0.93000	0.02000	0.89134	0.04008	0.01917	89	0.96	032.43	0
032	Potassium (%)	2052	0.93200	0.00000	0.89134	0.04008	0.01917	89	1.01	032.43	0
032	Potassium (%)	0199	0.93500	0.01000	0.89134	0.04008	0.01917	89	1.09	032.53	0
032	Potassium (%)	2006	0.93700	0.02400	0.89134	0.04008	0.01917	89	1.14	032.08	0
032	Potassium (%)	0572	0.93920	0.03200	0.89134	0.04008	0.01917	89	1.19	032.53	0
032	Potassium (%)	0169	0.94000	0.00000	0.89134	0.04008	0.01917	89	1.21	032.32	0
032	Potassium (%)	0186	0.94300	0.02000	0.89134	0.04008	0.01917	89	1.29	032.42	0
032	Potassium (%)	0038	0.94650	0.02300	0.89134	0.04008	0.01917	89	1.38	032.31	0
032	Potassium (%)	0413	0.94900	0.02400	0.89134	0.04008	0.01917	89	1.44	032.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0520	0.95000	0.08000	0.89134	0.04008	0.01917	89	1.46	032.41	0
032	Potassium (%)	0693	0.95000	0.00000	0.89134	0.04008	0.01917	89	1.46	032.42	0
032	Potassium (%)	0948	0.96000	0.04000	0.89134	0.04008	0.01917	89	1.71	032.31	0
032	Potassium (%)	0178	0.96650	0.03300	0.89134	0.04008	0.01917	89	1.88	032.31	0
032	Potassium (%)	0100	1.0100	0.02000	0.89134	0.04008	0.01917	89	2.96	032.41	0
032	Potassium (%)	0405	1.0700	0.02000	0.89134	0.04008	0.01917	89	4.46	032.41	0
032	Potassium (%)	0964	0.99130	0.12340	0.89134	0.04008	0.01917	89	2.49	032.43	1
033	Salt as chloride (%)	0623	0.11605	0.02330	0.40544	0.05556	0.01157	89	-5.21	033.99	0
033	Salt as chloride (%)	0017	0.20500	0.15000	0.40544	0.05556	0.01157	89	-3.61	033.99	0
033	Salt as chloride (%)	0539	0.27000	0.02000	0.40544	0.05556	0.01157	89	-2.44	033.00	0
033	Salt as chloride (%)	2042	0.29500	0.01000	0.40544	0.05556	0.01157	89	-1.99	033.00	0
033	Salt as chloride (%)	0964	0.30430	0.01680	0.40544	0.05556	0.01157	89	-1.82	033.01	0
033	Salt as chloride (%)	0964	0.30430	0.01680	0.40544	0.05556	0.01157	89	-1.82	033.99	0
033	Salt as chloride (%)	0144	0.30500	0.01000	0.40544	0.05556	0.01157	89	-1.81	033.03	0
033	Salt as chloride (%)	2022	0.30600	0.00000	0.40544	0.05556	0.01157	89	-1.79	033.00	0
033	Salt as chloride (%)	0893	0.32500	0.01000	0.40544	0.05556	0.01157	89	-1.45	033.00	0
033	Salt as chloride (%)	2065	0.32650	0.00700	0.40544	0.05556	0.01157	89	-1.42	033.00	0
033	Salt as chloride (%)	0848	0.33500	0.01000	0.40544	0.05556	0.01157	89	-1.27	033.03	0
033	Salt as chloride (%)	2063	0.34000	0.02000	0.40544	0.05556	0.01157	89	-1.18	033.00	0
033	Salt as chloride (%)	0265	0.34000	0.00000	0.40544	0.05556	0.01157	89	-1.18	033.03	0
033	Salt as chloride (%)	2006	0.34300	0.02400	0.40544	0.05556	0.01157	89	-1.12	033.00	0
033	Salt as chloride (%)	0675	0.34500	0.01000	0.40544	0.05556	0.01157	89	-1.09	033.00	0
033	Salt as chloride (%)	0868	0.34500	0.01000	0.40544	0.05556	0.01157	89	-1.09	033.00	0
033	Salt as chloride (%)	0895	0.34500	0.01000	0.40544	0.05556	0.01157	89	-1.09	033.00	0
033	Salt as chloride (%)	0903	0.34500	0.01000	0.40544	0.05556	0.01157	89	-1.09	033.00	0
033	Salt as chloride (%)	0298	0.35000	0.02000	0.40544	0.05556	0.01157	89	-1.00	033.00	0
033	Salt as chloride (%)	0685	0.35000	0.00000	0.40544	0.05556	0.01157	89	-1.00	033.00	0
033	Salt as chloride (%)	0536	0.35000	0.02000	0.40544	0.05556	0.01157	89	-1.00	033.99	0
033	Salt as chloride (%)	0878	0.35500	0.01000	0.40544	0.05556	0.01157	89	-0.91	033.00	0
033	Salt as chloride (%)	0891	0.36460	0.00280	0.40544	0.05556	0.01157	89	-0.74	033.00	0
033	Salt as chloride (%)	0653	0.36700	0.00000	0.40544	0.05556	0.01157	89	-0.69	033.00	0
033	Salt as chloride (%)	2006	0.36800	0.00200	0.40544	0.05556	0.01157	89	-0.67	033.01	0
033	Salt as chloride (%)	2006	0.36800	0.00200	0.40544	0.05556	0.01157	89	-0.67	033.05	0
033	Salt as chloride (%)	0897	0.37500	0.01000	0.40544	0.05556	0.01157	89	-0.55	033.00	0
033	Salt as chloride (%)	0505	0.37500	0.01000	0.40544	0.05556	0.01157	89	-0.55	033.03	0
033	Salt as chloride (%)	0723	0.38000	0.00000	0.40544	0.05556	0.01157	89	-0.46	033.00	0
033	Salt as chloride (%)	0726	0.38000	0.00000	0.40544	0.05556	0.01157	89	-0.46	033.03	0
033	Salt as chloride (%)	0016	0.38050	0.00300	0.40544	0.05556	0.01157	89	-0.45	033.00	0
033	Salt as chloride (%)	2062	0.38450	0.03100	0.40544	0.05556	0.01157	89	-0.38	033.00	0
033	Salt as chloride (%)	0169	0.38500	0.01000	0.40544	0.05556	0.01157	89	-0.37	033.00	0
033	Salt as chloride (%)	0309	0.38700	0.01600	0.40544	0.05556	0.01157	89	-0.33	033.00	0
033	Salt as chloride (%)	0596	0.39000	0.00000	0.40544	0.05556	0.01157	89	-0.28	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0190	0.39000	0.02000	0.40544	0.05556	0.01157	89	-0.28	033.03	0
033	Salt as chloride (%)	0512	0.39130	0.00740	0.40544	0.05556	0.01157	89	-0.25	033.00	0
033	Salt as chloride (%)	0881	0.39700	0.00000	0.40544	0.05556	0.01157	89	-0.15	033.00	0
033	Salt as chloride (%)	0045	0.39950	0.00500	0.40544	0.05556	0.01157	89	-0.11	033.00	0
033	Salt as chloride (%)	0629	0.40000	0.00000	0.40544	0.05556	0.01157	89	-0.10	033.01	0
033	Salt as chloride (%)	0884	0.41000	0.00000	0.40544	0.05556	0.01157	89	0.08	033.00	0
033	Salt as chloride (%)	2068	0.41000	0.00000	0.40544	0.05556	0.01157	89	0.08	033.00	0
033	Salt as chloride (%)	0100	0.41000	0.00000	0.40544	0.05556	0.01157	89	0.08	033.01	0
033	Salt as chloride (%)	0511	0.41000	0.06000	0.40544	0.05556	0.01157	89	0.08	033.00	0
033	Salt as chloride (%)	0590	0.41000	0.04000	0.40544	0.05556	0.01157	89	0.08	033.01	0
033	Salt as chloride (%)	0683	0.41500	0.03000	0.40544	0.05556	0.01157	89	0.17	033.00	0
033	Salt as chloride (%)	0619	0.41900	0.00000	0.40544	0.05556	0.01157	89	0.24	033.99	0
033	Salt as chloride (%)	0337	0.42000	0.02000	0.40544	0.05556	0.01157	89	0.26	033.01	0
033	Salt as chloride (%)	0004	0.42000	0.00000	0.40544	0.05556	0.01157	89	0.26	033.05	0
033	Salt as chloride (%)	0689	0.42000	0.00000	0.40544	0.05556	0.01157	89	0.26	033.05	0
033	Salt as chloride (%)	0229	0.42500	0.01000	0.40544	0.05556	0.01157	89	0.35	033.01	0
033	Salt as chloride (%)	0278	0.42500	0.01000	0.40544	0.05556	0.01157	89	0.35	033.01	0
033	Salt as chloride (%)	0148	0.42600	0.00200	0.40544	0.05556	0.01157	89	0.37	033.01	0
033	Salt as chloride (%)	0178	0.42950	0.00300	0.40544	0.05556	0.01157	89	0.43	033.01	0
033	Salt as chloride (%)	0001	0.43000	0.00000	0.40544	0.05556	0.01157	89	0.44	033.01	0
033	Salt as chloride (%)	0083	0.43000	0.00000	0.40544	0.05556	0.01157	89	0.44	033.01	0
033	Salt as chloride (%)	0164	0.43000	0.02000	0.40544	0.05556	0.01157	89	0.44	033.01	0
033	Salt as chloride (%)	0226	0.43000	0.00000	0.40544	0.05556	0.01157	89	0.44	033.01	0
033	Salt as chloride (%)	0683	0.43000	0.00000	0.40544	0.05556	0.01157	89	0.44	033.01	0
033	Salt as chloride (%)	0861	0.43000	0.00000	0.40544	0.05556	0.01157	89	0.44	033.01	0
033	Salt as chloride (%)	0205	0.43350	0.00300	0.40544	0.05556	0.01157	89	0.51	033.01	0
033	Salt as chloride (%)	0353	0.43500	0.01000	0.40544	0.05556	0.01157	89	0.53	033.00	0
033	Salt as chloride (%)	0194	0.43500	0.01000	0.40544	0.05556	0.01157	89	0.53	033.01	0
033	Salt as chloride (%)	0011	0.43785	0.00050	0.40544	0.05556	0.01157	89	0.58	033.01	0
033	Salt as chloride (%)	0407	0.43850	0.00300	0.40544	0.05556	0.01157	89	0.60	033.01	0
033	Salt as chloride (%)	0106	0.43900	0.01200	0.40544	0.05556	0.01157	89	0.60	033.01	0
033	Salt as chloride (%)	0354	0.44000	0.00000	0.40544	0.05556	0.01157	89	0.62	033.01	0
033	Salt as chloride (%)	0413	0.44000	0.00000	0.40544	0.05556	0.01157	89	0.62	033.01	0
033	Salt as chloride (%)	0425	0.44000	0.00000	0.40544	0.05556	0.01157	89	0.62	033.01	0
033	Salt as chloride (%)	0939	0.44000	0.02000	0.40544	0.05556	0.01157	89	0.62	033.01	0
033	Salt as chloride (%)	2023	0.44000	0.00000	0.40544	0.05556	0.01157	89	0.62	033.01	0
033	Salt as chloride (%)	0171	0.44000	0.02000	0.40544	0.05556	0.01157	89	0.62	033.05	0
033	Salt as chloride (%)	0175	0.44500	0.01000	0.40544	0.05556	0.01157	89	0.71	033.01	0
033	Salt as chloride (%)	0510	0.45000	0.00000	0.40544	0.05556	0.01157	89	0.80	033.01	0
033	Salt as chloride (%)	0098	0.45500	0.01000	0.40544	0.05556	0.01157	89	0.89	033.01	0
033	Salt as chloride (%)	0242	0.45500	0.01000	0.40544	0.05556	0.01157	89	0.89	033.01	0
033	Salt as chloride (%)	0208	0.46200	0.01200	0.40544	0.05556	0.01157	89	1.02	033.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0885	0.46500	0.01000	0.40544	0.05556	0.01157	89	1.07	033.00	0
033	Salt as chloride (%)	0948	0.46500	0.03000	0.40544	0.05556	0.01157	89	1.07	033.01	0
033	Salt as chloride (%)	0682	0.47500	0.01000	0.40544	0.05556	0.01157	89	1.25	033.01	0
033	Salt as chloride (%)	2067	0.48050	0.01700	0.40544	0.05556	0.01157	89	1.35	033.00	0
033	Salt as chloride (%)	0039	0.48165	0.00050	0.40544	0.05556	0.01157	89	1.37	033.01	0
033	Salt as chloride (%)	0693	0.50000	0.02000	0.40544	0.05556	0.01157	89	1.70	033.00	0
033	Salt as chloride (%)	0003	0.50000	0.00000	0.40544	0.05556	0.01157	89	1.70	033.01	0
033	Salt as chloride (%)	2053	0.50000	0.00000	0.40544	0.05556	0.01157	89	1.70	033.01	0
033	Salt as chloride (%)	0681	0.51500	0.01000	0.40544	0.05556	0.01157	89	1.97	033.99	0
033	Salt as chloride (%)	0019	0.53000	0.00000	0.40544	0.05556	0.01157	89	2.24	033.01	0
033	Salt as chloride (%)	0552	0.65000	0.08000	0.40544	0.05556	0.01157	89	4.40	033.99	0
033	Salt as chloride (%)	0674	0.66500	0.01000	0.40544	0.05556	0.01157	89	4.67	033.01	0
033	Salt as chloride (%)	2043	0.68500	1.0300	0.40544	0.05556	0.01157	89	5.03	033.05	1
033	Salt as chloride (%)	0650	1.5700	0.00000	0.40544	0.05556	0.01157	89	20.96	033.01	2
034	Selenium (mg / kg (ppm))	0425	0.00000	0.00000	0.42512	0.03487	0.06624	25	-12.19	034.43	0
034	Selenium (mg / kg (ppm))	0021	0.34500	0.01000	0.42512	0.03487	0.06624	25	-2.30	034.43	0
034	Selenium (mg / kg (ppm))	0175	0.39000	0.04000	0.42512	0.03487	0.06624	25	-1.01	034.04	0
034	Selenium (mg / kg (ppm))	0413	0.39700	0.01400	0.42512	0.03487	0.06624	25	-0.81	034.53	0
034	Selenium (mg / kg (ppm))	0096	0.40000	0.00000	0.42512	0.03487	0.06624	25	-0.72	034.52	0
034	Selenium (mg / kg (ppm))	0199	0.40000	0.00000	0.42512	0.03487	0.06624	25	-0.72	034.53	0
034	Selenium (mg / kg (ppm))	2023	0.40000	0.00000	0.42512	0.03487	0.06624	25	-0.72	034.53	0
034	Selenium (mg / kg (ppm))	0098	0.40600	0.00600	0.42512	0.03487	0.06624	25	-0.55	034.01	0
034	Selenium (mg / kg (ppm))	2052	0.40600	0.08400	0.42512	0.03487	0.06624	25	-0.55	034.53	0
034	Selenium (mg / kg (ppm))	0038	0.40900	0.01800	0.42512	0.03487	0.06624	25	-0.46	034.01	0
034	Selenium (mg / kg (ppm))	0164	0.41000	0.02000	0.42512	0.03487	0.06624	25	-0.43	034.04	0
034	Selenium (mg / kg (ppm))	0098	0.41450	0.11700	0.42512	0.03487	0.06624	25	-0.30	034.52	0
034	Selenium (mg / kg (ppm))	0169	0.42000	0.00000	0.42512	0.03487	0.06624	25	-0.15	034.04	0
034	Selenium (mg / kg (ppm))	0553	0.42000	0.00000	0.42512	0.03487	0.06624	25	-0.15	034.53	0
034	Selenium (mg / kg (ppm))	2058	0.42500	0.01000	0.42512	0.03487	0.06624	25	0.00	034.53	0
034	Selenium (mg / kg (ppm))	0964	0.43715	0.10750	0.42512	0.03487	0.06624	25	0.35	034.43	0
034	Selenium (mg / kg (ppm))	0619	0.44050	0.02100	0.42512	0.03487	0.06624	25	0.44	034.41	0
034	Selenium (mg / kg (ppm))	0918	0.44480	0.05840	0.42512	0.03487	0.06624	25	0.56	034.53	0
034	Selenium (mg / kg (ppm))	0939	0.47500	0.01000	0.42512	0.03487	0.06624	25	1.43	034.04	0
034	Selenium (mg / kg (ppm))	0563	0.48500	0.07000	0.42512	0.03487	0.06624	25	1.72	034.04	0
034	Selenium (mg / kg (ppm))	0610	0.49500	0.03000	0.42512	0.03487	0.06624	25	2.00	034.04	0
034	Selenium (mg / kg (ppm))	0003	0.54000	0.20000	0.42512	0.03487	0.06624	25	3.29	034.43	0
034	Selenium (mg / kg (ppm))	2055	0.56000	0.04000	0.42512	0.03487	0.06624	25	3.87	034.53	0
034	Selenium (mg / kg (ppm))	0047	0.59500	0.05000	0.42512	0.03487	0.06624	25	4.87	034.52	0
034	Selenium (mg / kg (ppm))	0693	0.61500	0.75000	0.42512	0.03487	0.06624	25	5.45	034.42	0
034	Selenium (mg / kg (ppm))	0596	86.265	2.8300	0.42512	0.03487	0.06624	25	2461.99	034.04	2
035	Sodium (%)	0683	0.09500	0.01000	0.12964	0.01093	0.00416	96	-3.17	035.31	0
035	Sodium (%)	0043	0.10000	0.00000	0.12964	0.01093	0.00416	96	-2.71	035.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0297	0.10000	0.00000	0.12964	0.01093	0.00416	96	-2.71	035.43	0
035	Sodium (%)	0035	0.10395	0.00710	0.12964	0.01093	0.00416	96	-2.35	035.32	0
035	Sodium (%)	0089	0.11000	0.00000	0.12964	0.01093	0.00416	96	-1.80	035.41	0
035	Sodium (%)	0520	0.11000	0.00000	0.12964	0.01093	0.00416	96	-1.80	035.41	0
035	Sodium (%)	0175	0.11500	0.01000	0.12964	0.01093	0.00416	96	-1.34	035.31	0
035	Sodium (%)	2055	0.11500	0.00000	0.12964	0.01093	0.00416	96	-1.34	035.53	0
035	Sodium (%)	0035	0.11640	0.00860	0.12964	0.01093	0.00416	96	-1.21	035.42	0
035	Sodium (%)	0553	0.11800	0.00800	0.12964	0.01093	0.00416	96	-1.07	035.41	0
035	Sodium (%)	0563	0.11935	0.00330	0.12964	0.01093	0.00416	96	-0.94	035.31	0
035	Sodium (%)	0964	0.11970	0.00660	0.12964	0.01093	0.00416	96	-0.91	035.41	0
035	Sodium (%)	0171	0.12000	0.00000	0.12964	0.01093	0.00416	96	-0.88	035.41	0
035	Sodium (%)	0298	0.12000	0.02000	0.12964	0.01093	0.00416	96	-0.88	035.41	0
035	Sodium (%)	0682	0.12000	0.00000	0.12964	0.01093	0.00416	96	-0.88	035.41	0
035	Sodium (%)	0096	0.12000	0.00000	0.12964	0.01093	0.00416	96	-0.88	035.42	0
035	Sodium (%)	0265	0.12000	0.00000	0.12964	0.01093	0.00416	96	-0.88	035.42	0
035	Sodium (%)	0425	0.12000	0.00000	0.12964	0.01093	0.00416	96	-0.88	035.43	0
035	Sodium (%)	0510	0.12000	0.00000	0.12964	0.01093	0.00416	96	-0.88	035.43	0
035	Sodium (%)	0918	0.12000	0.00400	0.12964	0.01093	0.00416	96	-0.88	035.43	0
035	Sodium (%)	0045	0.12050	0.00300	0.12964	0.01093	0.00416	96	-0.84	035.42	0
035	Sodium (%)	0205	0.12150	0.00300	0.12964	0.01093	0.00416	96	-0.74	035.42	0
035	Sodium (%)	0042	0.12250	0.00100	0.12964	0.01093	0.00416	96	-0.65	035.42	0
035	Sodium (%)	0008	0.12350	0.00100	0.12964	0.01093	0.00416	96	-0.56	035.43	0
035	Sodium (%)	0038	0.12400	0.00600	0.12964	0.01093	0.00416	96	-0.52	035.43	0
035	Sodium (%)	0011	0.12445	0.00310	0.12964	0.01093	0.00416	96	-0.47	035.41	0
035	Sodium (%)	0868	0.12450	0.00100	0.12964	0.01093	0.00416	96	-0.47	035.31	0
035	Sodium (%)	0884	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.02	0
035	Sodium (%)	0233	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.31	0
035	Sodium (%)	0948	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.31	0
035	Sodium (%)	0049	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.41	0
035	Sodium (%)	0083	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.41	0
035	Sodium (%)	0144	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.41	0
035	Sodium (%)	0202	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.42	0
035	Sodium (%)	0294	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.42	0
035	Sodium (%)	0098	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.43	0
035	Sodium (%)	0199	0.12500	0.01000	0.12964	0.01093	0.00416	96	-0.42	035.53	0
035	Sodium (%)	0964	0.12535	0.00210	0.12964	0.01093	0.00416	96	-0.39	035.43	0
035	Sodium (%)	0148	0.12550	0.00100	0.12964	0.01093	0.00416	96	-0.38	035.41	0
035	Sodium (%)	0300	0.12550	0.00300	0.12964	0.01093	0.00416	96	-0.38	035.41	0
035	Sodium (%)	0407	0.12550	0.00100	0.12964	0.01093	0.00416	96	-0.38	035.41	0
035	Sodium (%)	0208	0.12600	0.00200	0.12964	0.01093	0.00416	96	-0.33	035.41	0
035	Sodium (%)	2052	0.12600	0.00400	0.12964	0.01093	0.00416	96	-0.33	035.43	0
035	Sodium (%)	0345	0.12650	0.00100	0.12964	0.01093	0.00416	96	-0.29	035.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0208	0.12700	0.01600	0.12964	0.01093	0.00416	96	-0.24	035.31	0
035	Sodium (%)	0572	0.12725	0.00210	0.12964	0.01093	0.00416	96	-0.22	035.53	0
035	Sodium (%)	2004	0.12800	0.00200	0.12964	0.01093	0.00416	96	-0.15	035.41	0
035	Sodium (%)	0186	0.12800	0.00400	0.12964	0.01093	0.00416	96	-0.15	035.42	0
035	Sodium (%)	0033	0.12850	0.00100	0.12964	0.01093	0.00416	96	-0.10	035.43	0
035	Sodium (%)	0413	0.12900	0.00400	0.12964	0.01093	0.00416	96	-0.06	035.53	0
035	Sodium (%)	0560	0.12910	0.00780	0.12964	0.01093	0.00416	96	-0.05	035.42	0
035	Sodium (%)	0138	0.12950	0.00300	0.12964	0.01093	0.00416	96	-0.01	035.01	0
035	Sodium (%)	0881	0.12950	0.00100	0.12964	0.01093	0.00416	96	-0.01	035.05	0
035	Sodium (%)	0504	0.12950	0.00300	0.12964	0.01093	0.00416	96	-0.01	035.42	0
035	Sodium (%)	0164	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.41	0
035	Sodium (%)	0413	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.41	0
035	Sodium (%)	0878	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.41	0
035	Sodium (%)	0692	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.42	0
035	Sodium (%)	0693	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.42	0
035	Sodium (%)	0096	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.52	0
035	Sodium (%)	0242	0.13000	0.00000	0.12964	0.01093	0.00416	96	0.03	035.99	0
035	Sodium (%)	0038	0.13100	0.00800	0.12964	0.01093	0.00416	96	0.12	035.31	0
035	Sodium (%)	0051	0.13220	0.00380	0.12964	0.01093	0.00416	96	0.23	035.41	0
035	Sodium (%)	0723	0.13220	0.00000	0.12964	0.01093	0.00416	96	0.23	035.31	0
035	Sodium (%)	0598	0.13255	0.00010	0.12964	0.01093	0.00416	96	0.27	035.41	0
035	Sodium (%)	0154	0.13400	0.00180	0.12964	0.01093	0.00416	96	0.40	035.52	0
035	Sodium (%)	0226	0.13500	0.00000	0.12964	0.01093	0.00416	96	0.49	035.41	0
035	Sodium (%)	0353	0.13500	0.01000	0.12964	0.01093	0.00416	96	0.49	035.43	0
035	Sodium (%)	2006	0.13550	0.00100	0.12964	0.01093	0.00416	96	0.54	035.01	0
035	Sodium (%)	2023	0.13650	0.00500	0.12964	0.01093	0.00416	96	0.63	035.41	0
035	Sodium (%)	0065	0.13690	0.00020	0.12964	0.01093	0.00416	96	0.66	035.31	0
035	Sodium (%)	0142	0.13700	0.00000	0.12964	0.01093	0.00416	96	0.67	035.31	0
035	Sodium (%)	0619	0.13850	0.00300	0.12964	0.01093	0.00416	96	0.81	035.41	0
035	Sodium (%)	0354	0.14000	0.00000	0.12964	0.01093	0.00416	96	0.95	035.31	0
035	Sodium (%)	0596	0.14000	0.00000	0.12964	0.01093	0.00416	96	0.95	035.31	0
035	Sodium (%)	0689	0.14000	0.00000	0.12964	0.01093	0.00416	96	0.95	035.31	0
035	Sodium (%)	0100	0.14000	0.00000	0.12964	0.01093	0.00416	96	0.95	035.41	0
035	Sodium (%)	2058	0.14000	0.00000	0.12964	0.01093	0.00416	96	0.95	035.43	0
035	Sodium (%)	0139	0.14100	0.00800	0.12964	0.01093	0.00416	96	1.04	035.05	0
035	Sodium (%)	0868	0.14200	0.00000	0.12964	0.01093	0.00416	96	1.13	035.01	0
035	Sodium (%)	0921	0.14300	0.00000	0.12964	0.01093	0.00416	96	1.22	035.31	0
035	Sodium (%)	0629	0.14450	0.00100	0.12964	0.01093	0.00416	96	1.36	035.43	0
035	Sodium (%)	0152	0.14500	0.01000	0.12964	0.01093	0.00416	96	1.41	035.05	0
035	Sodium (%)	0337	0.14500	0.01000	0.12964	0.01093	0.00416	96	1.41	035.05	0
035	Sodium (%)	0229	0.14500	0.01000	0.12964	0.01093	0.00416	96	1.41	035.41	0
035	Sodium (%)	0653	0.14700	0.00200	0.12964	0.01093	0.00416	96	1.59	035.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0178	0.14750	0.00100	0.12964	0.01093	0.00416	96	1.63	035.31	0
035	Sodium (%)	0169	0.15000	0.00000	0.12964	0.01093	0.00416	96	1.86	035.32	0
035	Sodium (%)	0098	0.15000	0.02000	0.12964	0.01093	0.00416	96	1.86	035.41	0
035	Sodium (%)	0278	0.15000	0.02000	0.12964	0.01093	0.00416	96	1.86	035.42	0
035	Sodium (%)	0263	0.15075	0.00190	0.12964	0.01093	0.00416	96	1.93	035.32	0
035	Sodium (%)	0405	0.15450	0.00900	0.12964	0.01093	0.00416	96	2.27	035.41	0
035	Sodium (%)	0609	0.15500	0.01000	0.12964	0.01093	0.00416	96	2.32	035.32	0
035	Sodium (%)	0629	0.16000	0.00000	0.12964	0.01093	0.00416	96	2.78	035.31	0
035	Sodium (%)	0675	0.16000	0.00000	0.12964	0.01093	0.00416	96	2.78	035.43	0
035	Sodium (%)	0106	0.17500	0.01000	0.12964	0.01093	0.00416	96	4.15	035.42	0
035	Sodium (%)	0108	0.13500	0.03000	0.12964	0.01093	0.00416	96	0.49	035.05	1
035	Sodium (%)	0889	0.94665	0.04330	0.12964	0.01093	0.00416	96	74.75	035.99	2
036	Sulfur (%)	0106	0.19000	0.00000	0.21577	0.01211	0.00473	28	-2.13	036.42	0
036	Sulfur (%)	0889	0.19615	0.00170	0.21577	0.01211	0.00473	28	-1.62	036.99	0
036	Sulfur (%)	0297	0.20000	0.00000	0.21577	0.01211	0.00473	28	-1.30	036.43	0
036	Sulfur (%)	0045	0.20450	0.00100	0.21577	0.01211	0.00473	28	-0.93	036.42	0
036	Sulfur (%)	0629	0.20500	0.00000	0.21577	0.01211	0.00473	28	-0.89	036.43	0
036	Sulfur (%)	0265	0.20500	0.01000	0.21577	0.01211	0.00473	28	-0.89	036.42	0
036	Sulfur (%)	0171	0.20900	0.00600	0.21577	0.01211	0.00473	28	-0.56	036.42	0
036	Sulfur (%)	0164	0.21000	0.00000	0.21577	0.01211	0.00473	28	-0.48	036.42	0
036	Sulfur (%)	0202	0.21000	0.00000	0.21577	0.01211	0.00473	28	-0.48	036.42	0
036	Sulfur (%)	0357	0.21000	0.00000	0.21577	0.01211	0.00473	28	-0.48	036.42	0
036	Sulfur (%)	0510	0.21000	0.00000	0.21577	0.01211	0.00473	28	-0.48	036.43	0
036	Sulfur (%)	0708	0.21350	0.00900	0.21577	0.01211	0.00473	28	-0.19	036.42	0
036	Sulfur (%)	0038	0.21400	0.01600	0.21577	0.01211	0.00473	28	-0.15	036.43	0
036	Sulfur (%)	0345	0.21400	0.00200	0.21577	0.01211	0.00473	28	-0.15	036.43	0
036	Sulfur (%)	0693	0.21500	0.01000	0.21577	0.01211	0.00473	28	-0.06	036.42	0
036	Sulfur (%)	0242	0.21500	0.01000	0.21577	0.01211	0.00473	28	-0.06	036.99	0
036	Sulfur (%)	0186	0.21550	0.00300	0.21577	0.01211	0.00473	28	-0.02	036.42	0
036	Sulfur (%)	0407	0.21950	0.00500	0.21577	0.01211	0.00473	28	0.31	036.42	0
036	Sulfur (%)	0229	0.22000	0.00000	0.21577	0.01211	0.00473	28	0.35	036.04	0
036	Sulfur (%)	0560	0.22030	0.00360	0.21577	0.01211	0.00473	28	0.37	036.42	0
036	Sulfur (%)	0098	0.22500	0.01000	0.21577	0.01211	0.00473	28	0.76	036.43	0
036	Sulfur (%)	0353	0.22500	0.01000	0.21577	0.01211	0.00473	28	0.76	036.43	0
036	Sulfur (%)	0278	0.23000	0.00000	0.21577	0.01211	0.00473	28	1.18	036.42	0
036	Sulfur (%)	0169	0.23000	0.00000	0.21577	0.01211	0.00473	28	1.18	036.43	0
036	Sulfur (%)	0098	0.23500	0.01000	0.21577	0.01211	0.00473	28	1.59	036.04	0
036	Sulfur (%)	0226	0.23500	0.01000	0.21577	0.01211	0.00473	28	1.59	036.04	0
036	Sulfur (%)	0294	0.23500	0.01000	0.21577	0.01211	0.00473	28	1.59	036.42	0
036	Sulfur (%)	0042	0.24350	0.00500	0.21577	0.01211	0.00473	28	2.29	036.42	0
036	Sulfur (%)	0918	0.19200	0.02800	0.21577	0.01211	0.00473	28	-1.96	036.43	1
037	Zinc (mg / kg (ppm))	0921	101.00	0.00000	160.48	7.9703	6.6965	97	-7.46	037.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	2055	122.00	2.0000	160.48	7.9703	6.6965	97	-4.83	037.53	0
037	Zinc (mg / kg (ppm))	0889	129.50	1.0000	160.48	7.9703	6.6965	97	-3.89	037.99	0
037	Zinc (mg / kg (ppm))	0918	137.94	14.780	160.48	7.9703	6.6965	97	-2.83	037.43	0
037	Zinc (mg / kg (ppm))	0043	142.50	1.0000	160.48	7.9703	6.6965	97	-2.26	037.43	0
037	Zinc (mg / kg (ppm))	0037	145.20	3.2000	160.48	7.9703	6.6965	97	-1.92	037.43	0
037	Zinc (mg / kg (ppm))	0553	146.00	0.00000	160.48	7.9703	6.6965	97	-1.82	037.41	0
037	Zinc (mg / kg (ppm))	0510	146.00	2.0000	160.48	7.9703	6.6965	97	-1.82	037.43	0
037	Zinc (mg / kg (ppm))	0178	148.00	1.6000	160.48	7.9703	6.6965	97	-1.57	037.31	0
037	Zinc (mg / kg (ppm))	0425	148.05	0.10000	160.48	7.9703	6.6965	97	-1.56	037.43	0
037	Zinc (mg / kg (ppm))	0353	148.10	0.40000	160.48	7.9703	6.6965	97	-1.55	037.43	0
037	Zinc (mg / kg (ppm))	0968	149.00	0.00000	160.48	7.9703	6.6965	97	-1.44	037.43	0
037	Zinc (mg / kg (ppm))	0511	151.50	9.0000	160.48	7.9703	6.6965	97	-1.13	037.41	0
037	Zinc (mg / kg (ppm))	0505	152.00	2.0000	160.48	7.9703	6.6965	97	-1.06	037.31	0
037	Zinc (mg / kg (ppm))	0265	152.00	10.000	160.48	7.9703	6.6965	97	-1.06	037.42	0
037	Zinc (mg / kg (ppm))	0199	152.00	14.000	160.48	7.9703	6.6965	97	-1.06	037.53	0
037	Zinc (mg / kg (ppm))	0294	152.25	5.7000	160.48	7.9703	6.6965	97	-1.03	037.42	0
037	Zinc (mg / kg (ppm))	0413	154.20	15.780	160.48	7.9703	6.6965	97	-0.79	037.53	0
037	Zinc (mg / kg (ppm))	0405	154.50	7.0000	160.48	7.9703	6.6965	97	-0.75	037.41	0
037	Zinc (mg / kg (ppm))	0939	154.90	2.4200	160.48	7.9703	6.6965	97	-0.70	037.31	0
037	Zinc (mg / kg (ppm))	0074	155.00	4.0000	160.48	7.9703	6.6965	97	-0.69	037.41	0
037	Zinc (mg / kg (ppm))	0610	155.00	10.000	160.48	7.9703	6.6965	97	-0.69	037.41	0
037	Zinc (mg / kg (ppm))	0878	155.00	10.000	160.48	7.9703	6.6965	97	-0.69	037.41	0
037	Zinc (mg / kg (ppm))	0096	155.00	30.000	160.48	7.9703	6.6965	97	-0.69	037.42	0
037	Zinc (mg / kg (ppm))	0096	155.00	10.000	160.48	7.9703	6.6965	97	-0.69	037.52	0
037	Zinc (mg / kg (ppm))	0868	156.50	1.0000	160.48	7.9703	6.6965	97	-0.50	037.31	0
037	Zinc (mg / kg (ppm))	0042	157.00	28.000	160.48	7.9703	6.6965	97	-0.44	037.42	0
037	Zinc (mg / kg (ppm))	0560	157.00	2.0000	160.48	7.9703	6.6965	97	-0.44	037.42	0
037	Zinc (mg / kg (ppm))	0693	157.00	8.0000	160.48	7.9703	6.6965	97	-0.44	037.42	0
037	Zinc (mg / kg (ppm))	0297	157.00	6.0000	160.48	7.9703	6.6965	97	-0.44	037.43	0
037	Zinc (mg / kg (ppm))	0049	157.08	3.9200	160.48	7.9703	6.6965	97	-0.43	037.41	0
037	Zinc (mg / kg (ppm))	0035	157.40	3.0000	160.48	7.9703	6.6965	97	-0.39	037.32	0
037	Zinc (mg / kg (ppm))	0407	157.79	3.6000	160.48	7.9703	6.6965	97	-0.34	037.41	0
037	Zinc (mg / kg (ppm))	0682	157.95	2.1000	160.48	7.9703	6.6965	97	-0.32	037.41	0
037	Zinc (mg / kg (ppm))	0164	158.00	4.0000	160.48	7.9703	6.6965	97	-0.31	037.41	0
037	Zinc (mg / kg (ppm))	0948	158.28	3.5600	160.48	7.9703	6.6965	97	-0.28	037.33	0
037	Zinc (mg / kg (ppm))	0208	158.50	3.0000	160.48	7.9703	6.6965	97	-0.25	037.31	0
037	Zinc (mg / kg (ppm))	0572	158.50	15.000	160.48	7.9703	6.6965	97	-0.25	037.53	0
037	Zinc (mg / kg (ppm))	0051	158.80	5.8900	160.48	7.9703	6.6965	97	-0.21	037.41	0
037	Zinc (mg / kg (ppm))	0190	158.85	1.3000	160.48	7.9703	6.6965	97	-0.20	037.42	0
037	Zinc (mg / kg (ppm))	0175	159.00	6.0000	160.48	7.9703	6.6965	97	-0.19	037.31	0
037	Zinc (mg / kg (ppm))	0038	159.00	6.0000	160.48	7.9703	6.6965	97	-0.19	037.43	0
037	Zinc (mg / kg (ppm))	0004	159.50	1.0000	160.48	7.9703	6.6965	97	-0.12	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0229	159.50	5.0000	160.48	7.9703	6.6965	97	-0.12	037.41	0
037	Zinc (mg / kg (ppm))	0619	159.50	7.0000	160.48	7.9703	6.6965	97	-0.12	037.41	0
037	Zinc (mg / kg (ppm))	0148	159.95	3.1000	160.48	7.9703	6.6965	97	-0.07	037.41	0
037	Zinc (mg / kg (ppm))	0629	160.00	0.00000	160.48	7.9703	6.6965	97	-0.06	037.31	0
037	Zinc (mg / kg (ppm))	0038	160.00	4.0000	160.48	7.9703	6.6965	97	-0.06	037.32	0
037	Zinc (mg / kg (ppm))	0008	160.00	2.0000	160.48	7.9703	6.6965	97	-0.06	037.43	0
037	Zinc (mg / kg (ppm))	0168	160.00	40.000	160.48	7.9703	6.6965	97	-0.06	037.43	0
037	Zinc (mg / kg (ppm))	0504	160.45	20.300	160.48	7.9703	6.6965	97	0.00	037.43	0
037	Zinc (mg / kg (ppm))	0653	160.55	2.7000	160.48	7.9703	6.6965	97	0.01	037.31	0
037	Zinc (mg / kg (ppm))	0964	160.65	3.1000	160.48	7.9703	6.6965	97	0.02	037.41	0
037	Zinc (mg / kg (ppm))	0186	161.00	16.000	160.48	7.9703	6.6965	97	0.07	037.42	0
037	Zinc (mg / kg (ppm))	0689	161.45	2.9000	160.48	7.9703	6.6965	97	0.12	037.31	0
037	Zinc (mg / kg (ppm))	0726	161.60	0.40000	160.48	7.9703	6.6965	97	0.14	037.42	0
037	Zinc (mg / kg (ppm))	0563	162.00	2.0000	160.48	7.9703	6.6965	97	0.19	037.31	0
037	Zinc (mg / kg (ppm))	0083	162.00	6.0000	160.48	7.9703	6.6965	97	0.19	037.41	0
037	Zinc (mg / kg (ppm))	0345	162.00	6.0000	160.48	7.9703	6.6965	97	0.19	037.43	0
037	Zinc (mg / kg (ppm))	0629	162.00	0.00000	160.48	7.9703	6.6965	97	0.19	037.43	0
037	Zinc (mg / kg (ppm))	0504	162.20	11.400	160.48	7.9703	6.6965	97	0.22	037.33	0
037	Zinc (mg / kg (ppm))	0520	162.20	14.200	160.48	7.9703	6.6965	97	0.22	037.41	0
037	Zinc (mg / kg (ppm))	0357	162.50	1.0000	160.48	7.9703	6.6965	97	0.25	037.42	0
037	Zinc (mg / kg (ppm))	2023	162.50	5.0000	160.48	7.9703	6.6965	97	0.25	037.43	0
037	Zinc (mg / kg (ppm))	2022	163.00	0.00000	160.48	7.9703	6.6965	97	0.32	037.31	0
037	Zinc (mg / kg (ppm))	0208	163.50	1.0000	160.48	7.9703	6.6965	97	0.38	037.41	0
037	Zinc (mg / kg (ppm))	2052	163.50	3.0000	160.48	7.9703	6.6965	97	0.38	037.43	0
037	Zinc (mg / kg (ppm))	0675	163.55	4.4000	160.48	7.9703	6.6965	97	0.39	037.43	0
037	Zinc (mg / kg (ppm))	0596	163.71	11.510	160.48	7.9703	6.6965	97	0.40	037.31	0
037	Zinc (mg / kg (ppm))	0169	164.50	7.0000	160.48	7.9703	6.6965	97	0.50	037.43	0
037	Zinc (mg / kg (ppm))	0242	164.50	7.0000	160.48	7.9703	6.6965	97	0.50	037.99	0
037	Zinc (mg / kg (ppm))	0723	165.00	0.00000	160.48	7.9703	6.6965	97	0.57	037.31	0
037	Zinc (mg / kg (ppm))	0910	165.50	11.000	160.48	7.9703	6.6965	97	0.63	037.41	0
037	Zinc (mg / kg (ppm))	0033	166.50	7.0000	160.48	7.9703	6.6965	97	0.76	037.43	0
037	Zinc (mg / kg (ppm))	2004	166.50	9.0000	160.48	7.9703	6.6965	97	0.76	037.44	0
037	Zinc (mg / kg (ppm))	0045	167.00	2.0000	160.48	7.9703	6.6965	97	0.82	037.42	0
037	Zinc (mg / kg (ppm))	0098	168.20	11.800	160.48	7.9703	6.6965	97	0.97	037.41	0
037	Zinc (mg / kg (ppm))	0171	168.50	7.0000	160.48	7.9703	6.6965	97	1.01	037.41	0
037	Zinc (mg / kg (ppm))	2058	168.85	1.0500	160.48	7.9703	6.6965	97	1.05	037.43	0
037	Zinc (mg / kg (ppm))	0598	168.95	1.3000	160.48	7.9703	6.6965	97	1.06	037.41	0
037	Zinc (mg / kg (ppm))	0955	169.00	14.000	160.48	7.9703	6.6965	97	1.07	037.44	0
037	Zinc (mg / kg (ppm))	0964	169.97	4.2300	160.48	7.9703	6.6965	97	1.19	037.43	0
037	Zinc (mg / kg (ppm))	0100	170.50	5.0000	160.48	7.9703	6.6965	97	1.26	037.41	0
037	Zinc (mg / kg (ppm))	0884	171.15	8.5000	160.48	7.9703	6.6965	97	1.34	037.31	0
037	Zinc (mg / kg (ppm))	0692	171.50	13.000	160.48	7.9703	6.6965	97	1.38	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0011	171.73	2.4800	160.48	7.9703	6.6965	97	1.41	037.41	0
037	Zinc (mg / kg (ppm))	0098	172.20	7.2000	160.48	7.9703	6.6965	97	1.47	037.43	0
037	Zinc (mg / kg (ppm))	0413	172.50	15.000	160.48	7.9703	6.6965	97	1.51	037.42	0
037	Zinc (mg / kg (ppm))	0066	172.75	6.5700	160.48	7.9703	6.6965	97	1.54	037.31	0
037	Zinc (mg / kg (ppm))	0354	173.52	4.2100	160.48	7.9703	6.6965	97	1.64	037.31	0
037	Zinc (mg / kg (ppm))	0003	176.50	3.0000	160.48	7.9703	6.6965	97	2.01	037.41	0
037	Zinc (mg / kg (ppm))	0226	177.00	4.0000	160.48	7.9703	6.6965	97	2.07	037.41	0
037	Zinc (mg / kg (ppm))	0504	179.90	32.600	160.48	7.9703	6.6965	97	2.44	037.32	0
037	Zinc (mg / kg (ppm))	0202	180.50	1.0000	160.48	7.9703	6.6965	97	2.51	037.42	0
037	Zinc (mg / kg (ppm))	0674	184.42	1.7600	160.48	7.9703	6.6965	97	3.00	037.31	0
037	Zinc (mg / kg (ppm))	0035	192.15	25.500	160.48	7.9703	6.6965	97	3.97	037.42	0
037	Zinc (mg / kg (ppm))	0609	197.00	6.0000	160.48	7.9703	6.6965	97	4.58	037.32	0
037	Zinc (mg / kg (ppm))	0106	325.00	120.00	160.48	7.9703	6.6965	97	20.64	037.42	2
038	Molybdenum (mg / kg (ppm))	0021	0.00000	0.00000	1.7809	0.23623	0.11841	21	-7.54	038.43	0
038	Molybdenum (mg / kg (ppm))	0297	1.0450	0.39000	1.7809	0.23623	0.11841	21	-3.12	038.43	0
038	Molybdenum (mg / kg (ppm))	0504	1.4525	0.41100	1.7809	0.23623	0.11841	21	-1.39	038.43	0
038	Molybdenum (mg / kg (ppm))	0510	1.5000	0.00000	1.7809	0.23623	0.11841	21	-1.19	038.43	0
038	Molybdenum (mg / kg (ppm))	0345	1.6150	0.01000	1.7809	0.23623	0.11841	21	-0.70	038.43	0
038	Molybdenum (mg / kg (ppm))	2055	1.6500	0.10000	1.7809	0.23623	0.11841	21	-0.55	038.53	0
038	Molybdenum (mg / kg (ppm))	0098	1.6515	0.10500	1.7809	0.23623	0.11841	21	-0.55	038.52	0
038	Molybdenum (mg / kg (ppm))	0964	1.7025	0.18100	1.7809	0.23623	0.11841	21	-0.33	038.41	0
038	Molybdenum (mg / kg (ppm))	0560	1.7200	0.06000	1.7809	0.23623	0.11841	21	-0.26	038.42	0
038	Molybdenum (mg / kg (ppm))	2023	1.7400	0.10000	1.7809	0.23623	0.11841	21	-0.17	038.53	0
038	Molybdenum (mg / kg (ppm))	0011	1.8053	0.09450	1.7809	0.23623	0.11841	21	0.10	038.41	0
038	Molybdenum (mg / kg (ppm))	0964	1.8189	0.15020	1.7809	0.23623	0.11841	21	0.16	038.43	0
038	Molybdenum (mg / kg (ppm))	0169	1.8850	0.03000	1.7809	0.23623	0.11841	21	0.44	038.43	0
038	Molybdenum (mg / kg (ppm))	0278	1.9050	0.03000	1.7809	0.23623	0.11841	21	0.53	038.42	0
038	Molybdenum (mg / kg (ppm))	0693	1.9050	0.31000	1.7809	0.23623	0.11841	21	0.53	038.42	0
038	Molybdenum (mg / kg (ppm))	0918	1.9470	0.05400	1.7809	0.23623	0.11841	21	0.70	038.53	0
038	Molybdenum (mg / kg (ppm))	0553	1.9500	0.04000	1.7809	0.23623	0.11841	21	0.72	038.53	0
038	Molybdenum (mg / kg (ppm))	0413	1.9595	0.02100	1.7809	0.23623	0.11841	21	0.76	038.53	0
038	Molybdenum (mg / kg (ppm))	0038	2.0500	0.10000	1.7809	0.23623	0.11841	21	1.14	038.43	0
038	Molybdenum (mg / kg (ppm))	0353	2.0700	0.18000	1.7809	0.23623	0.11841	21	1.22	038.43	0
038	Molybdenum (mg / kg (ppm))	0003	2.5000	0.12000	1.7809	0.23623	0.11841	21	3.04	038.43	0
040	Barium (mg / kg (ppm))	0918	6.8326	0.20920	8.4650	1.5614	2.1786	4	-1.05	040.53	0
040	Barium (mg / kg (ppm))	0096	7.4500	0.30000	8.4650	1.5614	2.1786	4	-0.65	040.52	0
040	Barium (mg / kg (ppm))	0560	9.5500	3.7000	8.4650	1.5614	2.1786	4	0.69	040.42	0
040	Barium (mg / kg (ppm))	0504	10.028	4.5050	8.4650	1.5614	2.1786	4	1.00	040.43	0
041	Vanadium (mg / kg (ppm))	0021	0.00000	0.00000	0.17850	0.25244	0.00200	2	-0.71	041.43	0
041	Vanadium (mg / kg (ppm))	0553	0.35700	0.00400	0.17850	0.25244	0.00200	2	0.71	041.53	0
042	Chloride (%)	0297	0.21000	0.00000			0.00000	1			
045	Amprolium (mg / kg (ppm))	0019	0.01055	0.00050	109.59	8.8875	2.9506	18	-12.33	045.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
045	Amprolium (mg / kg (ppm))	0043	0.01115	0.00010	109.59	8.8875	2.9506	18	-12.33	045.00	0
045	Amprolium (mg / kg (ppm))	0047	66.750	0.90000	109.59	8.8875	2.9506	18	-4.82	045.02	0
045	Amprolium (mg / kg (ppm))	0036	94.150	0.30000	109.59	8.8875	2.9506	18	-1.74	045.00	0
045	Amprolium (mg / kg (ppm))	2053	99.200	1.0000	109.59	8.8875	2.9506	18	-1.17	045.02	0
045	Amprolium (mg / kg (ppm))	0033	104.50	3.0000	109.59	8.8875	2.9506	18	-0.57	045.02	0
045	Amprolium (mg / kg (ppm))	0964	107.40	1.0000	109.59	8.8875	2.9506	18	-0.25	045.02	0
045	Amprolium (mg / kg (ppm))	0003	108.00	2.0000	109.59	8.8875	2.9506	18	-0.18	045.02	0
045	Amprolium (mg / kg (ppm))	0171	111.00	2.0000	109.59	8.8875	2.9506	18	0.16	045.00	0
045	Amprolium (mg / kg (ppm))	0875	112.50	9.0000	109.59	8.8875	2.9506	18	0.33	045.02	0
045	Amprolium (mg / kg (ppm))	0511	113.00	8.0000	109.59	8.8875	2.9506	18	0.38	045.00	0
045	Amprolium (mg / kg (ppm))	0014	114.00	2.0000	109.59	8.8875	2.9506	18	0.50	045.02	0
045	Amprolium (mg / kg (ppm))	0017	114.50	3.0000	109.59	8.8875	2.9506	18	0.55	045.00	0
045	Amprolium (mg / kg (ppm))	0009	115.00	4.0000	109.59	8.8875	2.9506	18	0.61	045.00	0
045	Amprolium (mg / kg (ppm))	0218	117.12	0.44000	109.59	8.8875	2.9506	18	0.85	045.02	0
045	Amprolium (mg / kg (ppm))	0013	117.65	8.9000	109.59	8.8875	2.9506	18	0.91	045.00	0
045	Amprolium (mg / kg (ppm))	0001	120.82	7.5700	109.59	8.8875	2.9506	18	1.26	045.02	0
045	Amprolium (mg / kg (ppm))	0004	121.00	0.00000	109.59	8.8875	2.9506	18	1.28	045.02	0
101	Choline Chloride (mg / kg (ppm))	2004	953.50	63.000	1,306.4	308.88	77.367	3	-1.14	101.01	0
101	Choline Chloride (mg / kg (ppm))	0051	1,438.3	46.100	1,306.4	308.88	77.367	3	0.43	101.02	0
101	Choline Chloride (mg / kg (ppm))	0939	1,527.5	123.00	1,306.4	308.88	77.367	3	0.72	101.01	0
102	Niacin (mg / kg (ppm))	0227	145.00	6.0000			6.0000	1			
103	Pantothenic Acid (mg / kg (ppm))	0227	28.900	0.60000			0.60000	1			
104	Riboflavin (mg / kg (ppm))	0171	4.2850	0.23000	7.3867	2.7922	0.38000	3	-1.11	104.00	0
104	Riboflavin (mg / kg (ppm))	0227	8.1750	0.71000	7.3867	2.7922	0.38000	3	0.28	104.00	0
104	Riboflavin (mg / kg (ppm))	2023	9.7000	0.20000	7.3867	2.7922	0.38000	3	0.83	104.03	0
105	Thiamine (mg / kg (ppm))	2023	6.9500	0.10000			0.10000	1			
106	Vitamin A (KU / kg)	0008	4.7050	0.49000	9.9149	3.3761	0.79829	15	-1.54	106.02	0
106	Vitamin A (KU / kg)	0098	5.1100	0.54000	9.9149	3.3761	0.79829	15	-1.42	106.01	0
106	Vitamin A (KU / kg)	0910	5.3100	0.00000	9.9149	3.3761	0.79829	15	-1.36	106.02	0
106	Vitamin A (KU / kg)	0675	7.8500	0.30000	9.9149	3.3761	0.79829	15	-0.61	106.02	0
106	Vitamin A (KU / kg)	0875	8.7000	1.0000	9.9149	3.3761	0.79829	15	-0.36	106.02	0
106	Vitamin A (KU / kg)	0905	9.2190	2.1600	9.9149	3.3761	0.79829	15	-0.21	106.02	0
106	Vitamin A (KU / kg)	0941	9.8855	0.38100	9.9149	3.3761	0.79829	15	-0.01	106.02	0
106	Vitamin A (KU / kg)	2004	9.9800	0.64000	9.9149	3.3761	0.79829	15	0.02	106.02	0
106	Vitamin A (KU / kg)	0861	10.750	0.30000	9.9149	3.3761	0.79829	15	0.25	106.02	0
106	Vitamin A (KU / kg)	0208	11.980	1.5600	9.9149	3.3761	0.79829	15	0.61	106.02	0
106	Vitamin A (KU / kg)	0563	12.084	1.4563	9.9149	3.3761	0.79829	15	0.64	106.02	0
106	Vitamin A (KU / kg)	2023	12.600	1.6000	9.9149	3.3761	0.79829	15	0.80	106.02	0
106	Vitamin A (KU / kg)	2067	12.657	0.09700	9.9149	3.3761	0.79829	15	0.81	106.02	0
106	Vitamin A (KU / kg)	2058	12.825	0.05000	9.9149	3.3761	0.79829	15	0.86	106.02	0
106	Vitamin A (KU / kg)	0610	14.400	1.4000	9.9149	3.3761	0.79829	15	1.33	106.02	0
106	Vitamin A (KU / kg)	0227	133.50	1.0000	9.9149	3.3761	0.79829	15	36.61	106.02	2

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
107	Vitamin B12 (µg / kg (ppb))	0227	40.400	2.2000			2.2000	1			
108	Vitamin D3 (KU / kg)	0675	4.7950	0.39000	5.8243	0.93051	0.42000	7	-1.11	108.02	0
108	Vitamin D3 (KU / kg)	0610	5.0850	1.1100	5.8243	0.93051	0.42000	7	-0.79	108.02	0
108	Vitamin D3 (KU / kg)	2023	5.4450	0.23000	5.8243	0.93051	0.42000	7	-0.41	108.01	0
108	Vitamin D3 (KU / kg)	2066	5.4550	0.05000	5.8243	0.93051	0.42000	7	-0.40	108.02	0
108	Vitamin D3 (KU / kg)	0227	6.5800	0.54000	5.8243	0.93051	0.42000	7	0.81	108.02	0
108	Vitamin D3 (KU / kg)	2004	6.5800	0.46000	5.8243	0.93051	0.42000	7	0.81	108.99	0
108	Vitamin D3 (KU / kg)	2058	6.8300	0.16000	5.8243	0.93051	0.42000	7	1.08	108.02	0
109	Vitamin E (mg / kg (ppm))	0675	24.730	18.220	48.954	12.334	2.9144	15	-1.96	109.02	0
109	Vitamin E (mg / kg (ppm))	0098	32.500	2.8000	48.954	12.334	2.9144	15	-1.33	109.02	0
109	Vitamin E (mg / kg (ppm))	0723	34.440	0.00000	48.954	12.334	2.9144	15	-1.18	109.02	0
109	Vitamin E (mg / kg (ppm))	2058	41.075	0.65000	48.954	12.334	2.9144	15	-0.64	109.02	0
109	Vitamin E (mg / kg (ppm))	0875	43.500	1.0000	48.954	12.334	2.9144	15	-0.44	109.02	0
109	Vitamin E (mg / kg (ppm))	0208	46.738	3.6440	48.954	12.334	2.9144	15	-0.18	109.02	0
109	Vitamin E (mg / kg (ppm))	0905	48.500	3.0000	48.954	12.334	2.9144	15	-0.04	109.02	0
109	Vitamin E (mg / kg (ppm))	2067	49.000	0.66600	48.954	12.334	2.9144	15	0.00	109.02	0
109	Vitamin E (mg / kg (ppm))	0008	50.070	5.8400	48.954	12.334	2.9144	15	0.09	109.02	0
109	Vitamin E (mg / kg (ppm))	0563	54.838	2.3956	48.954	12.334	2.9144	15	0.48	109.02	0
109	Vitamin E (mg / kg (ppm))	2023	56.850	0.50000	48.954	12.334	2.9144	15	0.64	109.02	0
109	Vitamin E (mg / kg (ppm))	0861	57.500	1.0000	48.954	12.334	2.9144	15	0.69	109.02	0
109	Vitamin E (mg / kg (ppm))	0610	58.250	3.5000	48.954	12.334	2.9144	15	0.75	109.02	0
109	Vitamin E (mg / kg (ppm))	0910	63.050	0.30000	48.954	12.334	2.9144	15	1.14	109.02	0
109	Vitamin E (mg / kg (ppm))	0227	88.000	0.20000	48.954	12.334	2.9144	15	3.17	109.02	0
109	Vitamin E (mg / kg (ppm))	0199	66.900	24.000	48.954	12.334	2.9144	15	1.45	109.02	1
113	Folic Acid (mg / kg (ppm))	0227	1.9900	0.12000			0.12000	1			
114	Biotin (mg / kg (ppm))	0227	2.2150	0.09000			0.09000	1			
120	Alanine (%)	0918	0.80740	0.04640	0.85244	0.01797	0.01496	20	-2.51	120.00	0
120	Alanine (%)	0939	0.82000	0.00000	0.85244	0.01797	0.01496	20	-1.81	120.05	0
120	Alanine (%)	2023	0.82500	0.03000	0.85244	0.01797	0.01496	20	-1.53	120.02	0
120	Alanine (%)	0504	0.83000	0.00000	0.85244	0.01797	0.01496	20	-1.25	120.00	0
120	Alanine (%)	2052	0.83000	0.04600	0.85244	0.01797	0.01496	20	-1.25	120.05	0
120	Alanine (%)	2022	0.83500	0.03000	0.85244	0.01797	0.01496	20	-0.97	120.00	0
120	Alanine (%)	0644	0.84500	0.01000	0.85244	0.01797	0.01496	20	-0.41	120.00	0
120	Alanine (%)	0652	0.84500	0.01000	0.85244	0.01797	0.01496	20	-0.41	120.00	0
120	Alanine (%)	0968	0.84900	0.01600	0.85244	0.01797	0.01496	20	-0.19	120.00	0
120	Alanine (%)	0675	0.85500	0.01000	0.85244	0.01797	0.01496	20	0.14	120.00	0
120	Alanine (%)	0941	0.85500	0.01000	0.85244	0.01797	0.01496	20	0.14	120.00	0
120	Alanine (%)	0872	0.85635	0.00230	0.85244	0.01797	0.01496	20	0.22	120.00	0
120	Alanine (%)	0571	0.85900	0.01000	0.85244	0.01797	0.01496	20	0.37	120.00	0
120	Alanine (%)	2059	0.86250	0.00100	0.85244	0.01797	0.01496	20	0.56	120.00	0
120	Alanine (%)	0008	0.86300	0.03000	0.85244	0.01797	0.01496	20	0.59	120.05	0
120	Alanine (%)	0160	0.86335	0.00570	0.85244	0.01797	0.01496	20	0.61	120.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
120	Alanine (%)	0227	0.86500	0.01000	0.85244	0.01797	0.01496	20	0.70	120.00	0
120	Alanine (%)	0626	0.89000	0.00800	0.85244	0.01797	0.01496	20	2.09	120.05	0
120	Alanine (%)	0684	0.89200	0.01600	0.85244	0.01797	0.01496	20	2.20	120.00	0
120	Alanine (%)	0098	0.89655	0.00770	0.85244	0.01797	0.01496	20	2.45	120.02	0
120	Alanine (%)	0297	1.2050	0.00000	0.85244	0.01797	0.01496	20	19.62	120.01	2
121	Arginine (%)	0297	0.80900	0.00200	1.1328	0.03144	0.01416	19	-10.30	121.01	0
121	Arginine (%)	2052	1.0500	0.00000	1.1328	0.03144	0.01416	19	-2.63	121.05	0
121	Arginine (%)	0918	1.0514	0.03100	1.1328	0.03144	0.01416	19	-2.59	121.00	0
121	Arginine (%)	0504	1.1000	0.02000	1.1328	0.03144	0.01416	19	-1.04	121.00	0
121	Arginine (%)	0227	1.1100	0.00000	1.1328	0.03144	0.01416	19	-0.73	121.00	0
121	Arginine (%)	0968	1.1215	0.01100	1.1328	0.03144	0.01416	19	-0.36	121.00	0
121	Arginine (%)	0626	1.1240	0.00000	1.1328	0.03144	0.01416	19	-0.28	121.05	0
121	Arginine (%)	0652	1.1300	0.02000	1.1328	0.03144	0.01416	19	-0.09	121.00	0
121	Arginine (%)	0098	1.1333	0.00500	1.1328	0.03144	0.01416	19	0.02	121.02	0
121	Arginine (%)	0675	1.1350	0.01000	1.1328	0.03144	0.01416	19	0.07	121.00	0
121	Arginine (%)	0939	1.1350	0.05000	1.1328	0.03144	0.01416	19	0.07	121.05	0
121	Arginine (%)	0644	1.1395	0.02500	1.1328	0.03144	0.01416	19	0.21	121.00	0
121	Arginine (%)	0684	1.1415	0.03100	1.1328	0.03144	0.01416	19	0.28	121.00	0
121	Arginine (%)	0872	1.1496	0.00090	1.1328	0.03144	0.01416	19	0.53	121.00	0
121	Arginine (%)	0941	1.1550	0.01000	1.1328	0.03144	0.01416	19	0.71	121.00	0
121	Arginine (%)	2059	1.1580	0.01400	1.1328	0.03144	0.01416	19	0.80	121.00	0
121	Arginine (%)	0571	1.1605	0.00900	1.1328	0.03144	0.01416	19	0.88	121.00	0
121	Arginine (%)	2023	1.2200	0.02000	1.1328	0.03144	0.01416	19	2.77	121.02	0
121	Arginine (%)	0160	1.3658	0.01020	1.1328	0.03144	0.01416	19	7.41	121.00	0
121	Arginine (%)	0008	1.1900	0.19200	1.1328	0.03144	0.01416	19	1.82	121.05	1
122	Aspartic (%)	0160	1.4359	0.03140	1.5542	0.03254	0.02381	19	-3.64	122.00	0
122	Aspartic (%)	0918	1.4802	0.13210	1.5542	0.03254	0.02381	19	-2.28	122.00	0
122	Aspartic (%)	0504	1.4950	0.01000	1.5542	0.03254	0.02381	19	-1.82	122.00	0
122	Aspartic (%)	0675	1.5050	0.01000	1.5542	0.03254	0.02381	19	-1.51	122.00	0
122	Aspartic (%)	0652	1.5200	0.02000	1.5542	0.03254	0.02381	19	-1.05	122.00	0
122	Aspartic (%)	0297	1.5315	0.00300	1.5542	0.03254	0.02381	19	-0.70	122.01	0
122	Aspartic (%)	0941	1.5350	0.01000	1.5542	0.03254	0.02381	19	-0.59	122.00	0
122	Aspartic (%)	0968	1.5480	0.00600	1.5542	0.03254	0.02381	19	-0.19	122.00	0
122	Aspartic (%)	2023	1.5600	0.04000	1.5542	0.03254	0.02381	19	0.18	122.02	0
122	Aspartic (%)	2059	1.5630	0.02400	1.5542	0.03254	0.02381	19	0.27	122.00	0
122	Aspartic (%)	0626	1.5635	0.01700	1.5542	0.03254	0.02381	19	0.28	122.05	0
122	Aspartic (%)	0571	1.5705	0.02300	1.5542	0.03254	0.02381	19	0.50	122.00	0
122	Aspartic (%)	0684	1.5730	0.05200	1.5542	0.03254	0.02381	19	0.58	122.00	0
122	Aspartic (%)	0939	1.5750	0.03000	1.5542	0.03254	0.02381	19	0.64	122.05	0
122	Aspartic (%)	0644	1.5780	0.01000	1.5542	0.03254	0.02381	19	0.73	122.00	0
122	Aspartic (%)	0098	1.5821	0.00390	1.5542	0.03254	0.02381	19	0.85	122.02	0
122	Aspartic (%)	0872	1.5846	0.00700	1.5542	0.03254	0.02381	19	0.93	122.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
122	Aspartic (%)	0008	1.5915	0.01300	1.5542	0.03254	0.02381	19	1.15	122.05	0
122	Aspartic (%)	0227	1.5950	0.01000	1.5542	0.03254	0.02381	19	1.25	122.00	0
122	Aspartic (%)	2052	1.4550	0.17000	1.5542	0.03254	0.02381	19	-3.05	122.05	1
124	Cysteine/Cystine (%)	0008	0.20450	0.02900	0.30955	0.01501	0.01476	20	-7.00	124.99	0
124	Cysteine/Cystine (%)	0644	0.29050	0.00100	0.30955	0.01501	0.01476	20	-1.27	124.00	0
124	Cysteine/Cystine (%)	0297	0.29350	0.00500	0.30955	0.01501	0.01476	20	-1.07	124.01	0
124	Cysteine/Cystine (%)	0675	0.29500	0.01000	0.30955	0.01501	0.01476	20	-0.97	124.00	0
124	Cysteine/Cystine (%)	0227	0.30000	0.02000	0.30955	0.01501	0.01476	20	-0.64	124.00	0
124	Cysteine/Cystine (%)	0504	0.30000	0.02000	0.30955	0.01501	0.01476	20	-0.64	124.00	0
124	Cysteine/Cystine (%)	0652	0.30000	0.02000	0.30955	0.01501	0.01476	20	-0.64	124.00	0
124	Cysteine/Cystine (%)	0684	0.30300	0.00000	0.30955	0.01501	0.01476	20	-0.44	124.00	0
124	Cysteine/Cystine (%)	0968	0.30350	0.00100	0.30955	0.01501	0.01476	20	-0.40	124.00	0
124	Cysteine/Cystine (%)	0872	0.30755	0.01410	0.30955	0.01501	0.01476	20	-0.13	124.00	0
124	Cysteine/Cystine (%)	0098	0.31020	0.01940	0.30955	0.01501	0.01476	20	0.04	124.02	0
124	Cysteine/Cystine (%)	0160	0.31475	0.03670	0.30955	0.01501	0.01476	20	0.35	124.00	0
124	Cysteine/Cystine (%)	0941	0.31500	0.01000	0.30955	0.01501	0.01476	20	0.36	124.00	0
124	Cysteine/Cystine (%)	0571	0.31550	0.00300	0.30955	0.01501	0.01476	20	0.40	124.00	0
124	Cysteine/Cystine (%)	0918	0.31750	0.04500	0.30955	0.01501	0.01476	20	0.53	124.00	0
124	Cysteine/Cystine (%)	2022	0.32500	0.01000	0.30955	0.01501	0.01476	20	1.03	124.00	0
124	Cysteine/Cystine (%)	0939	0.32500	0.03000	0.30955	0.01501	0.01476	20	1.03	124.05	0
124	Cysteine/Cystine (%)	2052	0.33300	0.01400	0.30955	0.01501	0.01476	20	1.56	124.05	0
124	Cysteine/Cystine (%)	2023	0.34000	0.00000	0.30955	0.01501	0.01476	20	2.03	124.02	0
124	Cysteine/Cystine (%)	2059	0.34750	0.00700	0.30955	0.01501	0.01476	20	2.53	124.00	0
125	Glutamic (%)	0918	2.9452	0.19330	3.1496	0.06837	0.05705	19	-2.99	125.00	0
125	Glutamic (%)	0160	3.0471	0.05800	3.1496	0.06837	0.05705	19	-1.50	125.00	0
125	Glutamic (%)	0939	3.0800	0.10000	3.1496	0.06837	0.05705	19	-1.02	125.05	0
125	Glutamic (%)	0626	3.1020	0.11600	3.1496	0.06837	0.05705	19	-0.70	125.05	0
125	Glutamic (%)	2059	3.1080	0.00200	3.1496	0.06837	0.05705	19	-0.61	125.00	0
125	Glutamic (%)	0504	3.1100	0.04000	3.1496	0.06837	0.05705	19	-0.58	125.00	0
125	Glutamic (%)	0297	3.1242	0.05030	3.1496	0.06837	0.05705	19	-0.37	125.01	0
125	Glutamic (%)	0098	3.1379	0.01770	3.1496	0.06837	0.05705	19	-0.17	125.02	0
125	Glutamic (%)	0571	3.1395	0.00500	3.1496	0.06837	0.05705	19	-0.15	125.00	0
125	Glutamic (%)	0227	3.1450	0.03000	3.1496	0.06837	0.05705	19	-0.07	125.00	0
125	Glutamic (%)	0644	3.1460	0.01200	3.1496	0.06837	0.05705	19	-0.05	125.00	0
125	Glutamic (%)	0872	3.1525	0.00360	3.1496	0.06837	0.05705	19	0.04	125.00	0
125	Glutamic (%)	0941	3.1650	0.03000	3.1496	0.06837	0.05705	19	0.23	125.00	0
125	Glutamic (%)	0968	3.2020	0.02000	3.1496	0.06837	0.05705	19	0.77	125.00	0
125	Glutamic (%)	0652	3.2050	0.03000	3.1496	0.06837	0.05705	19	0.81	125.00	0
125	Glutamic (%)	0675	3.2050	0.01000	3.1496	0.06837	0.05705	19	0.81	125.00	0
125	Glutamic (%)	0008	3.2565	0.10900	3.1496	0.06837	0.05705	19	1.56	125.05	0
125	Glutamic (%)	2023	3.2900	0.14000	3.1496	0.06837	0.05705	19	2.05	125.02	0
125	Glutamic (%)	0684	3.3195	0.11700	3.1496	0.06837	0.05705	19	2.48	125.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
125	Glutamic (%)	2052	3.0500	0.40000	3.1496	0.06837	0.05705	19	-1.46	125.05	1
126	Glycine (%)	0918	0.71055	0.04390	0.76722	0.01935	0.01425	19	-2.93	126.00	0
126	Glycine (%)	0297	0.73500	0.00600	0.76722	0.01935	0.01425	19	-1.66	126.01	0
126	Glycine (%)	0504	0.74000	0.00000	0.76722	0.01935	0.01425	19	-1.41	126.00	0
126	Glycine (%)	0652	0.75500	0.01000	0.76722	0.01935	0.01425	19	-0.63	126.00	0
126	Glycine (%)	0675	0.75500	0.01000	0.76722	0.01935	0.01425	19	-0.63	126.00	0
126	Glycine (%)	0941	0.75500	0.01000	0.76722	0.01935	0.01425	19	-0.63	126.00	0
126	Glycine (%)	0644	0.75650	0.00500	0.76722	0.01935	0.01425	19	-0.55	126.00	0
126	Glycine (%)	0968	0.76400	0.00800	0.76722	0.01935	0.01425	19	-0.17	126.00	0
126	Glycine (%)	0872	0.76760	0.00040	0.76722	0.01935	0.01425	19	0.02	126.00	0
126	Glycine (%)	0684	0.76800	0.02200	0.76722	0.01935	0.01425	19	0.04	126.00	0
126	Glycine (%)	2059	0.76950	0.00700	0.76722	0.01935	0.01425	19	0.12	126.00	0
126	Glycine (%)	0571	0.77350	0.00300	0.76722	0.01935	0.01425	19	0.32	126.00	0
126	Glycine (%)	0227	0.77500	0.01000	0.76722	0.01935	0.01425	19	0.40	126.00	0
126	Glycine (%)	2023	0.77500	0.01000	0.76722	0.01935	0.01425	19	0.40	126.02	0
126	Glycine (%)	2052	0.77500	0.04600	0.76722	0.01935	0.01425	19	0.40	126.05	0
126	Glycine (%)	0939	0.78000	0.02000	0.76722	0.01935	0.01425	19	0.66	126.05	0
126	Glycine (%)	0160	0.79740	0.05080	0.76722	0.01935	0.01425	19	1.56	126.00	0
126	Glycine (%)	0098	0.79915	0.00170	0.76722	0.01935	0.01425	19	1.65	126.02	0
126	Glycine (%)	0626	0.80350	0.00700	0.76722	0.01935	0.01425	19	1.87	126.05	0
126	Glycine (%)	0008	0.81600	0.08000	0.76722	0.01935	0.01425	19	2.52	126.05	1
127	Histidine (%)	0918	0.42940	0.03220	0.45597	0.01190	0.00889	19	-2.23	127.00	0
127	Histidine (%)	0297	0.43550	0.00500	0.45597	0.01190	0.00889	19	-1.72	127.01	0
127	Histidine (%)	0504	0.44000	0.00000	0.45597	0.01190	0.00889	19	-1.34	127.00	0
127	Histidine (%)	0675	0.44500	0.01000	0.45597	0.01190	0.00889	19	-0.92	127.00	0
127	Histidine (%)	0941	0.45000	0.00000	0.45597	0.01190	0.00889	19	-0.50	127.00	0
127	Histidine (%)	2022	0.45000	0.02000	0.45597	0.01190	0.00889	19	-0.50	127.00	0
127	Histidine (%)	0644	0.45100	0.00400	0.45597	0.01190	0.00889	19	-0.42	127.00	0
127	Histidine (%)	0684	0.45100	0.01800	0.45597	0.01190	0.00889	19	-0.42	127.00	0
127	Histidine (%)	0652	0.45500	0.01000	0.45597	0.01190	0.00889	19	-0.08	127.00	0
127	Histidine (%)	2023	0.45500	0.01000	0.45597	0.01190	0.00889	19	-0.08	127.02	0
127	Histidine (%)	0227	0.46000	0.00000	0.45597	0.01190	0.00889	19	0.34	127.00	0
127	Histidine (%)	0098	0.46080	0.00540	0.45597	0.01190	0.00889	19	0.41	127.02	0
127	Histidine (%)	2059	0.46150	0.00500	0.45597	0.01190	0.00889	19	0.46	127.00	0
127	Histidine (%)	0571	0.46200	0.01000	0.45597	0.01190	0.00889	19	0.51	127.00	0
127	Histidine (%)	2052	0.46500	0.02200	0.45597	0.01190	0.00889	19	0.76	127.05	0
127	Histidine (%)	0626	0.46650	0.00500	0.45597	0.01190	0.00889	19	0.88	127.05	0
127	Histidine (%)	0872	0.47150	0.00240	0.45597	0.01190	0.00889	19	1.30	127.00	0
127	Histidine (%)	0968	0.47500	0.00000	0.45597	0.01190	0.00889	19	1.60	127.00	0
127	Histidine (%)	0939	0.52500	0.01000	0.45597	0.01190	0.00889	19	5.80	127.05	0
127	Histidine (%)	0008	0.49500	0.07000	0.45597	0.01190	0.00889	19	3.28	127.05	1
127	Histidine (%)	0160	0.54075	0.07270	0.45597	0.01190	0.00889	19	7.12	127.00	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
128	Isoleucine (%)	0675	0.60500	0.01000	0.65837	0.02460	0.01466	20	-2.17	128.00	0
128	Isoleucine (%)	0941	0.60500	0.01000	0.65837	0.02460	0.01466	20	-2.17	128.00	0
128	Isoleucine (%)	0160	0.63230	0.08100	0.65837	0.02460	0.01466	20	-1.06	128.00	0
128	Isoleucine (%)	0918	0.63390	0.03460	0.65837	0.02460	0.01466	20	-0.99	128.00	0
128	Isoleucine (%)	2023	0.63500	0.01000	0.65837	0.02460	0.01466	20	-0.95	128.02	0
128	Isoleucine (%)	0684	0.64450	0.00700	0.65837	0.02460	0.01466	20	-0.56	128.00	0
128	Isoleucine (%)	0652	0.64500	0.01000	0.65837	0.02460	0.01466	20	-0.54	128.00	0
128	Isoleucine (%)	0227	0.65500	0.01000	0.65837	0.02460	0.01466	20	-0.14	128.00	0
128	Isoleucine (%)	0968	0.65500	0.00600	0.65837	0.02460	0.01466	20	-0.14	128.00	0
128	Isoleucine (%)	0571	0.65850	0.00900	0.65837	0.02460	0.01466	20	0.01	128.00	0
128	Isoleucine (%)	0644	0.66100	0.00400	0.65837	0.02460	0.01466	20	0.11	128.00	0
128	Isoleucine (%)	2059	0.66250	0.00300	0.65837	0.02460	0.01466	20	0.17	128.00	0
128	Isoleucine (%)	2052	0.66350	0.01900	0.65837	0.02460	0.01466	20	0.21	128.05	0
128	Isoleucine (%)	0504	0.66500	0.01000	0.65837	0.02460	0.01466	20	0.27	128.00	0
128	Isoleucine (%)	0872	0.66905	0.00410	0.65837	0.02460	0.01466	20	0.43	128.00	0
128	Isoleucine (%)	2022	0.67000	0.02000	0.65837	0.02460	0.01466	20	0.47	128.00	0
128	Isoleucine (%)	0939	0.68500	0.01000	0.65837	0.02460	0.01466	20	1.08	128.05	0
128	Isoleucine (%)	0297	0.69400	0.00800	0.65837	0.02460	0.01466	20	1.45	128.01	0
128	Isoleucine (%)	0626	0.69450	0.01500	0.65837	0.02460	0.01466	20	1.47	128.05	0
128	Isoleucine (%)	0098	0.69470	0.01240	0.65837	0.02460	0.01466	20	1.48	128.02	0
128	Isoleucine (%)	0008	0.81750	0.28700	0.65837	0.02460	0.01466	20	6.47	128.05	1
129	Leucine (%)	0918	1.2288	0.06530	1.3653	0.02450	0.01174	19	-5.58	129.00	0
129	Leucine (%)	0941	1.3000	0.04000	1.3653	0.02450	0.01174	19	-2.67	129.00	0
129	Leucine (%)	0939	1.3200	0.00000	1.3653	0.02450	0.01174	19	-1.85	129.05	0
129	Leucine (%)	0227	1.3500	0.00000	1.3653	0.02450	0.01174	19	-0.63	129.00	0
129	Leucine (%)	0652	1.3500	0.00000	1.3653	0.02450	0.01174	19	-0.63	129.00	0
129	Leucine (%)	0297	1.3550	0.01800	1.3653	0.02450	0.01174	19	-0.42	129.01	0
129	Leucine (%)	0968	1.3565	0.00900	1.3653	0.02450	0.01174	19	-0.36	129.00	0
129	Leucine (%)	0872	1.3573	0.00190	1.3653	0.02450	0.01174	19	-0.33	129.00	0
129	Leucine (%)	2052	1.3650	0.03000	1.3653	0.02450	0.01174	19	-0.01	129.05	0
129	Leucine (%)	0675	1.3650	0.01000	1.3653	0.02450	0.01174	19	-0.01	129.00	0
129	Leucine (%)	2059	1.3665	0.00300	1.3653	0.02450	0.01174	19	0.05	129.00	0
129	Leucine (%)	0644	1.3680	0.00400	1.3653	0.02450	0.01174	19	0.11	129.00	0
129	Leucine (%)	0160	1.3718	0.00880	1.3653	0.02450	0.01174	19	0.26	129.00	0
129	Leucine (%)	0684	1.3750	0.00200	1.3653	0.02450	0.01174	19	0.40	129.00	0
129	Leucine (%)	0571	1.3810	0.00600	1.3653	0.02450	0.01174	19	0.64	129.00	0
129	Leucine (%)	2023	1.3900	0.02000	1.3653	0.02450	0.01174	19	1.01	129.02	0
129	Leucine (%)	0504	1.4000	0.00000	1.3653	0.02450	0.01174	19	1.42	129.00	0
129	Leucine (%)	0098	1.4037	0.00000	1.3653	0.02450	0.01174	19	1.57	129.02	0
129	Leucine (%)	0626	1.4155	0.00500	1.3653	0.02450	0.01174	19	2.05	129.05	0
129	Leucine (%)	0008	1.4160	0.09400	1.3653	0.02450	0.01174	19	2.07	129.05	1
130	L-Lysine (%)	0016	0.71300	0.02200	0.86748	0.02542	0.01940	27	-6.08	130.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
130	L-Lysine (%)	0035	0.77300	0.02200	0.86748	0.02542	0.01940	27	-3.72	130.01	0
130	L-Lysine (%)	0918	0.82140	0.04780	0.86748	0.02542	0.01940	27	-1.81	130.00	0
130	L-Lysine (%)	0297	0.83200	0.00200	0.86748	0.02542	0.01940	27	-1.40	130.01	0
130	L-Lysine (%)	2022	0.84500	0.01000	0.86748	0.02542	0.01940	27	-0.88	130.00	0
130	L-Lysine (%)	0652	0.85000	0.02000	0.86748	0.02542	0.01940	27	-0.69	130.00	0
130	L-Lysine (%)	0848	0.85500	0.03000	0.86748	0.02542	0.01940	27	-0.49	130.00	0
130	L-Lysine (%)	0941	0.85500	0.01000	0.86748	0.02542	0.01940	27	-0.49	130.00	0
130	L-Lysine (%)	0571	0.85700	0.01800	0.86748	0.02542	0.01940	27	-0.41	130.00	0
130	L-Lysine (%)	0512	0.85815	0.02510	0.86748	0.02542	0.01940	27	-0.37	130.00	0
130	L-Lysine (%)	0684	0.85900	0.05400	0.86748	0.02542	0.01940	27	-0.33	130.00	0
130	L-Lysine (%)	0644	0.86100	0.00800	0.86748	0.02542	0.01940	27	-0.25	130.00	0
130	L-Lysine (%)	0968	0.86350	0.00100	0.86748	0.02542	0.01940	27	-0.16	130.00	0
130	L-Lysine (%)	0675	0.86500	0.01000	0.86748	0.02542	0.01940	27	-0.10	130.00	0
130	L-Lysine (%)	0160	0.86755	0.01570	0.86748	0.02542	0.01940	27	0.00	130.00	0
130	L-Lysine (%)	2059	0.86850	0.00300	0.86748	0.02542	0.01940	27	0.04	130.00	0
130	L-Lysine (%)	0610	0.87500	0.03000	0.86748	0.02542	0.01940	27	0.30	130.05	0
130	L-Lysine (%)	0872	0.87650	0.01160	0.86748	0.02542	0.01940	27	0.35	130.00	0
130	L-Lysine (%)	0939	0.88000	0.04000	0.86748	0.02542	0.01940	27	0.49	130.05	0
130	L-Lysine (%)	0227	0.88500	0.01000	0.86748	0.02542	0.01940	27	0.69	130.00	0
130	L-Lysine (%)	0626	0.88800	0.01600	0.86748	0.02542	0.01940	27	0.81	130.05	0
130	L-Lysine (%)	0008	0.89400	0.02000	0.86748	0.02542	0.01940	27	1.04	130.05	0
130	L-Lysine (%)	0723	0.90200	0.00000	0.86748	0.02542	0.01940	27	1.36	130.05	0
130	L-Lysine (%)	0596	0.91100	0.02000	0.86748	0.02542	0.01940	27	1.71	130.01	0
130	L-Lysine (%)	0504	0.91500	0.01000	0.86748	0.02542	0.01940	27	1.87	130.00	0
130	L-Lysine (%)	0098	0.91975	0.00750	0.86748	0.02542	0.01940	27	2.06	130.02	0
130	L-Lysine (%)	2023	0.98000	0.06000	0.86748	0.02542	0.01940	27	4.43	130.02	0
130	L-Lysine (%)	2052	0.87800	0.20800	0.86748	0.02542	0.01940	27	0.41	130.05	1
130	L-Lysine (%)	0910	2.2500	0.12000	0.86748	0.02542	0.01940	27	54.38	130.00	2
131	Methionine (%)	0008	0.29050	0.05500	0.37612	0.01796	0.01286	24	-4.77	131.99	0
131	Methionine (%)	0848	0.34000	0.02000	0.37612	0.01796	0.01286	24	-2.01	131.00	0
131	Methionine (%)	0675	0.34500	0.01000	0.37612	0.01796	0.01286	24	-1.73	131.00	0
131	Methionine (%)	0939	0.35000	0.02000	0.37612	0.01796	0.01286	24	-1.45	131.05	0
131	Methionine (%)	0918	0.35410	0.01160	0.37612	0.01796	0.01286	24	-1.23	131.00	0
131	Methionine (%)	0626	0.35750	0.04100	0.37612	0.01796	0.01286	24	-1.04	131.05	0
131	Methionine (%)	0504	0.36500	0.01000	0.37612	0.01796	0.01286	24	-0.62	131.00	0
131	Methionine (%)	0685	0.37300	0.00000	0.37612	0.01796	0.01286	24	-0.17	131.00	0
131	Methionine (%)	0968	0.37400	0.00200	0.37612	0.01796	0.01286	24	-0.12	131.00	0
131	Methionine (%)	0941	0.37500	0.01000	0.37612	0.01796	0.01286	24	-0.06	131.00	0
131	Methionine (%)	0160	0.37560	0.05220	0.37612	0.01796	0.01286	24	-0.03	131.00	0
131	Methionine (%)	2059	0.37600	0.00400	0.37612	0.01796	0.01286	24	-0.01	131.00	0
131	Methionine (%)	2052	0.37600	0.00400	0.37612	0.01796	0.01286	24	-0.01	131.05	0
131	Methionine (%)	0512	0.38350	0.00900	0.37612	0.01796	0.01286	24	0.41	131.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
131	Methionine (%)	0872	0.38355	0.00050	0.37612	0.01796	0.01286	24	0.41	131.00	0
131	Methionine (%)	0098	0.38390	0.00040	0.37612	0.01796	0.01286	24	0.43	131.02	0
131	Methionine (%)	0227	0.38500	0.01000	0.37612	0.01796	0.01286	24	0.49	131.00	0
131	Methionine (%)	0571	0.38500	0.00400	0.37612	0.01796	0.01286	24	0.49	131.00	0
131	Methionine (%)	0684	0.38600	0.00000	0.37612	0.01796	0.01286	24	0.55	131.00	0
131	Methionine (%)	0652	0.39000	0.00000	0.37612	0.01796	0.01286	24	0.77	131.00	0
131	Methionine (%)	0610	0.39500	0.01000	0.37612	0.01796	0.01286	24	1.05	131.05	0
131	Methionine (%)	0297	0.40300	0.01200	0.37612	0.01796	0.01286	24	1.50	131.01	0
131	Methionine (%)	2023	0.42000	0.02000	0.37612	0.01796	0.01286	24	2.44	131.02	0
131	Methionine (%)	0644	0.42850	0.00300	0.37612	0.01796	0.01286	24	2.92	131.00	0
131	Methionine (%)	0596	60.556	120.89	0.37612	0.01796	0.01286	24	3350.45	131.01	2
132	Phenylalanine (%)	0918	0.70865	0.02110	0.80176	0.00964	0.00837	19	-9.65	132.00	0
132	Phenylalanine (%)	0939	0.78500	0.01000	0.80176	0.00964	0.00837	19	-1.74	132.05	0
132	Phenylalanine (%)	0684	0.79000	0.01600	0.80176	0.00964	0.00837	19	-1.22	132.00	0
132	Phenylalanine (%)	0941	0.79000	0.00000	0.80176	0.00964	0.00837	19	-1.22	132.00	0
132	Phenylalanine (%)	0644	0.79100	0.00400	0.80176	0.00964	0.00837	19	-1.12	132.00	0
132	Phenylalanine (%)	0098	0.79775	0.01210	0.80176	0.00964	0.00837	19	-0.42	132.02	0
132	Phenylalanine (%)	0968	0.79800	0.01400	0.80176	0.00964	0.00837	19	-0.39	132.00	0
132	Phenylalanine (%)	2022	0.80000	0.00000	0.80176	0.00964	0.00837	19	-0.18	132.00	0
132	Phenylalanine (%)	2023	0.80000	0.02000	0.80176	0.00964	0.00837	19	-0.18	132.02	0
132	Phenylalanine (%)	0626	0.80250	0.00700	0.80176	0.00964	0.00837	19	0.08	132.05	0
132	Phenylalanine (%)	0652	0.80500	0.03000	0.80176	0.00964	0.00837	19	0.34	132.00	0
132	Phenylalanine (%)	0675	0.80500	0.01000	0.80176	0.00964	0.00837	19	0.34	132.00	0
132	Phenylalanine (%)	0872	0.80665	0.00190	0.80176	0.00964	0.00837	19	0.51	132.00	0
132	Phenylalanine (%)	2059	0.80700	0.00000	0.80176	0.00964	0.00837	19	0.54	132.00	0
132	Phenylalanine (%)	0297	0.80800	0.00200	0.80176	0.00964	0.00837	19	0.65	132.01	0
132	Phenylalanine (%)	0227	0.81000	0.00000	0.80176	0.00964	0.00837	19	0.85	132.00	0
132	Phenylalanine (%)	0571	0.81200	0.01000	0.80176	0.00964	0.00837	19	1.06	132.00	0
132	Phenylalanine (%)	2052	0.82850	0.00100	0.80176	0.00964	0.00837	19	2.77	132.05	0
132	Phenylalanine (%)	0504	0.83000	0.00000	0.80176	0.00964	0.00837	19	2.93	132.00	0
132	Phenylalanine (%)	0160	0.74760	0.09800	0.80176	0.00964	0.00837	19	-5.62	132.00	1
132	Phenylalanine (%)	0008	0.84800	0.09200	0.80176	0.00964	0.00837	19	4.79	132.05	1
133	Proline (%)	0941	1.0100	0.04000	1.0759	0.04404	0.03054	18	-1.50	133.00	0
133	Proline (%)	0675	1.0150	0.01000	1.0759	0.04404	0.03054	18	-1.38	133.00	0
133	Proline (%)	0652	1.0300	0.02000	1.0759	0.04404	0.03054	18	-1.04	133.00	0
133	Proline (%)	0504	1.0450	0.07000	1.0759	0.04404	0.03054	18	-0.70	133.00	0
133	Proline (%)	2052	1.0450	0.01000	1.0759	0.04404	0.03054	18	-0.70	133.05	0
133	Proline (%)	0968	1.0580	0.00400	1.0759	0.04404	0.03054	18	-0.41	133.00	0
133	Proline (%)	2059	1.0670	0.01800	1.0759	0.04404	0.03054	18	-0.20	133.00	0
133	Proline (%)	0684	1.0680	0.03000	1.0759	0.04404	0.03054	18	-0.18	133.00	0
133	Proline (%)	0872	1.0715	0.01300	1.0759	0.04404	0.03054	18	-0.10	133.00	0
133	Proline (%)	0571	1.0740	0.00800	1.0759	0.04404	0.03054	18	-0.04	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
133	Proline (%)	0644	1.0765	0.00700	1.0759	0.04404	0.03054	18	0.01	133.00	0
133	Proline (%)	0227	1.0850	0.09000	1.0759	0.04404	0.03054	18	0.21	133.00	0
133	Proline (%)	0918	1.0948	0.04810	1.0759	0.04404	0.03054	18	0.43	133.00	0
133	Proline (%)	0939	1.1000	0.04000	1.0759	0.04404	0.03054	18	0.55	133.05	0
133	Proline (%)	0626	1.1225	0.00300	1.0759	0.04404	0.03054	18	1.06	133.05	0
133	Proline (%)	0008	1.1340	0.08000	1.0759	0.04404	0.03054	18	1.32	133.05	0
133	Proline (%)	0160	1.2380	0.00860	1.0759	0.04404	0.03054	18	3.68	133.00	0
133	Proline (%)	2023	1.7550	0.05000	1.0759	0.04404	0.03054	18	15.42	133.99	0
134	Serine (%)	0098	0.69045	0.00610	0.81805	0.03034	0.02021	20	-4.21	134.02	0
134	Serine (%)	0504	0.73000	0.04000	0.81805	0.03034	0.02021	20	-2.90	134.00	0
134	Serine (%)	0644	0.78700	0.00600	0.81805	0.03034	0.02021	20	-1.02	134.00	0
134	Serine (%)	0652	0.79500	0.01000	0.81805	0.03034	0.02021	20	-0.76	134.00	0
134	Serine (%)	0939	0.79500	0.01000	0.81805	0.03034	0.02021	20	-0.76	134.05	0
134	Serine (%)	2052	0.79950	0.05100	0.81805	0.03034	0.02021	20	-0.61	134.05	0
134	Serine (%)	2022	0.80000	0.04000	0.81805	0.03034	0.02021	20	-0.59	134.00	0
134	Serine (%)	0297	0.80900	0.00400	0.81805	0.03034	0.02021	20	-0.30	134.01	0
134	Serine (%)	0968	0.81400	0.01200	0.81805	0.03034	0.02021	20	-0.13	134.00	0
134	Serine (%)	0675	0.81500	0.01000	0.81805	0.03034	0.02021	20	-0.10	134.00	0
134	Serine (%)	0571	0.81900	0.00800	0.81805	0.03034	0.02021	20	0.03	134.00	0
134	Serine (%)	2059	0.82650	0.00500	0.81805	0.03034	0.02021	20	0.28	134.00	0
134	Serine (%)	0227	0.83000	0.02000	0.81805	0.03034	0.02021	20	0.39	134.00	0
134	Serine (%)	2023	0.83500	0.03000	0.81805	0.03034	0.02021	20	0.56	134.02	0
134	Serine (%)	0872	0.83515	0.00630	0.81805	0.03034	0.02021	20	0.56	134.00	0
134	Serine (%)	0684	0.84150	0.02900	0.81805	0.03034	0.02021	20	0.77	134.00	0
134	Serine (%)	0941	0.84500	0.01000	0.81805	0.03034	0.02021	20	0.89	134.00	0
134	Serine (%)	0626	0.84600	0.00800	0.81805	0.03034	0.02021	20	0.92	134.05	0
134	Serine (%)	0160	0.86180	0.02280	0.81805	0.03034	0.02021	20	1.44	134.00	0
134	Serine (%)	0008	0.86400	0.07600	0.81805	0.03034	0.02021	20	1.51	134.05	0
134	Serine (%)	0918	0.63920	0.11600	0.81805	0.03034	0.02021	20	-5.89	134.00	1
135	Threonine (%)	0918	0.56460	0.03320	0.62901	0.01210	0.01251	21	-5.32	135.00	0
135	Threonine (%)	0652	0.60500	0.01000	0.62901	0.01210	0.01251	21	-1.98	135.00	0
135	Threonine (%)	0675	0.61500	0.01000	0.62901	0.01210	0.01251	21	-1.16	135.00	0
135	Threonine (%)	0098	0.61885	0.00230	0.62901	0.01210	0.01251	21	-0.84	135.02	0
135	Threonine (%)	0504	0.62000	0.02000	0.62901	0.01210	0.01251	21	-0.74	135.00	0
135	Threonine (%)	2059	0.62250	0.00100	0.62901	0.01210	0.01251	21	-0.54	135.00	0
135	Threonine (%)	0297	0.62250	0.00500	0.62901	0.01210	0.01251	21	-0.54	135.01	0
135	Threonine (%)	2022	0.62500	0.03000	0.62901	0.01210	0.01251	21	-0.33	135.00	0
135	Threonine (%)	2023	0.62500	0.03000	0.62901	0.01210	0.01251	21	-0.33	135.02	0
135	Threonine (%)	0571	0.62650	0.00100	0.62901	0.01210	0.01251	21	-0.21	135.00	0
135	Threonine (%)	0968	0.62700	0.00000	0.62901	0.01210	0.01251	21	-0.17	135.00	0
135	Threonine (%)	0227	0.63000	0.02000	0.62901	0.01210	0.01251	21	0.08	135.00	0
135	Threonine (%)	0644	0.63150	0.00500	0.62901	0.01210	0.01251	21	0.21	135.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
135	Threonine (%)	0872	0.63315	0.00210	0.62901	0.01210	0.01251	21	0.34	135.00	0
135	Threonine (%)	2052	0.63400	0.01000	0.62901	0.01210	0.01251	21	0.41	135.05	0
135	Threonine (%)	0684	0.64250	0.01500	0.62901	0.01210	0.01251	21	1.11	135.00	0
135	Threonine (%)	0626	0.64750	0.00700	0.62901	0.01210	0.01251	21	1.53	135.05	0
135	Threonine (%)	0939	0.65000	0.00000	0.62901	0.01210	0.01251	21	1.73	135.05	0
135	Threonine (%)	0008	0.65550	0.04900	0.62901	0.01210	0.01251	21	2.19	135.05	0
135	Threonine (%)	0941	0.68000	0.00000	0.62901	0.01210	0.01251	21	4.21	135.00	0
135	Threonine (%)	0160	0.69515	0.01210	0.62901	0.01210	0.01251	21	5.47	135.00	0
136	Tryptophan (%)	0918	0.16800	0.00000	0.22232	0.01721	0.01008	16	-3.16	136.00	0
136	Tryptophan (%)	0941	0.18500	0.01000	0.22232	0.01721	0.01008	16	-2.17	136.00	0
136	Tryptophan (%)	2052	0.18800	0.00400	0.22232	0.01721	0.01008	16	-1.99	136.01	0
136	Tryptophan (%)	0008	0.19000	0.04200	0.22232	0.01721	0.01008	16	-1.88	136.01	0
136	Tryptophan (%)	0878	0.21150	0.00100	0.22232	0.01721	0.01008	16	-0.63	136.01	0
136	Tryptophan (%)	2023	0.22000	0.00000	0.22232	0.01721	0.01008	16	-0.13	136.02	0
136	Tryptophan (%)	0868	0.22050	0.00500	0.22232	0.01721	0.01008	16	-0.11	136.01	0
136	Tryptophan (%)	0571	0.22400	0.00200	0.22232	0.01721	0.01008	16	0.10	136.01	0
136	Tryptophan (%)	0872	0.22450	0.00300	0.22232	0.01721	0.01008	16	0.13	136.03	0
136	Tryptophan (%)	0504	0.22500	0.03000	0.22232	0.01721	0.01008	16	0.16	136.99	0
136	Tryptophan (%)	0297	0.22500	0.00000	0.22232	0.01721	0.01008	16	0.16	136.03	0
136	Tryptophan (%)	0098	0.22850	0.00100	0.22232	0.01721	0.01008	16	0.36	136.02	0
136	Tryptophan (%)	0644	0.23100	0.00400	0.22232	0.01721	0.01008	16	0.50	136.01	0
136	Tryptophan (%)	0227	0.24500	0.01000	0.22232	0.01721	0.01008	16	1.32	136.00	0
136	Tryptophan (%)	0684	0.27400	0.00200	0.22232	0.01721	0.01008	16	3.00	136.00	0
136	Tryptophan (%)	0160	0.37105	0.04730	0.22232	0.01721	0.01008	16	8.64	136.00	0
137	Tyrosine (%)	2052	0.40750	0.00300	0.53490	0.03225	0.01631	18	-3.95	137.05	0
137	Tyrosine (%)	0918	0.41575	0.01950	0.53490	0.03225	0.01631	18	-3.69	137.00	0
137	Tyrosine (%)	0008	0.47100	0.04200	0.53490	0.03225	0.01631	18	-1.98	137.05	0
137	Tyrosine (%)	0160	0.50760	0.01760	0.53490	0.03225	0.01631	18	-0.85	137.00	0
137	Tyrosine (%)	2023	0.51500	0.01000	0.53490	0.03225	0.01631	18	-0.62	137.02	0
137	Tyrosine (%)	0939	0.52000	0.02000	0.53490	0.03225	0.01631	18	-0.46	137.05	0
137	Tyrosine (%)	0227	0.52500	0.01000	0.53490	0.03225	0.01631	18	-0.31	137.00	0
137	Tyrosine (%)	0872	0.52600	0.01200	0.53490	0.03225	0.01631	18	-0.28	137.00	0
137	Tyrosine (%)	0968	0.53250	0.00900	0.53490	0.03225	0.01631	18	-0.07	137.00	0
137	Tyrosine (%)	0626	0.54150	0.04100	0.53490	0.03225	0.01631	18	0.20	137.05	0
137	Tyrosine (%)	0098	0.54405	0.00250	0.53490	0.03225	0.01631	18	0.28	137.02	0
137	Tyrosine (%)	0504	0.54500	0.05000	0.53490	0.03225	0.01631	18	0.31	137.00	0
137	Tyrosine (%)	0644	0.54600	0.00800	0.53490	0.03225	0.01631	18	0.34	137.00	0
137	Tyrosine (%)	0675	0.55500	0.01000	0.53490	0.03225	0.01631	18	0.62	137.00	0
137	Tyrosine (%)	2059	0.56650	0.00500	0.53490	0.03225	0.01631	18	0.98	137.00	0
137	Tyrosine (%)	0684	0.56700	0.00200	0.53490	0.03225	0.01631	18	1.00	137.00	0
137	Tyrosine (%)	0297	0.57800	0.00200	0.53490	0.03225	0.01631	18	1.34	137.01	0
137	Tyrosine (%)	0941	0.60500	0.03000	0.53490	0.03225	0.01631	18	2.17	137.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
138	Valine (%)	0160	0.59790	0.01960	0.78596	0.02899	0.01544	20	-6.49	138.00	0
138	Valine (%)	2023	0.66000	0.02000	0.78596	0.02899	0.01544	20	-4.34	138.02	0
138	Valine (%)	0941	0.72500	0.01000	0.78596	0.02899	0.01544	20	-2.10	138.00	0
138	Valine (%)	0684	0.75300	0.02400	0.78596	0.02899	0.01544	20	-1.14	138.00	0
138	Valine (%)	0675	0.76500	0.01000	0.78596	0.02899	0.01544	20	-0.72	138.00	0
138	Valine (%)	0918	0.77355	0.02990	0.78596	0.02899	0.01544	20	-0.43	138.00	0
138	Valine (%)	0652	0.77500	0.01000	0.78596	0.02899	0.01544	20	-0.38	138.00	0
138	Valine (%)	0504	0.78000	0.02000	0.78596	0.02899	0.01544	20	-0.21	138.00	0
138	Valine (%)	2052	0.78300	0.01800	0.78596	0.02899	0.01544	20	-0.10	138.05	0
138	Valine (%)	0968	0.78500	0.00200	0.78596	0.02899	0.01544	20	-0.03	138.00	0
138	Valine (%)	0939	0.78500	0.01000	0.78596	0.02899	0.01544	20	-0.03	138.05	0
138	Valine (%)	0644	0.79000	0.00200	0.78596	0.02899	0.01544	20	0.14	138.00	0
138	Valine (%)	0571	0.79550	0.02100	0.78596	0.02899	0.01544	20	0.33	138.00	0
138	Valine (%)	0872	0.79770	0.00360	0.78596	0.02899	0.01544	20	0.40	138.00	0
138	Valine (%)	2059	0.79900	0.00000	0.78596	0.02899	0.01544	20	0.45	138.00	0
138	Valine (%)	0227	0.81000	0.04000	0.78596	0.02899	0.01544	20	0.83	138.00	0
138	Valine (%)	0626	0.81750	0.02100	0.78596	0.02899	0.01544	20	1.09	138.05	0
138	Valine (%)	0098	0.84415	0.01070	0.78596	0.02899	0.01544	20	2.01	138.02	0
138	Valine (%)	0008	0.87050	0.03700	0.78596	0.02899	0.01544	20	2.92	138.05	0
138	Valine (%)	0297	0.87100	0.00000	0.78596	0.02899	0.01544	20	2.93	138.01	0
139	Taurine (%)	0098	0.00000	0.00000	0.10000	0.12390	0.00500	4	-0.81	139.02	0
139	Taurine (%)	2023	0.00000	0.00000	0.10000	0.12390	0.00500	4	-0.81	139.02	0
139	Taurine (%)	0504	0.14500	0.01000	0.10000	0.12390	0.00500	4	0.36	139.00	0
139	Taurine (%)	0941	0.25500	0.01000	0.10000	0.12390	0.00500	4	1.25	139.00	0
143	Lysine Available (%)	0685	0.94950	0.00100			0.00100	1			
160	Fructose (%)	0297	0.14650	0.00100	0.20050	0.05425	0.01033	3	-1.00	160.99	0
160	Fructose (%)	0148	0.20000	0.00000	0.20050	0.05425	0.01033	3	-0.01	160.99	0
160	Fructose (%)	0227	0.25500	0.03000	0.20050	0.05425	0.01033	3	1.00	160.99	0
161	Galactose (%)	0297	0.00000	0.00000			0.00000	1			
162	Glucose (%)	0148	0.09500	0.01000	0.47538	0.58770	0.04025	4	-0.65	162.99	0
162	Glucose (%)	0297	0.18150	0.02100	0.47538	0.58770	0.04025	4	-0.50	162.99	0
162	Glucose (%)	0227	0.27500	0.03000	0.47538	0.58770	0.04025	4	-0.34	162.99	0
162	Glucose (%)	0629	1.3500	0.10000	0.47538	0.58770	0.04025	4	1.49	162.99	0
163	Lactose (%)	0148	0.00000	0.00000	0.00000	0.00000	0.00000	2	0.00	163.99	0
163	Lactose (%)	0297	0.00000	0.00000	0.00000	0.00000	0.00000	2	0.00	163.99	0
164	Maltose (%)	0148	0.08500	0.01000	0.51083	0.40874	0.04767	3	-1.04	164.99	0
164	Maltose (%)	0297	0.54750	0.13300	0.51083	0.40874	0.04767	3	0.09	164.99	0
164	Maltose (%)	0629	0.90000	0.00000	0.51083	0.40874	0.04767	3	0.95	164.99	0
165	Sucrose (%)	0199	2.4700	0.08000	2.8923	0.30727	0.05220	5	-1.37	165.99	0
165	Sucrose (%)	0148	2.8500	0.04000	2.8923	0.30727	0.05220	5	-0.14	165.99	0
165	Sucrose (%)	0629	2.9000	0.00000	2.8923	0.30727	0.05220	5	0.03	165.99	0
165	Sucrose (%)	0227	2.9050	0.11000	2.8923	0.30727	0.05220	5	0.04	165.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
165	Sucrose (%)	0297	3.3365	0.03100	2.8923	0.30727	0.05220	5	1.45	165.99	0
166	Raffinose (%)	0297	1.0170	0.00400			0.00400	1			
167	Stachyose (%)	0297	1.1810	0.00800			0.00800	1			
400	Water activity (Units)	0942	0.48000	0.00000	0.49978	0.02426	0.00083	3	-0.82	400.01	0
400	Water activity (Units)	0589	0.49250	0.00100	0.49978	0.02426	0.00083	3	-0.30	400.01	0
400	Water activity (Units)	0552	0.52685	0.00150	0.49978	0.02426	0.00083	3	1.12	400.99	0
516	Arsenic, total (mg / kg (ppm))	0021	0.00000	0.00000	0.06098	0.02257	0.00609	12	-2.70	516.43	0
516	Arsenic, total (mg / kg (ppm))	0939	0.03630	0.00080	0.06098	0.02257	0.00609	12	-1.09	516.00	0
516	Arsenic, total (mg / kg (ppm))	0563	0.04800	0.00400	0.06098	0.02257	0.00609	12	-0.58	516.00	0
516	Arsenic, total (mg / kg (ppm))	0227	0.05400	0.00400	0.06098	0.02257	0.00609	12	-0.31	516.53	0
516	Arsenic, total (mg / kg (ppm))	0413	0.05485	0.00090	0.06098	0.02257	0.00609	12	-0.27	516.53	0
516	Arsenic, total (mg / kg (ppm))	0199	0.05500	0.01000	0.06098	0.02257	0.00609	12	-0.27	516.53	0
516	Arsenic, total (mg / kg (ppm))	0553	0.05920	0.00680	0.06098	0.02257	0.00609	12	-0.08	516.53	0
516	Arsenic, total (mg / kg (ppm))	0168	0.06000	0.00000	0.06098	0.02257	0.00609	12	-0.04	516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	0.07750	0.00100	0.06098	0.02257	0.00609	12	0.73	516.52	0
516	Arsenic, total (mg / kg (ppm))	2058	0.08000	0.00000	0.06098	0.02257	0.00609	12	0.84	516.53	0
516	Arsenic, total (mg / kg (ppm))	0964	0.10840	0.00560	0.06098	0.02257	0.00609	12	2.10	516.43	0
516	Arsenic, total (mg / kg (ppm))	0003	0.22000	0.04000	0.06098	0.02257	0.00609	12	7.04	516.43	0
516	Arsenic, total (mg / kg (ppm))	0596	4.9000	0.84000	0.06098	0.02257	0.00609	12	214.37	516.34	2
518	Cadmium (mg / kg (ppm))	0021	0.00000	0.00000	0.04959	0.00696	0.00505	19	-7.12	518.43	0
518	Cadmium (mg / kg (ppm))	0425	0.00000	0.00000	0.04959	0.00696	0.00505	19	-7.12	518.43	0
518	Cadmium (mg / kg (ppm))	0003	0.02000	0.04000	0.04959	0.00696	0.00505	19	-4.25	518.43	0
518	Cadmium (mg / kg (ppm))	0939	0.04500	0.01000	0.04959	0.00696	0.00505	19	-0.66	518.34	0
518	Cadmium (mg / kg (ppm))	2055	0.04500	0.00000	0.04959	0.00696	0.00505	19	-0.66	518.53	0
518	Cadmium (mg / kg (ppm))	0021	0.04650	0.00100	0.04959	0.00696	0.00505	19	-0.44	518.42	0
518	Cadmium (mg / kg (ppm))	0227	0.04750	0.00300	0.04959	0.00696	0.00505	19	-0.30	518.53	0
518	Cadmium (mg / kg (ppm))	0413	0.04925	0.00110	0.04959	0.00696	0.00505	19	-0.05	518.53	0
518	Cadmium (mg / kg (ppm))	0610	0.05000	0.00000	0.04959	0.00696	0.00505	19	0.06	518.34	0
518	Cadmium (mg / kg (ppm))	0968	0.05000	0.00000	0.04959	0.00696	0.00505	19	0.06	518.41	0
518	Cadmium (mg / kg (ppm))	0096	0.05000	0.00000	0.04959	0.00696	0.00505	19	0.06	518.52	0
518	Cadmium (mg / kg (ppm))	0199	0.05000	0.00000	0.04959	0.00696	0.00505	19	0.06	518.53	0
518	Cadmium (mg / kg (ppm))	2058	0.05000	0.00000	0.04959	0.00696	0.00505	19	0.06	518.53	0
518	Cadmium (mg / kg (ppm))	0098	0.05150	0.00900	0.04959	0.00696	0.00505	19	0.27	518.52	0
518	Cadmium (mg / kg (ppm))	0964	0.05450	0.00300	0.04959	0.00696	0.00505	19	0.71	518.43	0
518	Cadmium (mg / kg (ppm))	0168	0.05500	0.01000	0.04959	0.00696	0.00505	19	0.78	518.53	0
518	Cadmium (mg / kg (ppm))	0553	0.05800	0.00080	0.04959	0.00696	0.00505	19	1.21	518.53	0
518	Cadmium (mg / kg (ppm))	0011	0.06450	0.00400	0.04959	0.00696	0.00505	19	2.14	518.41	0
518	Cadmium (mg / kg (ppm))	0563	0.10300	0.01400	0.04959	0.00696	0.00505	19	7.67	518.34	0
518	Cadmium (mg / kg (ppm))	0596	110.37	4.8900	0.04959	0.00696	0.00505	19	15845.67	518.34	2
520	Chromium (mg / kg (ppm))	0021	0.00000	0.00000	1.1977	0.58943	0.11774	13	-2.03	520.43	0
520	Chromium (mg / kg (ppm))	0096	0.45000	0.10000	1.1977	0.58943	0.11774	13	-1.27	520.52	0
520	Chromium (mg / kg (ppm))	2055	0.63300	0.06200	1.1977	0.58943	0.11774	13	-0.96	520.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
520	Chromium (mg / kg (ppm))	0011	1.0523	0.03050	1.1977	0.58943	0.11774	13	-0.25	520.41	0
520	Chromium (mg / kg (ppm))	2023	1.1200	0.08000	1.1977	0.58943	0.11774	13	-0.13	520.53	0
520	Chromium (mg / kg (ppm))	0553	1.1340	0.39200	1.1977	0.58943	0.11774	13	-0.11	520.53	0
520	Chromium (mg / kg (ppm))	0510	1.1350	0.03000	1.1977	0.58943	0.11774	13	-0.11	520.43	0
520	Chromium (mg / kg (ppm))	2052	1.2650	0.05000	1.1977	0.58943	0.11774	13	0.11	520.53	0
520	Chromium (mg / kg (ppm))	0413	1.2675	0.02500	1.1977	0.58943	0.11774	13	0.12	520.53	0
520	Chromium (mg / kg (ppm))	0964	1.4975	0.03310	1.1977	0.58943	0.11774	13	0.51	520.43	0
520	Chromium (mg / kg (ppm))	0563	1.8050	0.09000	1.1977	0.58943	0.11774	13	1.03	520.31	0
520	Chromium (mg / kg (ppm))	0968	2.4070	0.59800	1.1977	0.58943	0.11774	13	2.05	520.99	0
520	Chromium (mg / kg (ppm))	0003	4.3400	0.04000	1.1977	0.58943	0.11774	13	5.33	520.43	0
520	Chromium (mg / kg (ppm))	0096	1.5000	1.0000	1.1977	0.58943	0.11774	13	0.51	520.42	1
526	Lead (mg / kg (ppm))	0021	0.00000	0.00000	0.06064	0.01839	0.00540	13	-3.30	526.43	0
526	Lead (mg / kg (ppm))	0425	0.00000	0.00000	0.06064	0.01839	0.00540	13	-3.30	526.43	0
526	Lead (mg / kg (ppm))	2058	0.05000	0.00000	0.06064	0.01839	0.00540	13	-0.58	526.53	0
526	Lead (mg / kg (ppm))	0098	0.05350	0.00300	0.06064	0.01839	0.00540	13	-0.39	526.52	0
526	Lead (mg / kg (ppm))	0096	0.05500	0.01000	0.06064	0.01839	0.00540	13	-0.31	526.52	0
526	Lead (mg / kg (ppm))	0553	0.05780	0.00380	0.06064	0.01839	0.00540	13	-0.15	526.53	0
526	Lead (mg / kg (ppm))	0413	0.05890	0.00840	0.06064	0.01839	0.00540	13	-0.09	526.53	0
526	Lead (mg / kg (ppm))	0227	0.05900	0.00000	0.06064	0.01839	0.00540	13	-0.09	526.53	0
526	Lead (mg / kg (ppm))	0168	0.07000	0.02000	0.06064	0.01839	0.00540	13	0.51	526.53	0
526	Lead (mg / kg (ppm))	0199	0.07000	0.00000	0.06064	0.01839	0.00540	13	0.51	526.53	0
526	Lead (mg / kg (ppm))	0563	0.07850	0.01500	0.06064	0.01839	0.00540	13	0.97	526.34	0
526	Lead (mg / kg (ppm))	0939	0.08500	0.01000	0.06064	0.01839	0.00540	13	1.32	526.34	0
526	Lead (mg / kg (ppm))	0921	0.10260	0.00000	0.06064	0.01839	0.00540	13	2.28	526.31	0
526	Lead (mg / kg (ppm))	0596	793.02	247.62	0.06064	0.01839	0.00540	13	43125.93	526.34	2
529	Mercury (µg / kg (ppb))	0425	0.00000	0.00000	39.423	55.752	2.1250	2	-0.71	529.00	0
529	Mercury (µg / kg (ppb))	0596	78.845	4.2500	39.423	55.752	2.1250	2	0.71	529.00	0
539	Nickel (mg / kg (ppm))	0021	0.00000	0.00000	1.9363	0.27062	0.05460	7	-7.15	539.43	0
539	Nickel (mg / kg (ppm))	0011	1.7748	0.00450	1.9363	0.27062	0.05460	7	-0.60	539.41	0
539	Nickel (mg / kg (ppm))	2023	1.8400	0.06000	1.9363	0.27062	0.05460	7	-0.36	539.53	0
539	Nickel (mg / kg (ppm))	0553	1.9400	0.18000	1.9363	0.27062	0.05460	7	0.01	539.53	0
539	Nickel (mg / kg (ppm))	0413	2.0065	0.03100	1.9363	0.27062	0.05460	7	0.26	539.53	0
539	Nickel (mg / kg (ppm))	0964	2.1127	0.06670	1.9363	0.27062	0.05460	7	0.65	539.43	0
539	Nickel (mg / kg (ppm))	0003	4.5000	0.04000	1.9363	0.27062	0.05460	7	9.47	539.43	0
600	Total Aflatoxin (µg / kg (ppb))	0042	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0689	0.45000	0.30000							
600	Total Aflatoxin (µg / kg (ppb))	0880	0.55000	1.1000							
600	Total Aflatoxin (µg / kg (ppb))	0623	0.60000	0.20000							
600	Total Aflatoxin (µg / kg (ppb))	0505	0.65000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0723	0.91000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0589	1.0000	2.0000							
620	Total Fumonisin (µg / kg (ppb))	0589	0.00000	0.00000							

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
640	T-2 (µg / kg (ppb))	0227	78.900	13.600							
650	Zearalenone (µg / kg (ppb))	0227	134.50	5.0000							