

# AAFCO Check Sample Program

## All Labs and All Methods Report

Sort by Method

Proficiency Testing

Sample # 201425

Show Pig Primer, Medicated



# AAFCO

## CHECK SAMPLE PROGRAM

Robust statistics not used if < 6 labs reporting, in this case the Z Scores are included for information only (Grey).

Issue Date : 06/30/2014

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
000	Urea (%)	0920	0.01000	0.00000	0.50500	0.70004	0.10000	2	-0.71	000.99	0
000	Urea (%)	0278	1.0000	0.20000	0.50500	0.70004	0.10000	2	0.71	000.02	0
001	Loss on Drying (%)	0618	6.3900	0.04000	10.621	0.23882	0.07926	76	-17.71	001.07	0
001	Loss on Drying (%)	0186	6.7750	0.01000	10.621	0.23882	0.07926	76	-16.10	001.03	0
001	Loss on Drying (%)	0345	7.1150	0.03000	10.621	0.23882	0.07926	76	-14.68	001.00	0
001	Loss on Drying (%)	0618	8.1550	0.03000	10.621	0.23882	0.07926	76	-10.32	001.99	0
001	Loss on Drying (%)	0536	9.8650	0.45000	10.621	0.23882	0.07926	76	-3.16	001.99	0
001	Loss on Drying (%)	0171	10.200	0.00000	10.621	0.23882	0.07926	76	-1.76	001.07	0
001	Loss on Drying (%)	0889	10.200	0.08000	10.621	0.23882	0.07926	76	-1.76	001.99	0
001	Loss on Drying (%)	2011	10.240	0.12000	10.621	0.23882	0.07926	76	-1.59	001.07	0
001	Loss on Drying (%)	0297	10.250	0.20000	10.621	0.23882	0.07926	76	-1.55	001.07	0
001	Loss on Drying (%)	0675	10.250	0.04000	10.621	0.23882	0.07926	76	-1.55	001.07	0
001	Loss on Drying (%)	0610	10.265	0.01000	10.621	0.23882	0.07926	76	-1.49	001.05	0
001	Loss on Drying (%)	0853	10.325	0.15000	10.621	0.23882	0.07926	76	-1.24	001.99	0
001	Loss on Drying (%)	0843	10.335	0.15000	10.621	0.23882	0.07926	76	-1.20	001.07	0
001	Loss on Drying (%)	2018	10.335	0.11000	10.621	0.23882	0.07926	76	-1.20	001.99	0
001	Loss on Drying (%)	0613	10.350	0.10000	10.621	0.23882	0.07926	76	-1.13	001.99	0
001	Loss on Drying (%)	0622	10.381	0.00660	10.621	0.23882	0.07926	76	-1.00	001.00	0
001	Loss on Drying (%)	2042	10.430	0.00000	10.621	0.23882	0.07926	76	-0.80	001.03	0
001	Loss on Drying (%)	0720	10.455	0.03000	10.621	0.23882	0.07926	76	-0.69	001.99	0
001	Loss on Drying (%)	0015	10.475	0.15000	10.621	0.23882	0.07926	76	-0.61	001.07	0
001	Loss on Drying (%)	0038	10.485	0.05000	10.621	0.23882	0.07926	76	-0.57	001.07	0
001	Loss on Drying (%)	0083	10.485	0.03000	10.621	0.23882	0.07926	76	-0.57	001.07	0
001	Loss on Drying (%)	0510	10.500	0.00000	10.621	0.23882	0.07926	76	-0.50	001.99	0
001	Loss on Drying (%)	0948	10.510	0.02000	10.621	0.23882	0.07926	76	-0.46	001.99	0
001	Loss on Drying (%)	0035	10.520	0.24000	10.621	0.23882	0.07926	76	-0.42	001.07	0
001	Loss on Drying (%)	0089	10.530	0.00000	10.621	0.23882	0.07926	76	-0.38	001.07	0
001	Loss on Drying (%)	0940	10.540	0.38000	10.621	0.23882	0.07926	76	-0.34	001.99	0
001	Loss on Drying (%)	0504	10.545	0.13000	10.621	0.23882	0.07926	76	-0.32	001.00	0
001	Loss on Drying (%)	0609	10.550	0.10000	10.621	0.23882	0.07926	76	-0.30	001.07	0
001	Loss on Drying (%)	0615	10.555	0.45000	10.621	0.23882	0.07926	76	-0.27	001.00	0
001	Loss on Drying (%)	0868	10.555	0.01000	10.621	0.23882	0.07926	76	-0.27	001.03	0
001	Loss on Drying (%)	0951	10.560	0.06000	10.621	0.23882	0.07926	76	-0.25	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0629	10.565	0.25000	10.621	0.23882	0.07926	76	-0.23	001.99	0
001	Loss on Drying (%)	0065	10.568	0.00370	10.621	0.23882	0.07926	76	-0.22	001.07	0
001	Loss on Drying (%)	0913	10.580	0.04000	10.621	0.23882	0.07926	76	-0.17	001.07	0
001	Loss on Drying (%)	0895	10.585	0.01000	10.621	0.23882	0.07926	76	-0.15	001.03	0
001	Loss on Drying (%)	2063	10.625	0.01000	10.621	0.23882	0.07926	76	0.02	001.03	0
001	Loss on Drying (%)	0004	10.625	0.03000	10.621	0.23882	0.07926	76	0.02	001.99	0
001	Loss on Drying (%)	2065	10.630	0.02000	10.621	0.23882	0.07926	76	0.04	001.03	0
001	Loss on Drying (%)	0893	10.640	0.00000	10.621	0.23882	0.07926	76	0.08	001.03	0
001	Loss on Drying (%)	0590	10.660	0.28000	10.621	0.23882	0.07926	76	0.17	001.08	0
001	Loss on Drying (%)	0353	10.665	0.03000	10.621	0.23882	0.07926	76	0.19	001.07	0
001	Loss on Drying (%)	2059	10.665	0.01000	10.621	0.23882	0.07926	76	0.19	001.07	0
001	Loss on Drying (%)	0872	10.670	0.00000	10.621	0.23882	0.07926	76	0.21	001.07	0
001	Loss on Drying (%)	2012	10.675	0.01000	10.621	0.23882	0.07926	76	0.23	001.07	0
001	Loss on Drying (%)	0278	10.685	0.03000	10.621	0.23882	0.07926	76	0.27	001.07	0
001	Loss on Drying (%)	0903	10.700	0.00000	10.621	0.23882	0.07926	76	0.33	001.03	0
001	Loss on Drying (%)	0413	10.700	0.40000	10.621	0.23882	0.07926	76	0.33	001.07	0
001	Loss on Drying (%)	0652	10.700	0.00000	10.621	0.23882	0.07926	76	0.33	001.08	0
001	Loss on Drying (%)	0849	10.706	0.13100	10.621	0.23882	0.07926	76	0.36	001.07	0
001	Loss on Drying (%)	0357	10.715	0.01000	10.621	0.23882	0.07926	76	0.40	001.99	0
001	Loss on Drying (%)	0337	10.720	0.28000	10.621	0.23882	0.07926	76	0.42	001.08	0
001	Loss on Drying (%)	2062	10.724	0.14440	10.621	0.23882	0.07926	76	0.43	001.03	0
001	Loss on Drying (%)	0187	10.730	0.02000	10.621	0.23882	0.07926	76	0.46	001.07	0
001	Loss on Drying (%)	0571	10.740	0.08000	10.621	0.23882	0.07926	76	0.50	001.07	0
001	Loss on Drying (%)	0676	10.741	0.02900	10.621	0.23882	0.07926	76	0.50	001.99	0
001	Loss on Drying (%)	0878	10.745	0.11000	10.621	0.23882	0.07926	76	0.52	001.03	0
001	Loss on Drying (%)	0309	10.759	0.06500	10.621	0.23882	0.07926	76	0.58	001.00	0
001	Loss on Drying (%)	0139	10.760	0.00000	10.621	0.23882	0.07926	76	0.58	001.07	0
001	Loss on Drying (%)	0581	10.790	0.10000	10.621	0.23882	0.07926	76	0.71	001.07	0
001	Loss on Drying (%)	0619	10.800	0.00000	10.621	0.23882	0.07926	76	0.75	001.03	0
001	Loss on Drying (%)	0178	10.800	0.06000	10.621	0.23882	0.07926	76	0.75	001.07	0
001	Loss on Drying (%)	0689	10.800	0.00000	10.621	0.23882	0.07926	76	0.75	001.07	0
001	Loss on Drying (%)	0169	10.840	0.02000	10.621	0.23882	0.07926	76	0.92	001.00	0
001	Loss on Drying (%)	0891	10.855	0.00410	10.621	0.23882	0.07926	76	0.98	001.03	0
001	Loss on Drying (%)	0695	10.895	0.07000	10.621	0.23882	0.07926	76	1.15	001.07	0
001	Loss on Drying (%)	0638	10.900	0.00000	10.621	0.23882	0.07926	76	1.17	001.07	0
001	Loss on Drying (%)	0852	10.900	0.00000	10.621	0.23882	0.07926	76	1.17	001.99	0
001	Loss on Drying (%)	0037	10.905	0.05000	10.621	0.23882	0.07926	76	1.19	001.99	0
001	Loss on Drying (%)	0098	10.910	0.00000	10.621	0.23882	0.07926	76	1.21	001.07	0
001	Loss on Drying (%)	0049	10.940	0.12000	10.621	0.23882	0.07926	76	1.34	001.07	0
001	Loss on Drying (%)	0142	11.005	0.03000	10.621	0.23882	0.07926	76	1.61	001.07	0
001	Loss on Drying (%)	0045	11.030	0.16000	10.621	0.23882	0.07926	76	1.71	001.07	0
001	Loss on Drying (%)	0505	11.035	0.03000	10.621	0.23882	0.07926	76	1.74	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0897	11.200	0.00000	10.621	0.23882	0.07926	76	2.43	001.03	0
001	Loss on Drying (%)	0021	11.250	0.10000	10.621	0.23882	0.07926	76	2.64	001.99	0
001	Loss on Drying (%)	0693	11.285	0.11000	10.621	0.23882	0.07926	76	2.78	001.07	0
001	Loss on Drying (%)	0845	10.610	0.76000	10.621	0.23882	0.07926	76	-0.04	001.07	1
001	Loss on Drying (%)	0918	10.785	0.51000	10.621	0.23882	0.07926	76	0.69	001.99	1
002	Protein (%)	0852	22.285	0.09000	24.017	0.34515	0.15682	200	-5.02	002.05	0
002	Protein (%)	0553	22.660	0.24000	24.017	0.34515	0.15682	200	-3.93	002.11	0
002	Protein (%)	0685	22.895	0.13000	24.017	0.34515	0.15682	200	-3.25	002.01	0
002	Protein (%)	0405	23.090	0.00000	24.017	0.34515	0.15682	200	-2.69	002.04	0
002	Protein (%)	0870	23.141	0.47900	24.017	0.34515	0.15682	200	-2.54	002.01	0
002	Protein (%)	0720	23.215	0.07000	24.017	0.34515	0.15682	200	-2.32	002.06	0
002	Protein (%)	0620	23.297	0.00000	24.017	0.34515	0.15682	200	-2.09	002.05	0
002	Protein (%)	0939	23.310	0.28000	24.017	0.34515	0.15682	200	-2.05	002.00	0
002	Protein (%)	0199	23.315	0.15000	24.017	0.34515	0.15682	200	-2.03	002.01	0
002	Protein (%)	0885	23.330	0.08000	24.017	0.34515	0.15682	200	-1.99	002.05	0
002	Protein (%)	0552	23.340	0.12000	24.017	0.34515	0.15682	200	-1.96	002.05	0
002	Protein (%)	2012	23.340	0.38000	24.017	0.34515	0.15682	200	-1.96	002.06	0
002	Protein (%)	2058	23.365	0.01000	24.017	0.34515	0.15682	200	-1.89	002.05	0
002	Protein (%)	0874	23.405	0.35000	24.017	0.34515	0.15682	200	-1.77	002.04	0
002	Protein (%)	0889	23.420	0.08000	24.017	0.34515	0.15682	200	-1.73	002.01	0
002	Protein (%)	0036	23.464	0.25250	24.017	0.34515	0.15682	200	-1.60	002.02	0
002	Protein (%)	2042	23.480	0.02000	24.017	0.34515	0.15682	200	-1.56	002.05	0
002	Protein (%)	0042	23.490	0.08000	24.017	0.34515	0.15682	200	-1.53	002.02	0
002	Protein (%)	0921	23.530	0.22000	24.017	0.34515	0.15682	200	-1.41	002.06	0
002	Protein (%)	0860	23.533	0.09730	24.017	0.34515	0.15682	200	-1.40	002.01	0
002	Protein (%)	0144	23.540	0.06000	24.017	0.34515	0.15682	200	-1.38	002.06	0
002	Protein (%)	0539	23.550	0.08000	24.017	0.34515	0.15682	200	-1.35	002.06	0
002	Protein (%)	0589	23.590	0.04000	24.017	0.34515	0.15682	200	-1.24	002.06	0
002	Protein (%)	0615	23.610	0.24000	24.017	0.34515	0.15682	200	-1.18	002.06	0
002	Protein (%)	0652	23.650	0.30000	24.017	0.34515	0.15682	200	-1.06	002.01	0
002	Protein (%)	0035	23.655	0.03000	24.017	0.34515	0.15682	200	-1.05	002.06	0
002	Protein (%)	0723	23.660	0.00000	24.017	0.34515	0.15682	200	-1.04	002.01	0
002	Protein (%)	0904	23.665	0.21000	24.017	0.34515	0.15682	200	-1.02	002.06	0
002	Protein (%)	0643	23.670	0.18000	24.017	0.34515	0.15682	200	-1.01	002.99	0
002	Protein (%)	0042	23.675	0.07000	24.017	0.34515	0.15682	200	-0.99	002.06	0
002	Protein (%)	0187	23.680	0.04000	24.017	0.34515	0.15682	200	-0.98	002.04	0
002	Protein (%)	0675	23.680	0.02000	24.017	0.34515	0.15682	200	-0.98	002.05	0
002	Protein (%)	0049	23.680	0.48000	24.017	0.34515	0.15682	200	-0.98	002.06	0
002	Protein (%)	2012	23.685	0.07000	24.017	0.34515	0.15682	200	-0.96	002.05	0
002	Protein (%)	0337	23.685	0.19000	24.017	0.34515	0.15682	200	-0.96	002.06	0
002	Protein (%)	2058	23.685	0.17000	24.017	0.34515	0.15682	200	-0.96	002.06	0
002	Protein (%)	0941	23.700	0.20000	24.017	0.34515	0.15682	200	-0.92	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0845	23.705	0.09000	24.017	0.34515	0.15682	200	-0.90	002.00	0
002	Protein (%)	0407	23.710	0.30000	24.017	0.34515	0.15682	200	-0.89	002.06	0
002	Protein (%)	0695	23.720	0.06000	24.017	0.34515	0.15682	200	-0.86	002.06	0
002	Protein (%)	0872	23.724	0.00300	24.017	0.34515	0.15682	200	-0.85	002.06	0
002	Protein (%)	0043	23.740	0.08000	24.017	0.34515	0.15682	200	-0.80	002.01	0
002	Protein (%)	0878	23.750	0.10000	24.017	0.34515	0.15682	200	-0.77	002.05	0
002	Protein (%)	0852	23.750	0.02000	24.017	0.34515	0.15682	200	-0.77	002.11	0
002	Protein (%)	2011	23.755	0.07000	24.017	0.34515	0.15682	200	-0.76	002.05	0
002	Protein (%)	0505	23.755	0.09000	24.017	0.34515	0.15682	200	-0.76	002.06	0
002	Protein (%)	2022	23.760	0.12000	24.017	0.34515	0.15682	200	-0.75	002.05	0
002	Protein (%)	0638	23.770	0.00000	24.017	0.34515	0.15682	200	-0.72	002.04	0
002	Protein (%)	0006	23.770	0.02800	24.017	0.34515	0.15682	200	-0.72	002.06	0
002	Protein (%)	0098	23.780	0.04000	24.017	0.34515	0.15682	200	-0.69	002.08	0
002	Protein (%)	0968	23.785	0.09900	24.017	0.34515	0.15682	200	-0.67	002.01	0
002	Protein (%)	0229	23.790	0.02000	24.017	0.34515	0.15682	200	-0.66	002.06	0
002	Protein (%)	0653	23.795	0.07000	24.017	0.34515	0.15682	200	-0.64	002.01	0
002	Protein (%)	0009	23.795	0.27000	24.017	0.34515	0.15682	200	-0.64	002.06	0
002	Protein (%)	2059	23.797	0.43750	24.017	0.34515	0.15682	200	-0.64	002.06	0
002	Protein (%)	0014	23.800	0.20000	24.017	0.34515	0.15682	200	-0.63	002.06	0
002	Protein (%)	0106	23.805	0.01000	24.017	0.34515	0.15682	200	-0.62	002.00	0
002	Protein (%)	2068	23.810	0.08000	24.017	0.34515	0.15682	200	-0.60	002.01	0
002	Protein (%)	0354	23.815	0.01000	24.017	0.34515	0.15682	200	-0.59	002.05	0
002	Protein (%)	0598	23.820	0.42000	24.017	0.34515	0.15682	200	-0.57	002.06	0
002	Protein (%)	0693	23.820	0.10000	24.017	0.34515	0.15682	200	-0.57	002.06	0
002	Protein (%)	0913	23.825	0.09000	24.017	0.34515	0.15682	200	-0.56	002.06	0
002	Protein (%)	0953	23.825	0.55000	24.017	0.34515	0.15682	200	-0.56	002.06	0
002	Protein (%)	0353	23.830	0.08000	24.017	0.34515	0.15682	200	-0.54	002.06	0
002	Protein (%)	2023	23.850	0.30000	24.017	0.34515	0.15682	200	-0.48	002.01	0
002	Protein (%)	0226	23.850	0.30000	24.017	0.34515	0.15682	200	-0.48	002.06	0
002	Protein (%)	0590	23.850	0.10000	24.017	0.34515	0.15682	200	-0.48	002.06	0
002	Protein (%)	0032	23.870	0.02000	24.017	0.34515	0.15682	200	-0.43	002.06	0
002	Protein (%)	0066	23.875	0.13000	24.017	0.34515	0.15682	200	-0.41	002.02	0
002	Protein (%)	0139	23.880	0.04000	24.017	0.34515	0.15682	200	-0.40	002.06	0
002	Protein (%)	0952	23.885	0.15000	24.017	0.34515	0.15682	200	-0.38	002.05	0
002	Protein (%)	0100	23.895	0.49000	24.017	0.34515	0.15682	200	-0.35	002.06	0
002	Protein (%)	0848	23.895	0.05000	24.017	0.34515	0.15682	200	-0.35	002.01	0
002	Protein (%)	0891	23.897	0.01330	24.017	0.34515	0.15682	200	-0.35	002.05	0
002	Protein (%)	0010	23.900	0.00000	24.017	0.34515	0.15682	200	-0.34	002.06	0
002	Protein (%)	0951	23.910	0.06000	24.017	0.34515	0.15682	200	-0.31	002.05	0
002	Protein (%)	0037	23.920	0.06000	24.017	0.34515	0.15682	200	-0.28	002.06	0
002	Protein (%)	0164	23.925	0.03000	24.017	0.34515	0.15682	200	-0.27	002.06	0
002	Protein (%)	0199	23.930	0.18000	24.017	0.34515	0.15682	200	-0.25	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0849	23.933	0.13400	24.017	0.34515	0.15682	200	-0.24	002.05	0
002	Protein (%)	0619	23.950	0.10000	24.017	0.34515	0.15682	200	-0.20	002.05	0
002	Protein (%)	0689	23.950	0.10000	24.017	0.34515	0.15682	200	-0.20	002.05	0
002	Protein (%)	0956	23.950	0.50000	24.017	0.34515	0.15682	200	-0.20	002.06	0
002	Protein (%)	0108	23.950	0.34000	24.017	0.34515	0.15682	200	-0.20	002.06	0
002	Protein (%)	0613	23.950	0.34000	24.017	0.34515	0.15682	200	-0.20	002.06	0
002	Protein (%)	0646	23.965	0.31000	24.017	0.34515	0.15682	200	-0.15	002.06	0
002	Protein (%)	0033	23.970	0.24000	24.017	0.34515	0.15682	200	-0.14	002.06	0
002	Protein (%)	0089	23.970	0.00000	24.017	0.34515	0.15682	200	-0.14	002.06	0
002	Protein (%)	0687	23.975	0.05000	24.017	0.34515	0.15682	200	-0.12	002.06	0
002	Protein (%)	0948	23.980	0.02000	24.017	0.34515	0.15682	200	-0.11	002.06	0
002	Protein (%)	0074	23.985	0.03000	24.017	0.34515	0.15682	200	-0.09	002.06	0
002	Protein (%)	0958	23.985	0.11000	24.017	0.34515	0.15682	200	-0.09	002.06	0
002	Protein (%)	0897	23.995	0.03000	24.017	0.34515	0.15682	200	-0.06	002.05	0
002	Protein (%)	0152	24.000	0.20000	24.017	0.34515	0.15682	200	-0.05	002.01	0
002	Protein (%)	0045	24.000	0.40000	24.017	0.34515	0.15682	200	-0.05	002.06	0
002	Protein (%)	0098	24.000	0.00000	24.017	0.34515	0.15682	200	-0.05	002.06	0
002	Protein (%)	0294	24.000	0.00000	24.017	0.34515	0.15682	200	-0.05	002.06	0
002	Protein (%)	0510	24.000	0.20000	24.017	0.34515	0.15682	200	-0.05	002.06	0
002	Protein (%)	0168	24.005	0.01000	24.017	0.34515	0.15682	200	-0.04	002.06	0
002	Protein (%)	0728	24.010	0.16000	24.017	0.34515	0.15682	200	-0.02	002.04	0
002	Protein (%)	0940	24.020	0.14000	24.017	0.34515	0.15682	200	0.01	002.00	0
002	Protein (%)	2023	24.020	0.10000	24.017	0.34515	0.15682	200	0.01	002.06	0
002	Protein (%)	0142	24.025	0.03000	24.017	0.34515	0.15682	200	0.02	002.06	0
002	Protein (%)	0004	24.045	0.19000	24.017	0.34515	0.15682	200	0.08	002.06	0
002	Protein (%)	0948	24.055	0.11000	24.017	0.34515	0.15682	200	0.11	002.05	0
002	Protein (%)	2065	24.060	0.04000	24.017	0.34515	0.15682	200	0.12	002.05	0
002	Protein (%)	2053	24.060	0.04000	24.017	0.34515	0.15682	200	0.12	002.06	0
002	Protein (%)	0626	24.065	0.18900	24.017	0.34515	0.15682	200	0.14	002.06	0
002	Protein (%)	0205	24.070	0.14000	24.017	0.34515	0.15682	200	0.15	002.06	0
002	Protein (%)	0297	24.075	0.35000	24.017	0.34515	0.15682	200	0.17	002.11	0
002	Protein (%)	0011	24.085	0.03000	24.017	0.34515	0.15682	200	0.20	002.06	0
002	Protein (%)	0038	24.085	0.33000	24.017	0.34515	0.15682	200	0.20	002.06	0
002	Protein (%)	0083	24.090	0.42000	24.017	0.34515	0.15682	200	0.21	002.06	0
002	Protein (%)	0019	24.095	0.21000	24.017	0.34515	0.15682	200	0.23	002.06	0
002	Protein (%)	0512	24.095	0.17000	24.017	0.34515	0.15682	200	0.23	002.06	0
002	Protein (%)	0610	24.100	0.00000	24.017	0.34515	0.15682	200	0.24	002.01	0
002	Protein (%)	0504	24.100	0.00000	24.017	0.34515	0.15682	200	0.24	002.04	0
002	Protein (%)	0171	24.100	0.20000	24.017	0.34515	0.15682	200	0.24	002.06	0
002	Protein (%)	0278	24.100	0.00000	24.017	0.34515	0.15682	200	0.24	002.06	0
002	Protein (%)	0413	24.100	0.40000	24.017	0.34515	0.15682	200	0.24	002.06	0
002	Protein (%)	0619	24.100	0.00000	24.017	0.34515	0.15682	200	0.24	002.06	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	2006	24.105	0.15000	24.017	0.34515	0.15682	200	0.25	002.05	0
002	Protein (%)	0034	24.105	0.20400	24.017	0.34515	0.15682	200	0.25	002.06	0
002	Protein (%)	0425	24.105	0.03000	24.017	0.34515	0.15682	200	0.25	002.06	0
002	Protein (%)	2062	24.110	0.03350	24.017	0.34515	0.15682	200	0.27	002.05	0
002	Protein (%)	0298	24.110	0.02000	24.017	0.34515	0.15682	200	0.27	002.06	0
002	Protein (%)	0726	24.114	0.01900	24.017	0.34515	0.15682	200	0.28	002.06	0
002	Protein (%)	0504	24.115	0.05000	24.017	0.34515	0.15682	200	0.28	002.06	0
002	Protein (%)	0682	24.115	0.05000	24.017	0.34515	0.15682	200	0.28	002.06	0
002	Protein (%)	2063	24.125	0.01000	24.017	0.34515	0.15682	200	0.31	002.05	0
002	Protein (%)	0868	24.130	0.08000	24.017	0.34515	0.15682	200	0.33	002.05	0
002	Protein (%)	0508	24.148	0.37400	24.017	0.34515	0.15682	200	0.38	002.06	0
002	Protein (%)	0148	24.150	0.22000	24.017	0.34515	0.15682	200	0.38	002.06	0
002	Protein (%)	0354	24.150	0.02000	24.017	0.34515	0.15682	200	0.38	002.06	0
002	Protein (%)	0968	24.152	0.21500	24.017	0.34515	0.15682	200	0.39	002.06	0
002	Protein (%)	0959	24.155	0.07000	24.017	0.34515	0.15682	200	0.40	002.06	0
002	Protein (%)	0065	24.158	0.07960	24.017	0.34515	0.15682	200	0.41	002.06	0
002	Protein (%)	0893	24.165	0.01000	24.017	0.34515	0.15682	200	0.43	002.05	0
002	Protein (%)	0297	24.165	0.01000	24.017	0.34515	0.15682	200	0.43	002.06	0
002	Protein (%)	0242	24.175	0.09000	24.017	0.34515	0.15682	200	0.46	002.06	0
002	Protein (%)	0178	24.175	0.65000	24.017	0.34515	0.15682	200	0.46	002.06	0
002	Protein (%)	0660	24.185	0.21000	24.017	0.34515	0.15682	200	0.49	002.06	0
002	Protein (%)	0015	24.185	0.05000	24.017	0.34515	0.15682	200	0.49	002.05	0
002	Protein (%)	0960	24.195	0.33000	24.017	0.34515	0.15682	200	0.51	002.06	0
002	Protein (%)	0610	24.200	0.00000	24.017	0.34515	0.15682	200	0.53	002.06	0
002	Protein (%)	0861	24.200	0.04000	24.017	0.34515	0.15682	200	0.53	002.06	0
002	Protein (%)	0138	24.202	0.37900	24.017	0.34515	0.15682	200	0.53	002.06	0
002	Protein (%)	0190	24.210	0.06000	24.017	0.34515	0.15682	200	0.56	002.06	0
002	Protein (%)	0123	24.215	0.17000	24.017	0.34515	0.15682	200	0.57	002.06	0
002	Protein (%)	0233	24.220	0.02000	24.017	0.34515	0.15682	200	0.59	002.06	0
002	Protein (%)	0571	24.224	0.06500	24.017	0.34515	0.15682	200	0.60	002.06	0
002	Protein (%)	0036	24.230	0.06000	24.017	0.34515	0.15682	200	0.62	002.06	0
002	Protein (%)	0169	24.245	0.09000	24.017	0.34515	0.15682	200	0.66	002.02	0
002	Protein (%)	0001	24.260	0.42000	24.017	0.34515	0.15682	200	0.70	002.06	0
002	Protein (%)	0202	24.265	0.17000	24.017	0.34515	0.15682	200	0.72	002.06	0
002	Protein (%)	0676	24.270	0.82000	24.017	0.34515	0.15682	200	0.73	002.06	0
002	Protein (%)	0062	24.285	0.17900	24.017	0.34515	0.15682	200	0.77	002.01	0
002	Protein (%)	0618	24.290	0.00000	24.017	0.34515	0.15682	200	0.79	002.06	0
002	Protein (%)	0857	24.290	0.24000	24.017	0.34515	0.15682	200	0.79	002.06	0
002	Protein (%)	0964	24.292	0.17600	24.017	0.34515	0.15682	200	0.80	002.06	0
002	Protein (%)	0563	24.305	0.09000	24.017	0.34515	0.15682	200	0.83	002.08	0
002	Protein (%)	0357	24.315	0.13000	24.017	0.34515	0.15682	200	0.86	002.06	0
002	Protein (%)	0939	24.320	0.06000	24.017	0.34515	0.15682	200	0.88	002.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0003	24.330	0.16000	24.017	0.34515	0.15682	200	0.91	002.06	0
002	Protein (%)	0175	24.350	0.10000	24.017	0.34515	0.15682	200	0.96	002.06	0
002	Protein (%)	2018	24.390	0.02000	24.017	0.34515	0.15682	200	1.08	002.06	0
002	Protein (%)	0265	24.400	0.00000	24.017	0.34515	0.15682	200	1.11	002.06	0
002	Protein (%)	0553	24.400	0.80000	24.017	0.34515	0.15682	200	1.11	002.06	0
002	Protein (%)	0941	24.400	0.20000	24.017	0.34515	0.15682	200	1.11	002.06	0
002	Protein (%)	0609	24.420	0.20000	24.017	0.34515	0.15682	200	1.17	002.06	0
002	Protein (%)	0650	24.425	0.03000	24.017	0.34515	0.15682	200	1.18	002.06	0
002	Protein (%)	0309	24.428	0.23900	24.017	0.34515	0.15682	200	1.19	002.06	0
002	Protein (%)	0529	24.435	0.09000	24.017	0.34515	0.15682	200	1.21	002.06	0
002	Protein (%)	0961	24.445	0.51000	24.017	0.34515	0.15682	200	1.24	002.06	0
002	Protein (%)	0541	24.450	0.12000	24.017	0.34515	0.15682	200	1.25	002.06	0
002	Protein (%)	0843	24.450	0.48000	24.017	0.34515	0.15682	200	1.25	002.06	0
002	Protein (%)	0921	24.460	0.00000	24.017	0.34515	0.15682	200	1.28	002.05	0
002	Protein (%)	0957	24.480	0.10000	24.017	0.34515	0.15682	200	1.34	002.06	0
002	Protein (%)	2006	24.480	0.38000	24.017	0.34515	0.15682	200	1.34	002.06	0
002	Protein (%)	0358	24.525	0.87000	24.017	0.34515	0.15682	200	1.47	002.06	0
002	Protein (%)	0043	24.540	0.34000	24.017	0.34515	0.15682	200	1.51	002.06	0
002	Protein (%)	0018	24.550	0.10000	24.017	0.34515	0.15682	200	1.54	002.06	0
002	Protein (%)	0629	24.550	0.08000	24.017	0.34515	0.15682	200	1.54	002.10	0
002	Protein (%)	0903	24.555	0.01000	24.017	0.34515	0.15682	200	1.56	002.05	0
002	Protein (%)	0047	24.560	0.12000	24.017	0.34515	0.15682	200	1.57	002.06	0
002	Protein (%)	0574	24.610	0.54000	24.017	0.34515	0.15682	200	1.72	002.06	0
002	Protein (%)	0511	24.665	0.25000	24.017	0.34515	0.15682	200	1.88	002.06	0
002	Protein (%)	0895	24.695	0.01000	24.017	0.34515	0.15682	200	1.96	002.05	0
002	Protein (%)	0300	24.704	0.09800	24.017	0.34515	0.15682	200	1.99	002.06	0
002	Protein (%)	0951	24.725	0.11000	24.017	0.34515	0.15682	200	2.05	002.11	0
002	Protein (%)	0345	24.745	0.19000	24.017	0.34515	0.15682	200	2.11	002.06	0
002	Protein (%)	0554	24.765	0.37000	24.017	0.34515	0.15682	200	2.17	002.06	0
002	Protein (%)	0853	24.765	0.25000	24.017	0.34515	0.15682	200	2.17	002.06	0
002	Protein (%)	2016	24.890	0.70000	24.017	0.34515	0.15682	200	2.53	002.06	0
002	Protein (%)	0918	24.970	0.18000	24.017	0.34515	0.15682	200	2.76	002.06	0
002	Protein (%)	0692	25.100	0.00000	24.017	0.34515	0.15682	200	3.14	002.06	0
002	Protein (%)	0720	25.230	0.04000	24.017	0.34515	0.15682	200	3.51	002.11	0
002	Protein (%)	0889	25.245	0.05000	24.017	0.34515	0.15682	200	3.56	002.11	0
002	Protein (%)	0581	26.005	0.25000	24.017	0.34515	0.15682	200	5.76	002.00	0
002	Protein (%)	0520	27.060	0.00000	24.017	0.34515	0.15682	200	8.82	002.06	0
002	Protein (%)	0876	21.550	1.3000	24.017	0.34515	0.15682	200	-7.15	002.06	1
002	Protein (%)	0596	25.035	3.2900	24.017	0.34515	0.15682	200	2.95	002.05	1
002	Protein (%)	0880	25.900	3.6000	24.017	0.34515	0.15682	200	5.45	002.06	1
002	Protein (%)	0910	0.00000	0.00000	24.017	0.34515	0.15682	200	-69.58	002.06	2
003	Fat (%)	0357	4.6000	0.20000	5.4502	0.17092	0.08629	151	-4.97	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0062	4.7630	0.00400	5.4502	0.17092	0.08629	151	-4.02	003.10	0
003	Fat (%)	0853	4.9650	0.01000	5.4502	0.17092	0.08629	151	-2.84	003.14	0
003	Fat (%)	0553	4.9750	0.05000	5.4502	0.17092	0.08629	151	-2.78	003.11	0
003	Fat (%)	0720	5.0600	0.02000	5.4502	0.17092	0.08629	151	-2.28	003.11	0
003	Fat (%)	0037	5.0650	0.07000	5.4502	0.17092	0.08629	151	-2.25	003.14	0
003	Fat (%)	0574	5.1000	0.04000	5.4502	0.17092	0.08629	151	-2.05	003.06	0
003	Fat (%)	0613	5.1250	0.13000	5.4502	0.17092	0.08629	151	-1.90	003.14	0
003	Fat (%)	0619	5.1250	0.25000	5.4502	0.17092	0.08629	151	-1.90	003.14	0
003	Fat (%)	0553	5.1550	0.05000	5.4502	0.17092	0.08629	151	-1.73	003.10	0
003	Fat (%)	0529	5.1650	0.03000	5.4502	0.17092	0.08629	151	-1.67	003.14	0
003	Fat (%)	2068	5.1750	0.01000	5.4502	0.17092	0.08629	151	-1.61	003.09	0
003	Fat (%)	0297	5.1800	0.00000	5.4502	0.17092	0.08629	151	-1.58	003.11	0
003	Fat (%)	0889	5.1900	0.02000	5.4502	0.17092	0.08629	151	-1.52	003.11	0
003	Fat (%)	0723	5.1900	0.00000	5.4502	0.17092	0.08629	151	-1.52	003.09	0
003	Fat (%)	0563	5.1917	0.00800	5.4502	0.17092	0.08629	151	-1.51	003.01	0
003	Fat (%)	2012	5.2100	0.06000	5.4502	0.17092	0.08629	151	-1.41	003.09	0
003	Fat (%)	2022	5.2100	0.00000	5.4502	0.17092	0.08629	151	-1.41	003.10	0
003	Fat (%)	0693	5.2200	0.14000	5.4502	0.17092	0.08629	151	-1.35	003.10	0
003	Fat (%)	0574	5.2350	0.21000	5.4502	0.17092	0.08629	151	-1.26	003.14	0
003	Fat (%)	0619	5.2500	0.02000	5.4502	0.17092	0.08629	151	-1.17	003.10	0
003	Fat (%)	0674	5.2550	0.31000	5.4502	0.17092	0.08629	151	-1.14	003.09	0
003	Fat (%)	0940	5.2550	0.07000	5.4502	0.17092	0.08629	151	-1.14	003.12	0
003	Fat (%)	0229	5.2600	0.02000	5.4502	0.17092	0.08629	151	-1.11	003.14	0
003	Fat (%)	0144	5.2700	0.08000	5.4502	0.17092	0.08629	151	-1.05	003.14	0
003	Fat (%)	0913	5.2700	0.04000	5.4502	0.17092	0.08629	151	-1.05	003.14	0
003	Fat (%)	0952	5.2900	0.00000	5.4502	0.17092	0.08629	151	-0.94	003.10	0
003	Fat (%)	0629	5.3000	0.02000	5.4502	0.17092	0.08629	151	-0.88	003.10	0
003	Fat (%)	0205	5.3000	0.03000	5.4502	0.17092	0.08629	151	-0.88	003.13	0
003	Fat (%)	0034	5.3050	0.01000	5.4502	0.17092	0.08629	151	-0.85	003.10	0
003	Fat (%)	0175	5.3100	0.02000	5.4502	0.17092	0.08629	151	-0.82	003.14	0
003	Fat (%)	0852	5.3150	0.05000	5.4502	0.17092	0.08629	151	-0.79	003.11	0
003	Fat (%)	0202	5.3150	0.03000	5.4502	0.17092	0.08629	151	-0.79	003.14	0
003	Fat (%)	0939	5.3250	0.03000	5.4502	0.17092	0.08629	151	-0.73	003.00	0
003	Fat (%)	0297	5.3350	0.01000	5.4502	0.17092	0.08629	151	-0.67	003.06	0
003	Fat (%)	0045	5.3350	0.19000	5.4502	0.17092	0.08629	151	-0.67	003.10	0
003	Fat (%)	0728	5.3350	0.09000	5.4502	0.17092	0.08629	151	-0.67	003.10	0
003	Fat (%)	0860	5.3400	0.06000	5.4502	0.17092	0.08629	151	-0.64	003.10	0
003	Fat (%)	2011	5.3400	0.18000	5.4502	0.17092	0.08629	151	-0.64	003.10	0
003	Fat (%)	0089	5.3400	0.00000	5.4502	0.17092	0.08629	151	-0.64	003.14	0
003	Fat (%)	0152	5.3500	0.10000	5.4502	0.17092	0.08629	151	-0.59	003.09	0
003	Fat (%)	0226	5.3500	0.10000	5.4502	0.17092	0.08629	151	-0.59	003.09	0
003	Fat (%)	0298	5.3600	0.02000	5.4502	0.17092	0.08629	151	-0.53	003.10	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0033	5.3650	0.07000	5.4502	0.17092	0.08629	151	-0.50	003.13	0
003	Fat (%)	0337	5.3750	0.09000	5.4502	0.17092	0.08629	151	-0.44	003.00	0
003	Fat (%)	0148	5.3750	0.01000	5.4502	0.17092	0.08629	151	-0.44	003.06	0
003	Fat (%)	0895	5.3750	0.01000	5.4502	0.17092	0.08629	151	-0.44	003.12	0
003	Fat (%)	0009	5.3750	0.07000	5.4502	0.17092	0.08629	151	-0.44	003.14	0
003	Fat (%)	0720	5.3800	0.02000	5.4502	0.17092	0.08629	151	-0.41	003.00	0
003	Fat (%)	0098	5.3800	0.02000	5.4502	0.17092	0.08629	151	-0.41	003.10	0
003	Fat (%)	0505	5.3850	0.07000	5.4502	0.17092	0.08629	151	-0.38	003.09	0
003	Fat (%)	0903	5.3850	0.01000	5.4502	0.17092	0.08629	151	-0.38	003.12	0
003	Fat (%)	0870	5.3882	0.02770	5.4502	0.17092	0.08629	151	-0.36	003.10	0
003	Fat (%)	0520	5.3900	0.08000	5.4502	0.17092	0.08629	151	-0.35	003.14	0
003	Fat (%)	0164	5.3950	0.01000	5.4502	0.17092	0.08629	151	-0.32	003.06	0
003	Fat (%)	0598	5.3950	0.01000	5.4502	0.17092	0.08629	151	-0.32	003.14	0
003	Fat (%)	0848	5.3950	0.51000	5.4502	0.17092	0.08629	151	-0.32	003.14	0
003	Fat (%)	2018	5.4000	0.04000	5.4502	0.17092	0.08629	151	-0.29	003.10	0
003	Fat (%)	0956	5.4000	0.00000	5.4502	0.17092	0.08629	151	-0.29	003.14	0
003	Fat (%)	0066	5.4100	0.02000	5.4502	0.17092	0.08629	151	-0.24	003.14	0
003	Fat (%)	0511	5.4250	0.01000	5.4502	0.17092	0.08629	151	-0.15	003.06	0
003	Fat (%)	0536	5.4250	0.17000	5.4502	0.17092	0.08629	151	-0.15	003.99	0
003	Fat (%)	0687	5.4250	0.05000	5.4502	0.17092	0.08629	151	-0.15	003.06	0
003	Fat (%)	2062	5.4277	0.01160	5.4502	0.17092	0.08629	151	-0.13	003.12	0
003	Fat (%)	0407	5.4300	0.10000	5.4502	0.17092	0.08629	151	-0.12	003.14	0
003	Fat (%)	0504	5.4350	0.27000	5.4502	0.17092	0.08629	151	-0.09	003.01	0
003	Fat (%)	0425	5.4350	0.03000	5.4502	0.17092	0.08629	151	-0.09	003.06	0
003	Fat (%)	0968	5.4435	0.00300	5.4502	0.17092	0.08629	151	-0.04	003.09	0
003	Fat (%)	0354	5.4450	0.01000	5.4502	0.17092	0.08629	151	-0.03	003.09	0
003	Fat (%)	0042	5.4450	0.03000	5.4502	0.17092	0.08629	151	-0.03	003.10	0
003	Fat (%)	2006	5.4450	0.07000	5.4502	0.17092	0.08629	151	-0.03	003.12	0
003	Fat (%)	0187	5.4450	0.09000	5.4502	0.17092	0.08629	151	-0.03	003.13	0
003	Fat (%)	2006	5.4450	0.07000	5.4502	0.17092	0.08629	151	-0.03	003.13	0
003	Fat (%)	0964	5.4500	0.24000	5.4502	0.17092	0.08629	151	0.00	003.09	0
003	Fat (%)	0685	5.4550	0.01000	5.4502	0.17092	0.08629	151	0.03	003.09	0
003	Fat (%)	0878	5.4550	0.07000	5.4502	0.17092	0.08629	151	0.03	003.14	0
003	Fat (%)	0508	5.4554	0.03160	5.4502	0.17092	0.08629	151	0.03	003.09	0
003	Fat (%)	0552	5.4600	0.02000	5.4502	0.17092	0.08629	151	0.06	003.06	0
003	Fat (%)	0868	5.4600	0.08000	5.4502	0.17092	0.08629	151	0.06	003.10	0
003	Fat (%)	0019	5.4600	0.12000	5.4502	0.17092	0.08629	151	0.06	003.14	0
003	Fat (%)	0199	5.4700	0.02000	5.4502	0.17092	0.08629	151	0.12	003.06	0
003	Fat (%)	0353	5.4700	0.06000	5.4502	0.17092	0.08629	151	0.12	003.09	0
003	Fat (%)	0891	5.4742	0.04830	5.4502	0.17092	0.08629	151	0.14	003.14	0
003	Fat (%)	0294	5.4750	0.03000	5.4502	0.17092	0.08629	151	0.15	003.06	0
003	Fat (%)	0682	5.4750	0.05000	5.4502	0.17092	0.08629	151	0.15	003.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0178	5.4750	0.05000	5.4502	0.17092	0.08629	151	0.15	003.10	0
003	Fat (%)	0233	5.4750	0.01000	5.4502	0.17092	0.08629	151	0.15	003.10	0
003	Fat (%)	0123	5.4750	0.03000	5.4502	0.17092	0.08629	151	0.15	003.13	0
003	Fat (%)	0889	5.4800	0.04000	5.4502	0.17092	0.08629	151	0.17	003.10	0
003	Fat (%)	0098	5.4800	0.12000	5.4502	0.17092	0.08629	151	0.17	003.13	0
003	Fat (%)	0653	5.4850	0.01000	5.4502	0.17092	0.08629	151	0.20	003.09	0
003	Fat (%)	0581	5.4900	0.14000	5.4502	0.17092	0.08629	151	0.23	003.14	0
003	Fat (%)	0354	5.4950	0.01000	5.4502	0.17092	0.08629	151	0.26	003.00	0
003	Fat (%)	2063	5.4950	0.03000	5.4502	0.17092	0.08629	151	0.26	003.06	0
003	Fat (%)	0001	5.4970	0.04800	5.4502	0.17092	0.08629	151	0.27	003.14	0
003	Fat (%)	0345	5.5000	0.10000	5.4502	0.17092	0.08629	151	0.29	003.00	0
003	Fat (%)	0015	5.5000	0.14000	5.4502	0.17092	0.08629	151	0.29	003.14	0
003	Fat (%)	0108	5.5000	0.24000	5.4502	0.17092	0.08629	151	0.29	003.14	0
003	Fat (%)	0278	5.5000	0.00000	5.4502	0.17092	0.08629	151	0.29	003.14	0
003	Fat (%)	0035	5.5050	0.01000	5.4502	0.17092	0.08629	151	0.32	003.00	0
003	Fat (%)	0142	5.5100	0.06000	5.4502	0.17092	0.08629	151	0.35	003.00	0
003	Fat (%)	0849	5.5115	0.02300	5.4502	0.17092	0.08629	151	0.36	003.06	0
003	Fat (%)	0726	5.5115	0.00300	5.4502	0.17092	0.08629	151	0.36	003.14	0
003	Fat (%)	2053	5.5200	0.02000	5.4502	0.17092	0.08629	151	0.41	003.00	0
003	Fat (%)	0098	5.5200	0.02000	5.4502	0.17092	0.08629	151	0.41	003.09	0
003	Fat (%)	0948	5.5250	0.09000	5.4502	0.17092	0.08629	151	0.44	003.14	0
003	Fat (%)	0660	5.5300	0.28000	5.4502	0.17092	0.08629	151	0.47	003.13	0
003	Fat (%)	0100	5.5300	0.10000	5.4502	0.17092	0.08629	151	0.47	003.10	0
003	Fat (%)	2065	5.5350	0.03000	5.4502	0.17092	0.08629	151	0.50	003.12	0
003	Fat (%)	0047	5.5350	0.01000	5.4502	0.17092	0.08629	151	0.50	003.99	0
003	Fat (%)	0638	5.5500	0.00000	5.4502	0.17092	0.08629	151	0.58	003.09	0
003	Fat (%)	0689	5.5500	0.10000	5.4502	0.17092	0.08629	151	0.58	003.10	0
003	Fat (%)	0689	5.5500	0.30000	5.4502	0.17092	0.08629	151	0.58	003.06	0
003	Fat (%)	0242	5.5500	0.04000	5.4502	0.17092	0.08629	151	0.58	003.10	0
003	Fat (%)	0171	5.5600	0.02000	5.4502	0.17092	0.08629	151	0.64	003.12	0
003	Fat (%)	0918	5.5650	0.05000	5.4502	0.17092	0.08629	151	0.67	003.06	0
003	Fat (%)	0948	5.5650	0.07000	5.4502	0.17092	0.08629	151	0.67	003.09	0
003	Fat (%)	0646	5.5650	0.13000	5.4502	0.17092	0.08629	151	0.67	003.13	0
003	Fat (%)	0074	5.5700	0.04000	5.4502	0.17092	0.08629	151	0.70	003.06	0
003	Fat (%)	0676	5.5735	0.01900	5.4502	0.17092	0.08629	151	0.72	003.10	0
003	Fat (%)	0695	5.5750	0.03000	5.4502	0.17092	0.08629	151	0.73	003.10	0
003	Fat (%)	0861	5.5800	0.16000	5.4502	0.17092	0.08629	151	0.76	003.10	0
003	Fat (%)	0004	5.5850	0.15000	5.4502	0.17092	0.08629	151	0.79	003.09	0
003	Fat (%)	0190	5.5850	0.09000	5.4502	0.17092	0.08629	151	0.79	003.14	0
003	Fat (%)	0106	5.6000	0.00000	5.4502	0.17092	0.08629	151	0.88	003.01	0
003	Fat (%)	2042	5.6000	0.00000	5.4502	0.17092	0.08629	151	0.88	003.10	0
003	Fat (%)	0675	5.6350	0.05000	5.4502	0.17092	0.08629	151	1.08	003.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0083	5.6450	0.47000	5.4502	0.17092	0.08629	151	1.14	003.06	0
003	Fat (%)	0893	5.6450	0.01000	5.4502	0.17092	0.08629	151	1.14	003.12	0
003	Fat (%)	0300	5.6468	0.22850	5.4502	0.17092	0.08629	151	1.15	003.06	0
003	Fat (%)	0265	5.6500	0.30000	5.4502	0.17092	0.08629	151	1.17	003.14	0
003	Fat (%)	0413	5.6500	0.30000	5.4502	0.17092	0.08629	151	1.17	003.14	0
003	Fat (%)	0897	5.6650	0.01000	5.4502	0.17092	0.08629	151	1.26	003.12	0
003	Fat (%)	0852	5.7000	0.38000	5.4502	0.17092	0.08629	151	1.46	003.06	0
003	Fat (%)	0510	5.7000	0.20000	5.4502	0.17092	0.08629	151	1.46	003.09	0
003	Fat (%)	0681	5.7000	0.06000	5.4502	0.17092	0.08629	151	1.46	003.13	0
003	Fat (%)	2067	5.7140	0.20000	5.4502	0.17092	0.08629	151	1.54	003.10	0
003	Fat (%)	0609	5.7150	0.07000	5.4502	0.17092	0.08629	151	1.55	003.10	0
003	Fat (%)	0175	5.7500	0.18000	5.4502	0.17092	0.08629	151	1.75	003.00	0
003	Fat (%)	0590	5.7500	0.50000	5.4502	0.17092	0.08629	151	1.75	003.09	0
003	Fat (%)	0885	5.7600	0.14000	5.4502	0.17092	0.08629	151	1.81	003.00	0
003	Fat (%)	0139	5.7950	0.01000	5.4502	0.17092	0.08629	151	2.02	003.00	0
003	Fat (%)	0309	5.8191	0.13460	5.4502	0.17092	0.08629	151	2.16	003.00	0
003	Fat (%)	0049	5.8200	0.02000	5.4502	0.17092	0.08629	151	2.16	003.14	0
003	Fat (%)	0065	5.8400	0.01000	5.4502	0.17092	0.08629	151	2.28	003.00	0
003	Fat (%)	0358	5.9750	0.17000	5.4502	0.17092	0.08629	151	3.07	003.14	0
003	Fat (%)	0910	6.2200	0.04000	5.4502	0.17092	0.08629	151	4.50	003.06	0
003	Fat (%)	0876	6.4500	0.50000	5.4502	0.17092	0.08629	151	5.85	003.00	0
003	Fat (%)	2023	6.4650	0.29000	5.4502	0.17092	0.08629	151	5.94	003.14	0
003	Fat (%)	0011	6.4900	0.00000	5.4502	0.17092	0.08629	151	6.08	003.06	0
003	Fat (%)	0555	6.5000	0.40000	5.4502	0.17092	0.08629	151	6.14	003.06	0
003	Fat (%)	0880	7.3500	1.3000	5.4502	0.17092	0.08629	151	11.12	003.99	1
003	Fat (%)	0618	7.7200	0.24000	5.4502	0.17092	0.08629	151	13.28	003.10	2
004	Fiber (%)	0845	0.00000	0.00000	2.5238	0.31659	0.08907	124	-7.97	004.06	0
004	Fiber (%)	0265	1.4000	0.20000	2.5238	0.31659	0.08907	124	-3.55	004.07	0
004	Fiber (%)	0510	1.6000	0.20000	2.5238	0.31659	0.08907	124	-2.92	004.07	0
004	Fiber (%)	0178	1.8600	0.22000	2.5238	0.31659	0.08907	124	-2.10	004.07	0
004	Fiber (%)	0553	1.8850	0.37000	2.5238	0.31659	0.08907	124	-2.02	004.07	0
004	Fiber (%)	0596	1.9950	0.17000	2.5238	0.31659	0.08907	124	-1.67	004.00	0
004	Fiber (%)	2042	2.0100	0.00000	2.5238	0.31659	0.08907	124	-1.62	004.03	0
004	Fiber (%)	0505	2.0450	0.01000	2.5238	0.31659	0.08907	124	-1.51	004.07	0
004	Fiber (%)	0940	2.0450	0.03000	2.5238	0.31659	0.08907	124	-1.51	004.99	0
004	Fiber (%)	0629	2.0500	0.10000	2.5238	0.31659	0.08907	124	-1.50	004.99	0
004	Fiber (%)	0337	2.0900	0.28000	2.5238	0.31659	0.08907	124	-1.37	004.00	0
004	Fiber (%)	0939	2.0900	0.02000	2.5238	0.31659	0.08907	124	-1.37	004.07	0
004	Fiber (%)	0202	2.1450	0.05000	2.5238	0.31659	0.08907	124	-1.20	004.07	0
004	Fiber (%)	0913	2.1500	0.06000	2.5238	0.31659	0.08907	124	-1.18	004.07	0
004	Fiber (%)	0042	2.1900	0.12000	2.5238	0.31659	0.08907	124	-1.05	004.07	0
004	Fiber (%)	0033	2.2000	0.12000	2.5238	0.31659	0.08907	124	-1.02	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0098	2.2000	0.14000	2.5238	0.31659	0.08907	124	-1.02	004.07	0
004	Fiber (%)	0229	2.2000	0.20000	2.5238	0.31659	0.08907	124	-1.02	004.07	0
004	Fiber (%)	0035	2.2150	0.01000	2.5238	0.31659	0.08907	124	-0.98	004.07	0
004	Fiber (%)	0563	2.2211	0.02990	2.5238	0.31659	0.08907	124	-0.96	004.07	0
004	Fiber (%)	0123	2.2250	0.05000	2.5238	0.31659	0.08907	124	-0.94	004.07	0
004	Fiber (%)	0552	2.2450	0.03000	2.5238	0.31659	0.08907	124	-0.88	004.06	0
004	Fiber (%)	0590	2.2500	0.10000	2.5238	0.31659	0.08907	124	-0.86	004.06	0
004	Fiber (%)	0956	2.2500	0.10000	2.5238	0.31659	0.08907	124	-0.86	004.07	0
004	Fiber (%)	0298	2.2600	0.02000	2.5238	0.31659	0.08907	124	-0.83	004.00	0
004	Fiber (%)	0529	2.2700	0.00000	2.5238	0.31659	0.08907	124	-0.80	004.07	0
004	Fiber (%)	0708	2.2700	0.10000	2.5238	0.31659	0.08907	124	-0.80	004.07	0
004	Fiber (%)	2053	2.2700	0.00000	2.5238	0.31659	0.08907	124	-0.80	004.07	0
004	Fiber (%)	0613	2.2750	0.19000	2.5238	0.31659	0.08907	124	-0.79	004.07	0
004	Fiber (%)	0199	2.2850	0.03000	2.5238	0.31659	0.08907	124	-0.75	004.06	0
004	Fiber (%)	0610	2.3000	0.00000	2.5238	0.31659	0.08907	124	-0.71	004.06	0
004	Fiber (%)	0278	2.3000	0.00000	2.5238	0.31659	0.08907	124	-0.71	004.07	0
004	Fiber (%)	0100	2.3050	0.05000	2.5238	0.31659	0.08907	124	-0.69	004.07	0
004	Fiber (%)	0619	2.3200	0.10000	2.5238	0.31659	0.08907	124	-0.64	004.07	0
004	Fiber (%)	0089	2.3400	0.00000	2.5238	0.31659	0.08907	124	-0.58	004.07	0
004	Fiber (%)	0951	2.3400	0.12000	2.5238	0.31659	0.08907	124	-0.58	004.07	0
004	Fiber (%)	0164	2.3500	0.10000	2.5238	0.31659	0.08907	124	-0.55	004.00	0
004	Fiber (%)	0897	2.3500	0.02000	2.5238	0.31659	0.08907	124	-0.55	004.06	0
004	Fiber (%)	0353	2.3500	0.00000	2.5238	0.31659	0.08907	124	-0.55	004.00	0
004	Fiber (%)	2022	2.3700	0.00000	2.5238	0.31659	0.08907	124	-0.49	004.06	0
004	Fiber (%)	0015	2.3800	0.06000	2.5238	0.31659	0.08907	124	-0.45	004.07	0
004	Fiber (%)	0646	2.4000	0.16000	2.5238	0.31659	0.08907	124	-0.39	004.07	0
004	Fiber (%)	0169	2.4150	0.25000	2.5238	0.31659	0.08907	124	-0.34	004.00	0
004	Fiber (%)	0948	2.4150	0.01000	2.5238	0.31659	0.08907	124	-0.34	004.06	0
004	Fiber (%)	0083	2.4150	0.11000	2.5238	0.31659	0.08907	124	-0.34	004.07	0
004	Fiber (%)	0098	2.4350	0.15000	2.5238	0.31659	0.08907	124	-0.28	004.06	0
004	Fiber (%)	2012	2.4400	0.04000	2.5238	0.31659	0.08907	124	-0.26	004.07	0
004	Fiber (%)	0190	2.4600	0.08000	2.5238	0.31659	0.08907	124	-0.20	004.07	0
004	Fiber (%)	0653	2.4650	0.01000	2.5238	0.31659	0.08907	124	-0.19	004.06	0
004	Fiber (%)	0175	2.4700	0.10000	2.5238	0.31659	0.08907	124	-0.17	004.00	0
004	Fiber (%)	0004	2.4750	0.31000	2.5238	0.31659	0.08907	124	-0.15	004.07	0
004	Fiber (%)	0354	2.4750	0.03000	2.5238	0.31659	0.08907	124	-0.15	004.07	0
004	Fiber (%)	0861	2.4750	0.09000	2.5238	0.31659	0.08907	124	-0.15	004.07	0
004	Fiber (%)	0407	2.4800	0.10000	2.5238	0.31659	0.08907	124	-0.14	004.07	0
004	Fiber (%)	0520	2.4800	0.02000	2.5238	0.31659	0.08907	124	-0.14	004.07	0
004	Fiber (%)	0066	2.4850	0.11000	2.5238	0.31659	0.08907	124	-0.12	004.07	0
004	Fiber (%)	0242	2.4850	0.11000	2.5238	0.31659	0.08907	124	-0.12	004.07	0
004	Fiber (%)	0643	2.4900	0.12000	2.5238	0.31659	0.08907	124	-0.11	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0413	2.5000	0.20000	2.5238	0.31659	0.08907	124	-0.08	004.07	0
004	Fiber (%)	0968	2.5040	0.09800	2.5238	0.31659	0.08907	124	-0.06	004.06	0
004	Fiber (%)	0893	2.5050	0.01000	2.5238	0.31659	0.08907	124	-0.06	004.06	0
004	Fiber (%)	0849	2.5050	0.03000	2.5238	0.31659	0.08907	124	-0.06	004.07	0
004	Fiber (%)	0726	2.5100	0.00400	2.5238	0.31659	0.08907	124	-0.04	004.07	0
004	Fiber (%)	0009	2.5150	0.19000	2.5238	0.31659	0.08907	124	-0.03	004.07	0
004	Fiber (%)	0309	2.5206	0.07800	2.5238	0.31659	0.08907	124	-0.01	004.00	0
004	Fiber (%)	0723	2.5215	0.00000	2.5238	0.31659	0.08907	124	-0.01	004.07	0
004	Fiber (%)	0685	2.5300	0.06000	2.5238	0.31659	0.08907	124	0.02	004.03	0
004	Fiber (%)	0425	2.5500	0.10000	2.5238	0.31659	0.08907	124	0.08	004.00	0
004	Fiber (%)	0034	2.5500	0.10000	2.5238	0.31659	0.08907	124	0.08	004.07	0
004	Fiber (%)	0003	2.5550	0.03000	2.5238	0.31659	0.08907	124	0.10	004.07	0
004	Fiber (%)	0885	2.5650	0.07000	2.5238	0.31659	0.08907	124	0.13	004.06	0
004	Fiber (%)	0345	2.5750	0.15000	2.5238	0.31659	0.08907	124	0.16	004.00	0
004	Fiber (%)	0682	2.5750	0.05000	2.5238	0.31659	0.08907	124	0.16	004.07	0
004	Fiber (%)	0297	2.5800	0.00000	2.5238	0.31659	0.08907	124	0.18	004.07	0
004	Fiber (%)	0300	2.5875	0.04900	2.5238	0.31659	0.08907	124	0.20	004.07	0
004	Fiber (%)	0205	2.5900	0.04000	2.5238	0.31659	0.08907	124	0.21	004.06	0
004	Fiber (%)	0581	2.6000	0.40000	2.5238	0.31659	0.08907	124	0.24	004.07	0
004	Fiber (%)	0891	2.6095	0.00640	2.5238	0.31659	0.08907	124	0.27	004.07	0
004	Fiber (%)	2023	2.6300	0.04000	2.5238	0.31659	0.08907	124	0.34	004.00	0
004	Fiber (%)	0868	2.6300	0.02000	2.5238	0.31659	0.08907	124	0.34	004.06	0
004	Fiber (%)	0952	2.6350	0.03000	2.5238	0.31659	0.08907	124	0.35	004.06	0
004	Fiber (%)	0074	2.6350	0.23000	2.5238	0.31659	0.08907	124	0.35	004.07	0
004	Fiber (%)	2063	2.6400	0.02000	2.5238	0.31659	0.08907	124	0.37	004.06	0
004	Fiber (%)	0964	2.6500	0.02000	2.5238	0.31659	0.08907	124	0.40	004.06	0
004	Fiber (%)	0904	2.6500	0.14000	2.5238	0.31659	0.08907	124	0.40	004.07	0
004	Fiber (%)	2018	2.6750	0.05000	2.5238	0.31659	0.08907	124	0.48	004.07	0
004	Fiber (%)	2011	2.6850	0.07000	2.5238	0.31659	0.08907	124	0.51	004.00	0
004	Fiber (%)	0948	2.6850	0.11000	2.5238	0.31659	0.08907	124	0.51	004.07	0
004	Fiber (%)	0511	2.7000	0.20000	2.5238	0.31659	0.08907	124	0.56	004.00	0
004	Fiber (%)	0689	2.7000	0.20000	2.5238	0.31659	0.08907	124	0.56	004.06	0
004	Fiber (%)	0941	2.7000	0.20000	2.5238	0.31659	0.08907	124	0.56	004.06	0
004	Fiber (%)	0910	2.7000	0.20000	2.5238	0.31659	0.08907	124	0.56	004.07	0
004	Fiber (%)	0504	2.7250	0.11000	2.5238	0.31659	0.08907	124	0.64	004.00	0
004	Fiber (%)	0918	2.7350	0.11000	2.5238	0.31659	0.08907	124	0.67	004.06	0
004	Fiber (%)	2006	2.7400	0.06000	2.5238	0.31659	0.08907	124	0.68	004.06	0
004	Fiber (%)	0354	2.7500	0.00000	2.5238	0.31659	0.08907	124	0.71	004.00	0
004	Fiber (%)	0171	2.7750	0.01000	2.5238	0.31659	0.08907	124	0.79	004.00	0
004	Fiber (%)	2065	2.7800	0.02000	2.5238	0.31659	0.08907	124	0.81	004.06	0
004	Fiber (%)	0626	2.7900	0.14000	2.5238	0.31659	0.08907	124	0.84	004.03	0
004	Fiber (%)	0876	2.8000	0.20000	2.5238	0.31659	0.08907	124	0.87	004.00	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0674	2.8000	0.00000	2.5238	0.31659	0.08907	124	0.87	004.06	0
004	Fiber (%)	0878	2.8050	0.03000	2.5238	0.31659	0.08907	124	0.89	004.06	0
004	Fiber (%)	0598	2.8100	0.02000	2.5238	0.31659	0.08907	124	0.90	004.07	0
004	Fiber (%)	0695	2.8200	0.14000	2.5238	0.31659	0.08907	124	0.94	004.00	0
004	Fiber (%)	0675	2.8300	0.06000	2.5238	0.31659	0.08907	124	0.97	004.06	0
004	Fiber (%)	0720	2.8450	0.07000	2.5238	0.31659	0.08907	124	1.01	004.06	0
004	Fiber (%)	0226	2.8500	0.10000	2.5238	0.31659	0.08907	124	1.03	004.00	0
004	Fiber (%)	0693	2.9300	0.40000	2.5238	0.31659	0.08907	124	1.28	004.03	0
004	Fiber (%)	0860	2.9400	0.00000	2.5238	0.31659	0.08907	124	1.31	004.07	0
004	Fiber (%)	0848	2.9900	0.06000	2.5238	0.31659	0.08907	124	1.47	004.07	0
004	Fiber (%)	2062	2.9997	0.06660	2.5238	0.31659	0.08907	124	1.50	004.06	0
004	Fiber (%)	0294	3.0000	0.00000	2.5238	0.31659	0.08907	124	1.50	004.07	0
004	Fiber (%)	0870	3.1550	0.14240	2.5238	0.31659	0.08907	124	1.99	004.07	0
004	Fiber (%)	0728	3.2650	0.13000	2.5238	0.31659	0.08907	124	2.34	004.06	0
004	Fiber (%)	2058	3.3600	0.30000	2.5238	0.31659	0.08907	124	2.64	004.03	0
004	Fiber (%)	0536	3.3700	0.02000	2.5238	0.31659	0.08907	124	2.67	004.07	0
004	Fiber (%)	0720	3.4000	0.00000	2.5238	0.31659	0.08907	124	2.77	004.11	0
004	Fiber (%)	0903	3.4050	0.01000	2.5238	0.31659	0.08907	124	2.78	004.06	0
004	Fiber (%)	0895	3.4100	0.02000	2.5238	0.31659	0.08907	124	2.80	004.06	0
004	Fiber (%)	0553	3.4300	0.10000	2.5238	0.31659	0.08907	124	2.86	004.11	0
004	Fiber (%)	0951	3.7800	0.16000	2.5238	0.31659	0.08907	124	3.97	004.11	0
004	Fiber (%)	0045	3.8150	0.05000	2.5238	0.31659	0.08907	124	4.08	004.01	0
004	Fiber (%)	0852	3.8350	0.01000	2.5238	0.31659	0.08907	124	4.14	004.11	0
004	Fiber (%)	0609	3.8950	0.11000	2.5238	0.31659	0.08907	124	4.33	004.06	0
004	Fiber (%)	0008	2.2550	0.65000	2.5238	0.31659	0.08907	124	-0.85	004.07	1
004	Fiber (%)	0638	3.3500	0.70000	2.5238	0.31659	0.08907	124	2.61	004.06	1
004	Fiber (%)	0019	3.5350	0.77000	2.5238	0.31659	0.08907	124	3.19	004.07	1
005	Ash (%)	0889	4.7050	0.05000	5.8155	0.18630	0.05758	145	-5.96	005.11	0
005	Ash (%)	0951	4.8450	0.07000	5.8155	0.18630	0.05758	145	-5.21	005.11	0
005	Ash (%)	0874	5.4300	0.02000	5.8155	0.18630	0.05758	145	-2.07	005.01	0
005	Ash (%)	0960	5.4500	0.00000	5.8155	0.18630	0.05758	145	-1.96	005.00	0
005	Ash (%)	0042	5.4600	0.06000	5.8155	0.18630	0.05758	145	-1.91	005.00	0
005	Ash (%)	0008	5.4650	0.01000	5.8155	0.18630	0.05758	145	-1.88	005.00	0
005	Ash (%)	2066	5.4750	0.09000	5.8155	0.18630	0.05758	145	-1.83	005.00	0
005	Ash (%)	0853	5.4800	0.00000	5.8155	0.18630	0.05758	145	-1.80	005.00	0
005	Ash (%)	0957	5.5000	0.02000	5.8155	0.18630	0.05758	145	-1.69	005.00	0
005	Ash (%)	0001	5.5079	0.03010	5.8155	0.18630	0.05758	145	-1.65	005.00	0
005	Ash (%)	0169	5.5100	0.02000	5.8155	0.18630	0.05758	145	-1.64	005.00	0
005	Ash (%)	0541	5.5200	0.00000	5.8155	0.18630	0.05758	145	-1.59	005.00	0
005	Ash (%)	0520	5.5300	0.02000	5.8155	0.18630	0.05758	145	-1.53	005.00	0
005	Ash (%)	0958	5.5450	0.03000	5.8155	0.18630	0.05758	145	-1.45	005.00	0
005	Ash (%)	0089	5.5800	0.00000	5.8155	0.18630	0.05758	145	-1.26	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0358	5.5800	0.02000	5.8155	0.18630	0.05758	145	-1.26	005.00	0
005	Ash (%)	0004	5.5850	0.01000	5.8155	0.18630	0.05758	145	-1.24	005.00	0
005	Ash (%)	0065	5.5857	0.01130	5.8155	0.18630	0.05758	145	-1.23	005.00	0
005	Ash (%)	0870	5.5900	0.00850	5.8155	0.18630	0.05758	145	-1.21	005.00	0
005	Ash (%)	0623	5.6071	0.15360	5.8155	0.18630	0.05758	145	-1.12	005.00	0
005	Ash (%)	0510	5.6150	0.05000	5.8155	0.18630	0.05758	145	-1.08	005.00	0
005	Ash (%)	0959	5.6200	0.02000	5.8155	0.18630	0.05758	145	-1.05	005.00	0
005	Ash (%)	0175	5.6350	0.13000	5.8155	0.18630	0.05758	145	-0.97	005.00	0
005	Ash (%)	2068	5.6400	0.02000	5.8155	0.18630	0.05758	145	-0.94	005.00	0
005	Ash (%)	0723	5.6500	0.00000	5.8155	0.18630	0.05758	145	-0.89	005.00	0
005	Ash (%)	0205	5.6535	0.05900	5.8155	0.18630	0.05758	145	-0.87	005.00	0
005	Ash (%)	0066	5.6550	0.05000	5.8155	0.18630	0.05758	145	-0.86	005.00	0
005	Ash (%)	0108	5.6550	0.11000	5.8155	0.18630	0.05758	145	-0.86	005.00	0
005	Ash (%)	0265	5.6600	0.32000	5.8155	0.18630	0.05758	145	-0.83	005.00	0
005	Ash (%)	0552	5.6600	0.00000	5.8155	0.18630	0.05758	145	-0.83	005.00	0
005	Ash (%)	0967	5.6600	0.10000	5.8155	0.18630	0.05758	145	-0.83	005.99	0
005	Ash (%)	0298	5.6800	0.02000	5.8155	0.18630	0.05758	145	-0.73	005.00	0
005	Ash (%)	0171	5.6850	0.03000	5.8155	0.18630	0.05758	145	-0.70	005.00	0
005	Ash (%)	0650	5.6850	0.11000	5.8155	0.18630	0.05758	145	-0.70	005.00	0
005	Ash (%)	0689	5.6850	0.09000	5.8155	0.18630	0.05758	145	-0.70	005.05	0
005	Ash (%)	0651	5.6890	0.09000	5.8155	0.18630	0.05758	145	-0.68	005.00	0
005	Ash (%)	0918	5.6900	0.12000	5.8155	0.18630	0.05758	145	-0.67	005.00	0
005	Ash (%)	0539	5.6900	0.08000	5.8155	0.18630	0.05758	145	-0.67	005.00	0
005	Ash (%)	0596	5.6950	0.03000	5.8155	0.18630	0.05758	145	-0.65	005.00	0
005	Ash (%)	0728	5.7000	0.14000	5.8155	0.18630	0.05758	145	-0.62	005.99	0
005	Ash (%)	0353	5.7050	0.03000	5.8155	0.18630	0.05758	145	-0.59	005.00	0
005	Ash (%)	2012	5.7100	0.04000	5.8155	0.18630	0.05758	145	-0.57	005.00	0
005	Ash (%)	0337	5.7200	0.32000	5.8155	0.18630	0.05758	145	-0.51	005.00	0
005	Ash (%)	0961	5.7200	0.08000	5.8155	0.18630	0.05758	145	-0.51	005.00	0
005	Ash (%)	0861	5.7250	0.07000	5.8155	0.18630	0.05758	145	-0.49	005.00	0
005	Ash (%)	0845	5.7300	0.12000	5.8155	0.18630	0.05758	145	-0.46	005.00	0
005	Ash (%)	0035	5.7350	0.05000	5.8155	0.18630	0.05758	145	-0.43	005.00	0
005	Ash (%)	0553	5.7400	0.16000	5.8155	0.18630	0.05758	145	-0.41	005.00	0
005	Ash (%)	0178	5.7450	0.05000	5.8155	0.18630	0.05758	145	-0.38	005.00	0
005	Ash (%)	0297	5.7500	0.10000	5.8155	0.18630	0.05758	145	-0.35	005.00	0
005	Ash (%)	0202	5.7500	0.00000	5.8155	0.18630	0.05758	145	-0.35	005.99	0
005	Ash (%)	0589	5.7550	0.23000	5.8155	0.18630	0.05758	145	-0.32	005.00	0
005	Ash (%)	0913	5.7550	0.01000	5.8155	0.18630	0.05758	145	-0.32	005.00	0
005	Ash (%)	0620	5.7575	0.01500	5.8155	0.18630	0.05758	145	-0.31	005.00	0
005	Ash (%)	0613	5.7600	0.12000	5.8155	0.18630	0.05758	145	-0.30	005.99	0
005	Ash (%)	2062	5.7648	0.08330	5.8155	0.18630	0.05758	145	-0.27	005.05	0
005	Ash (%)	0921	5.7700	0.00000	5.8155	0.18630	0.05758	145	-0.24	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0138	5.7720	0.04400	5.8155	0.18630	0.05758	145	-0.23	005.00	0
005	Ash (%)	0139	5.7750	0.05000	5.8155	0.18630	0.05758	145	-0.22	005.00	0
005	Ash (%)	0660	5.7750	0.05000	5.8155	0.18630	0.05758	145	-0.22	005.00	0
005	Ash (%)	2006	5.7750	0.05000	5.8155	0.18630	0.05758	145	-0.22	005.00	0
005	Ash (%)	2063	5.7750	0.01000	5.8155	0.18630	0.05758	145	-0.22	005.05	0
005	Ash (%)	0646	5.7800	0.04000	5.8155	0.18630	0.05758	145	-0.19	005.00	0
005	Ash (%)	0049	5.7850	0.35000	5.8155	0.18630	0.05758	145	-0.16	005.00	0
005	Ash (%)	0083	5.7850	0.03000	5.8155	0.18630	0.05758	145	-0.16	005.00	0
005	Ash (%)	0100	5.7850	0.01000	5.8155	0.18630	0.05758	145	-0.16	005.00	0
005	Ash (%)	0407	5.7850	0.01000	5.8155	0.18630	0.05758	145	-0.16	005.00	0
005	Ash (%)	0682	5.7850	0.03000	5.8155	0.18630	0.05758	145	-0.16	005.00	0
005	Ash (%)	0891	5.7916	0.01320	5.8155	0.18630	0.05758	145	-0.13	005.05	0
005	Ash (%)	0164	5.7950	0.01000	5.8155	0.18630	0.05758	145	-0.11	005.00	0
005	Ash (%)	0425	5.7950	0.01000	5.8155	0.18630	0.05758	145	-0.11	005.00	0
005	Ash (%)	0956	5.8000	0.00000	5.8155	0.18630	0.05758	145	-0.08	005.00	0
005	Ash (%)	0618	5.8050	0.07000	5.8155	0.18630	0.05758	145	-0.06	005.00	0
005	Ash (%)	0574	5.8100	0.04000	5.8155	0.18630	0.05758	145	-0.03	005.99	0
005	Ash (%)	0015	5.8200	0.04000	5.8155	0.18630	0.05758	145	0.02	005.00	0
005	Ash (%)	0187	5.8200	0.04000	5.8155	0.18630	0.05758	145	0.02	005.00	0
005	Ash (%)	0695	5.8250	0.03000	5.8155	0.18630	0.05758	145	0.05	005.05	0
005	Ash (%)	0309	5.8251	0.02660	5.8155	0.18630	0.05758	145	0.05	005.00	0
005	Ash (%)	0643	5.8350	0.03000	5.8155	0.18630	0.05758	145	0.10	005.00	0
005	Ash (%)	0033	5.8350	0.05000	5.8155	0.18630	0.05758	145	0.10	005.05	0
005	Ash (%)	2018	5.8350	0.01000	5.8155	0.18630	0.05758	145	0.10	005.05	0
005	Ash (%)	0622	5.8441	0.00880	5.8155	0.18630	0.05758	145	0.15	005.00	0
005	Ash (%)	0045	5.8500	0.04000	5.8155	0.18630	0.05758	145	0.19	005.00	0
005	Ash (%)	0144	5.8500	0.12000	5.8155	0.18630	0.05758	145	0.19	005.00	0
005	Ash (%)	0951	5.8500	0.04000	5.8155	0.18630	0.05758	145	0.19	005.05	0
005	Ash (%)	0354	5.8600	0.02000	5.8155	0.18630	0.05758	145	0.24	005.00	0
005	Ash (%)	0142	5.8600	0.00000	5.8155	0.18630	0.05758	145	0.24	005.00	0
005	Ash (%)	2011	5.8600	0.08000	5.8155	0.18630	0.05758	145	0.24	005.05	0
005	Ash (%)	0674	5.8650	0.05000	5.8155	0.18630	0.05758	145	0.27	005.00	0
005	Ash (%)	2023	5.8650	0.01000	5.8155	0.18630	0.05758	145	0.27	005.99	0
005	Ash (%)	0536	5.8750	0.03000	5.8155	0.18630	0.05758	145	0.32	005.99	0
005	Ash (%)	0278	5.8850	0.01000	5.8155	0.18630	0.05758	145	0.37	005.00	0
005	Ash (%)	0581	5.8900	0.08000	5.8155	0.18630	0.05758	145	0.40	005.00	0
005	Ash (%)	0123	5.8900	0.06000	5.8155	0.18630	0.05758	145	0.40	005.00	0
005	Ash (%)	2065	5.8900	0.02000	5.8155	0.18630	0.05758	145	0.40	005.05	0
005	Ash (%)	0652	5.9000	0.00000	5.8155	0.18630	0.05758	145	0.45	005.99	0
005	Ash (%)	0098	5.9100	0.04000	5.8155	0.18630	0.05758	145	0.51	005.00	0
005	Ash (%)	2058	5.9100	0.04000	5.8155	0.18630	0.05758	145	0.51	005.05	0
005	Ash (%)	0590	5.9150	0.09000	5.8155	0.18630	0.05758	145	0.53	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0609	5.9200	0.04000	5.8155	0.18630	0.05758	145	0.56	005.00	0
005	Ash (%)	0685	5.9200	0.14000	5.8155	0.18630	0.05758	145	0.56	005.05	0
005	Ash (%)	0878	5.9200	0.04000	5.8155	0.18630	0.05758	145	0.56	005.05	0
005	Ash (%)	0889	5.9200	0.10000	5.8155	0.18630	0.05758	145	0.56	005.05	0
005	Ash (%)	2042	5.9200	0.02000	5.8155	0.18630	0.05758	145	0.56	005.05	0
005	Ash (%)	0615	5.9250	0.07000	5.8155	0.18630	0.05758	145	0.59	005.00	0
005	Ash (%)	0148	5.9350	0.01000	5.8155	0.18630	0.05758	145	0.64	005.00	0
005	Ash (%)	0681	5.9400	0.02000	5.8155	0.18630	0.05758	145	0.67	005.00	0
005	Ash (%)	2067	5.9470	0.01600	5.8155	0.18630	0.05758	145	0.71	005.00	0
005	Ash (%)	0152	5.9500	0.10000	5.8155	0.18630	0.05758	145	0.72	005.00	0
005	Ash (%)	0693	5.9500	0.26000	5.8155	0.18630	0.05758	145	0.72	005.00	0
005	Ash (%)	0294	5.9500	0.10000	5.8155	0.18630	0.05758	145	0.72	005.05	0
005	Ash (%)	0675	5.9550	0.05000	5.8155	0.18630	0.05758	145	0.75	005.00	0
005	Ash (%)	0598	5.9600	0.02000	5.8155	0.18630	0.05758	145	0.78	005.00	0
005	Ash (%)	0563	5.9622	0.03820	5.8155	0.18630	0.05758	145	0.79	005.00	0
005	Ash (%)	0505	5.9750	0.01000	5.8155	0.18630	0.05758	145	0.86	005.00	0
005	Ash (%)	0610	5.9850	0.01000	5.8155	0.18630	0.05758	145	0.91	005.02	0
005	Ash (%)	0897	5.9850	0.01000	5.8155	0.18630	0.05758	145	0.91	005.05	0
005	Ash (%)	0849	5.9900	0.04000	5.8155	0.18630	0.05758	145	0.94	005.05	0
005	Ash (%)	0893	5.9950	0.01000	5.8155	0.18630	0.05758	145	0.96	005.05	0
005	Ash (%)	0903	5.9950	0.01000	5.8155	0.18630	0.05758	145	0.96	005.05	0
005	Ash (%)	0229	6.0000	0.04000	5.8155	0.18630	0.05758	145	0.99	005.00	0
005	Ash (%)	0885	6.0050	0.07000	5.8155	0.18630	0.05758	145	1.02	005.05	0
005	Ash (%)	0948	6.0120	0.01600	5.8155	0.18630	0.05758	145	1.05	005.00	0
005	Ash (%)	0062	6.0270	0.02200	5.8155	0.18630	0.05758	145	1.14	005.00	0
005	Ash (%)	0619	6.0300	0.00000	5.8155	0.18630	0.05758	145	1.15	005.05	0
005	Ash (%)	0242	6.0350	0.21000	5.8155	0.18630	0.05758	145	1.18	005.00	0
005	Ash (%)	0629	6.0350	0.01000	5.8155	0.18630	0.05758	145	1.18	005.99	0
005	Ash (%)	0345	6.0400	0.06000	5.8155	0.18630	0.05758	145	1.21	005.00	0
005	Ash (%)	0868	6.0400	0.02000	5.8155	0.18630	0.05758	145	1.21	005.05	0
005	Ash (%)	0638	6.0600	0.00000	5.8155	0.18630	0.05758	145	1.31	005.05	0
005	Ash (%)	0848	6.0650	0.27000	5.8155	0.18630	0.05758	145	1.34	005.00	0
005	Ash (%)	0038	6.0650	0.25000	5.8155	0.18630	0.05758	145	1.34	005.00	0
005	Ash (%)	2022	6.0750	0.01000	5.8155	0.18630	0.05758	145	1.39	005.00	0
005	Ash (%)	0720	6.0800	0.02000	5.8155	0.18630	0.05758	145	1.42	005.05	0
005	Ash (%)	0676	6.0940	0.01800	5.8155	0.18630	0.05758	145	1.49	005.99	0
005	Ash (%)	0968	6.0995	0.06500	5.8155	0.18630	0.05758	145	1.52	005.00	0
005	Ash (%)	0895	6.1000	0.00000	5.8155	0.18630	0.05758	145	1.53	005.05	0
005	Ash (%)	0720	6.1100	0.02000	5.8155	0.18630	0.05758	145	1.58	005.11	0
005	Ash (%)	0921	6.1250	0.07000	5.8155	0.18630	0.05758	145	1.66	005.05	0
005	Ash (%)	0357	6.1500	0.10000	5.8155	0.18630	0.05758	145	1.80	005.00	0
005	Ash (%)	0504	6.1500	0.06000	5.8155	0.18630	0.05758	145	1.80	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0904	6.2400	0.24000	5.8155	0.18630	0.05758	145	2.28	005.05	0
005	Ash (%)	0226	6.4500	0.10000	5.8155	0.18630	0.05758	145	3.41	005.00	0
005	Ash (%)	0852	6.8500	0.10000	5.8155	0.18630	0.05758	145	5.55	005.00	0
005	Ash (%)	0297	8.5650	0.01000	5.8155	0.18630	0.05758	145	14.76	005.11	0
005	Ash (%)	0880	5.4000	0.60000	5.8155	0.18630	0.05758	145	-2.23	005.00	1
005	Ash (%)	0160	5.6550	0.39000	5.8155	0.18630	0.05758	145	-0.86	005.00	1
005	Ash (%)	0413	5.9000	0.60000	5.8155	0.18630	0.05758	145	0.45	005.05	1
005	Ash (%)	0940	6.3850	0.45000	5.8155	0.18630	0.05758	145	3.06	005.05	1
005	Ash (%)	0852	9.9150	0.49000	5.8155	0.18630	0.05758	145	22.01	005.11	1
005	Ash (%)	0186	10.610	0.10000	5.8155	0.18630	0.05758	145	25.74	005.00	2
005	Ash (%)	0953	11.175	0.13000	5.8155	0.18630	0.05758	145	28.77	005.00	2
006	Total sugars (%)	0921	4.8650	0.33000	6.9044	1.3683	0.25455	11	-1.49	006.00	0
006	Total sugars (%)	0096	5.3500	0.10000	6.9044	1.3683	0.25455	11	-1.14	006.99	0
006	Total sugars (%)	0227	5.4300	0.08000	6.9044	1.3683	0.25455	11	-1.08	006.99	0
006	Total sugars (%)	0939	5.9900	0.04000	6.9044	1.3683	0.25455	11	-0.67	006.00	0
006	Total sugars (%)	0689	6.5000	0.60000	6.9044	1.3683	0.25455	11	-0.30	006.01	0
006	Total sugars (%)	0407	7.4050	1.2500	6.9044	1.3683	0.25455	11	0.37	006.01	0
006	Total sugars (%)	0723	7.4800	0.00000	6.9044	1.3683	0.25455	11	0.42	006.99	0
006	Total sugars (%)	0956	7.6000	0.00000	6.9044	1.3683	0.25455	11	0.51	006.99	0
006	Total sugars (%)	0226	7.8500	0.10000	6.9044	1.3683	0.25455	11	0.69	006.99	0
006	Total sugars (%)	0720	8.3100	0.04000	6.9044	1.3683	0.25455	11	1.03	006.99	0
006	Total sugars (%)	0066	8.6000	0.26000	6.9044	1.3683	0.25455	11	1.24	006.00	0
006	Total sugars (%)	0638	2.2000	4.4000	6.9044	1.3683	0.25455	11	-3.44	006.99	1
008	Fiber (%)	0968	2.3500	0.16000	3.9975	0.74319	0.17437	45	-2.22	008.08	0
008	Fiber (%)	0042	2.3700	0.02000	3.9975	0.74319	0.17437	45	-2.19	008.08	0
008	Fiber (%)	0049	2.9350	0.19000	3.9975	0.74319	0.17437	45	-1.43	008.08	0
008	Fiber (%)	0033	2.9450	0.01000	3.9975	0.74319	0.17437	45	-1.42	008.08	0
008	Fiber (%)	0164	3.2000	0.20000	3.9975	0.74319	0.17437	45	-1.07	008.08	0
008	Fiber (%)	0035	3.2150	0.05000	3.9975	0.74319	0.17437	45	-1.05	008.02	0
008	Fiber (%)	0353	3.2150	0.05000	3.9975	0.74319	0.17437	45	-1.05	008.02	0
008	Fiber (%)	0948	3.2750	0.09000	3.9975	0.74319	0.17437	45	-0.97	008.02	0
008	Fiber (%)	0723	3.3000	0.00000	3.9975	0.74319	0.17437	45	-0.94	008.08	0
008	Fiber (%)	0407	3.4300	0.22000	3.9975	0.74319	0.17437	45	-0.76	008.08	0
008	Fiber (%)	0861	3.4900	0.22000	3.9975	0.74319	0.17437	45	-0.68	008.08	0
008	Fiber (%)	0001	3.5150	0.01000	3.9975	0.74319	0.17437	45	-0.65	008.08	0
008	Fiber (%)	0083	3.5350	0.17000	3.9975	0.74319	0.17437	45	-0.62	008.08	0
008	Fiber (%)	0035	3.6000	0.12000	3.9975	0.74319	0.17437	45	-0.53	008.08	0
008	Fiber (%)	0354	3.6150	0.03000	3.9975	0.74319	0.17437	45	-0.51	008.08	0
008	Fiber (%)	2011	3.6900	0.08000	3.9975	0.74319	0.17437	45	-0.41	008.02	0
008	Fiber (%)	0357	3.7000	0.20000	3.9975	0.74319	0.17437	45	-0.40	008.08	0
008	Fiber (%)	0918	3.8000	0.32000	3.9975	0.74319	0.17437	45	-0.27	008.08	0
008	Fiber (%)	0956	3.8500	0.90000	3.9975	0.74319	0.17437	45	-0.20	008.08	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
008	Fiber (%)	0278	3.8500	0.30000	3.9975	0.74319	0.17437	45	-0.20	008.08	0
008	Fiber (%)	0413	3.9000	0.00000	3.9975	0.74319	0.17437	45	-0.13	008.08	0
008	Fiber (%)	0309	3.9276	0.12100	3.9975	0.74319	0.17437	45	-0.09	008.02	0
008	Fiber (%)	0148	4.0150	0.03000	3.9975	0.74319	0.17437	45	0.02	008.02	0
008	Fiber (%)	0045	4.0150	0.37000	3.9975	0.74319	0.17437	45	0.02	008.08	0
008	Fiber (%)	0265	4.0500	0.30000	3.9975	0.74319	0.17437	45	0.07	008.05	0
008	Fiber (%)	2012	4.0500	0.08000	3.9975	0.74319	0.17437	45	0.07	008.08	0
008	Fiber (%)	0693	4.1350	0.37000	3.9975	0.74319	0.17437	45	0.19	008.08	0
008	Fiber (%)	0098	4.1500	0.32000	3.9975	0.74319	0.17437	45	0.21	008.02	0
008	Fiber (%)	0148	4.2250	0.11000	3.9975	0.74319	0.17437	45	0.31	008.08	0
008	Fiber (%)	0581	4.2250	0.13000	3.9975	0.74319	0.17437	45	0.31	008.08	0
008	Fiber (%)	0297	4.2700	0.54000	3.9975	0.74319	0.17437	45	0.37	008.08	0
008	Fiber (%)	0609	4.2850	0.03000	3.9975	0.74319	0.17437	45	0.39	008.02	0
008	Fiber (%)	0728	4.4800	0.20000	3.9975	0.74319	0.17437	45	0.65	008.02	0
008	Fiber (%)	0675	4.4950	0.01000	3.9975	0.74319	0.17437	45	0.67	008.02	0
008	Fiber (%)	0106	4.5500	0.00000	3.9975	0.74319	0.17437	45	0.74	008.08	0
008	Fiber (%)	0646	4.6600	0.22000	3.9975	0.74319	0.17437	45	0.89	008.08	0
008	Fiber (%)	0504	4.7200	0.66000	3.9975	0.74319	0.17437	45	0.97	008.02	0
008	Fiber (%)	0037	4.7400	0.04000	3.9975	0.74319	0.17437	45	1.00	008.08	0
008	Fiber (%)	0510	4.8500	0.10000	3.9975	0.74319	0.17437	45	1.15	008.08	0
008	Fiber (%)	0187	4.8550	0.03000	3.9975	0.74319	0.17437	45	1.15	008.02	0
008	Fiber (%)	0870	4.9360	0.29580	3.9975	0.74319	0.17437	45	1.26	008.08	0
008	Fiber (%)	0358	5.0500	0.26000	3.9975	0.74319	0.17437	45	1.42	008.08	0
008	Fiber (%)	0405	5.2900	0.04000	3.9975	0.74319	0.17437	45	1.74	008.02	0
008	Fiber (%)	0294	5.4500	0.10000	3.9975	0.74319	0.17437	45	1.95	008.08	0
008	Fiber (%)	0720	6.9050	0.15000	3.9975	0.74319	0.17437	45	3.91	008.99	0
008	Fiber (%)	0613	4.4800	1.3200	3.9975	0.74319	0.17437	45	0.65	008.08	1
008	Fiber (%)	0178	5.0600	1.1600	3.9975	0.74319	0.17437	45	1.43	008.08	1
009	Fiber (%)	0889	4.7250	0.93000	7.8388	1.0505	0.33551	39	-2.96	009.09	0
009	Fiber (%)	0353	5.7600	0.66000	7.8388	1.0505	0.33551	39	-1.98	009.07	0
009	Fiber (%)	0098	5.9300	0.24000	7.8388	1.0505	0.33551	39	-1.82	009.07	0
009	Fiber (%)	0001	6.3750	0.19000	7.8388	1.0505	0.33551	39	-1.39	009.09	0
009	Fiber (%)	0357	6.6500	0.30000	7.8388	1.0505	0.33551	39	-1.13	009.09	0
009	Fiber (%)	0956	6.7000	0.20000	7.8388	1.0505	0.33551	39	-1.08	009.09	0
009	Fiber (%)	0861	6.8450	0.31000	7.8388	1.0505	0.33551	39	-0.95	009.09	0
009	Fiber (%)	0278	7.0000	0.20000	7.8388	1.0505	0.33551	39	-0.80	009.09	0
009	Fiber (%)	0164	7.1500	0.30000	7.8388	1.0505	0.33551	39	-0.66	009.09	0
009	Fiber (%)	0187	7.1850	1.6300	7.8388	1.0505	0.33551	39	-0.62	009.07	0
009	Fiber (%)	0049	7.2050	0.49000	7.8388	1.0505	0.33551	39	-0.60	009.09	0
009	Fiber (%)	0083	7.3050	0.23000	7.8388	1.0505	0.33551	39	-0.51	009.09	0
009	Fiber (%)	0294	7.3500	0.10000	7.8388	1.0505	0.33551	39	-0.47	009.09	0
009	Fiber (%)	0413	7.4500	0.10000	7.8388	1.0505	0.33551	39	-0.37	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
009	Fiber (%)	0045	7.5600	0.72000	7.8388	1.0505	0.33551	39	-0.27	009.09	0
009	Fiber (%)	0354	7.6450	0.01000	7.8388	1.0505	0.33551	39	-0.18	009.09	0
009	Fiber (%)	0037	7.6550	0.01000	7.8388	1.0505	0.33551	39	-0.17	009.09	0
009	Fiber (%)	0178	7.6700	1.6000	7.8388	1.0505	0.33551	39	-0.16	009.09	0
009	Fiber (%)	0407	7.7150	0.01000	7.8388	1.0505	0.33551	39	-0.12	009.09	0
009	Fiber (%)	0581	7.7200	0.28000	7.8388	1.0505	0.33551	39	-0.11	009.09	0
009	Fiber (%)	0968	7.7450	0.13000	7.8388	1.0505	0.33551	39	-0.09	009.09	0
009	Fiber (%)	0646	7.7750	0.07000	7.8388	1.0505	0.33551	39	-0.06	009.09	0
009	Fiber (%)	0510	7.9500	0.70000	7.8388	1.0505	0.33551	39	0.11	009.09	0
009	Fiber (%)	0693	8.0150	0.19000	7.8388	1.0505	0.33551	39	0.17	009.09	0
009	Fiber (%)	0297	8.0700	0.10000	7.8388	1.0505	0.33551	39	0.22	009.09	0
009	Fiber (%)	2012	8.1050	0.03000	7.8388	1.0505	0.33551	39	0.25	009.09	0
009	Fiber (%)	0948	8.2550	0.27000	7.8388	1.0505	0.33551	39	0.40	009.09	0
009	Fiber (%)	0309	8.3566	0.25570	7.8388	1.0505	0.33551	39	0.49	009.07	0
009	Fiber (%)	0106	8.4350	0.09000	7.8388	1.0505	0.33551	39	0.57	009.09	0
009	Fiber (%)	0870	8.7312	0.02900	7.8388	1.0505	0.33551	39	0.85	009.09	0
009	Fiber (%)	0675	9.0950	0.03000	7.8388	1.0505	0.33551	39	1.20	009.07	0
009	Fiber (%)	0728	9.2100	0.10000	7.8388	1.0505	0.33551	39	1.31	009.99	0
009	Fiber (%)	0918	9.2200	0.68000	7.8388	1.0505	0.33551	39	1.31	009.09	0
009	Fiber (%)	0609	9.2300	0.52000	7.8388	1.0505	0.33551	39	1.32	009.07	0
009	Fiber (%)	0723	9.4400	0.00000	7.8388	1.0505	0.33551	39	1.52	009.09	0
009	Fiber (%)	0265	9.5500	0.70000	7.8388	1.0505	0.33551	39	1.63	009.09	0
009	Fiber (%)	0504	9.7450	0.41000	7.8388	1.0505	0.33551	39	1.81	009.04	0
009	Fiber (%)	0720	10.465	0.07000	7.8388	1.0505	0.33551	39	2.50	009.99	0
009	Fiber (%)	2011	11.720	0.20000	7.8388	1.0505	0.33551	39	3.69	009.07	0
009	Fiber (%)	0613	8.2050	1.9100	7.8388	1.0505	0.33551	39	0.35	009.09	1
010	Moisture (%)	0967	9.1950	0.03000	10.777	0.59260	0.09214	14	-2.67	010.99	0
010	Moisture (%)	0168	9.7700	0.16000	10.777	0.59260	0.09214	14	-1.70	010.99	0
010	Moisture (%)	0939	10.505	0.07000	10.777	0.59260	0.09214	14	-0.46	010.99	0
010	Moisture (%)	0948	10.510	0.02000	10.777	0.59260	0.09214	14	-0.45	010.99	0
010	Moisture (%)	0889	10.565	0.01000	10.777	0.59260	0.09214	14	-0.36	010.11	0
010	Moisture (%)	0952	10.635	0.19000	10.777	0.59260	0.09214	14	-0.24	010.99	0
010	Moisture (%)	0904	10.640	0.18000	10.777	0.59260	0.09214	14	-0.23	010.99	0
010	Moisture (%)	0720	10.720	0.02000	10.777	0.59260	0.09214	14	-0.10	010.11	0
010	Moisture (%)	0951	10.735	0.09000	10.777	0.59260	0.09214	14	-0.07	010.11	0
010	Moisture (%)	2066	11.255	0.03000	10.777	0.59260	0.09214	14	0.81	010.99	0
010	Moisture (%)	0164	11.260	0.08000	10.777	0.59260	0.09214	14	0.82	010.03	0
010	Moisture (%)	0852	11.345	0.07000	10.777	0.59260	0.09214	14	0.96	010.11	0
010	Moisture (%)	0405	11.415	0.03000	10.777	0.59260	0.09214	14	1.08	010.99	0
010	Moisture (%)	0843	11.535	0.31000	10.777	0.59260	0.09214	14	1.28	010.03	0
011	Loss on Drying (%)	0681	10.395	0.09000	11.603	0.32868	0.13286	80	-3.67	011.03	0
011	Loss on Drying (%)	0874	10.645	0.11000	11.603	0.32868	0.13286	80	-2.91	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	2016	10.670	0.24000	11.603	0.32868	0.13286	80	-2.84	011.01	0
011	Loss on Drying (%)	2022	10.830	0.02000	11.603	0.32868	0.13286	80	-2.35	011.01	0
011	Loss on Drying (%)	0541	10.995	0.39000	11.603	0.32868	0.13286	80	-1.85	011.99	0
011	Loss on Drying (%)	0876	11.050	0.10000	11.603	0.32868	0.13286	80	-1.68	011.01	0
011	Loss on Drying (%)	0178	11.060	0.10000	11.603	0.32868	0.13286	80	-1.65	011.01	0
011	Loss on Drying (%)	0650	11.125	0.07000	11.603	0.32868	0.13286	80	-1.45	011.01	0
011	Loss on Drying (%)	2006	11.145	0.05000	11.603	0.32868	0.13286	80	-1.39	011.01	0
011	Loss on Drying (%)	0857	11.150	0.10000	11.603	0.32868	0.13286	80	-1.38	011.99	0
011	Loss on Drying (%)	0960	11.160	0.06000	11.603	0.32868	0.13286	80	-1.35	011.01	0
011	Loss on Drying (%)	0685	11.195	0.05000	11.603	0.32868	0.13286	80	-1.24	011.01	0
011	Loss on Drying (%)	0171	11.200	0.00000	11.603	0.32868	0.13286	80	-1.23	011.01	0
011	Loss on Drying (%)	0138	11.242	0.06400	11.603	0.32868	0.13286	80	-1.10	011.01	0
011	Loss on Drying (%)	0675	11.275	0.03000	11.603	0.32868	0.13286	80	-1.00	011.01	0
011	Loss on Drying (%)	0539	11.280	0.12000	11.603	0.32868	0.13286	80	-0.98	011.01	0
011	Loss on Drying (%)	0294	11.300	0.20000	11.603	0.32868	0.13286	80	-0.92	011.01	0
011	Loss on Drying (%)	0870	11.392	0.02810	11.603	0.32868	0.13286	80	-0.64	011.01	0
011	Loss on Drying (%)	0653	11.405	0.15000	11.603	0.32868	0.13286	80	-0.60	011.01	0
011	Loss on Drying (%)	0598	11.415	0.01000	11.603	0.32868	0.13286	80	-0.57	011.01	0
011	Loss on Drying (%)	0942	11.415	0.39000	11.603	0.32868	0.13286	80	-0.57	011.02	0
011	Loss on Drying (%)	0651	11.423	0.00290	11.603	0.32868	0.13286	80	-0.55	011.01	0
011	Loss on Drying (%)	2067	11.436	0.08400	11.603	0.32868	0.13286	80	-0.51	011.01	0
011	Loss on Drying (%)	0620	11.452	0.15440	11.603	0.32868	0.13286	80	-0.46	011.01	0
011	Loss on Drying (%)	0062	11.455	0.17000	11.603	0.32868	0.13286	80	-0.45	011.01	0
011	Loss on Drying (%)	0880	11.455	0.89000	11.603	0.32868	0.13286	80	-0.45	011.01	0
011	Loss on Drying (%)	0848	11.465	0.43000	11.603	0.32868	0.13286	80	-0.42	011.01	0
011	Loss on Drying (%)	0574	11.470	0.36000	11.603	0.32868	0.13286	80	-0.40	011.01	0
011	Loss on Drying (%)	0674	11.500	0.02000	11.603	0.32868	0.13286	80	-0.31	011.01	0
011	Loss on Drying (%)	0646	11.510	0.20000	11.603	0.32868	0.13286	80	-0.28	011.01	0
011	Loss on Drying (%)	0298	11.530	0.02000	11.603	0.32868	0.13286	80	-0.22	011.01	0
011	Loss on Drying (%)	0358	11.535	0.05000	11.603	0.32868	0.13286	80	-0.21	011.01	0
011	Loss on Drying (%)	0148	11.545	0.03000	11.603	0.32868	0.13286	80	-0.18	011.01	0
011	Loss on Drying (%)	0354	11.545	0.01000	11.603	0.32868	0.13286	80	-0.18	011.01	0
011	Loss on Drying (%)	0968	11.553	0.08400	11.603	0.32868	0.13286	80	-0.15	011.01	0
011	Loss on Drying (%)	0843	11.555	0.35000	11.603	0.32868	0.13286	80	-0.15	011.01	0
011	Loss on Drying (%)	0622	11.558	0.00770	11.603	0.32868	0.13286	80	-0.14	011.01	0
011	Loss on Drying (%)	0728	11.570	0.16000	11.603	0.32868	0.13286	80	-0.10	011.01	0
011	Loss on Drying (%)	0723	11.582	0.03610	11.603	0.32868	0.13286	80	-0.06	011.01	0
011	Loss on Drying (%)	0175	11.600	0.20000	11.603	0.32868	0.13286	80	-0.01	011.01	0
011	Loss on Drying (%)	0008	11.635	0.03000	11.603	0.32868	0.13286	80	0.10	011.01	0
011	Loss on Drying (%)	0144	11.635	0.11000	11.603	0.32868	0.13286	80	0.10	011.01	0
011	Loss on Drying (%)	0660	11.645	0.05000	11.603	0.32868	0.13286	80	0.13	011.01	0
011	Loss on Drying (%)	0160	11.655	0.23000	11.603	0.32868	0.13286	80	0.16	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0226	11.655	0.05000	11.603	0.32868	0.13286	80	0.16	011.01	0
011	Loss on Drying (%)	0563	11.661	0.09760	11.603	0.32868	0.13286	80	0.18	011.01	0
011	Loss on Drying (%)	0852	11.680	0.10000	11.603	0.32868	0.13286	80	0.24	011.99	0
011	Loss on Drying (%)	0229	11.690	0.02000	11.603	0.32868	0.13286	80	0.27	011.01	0
011	Loss on Drying (%)	0066	11.690	0.06000	11.603	0.32868	0.13286	80	0.27	011.01	0
011	Loss on Drying (%)	0233	11.695	0.05000	11.603	0.32868	0.13286	80	0.28	011.01	0
011	Loss on Drying (%)	0033	11.700	0.10000	11.603	0.32868	0.13286	80	0.30	011.01	0
011	Loss on Drying (%)	0510	11.700	0.00000	11.603	0.32868	0.13286	80	0.30	011.01	0
011	Loss on Drying (%)	0553	11.715	0.05000	11.603	0.32868	0.13286	80	0.34	011.01	0
011	Loss on Drying (%)	0959	11.735	0.11000	11.603	0.32868	0.13286	80	0.40	011.01	0
011	Loss on Drying (%)	0961	11.740	0.92000	11.603	0.32868	0.13286	80	0.42	011.01	0
011	Loss on Drying (%)	0164	11.745	0.01000	11.603	0.32868	0.13286	80	0.43	011.01	0
011	Loss on Drying (%)	0098	11.810	0.00000	11.603	0.32868	0.13286	80	0.63	011.01	0
011	Loss on Drying (%)	0861	11.820	0.02000	11.603	0.32868	0.13286	80	0.66	011.01	0
011	Loss on Drying (%)	0596	11.830	0.34000	11.603	0.32868	0.13286	80	0.69	011.01	0
011	Loss on Drying (%)	0205	11.855	0.13000	11.603	0.32868	0.13286	80	0.77	011.01	0
011	Loss on Drying (%)	2058	11.855	0.05000	11.603	0.32868	0.13286	80	0.77	011.01	0
011	Loss on Drying (%)	0552	11.860	0.08000	11.603	0.32868	0.13286	80	0.78	011.01	0
011	Loss on Drying (%)	0100	11.865	0.11000	11.603	0.32868	0.13286	80	0.80	011.01	0
011	Loss on Drying (%)	0589	11.865	0.11000	11.603	0.32868	0.13286	80	0.80	011.01	0
011	Loss on Drying (%)	0242	11.870	0.18000	11.603	0.32868	0.13286	80	0.81	011.01	0
011	Loss on Drying (%)	0682	11.875	0.05000	11.603	0.32868	0.13286	80	0.83	011.01	0
011	Loss on Drying (%)	0265	11.900	0.20000	11.603	0.32868	0.13286	80	0.90	011.01	0
011	Loss on Drying (%)	0108	11.920	0.58000	11.603	0.32868	0.13286	80	0.97	011.01	0
011	Loss on Drying (%)	0957	11.960	0.14000	11.603	0.32868	0.13286	80	1.09	011.01	0
011	Loss on Drying (%)	0202	11.970	0.00000	11.603	0.32868	0.13286	80	1.12	011.01	0
011	Loss on Drying (%)	0541	11.990	0.06000	11.603	0.32868	0.13286	80	1.18	011.01	0
011	Loss on Drying (%)	0123	12.000	0.04000	11.603	0.32868	0.13286	80	1.21	011.01	0
011	Loss on Drying (%)	0520	12.000	0.10000	11.603	0.32868	0.13286	80	1.21	011.01	0
011	Loss on Drying (%)	0152	12.050	0.10000	11.603	0.32868	0.13286	80	1.36	011.01	0
011	Loss on Drying (%)	0958	12.055	0.09000	11.603	0.32868	0.13286	80	1.38	011.01	0
011	Loss on Drying (%)	2023	12.055	0.05000	11.603	0.32868	0.13286	80	1.38	011.02	0
011	Loss on Drying (%)	0913	12.090	0.40000	11.603	0.32868	0.13286	80	1.48	011.01	0
011	Loss on Drying (%)	0309	12.270	0.06000	11.603	0.32868	0.13286	80	2.03	011.01	0
011	Loss on Drying (%)	2068	12.290	0.02000	11.603	0.32868	0.13286	80	2.09	011.01	0
011	Loss on Drying (%)	0407	12.610	0.10000	11.603	0.32868	0.13286	80	3.06	011.01	0
011	Loss on Drying (%)	0511	6.7750	10.010	11.603	0.32868	0.13286	80	-14.69	011.01	1
011	Loss on Drying (%)	0953	5.5750	0.15000	11.603	0.32868	0.13286	80	-18.34	011.01	2
012	Starch (%)	0885	23.705	1.2300	29.859	2.0773	0.34302	32	-2.96	012.03	0
012	Starch (%)	0676	24.840	0.96000	29.859	2.0773	0.34302	32	-2.42	012.01	0
012	Starch (%)	0510	26.150	0.50000	29.859	2.0773	0.34302	32	-1.79	012.04	0
012	Starch (%)	0297	26.505	0.89000	29.859	2.0773	0.34302	32	-1.61	012.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
012 Starch (%)		0918	26.889	0.00400	29.859	2.0773	0.34302	32	-1.43	012.01	0
012 Starch (%)		0407	27.680	0.94000	29.859	2.0773	0.34302	32	-1.05	012.03	0
012 Starch (%)		0852	28.045	0.07000	29.859	2.0773	0.34302	32	-0.87	012.11	0
012 Starch (%)		0278	28.100	0.60000	29.859	2.0773	0.34302	32	-0.85	012.04	0
012 Starch (%)		0889	28.630	0.12000	29.859	2.0773	0.34302	32	-0.59	012.03	0
012 Starch (%)		0098	29.050	0.30000	29.859	2.0773	0.34302	32	-0.39	012.03	0
012 Starch (%)		0870	29.169	0.53250	29.859	2.0773	0.34302	32	-0.33	012.01	0
012 Starch (%)		0160	29.280	0.06000	29.859	2.0773	0.34302	32	-0.28	012.04	0
012 Starch (%)		0265	29.350	0.50000	29.859	2.0773	0.34302	32	-0.25	012.01	0
012 Starch (%)		0682	29.405	0.45000	29.859	2.0773	0.34302	32	-0.22	012.00	0
012 Starch (%)		0178	29.670	0.00000	29.859	2.0773	0.34302	32	-0.09	012.00	0
012 Starch (%)		0619	29.950	0.10000	29.859	2.0773	0.34302	32	0.04	012.00	0
012 Starch (%)		0653	30.210	0.66000	29.859	2.0773	0.34302	32	0.17	012.00	0
012 Starch (%)		0297	30.310	0.20000	29.859	2.0773	0.34302	32	0.22	012.11	0
012 Starch (%)		0723	30.381	0.00000	29.859	2.0773	0.34302	32	0.25	012.00	0
012 Starch (%)		0353	30.455	0.15000	29.859	2.0773	0.34302	32	0.29	012.04	0
012 Starch (%)		0354	30.730	0.14000	29.859	2.0773	0.34302	32	0.42	012.00	0
012 Starch (%)		0920	30.955	0.03000	29.859	2.0773	0.34302	32	0.53	012.00	0
012 Starch (%)		0609	31.060	0.18000	29.859	2.0773	0.34302	32	0.58	012.00	0
012 Starch (%)		2023	31.100	0.00000	29.859	2.0773	0.34302	32	0.60	012.00	0
012 Starch (%)		0106	31.450	0.36000	29.859	2.0773	0.34302	32	0.77	012.04	0
012 Starch (%)		0889	31.465	0.49000	29.859	2.0773	0.34302	32	0.77	012.11	0
012 Starch (%)		0951	31.760	0.36000	29.859	2.0773	0.34302	32	0.92	012.11	0
012 Starch (%)		0941	31.900	0.20000	29.859	2.0773	0.34302	32	0.98	012.00	0
012 Starch (%)		0948	32.155	0.15000	29.859	2.0773	0.34302	32	1.11	012.04	0
012 Starch (%)		0720	32.205	0.17000	29.859	2.0773	0.34302	32	1.13	012.11	0
012 Starch (%)		0951	33.425	0.33000	29.859	2.0773	0.34302	32	1.72	012.00	0
012 Starch (%)		0689	33.650	0.30000	29.859	2.0773	0.34302	32	1.82	012.00	0
012 Starch (%)		0956	29.850	1.5000	29.859	2.0773	0.34302	32	0.00	012.01	1
012 Starch (%)		0638	0.00000	0.00000	29.859	2.0773	0.34302	32	-14.37	012.00	2
013 Fat (%)		0554	5.0700	0.10000	6.4948	0.56559	0.15953	54	-2.52	013.10	0
013 Fat (%)		0845	5.1700	0.66000	6.4948	0.56559	0.15953	54	-2.34	013.10	0
013 Fat (%)		0618	5.2550	0.11000	6.4948	0.56559	0.15953	54	-2.19	013.08	0
013 Fat (%)		0613	5.4000	0.04000	6.4948	0.56559	0.15953	54	-1.94	013.10	0
013 Fat (%)		0615	5.4900	0.14000	6.4948	0.56559	0.15953	54	-1.78	013.00	0
013 Fat (%)		0951	5.7100	0.02000	6.4948	0.56559	0.15953	54	-1.39	013.12	0
013 Fat (%)		0297	5.7250	0.07000	6.4948	0.56559	0.15953	54	-1.36	013.00	0
013 Fat (%)		0904	5.8900	0.08000	6.4948	0.56559	0.15953	54	-1.07	013.00	0
013 Fat (%)		0948	5.9800	0.00000	6.4948	0.56559	0.15953	54	-0.91	013.00	0
013 Fat (%)		0242	5.9950	0.09000	6.4948	0.56559	0.15953	54	-0.88	013.00	0
013 Fat (%)		0968	6.0220	0.07800	6.4948	0.56559	0.15953	54	-0.84	013.10	0
013 Fat (%)		0083	6.0850	0.41000	6.4948	0.56559	0.15953	54	-0.72	013.00	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0504	6.0950	0.19000	6.4948	0.56559	0.15953	54	-0.71	013.00	0
013 Fat (%)		0229	6.1000	0.20000	6.4948	0.56559	0.15953	54	-0.70	013.00	0
013 Fat (%)		0689	6.1000	0.20000	6.4948	0.56559	0.15953	54	-0.70	013.00	0
013 Fat (%)		0951	6.1200	0.04000	6.4948	0.56559	0.15953	54	-0.66	013.00	0
013 Fat (%)		0618	6.1400	0.30000	6.4948	0.56559	0.15953	54	-0.63	013.00	0
013 Fat (%)		0610	6.2700	0.06000	6.4948	0.56559	0.15953	54	-0.40	013.10	0
013 Fat (%)		0581	6.4000	0.02000	6.4948	0.56559	0.15953	54	-0.17	013.13	0
013 Fat (%)		0033	6.4050	0.11000	6.4948	0.56559	0.15953	54	-0.16	013.10	0
013 Fat (%)		0003	6.4050	0.21000	6.4948	0.56559	0.15953	54	-0.16	013.13	0
013 Fat (%)		0681	6.4150	0.05000	6.4948	0.56559	0.15953	54	-0.14	013.00	0
013 Fat (%)		0695	6.4300	0.28000	6.4948	0.56559	0.15953	54	-0.11	013.00	0
013 Fat (%)		0652	6.4500	0.10000	6.4948	0.56559	0.15953	54	-0.08	013.10	0
013 Fat (%)		0643	6.4550	0.05000	6.4948	0.56559	0.15953	54	-0.07	013.02	0
013 Fat (%)		0874	6.5300	0.06000	6.4948	0.56559	0.15953	54	0.06	013.00	0
013 Fat (%)		0660	6.5350	0.29000	6.4948	0.56559	0.15953	54	0.07	013.10	0
013 Fat (%)		0354	6.5450	0.01000	6.4948	0.56559	0.15953	54	0.09	013.02	0
013 Fat (%)		0638	6.5500	0.10000	6.4948	0.56559	0.15953	54	0.10	013.10	0
013 Fat (%)		0957	6.5550	0.17000	6.4948	0.56559	0.15953	54	0.11	013.02	0
013 Fat (%)		0958	6.5650	0.01000	6.4948	0.56559	0.15953	54	0.12	013.02	0
013 Fat (%)		2058	6.6200	0.38000	6.4948	0.56559	0.15953	54	0.22	013.02	0
013 Fat (%)		0202	6.6300	0.02000	6.4948	0.56559	0.15953	54	0.24	013.00	0
013 Fat (%)		0675	6.6650	0.07000	6.4948	0.56559	0.15953	54	0.30	013.02	0
013 Fat (%)		0853	6.6750	0.25000	6.4948	0.56559	0.15953	54	0.32	013.02	0
013 Fat (%)		0148	6.7200	0.12000	6.4948	0.56559	0.15953	54	0.40	013.02	0
013 Fat (%)		0265	6.7500	0.10000	6.4948	0.56559	0.15953	54	0.45	013.13	0
013 Fat (%)		0100	6.7600	0.36000	6.4948	0.56559	0.15953	54	0.47	013.02	0
013 Fat (%)		0353	6.8050	0.11000	6.4948	0.56559	0.15953	54	0.55	013.10	0
013 Fat (%)		0008	6.8800	0.68000	6.4948	0.56559	0.15953	54	0.68	013.02	0
013 Fat (%)		0171	6.8850	0.25000	6.4948	0.56559	0.15953	54	0.69	013.02	0
013 Fat (%)		0960	6.8900	0.06000	6.4948	0.56559	0.15953	54	0.70	013.02	0
013 Fat (%)		0870	6.9063	0.20790	6.4948	0.56559	0.15953	54	0.73	013.02	0
013 Fat (%)		0959	6.9500	0.10000	6.4948	0.56559	0.15953	54	0.80	013.02	0
013 Fat (%)		0861	6.9650	0.09000	6.4948	0.56559	0.15953	54	0.83	013.00	0
013 Fat (%)		0164	6.9850	0.07000	6.4948	0.56559	0.15953	54	0.87	013.02	0
013 Fat (%)		0961	6.9900	0.06000	6.4948	0.56559	0.15953	54	0.88	013.12	0
013 Fat (%)		2023	7.0750	0.01000	6.4948	0.56559	0.15953	54	1.03	013.00	0
013 Fat (%)		0309	7.2359	0.34880	6.4948	0.56559	0.15953	54	1.31	013.00	0
013 Fat (%)		0098	7.2800	0.08000	6.4948	0.56559	0.15953	54	1.39	013.02	0
013 Fat (%)		0682	7.3200	0.14000	6.4948	0.56559	0.15953	54	1.46	013.02	0
013 Fat (%)		0553	7.4000	0.48000	6.4948	0.56559	0.15953	54	1.60	013.02	0
013 Fat (%)		0650	7.5200	0.02000	6.4948	0.56559	0.15953	54	1.81	013.02	0
013 Fat (%)		0337	7.5700	0.36000	6.4948	0.56559	0.15953	54	1.90	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013	Fat (%)	2016	6.5700	0.72000	6.4948	0.56559	0.15953	54	0.13	013.02	1
015	Aluminum (mg / kg (ppm))	0353	184.00	3.4000	395.32	161.82	38.043	16	-1.31	015.43	0
015	Aluminum (mg / kg (ppm))	0345	205.50	13.000	395.32	161.82	38.043	16	-1.17	015.43	0
015	Aluminum (mg / kg (ppm))	2058	219.71	6.1900	395.32	161.82	38.043	16	-1.09	015.43	0
015	Aluminum (mg / kg (ppm))	0560	236.50	0.40000	395.32	161.82	38.043	16	-0.98	015.42	0
015	Aluminum (mg / kg (ppm))	0510	241.50	17.000	395.32	161.82	38.043	16	-0.95	015.43	0
015	Aluminum (mg / kg (ppm))	0297	316.50	51.000	395.32	161.82	38.043	16	-0.49	015.43	0
015	Aluminum (mg / kg (ppm))	0049	360.89	71.350	395.32	161.82	38.043	16	-0.21	015.41	0
015	Aluminum (mg / kg (ppm))	0021	405.00	50.000	395.32	161.82	38.043	16	0.06	015.43	0
015	Aluminum (mg / kg (ppm))	0918	453.00	92.000	395.32	161.82	38.043	16	0.36	015.43	0
015	Aluminum (mg / kg (ppm))	0011	473.27	6.7670	395.32	161.82	38.043	16	0.48	015.41	0
015	Aluminum (mg / kg (ppm))	0169	501.00	52.000	395.32	161.82	38.043	16	0.65	015.43	0
015	Aluminum (mg / kg (ppm))	0520	502.80	7.6000	395.32	161.82	38.043	16	0.66	015.41	0
015	Aluminum (mg / kg (ppm))	0171	522.50	39.000	395.32	161.82	38.043	16	0.79	015.41	0
015	Aluminum (mg / kg (ppm))	0164	534.00	18.000	395.32	161.82	38.043	16	0.86	015.41	0
015	Aluminum (mg / kg (ppm))	0964	561.30	59.980	395.32	161.82	38.043	16	1.03	015.41	0
015	Aluminum (mg / kg (ppm))	0553	604.50	121.00	395.32	161.82	38.043	16	1.29	015.53	0
017	Boron (mg / kg (ppm))	0021	0.00000	0.00000	15.081	1.3357	0.65308	13	-11.29	017.43	0
017	Boron (mg / kg (ppm))	0297	11.500	1.0000	15.081	1.3357	0.65308	13	-2.68	017.43	0
017	Boron (mg / kg (ppm))	0045	14.250	0.50000	15.081	1.3357	0.65308	13	-0.62	017.42	0
017	Boron (mg / kg (ppm))	0345	14.250	0.70000	15.081	1.3357	0.65308	13	-0.62	017.43	0
017	Boron (mg / kg (ppm))	0918	14.695	0.33000	15.081	1.3357	0.65308	13	-0.29	017.43	0
017	Boron (mg / kg (ppm))	0693	14.760	0.20000	15.081	1.3357	0.65308	13	-0.24	017.42	0
017	Boron (mg / kg (ppm))	0037	15.000	0.88000	15.081	1.3357	0.65308	13	-0.06	017.43	0
017	Boron (mg / kg (ppm))	0358	15.050	0.50000	15.081	1.3357	0.65308	13	-0.02	017.41	0
017	Boron (mg / kg (ppm))	0353	15.115	0.85000	15.081	1.3357	0.65308	13	0.03	017.43	0
017	Boron (mg / kg (ppm))	0049	16.435	1.2300	15.081	1.3357	0.65308	13	1.01	017.41	0
017	Boron (mg / kg (ppm))	0510	16.500	1.0000	15.081	1.3357	0.65308	13	1.06	017.43	0
017	Boron (mg / kg (ppm))	0294	16.750	0.10000	15.081	1.3357	0.65308	13	1.25	017.42	0
017	Boron (mg / kg (ppm))	0560	21.500	1.2000	15.081	1.3357	0.65308	13	4.81	017.42	0
019	Calcium (%)	0612	0.51500	0.01000	0.70248	0.04024	0.01898	152	-4.66	019.32	0
019	Calcium (%)	0520	0.57000	0.00000	0.70248	0.04024	0.01898	152	-3.29	019.41	0
019	Calcium (%)	0921	0.60650	0.02700	0.70248	0.04024	0.01898	152	-2.39	019.31	0
019	Calcium (%)	0154	0.61290	0.02660	0.70248	0.04024	0.01898	152	-2.23	019.52	0
019	Calcium (%)	0138	0.62350	0.01300	0.70248	0.04024	0.01898	152	-1.96	019.08	0
019	Calcium (%)	0622	0.62890	0.00020	0.70248	0.04024	0.01898	152	-1.83	019.00	0
019	Calcium (%)	2068	0.63000	0.00000	0.70248	0.04024	0.01898	152	-1.80	019.00	0
019	Calcium (%)	0108	0.63000	0.06000	0.70248	0.04024	0.01898	152	-1.80	019.31	0
019	Calcium (%)	0144	0.63000	0.02000	0.70248	0.04024	0.01898	152	-1.80	019.41	0
019	Calcium (%)	2058	0.63000	0.06000	0.70248	0.04024	0.01898	152	-1.80	019.43	0
019	Calcium (%)	0047	0.63000	0.00000	0.70248	0.04024	0.01898	152	-1.80	019.52	0
019	Calcium (%)	0878	0.63500	0.03000	0.70248	0.04024	0.01898	152	-1.68	019.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0553	0.63800	0.03200	0.70248	0.04024	0.01898	152	-1.60	019.41	0
019	Calcium (%)	0089	0.64000	0.00000	0.70248	0.04024	0.01898	152	-1.55	019.41	0
019	Calcium (%)	0405	0.64000	0.02000	0.70248	0.04024	0.01898	152	-1.55	019.41	0
019	Calcium (%)	0563	0.64045	0.00210	0.70248	0.04024	0.01898	152	-1.54	019.31	0
019	Calcium (%)	0552	0.64500	0.05000	0.70248	0.04024	0.01898	152	-1.43	019.00	0
019	Calcium (%)	0043	0.64500	0.03000	0.70248	0.04024	0.01898	152	-1.43	019.43	0
019	Calcium (%)	2023	0.65300	0.02000	0.70248	0.04024	0.01898	152	-1.23	019.41	0
019	Calcium (%)	0904	0.65500	0.01000	0.70248	0.04024	0.01898	152	-1.18	019.34	0
019	Calcium (%)	2062	0.65525	0.00050	0.70248	0.04024	0.01898	152	-1.17	019.00	0
019	Calcium (%)	0036	0.65645	0.01290	0.70248	0.04024	0.01898	152	-1.14	019.43	0
019	Calcium (%)	0019	0.66000	0.04000	0.70248	0.04024	0.01898	152	-1.06	019.41	0
019	Calcium (%)	2053	0.66000	0.00000	0.70248	0.04024	0.01898	152	-1.06	019.42	0
019	Calcium (%)	0510	0.66000	0.02000	0.70248	0.04024	0.01898	152	-1.06	019.43	0
019	Calcium (%)	0358	0.66500	0.01000	0.70248	0.04024	0.01898	152	-0.93	019.41	0
019	Calcium (%)	0676	0.66500	0.01000	0.70248	0.04024	0.01898	152	-0.93	019.99	0
019	Calcium (%)	0035	0.66720	0.02920	0.70248	0.04024	0.01898	152	-0.88	019.42	0
019	Calcium (%)	0897	0.67000	0.00000	0.70248	0.04024	0.01898	152	-0.81	019.00	0
019	Calcium (%)	0175	0.67000	0.02000	0.70248	0.04024	0.01898	152	-0.81	019.31	0
019	Calcium (%)	0891	0.67255	0.00250	0.70248	0.04024	0.01898	152	-0.74	019.00	0
019	Calcium (%)	0205	0.67300	0.03400	0.70248	0.04024	0.01898	152	-0.73	019.42	0
019	Calcium (%)	0903	0.67500	0.01000	0.70248	0.04024	0.01898	152	-0.68	019.00	0
019	Calcium (%)	0885	0.67500	0.01000	0.70248	0.04024	0.01898	152	-0.68	019.08	0
019	Calcium (%)	0199	0.67500	0.01000	0.70248	0.04024	0.01898	152	-0.68	019.43	0
019	Calcium (%)	0035	0.67750	0.02380	0.70248	0.04024	0.01898	152	-0.62	019.32	0
019	Calcium (%)	0045	0.67750	0.00700	0.70248	0.04024	0.01898	152	-0.62	019.42	0
019	Calcium (%)	0300	0.67800	0.02200	0.70248	0.04024	0.01898	152	-0.61	019.41	0
019	Calcium (%)	0878	0.68000	0.02000	0.70248	0.04024	0.01898	152	-0.56	019.41	0
019	Calcium (%)	0106	0.68000	0.04000	0.70248	0.04024	0.01898	152	-0.56	019.42	0
019	Calcium (%)	0693	0.68000	0.02000	0.70248	0.04024	0.01898	152	-0.56	019.42	0
019	Calcium (%)	2022	0.68000	0.00000	0.70248	0.04024	0.01898	152	-0.56	019.31	0
019	Calcium (%)	0848	0.68000	0.00000	0.70248	0.04024	0.01898	152	-0.56	019.41	0
019	Calcium (%)	0629	0.68000	0.00000	0.70248	0.04024	0.01898	152	-0.56	019.43	0
019	Calcium (%)	0620	0.68015	0.01270	0.70248	0.04024	0.01898	152	-0.55	019.00	0
019	Calcium (%)	0723	0.68370	0.00000	0.70248	0.04024	0.01898	152	-0.47	019.31	0
019	Calcium (%)	2065	0.68500	0.01000	0.70248	0.04024	0.01898	152	-0.43	019.00	0
019	Calcium (%)	0074	0.68500	0.07000	0.70248	0.04024	0.01898	152	-0.43	019.41	0
019	Calcium (%)	0910	0.68500	0.07000	0.70248	0.04024	0.01898	152	-0.43	019.41	0
019	Calcium (%)	0918	0.68650	0.02700	0.70248	0.04024	0.01898	152	-0.40	019.43	0
019	Calcium (%)	0042	0.68800	0.05200	0.70248	0.04024	0.01898	152	-0.36	019.42	0
019	Calcium (%)	0651	0.68900	0.03000	0.70248	0.04024	0.01898	152	-0.34	019.00	0
019	Calcium (%)	0536	0.69000	0.02000	0.70248	0.04024	0.01898	152	-0.31	019.31	0
019	Calcium (%)	0049	0.69000	0.00000	0.70248	0.04024	0.01898	152	-0.31	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0298	0.69000	0.02000	0.70248	0.04024	0.01898	152	-0.31	019.41	0
019	Calcium (%)	0610	0.69000	0.00000	0.70248	0.04024	0.01898	152	-0.31	019.41	0
019	Calcium (%)	0685	0.69000	0.00000	0.70248	0.04024	0.01898	152	-0.31	019.41	0
019	Calcium (%)	0504	0.69100	0.03200	0.70248	0.04024	0.01898	152	-0.29	019.42	0
019	Calcium (%)	0590	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.08	0
019	Calcium (%)	0139	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.31	0
019	Calcium (%)	0687	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.31	0
019	Calcium (%)	0689	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.31	0
019	Calcium (%)	0939	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.31	0
019	Calcium (%)	0229	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.41	0
019	Calcium (%)	0297	0.69500	0.01000	0.70248	0.04024	0.01898	152	-0.19	019.43	0
019	Calcium (%)	0171	0.69500	0.05000	0.70248	0.04024	0.01898	152	-0.19	019.41	0
019	Calcium (%)	0265	0.69500	0.03000	0.70248	0.04024	0.01898	152	-0.19	019.42	0
019	Calcium (%)	0011	0.69580	0.00820	0.70248	0.04024	0.01898	152	-0.17	019.41	0
019	Calcium (%)	0849	0.69600	0.00800	0.70248	0.04024	0.01898	152	-0.16	019.08	0
019	Calcium (%)	0001	0.69615	0.06230	0.70248	0.04024	0.01898	152	-0.16	019.31	0
019	Calcium (%)	0148	0.69650	0.00100	0.70248	0.04024	0.01898	152	-0.15	019.41	0
019	Calcium (%)	0038	0.69700	0.00600	0.70248	0.04024	0.01898	152	-0.14	019.31	0
019	Calcium (%)	0043	0.70000	0.02000	0.70248	0.04024	0.01898	152	-0.06	019.00	0
019	Calcium (%)	0014	0.70000	0.01000	0.70248	0.04024	0.01898	152	-0.06	019.31	0
019	Calcium (%)	0233	0.70000	0.00000	0.70248	0.04024	0.01898	152	-0.06	019.31	0
019	Calcium (%)	0083	0.70000	0.02000	0.70248	0.04024	0.01898	152	-0.06	019.41	0
019	Calcium (%)	0682	0.70000	0.00000	0.70248	0.04024	0.01898	152	-0.06	019.41	0
019	Calcium (%)	0695	0.70000	0.00000	0.70248	0.04024	0.01898	152	-0.06	019.41	0
019	Calcium (%)	0407	0.70050	0.01300	0.70248	0.04024	0.01898	152	-0.05	019.41	0
019	Calcium (%)	0065	0.70100	0.00240	0.70248	0.04024	0.01898	152	-0.04	019.31	0
019	Calcium (%)	0008	0.70300	0.01600	0.70248	0.04024	0.01898	152	0.01	019.43	0
019	Calcium (%)	0874	0.70450	0.00700	0.70248	0.04024	0.01898	152	0.05	019.31	0
019	Calcium (%)	0681	0.70500	0.01000	0.70248	0.04024	0.01898	152	0.06	019.00	0
019	Calcium (%)	0003	0.70500	0.01000	0.70248	0.04024	0.01898	152	0.06	019.41	0
019	Calcium (%)	0098	0.70500	0.01000	0.70248	0.04024	0.01898	152	0.06	019.41	0
019	Calcium (%)	0294	0.70500	0.03000	0.70248	0.04024	0.01898	152	0.06	019.42	0
019	Calcium (%)	0692	0.70500	0.03000	0.70248	0.04024	0.01898	152	0.06	019.42	0
019	Calcium (%)	0675	0.70500	0.01000	0.70248	0.04024	0.01898	152	0.06	019.43	0
019	Calcium (%)	0345	0.70550	0.01100	0.70248	0.04024	0.01898	152	0.08	019.43	0
019	Calcium (%)	0964	0.70730	0.03300	0.70248	0.04024	0.01898	152	0.12	019.41	0
019	Calcium (%)	2042	0.71000	0.00000	0.70248	0.04024	0.01898	152	0.19	019.08	0
019	Calcium (%)	0609	0.71000	0.02000	0.70248	0.04024	0.01898	152	0.19	019.32	0
019	Calcium (%)	0413	0.71000	0.06000	0.70248	0.04024	0.01898	152	0.19	019.41	0
019	Calcium (%)	2012	0.71000	0.00000	0.70248	0.04024	0.01898	152	0.19	019.41	0
019	Calcium (%)	0889	0.71000	0.00000	0.70248	0.04024	0.01898	152	0.19	019.99	0
019	Calcium (%)	0142	0.71050	0.00900	0.70248	0.04024	0.01898	152	0.20	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0504	0.71150	0.01100	0.70248	0.04024	0.01898	152	0.22	019.32	0
019	Calcium (%)	0505	0.71500	0.01000	0.70248	0.04024	0.01898	152	0.31	019.31	0
019	Calcium (%)	0164	0.71500	0.01000	0.70248	0.04024	0.01898	152	0.31	019.41	0
019	Calcium (%)	0098	0.71500	0.01000	0.70248	0.04024	0.01898	152	0.31	019.43	0
019	Calcium (%)	0169	0.71850	0.00900	0.70248	0.04024	0.01898	152	0.40	019.32	0
019	Calcium (%)	0572	0.71905	0.04370	0.70248	0.04024	0.01898	152	0.41	019.53	0
019	Calcium (%)	0168	0.71950	0.01500	0.70248	0.04024	0.01898	152	0.42	019.43	0
019	Calcium (%)	0893	0.72000	0.00000	0.70248	0.04024	0.01898	152	0.44	019.00	0
019	Calcium (%)	0940	0.72000	0.04000	0.70248	0.04024	0.01898	152	0.44	019.08	0
019	Calcium (%)	2063	0.72000	0.00000	0.70248	0.04024	0.01898	152	0.44	019.08	0
019	Calcium (%)	0650	0.72000	0.02000	0.70248	0.04024	0.01898	152	0.44	019.31	0
019	Calcium (%)	0425	0.72000	0.00000	0.70248	0.04024	0.01898	152	0.44	019.43	0
019	Calcium (%)	0951	0.72350	0.01100	0.70248	0.04024	0.01898	152	0.52	019.31	0
019	Calcium (%)	2006	0.72500	0.03000	0.70248	0.04024	0.01898	152	0.56	019.00	0
019	Calcium (%)	0354	0.72500	0.01000	0.70248	0.04024	0.01898	152	0.56	019.31	0
019	Calcium (%)	0357	0.72500	0.01000	0.70248	0.04024	0.01898	152	0.56	019.42	0
019	Calcium (%)	0242	0.73000	0.00000	0.70248	0.04024	0.01898	152	0.68	019.99	0
019	Calcium (%)	0560	0.73470	0.00180	0.70248	0.04024	0.01898	152	0.80	019.42	0
019	Calcium (%)	0895	0.73500	0.01000	0.70248	0.04024	0.01898	152	0.81	019.00	0
019	Calcium (%)	0674	0.73500	0.05000	0.70248	0.04024	0.01898	152	0.81	019.31	0
019	Calcium (%)	0948	0.73500	0.01000	0.70248	0.04024	0.01898	152	0.81	019.31	0
019	Calcium (%)	0033	0.73500	0.05000	0.70248	0.04024	0.01898	152	0.81	019.43	0
019	Calcium (%)	0353	0.73500	0.05000	0.70248	0.04024	0.01898	152	0.81	019.43	0
019	Calcium (%)	0629	0.74000	0.00000	0.70248	0.04024	0.01898	152	0.93	019.08	0
019	Calcium (%)	0726	0.74055	0.01350	0.70248	0.04024	0.01898	152	0.95	019.42	0
019	Calcium (%)	0870	0.74090	0.01900	0.70248	0.04024	0.01898	152	0.95	019.42	0
019	Calcium (%)	0868	0.74350	0.00500	0.70248	0.04024	0.01898	152	1.02	019.31	0
019	Calcium (%)	0036	0.74470	0.00840	0.70248	0.04024	0.01898	152	1.05	019.03	0
019	Calcium (%)	0555	0.74500	0.09000	0.70248	0.04024	0.01898	152	1.06	019.42	0
019	Calcium (%)	0613	0.74500	0.01000	0.70248	0.04024	0.01898	152	1.06	019.42	0
019	Calcium (%)	0100	0.74500	0.01000	0.70248	0.04024	0.01898	152	1.06	019.99	0
019	Calcium (%)	0152	0.75500	0.03000	0.70248	0.04024	0.01898	152	1.31	019.31	0
019	Calcium (%)	2018	0.75500	0.01000	0.70248	0.04024	0.01898	152	1.31	019.31	0
019	Calcium (%)	0123	0.75500	0.01000	0.70248	0.04024	0.01898	152	1.31	019.41	0
019	Calcium (%)	0278	0.75500	0.03000	0.70248	0.04024	0.01898	152	1.31	019.42	0
019	Calcium (%)	0037	0.76000	0.00000	0.70248	0.04024	0.01898	152	1.43	019.43	0
019	Calcium (%)	0226	0.76500	0.03000	0.70248	0.04024	0.01898	152	1.55	019.41	0
019	Calcium (%)	0860	0.76500	0.01000	0.70248	0.04024	0.01898	152	1.55	019.41	0
019	Calcium (%)	0202	0.76500	0.01000	0.70248	0.04024	0.01898	152	1.55	019.42	0
019	Calcium (%)	0964	0.76540	0.04980	0.70248	0.04024	0.01898	152	1.56	019.43	0
019	Calcium (%)	0968	0.77400	0.00200	0.70248	0.04024	0.01898	152	1.78	019.43	0
019	Calcium (%)	0190	0.77500	0.01000	0.70248	0.04024	0.01898	152	1.80	019.42	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	2006	0.77750	0.02900	0.70248	0.04024	0.01898	152	1.86	019.09	0
019	Calcium (%)	2006	0.77750	0.02900	0.70248	0.04024	0.01898	152	1.86	019.99	0
019	Calcium (%)	0598	0.78535	0.00630	0.70248	0.04024	0.01898	152	2.06	019.41	0
019	Calcium (%)	0187	0.79645	0.00650	0.70248	0.04024	0.01898	152	2.34	019.42	0
019	Calcium (%)	0623	0.79945	0.00010	0.70248	0.04024	0.01898	152	2.41	019.00	0
019	Calcium (%)	0689	0.80000	0.00000	0.70248	0.04024	0.01898	152	2.42	019.08	0
019	Calcium (%)	0619	0.81100	0.00200	0.70248	0.04024	0.01898	152	2.70	019.41	0
019	Calcium (%)	0337	0.84500	0.05000	0.70248	0.04024	0.01898	152	3.54	019.00	0
019	Calcium (%)	0646	0.87500	0.01000	0.70248	0.04024	0.01898	152	4.29	019.00	0
019	Calcium (%)	0536	0.88000	0.16000	0.70248	0.04024	0.01898	152	4.41	019.02	0
019	Calcium (%)	0852	0.90000	0.00000	0.70248	0.04024	0.01898	152	4.91	019.08	0
019	Calcium (%)	0852	0.92500	0.01000	0.70248	0.04024	0.01898	152	5.53	019.99	0
019	Calcium (%)	2011	1.0400	0.10000	0.70248	0.04024	0.01898	152	8.39	019.00	0
019	Calcium (%)	0511	1.1200	0.08000	0.70248	0.04024	0.01898	152	10.38	019.41	0
019	Calcium (%)	0638	0.34000	0.68000	0.70248	0.04024	0.01898	152	-9.01	019.31	1
019	Calcium (%)	0720	0.52500	0.31000	0.70248	0.04024	0.01898	152	-4.41	019.41	1
019	Calcium (%)	0066	1.2750	0.33000	0.70248	0.04024	0.01898	152	14.23	019.31	1
019	Calcium (%)	0186	2.0650	0.03000	0.70248	0.04024	0.01898	152	33.86	019.42	2
021	Cobalt (mg / kg (ppm))	0021	0.00000	0.00000	0.54215	0.20702	0.03929	15	-2.62	021.43	0
021	Cobalt (mg / kg (ppm))	0619	0.28150	0.02900	0.54215	0.20702	0.03929	15	-1.26	021.41	0
021	Cobalt (mg / kg (ppm))	0693	0.35000	0.13000	0.54215	0.20702	0.03929	15	-0.93	021.00	0
021	Cobalt (mg / kg (ppm))	0560	0.36300	0.06600	0.54215	0.20702	0.03929	15	-0.87	021.42	0
021	Cobalt (mg / kg (ppm))	0939	0.46000	0.00000	0.54215	0.20702	0.03929	15	-0.40	021.31	0
021	Cobalt (mg / kg (ppm))	0171	0.46600	0.04000	0.54215	0.20702	0.03929	15	-0.37	021.41	0
021	Cobalt (mg / kg (ppm))	0199	0.52000	0.02000	0.54215	0.20702	0.03929	15	-0.11	021.53	0
021	Cobalt (mg / kg (ppm))	0011	0.52925	0.01650	0.54215	0.20702	0.03929	15	-0.06	021.41	0
021	Cobalt (mg / kg (ppm))	0169	0.60000	0.02000	0.54215	0.20702	0.03929	15	0.28	021.43	0
021	Cobalt (mg / kg (ppm))	0553	0.64850	0.04300	0.54215	0.20702	0.03929	15	0.51	021.53	0
021	Cobalt (mg / kg (ppm))	0964	0.67015	0.04930	0.54215	0.20702	0.03929	15	0.62	021.41	0
021	Cobalt (mg / kg (ppm))	0964	0.68225	0.05550	0.54215	0.20702	0.03929	15	0.68	021.43	0
021	Cobalt (mg / kg (ppm))	0610	0.74500	0.03000	0.54215	0.20702	0.03929	15	0.98	021.34	0
021	Cobalt (mg / kg (ppm))	0510	0.75500	0.03000	0.54215	0.20702	0.03929	15	1.03	021.43	0
021	Cobalt (mg / kg (ppm))	0043	0.83000	0.06000	0.54215	0.20702	0.03929	15	1.39	021.43	0
021	Cobalt (mg / kg (ppm))	0918	0.60600	0.20400	0.54215	0.20702	0.03929	15	0.31	021.53	1
022	Copper (mg / kg (ppm))	0168	9.4800	1.8400	15.126	1.5564	0.65800	92	-3.63	022.43	0
022	Copper (mg / kg (ppm))	0199	10.350	0.50000	15.126	1.5564	0.65800	92	-3.07	022.53	0
022	Copper (mg / kg (ppm))	0619	10.500	0.00000	15.126	1.5564	0.65800	92	-2.97	022.41	0
022	Copper (mg / kg (ppm))	0695	10.880	0.26000	15.126	1.5564	0.65800	92	-2.73	022.41	0
022	Copper (mg / kg (ppm))	0720	11.673	0.51100	15.126	1.5564	0.65800	92	-2.22	022.41	0
022	Copper (mg / kg (ppm))	0049	12.100	2.0800	15.126	1.5564	0.65800	92	-1.94	022.41	0
022	Copper (mg / kg (ppm))	0242	12.500	1.0000	15.126	1.5564	0.65800	92	-1.69	022.99	0
022	Copper (mg / kg (ppm))	2023	12.900	1.0000	15.126	1.5564	0.65800	92	-1.43	022.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0918	12.970	0.38000	15.126	1.5564	0.65800	92	-1.39	022.43	0
022	Copper (mg / kg (ppm))	0100	13.000	0.00000	15.126	1.5564	0.65800	92	-1.37	022.99	0
022	Copper (mg / kg (ppm))	0353	13.090	0.00000	15.126	1.5564	0.65800	92	-1.31	022.43	0
022	Copper (mg / kg (ppm))	0553	13.350	0.70000	15.126	1.5564	0.65800	92	-1.14	022.41	0
022	Copper (mg / kg (ppm))	0948	13.415	0.41000	15.126	1.5564	0.65800	92	-1.10	022.33	0
022	Copper (mg / kg (ppm))	0405	13.500	1.0000	15.126	1.5564	0.65800	92	-1.04	022.41	0
022	Copper (mg / kg (ppm))	0555	13.500	1.0000	15.126	1.5564	0.65800	92	-1.04	022.42	0
022	Copper (mg / kg (ppm))	0629	13.550	0.10000	15.126	1.5564	0.65800	92	-1.01	022.43	0
022	Copper (mg / kg (ppm))	0358	13.650	0.44000	15.126	1.5564	0.65800	92	-0.95	022.41	0
022	Copper (mg / kg (ppm))	0066	13.765	0.65000	15.126	1.5564	0.65800	92	-0.87	022.31	0
022	Copper (mg / kg (ppm))	0536	13.805	1.4500	15.126	1.5564	0.65800	92	-0.85	022.31	0
022	Copper (mg / kg (ppm))	0921	13.990	0.00000	15.126	1.5564	0.65800	92	-0.73	022.31	0
022	Copper (mg / kg (ppm))	0629	14.000	0.00000	15.126	1.5564	0.65800	92	-0.72	022.31	0
022	Copper (mg / kg (ppm))	0692	14.000	0.00000	15.126	1.5564	0.65800	92	-0.72	022.42	0
022	Copper (mg / kg (ppm))	0520	14.020	1.3600	15.126	1.5564	0.65800	92	-0.71	022.41	0
022	Copper (mg / kg (ppm))	0939	14.065	0.33000	15.126	1.5564	0.65800	92	-0.68	022.31	0
022	Copper (mg / kg (ppm))	0345	14.105	0.21000	15.126	1.5564	0.65800	92	-0.66	022.43	0
022	Copper (mg / kg (ppm))	0413	14.250	0.10000	15.126	1.5564	0.65800	92	-0.56	022.42	0
022	Copper (mg / kg (ppm))	0675	14.250	0.48000	15.126	1.5564	0.65800	92	-0.56	022.43	0
022	Copper (mg / kg (ppm))	0011	14.428	1.3550	15.126	1.5564	0.65800	92	-0.45	022.41	0
022	Copper (mg / kg (ppm))	0074	14.500	1.0000	15.126	1.5564	0.65800	92	-0.40	022.41	0
022	Copper (mg / kg (ppm))	0171	14.500	0.80000	15.126	1.5564	0.65800	92	-0.40	022.41	0
022	Copper (mg / kg (ppm))	0910	14.500	1.0000	15.126	1.5564	0.65800	92	-0.40	022.41	0
022	Copper (mg / kg (ppm))	0505	14.700	0.20000	15.126	1.5564	0.65800	92	-0.27	022.31	0
022	Copper (mg / kg (ppm))	0504	14.795	0.03000	15.126	1.5564	0.65800	92	-0.21	022.32	0
022	Copper (mg / kg (ppm))	0098	14.805	0.51000	15.126	1.5564	0.65800	92	-0.21	022.43	0
022	Copper (mg / kg (ppm))	2058	14.810	0.18000	15.126	1.5564	0.65800	92	-0.20	022.43	0
022	Copper (mg / kg (ppm))	0563	14.865	0.09000	15.126	1.5564	0.65800	92	-0.17	022.31	0
022	Copper (mg / kg (ppm))	0598	14.930	2.1400	15.126	1.5564	0.65800	92	-0.13	022.41	0
022	Copper (mg / kg (ppm))	0033	14.990	0.12000	15.126	1.5564	0.65800	92	-0.09	022.43	0
022	Copper (mg / kg (ppm))	0609	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.32	0
022	Copper (mg / kg (ppm))	0004	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.41	0
022	Copper (mg / kg (ppm))	0083	15.000	2.0000	15.126	1.5564	0.65800	92	-0.08	022.41	0
022	Copper (mg / kg (ppm))	0164	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.41	0
022	Copper (mg / kg (ppm))	0610	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.41	0
022	Copper (mg / kg (ppm))	0294	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.42	0
022	Copper (mg / kg (ppm))	0297	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.43	0
022	Copper (mg / kg (ppm))	0425	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.43	0
022	Copper (mg / kg (ppm))	0510	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.43	0
022	Copper (mg / kg (ppm))	0968	15.000	0.00000	15.126	1.5564	0.65800	92	-0.08	022.43	0
022	Copper (mg / kg (ppm))	0674	15.030	0.04000	15.126	1.5564	0.65800	92	-0.06	022.31	0
022	Copper (mg / kg (ppm))	0726	15.120	0.14000	15.126	1.5564	0.65800	92	0.00	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0560	15.200	0.40000	15.126	1.5564	0.65800	92	0.05	022.42	0
022	Copper (mg / kg (ppm))	0613	15.280	0.02000	15.126	1.5564	0.65800	92	0.10	022.42	0
022	Copper (mg / kg (ppm))	0037	15.370	0.42000	15.126	1.5564	0.65800	92	0.16	022.43	0
022	Copper (mg / kg (ppm))	0693	15.375	0.47000	15.126	1.5564	0.65800	92	0.16	022.42	0
022	Copper (mg / kg (ppm))	0169	15.450	0.30000	15.126	1.5564	0.65800	92	0.21	022.43	0
022	Copper (mg / kg (ppm))	0572	15.450	0.90000	15.126	1.5564	0.65800	92	0.21	022.53	0
022	Copper (mg / kg (ppm))	0186	15.500	1.0000	15.126	1.5564	0.65800	92	0.24	022.42	0
022	Copper (mg / kg (ppm))	0098	15.515	0.07000	15.126	1.5564	0.65800	92	0.25	022.41	0
022	Copper (mg / kg (ppm))	0964	15.529	2.5600	15.126	1.5564	0.65800	92	0.26	022.41	0
022	Copper (mg / kg (ppm))	0045	15.600	0.20000	15.126	1.5564	0.65800	92	0.30	022.42	0
022	Copper (mg / kg (ppm))	0354	15.645	0.03000	15.126	1.5564	0.65800	92	0.33	022.31	0
022	Copper (mg / kg (ppm))	0035	15.760	0.46000	15.126	1.5564	0.65800	92	0.41	022.42	0
022	Copper (mg / kg (ppm))	0008	15.770	1.7000	15.126	1.5564	0.65800	92	0.41	022.43	0
022	Copper (mg / kg (ppm))	0682	15.950	0.10000	15.126	1.5564	0.65800	92	0.53	022.41	0
022	Copper (mg / kg (ppm))	0878	16.000	2.0000	15.126	1.5564	0.65800	92	0.56	022.41	0
022	Copper (mg / kg (ppm))	0265	16.000	4.0000	15.126	1.5564	0.65800	92	0.56	022.42	0
022	Copper (mg / kg (ppm))	0357	16.000	2.0000	15.126	1.5564	0.65800	92	0.56	022.42	0
022	Copper (mg / kg (ppm))	0278	16.100	1.0000	15.126	1.5564	0.65800	92	0.63	022.42	0
022	Copper (mg / kg (ppm))	0407	16.145	0.43000	15.126	1.5564	0.65800	92	0.65	022.41	0
022	Copper (mg / kg (ppm))	0723	16.200	0.00000	15.126	1.5564	0.65800	92	0.69	022.31	0
022	Copper (mg / kg (ppm))	0870	16.240	0.02000	15.126	1.5564	0.65800	92	0.72	022.42	0
022	Copper (mg / kg (ppm))	0951	16.400	1.4000	15.126	1.5564	0.65800	92	0.82	022.31	0
022	Copper (mg / kg (ppm))	0226	16.500	1.0000	15.126	1.5564	0.65800	92	0.88	022.41	0
022	Copper (mg / kg (ppm))	0229	16.500	1.0000	15.126	1.5564	0.65800	92	0.88	022.41	0
022	Copper (mg / kg (ppm))	0190	16.635	0.53000	15.126	1.5564	0.65800	92	0.97	022.42	0
022	Copper (mg / kg (ppm))	2042	16.745	0.05000	15.126	1.5564	0.65800	92	1.04	022.32	0
022	Copper (mg / kg (ppm))	0689	16.800	2.4000	15.126	1.5564	0.65800	92	1.08	022.31	0
022	Copper (mg / kg (ppm))	0148	16.850	0.10000	15.126	1.5564	0.65800	92	1.11	022.41	0
022	Copper (mg / kg (ppm))	0904	16.905	1.9500	15.126	1.5564	0.65800	92	1.14	022.35	0
022	Copper (mg / kg (ppm))	0202	16.995	0.01000	15.126	1.5564	0.65800	92	1.20	022.42	0
022	Copper (mg / kg (ppm))	0868	17.000	0.00000	15.126	1.5564	0.65800	92	1.20	022.31	0
022	Copper (mg / kg (ppm))	0178	17.735	1.4900	15.126	1.5564	0.65800	92	1.68	022.31	0
022	Copper (mg / kg (ppm))	0038	18.000	0.00000	15.126	1.5564	0.65800	92	1.85	022.32	0
022	Copper (mg / kg (ppm))	0964	18.355	2.3700	15.126	1.5564	0.65800	92	2.07	022.43	0
022	Copper (mg / kg (ppm))	0035	19.290	0.54000	15.126	1.5564	0.65800	92	2.68	022.32	0
022	Copper (mg / kg (ppm))	0106	19.300	0.50000	15.126	1.5564	0.65800	92	2.68	022.42	0
022	Copper (mg / kg (ppm))	0003	19.500	1.0000	15.126	1.5564	0.65800	92	2.81	022.41	0
022	Copper (mg / kg (ppm))	2012	19.815	0.73000	15.126	1.5564	0.65800	92	3.01	022.41	0
022	Copper (mg / kg (ppm))	0511	20.000	0.00000	15.126	1.5564	0.65800	92	3.13	022.41	0
022	Copper (mg / kg (ppm))	0187	20.530	0.28000	15.126	1.5564	0.65800	92	3.47	022.42	0
022	Copper (mg / kg (ppm))	0042	22.300	1.6000	15.126	1.5564	0.65800	92	4.61	022.42	0
022	Copper (mg / kg (ppm))	0043	27.050	0.10000	15.126	1.5564	0.65800	92	7.66	022.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0638	7.0000	14.000	15.126	1.5564	0.65800	92	-5.22	022.31	1
023	Fluorine (%)	0619	0.00180	0.00000			0.00000	1			
025	Iron (mg / kg (ppm))	2042	115.70	6.4000	352.60	54.642	11.969	92	-4.34	025.32	0
025	Iron (mg / kg (ppm))	0187	116.14	1.6900	352.60	54.642	11.969	92	-4.33	025.42	0
025	Iron (mg / kg (ppm))	0726	220.10	5.2000	352.60	54.642	11.969	92	-2.42	025.42	0
025	Iron (mg / kg (ppm))	0186	222.00	8.0000	352.60	54.642	11.969	92	-2.39	025.42	0
025	Iron (mg / kg (ppm))	2023	263.50	7.0000	352.60	54.642	11.969	92	-1.63	025.43	0
025	Iron (mg / kg (ppm))	0555	265.00	10.000	352.60	54.642	11.969	92	-1.60	025.42	0
025	Iron (mg / kg (ppm))	0692	272.00	36.000	352.60	54.642	11.969	92	-1.48	025.42	0
025	Iron (mg / kg (ppm))	0918	276.30	12.760	352.60	54.642	11.969	92	-1.40	025.43	0
025	Iron (mg / kg (ppm))	0154	277.70	4.4000	352.60	54.642	11.969	92	-1.37	025.52	0
025	Iron (mg / kg (ppm))	0037	280.25	3.3000	352.60	54.642	11.969	92	-1.32	025.43	0
025	Iron (mg / kg (ppm))	0242	280.50	5.0000	352.60	54.642	11.969	92	-1.32	025.99	0
025	Iron (mg / kg (ppm))	0278	288.00	4.0000	352.60	54.642	11.969	92	-1.18	025.42	0
025	Iron (mg / kg (ppm))	0613	289.60	12.800	352.60	54.642	11.969	92	-1.15	025.42	0
025	Iron (mg / kg (ppm))	0345	291.50	7.0000	352.60	54.642	11.969	92	-1.12	025.43	0
025	Iron (mg / kg (ppm))	0337	293.22	9.9700	352.60	54.642	11.969	92	-1.09	025.32	0
025	Iron (mg / kg (ppm))	0353	296.53	21.510	352.60	54.642	11.969	92	-1.03	025.43	0
025	Iron (mg / kg (ppm))	0083	298.50	15.000	352.60	54.642	11.969	92	-0.99	025.41	0
025	Iron (mg / kg (ppm))	0100	300.50	17.000	352.60	54.642	11.969	92	-0.95	025.99	0
025	Iron (mg / kg (ppm))	0413	303.50	31.000	352.60	54.642	11.969	92	-0.90	025.42	0
025	Iron (mg / kg (ppm))	0948	304.18	4.0800	352.60	54.642	11.969	92	-0.89	025.33	0
025	Iron (mg / kg (ppm))	0951	304.80	0.80000	352.60	54.642	11.969	92	-0.87	025.31	0
025	Iron (mg / kg (ppm))	0297	310.00	0.00000	352.60	54.642	11.969	92	-0.78	025.43	0
025	Iron (mg / kg (ppm))	0265	315.50	39.000	352.60	54.642	11.969	92	-0.68	025.42	0
025	Iron (mg / kg (ppm))	0870	316.30	4.6000	352.60	54.642	11.969	92	-0.66	025.42	0
025	Iron (mg / kg (ppm))	0510	317.00	2.0000	352.60	54.642	11.969	92	-0.65	025.43	0
025	Iron (mg / kg (ppm))	2058	317.24	3.0300	352.60	54.642	11.969	92	-0.65	025.43	0
025	Iron (mg / kg (ppm))	0693	318.50	3.0000	352.60	54.642	11.969	92	-0.62	025.42	0
025	Iron (mg / kg (ppm))	0563	320.50	11.000	352.60	54.642	11.969	92	-0.59	025.31	0
025	Iron (mg / kg (ppm))	0106	324.00	0.00000	352.60	54.642	11.969	92	-0.52	025.42	0
025	Iron (mg / kg (ppm))	0043	324.50	37.000	352.60	54.642	11.969	92	-0.51	025.43	0
025	Iron (mg / kg (ppm))	0294	325.16	0.32000	352.60	54.642	11.969	92	-0.50	025.42	0
025	Iron (mg / kg (ppm))	0560	325.50	23.000	352.60	54.642	11.969	92	-0.50	025.42	0
025	Iron (mg / kg (ppm))	0035	325.60	6.0000	352.60	54.642	11.969	92	-0.49	025.42	0
025	Iron (mg / kg (ppm))	0190	328.85	6.1000	352.60	54.642	11.969	92	-0.43	025.42	0
025	Iron (mg / kg (ppm))	0425	329.40	0.00000	352.60	54.642	11.969	92	-0.42	025.43	0
025	Iron (mg / kg (ppm))	0968	332.00	8.0000	352.60	54.642	11.969	92	-0.38	025.43	0
025	Iron (mg / kg (ppm))	0619	339.00	6.0000	352.60	54.642	11.969	92	-0.25	025.41	0
025	Iron (mg / kg (ppm))	0226	340.00	36.000	352.60	54.642	11.969	92	-0.23	025.41	0
025	Iron (mg / kg (ppm))	0675	340.05	9.2400	352.60	54.642	11.969	92	-0.23	025.43	0
025	Iron (mg / kg (ppm))	0629	342.00	10.000	352.60	54.642	11.969	92	-0.19	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0939	342.32	1.7200	352.60	54.642	11.969	92	-0.19	025.31	0
025	Iron (mg / kg (ppm))	0921	349.90	79.000	352.60	54.642	11.969	92	-0.05	025.31	0
025	Iron (mg / kg (ppm))	0042	351.50	35.000	352.60	54.642	11.969	92	-0.02	025.42	0
025	Iron (mg / kg (ppm))	0199	354.50	29.000	352.60	54.642	11.969	92	0.03	025.53	0
025	Iron (mg / kg (ppm))	0300	356.28	6.6630	352.60	54.642	11.969	92	0.07	025.41	0
025	Iron (mg / kg (ppm))	2012	358.62	2.0100	352.60	54.642	11.969	92	0.11	025.41	0
025	Iron (mg / kg (ppm))	0405	361.00	2.0000	352.60	54.642	11.969	92	0.15	025.41	0
025	Iron (mg / kg (ppm))	0609	362.50	25.000	352.60	54.642	11.969	92	0.18	025.32	0
025	Iron (mg / kg (ppm))	0505	364.00	4.0000	352.60	54.642	11.969	92	0.21	025.31	0
025	Iron (mg / kg (ppm))	0610	365.00	2.0000	352.60	54.642	11.969	92	0.23	025.41	0
025	Iron (mg / kg (ppm))	0168	365.00	10.000	352.60	54.642	11.969	92	0.23	025.43	0
025	Iron (mg / kg (ppm))	0520	367.70	7.2000	352.60	54.642	11.969	92	0.28	025.41	0
025	Iron (mg / kg (ppm))	0045	369.50	15.000	352.60	54.642	11.969	92	0.31	025.42	0
025	Iron (mg / kg (ppm))	2022	373.80	12.600	352.60	54.642	11.969	92	0.39	025.31	0
025	Iron (mg / kg (ppm))	0553	376.50	13.000	352.60	54.642	11.969	92	0.44	025.41	0
025	Iron (mg / kg (ppm))	0874	377.00	6.0000	352.60	54.642	11.969	92	0.45	025.31	0
025	Iron (mg / kg (ppm))	0682	377.50	5.0000	352.60	54.642	11.969	92	0.46	025.41	0
025	Iron (mg / kg (ppm))	0407	377.77	4.4800	352.60	54.642	11.969	92	0.46	025.41	0
025	Iron (mg / kg (ppm))	0004	379.00	2.0000	352.60	54.642	11.969	92	0.48	025.41	0
025	Iron (mg / kg (ppm))	0229	380.50	9.0000	352.60	54.642	11.969	92	0.51	025.41	0
025	Iron (mg / kg (ppm))	0011	381.81	10.355	352.60	54.642	11.969	92	0.53	025.41	0
025	Iron (mg / kg (ppm))	0074	382.50	25.000	352.60	54.642	11.969	92	0.55	025.41	0
025	Iron (mg / kg (ppm))	0598	383.45	8.5000	352.60	54.642	11.969	92	0.56	025.41	0
025	Iron (mg / kg (ppm))	0354	385.07	0.13000	352.60	54.642	11.969	92	0.59	025.31	0
025	Iron (mg / kg (ppm))	0169	385.50	1.0000	352.60	54.642	11.969	92	0.60	025.43	0
025	Iron (mg / kg (ppm))	0629	388.50	5.0000	352.60	54.642	11.969	92	0.66	025.31	0
025	Iron (mg / kg (ppm))	0868	388.50	1.0000	352.60	54.642	11.969	92	0.66	025.31	0
025	Iron (mg / kg (ppm))	0098	388.55	9.1000	352.60	54.642	11.969	92	0.66	025.43	0
025	Iron (mg / kg (ppm))	0148	393.80	1.0000	352.60	54.642	11.969	92	0.75	025.41	0
025	Iron (mg / kg (ppm))	0910	394.00	50.000	352.60	54.642	11.969	92	0.76	025.41	0
025	Iron (mg / kg (ppm))	0098	396.60	5.6000	352.60	54.642	11.969	92	0.81	025.41	0
025	Iron (mg / kg (ppm))	0033	397.00	16.000	352.60	54.642	11.969	92	0.81	025.43	0
025	Iron (mg / kg (ppm))	0504	397.30	22.800	352.60	54.642	11.969	92	0.82	025.32	0
025	Iron (mg / kg (ppm))	0695	398.35	8.2420	352.60	54.642	11.969	92	0.84	025.41	0
025	Iron (mg / kg (ppm))	0049	398.41	6.9800	352.60	54.642	11.969	92	0.84	025.41	0
025	Iron (mg / kg (ppm))	0008	398.50	3.0000	352.60	54.642	11.969	92	0.84	025.43	0
025	Iron (mg / kg (ppm))	0689	399.80	0.40000	352.60	54.642	11.969	92	0.86	025.31	0
025	Iron (mg / kg (ppm))	0038	404.00	4.0000	352.60	54.642	11.969	92	0.94	025.31	0
025	Iron (mg / kg (ppm))	0171	404.50	23.000	352.60	54.642	11.969	92	0.95	025.41	0
025	Iron (mg / kg (ppm))	0723	405.00	0.00000	352.60	54.642	11.969	92	0.96	025.31	0
025	Iron (mg / kg (ppm))	0358	405.87	41.360	352.60	54.642	11.969	92	0.97	025.41	0
025	Iron (mg / kg (ppm))	0175	406.00	8.0000	352.60	54.642	11.969	92	0.98	025.31	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0164	409.50	1.0000	352.60	54.642	11.969	92	1.04	025.41	0
025	Iron (mg / kg (ppm))	0964	410.60	26.250	352.60	54.642	11.969	92	1.06	025.41	0
025	Iron (mg / kg (ppm))	0878	415.00	10.000	352.60	54.642	11.969	92	1.14	025.41	0
025	Iron (mg / kg (ppm))	0720	416.25	5.7000	352.60	54.642	11.969	92	1.16	025.41	0
025	Iron (mg / kg (ppm))	0904	428.89	32.620	352.60	54.642	11.969	92	1.40	025.34	0
025	Iron (mg / kg (ppm))	0178	433.70	8.4000	352.60	54.642	11.969	92	1.48	025.31	0
025	Iron (mg / kg (ppm))	0511	436.50	17.000	352.60	54.642	11.969	92	1.54	025.41	0
025	Iron (mg / kg (ppm))	0964	436.75	22.290	352.60	54.642	11.969	92	1.54	025.43	0
025	Iron (mg / kg (ppm))	0003	473.50	15.000	352.60	54.642	11.969	92	2.21	025.41	0
025	Iron (mg / kg (ppm))	0066	562.71	14.510	352.60	54.642	11.969	92	3.85	025.31	0
025	Iron (mg / kg (ppm))	0638	174.00	348.00	352.60	54.642	11.969	92	-3.27	025.31	1
027	Magnesium (%)	0536	0.07000	0.00000	0.16766	0.01247	0.01819	82	-7.83	027.31	0
027	Magnesium (%)	0638	0.08500	0.17000	0.16766	0.01247	0.01819	82	-6.63	027.31	0
027	Magnesium (%)	0520	0.13000	0.00000	0.16766	0.01247	0.01819	82	-3.02	027.41	0
027	Magnesium (%)	0874	0.14045	0.00150	0.16766	0.01247	0.01819	82	-2.18	027.31	0
027	Magnesium (%)	0948	0.14500	0.01000	0.16766	0.01247	0.01819	82	-1.82	027.33	0
027	Magnesium (%)	2058	0.14500	0.01000	0.16766	0.01247	0.01819	82	-1.82	027.43	0
027	Magnesium (%)	0918	0.14650	0.00300	0.16766	0.01247	0.01819	82	-1.70	027.43	0
027	Magnesium (%)	0345	0.14800	0.00400	0.16766	0.01247	0.01819	82	-1.58	027.43	0
027	Magnesium (%)	2023	0.14900	0.00000	0.16766	0.01247	0.01819	82	-1.50	027.41	0
027	Magnesium (%)	0695	0.15000	0.00000	0.16766	0.01247	0.01819	82	-1.42	027.41	0
027	Magnesium (%)	0889	0.15000	0.00000	0.16766	0.01247	0.01819	82	-1.42	027.99	0
027	Magnesium (%)	0629	0.15150	0.00100	0.16766	0.01247	0.01819	82	-1.30	027.43	0
027	Magnesium (%)	0692	0.15500	0.01000	0.16766	0.01247	0.01819	82	-1.02	027.42	0
027	Magnesium (%)	0510	0.15500	0.01000	0.16766	0.01247	0.01819	82	-1.02	027.43	0
027	Magnesium (%)	0035	0.15920	0.00040	0.16766	0.01247	0.01819	82	-0.68	027.42	0
027	Magnesium (%)	0689	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.31	0
027	Magnesium (%)	0921	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.34	0
027	Magnesium (%)	0049	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.41	0
027	Magnesium (%)	0358	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.41	0
027	Magnesium (%)	0553	0.16000	0.01000	0.16766	0.01247	0.01819	82	-0.61	027.41	0
027	Magnesium (%)	0106	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.42	0
027	Magnesium (%)	0265	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.42	0
027	Magnesium (%)	0357	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.42	0
027	Magnesium (%)	0613	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.42	0
027	Magnesium (%)	0043	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.43	0
027	Magnesium (%)	0297	0.16000	0.00000	0.16766	0.01247	0.01819	82	-0.61	027.43	0
027	Magnesium (%)	0045	0.16250	0.00900	0.16766	0.01247	0.01819	82	-0.41	027.42	0
027	Magnesium (%)	0300	0.16450	0.00100	0.16766	0.01247	0.01819	82	-0.25	027.41	0
027	Magnesium (%)	0008	0.16450	0.00100	0.16766	0.01247	0.01819	82	-0.25	027.43	0
027	Magnesium (%)	0868	0.16500	0.00000	0.16766	0.01247	0.01819	82	-0.21	027.31	0
027	Magnesium (%)	0229	0.16500	0.01000	0.16766	0.01247	0.01819	82	-0.21	027.41	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0098	0.16500	0.01000	0.16766	0.01247	0.01819	82	-0.21	027.43	0
027	Magnesium (%)	0650	0.16525	0.01090	0.16766	0.01247	0.01819	82	-0.19	027.31	0
027	Magnesium (%)	2022	0.16550	0.00100	0.16766	0.01247	0.01819	82	-0.17	027.31	0
027	Magnesium (%)	0042	0.16600	0.01200	0.16766	0.01247	0.01819	82	-0.13	027.42	0
027	Magnesium (%)	0065	0.16670	0.00180	0.16766	0.01247	0.01819	82	-0.08	027.31	0
027	Magnesium (%)	0148	0.16750	0.00100	0.16766	0.01247	0.01819	82	-0.01	027.41	0
027	Magnesium (%)	0038	0.16800	0.00000	0.16766	0.01247	0.01819	82	0.03	027.31	0
027	Magnesium (%)	0572	0.16855	0.01330	0.16766	0.01247	0.01819	82	0.07	027.53	0
027	Magnesium (%)	0139	0.16900	0.00060	0.16766	0.01247	0.01819	82	0.11	027.31	0
027	Magnesium (%)	0407	0.16900	0.00000	0.16766	0.01247	0.01819	82	0.11	027.41	0
027	Magnesium (%)	0413	0.17000	0.02000	0.16766	0.01247	0.01819	82	0.19	027.41	0
027	Magnesium (%)	0555	0.17000	0.02000	0.16766	0.01247	0.01819	82	0.19	027.42	0
027	Magnesium (%)	0003	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.41	0
027	Magnesium (%)	0083	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.41	0
027	Magnesium (%)	0098	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.41	0
027	Magnesium (%)	0171	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.41	0
027	Magnesium (%)	0294	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.42	0
027	Magnesium (%)	0037	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.43	0
027	Magnesium (%)	0353	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.43	0
027	Magnesium (%)	0425	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.43	0
027	Magnesium (%)	0242	0.17000	0.00000	0.16766	0.01247	0.01819	82	0.19	027.99	0
027	Magnesium (%)	0870	0.17050	0.00440	0.16766	0.01247	0.01819	82	0.23	027.42	0
027	Magnesium (%)	0142	0.17100	0.00200	0.16766	0.01247	0.01819	82	0.27	027.31	0
027	Magnesium (%)	0563	0.17145	0.00130	0.16766	0.01247	0.01819	82	0.30	027.31	0
027	Magnesium (%)	0598	0.17155	0.00150	0.16766	0.01247	0.01819	82	0.31	027.41	0
027	Magnesium (%)	0675	0.17200	0.00000	0.16766	0.01247	0.01819	82	0.35	027.43	0
027	Magnesium (%)	0011	0.17385	0.00090	0.16766	0.01247	0.01819	82	0.50	027.41	0
027	Magnesium (%)	0964	0.17440	0.01740	0.16766	0.01247	0.01819	82	0.54	027.41	0
027	Magnesium (%)	0175	0.17500	0.01000	0.16766	0.01247	0.01819	82	0.59	027.31	0
027	Magnesium (%)	0682	0.17500	0.01000	0.16766	0.01247	0.01819	82	0.59	027.41	0
027	Magnesium (%)	0720	0.17500	0.01000	0.16766	0.01247	0.01819	82	0.59	027.41	0
027	Magnesium (%)	0878	0.17500	0.01000	0.16766	0.01247	0.01819	82	0.59	027.41	0
027	Magnesium (%)	0033	0.17500	0.01000	0.16766	0.01247	0.01819	82	0.59	027.43	0
027	Magnesium (%)	0164	0.17550	0.00300	0.16766	0.01247	0.01819	82	0.63	027.41	0
027	Magnesium (%)	0968	0.17900	0.00200	0.16766	0.01247	0.01819	82	0.91	027.43	0
027	Magnesium (%)	0154	0.17960	0.01620	0.16766	0.01247	0.01819	82	0.96	027.52	0
027	Magnesium (%)	0354	0.18000	0.00000	0.16766	0.01247	0.01819	82	0.99	027.31	0
027	Magnesium (%)	2012	0.18000	0.00000	0.16766	0.01247	0.01819	82	0.99	027.41	0
027	Magnesium (%)	0202	0.18000	0.00000	0.16766	0.01247	0.01819	82	0.99	027.42	0
027	Magnesium (%)	0278	0.18000	0.00000	0.16766	0.01247	0.01819	82	0.99	027.42	0
027	Magnesium (%)	0100	0.18000	0.00000	0.16766	0.01247	0.01819	82	0.99	027.99	0
027	Magnesium (%)	0504	0.18100	0.00200	0.16766	0.01247	0.01819	82	1.07	027.32	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0693	0.18450	0.00100	0.16766	0.01247	0.01819	82	1.35	027.42	0
027	Magnesium (%)	0169	0.18500	0.00200	0.16766	0.01247	0.01819	82	1.39	027.32	0
027	Magnesium (%)	0609	0.18500	0.01000	0.16766	0.01247	0.01819	82	1.39	027.32	0
027	Magnesium (%)	0226	0.18500	0.01000	0.16766	0.01247	0.01819	82	1.39	027.41	0
027	Magnesium (%)	0405	0.18500	0.01000	0.16766	0.01247	0.01819	82	1.39	027.41	0
027	Magnesium (%)	0619	0.18800	0.00000	0.16766	0.01247	0.01819	82	1.63	027.41	0
027	Magnesium (%)	0964	0.19075	0.01170	0.16766	0.01247	0.01819	82	1.85	027.43	0
027	Magnesium (%)	0186	0.37600	0.00600	0.16766	0.01247	0.01819	82	16.71	027.42	0
027	Magnesium (%)	0187	0.67295	0.99870	0.16766	0.01247	0.01819	82	40.52	027.42	0
027	Magnesium (%)	0560	1,659.5	11.000	0.16766	0.01247	0.01819	82	133061.98	027.42	2
028	Manganese (mg / kg (ppm))	2042	24.285	0.23000	52.010	3.7960	1.7494	93	-7.30	028.32	0
028	Manganese (mg / kg (ppm))	2012	34.900	0.96000	52.010	3.7960	1.7494	93	-4.51	028.41	0
028	Manganese (mg / kg (ppm))	0175	39.000	2.0000	52.010	3.7960	1.7494	93	-3.43	028.31	0
028	Manganese (mg / kg (ppm))	0536	39.515	1.9700	52.010	3.7960	1.7494	93	-3.29	028.31	0
028	Manganese (mg / kg (ppm))	2023	43.100	0.20000	52.010	3.7960	1.7494	93	-2.35	028.44	0
028	Manganese (mg / kg (ppm))	0675	43.710	0.94000	52.010	3.7960	1.7494	93	-2.19	028.43	0
028	Manganese (mg / kg (ppm))	0178	44.445	0.05000	52.010	3.7960	1.7494	93	-1.99	028.31	0
028	Manganese (mg / kg (ppm))	0066	44.855	1.2100	52.010	3.7960	1.7494	93	-1.88	028.31	0
028	Manganese (mg / kg (ppm))	0043	45.750	0.10000	52.010	3.7960	1.7494	93	-1.65	028.43	0
028	Manganese (mg / kg (ppm))	0939	45.800	1.3000	52.010	3.7960	1.7494	93	-1.64	028.31	0
028	Manganese (mg / kg (ppm))	0921	45.900	0.00000	52.010	3.7960	1.7494	93	-1.61	028.31	0
028	Manganese (mg / kg (ppm))	0870	46.715	2.3500	52.010	3.7960	1.7494	93	-1.39	028.42	0
028	Manganese (mg / kg (ppm))	0510	47.000	0.00000	52.010	3.7960	1.7494	93	-1.32	028.43	0
028	Manganese (mg / kg (ppm))	0553	47.750	1.7000	52.010	3.7960	1.7494	93	-1.12	028.41	0
028	Manganese (mg / kg (ppm))	0918	47.820	1.6600	52.010	3.7960	1.7494	93	-1.10	028.43	0
028	Manganese (mg / kg (ppm))	0278	48.000	0.00000	52.010	3.7960	1.7494	93	-1.06	028.42	0
028	Manganese (mg / kg (ppm))	0168	48.450	3.5000	52.010	3.7960	1.7494	93	-0.94	028.43	0
028	Manganese (mg / kg (ppm))	0520	48.705	1.0100	52.010	3.7960	1.7494	93	-0.87	028.41	0
028	Manganese (mg / kg (ppm))	0613	48.910	2.3200	52.010	3.7960	1.7494	93	-0.82	028.42	0
028	Manganese (mg / kg (ppm))	0004	49.000	2.0000	52.010	3.7960	1.7494	93	-0.79	028.41	0
028	Manganese (mg / kg (ppm))	0074	49.000	6.0000	52.010	3.7960	1.7494	93	-0.79	028.41	0
028	Manganese (mg / kg (ppm))	0689	49.200	1.6000	52.010	3.7960	1.7494	93	-0.74	028.31	0
028	Manganese (mg / kg (ppm))	0610	49.500	1.0000	52.010	3.7960	1.7494	93	-0.66	028.41	0
028	Manganese (mg / kg (ppm))	0555	49.500	1.0000	52.010	3.7960	1.7494	93	-0.66	028.42	0
028	Manganese (mg / kg (ppm))	0035	49.585	0.27000	52.010	3.7960	1.7494	93	-0.64	028.42	0
028	Manganese (mg / kg (ppm))	0049	49.770	1.9600	52.010	3.7960	1.7494	93	-0.59	028.41	0
028	Manganese (mg / kg (ppm))	0300	49.835	1.3590	52.010	3.7960	1.7494	93	-0.57	028.41	0
028	Manganese (mg / kg (ppm))	0229	50.000	0.00000	52.010	3.7960	1.7494	93	-0.53	028.41	0
028	Manganese (mg / kg (ppm))	2022	50.150	0.30000	52.010	3.7960	1.7494	93	-0.49	028.31	0
028	Manganese (mg / kg (ppm))	0695	50.390	0.74000	52.010	3.7960	1.7494	93	-0.43	028.41	0
028	Manganese (mg / kg (ppm))	2058	50.390	2.6400	52.010	3.7960	1.7494	93	-0.43	028.43	0
028	Manganese (mg / kg (ppm))	0265	50.500	5.0000	52.010	3.7960	1.7494	93	-0.40	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0021	50.500	3.0000	52.010	3.7960	1.7494	93	-0.40	028.43	0
028	Manganese (mg / kg (ppm))	0425	50.600	0.00000	52.010	3.7960	1.7494	93	-0.37	028.43	0
028	Manganese (mg / kg (ppm))	0629	50.700	1.8000	52.010	3.7960	1.7494	93	-0.35	028.31	0
028	Manganese (mg / kg (ppm))	0948	50.995	0.75000	52.010	3.7960	1.7494	93	-0.27	028.33	0
028	Manganese (mg / kg (ppm))	0563	51.000	0.00000	52.010	3.7960	1.7494	93	-0.27	028.31	0
028	Manganese (mg / kg (ppm))	0590	51.000	0.00000	52.010	3.7960	1.7494	93	-0.27	028.31	0
028	Manganese (mg / kg (ppm))	0038	51.000	2.0000	52.010	3.7960	1.7494	93	-0.27	028.32	0
028	Manganese (mg / kg (ppm))	0164	51.000	0.00000	52.010	3.7960	1.7494	93	-0.27	028.41	0
028	Manganese (mg / kg (ppm))	0629	51.200	0.00000	52.010	3.7960	1.7494	93	-0.21	028.43	0
028	Manganese (mg / kg (ppm))	0692	51.500	5.0000	52.010	3.7960	1.7494	93	-0.13	028.42	0
028	Manganese (mg / kg (ppm))	0033	51.600	0.80000	52.010	3.7960	1.7494	93	-0.11	028.43	0
028	Manganese (mg / kg (ppm))	0504	51.750	0.82000	52.010	3.7960	1.7494	93	-0.07	028.32	0
028	Manganese (mg / kg (ppm))	0723	52.000	0.00000	52.010	3.7960	1.7494	93	0.00	028.31	0
028	Manganese (mg / kg (ppm))	0226	52.000	0.00000	52.010	3.7960	1.7494	93	0.00	028.41	0
028	Manganese (mg / kg (ppm))	0693	52.160	6.7000	52.010	3.7960	1.7494	93	0.04	028.42	0
028	Manganese (mg / kg (ppm))	0358	52.335	0.21000	52.010	3.7960	1.7494	93	0.09	028.41	0
028	Manganese (mg / kg (ppm))	0910	52.500	7.0000	52.010	3.7960	1.7494	93	0.13	028.41	0
028	Manganese (mg / kg (ppm))	0100	52.500	3.0000	52.010	3.7960	1.7494	93	0.13	028.99	0
028	Manganese (mg / kg (ppm))	0242	52.500	1.0000	52.010	3.7960	1.7494	93	0.13	028.99	0
028	Manganese (mg / kg (ppm))	0407	52.590	2.8000	52.010	3.7960	1.7494	93	0.15	028.41	0
028	Manganese (mg / kg (ppm))	0011	52.643	2.1550	52.010	3.7960	1.7494	93	0.17	028.41	0
028	Manganese (mg / kg (ppm))	0199	52.800	4.6000	52.010	3.7960	1.7494	93	0.21	028.53	0
028	Manganese (mg / kg (ppm))	0354	53.055	0.19000	52.010	3.7960	1.7494	93	0.28	028.31	0
028	Manganese (mg / kg (ppm))	0187	53.160	0.08000	52.010	3.7960	1.7494	93	0.30	028.42	0
028	Manganese (mg / kg (ppm))	0572	53.250	5.1000	52.010	3.7960	1.7494	93	0.33	028.53	0
028	Manganese (mg / kg (ppm))	0413	53.300	2.0000	52.010	3.7960	1.7494	93	0.34	028.42	0
028	Manganese (mg / kg (ppm))	0042	53.400	3.6000	52.010	3.7960	1.7494	93	0.37	028.42	0
028	Manganese (mg / kg (ppm))	0609	53.500	1.0000	52.010	3.7960	1.7494	93	0.39	028.32	0
028	Manganese (mg / kg (ppm))	0003	53.500	3.0000	52.010	3.7960	1.7494	93	0.39	028.41	0
028	Manganese (mg / kg (ppm))	0878	53.500	1.0000	52.010	3.7960	1.7494	93	0.39	028.41	0
028	Manganese (mg / kg (ppm))	0297	53.500	1.0000	52.010	3.7960	1.7494	93	0.39	028.43	0
028	Manganese (mg / kg (ppm))	0169	53.800	1.0000	52.010	3.7960	1.7494	93	0.47	028.43	0
028	Manganese (mg / kg (ppm))	0964	53.801	5.7140	52.010	3.7960	1.7494	93	0.47	028.41	0
028	Manganese (mg / kg (ppm))	0294	53.820	1.0400	52.010	3.7960	1.7494	93	0.48	028.42	0
028	Manganese (mg / kg (ppm))	0682	53.900	0.60000	52.010	3.7960	1.7494	93	0.50	028.41	0
028	Manganese (mg / kg (ppm))	0968	54.000	0.00000	52.010	3.7960	1.7494	93	0.52	028.43	0
028	Manganese (mg / kg (ppm))	0560	54.200	1.6000	52.010	3.7960	1.7494	93	0.58	028.42	0
028	Manganese (mg / kg (ppm))	0598	54.250	2.2000	52.010	3.7960	1.7494	93	0.59	028.41	0
028	Manganese (mg / kg (ppm))	0171	54.350	1.1000	52.010	3.7960	1.7494	93	0.62	028.41	0
028	Manganese (mg / kg (ppm))	0098	54.445	0.55000	52.010	3.7960	1.7494	93	0.64	028.43	0
028	Manganese (mg / kg (ppm))	0619	54.550	0.10000	52.010	3.7960	1.7494	93	0.67	028.41	0
028	Manganese (mg / kg (ppm))	0148	54.905	0.03000	52.010	3.7960	1.7494	93	0.76	028.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0505	55.000	2.0000	52.010	3.7960	1.7494	93	0.79	028.31	0
028	Manganese (mg / kg (ppm))	0868	55.000	0.00000	52.010	3.7960	1.7494	93	0.79	028.31	0
028	Manganese (mg / kg (ppm))	0083	55.000	4.0000	52.010	3.7960	1.7494	93	0.79	028.41	0
028	Manganese (mg / kg (ppm))	0357	55.000	2.0000	52.010	3.7960	1.7494	93	0.79	028.42	0
028	Manganese (mg / kg (ppm))	0037	55.950	0.52000	52.010	3.7960	1.7494	93	1.04	028.43	0
028	Manganese (mg / kg (ppm))	0008	56.000	6.6000	52.010	3.7960	1.7494	93	1.05	028.43	0
028	Manganese (mg / kg (ppm))	0098	56.920	2.4800	52.010	3.7960	1.7494	93	1.29	028.41	0
028	Manganese (mg / kg (ppm))	0045	57.250	0.70000	52.010	3.7960	1.7494	93	1.38	028.42	0
028	Manganese (mg / kg (ppm))	0190	57.435	0.61000	52.010	3.7960	1.7494	93	1.43	028.42	0
028	Manganese (mg / kg (ppm))	0202	57.505	2.9700	52.010	3.7960	1.7494	93	1.45	028.42	0
028	Manganese (mg / kg (ppm))	0511	58.500	5.0000	52.010	3.7960	1.7494	93	1.71	028.41	0
028	Manganese (mg / kg (ppm))	0345	58.700	2.8000	52.010	3.7960	1.7494	93	1.76	028.43	0
028	Manganese (mg / kg (ppm))	0726	58.845	0.61000	52.010	3.7960	1.7494	93	1.80	028.42	0
028	Manganese (mg / kg (ppm))	0353	59.740	3.3800	52.010	3.7960	1.7494	93	2.04	028.43	0
028	Manganese (mg / kg (ppm))	0405	61.000	2.0000	52.010	3.7960	1.7494	93	2.37	028.41	0
028	Manganese (mg / kg (ppm))	0964	61.215	3.9900	52.010	3.7960	1.7494	93	2.42	028.43	0
028	Manganese (mg / kg (ppm))	0720	61.310	0.06000	52.010	3.7960	1.7494	93	2.45	028.41	0
028	Manganese (mg / kg (ppm))	0106	61.450	2.0000	52.010	3.7960	1.7494	93	2.49	028.42	0
028	Manganese (mg / kg (ppm))	0904	71.565	3.0700	52.010	3.7960	1.7494	93	5.15	028.34	0
028	Manganese (mg / kg (ppm))	0638	24.000	48.000	52.010	3.7960	1.7494	93	-7.38	028.31	1
028	Manganese (mg / kg (ppm))	0186	133.50	5.0000	52.010	3.7960	1.7494	93	21.47	028.42	2
031	Phosphorus (%)	0016	0.46650	0.01700	0.58212	0.02460	0.01195	153	-4.70	031.01	0
031	Phosphorus (%)	0202	0.47500	0.01000	0.58212	0.02460	0.01195	153	-4.36	031.42	0
031	Phosphorus (%)	2023	0.50450	0.01100	0.58212	0.02460	0.01195	153	-3.16	031.43	0
031	Phosphorus (%)	0520	0.52000	0.02000	0.58212	0.02460	0.01195	153	-2.53	031.41	0
031	Phosphorus (%)	0889	0.52000	0.02000	0.58212	0.02460	0.01195	153	-2.53	031.99	0
031	Phosphorus (%)	0407	0.52200	0.01400	0.58212	0.02460	0.01195	153	-2.44	031.41	0
031	Phosphorus (%)	0035	0.52450	0.00900	0.58212	0.02460	0.01195	153	-2.34	031.42	0
031	Phosphorus (%)	0685	0.52500	0.01000	0.58212	0.02460	0.01195	153	-2.32	031.41	0
031	Phosphorus (%)	0108	0.53000	0.04000	0.58212	0.02460	0.01195	153	-2.12	031.01	0
031	Phosphorus (%)	0187	0.53075	0.00110	0.58212	0.02460	0.01195	153	-2.09	031.42	0
031	Phosphorus (%)	0692	0.53500	0.01000	0.58212	0.02460	0.01195	153	-1.92	031.42	0
031	Phosphorus (%)	0205	0.53800	0.00800	0.58212	0.02460	0.01195	153	-1.79	031.42	0
031	Phosphorus (%)	0874	0.53955	0.01130	0.58212	0.02460	0.01195	153	-1.73	031.01	0
031	Phosphorus (%)	0019	0.54000	0.04000	0.58212	0.02460	0.01195	153	-1.71	031.41	0
031	Phosphorus (%)	0144	0.54000	0.02000	0.58212	0.02460	0.01195	153	-1.71	031.41	0
031	Phosphorus (%)	0918	0.54150	0.01100	0.58212	0.02460	0.01195	153	-1.65	031.43	0
031	Phosphorus (%)	0553	0.54350	0.03100	0.58212	0.02460	0.01195	153	-1.57	031.41	0
031	Phosphorus (%)	0596	0.54500	0.01000	0.58212	0.02460	0.01195	153	-1.51	031.01	0
031	Phosphorus (%)	0904	0.54500	0.01000	0.58212	0.02460	0.01195	153	-1.51	031.01	0
031	Phosphorus (%)	0169	0.54500	0.01000	0.58212	0.02460	0.01195	153	-1.51	031.03	0
031	Phosphorus (%)	0043	0.54500	0.01000	0.58212	0.02460	0.01195	153	-1.51	031.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0297	0.55000	0.00000	0.58212	0.02460	0.01195	153	-1.31	031.43	0
031	Phosphorus (%)	0042	0.55100	0.04200	0.58212	0.02460	0.01195	153	-1.27	031.42	0
031	Phosphorus (%)	0675	0.55500	0.01000	0.58212	0.02460	0.01195	153	-1.10	031.43	0
031	Phosphorus (%)	0968	0.55500	0.00600	0.58212	0.02460	0.01195	153	-1.10	031.43	0
031	Phosphorus (%)	0045	0.55550	0.03100	0.58212	0.02460	0.01195	153	-1.08	031.42	0
031	Phosphorus (%)	0504	0.55800	0.01200	0.58212	0.02460	0.01195	153	-0.98	031.42	0
031	Phosphorus (%)	0300	0.55950	0.02700	0.58212	0.02460	0.01195	153	-0.92	031.41	0
031	Phosphorus (%)	0337	0.56000	0.04000	0.58212	0.02460	0.01195	153	-0.90	031.01	0
031	Phosphorus (%)	0298	0.56000	0.02000	0.58212	0.02460	0.01195	153	-0.90	031.41	0
031	Phosphorus (%)	0199	0.56000	0.00000	0.58212	0.02460	0.01195	153	-0.90	031.53	0
031	Phosphorus (%)	0100	0.56000	0.00000	0.58212	0.02460	0.01195	153	-0.90	031.99	0
031	Phosphorus (%)	0676	0.56000	0.00000	0.58212	0.02460	0.01195	153	-0.90	031.99	0
031	Phosphorus (%)	0674	0.56500	0.01000	0.58212	0.02460	0.01195	153	-0.70	031.01	0
031	Phosphorus (%)	0505	0.56500	0.01000	0.58212	0.02460	0.01195	153	-0.70	031.02	0
031	Phosphorus (%)	0148	0.56800	0.00200	0.58212	0.02460	0.01195	153	-0.57	031.41	0
031	Phosphorus (%)	0038	0.56950	0.00700	0.58212	0.02460	0.01195	153	-0.51	031.01	0
031	Phosphorus (%)	0885	0.57000	0.00000	0.58212	0.02460	0.01195	153	-0.49	031.01	0
031	Phosphorus (%)	0089	0.57000	0.00000	0.58212	0.02460	0.01195	153	-0.49	031.41	0
031	Phosphorus (%)	0265	0.57000	0.00000	0.58212	0.02460	0.01195	153	-0.49	031.42	0
031	Phosphorus (%)	0294	0.57000	0.02000	0.58212	0.02460	0.01195	153	-0.49	031.42	0
031	Phosphorus (%)	0590	0.57000	0.04000	0.58212	0.02460	0.01195	153	-0.49	031.99	0
031	Phosphorus (%)	0726	0.57255	0.00270	0.58212	0.02460	0.01195	153	-0.39	031.42	0
031	Phosphorus (%)	0629	0.57300	0.00600	0.58212	0.02460	0.01195	153	-0.37	031.43	0
031	Phosphorus (%)	0629	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.01	0
031	Phosphorus (%)	0638	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.01	0
031	Phosphorus (%)	0687	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.01	0
031	Phosphorus (%)	2018	0.57500	0.05000	0.58212	0.02460	0.01195	153	-0.29	031.01	0
031	Phosphorus (%)	2022	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.01	0
031	Phosphorus (%)	2058	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.01	0
031	Phosphorus (%)	0004	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.41	0
031	Phosphorus (%)	0049	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.41	0
031	Phosphorus (%)	0619	0.57500	0.00600	0.58212	0.02460	0.01195	153	-0.29	031.41	0
031	Phosphorus (%)	0695	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.41	0
031	Phosphorus (%)	0910	0.57500	0.05000	0.58212	0.02460	0.01195	153	-0.29	031.41	0
031	Phosphorus (%)	0014	0.57500	0.02000	0.58212	0.02460	0.01195	153	-0.29	031.42	0
031	Phosphorus (%)	0693	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.42	0
031	Phosphorus (%)	0242	0.57500	0.01000	0.58212	0.02460	0.01195	153	-0.29	031.99	0
031	Phosphorus (%)	0964	0.57555	0.04010	0.58212	0.02460	0.01195	153	-0.27	031.41	0
031	Phosphorus (%)	0723	0.57570	0.00000	0.58212	0.02460	0.01195	153	-0.26	031.01	0
031	Phosphorus (%)	0011	0.57580	0.00420	0.58212	0.02460	0.01195	153	-0.26	031.02	0
031	Phosphorus (%)	0036	0.57625	0.00270	0.58212	0.02460	0.01195	153	-0.24	031.43	0
031	Phosphorus (%)	0139	0.57650	0.00500	0.58212	0.02460	0.01195	153	-0.23	031.01	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0154	0.57915	0.01030	0.58212	0.02460	0.01195	153	-0.12	031.52	0
031	Phosphorus (%)	0175	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.01	0
031	Phosphorus (%)	0233	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.01	0
031	Phosphorus (%)	0511	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.01	0
031	Phosphorus (%)	0651	0.58000	0.01400	0.58212	0.02460	0.01195	153	-0.09	031.01	0
031	Phosphorus (%)	0897	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.01	0
031	Phosphorus (%)	0043	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.02	0
031	Phosphorus (%)	0229	0.58000	0.02000	0.58212	0.02460	0.01195	153	-0.09	031.41	0
031	Phosphorus (%)	0358	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.41	0
031	Phosphorus (%)	0405	0.58000	0.02000	0.58212	0.02460	0.01195	153	-0.09	031.41	0
031	Phosphorus (%)	0860	0.58000	0.02000	0.58212	0.02460	0.01195	153	-0.09	031.41	0
031	Phosphorus (%)	0037	0.58000	0.00000	0.58212	0.02460	0.01195	153	-0.09	031.43	0
031	Phosphorus (%)	0413	0.58000	0.04000	0.58212	0.02460	0.01195	153	-0.09	031.41	0
031	Phosphorus (%)	0011	0.58015	0.00110	0.58212	0.02460	0.01195	153	-0.08	031.41	0
031	Phosphorus (%)	0065	0.58100	0.00000	0.58212	0.02460	0.01195	153	-0.05	031.01	0
031	Phosphorus (%)	0039	0.58135	0.00050	0.58212	0.02460	0.01195	153	-0.03	031.01	0
031	Phosphorus (%)	0622	0.58265	0.00170	0.58212	0.02460	0.01195	153	0.02	031.01	0
031	Phosphorus (%)	0891	0.58460	0.00060	0.58212	0.02460	0.01195	153	0.10	031.01	0
031	Phosphorus (%)	0152	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.01	0
031	Phosphorus (%)	0354	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.01	0
031	Phosphorus (%)	0940	0.58500	0.03000	0.58212	0.02460	0.01195	153	0.12	031.01	0
031	Phosphorus (%)	2063	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.01	0
031	Phosphorus (%)	2053	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.02	0
031	Phosphorus (%)	0098	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.41	0
031	Phosphorus (%)	0848	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.41	0
031	Phosphorus (%)	2012	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.41	0
031	Phosphorus (%)	0357	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.42	0
031	Phosphorus (%)	0425	0.58500	0.01000	0.58212	0.02460	0.01195	153	0.12	031.43	0
031	Phosphorus (%)	0852	0.58500	0.03000	0.58212	0.02460	0.01195	153	0.12	031.99	0
031	Phosphorus (%)	0921	0.58800	0.03000	0.58212	0.02460	0.01195	153	0.24	031.01	0
031	Phosphorus (%)	0345	0.58800	0.00400	0.58212	0.02460	0.01195	153	0.24	031.43	0
031	Phosphorus (%)	0001	0.58850	0.00500	0.58212	0.02460	0.01195	153	0.26	031.03	0
031	Phosphorus (%)	0008	0.58900	0.00400	0.58212	0.02460	0.01195	153	0.28	031.43	0
031	Phosphorus (%)	0646	0.59000	0.02000	0.58212	0.02460	0.01195	153	0.32	031.01	0
031	Phosphorus (%)	0164	0.59000	0.00000	0.58212	0.02460	0.01195	153	0.32	031.41	0
031	Phosphorus (%)	0610	0.59000	0.00000	0.58212	0.02460	0.01195	153	0.32	031.41	0
031	Phosphorus (%)	0682	0.59000	0.02000	0.58212	0.02460	0.01195	153	0.32	031.41	0
031	Phosphorus (%)	0106	0.59000	0.00000	0.58212	0.02460	0.01195	153	0.32	031.42	0
031	Phosphorus (%)	0033	0.59000	0.02000	0.58212	0.02460	0.01195	153	0.32	031.43	0
031	Phosphorus (%)	0552	0.59000	0.02000	0.58212	0.02460	0.01195	153	0.32	031.99	0
031	Phosphorus (%)	0036	0.59235	0.00190	0.58212	0.02460	0.01195	153	0.42	031.03	0
031	Phosphorus (%)	0142	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.01	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0728	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.01	0
031	Phosphorus (%)	2065	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.01	0
031	Phosphorus (%)	0278	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.42	0
031	Phosphorus (%)	0613	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.42	0
031	Phosphorus (%)	0098	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.43	0
031	Phosphorus (%)	0510	0.59500	0.01000	0.58212	0.02460	0.01195	153	0.52	031.43	0
031	Phosphorus (%)	0849	0.59650	0.00700	0.58212	0.02460	0.01195	153	0.58	031.01	0
031	Phosphorus (%)	2006	0.59650	0.01100	0.58212	0.02460	0.01195	153	0.58	031.01	0
031	Phosphorus (%)	0626	0.59750	0.00700	0.58212	0.02460	0.01195	153	0.63	031.01	0
031	Phosphorus (%)	2062	0.59800	0.01000	0.58212	0.02460	0.01195	153	0.65	031.01	0
031	Phosphorus (%)	0620	0.59990	0.00820	0.58212	0.02460	0.01195	153	0.72	031.01	0
031	Phosphorus (%)	0878	0.60000	0.00000	0.58212	0.02460	0.01195	153	0.73	031.01	0
031	Phosphorus (%)	0074	0.60000	0.00000	0.58212	0.02460	0.01195	153	0.73	031.41	0
031	Phosphorus (%)	0138	0.60450	0.01100	0.58212	0.02460	0.01195	153	0.91	031.06	0
031	Phosphorus (%)	0893	0.60500	0.01000	0.58212	0.02460	0.01195	153	0.93	031.01	0
031	Phosphorus (%)	2011	0.60500	0.01000	0.58212	0.02460	0.01195	153	0.93	031.01	0
031	Phosphorus (%)	0720	0.60500	0.01000	0.58212	0.02460	0.01195	153	0.93	031.41	0
031	Phosphorus (%)	0353	0.60500	0.05000	0.58212	0.02460	0.01195	153	0.93	031.43	0
031	Phosphorus (%)	0572	0.60675	0.01230	0.58212	0.02460	0.01195	153	1.00	031.53	0
031	Phosphorus (%)	0168	0.60750	0.01300	0.58212	0.02460	0.01195	153	1.03	031.43	0
031	Phosphorus (%)	2067	0.60850	0.00100	0.58212	0.02460	0.01195	153	1.07	031.01	0
031	Phosphorus (%)	0895	0.61000	0.00000	0.58212	0.02460	0.01195	153	1.13	031.00	0
031	Phosphorus (%)	0689	0.61000	0.00000	0.58212	0.02460	0.01195	153	1.13	031.01	0
031	Phosphorus (%)	0868	0.61000	0.00000	0.58212	0.02460	0.01195	153	1.13	031.01	0
031	Phosphorus (%)	0939	0.61000	0.02000	0.58212	0.02460	0.01195	153	1.13	031.01	0
031	Phosphorus (%)	0948	0.61000	0.02000	0.58212	0.02460	0.01195	153	1.13	031.01	0
031	Phosphorus (%)	0563	0.61135	0.00770	0.58212	0.02460	0.01195	153	1.19	031.01	0
031	Phosphorus (%)	0650	0.61500	0.03000	0.58212	0.02460	0.01195	153	1.34	031.01	0
031	Phosphorus (%)	0083	0.61500	0.01000	0.58212	0.02460	0.01195	153	1.34	031.41	0
031	Phosphorus (%)	0190	0.61500	0.01000	0.58212	0.02460	0.01195	153	1.34	031.42	0
031	Phosphorus (%)	0870	0.62210	0.00740	0.58212	0.02460	0.01195	153	1.63	031.42	0
031	Phosphorus (%)	0951	0.62350	0.00100	0.58212	0.02460	0.01195	153	1.68	031.01	0
031	Phosphorus (%)	0903	0.62500	0.01000	0.58212	0.02460	0.01195	153	1.74	031.01	0
031	Phosphorus (%)	0003	0.62500	0.03000	0.58212	0.02460	0.01195	153	1.74	031.41	0
031	Phosphorus (%)	0226	0.62500	0.01000	0.58212	0.02460	0.01195	153	1.74	031.41	0
031	Phosphorus (%)	0623	0.63265	0.00570	0.58212	0.02460	0.01195	153	2.05	031.00	0
031	Phosphorus (%)	2058	0.63500	0.01000	0.58212	0.02460	0.01195	153	2.15	031.43	0
031	Phosphorus (%)	0964	0.63650	0.03540	0.58212	0.02460	0.01195	153	2.21	031.43	0
031	Phosphorus (%)	2042	0.64000	0.00000	0.58212	0.02460	0.01195	153	2.35	031.01	0
031	Phosphorus (%)	2068	0.64000	0.00000	0.58212	0.02460	0.01195	153	2.35	031.01	0
031	Phosphorus (%)	0123	0.64000	0.00000	0.58212	0.02460	0.01195	153	2.35	031.44	0
031	Phosphorus (%)	0598	0.64180	0.00180	0.58212	0.02460	0.01195	153	2.43	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0560	0.64220	0.02800	0.58212	0.02460	0.01195	153	2.44	031.42	0
031	Phosphorus (%)	0035	0.64350	0.01100	0.58212	0.02460	0.01195	153	2.50	031.01	0
031	Phosphorus (%)	0536	0.70000	0.02000	0.58212	0.02460	0.01195	153	4.79	031.06	0
031	Phosphorus (%)	0609	0.72000	0.02000	0.58212	0.02460	0.01195	153	5.61	031.01	0
031	Phosphorus (%)	0066	0.81500	0.01000	0.58212	0.02460	0.01195	153	9.47	031.01	0
031	Phosphorus (%)	0186	0.82900	0.01000	0.58212	0.02460	0.01195	153	10.04	031.42	0
031	Phosphorus (%)	0047	0.55000	0.08000	0.58212	0.02460	0.01195	153	-1.31	031.03	1
031	Phosphorus (%)	0171	0.58000	0.06000	0.58212	0.02460	0.01195	153	-0.09	031.41	1
031	Phosphorus (%)	0555	0.60000	0.08000	0.58212	0.02460	0.01195	153	0.73	031.42	1
032	Potassium (%)	0921	0.80000	0.00000	1.0946	0.04960	0.02298	87	-5.94	032.31	0
032	Potassium (%)	0968	0.86900	0.01400	1.0946	0.04960	0.02298	87	-4.55	032.43	0
032	Potassium (%)	0889	0.91000	0.00000	1.0946	0.04960	0.02298	87	-3.72	032.99	0
032	Potassium (%)	0629	0.94600	0.00400	1.0946	0.04960	0.02298	87	-3.00	032.43	0
032	Potassium (%)	0720	0.95000	0.02000	1.0946	0.04960	0.02298	87	-2.92	032.41	0
032	Potassium (%)	2023	0.97000	0.01200	1.0946	0.04960	0.02298	87	-2.51	032.43	0
032	Potassium (%)	2018	0.98000	0.04000	1.0946	0.04960	0.02298	87	-2.31	032.02	0
032	Potassium (%)	0904	0.98500	0.03000	1.0946	0.04960	0.02298	87	-2.21	032.31	0
032	Potassium (%)	0520	0.98500	0.05000	1.0946	0.04960	0.02298	87	-2.21	032.41	0
032	Potassium (%)	0043	0.99500	0.01000	1.0946	0.04960	0.02298	87	-2.01	032.43	0
032	Potassium (%)	0918	1.0035	0.07700	1.0946	0.04960	0.02298	87	-1.84	032.43	0
032	Potassium (%)	0405	1.0250	0.01000	1.0946	0.04960	0.02298	87	-1.40	032.41	0
032	Potassium (%)	2006	1.0340	0.00800	1.0946	0.04960	0.02298	87	-1.22	032.08	0
032	Potassium (%)	0045	1.0400	0.00000	1.0946	0.04960	0.02298	87	-1.10	032.42	0
032	Potassium (%)	0065	1.0447	0.02940	1.0946	0.04960	0.02298	87	-1.01	032.31	0
032	Potassium (%)	0144	1.0450	0.01000	1.0946	0.04960	0.02298	87	-1.00	032.41	0
032	Potassium (%)	0692	1.0450	0.05000	1.0946	0.04960	0.02298	87	-1.00	032.42	0
032	Potassium (%)	0345	1.0450	0.01000	1.0946	0.04960	0.02298	87	-1.00	032.43	0
032	Potassium (%)	0142	1.0485	0.00300	1.0946	0.04960	0.02298	87	-0.93	032.31	0
032	Potassium (%)	0536	1.0500	0.00000	1.0946	0.04960	0.02298	87	-0.90	032.31	0
032	Potassium (%)	0948	1.0550	0.01000	1.0946	0.04960	0.02298	87	-0.80	032.31	0
032	Potassium (%)	0964	1.0585	0.08100	1.0946	0.04960	0.02298	87	-0.73	032.41	0
032	Potassium (%)	2022	1.0600	0.02000	1.0946	0.04960	0.02298	87	-0.70	032.31	0
032	Potassium (%)	0609	1.0600	0.04000	1.0946	0.04960	0.02298	87	-0.70	032.32	0
032	Potassium (%)	0357	1.0600	0.00000	1.0946	0.04960	0.02298	87	-0.70	032.42	0
032	Potassium (%)	0563	1.0605	0.00300	1.0946	0.04960	0.02298	87	-0.69	032.31	0
032	Potassium (%)	0874	1.0629	0.03460	1.0946	0.04960	0.02298	87	-0.64	032.31	0
032	Potassium (%)	0049	1.0700	0.04000	1.0946	0.04960	0.02298	87	-0.50	032.41	0
032	Potassium (%)	0035	1.0730	0.01200	1.0946	0.04960	0.02298	87	-0.44	032.42	0
032	Potassium (%)	2012	1.0750	0.01000	1.0946	0.04960	0.02298	87	-0.40	032.41	0
032	Potassium (%)	0300	1.0785	0.00700	1.0946	0.04960	0.02298	87	-0.33	032.41	0
032	Potassium (%)	0187	1.0800	0.00000	1.0946	0.04960	0.02298	87	-0.30	032.42	0
032	Potassium (%)	0675	1.0800	0.02000	1.0946	0.04960	0.02298	87	-0.30	032.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0139	1.0830	0.00000	1.0946	0.04960	0.02298	87	-0.23	032.02	0
032	Potassium (%)	0205	1.0850	0.01000	1.0946	0.04960	0.02298	87	-0.19	032.42	0
032	Potassium (%)	0100	1.0850	0.01000	1.0946	0.04960	0.02298	87	-0.19	032.99	0
032	Potassium (%)	0613	1.0900	0.02000	1.0946	0.04960	0.02298	87	-0.09	032.42	0
032	Potassium (%)	0297	1.0900	0.00000	1.0946	0.04960	0.02298	87	-0.09	032.43	0
032	Potassium (%)	0868	1.0950	0.01000	1.0946	0.04960	0.02298	87	0.01	032.31	0
032	Potassium (%)	0083	1.0950	0.03000	1.0946	0.04960	0.02298	87	0.01	032.41	0
032	Potassium (%)	0358	1.0950	0.01000	1.0946	0.04960	0.02298	87	0.01	032.41	0
032	Potassium (%)	0186	1.0950	0.01000	1.0946	0.04960	0.02298	87	0.01	032.42	0
032	Potassium (%)	0510	1.0950	0.01000	1.0946	0.04960	0.02298	87	0.01	032.43	0
032	Potassium (%)	0154	1.0990	0.15400	1.0946	0.04960	0.02298	87	0.09	032.52	0
032	Potassium (%)	0175	1.1000	0.00000	1.0946	0.04960	0.02298	87	0.11	032.31	0
032	Potassium (%)	0011	1.1013	0.00540	1.0946	0.04960	0.02298	87	0.13	032.41	0
032	Potassium (%)	0354	1.1050	0.01000	1.0946	0.04960	0.02298	87	0.21	032.31	0
032	Potassium (%)	0265	1.1050	0.01000	1.0946	0.04960	0.02298	87	0.21	032.42	0
032	Potassium (%)	0353	1.1050	0.01000	1.0946	0.04960	0.02298	87	0.21	032.43	0
032	Potassium (%)	0008	1.1060	0.01400	1.0946	0.04960	0.02298	87	0.23	032.43	0
032	Potassium (%)	0171	1.1150	0.03000	1.0946	0.04960	0.02298	87	0.41	032.41	0
032	Potassium (%)	0033	1.1150	0.03000	1.0946	0.04960	0.02298	87	0.41	032.43	0
032	Potassium (%)	0695	1.1150	0.01000	1.0946	0.04960	0.02298	87	0.41	032.41	0
032	Potassium (%)	0294	1.1150	0.01000	1.0946	0.04960	0.02298	87	0.41	032.42	0
032	Potassium (%)	0693	1.1150	0.01000	1.0946	0.04960	0.02298	87	0.41	032.42	0
032	Potassium (%)	0413	1.1200	0.08000	1.0946	0.04960	0.02298	87	0.51	032.41	0
032	Potassium (%)	0682	1.1200	0.02000	1.0946	0.04960	0.02298	87	0.51	032.41	0
032	Potassium (%)	0037	1.1200	0.00000	1.0946	0.04960	0.02298	87	0.51	032.43	0
032	Potassium (%)	0098	1.1200	0.06000	1.0946	0.04960	0.02298	87	0.51	032.43	0
032	Potassium (%)	0038	1.1250	0.01000	1.0946	0.04960	0.02298	87	0.61	032.31	0
032	Potassium (%)	0003	1.1250	0.01000	1.0946	0.04960	0.02298	87	0.61	032.41	0
032	Potassium (%)	0407	1.1250	0.03000	1.0946	0.04960	0.02298	87	0.61	032.41	0
032	Potassium (%)	0202	1.1250	0.01000	1.0946	0.04960	0.02298	87	0.61	032.42	0
032	Potassium (%)	0199	1.1250	0.01000	1.0946	0.04960	0.02298	87	0.61	032.53	0
032	Potassium (%)	0504	1.1300	0.00000	1.0946	0.04960	0.02298	87	0.71	032.02	0
032	Potassium (%)	0164	1.1300	0.02000	1.0946	0.04960	0.02298	87	0.71	032.41	0
032	Potassium (%)	0229	1.1300	0.02000	1.0946	0.04960	0.02298	87	0.71	032.41	0
032	Potassium (%)	0598	1.1300	0.01400	1.0946	0.04960	0.02298	87	0.71	032.41	0
032	Potassium (%)	0042	1.1300	0.10000	1.0946	0.04960	0.02298	87	0.71	032.42	0
032	Potassium (%)	0178	1.1310	0.00200	1.0946	0.04960	0.02298	87	0.73	032.31	0
032	Potassium (%)	0504	1.1315	0.01500	1.0946	0.04960	0.02298	87	0.74	032.42	0
032	Potassium (%)	0870	1.1333	0.05740	1.0946	0.04960	0.02298	87	0.78	032.42	0
032	Potassium (%)	0278	1.1350	0.01000	1.0946	0.04960	0.02298	87	0.81	032.42	0
032	Potassium (%)	0106	1.1450	0.05000	1.0946	0.04960	0.02298	87	1.02	032.42	0
032	Potassium (%)	0148	1.1460	0.01600	1.0946	0.04960	0.02298	87	1.04	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0629	1.1500	0.10000	1.0946	0.04960	0.02298	87	1.12	032.31	0
032	Potassium (%)	0098	1.1500	0.02000	1.0946	0.04960	0.02298	87	1.12	032.41	0
032	Potassium (%)	0226	1.1500	0.04000	1.0946	0.04960	0.02298	87	1.12	032.41	0
032	Potassium (%)	0555	1.1500	0.10000	1.0946	0.04960	0.02298	87	1.12	032.42	0
032	Potassium (%)	0964	1.1529	0.07140	1.0946	0.04960	0.02298	87	1.17	032.43	0
032	Potassium (%)	0242	1.1550	0.01000	1.0946	0.04960	0.02298	87	1.22	032.99	0
032	Potassium (%)	0560	1.1572	0.00270	1.0946	0.04960	0.02298	87	1.26	032.42	0
032	Potassium (%)	0619	1.1650	0.03000	1.0946	0.04960	0.02298	87	1.42	032.41	0
032	Potassium (%)	0169	1.1700	0.00000	1.0946	0.04960	0.02298	87	1.52	032.32	0
032	Potassium (%)	0425	1.1850	0.01000	1.0946	0.04960	0.02298	87	1.82	032.43	0
032	Potassium (%)	0572	1.1850	0.02200	1.0946	0.04960	0.02298	87	1.82	032.53	0
032	Potassium (%)	0878	1.2000	0.00000	1.0946	0.04960	0.02298	87	2.12	032.41	0
032	Potassium (%)	0638	0.56000	1.1200	1.0946	0.04960	0.02298	87	-10.78	032.31	1
032	Potassium (%)	0108	0.31000	0.06000	1.0946	0.04960	0.02298	87	-15.82	032.02	2
033	Salt as chloride (%)	0623	0.17965	0.01210	0.45663	0.04942	0.01145	87	-5.60	033.99	0
033	Salt as chloride (%)	2058	0.23000	0.02000	0.45663	0.04942	0.01145	87	-4.59	033.01	0
033	Salt as chloride (%)	0098	0.30500	0.01000	0.45663	0.04942	0.01145	87	-3.07	033.01	0
033	Salt as chloride (%)	0169	0.33500	0.01000	0.45663	0.04942	0.01145	87	-2.46	033.00	0
033	Salt as chloride (%)	0685	0.35000	0.00000	0.45663	0.04942	0.01145	87	-2.16	033.00	0
033	Salt as chloride (%)	2042	0.35000	0.00000	0.45663	0.04942	0.01145	87	-2.16	033.00	0
033	Salt as chloride (%)	0539	0.36000	0.00000	0.45663	0.04942	0.01145	87	-1.96	033.00	0
033	Salt as chloride (%)	0265	0.36000	0.00000	0.45663	0.04942	0.01145	87	-1.96	033.03	0
033	Salt as chloride (%)	0536	0.36000	0.08000	0.45663	0.04942	0.01145	87	-1.96	033.99	0
033	Salt as chloride (%)	0891	0.36555	0.00210	0.45663	0.04942	0.01145	87	-1.84	033.00	0
033	Salt as chloride (%)	2058	0.38000	0.02000	0.45663	0.04942	0.01145	87	-1.55	033.00	0
033	Salt as chloride (%)	2065	0.38000	0.00000	0.45663	0.04942	0.01145	87	-1.55	033.00	0
033	Salt as chloride (%)	0505	0.38000	0.00000	0.45663	0.04942	0.01145	87	-1.55	033.03	0
033	Salt as chloride (%)	0848	0.38000	0.00000	0.45663	0.04942	0.01145	87	-1.55	033.03	0
033	Salt as chloride (%)	2068	0.40400	0.00400	0.45663	0.04942	0.01145	87	-1.07	033.00	0
033	Salt as chloride (%)	0893	0.40500	0.01000	0.45663	0.04942	0.01145	87	-1.04	033.00	0
033	Salt as chloride (%)	0897	0.41000	0.00000	0.45663	0.04942	0.01145	87	-0.94	033.00	0
033	Salt as chloride (%)	0895	0.41500	0.01000	0.45663	0.04942	0.01145	87	-0.84	033.00	0
033	Salt as chloride (%)	0353	0.42000	0.00000	0.45663	0.04942	0.01145	87	-0.74	033.00	0
033	Salt as chloride (%)	0723	0.42000	0.00000	0.45663	0.04942	0.01145	87	-0.74	033.00	0
033	Salt as chloride (%)	0726	0.42000	0.00000	0.45663	0.04942	0.01145	87	-0.74	033.03	0
033	Salt as chloride (%)	0878	0.42500	0.01000	0.45663	0.04942	0.01145	87	-0.64	033.00	0
033	Salt as chloride (%)	0885	0.42500	0.01000	0.45663	0.04942	0.01145	87	-0.64	033.00	0
033	Salt as chloride (%)	0903	0.42500	0.01000	0.45663	0.04942	0.01145	87	-0.64	033.00	0
033	Salt as chloride (%)	2063	0.42500	0.01000	0.45663	0.04942	0.01145	87	-0.64	033.00	0
033	Salt as chloride (%)	0868	0.42900	0.00200	0.45663	0.04942	0.01145	87	-0.56	033.00	0
033	Salt as chloride (%)	0298	0.43000	0.02000	0.45663	0.04942	0.01145	87	-0.54	033.00	0
033	Salt as chloride (%)	0190	0.43000	0.02000	0.45663	0.04942	0.01145	87	-0.54	033.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0868	0.43000	0.00000	0.45663	0.04942	0.01145	87	-0.54	033.05	0
033	Salt as chloride (%)	0849	0.43600	0.00800	0.45663	0.04942	0.01145	87	-0.42	033.00	0
033	Salt as chloride (%)	0144	0.44500	0.03000	0.45663	0.04942	0.01145	87	-0.24	033.03	0
033	Salt as chloride (%)	0309	0.44865	0.02090	0.45663	0.04942	0.01145	87	-0.16	033.00	0
033	Salt as chloride (%)	2067	0.44950	0.01900	0.45663	0.04942	0.01145	87	-0.14	033.00	0
033	Salt as chloride (%)	0675	0.45000	0.02000	0.45663	0.04942	0.01145	87	-0.13	033.00	0
033	Salt as chloride (%)	0910	0.45000	0.00000	0.45663	0.04942	0.01145	87	-0.13	033.00	0
033	Salt as chloride (%)	2012	0.45000	0.00000	0.45663	0.04942	0.01145	87	-0.13	033.00	0
033	Salt as chloride (%)	0003	0.45000	0.10000	0.45663	0.04942	0.01145	87	-0.13	033.01	0
033	Salt as chloride (%)	0674	0.45500	0.01000	0.45663	0.04942	0.01145	87	-0.03	033.01	0
033	Salt as chloride (%)	0596	0.46000	0.04000	0.45663	0.04942	0.01145	87	0.07	033.01	0
033	Salt as chloride (%)	0100	0.46000	0.00000	0.45663	0.04942	0.01145	87	0.07	033.01	0
033	Salt as chloride (%)	0552	0.46000	0.00000	0.45663	0.04942	0.01145	87	0.07	033.99	0
033	Salt as chloride (%)	2062	0.46250	0.01300	0.45663	0.04942	0.01145	87	0.12	033.00	0
033	Salt as chloride (%)	0011	0.46450	0.02040	0.45663	0.04942	0.01145	87	0.16	033.01	0
033	Salt as chloride (%)	0164	0.46500	0.01000	0.45663	0.04942	0.01145	87	0.17	033.01	0
033	Salt as chloride (%)	0229	0.46500	0.01000	0.45663	0.04942	0.01145	87	0.17	033.01	0
033	Salt as chloride (%)	0337	0.46500	0.03000	0.45663	0.04942	0.01145	87	0.17	033.01	0
033	Salt as chloride (%)	0939	0.46500	0.01000	0.45663	0.04942	0.01145	87	0.17	033.01	0
033	Salt as chloride (%)	0148	0.46650	0.00300	0.45663	0.04942	0.01145	87	0.20	033.01	0
033	Salt as chloride (%)	2022	0.46900	0.00000	0.45663	0.04942	0.01145	87	0.25	033.00	0
033	Salt as chloride (%)	0001	0.47000	0.00000	0.45663	0.04942	0.01145	87	0.27	033.01	0
033	Salt as chloride (%)	0682	0.47000	0.02000	0.45663	0.04942	0.01145	87	0.27	033.01	0
033	Salt as chloride (%)	0178	0.47250	0.00300	0.45663	0.04942	0.01145	87	0.32	033.01	0
033	Salt as chloride (%)	0413	0.47500	0.01000	0.45663	0.04942	0.01145	87	0.37	033.01	0
033	Salt as chloride (%)	0861	0.47500	0.01000	0.45663	0.04942	0.01145	87	0.37	033.01	0
033	Salt as chloride (%)	0407	0.47600	0.00000	0.45663	0.04942	0.01145	87	0.39	033.01	0
033	Salt as chloride (%)	0964	0.47810	0.00060	0.45663	0.04942	0.01145	87	0.43	033.01	0
033	Salt as chloride (%)	0205	0.47900	0.00000	0.45663	0.04942	0.01145	87	0.45	033.01	0
033	Salt as chloride (%)	0226	0.48000	0.00000	0.45663	0.04942	0.01145	87	0.47	033.01	0
033	Salt as chloride (%)	0590	0.48000	0.00000	0.45663	0.04942	0.01145	87	0.47	033.01	0
033	Salt as chloride (%)	0629	0.48000	0.00000	0.45663	0.04942	0.01145	87	0.47	033.01	0
033	Salt as chloride (%)	0948	0.48000	0.00000	0.45663	0.04942	0.01145	87	0.47	033.01	0
033	Salt as chloride (%)	2011	0.48000	0.00000	0.45663	0.04942	0.01145	87	0.47	033.01	0
033	Salt as chloride (%)	2023	0.48500	0.01000	0.45663	0.04942	0.01145	87	0.57	033.01	0
033	Salt as chloride (%)	0004	0.48500	0.01000	0.45663	0.04942	0.01145	87	0.57	033.05	0
033	Salt as chloride (%)	0689	0.48500	0.01000	0.45663	0.04942	0.01145	87	0.57	033.05	0
033	Salt as chloride (%)	0175	0.49000	0.02000	0.45663	0.04942	0.01145	87	0.68	033.01	0
033	Salt as chloride (%)	0083	0.49500	0.03000	0.45663	0.04942	0.01145	87	0.78	033.01	0
033	Salt as chloride (%)	0425	0.49500	0.01000	0.45663	0.04942	0.01145	87	0.78	033.01	0
033	Salt as chloride (%)	0650	0.49500	0.03000	0.45663	0.04942	0.01145	87	0.78	033.01	0
033	Salt as chloride (%)	0619	0.49550	0.01300	0.45663	0.04942	0.01145	87	0.79	033.99	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0874	0.49765	0.00070	0.45663	0.04942	0.01145	87	0.83	033.01	0
033	Salt as chloride (%)	0511	0.50000	0.06000	0.45663	0.04942	0.01145	87	0.88	033.00	0
033	Salt as chloride (%)	0106	0.50000	0.02000	0.45663	0.04942	0.01145	87	0.88	033.01	0
033	Salt as chloride (%)	0199	0.50000	0.00000	0.45663	0.04942	0.01145	87	0.88	033.01	0
033	Salt as chloride (%)	0278	0.50000	0.00000	0.45663	0.04942	0.01145	87	0.88	033.01	0
033	Salt as chloride (%)	0354	0.50000	0.00000	0.45663	0.04942	0.01145	87	0.88	033.01	0
033	Salt as chloride (%)	0510	0.50000	0.02000	0.45663	0.04942	0.01145	87	0.88	033.01	0
033	Salt as chloride (%)	0242	0.50500	0.01000	0.45663	0.04942	0.01145	87	0.98	033.01	0
033	Salt as chloride (%)	2053	0.51000	0.00000	0.45663	0.04942	0.01145	87	1.08	033.01	0
033	Salt as chloride (%)	0045	0.51200	0.00400	0.45663	0.04942	0.01145	87	1.12	033.00	0
033	Salt as chloride (%)	0626	0.52700	0.01200	0.45663	0.04942	0.01145	87	1.42	033.99	0
033	Salt as chloride (%)	0019	0.55500	0.01000	0.45663	0.04942	0.01145	87	1.99	033.01	0
033	Salt as chloride (%)	0681	0.56000	0.02000	0.45663	0.04942	0.01145	87	2.09	033.99	0
033	Salt as chloride (%)	2006	0.60450	0.01300	0.45663	0.04942	0.01145	87	2.99	033.01	0
033	Salt as chloride (%)	2006	0.60550	0.00500	0.45663	0.04942	0.01145	87	3.01	033.00	0
033	Salt as chloride (%)	0171	0.61000	0.02000	0.45663	0.04942	0.01145	87	3.10	033.05	0
033	Salt as chloride (%)	0358	0.81000	0.02000	0.45663	0.04942	0.01145	87	7.15	033.99	0
033	Salt as chloride (%)	0638	0.23500	0.47000	0.45663	0.04942	0.01145	87	-4.48	033.01	1
033	Salt as chloride (%)	0693	0.30500	0.41000	0.45663	0.04942	0.01145	87	-3.07	033.00	1
034	Selenium (mg / kg (ppm))	0021	0.00000	0.00000	0.29991	0.08371	0.03011	22	-3.58	034.43	0
034	Selenium (mg / kg (ppm))	0425	0.00000	0.00000	0.29991	0.08371	0.03011	22	-3.58	034.43	0
034	Selenium (mg / kg (ppm))	0964	0.03390	0.00440	0.29991	0.08371	0.03011	22	-3.18	034.43	0
034	Selenium (mg / kg (ppm))	0638	0.13500	0.27000	0.29991	0.08371	0.03011	22	-1.97	034.01	0
034	Selenium (mg / kg (ppm))	0199	0.25000	0.10000	0.29991	0.08371	0.03011	22	-0.60	034.53	0
034	Selenium (mg / kg (ppm))	0171	0.25950	0.00300	0.29991	0.08371	0.03011	22	-0.48	034.04	0
034	Selenium (mg / kg (ppm))	0939	0.27500	0.01000	0.29991	0.08371	0.03011	22	-0.30	034.04	0
034	Selenium (mg / kg (ppm))	0190	0.27500	0.01000	0.29991	0.08371	0.03011	22	-0.30	034.99	0
034	Selenium (mg / kg (ppm))	0038	0.28850	0.01300	0.29991	0.08371	0.03011	22	-0.14	034.01	0
034	Selenium (mg / kg (ppm))	0169	0.29300	0.04600	0.29991	0.08371	0.03011	22	-0.08	034.04	0
034	Selenium (mg / kg (ppm))	0098	0.29700	0.00200	0.29991	0.08371	0.03011	22	-0.03	034.01	0
034	Selenium (mg / kg (ppm))	2023	0.30000	0.00000	0.29991	0.08371	0.03011	22	0.00	034.53	0
034	Selenium (mg / kg (ppm))	0610	0.30500	0.01000	0.29991	0.08371	0.03011	22	0.06	034.04	0
034	Selenium (mg / kg (ppm))	0555	0.30500	0.01000	0.29991	0.08371	0.03011	22	0.06	034.99	0
034	Selenium (mg / kg (ppm))	2058	0.31000	0.02000	0.29991	0.08371	0.03011	22	0.12	034.53	0
034	Selenium (mg / kg (ppm))	0553	0.35200	0.00800	0.29991	0.08371	0.03011	22	0.62	034.53	0
034	Selenium (mg / kg (ppm))	0164	0.36000	0.04000	0.29991	0.08371	0.03011	22	0.72	034.04	0
034	Selenium (mg / kg (ppm))	0098	0.36200	0.02400	0.29991	0.08371	0.03011	22	0.74	034.52	0
034	Selenium (mg / kg (ppm))	0563	0.39000	0.00000	0.29991	0.08371	0.03011	22	1.08	034.04	0
034	Selenium (mg / kg (ppm))	0918	0.41650	0.00900	0.29991	0.08371	0.03011	22	1.39	034.53	0
034	Selenium (mg / kg (ppm))	0619	0.42150	0.00300	0.29991	0.08371	0.03011	22	1.45	034.41	0
034	Selenium (mg / kg (ppm))	0047	0.51000	0.08000	0.29991	0.08371	0.03011	22	2.51	034.52	0
034	Selenium (mg / kg (ppm))	0693	1.7650	1.4100	0.29991	0.08371	0.03011	22	17.50	034.42	1



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0106	0.26500	0.01000	0.33505	0.02111	0.01051	105	-3.32	035.42	0
035	Sodium (%)	0186	0.26500	0.02200	0.33505	0.02111	0.01051	105	-3.32	035.42	0
035	Sodium (%)	0520	0.27500	0.01000	0.33505	0.02111	0.01051	105	-2.84	035.41	0
035	Sodium (%)	0043	0.28000	0.00000	0.33505	0.02111	0.01051	105	-2.61	035.43	0
035	Sodium (%)	0609	0.28500	0.03000	0.33505	0.02111	0.01051	105	-2.37	035.32	0
035	Sodium (%)	0629	0.28550	0.00300	0.33505	0.02111	0.01051	105	-2.35	035.43	0
035	Sodium (%)	0951	0.29300	0.02400	0.33505	0.02111	0.01051	105	-1.99	035.05	0
035	Sodium (%)	0939	0.29500	0.01000	0.33505	0.02111	0.01051	105	-1.90	035.31	0
035	Sodium (%)	2058	0.29500	0.03000	0.33505	0.02111	0.01051	105	-1.90	035.43	0
035	Sodium (%)	0035	0.29975	0.00070	0.33505	0.02111	0.01051	105	-1.67	035.32	0
035	Sodium (%)	0089	0.30000	0.00000	0.33505	0.02111	0.01051	105	-1.66	035.41	0
035	Sodium (%)	0035	0.30120	0.00480	0.33505	0.02111	0.01051	105	-1.60	035.42	0
035	Sodium (%)	0918	0.30500	0.02200	0.33505	0.02111	0.01051	105	-1.42	035.43	0
035	Sodium (%)	0345	0.30850	0.00500	0.33505	0.02111	0.01051	105	-1.26	035.43	0
035	Sodium (%)	2023	0.31200	0.00000	0.33505	0.02111	0.01051	105	-1.09	035.41	0
035	Sodium (%)	0553	0.31450	0.01700	0.33505	0.02111	0.01051	105	-0.97	035.41	0
035	Sodium (%)	0358	0.31500	0.01000	0.33505	0.02111	0.01051	105	-0.95	035.41	0
035	Sodium (%)	0695	0.31500	0.01000	0.33505	0.02111	0.01051	105	-0.95	035.41	0
035	Sodium (%)	0407	0.31850	0.00500	0.33505	0.02111	0.01051	105	-0.78	035.41	0
035	Sodium (%)	0723	0.31930	0.00000	0.33505	0.02111	0.01051	105	-0.75	035.31	0
035	Sodium (%)	0233	0.32000	0.00000	0.33505	0.02111	0.01051	105	-0.71	035.31	0
035	Sodium (%)	0298	0.32000	0.02000	0.33505	0.02111	0.01051	105	-0.71	035.41	0
035	Sodium (%)	0265	0.32000	0.00000	0.33505	0.02111	0.01051	105	-0.71	035.42	0
035	Sodium (%)	0297	0.32000	0.00000	0.33505	0.02111	0.01051	105	-0.71	035.43	0
035	Sodium (%)	0242	0.32000	0.00000	0.33505	0.02111	0.01051	105	-0.71	035.99	0
035	Sodium (%)	0505	0.32100	0.01000	0.33505	0.02111	0.01051	105	-0.67	035.31	0
035	Sodium (%)	0405	0.32100	0.00200	0.33505	0.02111	0.01051	105	-0.67	035.41	0
035	Sodium (%)	0045	0.32100	0.00400	0.33505	0.02111	0.01051	105	-0.67	035.42	0
035	Sodium (%)	2006	0.32250	0.01100	0.33505	0.02111	0.01051	105	-0.59	035.01	0
035	Sodium (%)	0675	0.32350	0.00100	0.33505	0.02111	0.01051	105	-0.55	035.43	0
035	Sodium (%)	2018	0.32500	0.01000	0.33505	0.02111	0.01051	105	-0.48	035.05	0
035	Sodium (%)	0004	0.32500	0.01000	0.33505	0.02111	0.01051	105	-0.48	035.41	0
035	Sodium (%)	0692	0.32500	0.01000	0.33505	0.02111	0.01051	105	-0.48	035.42	0
035	Sodium (%)	0353	0.32500	0.03000	0.33505	0.02111	0.01051	105	-0.48	035.43	0
035	Sodium (%)	0138	0.32750	0.00500	0.33505	0.02111	0.01051	105	-0.36	035.01	0
035	Sodium (%)	0152	0.32750	0.00100	0.33505	0.02111	0.01051	105	-0.36	035.05	0
035	Sodium (%)	0205	0.32900	0.00600	0.33505	0.02111	0.01051	105	-0.29	035.42	0
035	Sodium (%)	0065	0.32915	0.00030	0.33505	0.02111	0.01051	105	-0.28	035.31	0
035	Sodium (%)	0693	0.32950	0.00500	0.33505	0.02111	0.01051	105	-0.26	035.42	0
035	Sodium (%)	0964	0.32970	0.02200	0.33505	0.02111	0.01051	105	-0.25	035.41	0
035	Sodium (%)	0629	0.33000	0.00000	0.33505	0.02111	0.01051	105	-0.24	035.31	0
035	Sodium (%)	0049	0.33000	0.00000	0.33505	0.02111	0.01051	105	-0.24	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0144	0.33000	0.02000	0.33505	0.02111	0.01051	105	-0.24	035.41	0
035	Sodium (%)	0171	0.33000	0.02000	0.33505	0.02111	0.01051	105	-0.24	035.41	0
035	Sodium (%)	0613	0.33000	0.00000	0.33505	0.02111	0.01051	105	-0.24	035.42	0
035	Sodium (%)	0098	0.33000	0.00000	0.33505	0.02111	0.01051	105	-0.24	035.43	0
035	Sodium (%)	0510	0.33000	0.00000	0.33505	0.02111	0.01051	105	-0.24	035.43	0
035	Sodium (%)	0008	0.33100	0.00400	0.33505	0.02111	0.01051	105	-0.19	035.43	0
035	Sodium (%)	0148	0.33350	0.00100	0.33505	0.02111	0.01051	105	-0.07	035.41	0
035	Sodium (%)	0910	0.33500	0.03000	0.33505	0.02111	0.01051	105	0.00	035.41	0
035	Sodium (%)	0354	0.33500	0.01000	0.33505	0.02111	0.01051	105	0.00	035.31	0
035	Sodium (%)	0083	0.33500	0.01000	0.33505	0.02111	0.01051	105	0.00	035.41	0
035	Sodium (%)	0123	0.33500	0.01000	0.33505	0.02111	0.01051	105	0.00	035.41	0
035	Sodium (%)	0682	0.33500	0.01000	0.33505	0.02111	0.01051	105	0.00	035.41	0
035	Sodium (%)	0011	0.33585	0.00010	0.33505	0.02111	0.01051	105	0.04	035.41	0
035	Sodium (%)	0139	0.33600	0.00200	0.33505	0.02111	0.01051	105	0.04	035.05	0
035	Sodium (%)	0874	0.33745	0.00570	0.33505	0.02111	0.01051	105	0.11	035.31	0
035	Sodium (%)	0504	0.33750	0.00300	0.33505	0.02111	0.01051	105	0.12	035.42	0
035	Sodium (%)	0572	0.33955	0.02350	0.33505	0.02111	0.01051	105	0.21	035.53	0
035	Sodium (%)	0033	0.34000	0.02000	0.33505	0.02111	0.01051	105	0.23	035.43	0
035	Sodium (%)	0590	0.34000	0.00000	0.33505	0.02111	0.01051	105	0.23	035.05	0
035	Sodium (%)	0164	0.34000	0.00000	0.33505	0.02111	0.01051	105	0.23	035.41	0
035	Sodium (%)	0610	0.34000	0.00000	0.33505	0.02111	0.01051	105	0.23	035.41	0
035	Sodium (%)	2012	0.34000	0.00000	0.33505	0.02111	0.01051	105	0.23	035.41	0
035	Sodium (%)	0202	0.34000	0.00000	0.33505	0.02111	0.01051	105	0.23	035.42	0
035	Sodium (%)	0038	0.34050	0.01100	0.33505	0.02111	0.01051	105	0.26	035.31	0
035	Sodium (%)	0868	0.34350	0.00100	0.33505	0.02111	0.01051	105	0.40	035.31	0
035	Sodium (%)	0300	0.34350	0.00300	0.33505	0.02111	0.01051	105	0.40	035.41	0
035	Sodium (%)	0904	0.34500	0.03000	0.33505	0.02111	0.01051	105	0.47	035.31	0
035	Sodium (%)	0948	0.34500	0.01000	0.33505	0.02111	0.01051	105	0.47	035.31	0
035	Sodium (%)	0190	0.34500	0.01000	0.33505	0.02111	0.01051	105	0.47	035.42	0
035	Sodium (%)	0294	0.34500	0.01000	0.33505	0.02111	0.01051	105	0.47	035.42	0
035	Sodium (%)	0425	0.34500	0.01000	0.33505	0.02111	0.01051	105	0.47	035.43	0
035	Sodium (%)	0199	0.34500	0.01000	0.33505	0.02111	0.01051	105	0.47	035.53	0
035	Sodium (%)	0598	0.34535	0.00670	0.33505	0.02111	0.01051	105	0.49	035.41	0
035	Sodium (%)	0868	0.34550	0.00500	0.33505	0.02111	0.01051	105	0.49	035.01	0
035	Sodium (%)	0187	0.34695	0.00130	0.33505	0.02111	0.01051	105	0.56	035.42	0
035	Sodium (%)	0870	0.34820	0.00720	0.33505	0.02111	0.01051	105	0.62	035.42	0
035	Sodium (%)	0504	0.35000	0.02000	0.33505	0.02111	0.01051	105	0.71	035.05	0
035	Sodium (%)	0098	0.35000	0.02000	0.33505	0.02111	0.01051	105	0.71	035.41	0
035	Sodium (%)	0229	0.35000	0.00000	0.33505	0.02111	0.01051	105	0.71	035.41	0
035	Sodium (%)	0413	0.35000	0.02000	0.33505	0.02111	0.01051	105	0.71	035.41	0
035	Sodium (%)	0100	0.35000	0.02000	0.33505	0.02111	0.01051	105	0.71	035.99	0
035	Sodium (%)	2022	0.35250	0.00100	0.33505	0.02111	0.01051	105	0.83	035.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0560	0.35315	0.01430	0.33505	0.02111	0.01051	105	0.86	035.42	0
035	Sodium (%)	0042	0.35350	0.07900	0.33505	0.02111	0.01051	105	0.87	035.42	0
035	Sodium (%)	0175	0.35500	0.03000	0.33505	0.02111	0.01051	105	0.94	035.31	0
035	Sodium (%)	0878	0.35500	0.01000	0.33505	0.02111	0.01051	105	0.94	035.41	0
035	Sodium (%)	0555	0.35500	0.05000	0.33505	0.02111	0.01051	105	0.94	035.42	0
035	Sodium (%)	0921	0.35550	0.03900	0.33505	0.02111	0.01051	105	0.97	035.31	0
035	Sodium (%)	0536	0.36000	0.00000	0.33505	0.02111	0.01051	105	1.18	035.31	0
035	Sodium (%)	0278	0.36000	0.00000	0.33505	0.02111	0.01051	105	1.18	035.42	0
035	Sodium (%)	0563	0.36040	0.00100	0.33505	0.02111	0.01051	105	1.20	035.31	0
035	Sodium (%)	0142	0.36050	0.00100	0.33505	0.02111	0.01051	105	1.21	035.31	0
035	Sodium (%)	0726	0.36220	0.00960	0.33505	0.02111	0.01051	105	1.29	035.42	0
035	Sodium (%)	0169	0.36350	0.00500	0.33505	0.02111	0.01051	105	1.35	035.32	0
035	Sodium (%)	0964	0.36390	0.01620	0.33505	0.02111	0.01051	105	1.37	035.43	0
035	Sodium (%)	0337	0.36500	0.01000	0.33505	0.02111	0.01051	105	1.42	035.05	0
035	Sodium (%)	0226	0.36500	0.01000	0.33505	0.02111	0.01051	105	1.42	035.41	0
035	Sodium (%)	0720	0.36500	0.01000	0.33505	0.02111	0.01051	105	1.42	035.41	0
035	Sodium (%)	0619	0.36800	0.00800	0.33505	0.02111	0.01051	105	1.56	035.41	0
035	Sodium (%)	0154	0.37265	0.04090	0.33505	0.02111	0.01051	105	1.78	035.52	0
035	Sodium (%)	0178	0.37850	0.02300	0.33505	0.02111	0.01051	105	2.06	035.31	0
035	Sodium (%)	0108	0.39500	0.01000	0.33505	0.02111	0.01051	105	2.84	035.05	0
035	Sodium (%)	0066	0.41500	0.01000	0.33505	0.02111	0.01051	105	3.79	035.05	0
035	Sodium (%)	0638	0.16000	0.32000	0.33505	0.02111	0.01051	105	-8.29	035.31	1
035	Sodium (%)	0889	0.86000	0.00000	0.33505	0.02111	0.01051	105	24.87	035.99	2
036	Sulfur (%)	0186	0.30650	0.00300	0.48732	0.02833	0.01171	31	-6.38	036.42	0
036	Sulfur (%)	0042	0.34200	0.04000	0.48732	0.02833	0.01171	31	-5.13	036.42	0
036	Sulfur (%)	0918	0.45000	0.00400	0.48732	0.02833	0.01171	31	-1.32	036.43	0
036	Sulfur (%)	0265	0.45500	0.01000	0.48732	0.02833	0.01171	31	-1.14	036.42	0
036	Sulfur (%)	0870	0.45550	0.01420	0.48732	0.02833	0.01171	31	-1.12	036.42	0
036	Sulfur (%)	0297	0.46000	0.00000	0.48732	0.02833	0.01171	31	-0.96	036.43	0
036	Sulfur (%)	0407	0.46100	0.01800	0.48732	0.02833	0.01171	31	-0.93	036.42	0
036	Sulfur (%)	0693	0.46900	0.00800	0.48732	0.02833	0.01171	31	-0.65	036.42	0
036	Sulfur (%)	0045	0.46950	0.02100	0.48732	0.02833	0.01171	31	-0.63	036.42	0
036	Sulfur (%)	0278	0.47000	0.00000	0.48732	0.02833	0.01171	31	-0.61	036.42	0
036	Sulfur (%)	0345	0.47250	0.01100	0.48732	0.02833	0.01171	31	-0.52	036.43	0
036	Sulfur (%)	0226	0.47500	0.01000	0.48732	0.02833	0.01171	31	-0.43	036.04	0
036	Sulfur (%)	0242	0.47500	0.01000	0.48732	0.02833	0.01171	31	-0.43	036.99	0
036	Sulfur (%)	0357	0.48500	0.01000	0.48732	0.02833	0.01171	31	-0.08	036.42	0
036	Sulfur (%)	0294	0.49000	0.00000	0.48732	0.02833	0.01171	31	0.09	036.42	0
036	Sulfur (%)	0098	0.49000	0.00000	0.48732	0.02833	0.01171	31	0.09	036.43	0
036	Sulfur (%)	0171	0.49500	0.01000	0.48732	0.02833	0.01171	31	0.27	036.42	0
036	Sulfur (%)	0889	0.49500	0.01000	0.48732	0.02833	0.01171	31	0.27	036.99	0
036	Sulfur (%)	0629	0.49700	0.00000	0.48732	0.02833	0.01171	31	0.34	036.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
036	Sulfur (%)	0202	0.50000	0.00000	0.48732	0.02833	0.01171	31	0.45	036.42	0
036	Sulfur (%)	0164	0.50500	0.01000	0.48732	0.02833	0.01171	31	0.62	036.42	0
036	Sulfur (%)	0555	0.50500	0.05000	0.48732	0.02833	0.01171	31	0.62	036.42	0
036	Sulfur (%)	0169	0.50500	0.01000	0.48732	0.02833	0.01171	31	0.62	036.43	0
036	Sulfur (%)	0098	0.51000	0.00000	0.48732	0.02833	0.01171	31	0.80	036.04	0
036	Sulfur (%)	0353	0.51000	0.04000	0.48732	0.02833	0.01171	31	0.80	036.43	0
036	Sulfur (%)	0187	0.51275	0.00590	0.48732	0.02833	0.01171	31	0.90	036.42	0
036	Sulfur (%)	0560	0.51410	0.02280	0.48732	0.02833	0.01171	31	0.95	036.42	0
036	Sulfur (%)	0229	0.51500	0.01000	0.48732	0.02833	0.01171	31	0.98	036.04	0
036	Sulfur (%)	0510	0.51500	0.01000	0.48732	0.02833	0.01171	31	0.98	036.43	0
036	Sulfur (%)	0708	0.54350	0.01500	0.48732	0.02833	0.01171	31	1.98	036.42	0
036	Sulfur (%)	0106	0.58500	0.01000	0.48732	0.02833	0.01171	31	3.45	036.42	0
036	Sulfur (%)	0613	0.50500	0.09000	0.48732	0.02833	0.01171	31	0.62	036.42	1
037	Zinc (mg / kg (ppm))	0199	102.50	7.0000	134.77	9.7386	6.0046	101	-3.31	037.53	0
037	Zinc (mg / kg (ppm))	0186	103.00	2.0000	134.77	9.7386	6.0046	101	-3.26	037.42	0
037	Zinc (mg / kg (ppm))	0889	108.00	12.000	134.77	9.7386	6.0046	101	-2.75	037.99	0
037	Zinc (mg / kg (ppm))	0405	109.50	1.0000	134.77	9.7386	6.0046	101	-2.59	037.41	0
037	Zinc (mg / kg (ppm))	0918	114.90	1.0600	134.77	9.7386	6.0046	101	-2.04	037.43	0
037	Zinc (mg / kg (ppm))	0685	117.66	0.35000	134.77	9.7386	6.0046	101	-1.76	037.41	0
037	Zinc (mg / kg (ppm))	0019	119.50	3.0000	134.77	9.7386	6.0046	101	-1.57	037.41	0
037	Zinc (mg / kg (ppm))	0037	119.95	0.30000	134.77	9.7386	6.0046	101	-1.52	037.43	0
037	Zinc (mg / kg (ppm))	0555	120.00	0.00000	134.77	9.7386	6.0046	101	-1.52	037.42	0
037	Zinc (mg / kg (ppm))	0168	120.00	40.000	134.77	9.7386	6.0046	101	-1.52	037.43	0
037	Zinc (mg / kg (ppm))	0874	121.50	5.0000	134.77	9.7386	6.0046	101	-1.36	037.31	0
037	Zinc (mg / kg (ppm))	2012	121.94	1.2400	134.77	9.7386	6.0046	101	-1.32	037.41	0
037	Zinc (mg / kg (ppm))	0629	122.00	0.00000	134.77	9.7386	6.0046	101	-1.31	037.43	0
037	Zinc (mg / kg (ppm))	0520	122.60	1.8000	134.77	9.7386	6.0046	101	-1.25	037.41	0
037	Zinc (mg / kg (ppm))	2058	123.45	5.9600	134.77	9.7386	6.0046	101	-1.16	037.43	0
037	Zinc (mg / kg (ppm))	0043	123.50	15.000	134.77	9.7386	6.0046	101	-1.16	037.43	0
037	Zinc (mg / kg (ppm))	0692	124.00	10.000	134.77	9.7386	6.0046	101	-1.11	037.42	0
037	Zinc (mg / kg (ppm))	0948	124.26	2.0700	134.77	9.7386	6.0046	101	-1.08	037.33	0
037	Zinc (mg / kg (ppm))	0904	124.39	1.6800	134.77	9.7386	6.0046	101	-1.07	037.34	0
037	Zinc (mg / kg (ppm))	0695	125.14	0.42400	134.77	9.7386	6.0046	101	-0.99	037.41	0
037	Zinc (mg / kg (ppm))	0609	127.00	4.0000	134.77	9.7386	6.0046	101	-0.80	037.32	0
037	Zinc (mg / kg (ppm))	0968	127.00	2.0000	134.77	9.7386	6.0046	101	-0.80	037.43	0
037	Zinc (mg / kg (ppm))	0504	128.45	15.700	134.77	9.7386	6.0046	101	-0.65	037.32	0
037	Zinc (mg / kg (ppm))	0242	128.50	5.0000	134.77	9.7386	6.0046	101	-0.64	037.99	0
037	Zinc (mg / kg (ppm))	0294	128.68	1.9600	134.77	9.7386	6.0046	101	-0.63	037.42	0
037	Zinc (mg / kg (ppm))	0939	128.89	0.48000	134.77	9.7386	6.0046	101	-0.60	037.31	0
037	Zinc (mg / kg (ppm))	0921	130.00	0.00000	134.77	9.7386	6.0046	101	-0.49	037.31	0
037	Zinc (mg / kg (ppm))	0178	130.07	0.84000	134.77	9.7386	6.0046	101	-0.48	037.31	0
037	Zinc (mg / kg (ppm))	0553	130.50	9.0000	134.77	9.7386	6.0046	101	-0.44	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	2023	130.50	7.0000	134.77	9.7386	6.0046	101	-0.44	037.43	0
037	Zinc (mg / kg (ppm))	0505	131.00	6.0000	134.77	9.7386	6.0046	101	-0.39	037.31	0
037	Zinc (mg / kg (ppm))	0045	131.00	14.000	134.77	9.7386	6.0046	101	-0.39	037.42	0
037	Zinc (mg / kg (ppm))	0049	131.30	5.6400	134.77	9.7386	6.0046	101	-0.36	037.41	0
037	Zinc (mg / kg (ppm))	0563	131.50	1.0000	134.77	9.7386	6.0046	101	-0.34	037.31	0
037	Zinc (mg / kg (ppm))	0619	131.50	1.0000	134.77	9.7386	6.0046	101	-0.34	037.41	0
037	Zinc (mg / kg (ppm))	0353	131.70	3.2000	134.77	9.7386	6.0046	101	-0.31	037.43	0
037	Zinc (mg / kg (ppm))	0229	132.00	2.0000	134.77	9.7386	6.0046	101	-0.28	037.41	0
037	Zinc (mg / kg (ppm))	0693	132.00	4.0000	134.77	9.7386	6.0046	101	-0.28	037.42	0
037	Zinc (mg / kg (ppm))	0720	132.43	0.89900	134.77	9.7386	6.0046	101	-0.24	037.41	0
037	Zinc (mg / kg (ppm))	0164	132.50	1.0000	134.77	9.7386	6.0046	101	-0.23	037.41	0
037	Zinc (mg / kg (ppm))	0008	132.85	8.9000	134.77	9.7386	6.0046	101	-0.20	037.43	0
037	Zinc (mg / kg (ppm))	0682	132.90	0.76000	134.77	9.7386	6.0046	101	-0.19	037.41	0
037	Zinc (mg / kg (ppm))	0004	133.00	4.0000	134.77	9.7386	6.0046	101	-0.18	037.41	0
037	Zinc (mg / kg (ppm))	0560	133.00	4.0000	134.77	9.7386	6.0046	101	-0.18	037.42	0
037	Zinc (mg / kg (ppm))	0014	133.50	9.0000	134.77	9.7386	6.0046	101	-0.13	037.31	0
037	Zinc (mg / kg (ppm))	0297	133.50	1.0000	134.77	9.7386	6.0046	101	-0.13	037.43	0
037	Zinc (mg / kg (ppm))	0590	134.00	2.0000	134.77	9.7386	6.0046	101	-0.08	037.31	0
037	Zinc (mg / kg (ppm))	0723	134.00	0.00000	134.77	9.7386	6.0046	101	-0.08	037.31	0
037	Zinc (mg / kg (ppm))	0726	134.40	2.0000	134.77	9.7386	6.0046	101	-0.04	037.42	0
037	Zinc (mg / kg (ppm))	0038	134.50	9.0000	134.77	9.7386	6.0046	101	-0.03	037.32	0
037	Zinc (mg / kg (ppm))	0610	134.50	1.0000	134.77	9.7386	6.0046	101	-0.03	037.41	0
037	Zinc (mg / kg (ppm))	0910	134.50	19.000	134.77	9.7386	6.0046	101	-0.03	037.41	0
037	Zinc (mg / kg (ppm))	0106	134.50	43.000	134.77	9.7386	6.0046	101	-0.03	037.42	0
037	Zinc (mg / kg (ppm))	0300	134.54	5.4290	134.77	9.7386	6.0046	101	-0.02	037.41	0
037	Zinc (mg / kg (ppm))	0187	135.32	0.75000	134.77	9.7386	6.0046	101	0.06	037.42	0
037	Zinc (mg / kg (ppm))	0870	135.35	8.1000	134.77	9.7386	6.0046	101	0.06	037.42	0
037	Zinc (mg / kg (ppm))	0848	135.36	0.16000	134.77	9.7386	6.0046	101	0.06	037.41	0
037	Zinc (mg / kg (ppm))	0148	135.40	0.40000	134.77	9.7386	6.0046	101	0.06	037.41	0
037	Zinc (mg / kg (ppm))	0675	135.51	2.3700	134.77	9.7386	6.0046	101	0.08	037.43	0
037	Zinc (mg / kg (ppm))	0358	135.92	12.440	134.77	9.7386	6.0046	101	0.12	037.41	0
037	Zinc (mg / kg (ppm))	0001	136.00	7.0000	134.77	9.7386	6.0046	101	0.13	037.31	0
037	Zinc (mg / kg (ppm))	0033	136.50	3.0000	134.77	9.7386	6.0046	101	0.18	037.43	0
037	Zinc (mg / kg (ppm))	0964	136.60	19.650	134.77	9.7386	6.0046	101	0.19	037.41	0
037	Zinc (mg / kg (ppm))	0345	137.00	4.0000	134.77	9.7386	6.0046	101	0.23	037.43	0
037	Zinc (mg / kg (ppm))	0629	137.50	5.0000	134.77	9.7386	6.0046	101	0.28	037.31	0
037	Zinc (mg / kg (ppm))	0868	137.50	1.0000	134.77	9.7386	6.0046	101	0.28	037.31	0
037	Zinc (mg / kg (ppm))	0425	137.75	1.1000	134.77	9.7386	6.0046	101	0.31	037.43	0
037	Zinc (mg / kg (ppm))	0536	138.01	5.8750	134.77	9.7386	6.0046	101	0.33	037.31	0
037	Zinc (mg / kg (ppm))	0011	138.99	0.33000	134.77	9.7386	6.0046	101	0.43	037.41	0
037	Zinc (mg / kg (ppm))	0100	139.00	10.000	134.77	9.7386	6.0046	101	0.43	037.99	0
037	Zinc (mg / kg (ppm))	0598	139.35	2.7000	134.77	9.7386	6.0046	101	0.47	037.41	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0265	139.50	7.0000	134.77	9.7386	6.0046	101	0.49	037.42	0
037	Zinc (mg / kg (ppm))	0510	139.50	3.0000	134.77	9.7386	6.0046	101	0.49	037.43	0
037	Zinc (mg / kg (ppm))	0407	139.96	1.8600	134.77	9.7386	6.0046	101	0.53	037.41	0
037	Zinc (mg / kg (ppm))	0572	140.50	3.0000	134.77	9.7386	6.0046	101	0.59	037.53	0
037	Zinc (mg / kg (ppm))	0354	140.69	0.03000	134.77	9.7386	6.0046	101	0.61	037.31	0
037	Zinc (mg / kg (ppm))	0689	140.95	1.9000	134.77	9.7386	6.0046	101	0.63	037.31	0
037	Zinc (mg / kg (ppm))	0357	142.00	8.0000	134.77	9.7386	6.0046	101	0.74	037.42	0
037	Zinc (mg / kg (ppm))	0083	144.00	4.0000	134.77	9.7386	6.0046	101	0.95	037.41	0
037	Zinc (mg / kg (ppm))	0951	144.30	10.000	134.77	9.7386	6.0046	101	0.98	037.31	0
037	Zinc (mg / kg (ppm))	0226	144.50	3.0000	134.77	9.7386	6.0046	101	1.00	037.41	0
037	Zinc (mg / kg (ppm))	0878	145.00	10.000	134.77	9.7386	6.0046	101	1.05	037.41	0
037	Zinc (mg / kg (ppm))	0035	145.45	1.5000	134.77	9.7386	6.0046	101	1.10	037.42	0
037	Zinc (mg / kg (ppm))	0098	145.60	7.8000	134.77	9.7386	6.0046	101	1.11	037.41	0
037	Zinc (mg / kg (ppm))	0190	145.86	0.32000	134.77	9.7386	6.0046	101	1.14	037.42	0
037	Zinc (mg / kg (ppm))	2042	146.10	1.0000	134.77	9.7386	6.0046	101	1.16	037.32	0
037	Zinc (mg / kg (ppm))	0098	147.00	0.60000	134.77	9.7386	6.0046	101	1.26	037.43	0
037	Zinc (mg / kg (ppm))	0047	147.40	4.0000	134.77	9.7386	6.0046	101	1.30	037.52	0
037	Zinc (mg / kg (ppm))	0169	147.50	7.0000	134.77	9.7386	6.0046	101	1.31	037.43	0
037	Zinc (mg / kg (ppm))	0964	148.41	10.700	134.77	9.7386	6.0046	101	1.40	037.43	0
037	Zinc (mg / kg (ppm))	0171	149.00	10.000	134.77	9.7386	6.0046	101	1.46	037.41	0
037	Zinc (mg / kg (ppm))	0413	150.00	14.000	134.77	9.7386	6.0046	101	1.56	037.42	0
037	Zinc (mg / kg (ppm))	0613	150.50	19.000	134.77	9.7386	6.0046	101	1.62	037.42	0
037	Zinc (mg / kg (ppm))	0175	153.00	10.000	134.77	9.7386	6.0046	101	1.87	037.31	0
037	Zinc (mg / kg (ppm))	0202	155.01	0.02000	134.77	9.7386	6.0046	101	2.08	037.42	0
037	Zinc (mg / kg (ppm))	0511	158.50	9.0000	134.77	9.7386	6.0046	101	2.44	037.41	0
037	Zinc (mg / kg (ppm))	0042	160.50	9.0000	134.77	9.7386	6.0046	101	2.64	037.42	0
037	Zinc (mg / kg (ppm))	0003	166.00	44.000	134.77	9.7386	6.0046	101	3.21	037.41	0
037	Zinc (mg / kg (ppm))	0674	167.16	10.020	134.77	9.7386	6.0046	101	3.33	037.31	0
037	Zinc (mg / kg (ppm))	0066	168.40	8.1500	134.77	9.7386	6.0046	101	3.45	037.31	0
037	Zinc (mg / kg (ppm))	0612	170.50	1.0000	134.77	9.7386	6.0046	101	3.67	037.32	0
037	Zinc (mg / kg (ppm))	0638	64.500	129.00	134.77	9.7386	6.0046	101	-7.22	037.31	1
038	Molybdenum (mg / kg (ppm))	0297	3.5750	0.17000	3.9749	0.25427	0.29711	15	-1.57	038.43	0
038	Molybdenum (mg / kg (ppm))	0964	3.6345	1.2130	3.9749	0.25427	0.29711	15	-1.34	038.43	0
038	Molybdenum (mg / kg (ppm))	0345	3.7500	0.10000	3.9749	0.25427	0.29711	15	-0.88	038.43	0
038	Molybdenum (mg / kg (ppm))	0560	3.8700	0.14000	3.9749	0.25427	0.29711	15	-0.41	038.42	0
038	Molybdenum (mg / kg (ppm))	0098	3.8730	0.73200	3.9749	0.25427	0.29711	15	-0.40	038.52	0
038	Molybdenum (mg / kg (ppm))	2023	3.8800	0.14000	3.9749	0.25427	0.29711	15	-0.37	038.53	0
038	Molybdenum (mg / kg (ppm))	0964	3.8869	0.47070	3.9749	0.25427	0.29711	15	-0.35	038.41	0
038	Molybdenum (mg / kg (ppm))	0011	3.9085	0.01500	3.9749	0.25427	0.29711	15	-0.26	038.41	0
038	Molybdenum (mg / kg (ppm))	0353	4.0100	0.06000	3.9749	0.25427	0.29711	15	0.14	038.43	0
038	Molybdenum (mg / kg (ppm))	0171	4.0850	0.11000	3.9749	0.25427	0.29711	15	0.43	038.41	0
038	Molybdenum (mg / kg (ppm))	0510	4.1500	0.10000	3.9749	0.25427	0.29711	15	0.69	038.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
038	Molybdenum (mg / kg (ppm))	0693	4.1900	0.54000	3.9749	0.25427	0.29711	15	0.85	038.42	0
038	Molybdenum (mg / kg (ppm))	0169	4.1900	0.40000	3.9749	0.25427	0.29711	15	0.85	038.43	0
038	Molybdenum (mg / kg (ppm))	0278	4.3200	0.00000	3.9749	0.25427	0.29711	15	1.36	038.42	0
038	Molybdenum (mg / kg (ppm))	0918	4.4150	0.26600	3.9749	0.25427	0.29711	15	1.73	038.53	0
038	Molybdenum (mg / kg (ppm))	0021	2.4500	4.9000	3.9749	0.25427	0.29711	15	-6.00	038.43	1
040	Barium (mg / kg (ppm))	0918	5.5265	0.19900	5.7558	0.32421	0.10450	2	-0.71	040.53	0
040	Barium (mg / kg (ppm))	0560	5.9850	0.01000	5.7558	0.32421	0.10450	2	0.71	040.42	0
041	Vanadium (mg / kg (ppm))	0021	0.00000	0.00000	0.59250	0.83792	0.04500	2	-0.71	041.43	0
041	Vanadium (mg / kg (ppm))	0553	1.1850	0.09000	0.59250	0.83792	0.04500	2	0.71	041.53	0
042	Chloride (%)	0297	0.26000	0.00000			0.00000	1			
057	Ethoxyquin (mg / kg (ppm))	0939	4.0550	0.29000	4.7763	0.86125	0.19250	4	-0.84	057.01	0
057	Ethoxyquin (mg / kg (ppm))	0626	4.1500	0.22000	4.7763	0.86125	0.19250	4	-0.73	057.00	0
057	Ethoxyquin (mg / kg (ppm))	0227	5.0000	0.00000	4.7763	0.86125	0.19250	4	0.26	057.01	0
057	Ethoxyquin (mg / kg (ppm))	2053	5.9000	0.26000	4.7763	0.86125	0.19250	4	1.30	057.01	0
088	Tylosin (mg / kg (ppm))	0218	31.072	1.7675	37.119	5.6991	1.9213	13	-1.06	088.00	0
088	Tylosin (mg / kg (ppm))	0014	31.450	1.1000	37.119	5.6991	1.9213	13	-0.99	088.00	0
088	Tylosin (mg / kg (ppm))	0910	31.500	1.0000	37.119	5.6991	1.9213	13	-0.99	088.03	0
088	Tylosin (mg / kg (ppm))	0036	32.400	4.8000	37.119	5.6991	1.9213	13	-0.83	088.00	0
088	Tylosin (mg / kg (ppm))	0148	34.250	0.70000	37.119	5.6991	1.9213	13	-0.50	088.00	0
088	Tylosin (mg / kg (ppm))	2053	34.950	3.7000	37.119	5.6991	1.9213	13	-0.38	088.03	0
088	Tylosin (mg / kg (ppm))	0003	35.050	2.3000	37.119	5.6991	1.9213	13	-0.36	088.03	0
088	Tylosin (mg / kg (ppm))	0013	37.850	2.5000	37.119	5.6991	1.9213	13	0.13	088.00	0
088	Tylosin (mg / kg (ppm))	0016	41.850	0.50000	37.119	5.6991	1.9213	13	0.83	088.03	0
088	Tylosin (mg / kg (ppm))	0032	43.000	2.0000	37.119	5.6991	1.9213	13	1.03	088.03	0
088	Tylosin (mg / kg (ppm))	0043	43.550	0.90000	37.119	5.6991	1.9213	13	1.13	088.00	0
088	Tylosin (mg / kg (ppm))	0964	45.155	1.9100	37.119	5.6991	1.9213	13	1.41	088.00	0
088	Tylosin (mg / kg (ppm))	0039	48.890	1.8000	37.119	5.6991	1.9213	13	2.07	088.03	0
101	Choline Chloride (mg / kg (ppm))	0939	1,653.1	257.20	1,926.8	387.07	314.10	2	-0.71	101.01	0
101	Choline Chloride (mg / kg (ppm))	0904	2,200.5	371.00	1,926.8	387.07	314.10	2	0.71	101.02	0
102	Niacin (mg / kg (ppm))	0227	57.850	2.9000			2.9000	1			
103	Pantothenic Acid (mg / kg (ppm))	0227	8.7750	0.61000			0.61000	1			
104	Riboflavin (mg / kg (ppm))	0171	1.1600	0.02000	8.3983	6.6054	0.18333	3	-1.10	104.00	0
104	Riboflavin (mg / kg (ppm))	0227	9.9350	0.33000	8.3983	6.6054	0.18333	3	0.23	104.00	0
104	Riboflavin (mg / kg (ppm))	2023	14.100	0.20000	8.3983	6.6054	0.18333	3	0.86	104.03	0
105	Thiamine (mg / kg (ppm))	2023	3.5000	0.60000			0.60000	1			
106	Vitamin A (KU / kg)	0098	0.00000	0.00000	0.55532	0.60051	0.03916	19	-0.92	106.01	0
106	Vitamin A (KU / kg)	0004	0.00000	0.00000	0.55532	0.60051	0.03916	19	-0.92	106.02	0
106	Vitamin A (KU / kg)	0555	0.00000	0.00000	0.55532	0.60051	0.03916	19	-0.92	106.02	0
106	Vitamin A (KU / kg)	0910	0.00000	0.00000	0.55532	0.60051	0.03916	19	-0.92	106.02	0
106	Vitamin A (KU / kg)	2053	0.00000	0.00000	0.55532	0.60051	0.03916	19	-0.92	106.02	0
106	Vitamin A (KU / kg)	2058	0.13500	0.01000	0.55532	0.60051	0.03916	19	-0.70	106.02	0
106	Vitamin A (KU / kg)	0921	0.16500	0.09000	0.55532	0.60051	0.03916	19	-0.65	106.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
106	Vitamin A (KU / kg)	0619	0.17400	0.00000	0.55532	0.60051	0.03916	19	-0.63	106.02	0
106	Vitamin A (KU / kg)	0905	0.26300	0.07400	0.55532	0.60051	0.03916	19	-0.49	106.02	0
106	Vitamin A (KU / kg)	0676	0.38500	0.03000	0.55532	0.60051	0.03916	19	-0.28	106.02	0
106	Vitamin A (KU / kg)	0861	0.45450	0.00700	0.55532	0.60051	0.03916	19	-0.17	106.02	0
106	Vitamin A (KU / kg)	0003	0.62050	0.07700	0.55532	0.60051	0.03916	19	0.11	106.02	0
106	Vitamin A (KU / kg)	0227	0.99700	0.04600	0.55532	0.60051	0.03916	19	0.74	106.02	0
106	Vitamin A (KU / kg)	0096	1.1500	0.10000	0.55532	0.60051	0.03916	19	0.99	106.02	0
106	Vitamin A (KU / kg)	2023	1.3050	0.07000	0.55532	0.60051	0.03916	19	1.25	106.02	0
106	Vitamin A (KU / kg)	0904	1.5450	0.01000	0.55532	0.60051	0.03916	19	1.65	106.02	0
106	Vitamin A (KU / kg)	0171	3.9650	0.13000	0.55532	0.60051	0.03916	19	5.68	106.00	0
106	Vitamin A (KU / kg)	0675	6.4500	0.10000	0.55532	0.60051	0.03916	19	9.82	106.02	0
106	Vitamin A (KU / kg)	2042	7.1650	0.00000	0.55532	0.60051	0.03916	19	11.01	106.02	0
106	Vitamin A (KU / kg)	0638	0.68000	1.3600	0.55532	0.60051	0.03916	19	0.21	106.02	1
107	Vitamin B12 (µg / kg (ppb))	0227	15.850	1.3000			1.3000	1			
108	Vitamin D3 (KU / kg)	2023	0.31000	0.08000	0.66151	0.39058	0.03733	6	-0.90	108.01	0
108	Vitamin D3 (KU / kg)	0096	0.34000	0.00000	0.66151	0.39058	0.03733	6	-0.82	108.01	0
108	Vitamin D3 (KU / kg)	0904	0.56000	0.02000	0.66151	0.39058	0.03733	6	-0.26	108.02	0
108	Vitamin D3 (KU / kg)	2058	0.66000	0.04000	0.66151	0.39058	0.03733	6	0.00	108.02	0
108	Vitamin D3 (KU / kg)	0227	0.88400	0.02400	0.66151	0.39058	0.03733	6	0.57	108.02	0
108	Vitamin D3 (KU / kg)	0675	3.4800	0.06000	0.66151	0.39058	0.03733	6	7.22	108.02	0
109	Vitamin E (mg / kg (ppm))	0619	0.00000	0.00000	53.437	16.809	3.3973	21	-3.18	109.02	0
109	Vitamin E (mg / kg (ppm))	0904	19.490	1.2200	53.437	16.809	3.3973	21	-2.02	109.02	0
109	Vitamin E (mg / kg (ppm))	0675	22.955	1.7700	53.437	16.809	3.3973	21	-1.81	109.02	0
109	Vitamin E (mg / kg (ppm))	0563	25.976	3.3493	53.437	16.809	3.3973	21	-1.63	109.02	0
109	Vitamin E (mg / kg (ppm))	2058	32.110	1.2400	53.437	16.809	3.3973	21	-1.27	109.02	0
109	Vitamin E (mg / kg (ppm))	0199	42.275	6.8900	53.437	16.809	3.3973	21	-0.66	109.02	0
109	Vitamin E (mg / kg (ppm))	0555	45.500	17.000	53.437	16.809	3.3973	21	-0.47	109.02	0
109	Vitamin E (mg / kg (ppm))	0098	53.400	5.6000	53.437	16.809	3.3973	21	0.00	109.02	0
109	Vitamin E (mg / kg (ppm))	0921	53.500	0.40000	53.437	16.809	3.3973	21	0.00	109.02	0
109	Vitamin E (mg / kg (ppm))	2023	54.550	1.5000	53.437	16.809	3.3973	21	0.07	109.02	0
109	Vitamin E (mg / kg (ppm))	2042	55.000	0.00000	53.437	16.809	3.3973	21	0.09	109.02	0
109	Vitamin E (mg / kg (ppm))	0676	56.850	1.3000	53.437	16.809	3.3973	21	0.20	109.02	0
109	Vitamin E (mg / kg (ppm))	2053	57.300	4.4000	53.437	16.809	3.3973	21	0.23	109.02	0
109	Vitamin E (mg / kg (ppm))	0723	61.430	0.00000	53.437	16.809	3.3973	21	0.48	109.02	0
109	Vitamin E (mg / kg (ppm))	0861	64.500	3.0000	53.437	16.809	3.3973	21	0.66	109.02	0
109	Vitamin E (mg / kg (ppm))	0905	65.000	12.000	53.437	16.809	3.3973	21	0.69	109.02	0
109	Vitamin E (mg / kg (ppm))	0096	65.316	3.2940	53.437	16.809	3.3973	21	0.71	109.02	0
109	Vitamin E (mg / kg (ppm))	0610	65.500	5.0000	53.437	16.809	3.3973	21	0.72	109.02	0
109	Vitamin E (mg / kg (ppm))	0227	70.600	0.60000	53.437	16.809	3.3973	21	1.02	109.02	0
109	Vitamin E (mg / kg (ppm))	0910	73.200	0.40000	53.437	16.809	3.3973	21	1.18	109.02	0
109	Vitamin E (mg / kg (ppm))	0941	96.430	2.3800	53.437	16.809	3.3973	21	2.56	109.02	0
109	Vitamin E (mg / kg (ppm))	0638	35.000	70.000	53.437	16.809	3.3973	21	-1.10	109.02	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
113	Folic Acid (mg / kg (ppm))	0227	1.5050	0.03000			0.03000	1			
114	Biotin (mg / kg (ppm))	0227	0.37200	0.01400			0.01400	1			
120	Alanine (%)	0008	1.0060	0.04800	1.1031	0.03745	0.01780	25	-2.59	120.05	0
120	Alanine (%)	2022	1.0350	0.01000	1.1031	0.03745	0.01780	25	-1.82	120.00	0
120	Alanine (%)	2023	1.0500	0.00000	1.1031	0.03745	0.01780	25	-1.42	120.02	0
120	Alanine (%)	0939	1.0600	0.00000	1.1031	0.03745	0.01780	25	-1.15	120.05	0
120	Alanine (%)	0676	1.0640	0.02200	1.1031	0.03745	0.01780	25	-1.05	120.05	0
120	Alanine (%)	0619	1.0800	0.02000	1.1031	0.03745	0.01780	25	-0.62	120.00	0
120	Alanine (%)	2022	1.0800	0.02000	1.1031	0.03745	0.01780	25	-0.62	120.01	0
120	Alanine (%)	0297	1.0810	0.04400	1.1031	0.03745	0.01780	25	-0.59	120.01	0
120	Alanine (%)	0684	1.0885	0.03700	1.1031	0.03745	0.01780	25	-0.39	120.00	0
120	Alanine (%)	0171	1.0920	0.00000	1.1031	0.03745	0.01780	25	-0.30	120.00	0
120	Alanine (%)	0626	1.0930	0.00400	1.1031	0.03745	0.01780	25	-0.27	120.05	0
120	Alanine (%)	0227	1.1000	0.00000	1.1031	0.03745	0.01780	25	-0.08	120.00	0
120	Alanine (%)	0968	1.1050	0.02600	1.1031	0.03745	0.01780	25	0.05	120.00	0
120	Alanine (%)	0644	1.1100	0.01400	1.1031	0.03745	0.01780	25	0.18	120.00	0
120	Alanine (%)	0948	1.1130	0.05400	1.1031	0.03745	0.01780	25	0.26	120.01	0
120	Alanine (%)	0910	1.1150	0.01000	1.1031	0.03745	0.01780	25	0.32	120.00	0
120	Alanine (%)	0504	1.1200	0.02000	1.1031	0.03745	0.01780	25	0.45	120.00	0
120	Alanine (%)	0652	1.1250	0.03000	1.1031	0.03745	0.01780	25	0.58	120.00	0
120	Alanine (%)	0868	1.1250	0.01000	1.1031	0.03745	0.01780	25	0.58	120.00	0
120	Alanine (%)	2059	1.1285	0.00700	1.1031	0.03745	0.01780	25	0.68	120.00	0
120	Alanine (%)	0872	1.1425	0.01500	1.1031	0.03745	0.01780	25	1.05	120.00	0
120	Alanine (%)	0571	1.1430	0.00600	1.1031	0.03745	0.01780	25	1.06	120.00	0
120	Alanine (%)	0675	1.1450	0.01000	1.1031	0.03745	0.01780	25	1.12	120.00	0
120	Alanine (%)	0941	1.1550	0.01000	1.1031	0.03745	0.01780	25	1.38	120.00	0
120	Alanine (%)	0098	1.1754	0.02800	1.1031	0.03745	0.01780	25	1.93	120.02	0
120	Alanine (%)	0918	1.2005	0.11300	1.1031	0.03745	0.01780	25	2.60	120.00	1
121	Arginine (%)	0008	1.3970	0.08600	1.5509	0.05003	0.02940	26	-3.08	121.05	0
121	Arginine (%)	0171	1.4750	0.01000	1.5509	0.05003	0.02940	26	-1.52	121.00	0
121	Arginine (%)	0227	1.4900	0.06000	1.5509	0.05003	0.02940	26	-1.22	121.00	0
121	Arginine (%)	0684	1.5045	0.02500	1.5509	0.05003	0.02940	26	-0.93	121.00	0
121	Arginine (%)	0968	1.5055	0.00100	1.5509	0.05003	0.02940	26	-0.91	121.00	0
121	Arginine (%)	0504	1.5100	0.00000	1.5509	0.05003	0.02940	26	-0.82	121.00	0
121	Arginine (%)	2022	1.5150	0.05000	1.5509	0.05003	0.02940	26	-0.72	121.00	0
121	Arginine (%)	0619	1.5250	0.03000	1.5509	0.05003	0.02940	26	-0.52	121.00	0
121	Arginine (%)	0626	1.5255	0.00500	1.5509	0.05003	0.02940	26	-0.51	121.05	0
121	Arginine (%)	0675	1.5350	0.01000	1.5509	0.05003	0.02940	26	-0.32	121.00	0
121	Arginine (%)	2023	1.5400	0.02000	1.5509	0.05003	0.02940	26	-0.22	121.02	0
121	Arginine (%)	0948	1.5425	0.07500	1.5509	0.05003	0.02940	26	-0.17	121.01	0
121	Arginine (%)	0910	1.5450	0.01000	1.5509	0.05003	0.02940	26	-0.12	121.00	0
121	Arginine (%)	0872	1.5485	0.02500	1.5509	0.05003	0.02940	26	-0.05	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
121	Arginine (%)	2022	1.5550	0.05000	1.5509	0.05003	0.02940	26	0.08	121.01	0
121	Arginine (%)	0941	1.5600	0.02000	1.5509	0.05003	0.02940	26	0.18	121.00	0
121	Arginine (%)	0676	1.5690	0.03400	1.5509	0.05003	0.02940	26	0.36	121.05	0
121	Arginine (%)	0644	1.5790	0.00400	1.5509	0.05003	0.02940	26	0.56	121.00	0
121	Arginine (%)	0098	1.5791	0.05440	1.5509	0.05003	0.02940	26	0.56	121.02	0
121	Arginine (%)	0868	1.5800	0.00000	1.5509	0.05003	0.02940	26	0.58	121.00	0
121	Arginine (%)	0652	1.5950	0.07000	1.5509	0.05003	0.02940	26	0.88	121.00	0
121	Arginine (%)	0939	1.6050	0.03000	1.5509	0.05003	0.02940	26	1.08	121.05	0
121	Arginine (%)	0571	1.6085	0.00900	1.5509	0.05003	0.02940	26	1.15	121.00	0
121	Arginine (%)	2059	1.6175	0.01900	1.5509	0.05003	0.02940	26	1.33	121.00	0
121	Arginine (%)	0918	1.6180	0.03600	1.5509	0.05003	0.02940	26	1.34	121.00	0
121	Arginine (%)	0297	1.6475	0.03100	1.5509	0.05003	0.02940	26	1.93	121.01	0
122	Aspartic (%)	0008	2.2650	0.08800	2.4401	0.06020	0.05261	25	-2.91	122.05	0
122	Aspartic (%)	0918	2.3145	0.13700	2.4401	0.06020	0.05261	25	-2.09	122.00	0
122	Aspartic (%)	0968	2.3355	0.01300	2.4401	0.06020	0.05261	25	-1.74	122.00	0
122	Aspartic (%)	0684	2.3365	0.04500	2.4401	0.06020	0.05261	25	-1.72	122.00	0
122	Aspartic (%)	2023	2.3600	0.04000	2.4401	0.06020	0.05261	25	-1.33	122.02	0
122	Aspartic (%)	0297	2.3820	0.03600	2.4401	0.06020	0.05261	25	-0.97	122.01	0
122	Aspartic (%)	0626	2.3910	0.00200	2.4401	0.06020	0.05261	25	-0.82	122.05	0
122	Aspartic (%)	0504	2.4100	0.02000	2.4401	0.06020	0.05261	25	-0.50	122.00	0
122	Aspartic (%)	0868	2.4250	0.01000	2.4401	0.06020	0.05261	25	-0.25	122.00	0
122	Aspartic (%)	2022	2.4250	0.11000	2.4401	0.06020	0.05261	25	-0.25	122.01	0
122	Aspartic (%)	0676	2.4320	0.09400	2.4401	0.06020	0.05261	25	-0.14	122.05	0
122	Aspartic (%)	0619	2.4350	0.05000	2.4401	0.06020	0.05261	25	-0.09	122.00	0
122	Aspartic (%)	0652	2.4450	0.15000	2.4401	0.06020	0.05261	25	0.08	122.00	0
122	Aspartic (%)	0910	2.4500	0.00000	2.4401	0.06020	0.05261	25	0.16	122.00	0
122	Aspartic (%)	2059	2.4510	0.01800	2.4401	0.06020	0.05261	25	0.18	122.00	0
122	Aspartic (%)	0227	2.4550	0.07000	2.4401	0.06020	0.05261	25	0.25	122.00	0
122	Aspartic (%)	0098	2.4705	0.09930	2.4401	0.06020	0.05261	25	0.50	122.02	0
122	Aspartic (%)	0872	2.4705	0.03700	2.4401	0.06020	0.05261	25	0.50	122.00	0
122	Aspartic (%)	0941	2.4750	0.01000	2.4401	0.06020	0.05261	25	0.58	122.00	0
122	Aspartic (%)	0948	2.4775	0.12100	2.4401	0.06020	0.05261	25	0.62	122.01	0
122	Aspartic (%)	0571	2.4850	0.03600	2.4401	0.06020	0.05261	25	0.75	122.00	0
122	Aspartic (%)	0644	2.5195	0.03100	2.4401	0.06020	0.05261	25	1.32	122.00	0
122	Aspartic (%)	0939	2.5300	0.02000	2.4401	0.06020	0.05261	25	1.49	122.05	0
122	Aspartic (%)	0675	2.5450	0.01000	2.4401	0.06020	0.05261	25	1.74	122.00	0
122	Aspartic (%)	0171	2.6090	0.06800	2.4401	0.06020	0.05261	25	2.80	122.00	0
124	Cysteine/Cystine (%)	0008	0.21850	0.01100	0.36635	0.02793	0.00923	22	-5.29	124.99	0
124	Cysteine/Cystine (%)	0675	0.30500	0.01000	0.36635	0.02793	0.00923	22	-2.20	124.00	0
124	Cysteine/Cystine (%)	0297	0.32200	0.00200	0.36635	0.02793	0.00923	22	-1.59	124.01	0
124	Cysteine/Cystine (%)	0227	0.33500	0.01000	0.36635	0.02793	0.00923	22	-1.12	124.00	0
124	Cysteine/Cystine (%)	0644	0.34350	0.00100	0.36635	0.02793	0.00923	22	-0.82	124.00	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
124	Cysteine/Cystine (%)	0652	0.35000	0.02000	0.36635	0.02793	0.00923	22	-0.59	124.00	0
124	Cysteine/Cystine (%)	0676	0.35150	0.02300	0.36635	0.02793	0.00923	22	-0.53	124.02	0
124	Cysteine/Cystine (%)	0872	0.35250	0.00300	0.36635	0.02793	0.00923	22	-0.50	124.00	0
124	Cysteine/Cystine (%)	0939	0.35500	0.01000	0.36635	0.02793	0.00923	22	-0.41	124.05	0
124	Cysteine/Cystine (%)	0619	0.36000	0.00000	0.36635	0.02793	0.00923	22	-0.23	124.00	0
124	Cysteine/Cystine (%)	0968	0.36800	0.00200	0.36635	0.02793	0.00923	22	0.06	124.00	0
124	Cysteine/Cystine (%)	2059	0.37200	0.00400	0.36635	0.02793	0.00923	22	0.20	124.00	0
124	Cysteine/Cystine (%)	0910	0.37500	0.03000	0.36635	0.02793	0.00923	22	0.31	124.00	0
124	Cysteine/Cystine (%)	0571	0.37700	0.00400	0.36635	0.02793	0.00923	22	0.38	124.00	0
124	Cysteine/Cystine (%)	0504	0.37745	0.01750	0.36635	0.02793	0.00923	22	0.40	124.00	0
124	Cysteine/Cystine (%)	0684	0.37950	0.00500	0.36635	0.02793	0.00923	22	0.47	124.00	0
124	Cysteine/Cystine (%)	0868	0.37950	0.00100	0.36635	0.02793	0.00923	22	0.47	124.00	0
124	Cysteine/Cystine (%)	0098	0.38245	0.00350	0.36635	0.02793	0.00923	22	0.58	124.02	0
124	Cysteine/Cystine (%)	0941	0.39500	0.01000	0.36635	0.02793	0.00923	22	1.03	124.00	0
124	Cysteine/Cystine (%)	2022	0.40000	0.00000	0.36635	0.02793	0.00923	22	1.20	124.00	0
124	Cysteine/Cystine (%)	2023	0.45500	0.03000	0.36635	0.02793	0.00923	22	3.17	124.02	0
124	Cysteine/Cystine (%)	0171	0.53400	0.00600	0.36635	0.02793	0.00923	22	6.00	124.00	0
124	Cysteine/Cystine (%)	0918	0.39620	0.09160	0.36635	0.02793	0.00923	22	1.07	124.00	1
125	Glutamic (%)	0504	3.8950	0.19000	4.1126	0.10074	0.08336	25	-2.16	125.00	0
125	Glutamic (%)	0008	3.9085	0.14500	4.1126	0.10074	0.08336	25	-2.03	125.05	0
125	Glutamic (%)	0626	3.9645	0.00500	4.1126	0.10074	0.08336	25	-1.47	125.05	0
125	Glutamic (%)	0968	4.0080	0.07800	4.1126	0.10074	0.08336	25	-1.04	125.00	0
125	Glutamic (%)	0939	4.0250	0.03000	4.1126	0.10074	0.08336	25	-0.87	125.05	0
125	Glutamic (%)	0619	4.0300	0.06000	4.1126	0.10074	0.08336	25	-0.82	125.00	0
125	Glutamic (%)	0676	4.0340	0.15800	4.1126	0.10074	0.08336	25	-0.78	125.05	0
125	Glutamic (%)	0868	4.0650	0.01000	4.1126	0.10074	0.08336	25	-0.47	125.00	0
125	Glutamic (%)	0872	4.0650	0.05200	4.1126	0.10074	0.08336	25	-0.47	125.00	0
125	Glutamic (%)	0571	4.0850	0.02200	4.1126	0.10074	0.08336	25	-0.27	125.00	0
125	Glutamic (%)	0227	4.0900	0.08000	4.1126	0.10074	0.08336	25	-0.22	125.00	0
125	Glutamic (%)	2059	4.1020	0.00800	4.1126	0.10074	0.08336	25	-0.10	125.00	0
125	Glutamic (%)	0297	4.1190	0.04400	4.1126	0.10074	0.08336	25	0.06	125.01	0
125	Glutamic (%)	2022	4.1250	0.27000	4.1126	0.10074	0.08336	25	0.12	125.01	0
125	Glutamic (%)	0098	4.1323	0.12990	4.1126	0.10074	0.08336	25	0.20	125.02	0
125	Glutamic (%)	0910	4.1350	0.07000	4.1126	0.10074	0.08336	25	0.22	125.00	0
125	Glutamic (%)	0941	4.1450	0.09000	4.1126	0.10074	0.08336	25	0.32	125.00	0
125	Glutamic (%)	2023	4.1450	0.03000	4.1126	0.10074	0.08336	25	0.32	125.02	0
125	Glutamic (%)	0918	4.1710	0.13600	4.1126	0.10074	0.08336	25	0.58	125.00	0
125	Glutamic (%)	0684	4.1810	0.08400	4.1126	0.10074	0.08336	25	0.68	125.00	0
125	Glutamic (%)	0644	4.1860	0.02400	4.1126	0.10074	0.08336	25	0.73	125.00	0
125	Glutamic (%)	0652	4.3000	0.16000	4.1126	0.10074	0.08336	25	1.86	125.00	0
125	Glutamic (%)	0948	4.4510	0.08200	4.1126	0.10074	0.08336	25	3.36	125.01	0
125	Glutamic (%)	0675	4.5150	0.01000	4.1126	0.10074	0.08336	25	3.99	125.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
125	Glutamic (%)	0171	5.1860	0.11600	4.1126	0.10074	0.08336	25	10.66	125.00	0
126	Glycine (%)	0008	0.93400	0.08200	0.98496	0.02495	0.02231	26	-2.04	126.05	0
126	Glycine (%)	0644	0.95400	0.03400	0.98496	0.02495	0.02231	26	-1.24	126.00	0
126	Glycine (%)	2022	0.95500	0.01000	0.98496	0.02495	0.02231	26	-1.20	126.01	0
126	Glycine (%)	0968	0.95950	0.02700	0.98496	0.02495	0.02231	26	-1.02	126.00	0
126	Glycine (%)	0684	0.96050	0.00500	0.98496	0.02495	0.02231	26	-0.98	126.00	0
126	Glycine (%)	0918	0.96200	0.02800	0.98496	0.02495	0.02231	26	-0.92	126.00	0
126	Glycine (%)	0619	0.96400	0.01600	0.98496	0.02495	0.02231	26	-0.84	126.00	0
126	Glycine (%)	2023	0.97000	0.02000	0.98496	0.02495	0.02231	26	-0.60	126.02	0
126	Glycine (%)	0297	0.97250	0.03100	0.98496	0.02495	0.02231	26	-0.50	126.01	0
126	Glycine (%)	0676	0.97500	0.04800	0.98496	0.02495	0.02231	26	-0.40	126.05	0
126	Glycine (%)	0872	0.98150	0.01500	0.98496	0.02495	0.02231	26	-0.14	126.00	0
126	Glycine (%)	0504	0.98500	0.03000	0.98496	0.02495	0.02231	26	0.00	126.00	0
126	Glycine (%)	0910	0.98500	0.01000	0.98496	0.02495	0.02231	26	0.00	126.00	0
126	Glycine (%)	2022	0.98500	0.01000	0.98496	0.02495	0.02231	26	0.00	126.00	0
126	Glycine (%)	0939	0.98500	0.03000	0.98496	0.02495	0.02231	26	0.00	126.05	0
126	Glycine (%)	0941	0.99000	0.00000	0.98496	0.02495	0.02231	26	0.20	126.00	0
126	Glycine (%)	2059	0.99550	0.00900	0.98496	0.02495	0.02231	26	0.42	126.00	0
126	Glycine (%)	0868	0.99650	0.00500	0.98496	0.02495	0.02231	26	0.46	126.00	0
126	Glycine (%)	0652	1.0000	0.06000	0.98496	0.02495	0.02231	26	0.60	126.00	0
126	Glycine (%)	0098	1.0031	0.04010	0.98496	0.02495	0.02231	26	0.73	126.02	0
126	Glycine (%)	0626	1.0040	0.00600	0.98496	0.02495	0.02231	26	0.76	126.05	0
126	Glycine (%)	0227	1.0050	0.03000	0.98496	0.02495	0.02231	26	0.80	126.00	0
126	Glycine (%)	0571	1.0100	0.00200	0.98496	0.02495	0.02231	26	1.00	126.00	0
126	Glycine (%)	0171	1.0185	0.00300	0.98496	0.02495	0.02231	26	1.34	126.00	0
126	Glycine (%)	0675	1.0350	0.01000	0.98496	0.02495	0.02231	26	2.01	126.00	0
126	Glycine (%)	0948	1.0455	0.01900	0.98496	0.02495	0.02231	26	2.43	126.01	0
127	Histidine (%)	2023	0.51000	0.00000	0.62952	0.02168	0.01215	24	-5.51	127.02	0
127	Histidine (%)	0684	0.58850	0.00700	0.62952	0.02168	0.01215	24	-1.89	127.00	0
127	Histidine (%)	0297	0.59250	0.03300	0.62952	0.02168	0.01215	24	-1.71	127.01	0
127	Histidine (%)	0941	0.60000	0.00000	0.62952	0.02168	0.01215	24	-1.36	127.00	0
127	Histidine (%)	2022	0.60500	0.01000	0.62952	0.02168	0.01215	24	-1.13	127.00	0
127	Histidine (%)	0676	0.61150	0.01500	0.62952	0.02168	0.01215	24	-0.83	127.05	0
127	Histidine (%)	0910	0.61500	0.01000	0.62952	0.02168	0.01215	24	-0.67	127.00	0
127	Histidine (%)	0652	0.62000	0.02000	0.62952	0.02168	0.01215	24	-0.44	127.00	0
127	Histidine (%)	0968	0.62450	0.00100	0.62952	0.02168	0.01215	24	-0.23	127.00	0
127	Histidine (%)	0675	0.62500	0.01000	0.62952	0.02168	0.01215	24	-0.21	127.00	0
127	Histidine (%)	0626	0.62500	0.00600	0.62952	0.02168	0.01215	24	-0.21	127.05	0
127	Histidine (%)	0644	0.63000	0.00600	0.62952	0.02168	0.01215	24	0.02	127.00	0
127	Histidine (%)	0868	0.63450	0.00100	0.62952	0.02168	0.01215	24	0.23	127.00	0
127	Histidine (%)	0227	0.63500	0.03000	0.62952	0.02168	0.01215	24	0.25	127.00	0
127	Histidine (%)	0939	0.63500	0.01000	0.62952	0.02168	0.01215	24	0.25	127.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
127	Histidine (%)	0098	0.63525	0.00070	0.62952	0.02168	0.01215	24	0.26	127.02	0
127	Histidine (%)	2059	0.63700	0.00400	0.62952	0.02168	0.01215	24	0.34	127.00	0
127	Histidine (%)	0571	0.64100	0.00200	0.62952	0.02168	0.01215	24	0.53	127.00	0
127	Histidine (%)	0504	0.64500	0.01000	0.62952	0.02168	0.01215	24	0.71	127.00	0
127	Histidine (%)	0619	0.64600	0.01000	0.62952	0.02168	0.01215	24	0.76	127.00	0
127	Histidine (%)	0872	0.64750	0.00700	0.62952	0.02168	0.01215	24	0.83	127.00	0
127	Histidine (%)	0918	0.66750	0.03300	0.62952	0.02168	0.01215	24	1.75	127.00	0
127	Histidine (%)	0171	0.68350	0.03500	0.62952	0.02168	0.01215	24	2.49	127.00	0
127	Histidine (%)	0948	0.73550	0.03100	0.62952	0.02168	0.01215	24	4.89	127.01	0
127	Histidine (%)	0008	0.57400	0.06000	0.62952	0.02168	0.01215	24	-2.56	127.05	1
128	Isoleucine (%)	0171	0.75150	0.01300	0.95486	0.05230	0.02226	25	-3.89	128.00	0
128	Isoleucine (%)	0008	0.84700	0.05600	0.95486	0.05230	0.02226	25	-2.06	128.05	0
128	Isoleucine (%)	0941	0.85500	0.01000	0.95486	0.05230	0.02226	25	-1.91	128.00	0
128	Isoleucine (%)	0675	0.88500	0.01000	0.95486	0.05230	0.02226	25	-1.34	128.00	0
128	Isoleucine (%)	2023	0.88500	0.01000	0.95486	0.05230	0.02226	25	-1.34	128.02	0
128	Isoleucine (%)	0684	0.91850	0.03100	0.95486	0.05230	0.02226	25	-0.70	128.00	0
128	Isoleucine (%)	0676	0.92200	0.02400	0.95486	0.05230	0.02226	25	-0.63	128.05	0
128	Isoleucine (%)	0910	0.92500	0.05000	0.95486	0.05230	0.02226	25	-0.57	128.00	0
128	Isoleucine (%)	0619	0.94550	0.01700	0.95486	0.05230	0.02226	25	-0.18	128.00	0
128	Isoleucine (%)	0652	0.95000	0.04000	0.95486	0.05230	0.02226	25	-0.09	128.00	0
128	Isoleucine (%)	0968	0.95450	0.01900	0.95486	0.05230	0.02226	25	-0.01	128.00	0
128	Isoleucine (%)	2022	0.95500	0.01000	0.95486	0.05230	0.02226	25	0.00	128.00	0
128	Isoleucine (%)	0868	0.95700	0.01200	0.95486	0.05230	0.02226	25	0.04	128.00	0
128	Isoleucine (%)	0504	0.96000	0.00000	0.95486	0.05230	0.02226	25	0.10	128.00	0
128	Isoleucine (%)	0626	0.97050	0.01100	0.95486	0.05230	0.02226	25	0.30	128.05	0
128	Isoleucine (%)	0872	0.97400	0.01200	0.95486	0.05230	0.02226	25	0.37	128.00	0
128	Isoleucine (%)	0227	0.97500	0.01000	0.95486	0.05230	0.02226	25	0.39	128.00	0
128	Isoleucine (%)	0644	0.97650	0.00700	0.95486	0.05230	0.02226	25	0.41	128.00	0
128	Isoleucine (%)	0939	0.98000	0.04000	0.95486	0.05230	0.02226	25	0.48	128.05	0
128	Isoleucine (%)	2059	0.98700	0.00200	0.95486	0.05230	0.02226	25	0.61	128.00	0
128	Isoleucine (%)	0571	1.0055	0.01300	0.95486	0.05230	0.02226	25	0.97	128.00	0
128	Isoleucine (%)	0948	1.0090	0.02800	0.95486	0.05230	0.02226	25	1.04	128.01	0
128	Isoleucine (%)	0918	1.0210	0.06000	0.95486	0.05230	0.02226	25	1.26	128.00	0
128	Isoleucine (%)	0098	1.0320	0.04840	0.95486	0.05230	0.02226	25	1.48	128.02	0
128	Isoleucine (%)	0297	1.0505	0.02300	0.95486	0.05230	0.02226	25	1.83	128.01	0
129	Leucine (%)	0008	1.7290	0.06800	1.8706	0.05683	0.03073	25	-2.49	129.05	0
129	Leucine (%)	0939	1.8000	0.08000	1.8706	0.05683	0.03073	25	-1.24	129.05	0
129	Leucine (%)	0684	1.8010	0.00600	1.8706	0.05683	0.03073	25	-1.22	129.00	0
129	Leucine (%)	0619	1.8100	0.02000	1.8706	0.05683	0.03073	25	-1.07	129.00	0
129	Leucine (%)	2023	1.8100	0.00000	1.8706	0.05683	0.03073	25	-1.07	129.02	0
129	Leucine (%)	0941	1.8250	0.01000	1.8706	0.05683	0.03073	25	-0.80	129.00	0
129	Leucine (%)	0676	1.8290	0.03600	1.8706	0.05683	0.03073	25	-0.73	129.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
129	Leucine (%)	0626	1.8310	0.02000	1.8706	0.05683	0.03073	25	-0.70	129.05	0
129	Leucine (%)	0171	1.8380	0.03400	1.8706	0.05683	0.03073	25	-0.57	129.00	0
129	Leucine (%)	0948	1.8420	0.09000	1.8706	0.05683	0.03073	25	-0.50	129.01	0
129	Leucine (%)	0910	1.8600	0.04000	1.8706	0.05683	0.03073	25	-0.19	129.00	0
129	Leucine (%)	0872	1.8725	0.01500	1.8706	0.05683	0.03073	25	0.03	129.00	0
129	Leucine (%)	0652	1.8800	0.04000	1.8706	0.05683	0.03073	25	0.17	129.00	0
129	Leucine (%)	2059	1.8845	0.00700	1.8706	0.05683	0.03073	25	0.25	129.00	0
129	Leucine (%)	0297	1.8940	0.03200	1.8706	0.05683	0.03073	25	0.41	129.01	0
129	Leucine (%)	0868	1.8950	0.01000	1.8706	0.05683	0.03073	25	0.43	129.00	0
129	Leucine (%)	0968	1.9000	0.00200	1.8706	0.05683	0.03073	25	0.52	129.00	0
129	Leucine (%)	0227	1.9050	0.01000	1.8706	0.05683	0.03073	25	0.61	129.00	0
129	Leucine (%)	0644	1.9085	0.02500	1.8706	0.05683	0.03073	25	0.67	129.00	0
129	Leucine (%)	0504	1.9250	0.03000	1.8706	0.05683	0.03073	25	0.96	129.00	0
129	Leucine (%)	2022	1.9250	0.01000	1.8706	0.05683	0.03073	25	0.96	129.00	0
129	Leucine (%)	0571	1.9260	0.00800	1.8706	0.05683	0.03073	25	0.98	129.00	0
129	Leucine (%)	0918	1.9265	0.11900	1.8706	0.05683	0.03073	25	0.98	129.00	0
129	Leucine (%)	0675	1.9350	0.01000	1.8706	0.05683	0.03073	25	1.13	129.00	0
129	Leucine (%)	0098	1.9611	0.04620	1.8706	0.05683	0.03073	25	1.59	129.02	0
130	L-Lysine (%)	0860	1.2650	0.01000	1.3871	0.06128	0.02851	31	-1.99	130.00	0
130	L-Lysine (%)	0008	1.2705	0.05300	1.3871	0.06128	0.02851	31	-1.90	130.05	0
130	L-Lysine (%)	0035	1.2850	0.02400	1.3871	0.06128	0.02851	31	-1.67	130.01	0
130	L-Lysine (%)	2022	1.2850	0.05000	1.3871	0.06128	0.02851	31	-1.67	130.01	0
130	L-Lysine (%)	0848	1.3100	0.04000	1.3871	0.06128	0.02851	31	-1.26	130.00	0
130	L-Lysine (%)	2053	1.3400	0.06000	1.3871	0.06128	0.02851	31	-0.77	130.99	0
130	L-Lysine (%)	0619	1.3450	0.01000	1.3871	0.06128	0.02851	31	-0.69	130.00	0
130	L-Lysine (%)	0171	1.3475	0.00500	1.3871	0.06128	0.02851	31	-0.65	130.00	0
130	L-Lysine (%)	0684	1.3475	0.01900	1.3871	0.06128	0.02851	31	-0.65	130.00	0
130	L-Lysine (%)	0941	1.3500	0.00000	1.3871	0.06128	0.02851	31	-0.61	130.00	0
130	L-Lysine (%)	0910	1.3600	0.02000	1.3871	0.06128	0.02851	31	-0.44	130.00	0
130	L-Lysine (%)	0872	1.3700	0.02400	1.3871	0.06128	0.02851	31	-0.28	130.00	0
130	L-Lysine (%)	2022	1.3800	0.02000	1.3871	0.06128	0.02851	31	-0.12	130.00	0
130	L-Lysine (%)	0675	1.3850	0.01000	1.3871	0.06128	0.02851	31	-0.03	130.00	0
130	L-Lysine (%)	0610	1.3850	0.01000	1.3871	0.06128	0.02851	31	-0.03	130.05	0
130	L-Lysine (%)	0968	1.3855	0.01100	1.3871	0.06128	0.02851	31	-0.03	130.00	0
130	L-Lysine (%)	0297	1.3940	0.02200	1.3871	0.06128	0.02851	31	0.11	130.01	0
130	L-Lysine (%)	0868	1.3950	0.01000	1.3871	0.06128	0.02851	31	0.13	130.00	0
130	L-Lysine (%)	0644	1.4010	0.01600	1.3871	0.06128	0.02851	31	0.23	130.00	0
130	L-Lysine (%)	0571	1.4125	0.00900	1.3871	0.06128	0.02851	31	0.41	130.00	0
130	L-Lysine (%)	0723	1.4200	0.00000	1.3871	0.06128	0.02851	31	0.54	130.05	0
130	L-Lysine (%)	0939	1.4200	0.04000	1.3871	0.06128	0.02851	31	0.54	130.05	0
130	L-Lysine (%)	2059	1.4240	0.01200	1.3871	0.06128	0.02851	31	0.60	130.00	0
130	L-Lysine (%)	0626	1.4330	0.00200	1.3871	0.06128	0.02851	31	0.75	130.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
130	L-Lysine (%)	0918	1.4350	0.09600	1.3871	0.06128	0.02851	31	0.78	130.00	0
130	L-Lysine (%)	0676	1.4475	0.01300	1.3871	0.06128	0.02851	31	0.99	130.05	0
130	L-Lysine (%)	0504	1.4500	0.04000	1.3871	0.06128	0.02851	31	1.03	130.00	0
130	L-Lysine (%)	2023	1.4500	0.06000	1.3871	0.06128	0.02851	31	1.03	130.02	0
130	L-Lysine (%)	0227	1.4750	0.13000	1.3871	0.06128	0.02851	31	1.43	130.00	0
130	L-Lysine (%)	0948	1.4785	0.06500	1.3871	0.06128	0.02851	31	1.49	130.01	0
130	L-Lysine (%)	0098	1.4814	0.00290	1.3871	0.06128	0.02851	31	1.54	130.02	0
130	L-Lysine (%)	0652	1.4200	0.14000	1.3871	0.06128	0.02851	31	0.54	130.00	1
131	Methionine (%)	0008	0.21500	0.01000	0.35365	0.02233	0.00748	26	-6.21	131.99	0
131	Methionine (%)	0626	0.24300	0.00600	0.35365	0.02233	0.00748	26	-4.96	131.05	0
131	Methionine (%)	0939	0.27500	0.01000	0.35365	0.02233	0.00748	26	-3.52	131.05	0
131	Methionine (%)	2023	0.30500	0.01000	0.35365	0.02233	0.00748	26	-2.18	131.02	0
131	Methionine (%)	0675	0.31500	0.01000	0.35365	0.02233	0.00748	26	-1.73	131.00	0
131	Methionine (%)	0619	0.33000	0.00200	0.35365	0.02233	0.00748	26	-1.06	131.00	0
131	Methionine (%)	0948	0.33800	0.00000	0.35365	0.02233	0.00748	26	-0.70	131.01	0
131	Methionine (%)	0171	0.34900	0.00600	0.35365	0.02233	0.00748	26	-0.21	131.00	0
131	Methionine (%)	0227	0.35000	0.00000	0.35365	0.02233	0.00748	26	-0.16	131.00	0
131	Methionine (%)	2022	0.35000	0.02000	0.35365	0.02233	0.00748	26	-0.16	131.00	0
131	Methionine (%)	0968	0.35050	0.00300	0.35365	0.02233	0.00748	26	-0.14	131.00	0
131	Methionine (%)	0684	0.35200	0.00400	0.35365	0.02233	0.00748	26	-0.07	131.00	0
131	Methionine (%)	0504	0.35370	0.00220	0.35365	0.02233	0.00748	26	0.00	131.00	0
131	Methionine (%)	0941	0.35500	0.01000	0.35365	0.02233	0.00748	26	0.06	131.00	0
131	Methionine (%)	2059	0.35700	0.00200	0.35365	0.02233	0.00748	26	0.15	131.00	0
131	Methionine (%)	0098	0.35890	0.00440	0.35365	0.02233	0.00748	26	0.24	131.02	0
131	Methionine (%)	0910	0.36000	0.00000	0.35365	0.02233	0.00748	26	0.28	131.00	0
131	Methionine (%)	0571	0.36400	0.01000	0.35365	0.02233	0.00748	26	0.46	131.00	0
131	Methionine (%)	0872	0.36400	0.00400	0.35365	0.02233	0.00748	26	0.46	131.00	0
131	Methionine (%)	0652	0.36500	0.05000	0.35365	0.02233	0.00748	26	0.51	131.00	0
131	Methionine (%)	0676	0.37350	0.01300	0.35365	0.02233	0.00748	26	0.89	131.02	0
131	Methionine (%)	0610	0.37500	0.01000	0.35365	0.02233	0.00748	26	0.96	131.05	0
131	Methionine (%)	0868	0.37600	0.00400	0.35365	0.02233	0.00748	26	1.00	131.00	0
131	Methionine (%)	0297	0.38300	0.00200	0.35365	0.02233	0.00748	26	1.31	131.01	0
131	Methionine (%)	0644	0.39800	0.00200	0.35365	0.02233	0.00748	26	1.99	131.00	0
131	Methionine (%)	0918	0.39900	0.00000	0.35365	0.02233	0.00748	26	2.03	131.00	0
131	Methionine (%)	2022	0.42000	0.12000	0.35365	0.02233	0.00748	26	2.97	131.01	1
132	Phenylalanine (%)	0008	1.0260	0.06600	1.1253	0.03031	0.02107	26	-3.28	132.05	0
132	Phenylalanine (%)	2023	1.0700	0.02000	1.1253	0.03031	0.02107	26	-1.83	132.02	0
132	Phenylalanine (%)	0684	1.0885	0.00100	1.1253	0.03031	0.02107	26	-1.22	132.00	0
132	Phenylalanine (%)	0939	1.0950	0.03000	1.1253	0.03031	0.02107	26	-1.00	132.05	0
132	Phenylalanine (%)	0968	1.0955	0.00900	1.1253	0.03031	0.02107	26	-0.98	132.00	0
132	Phenylalanine (%)	0619	1.1050	0.01000	1.1253	0.03031	0.02107	26	-0.67	132.00	0
132	Phenylalanine (%)	0652	1.1050	0.01000	1.1253	0.03031	0.02107	26	-0.67	132.00	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
132	Phenylalanine (%)	0941	1.1050	0.01000	1.1253	0.03031	0.02107	26	-0.67	132.00	0
132	Phenylalanine (%)	2022	1.1100	0.04000	1.1253	0.03031	0.02107	26	-0.51	132.01	0
132	Phenylalanine (%)	0918	1.1105	0.05700	1.1253	0.03031	0.02107	26	-0.49	132.00	0
132	Phenylalanine (%)	0676	1.1130	0.02000	1.1253	0.03031	0.02107	26	-0.41	132.05	0
132	Phenylalanine (%)	0171	1.1145	0.01700	1.1253	0.03031	0.02107	26	-0.36	132.00	0
132	Phenylalanine (%)	0868	1.1250	0.01000	1.1253	0.03031	0.02107	26	-0.01	132.00	0
132	Phenylalanine (%)	0626	1.1320	0.02000	1.1253	0.03031	0.02107	26	0.22	132.05	0
132	Phenylalanine (%)	0910	1.1350	0.01000	1.1253	0.03031	0.02107	26	0.32	132.00	0
132	Phenylalanine (%)	0872	1.1375	0.01100	1.1253	0.03031	0.02107	26	0.40	132.00	0
132	Phenylalanine (%)	0644	1.1385	0.01500	1.1253	0.03031	0.02107	26	0.43	132.00	0
132	Phenylalanine (%)	2059	1.1410	0.01000	1.1253	0.03031	0.02107	26	0.52	132.00	0
132	Phenylalanine (%)	0098	1.1478	0.02090	1.1253	0.03031	0.02107	26	0.74	132.02	0
132	Phenylalanine (%)	0227	1.1500	0.02000	1.1253	0.03031	0.02107	26	0.81	132.00	0
132	Phenylalanine (%)	0948	1.1530	0.05600	1.1253	0.03031	0.02107	26	0.91	132.01	0
132	Phenylalanine (%)	0504	1.1550	0.01000	1.1253	0.03031	0.02107	26	0.98	132.00	0
132	Phenylalanine (%)	0675	1.1550	0.01000	1.1253	0.03031	0.02107	26	0.98	132.00	0
132	Phenylalanine (%)	2022	1.1550	0.03000	1.1253	0.03031	0.02107	26	0.98	132.00	0
132	Phenylalanine (%)	0571	1.1615	0.01700	1.1253	0.03031	0.02107	26	1.19	132.00	0
132	Phenylalanine (%)	0297	1.1800	0.01800	1.1253	0.03031	0.02107	26	1.80	132.01	0
133	Proline (%)	0626	1.2000	0.01600	1.2608	0.03937	0.04081	21	-1.54	133.05	0
133	Proline (%)	0008	1.2050	0.05400	1.2608	0.03937	0.04081	21	-1.42	133.05	0
133	Proline (%)	0684	1.2165	0.01300	1.2608	0.03937	0.04081	21	-1.13	133.00	0
133	Proline (%)	0872	1.2295	0.01100	1.2608	0.03937	0.04081	21	-0.80	133.00	0
133	Proline (%)	0652	1.2350	0.09000	1.2608	0.03937	0.04081	21	-0.66	133.00	0
133	Proline (%)	0675	1.2350	0.01000	1.2608	0.03937	0.04081	21	-0.66	133.00	0
133	Proline (%)	0504	1.2400	0.04000	1.2608	0.03937	0.04081	21	-0.53	133.00	0
133	Proline (%)	0941	1.2400	0.06000	1.2608	0.03937	0.04081	21	-0.53	133.00	0
133	Proline (%)	0939	1.2400	0.02000	1.2608	0.03937	0.04081	21	-0.53	133.05	0
133	Proline (%)	0968	1.2585	0.03500	1.2608	0.03937	0.04081	21	-0.06	133.00	0
133	Proline (%)	0676	1.2610	0.04600	1.2608	0.03937	0.04081	21	0.00	133.05	0
133	Proline (%)	2059	1.2670	0.00000	1.2608	0.03937	0.04081	21	0.16	133.00	0
133	Proline (%)	0227	1.2750	0.01000	1.2608	0.03937	0.04081	21	0.36	133.00	0
133	Proline (%)	2022	1.2750	0.01000	1.2608	0.03937	0.04081	21	0.36	133.99	0
133	Proline (%)	0868	1.2850	0.01000	1.2608	0.03937	0.04081	21	0.61	133.00	0
133	Proline (%)	0619	1.2900	0.02000	1.2608	0.03937	0.04081	21	0.74	133.00	0
133	Proline (%)	0910	1.2900	0.10000	1.2608	0.03937	0.04081	21	0.74	133.00	0
133	Proline (%)	0644	1.2950	0.00400	1.2608	0.03937	0.04081	21	0.87	133.00	0
133	Proline (%)	0918	1.2990	0.26000	1.2608	0.03937	0.04081	21	0.97	133.00	0
133	Proline (%)	0571	1.3190	0.02800	1.2608	0.03937	0.04081	21	1.48	133.00	0
133	Proline (%)	0171	1.3800	0.02000	1.2608	0.03937	0.04081	21	3.03	133.00	0
133	Proline (%)	2023	1.4300	1.0200	1.2608	0.03937	0.04081	21	4.30	133.99	1
134	Serine (%)	0504	1.0000	0.04000	1.1331	0.04668	0.02447	25	-2.85	134.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
134	Serine (%)	0098	1.0203	0.04380	1.1331	0.04668	0.02447	25	-2.42	134.02	0
134	Serine (%)	2023	1.0600	0.00000	1.1331	0.04668	0.02447	25	-1.57	134.02	0
134	Serine (%)	0684	1.0640	0.03600	1.1331	0.04668	0.02447	25	-1.48	134.00	0
134	Serine (%)	0968	1.0755	0.00900	1.1331	0.04668	0.02447	25	-1.23	134.00	0
134	Serine (%)	2022	1.0800	0.02000	1.1331	0.04668	0.02447	25	-1.14	134.01	0
134	Serine (%)	0008	1.0995	0.07100	1.1331	0.04668	0.02447	25	-0.72	134.05	0
134	Serine (%)	2022	1.1150	0.03000	1.1331	0.04668	0.02447	25	-0.39	134.00	0
134	Serine (%)	0939	1.1200	0.02000	1.1331	0.04668	0.02447	25	-0.28	134.05	0
134	Serine (%)	0626	1.1285	0.01300	1.1331	0.04668	0.02447	25	-0.10	134.05	0
134	Serine (%)	0676	1.1285	0.05300	1.1331	0.04668	0.02447	25	-0.10	134.05	0
134	Serine (%)	0571	1.1335	0.01500	1.1331	0.04668	0.02447	25	0.01	134.00	0
134	Serine (%)	0872	1.1375	0.02300	1.1331	0.04668	0.02447	25	0.09	134.00	0
134	Serine (%)	2059	1.1380	0.01000	1.1331	0.04668	0.02447	25	0.10	134.00	0
134	Serine (%)	0619	1.1400	0.00000	1.1331	0.04668	0.02447	25	0.15	134.00	0
134	Serine (%)	0644	1.1430	0.01400	1.1331	0.04668	0.02447	25	0.21	134.00	0
134	Serine (%)	0868	1.1500	0.00000	1.1331	0.04668	0.02447	25	0.36	134.00	0
134	Serine (%)	0297	1.1515	0.03700	1.1331	0.04668	0.02447	25	0.39	134.01	0
134	Serine (%)	0910	1.1600	0.00000	1.1331	0.04668	0.02447	25	0.58	134.00	0
134	Serine (%)	0675	1.1650	0.01000	1.1331	0.04668	0.02447	25	0.68	134.00	0
134	Serine (%)	0652	1.1700	0.02000	1.1331	0.04668	0.02447	25	0.79	134.00	0
134	Serine (%)	0227	1.1900	0.06000	1.1331	0.04668	0.02447	25	1.22	134.00	0
134	Serine (%)	0948	1.2300	0.06000	1.1331	0.04668	0.02447	25	2.08	134.01	0
134	Serine (%)	0171	1.2485	0.00700	1.1331	0.04668	0.02447	25	2.47	134.00	0
134	Serine (%)	0941	1.2500	0.02000	1.1331	0.04668	0.02447	25	2.50	134.00	0
134	Serine (%)	0918	1.0995	0.15300	1.1331	0.04668	0.02447	25	-0.72	134.00	1
135	Threonine (%)	0008	0.83750	0.04300	0.89573	0.02677	0.01862	24	-2.18	135.05	0
135	Threonine (%)	0171	0.84350	0.00700	0.89573	0.02677	0.01862	24	-1.95	135.00	0
135	Threonine (%)	0626	0.84600	0.00600	0.89573	0.02677	0.01862	24	-1.86	135.05	0
135	Threonine (%)	0968	0.85950	0.01100	0.89573	0.02677	0.01862	24	-1.35	135.00	0
135	Threonine (%)	2023	0.86000	0.02000	0.89573	0.02677	0.01862	24	-1.33	135.02	0
135	Threonine (%)	0504	0.87500	0.01000	0.89573	0.02677	0.01862	24	-0.77	135.00	0
135	Threonine (%)	0676	0.87800	0.02400	0.89573	0.02677	0.01862	24	-0.66	135.05	0
135	Threonine (%)	0297	0.88400	0.00800	0.89573	0.02677	0.01862	24	-0.44	135.01	0
135	Threonine (%)	0939	0.88500	0.01000	0.89573	0.02677	0.01862	24	-0.40	135.05	0
135	Threonine (%)	2059	0.88900	0.01000	0.89573	0.02677	0.01862	24	-0.25	135.00	0
135	Threonine (%)	0684	0.89250	0.02900	0.89573	0.02677	0.01862	24	-0.12	135.00	0
135	Threonine (%)	0872	0.89800	0.01800	0.89573	0.02677	0.01862	24	0.08	135.00	0
135	Threonine (%)	0652	0.90000	0.06000	0.89573	0.02677	0.01862	24	0.16	135.00	0
135	Threonine (%)	0098	0.90180	0.02380	0.89573	0.02677	0.01862	24	0.23	135.02	0
135	Threonine (%)	0571	0.90250	0.00900	0.89573	0.02677	0.01862	24	0.25	135.00	0
135	Threonine (%)	0619	0.90350	0.00300	0.89573	0.02677	0.01862	24	0.29	135.00	0
135	Threonine (%)	0910	0.90500	0.01000	0.89573	0.02677	0.01862	24	0.35	135.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
135	Threonine (%)	0868	0.90600	0.00600	0.89573	0.02677	0.01862	24	0.38	135.00	0
135	Threonine (%)	0675	0.91500	0.01000	0.89573	0.02677	0.01862	24	0.72	135.00	0
135	Threonine (%)	2022	0.91500	0.01000	0.89573	0.02677	0.01862	24	0.72	135.00	0
135	Threonine (%)	0941	0.93000	0.02000	0.89573	0.02677	0.01862	24	1.28	135.00	0
135	Threonine (%)	0644	0.93100	0.01000	0.89573	0.02677	0.01862	24	1.32	135.00	0
135	Threonine (%)	0227	0.99000	0.08000	0.89573	0.02677	0.01862	24	3.52	135.00	0
135	Threonine (%)	0948	0.99950	0.00900	0.89573	0.02677	0.01862	24	3.88	135.01	0
135	Threonine (%)	0918	0.83450	0.13100	0.89573	0.02677	0.01862	24	-2.29	135.00	1
136	Tryptophan (%)	0918	0.19100	0.01800	0.28559	0.01508	0.00886	14	-6.27	136.00	0
136	Tryptophan (%)	0008	0.23900	0.02000	0.28559	0.01508	0.00886	14	-3.09	136.01	0
136	Tryptophan (%)	0941	0.25000	0.02000	0.28559	0.01508	0.00886	14	-2.36	136.00	0
136	Tryptophan (%)	0868	0.25200	0.00200	0.28559	0.01508	0.00886	14	-2.23	136.01	0
136	Tryptophan (%)	0297	0.28150	0.00100	0.28559	0.01508	0.00886	14	-0.27	136.03	0
136	Tryptophan (%)	2023	0.28500	0.01000	0.28559	0.01508	0.00886	14	-0.04	136.02	0
136	Tryptophan (%)	0878	0.28850	0.00100	0.28559	0.01508	0.00886	14	0.19	136.01	0
136	Tryptophan (%)	0504	0.29000	0.00000	0.28559	0.01508	0.00886	14	0.29	136.99	0
136	Tryptophan (%)	0619	0.29050	0.01300	0.28559	0.01508	0.00886	14	0.33	136.03	0
136	Tryptophan (%)	0872	0.29050	0.00300	0.28559	0.01508	0.00886	14	0.33	136.03	0
136	Tryptophan (%)	0644	0.29900	0.00600	0.28559	0.01508	0.00886	14	0.89	136.01	0
136	Tryptophan (%)	0098	0.29900	0.02200	0.28559	0.01508	0.00886	14	0.89	136.02	0
136	Tryptophan (%)	0227	0.30000	0.00000	0.28559	0.01508	0.00886	14	0.96	136.00	0
136	Tryptophan (%)	0684	0.30400	0.00800	0.28559	0.01508	0.00886	14	1.22	136.00	0
137	Tyrosine (%)	0910	0.53000	0.06000	0.74529	0.06269	0.01794	20	-3.43	137.00	0
137	Tyrosine (%)	0008	0.57100	0.04000	0.74529	0.06269	0.01794	20	-2.78	137.05	0
137	Tyrosine (%)	0626	0.58250	0.00700	0.74529	0.06269	0.01794	20	-2.60	137.05	0
137	Tyrosine (%)	2023	0.70000	0.00000	0.74529	0.06269	0.01794	20	-0.72	137.02	0
137	Tyrosine (%)	0227	0.71000	0.04000	0.74529	0.06269	0.01794	20	-0.56	137.00	0
137	Tyrosine (%)	0939	0.71500	0.05000	0.74529	0.06269	0.01794	20	-0.48	137.05	0
137	Tyrosine (%)	0171	0.71900	0.00600	0.74529	0.06269	0.01794	20	-0.42	137.00	0
137	Tyrosine (%)	0968	0.73000	0.00200	0.74529	0.06269	0.01794	20	-0.24	137.00	0
137	Tyrosine (%)	0684	0.73500	0.00800	0.74529	0.06269	0.01794	20	-0.16	137.00	0
137	Tyrosine (%)	0872	0.73650	0.01100	0.74529	0.06269	0.01794	20	-0.14	137.00	0
137	Tyrosine (%)	0504	0.74000	0.00000	0.74529	0.06269	0.01794	20	-0.08	137.00	0
137	Tyrosine (%)	0676	0.76850	0.00700	0.74529	0.06269	0.01794	20	0.37	137.05	0
137	Tyrosine (%)	0644	0.77550	0.00700	0.74529	0.06269	0.01794	20	0.48	137.00	0
137	Tyrosine (%)	0098	0.78255	0.03270	0.74529	0.06269	0.01794	20	0.59	137.02	0
137	Tyrosine (%)	0948	0.79100	0.00200	0.74529	0.06269	0.01794	20	0.73	137.01	0
137	Tyrosine (%)	0675	0.79500	0.01000	0.74529	0.06269	0.01794	20	0.79	137.00	0
137	Tyrosine (%)	0860	0.80500	0.01000	0.74529	0.06269	0.01794	20	0.95	137.00	0
137	Tyrosine (%)	0297	0.80900	0.01400	0.74529	0.06269	0.01794	20	1.02	137.01	0
137	Tyrosine (%)	2059	0.82000	0.01200	0.74529	0.06269	0.01794	20	1.19	137.00	0
137	Tyrosine (%)	0941	0.82000	0.04000	0.74529	0.06269	0.01794	20	1.19	137.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
137	Tyrosine (%)	0918	0.86900	0.10200	0.74529	0.06269	0.01794	20	1.97	137.00	1
138	Valine (%)	0171	0.87700	0.02000	1.0891	0.07337	0.02184	26	-2.89	138.00	0
138	Valine (%)	0941	0.98000	0.00000	1.0891	0.07337	0.02184	26	-1.49	138.00	0
138	Valine (%)	0684	0.98550	0.01500	1.0891	0.07337	0.02184	26	-1.41	138.00	0
138	Valine (%)	0008	0.98800	0.06800	1.0891	0.07337	0.02184	26	-1.38	138.05	0
138	Valine (%)	2023	0.99500	0.01000	1.0891	0.07337	0.02184	26	-1.28	138.02	0
138	Valine (%)	0675	1.0250	0.01000	1.0891	0.07337	0.02184	26	-0.87	138.00	0
138	Valine (%)	0619	1.0350	0.01000	1.0891	0.07337	0.02184	26	-0.74	138.00	0
138	Valine (%)	0968	1.0580	0.01000	1.0891	0.07337	0.02184	26	-0.42	138.00	0
138	Valine (%)	0652	1.0600	0.00000	1.0891	0.07337	0.02184	26	-0.40	138.00	0
138	Valine (%)	0910	1.0750	0.05000	1.0891	0.07337	0.02184	26	-0.19	138.00	0
138	Valine (%)	0939	1.0850	0.03000	1.0891	0.07337	0.02184	26	-0.06	138.05	0
138	Valine (%)	0872	1.0915	0.01500	1.0891	0.07337	0.02184	26	0.03	138.00	0
138	Valine (%)	0504	1.0950	0.01000	1.0891	0.07337	0.02184	26	0.08	138.00	0
138	Valine (%)	0676	1.0955	0.02900	1.0891	0.07337	0.02184	26	0.09	138.05	0
138	Valine (%)	0868	1.1050	0.01000	1.0891	0.07337	0.02184	26	0.22	138.00	0
138	Valine (%)	0644	1.1070	0.00800	1.0891	0.07337	0.02184	26	0.24	138.00	0
138	Valine (%)	2022	1.1300	0.04000	1.0891	0.07337	0.02184	26	0.56	138.00	0
138	Valine (%)	2059	1.1350	0.01000	1.0891	0.07337	0.02184	26	0.62	138.00	0
138	Valine (%)	0948	1.1425	0.01900	1.0891	0.07337	0.02184	26	0.73	138.01	0
138	Valine (%)	0918	1.1430	0.07200	1.0891	0.07337	0.02184	26	0.73	138.00	0
138	Valine (%)	0571	1.1435	0.01500	1.0891	0.07337	0.02184	26	0.74	138.00	0
138	Valine (%)	2022	1.1500	0.02000	1.0891	0.07337	0.02184	26	0.83	138.01	0
138	Valine (%)	0227	1.1550	0.03000	1.0891	0.07337	0.02184	26	0.90	138.00	0
138	Valine (%)	0098	1.1657	0.06180	1.0891	0.07337	0.02184	26	1.04	138.02	0
138	Valine (%)	0626	1.1730	0.00400	1.0891	0.07337	0.02184	26	1.14	138.05	0
138	Valine (%)	0297	1.2735	0.00100	1.0891	0.07337	0.02184	26	2.51	138.01	0
139	Taurine (%)	0098	0.00000	0.00000	0.06125	0.10347	0.00250	4	-0.59	139.02	0
139	Taurine (%)	2023	0.00000	0.00000	0.06125	0.10347	0.00250	4	-0.59	139.02	0
139	Taurine (%)	0504	0.03000	0.00000	0.06125	0.10347	0.00250	4	-0.30	139.00	0
139	Taurine (%)	0941	0.21500	0.01000	0.06125	0.10347	0.00250	4	1.49	139.00	0
143	Lysine Available (%)	0685	1.4150	0.03000			0.03000	1			
160	Fructose (%)	2058	0.00000	0.00000	0.22113	0.13903	0.06100	8	-1.59	160.99	0
160	Fructose (%)	0638	0.10000	0.20000	0.22113	0.13903	0.06100	8	-0.87	160.99	0
160	Fructose (%)	0297	0.18400	0.01800	0.22113	0.13903	0.06100	8	-0.27	160.99	0
160	Fructose (%)	0096	0.20000	0.20000	0.22113	0.13903	0.06100	8	-0.15	160.99	0
160	Fructose (%)	0199	0.23000	0.02000	0.22113	0.13903	0.06100	8	0.06	160.99	0
160	Fructose (%)	0148	0.26500	0.01000	0.22113	0.13903	0.06100	8	0.32	160.99	0
160	Fructose (%)	0227	0.36000	0.04000	0.22113	0.13903	0.06100	8	1.00	160.99	0
160	Fructose (%)	0629	0.50000	0.00000	0.22113	0.13903	0.06100	8	2.01	160.99	0
161	Galactose (%)	0297	0.00000	0.00000			0.00000	1			
162	Glucose (%)	2058	0.00000	0.00000	0.36690	0.41006	0.01420	5	-0.89	162.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
162	Glucose (%)	0148	0.13000	0.04000	0.36690	0.41006	0.01420	5	-0.58	162.99	0
162	Glucose (%)	0297	0.24950	0.00100	0.36690	0.41006	0.01420	5	-0.29	162.99	0
162	Glucose (%)	0227	0.40500	0.03000	0.36690	0.41006	0.01420	5	0.09	162.99	0
162	Glucose (%)	0629	1.0500	0.00000	0.36690	0.41006	0.01420	5	1.67	162.99	0
162	Glucose (%)	0638	0.15000	0.30000	0.36690	0.41006	0.01420	5	-0.53	162.99	1
163	Lactose (%)	2058	0.00000	0.00000	1.4548	0.43071	0.05171	7	-3.38	163.99	0
163	Lactose (%)	0096	1.2500	0.10000	1.4548	0.43071	0.05171	7	-0.48	163.99	0
163	Lactose (%)	0629	1.2500	0.00000	1.4548	0.43071	0.05171	7	-0.48	163.99	0
163	Lactose (%)	0148	1.6000	0.08000	1.4548	0.43071	0.05171	7	0.34	163.99	0
163	Lactose (%)	0227	1.6250	0.07000	1.4548	0.43071	0.05171	7	0.40	163.99	0
163	Lactose (%)	0297	1.6370	0.09200	1.4548	0.43071	0.05171	7	0.42	163.99	0
163	Lactose (%)	0199	2.0000	0.02000	1.4548	0.43071	0.05171	7	1.27	163.99	0
164	Maltose (%)	2058	0.00000	0.00000	0.40740	0.37280	0.02960	5	-1.09	164.99	0
164	Maltose (%)	0297	0.16700	0.00800	0.40740	0.37280	0.02960	5	-0.64	164.99	0
164	Maltose (%)	0148	0.27000	0.04000	0.40740	0.37280	0.02960	5	-0.37	164.99	0
164	Maltose (%)	0629	0.75000	0.00000	0.40740	0.37280	0.02960	5	0.92	164.99	0
164	Maltose (%)	0096	0.85000	0.10000	0.40740	0.37280	0.02960	5	1.19	164.99	0
165	Sucrose (%)	0629	2.6000	0.00000	2.9625	0.29757	0.04067	6	-1.22	165.99	0
165	Sucrose (%)	2058	2.7650	0.11000	2.9625	0.29757	0.04067	6	-0.66	165.99	0
165	Sucrose (%)	0148	2.9150	0.09000	2.9625	0.29757	0.04067	6	-0.16	165.99	0
165	Sucrose (%)	0227	3.0400	0.02000	2.9625	0.29757	0.04067	6	0.26	165.99	0
165	Sucrose (%)	0096	3.1000	0.00000	2.9625	0.29757	0.04067	6	0.46	165.99	0
165	Sucrose (%)	0297	3.6930	0.02400	2.9625	0.29757	0.04067	6	2.45	165.99	0
165	Sucrose (%)	0199	3.1750	0.31000	2.9625	0.29757	0.04067	6	0.71	165.99	1
166	Raffinose (%)	0297	0.68400	0.01200			0.01200	1			
167	Stachyose (%)	0297	2.1625	0.00100			0.00100	1			
400	Water activity (Units)	0942	0.62000	0.00000	0.63030	0.00956	0.00287	3	-1.08	400.01	0
400	Water activity (Units)	0589	0.63200	0.00800	0.63030	0.00956	0.00287	3	0.18	400.01	0
400	Water activity (Units)	0552	0.63890	0.00060	0.63030	0.00956	0.00287	3	0.90	400.99	0
516	Arsenic, total (mg / kg (ppm))	0021	0.00000	0.00000	0.22318	0.05550	0.01624	12	-4.02	516.43	0
516	Arsenic, total (mg / kg (ppm))	0596	0.03500	0.01200	0.22318	0.05550	0.01624	12	-3.39	516.34	0
516	Arsenic, total (mg / kg (ppm))	0939	0.17000	0.00000	0.22318	0.05550	0.01624	12	-0.96	516.00	0
516	Arsenic, total (mg / kg (ppm))	0199	0.19500	0.01000	0.22318	0.05550	0.01624	12	-0.51	516.53	0
516	Arsenic, total (mg / kg (ppm))	0563	0.20025	0.01290	0.22318	0.05550	0.01624	12	-0.41	516.00	0
516	Arsenic, total (mg / kg (ppm))	0171	0.22300	0.03200	0.22318	0.05550	0.01624	12	0.00	516.00	0
516	Arsenic, total (mg / kg (ppm))	0227	0.23950	0.02100	0.22318	0.05550	0.01624	12	0.29	516.53	0
516	Arsenic, total (mg / kg (ppm))	2058	0.24000	0.02000	0.22318	0.05550	0.01624	12	0.30	516.53	0
516	Arsenic, total (mg / kg (ppm))	0553	0.24550	0.01300	0.22318	0.05550	0.01624	12	0.40	516.53	0
516	Arsenic, total (mg / kg (ppm))	0168	0.25850	0.01700	0.22318	0.05550	0.01624	12	0.64	516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	0.28750	0.00700	0.22318	0.05550	0.01624	12	1.16	516.52	0
516	Arsenic, total (mg / kg (ppm))	2018	0.36500	0.05000	0.22318	0.05550	0.01624	12	2.56	516.00	0
516	Arsenic, total (mg / kg (ppm))	0964	0.32115	0.09930	0.22318	0.05550	0.01624	12	1.77	516.43	1



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
518	Cadmium (mg / kg (ppm))	0021	0.00000	0.00000	0.06210	0.01247	0.00658	17	-4.98	518.43	0
518	Cadmium (mg / kg (ppm))	0425	0.00000	0.00000	0.06210	0.01247	0.00658	17	-4.98	518.43	0
518	Cadmium (mg / kg (ppm))	2058	0.05000	0.00000	0.06210	0.01247	0.00658	17	-0.97	518.53	0
518	Cadmium (mg / kg (ppm))	0939	0.05450	0.00100	0.06210	0.01247	0.00658	17	-0.61	518.34	0
518	Cadmium (mg / kg (ppm))	0968	0.05500	0.03000	0.06210	0.01247	0.00658	17	-0.57	518.41	0
518	Cadmium (mg / kg (ppm))	0553	0.05810	0.00540	0.06210	0.01247	0.00658	17	-0.32	518.53	0
518	Cadmium (mg / kg (ppm))	0227	0.05900	0.00400	0.06210	0.01247	0.00658	17	-0.25	518.53	0
518	Cadmium (mg / kg (ppm))	0610	0.06000	0.00000	0.06210	0.01247	0.00658	17	-0.17	518.34	0
518	Cadmium (mg / kg (ppm))	0199	0.06000	0.00000	0.06210	0.01247	0.00658	17	-0.17	518.53	0
518	Cadmium (mg / kg (ppm))	0619	0.06200	0.00200	0.06210	0.01247	0.00658	17	-0.01	518.41	0
518	Cadmium (mg / kg (ppm))	2018	0.06700	0.00200	0.06210	0.01247	0.00658	17	0.39	518.34	0
518	Cadmium (mg / kg (ppm))	0964	0.06800	0.02340	0.06210	0.01247	0.00658	17	0.47	518.43	0
518	Cadmium (mg / kg (ppm))	0011	0.06900	0.00100	0.06210	0.01247	0.00658	17	0.55	518.41	0
518	Cadmium (mg / kg (ppm))	0171	0.07600	0.00600	0.06210	0.01247	0.00658	17	1.11	518.41	0
518	Cadmium (mg / kg (ppm))	0098	0.07600	0.02000	0.06210	0.01247	0.00658	17	1.11	518.52	0
518	Cadmium (mg / kg (ppm))	0168	0.07650	0.01500	0.06210	0.01247	0.00658	17	1.15	518.53	0
518	Cadmium (mg / kg (ppm))	0596	0.12100	0.00200	0.06210	0.01247	0.00658	17	4.72	518.34	0
518	Cadmium (mg / kg (ppm))	0563	0.23000	0.04000	0.06210	0.01247	0.00658	17	13.46	518.34	1
520	Chromium (mg / kg (ppm))	0021	0.00000	0.00000	1.9452	0.62807	0.21100	11	-3.10	520.43	0
520	Chromium (mg / kg (ppm))	0619	1.0305	0.11900	1.9452	0.62807	0.21100	11	-1.46	520.41	0
520	Chromium (mg / kg (ppm))	0011	1.6915	0.10600	1.9452	0.62807	0.21100	11	-0.40	520.41	0
520	Chromium (mg / kg (ppm))	0555	1.8000	0.40000	1.9452	0.62807	0.21100	11	-0.23	520.42	0
520	Chromium (mg / kg (ppm))	0171	1.8550	0.01000	1.9452	0.62807	0.21100	11	-0.14	520.41	0
520	Chromium (mg / kg (ppm))	2023	1.8850	0.13000	1.9452	0.62807	0.21100	11	-0.10	520.53	0
520	Chromium (mg / kg (ppm))	0563	2.2380	0.20400	1.9452	0.62807	0.21100	11	0.47	520.31	0
520	Chromium (mg / kg (ppm))	0553	2.2700	0.10000	1.9452	0.62807	0.21100	11	0.52	520.53	0
520	Chromium (mg / kg (ppm))	0510	2.4050	0.05000	1.9452	0.62807	0.21100	11	0.73	520.43	0
520	Chromium (mg / kg (ppm))	0964	2.4520	0.19200	1.9452	0.62807	0.21100	11	0.81	520.43	0
520	Chromium (mg / kg (ppm))	0904	10.065	1.0100	1.9452	0.62807	0.21100	11	12.93	520.34	0
520	Chromium (mg / kg (ppm))	0968	3.9200	1.4600	1.9452	0.62807	0.21100	11	3.14	520.99	1
526	Lead (mg / kg (ppm))	0619	0.00000	0.00000	0.19235	0.15040	0.03375	17	-1.28	526.41	0
526	Lead (mg / kg (ppm))	0021	0.00000	0.00000	0.19235	0.15040	0.03375	17	-1.28	526.43	0
526	Lead (mg / kg (ppm))	0425	0.00000	0.00000	0.19235	0.15040	0.03375	17	-1.28	526.43	0
526	Lead (mg / kg (ppm))	0563	0.06500	0.01000	0.19235	0.15040	0.03375	17	-0.85	526.34	0
526	Lead (mg / kg (ppm))	2018	0.10500	0.01000	0.19235	0.15040	0.03375	17	-0.58	526.34	0
526	Lead (mg / kg (ppm))	0596	0.10750	0.03500	0.19235	0.15040	0.03375	17	-0.56	526.34	0
526	Lead (mg / kg (ppm))	0921	0.14300	0.00000	0.19235	0.15040	0.03375	17	-0.33	526.31	0
526	Lead (mg / kg (ppm))	0939	0.18800	0.00400	0.19235	0.15040	0.03375	17	-0.03	526.34	0
526	Lead (mg / kg (ppm))	0610	0.20500	0.01000	0.19235	0.15040	0.03375	17	0.08	526.34	0
526	Lead (mg / kg (ppm))	2058	0.20500	0.03000	0.19235	0.15040	0.03375	17	0.08	526.53	0
526	Lead (mg / kg (ppm))	0199	0.23500	0.01000	0.19235	0.15040	0.03375	17	0.28	526.53	0
526	Lead (mg / kg (ppm))	0168	0.29500	0.09000	0.19235	0.15040	0.03375	17	0.68	526.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
526	Lead (mg / kg (ppm))	0098	0.29550	0.04100	0.19235	0.15040	0.03375	17	0.69	526.52	0
526	Lead (mg / kg (ppm))	0964	0.32045	0.11270	0.19235	0.15040	0.03375	17	0.85	526.43	0
526	Lead (mg / kg (ppm))	0227	0.32800	0.00800	0.19235	0.15040	0.03375	17	0.90	526.53	0
526	Lead (mg / kg (ppm))	0171	0.35950	0.07700	0.19235	0.15040	0.03375	17	1.11	526.41	0
526	Lead (mg / kg (ppm))	0553	0.54500	0.13600	0.19235	0.15040	0.03375	17	2.34	526.53	0
529	Mercury (µg / kg (ppb))	0425	0.00000	0.00000	3.5179	6.9882	1.5038	4	-0.50	529.00	0
529	Mercury (µg / kg (ppb))	0021	0.00000	0.00000	3.5179	6.9882	1.5038	4	-0.50	529.99	0
529	Mercury (µg / kg (ppb))	2018	0.07150	0.01500	3.5179	6.9882	1.5038	4	-0.49	529.99	0
529	Mercury (µg / kg (ppb))	0171	14.000	6.0000	3.5179	6.9882	1.5038	4	1.50	529.99	0
539	Nickel (mg / kg (ppm))	0021	0.00000	0.00000	2.1962	0.23502	0.06285	6	-9.34	539.43	0
539	Nickel (mg / kg (ppm))	2023	2.0800	0.02000	2.1962	0.23502	0.06285	6	-0.49	539.53	0
539	Nickel (mg / kg (ppm))	0011	2.1095	0.00800	2.1962	0.23502	0.06285	6	-0.37	539.41	0
539	Nickel (mg / kg (ppm))	0171	2.2850	0.07000	2.1962	0.23502	0.06285	6	0.38	539.41	0
539	Nickel (mg / kg (ppm))	0553	2.3550	0.15000	2.1962	0.23502	0.06285	6	0.68	539.53	0
539	Nickel (mg / kg (ppm))	0964	2.4565	0.12910	2.1962	0.23502	0.06285	6	1.11	539.43	0
600	Total Aflatoxin (µg / kg (ppb))	0589	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0042	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0689	0.45000	0.30000							
600	Total Aflatoxin (µg / kg (ppb))	0505	0.98000	0.04000							
600	Total Aflatoxin (µg / kg (ppb))	0880	1.0000	1.4000							
600	Total Aflatoxin (µg / kg (ppb))	0723	2.0300	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	2006	2.5000	0.80000							
600	Total Aflatoxin (µg / kg (ppb))	0227	3.5000	1.0000							
610	Deoxynivalenol (µg / kg (ppb))	0638	572.50	1,145.0							
620	Total Fumonisin (µg / kg (ppb))	0589	1,250.0	500.00							
620	Total Fumonisin (µg / kg (ppb))	0227	1,500.0	1,000.0							
630	Ochratoxin A (µg / kg (ppb))	2006	0.90000	0.80000							
640	T-2 (µg / kg (ppb))	0638	25.000	50.000							
640	T-2 (µg / kg (ppb))	2006	31.150	11.100							
640	T-2 (µg / kg (ppb))	0227	106.00	8.0000							
650	Zearalenone (µg / kg (ppb))	0227	191.00	18.000							
650	Zearalenone (µg / kg (ppb))	0689	217.00	16.000							