

AAFCO Check Sample Program
All Labs and All Methods Report
Sort by Method
Proficiency Testing
Sample # 201426
Pelleted Sheep Concentrate, Medicated



AAFCO
CHECK SAMPLE PROGRAM

Robust statistics not used if < 6 labs reporting, in this case the Z Scores are included for information only (Grey).

Issue Date : 07/31/2014

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
000	Urea (%)	0920	2.2750	0.05000	3.6375	1.9269	0.02500	2	-0.71	000.99	0
000	Urea (%)	0278	5.0000	0.00000	3.6375	1.9269	0.02500	2	0.71	000.02	0
001	Loss on Drying (%)	0618	7.3650	0.21000	9.7274	0.17702	0.09161	74	-13.35	001.99	0
001	Loss on Drying (%)	2048	8.3300	0.00000	9.7274	0.17702	0.09161	74	-7.89	001.00	0
001	Loss on Drying (%)	0536	8.9400	0.64000	9.7274	0.17702	0.09161	74	-4.45	001.99	0
001	Loss on Drying (%)	0171	9.3000	0.06000	9.7274	0.17702	0.09161	74	-2.41	001.07	0
001	Loss on Drying (%)	0853	9.3050	0.21000	9.7274	0.17702	0.09161	74	-2.39	001.99	0
001	Loss on Drying (%)	0675	9.3250	0.11000	9.7274	0.17702	0.09161	74	-2.27	001.07	0
001	Loss on Drying (%)	0297	9.4300	0.00000	9.7274	0.17702	0.09161	74	-1.68	001.07	0
001	Loss on Drying (%)	0693	9.4450	0.45000	9.7274	0.17702	0.09161	74	-1.60	001.07	0
001	Loss on Drying (%)	0889	9.4600	0.04000	9.7274	0.17702	0.09161	74	-1.51	001.99	0
001	Loss on Drying (%)	0353	9.4650	0.15000	9.7274	0.17702	0.09161	74	-1.48	001.07	0
001	Loss on Drying (%)	0940	9.4800	0.08000	9.7274	0.17702	0.09161	74	-1.40	001.99	0
001	Loss on Drying (%)	0345	9.4900	0.02000	9.7274	0.17702	0.09161	74	-1.34	001.00	0
001	Loss on Drying (%)	0615	9.5450	0.29000	9.7274	0.17702	0.09161	74	-1.03	001.00	0
001	Loss on Drying (%)	0609	9.5500	0.10000	9.7274	0.17702	0.09161	74	-1.00	001.07	0
001	Loss on Drying (%)	0098	9.5800	0.00000	9.7274	0.17702	0.09161	74	-0.83	001.07	0
001	Loss on Drying (%)	0891	9.5892	0.07300	9.7274	0.17702	0.09161	74	-0.78	001.03	0
001	Loss on Drying (%)	0226	9.6000	0.16000	9.7274	0.17702	0.09161	74	-0.72	001.07	0
001	Loss on Drying (%)	0142	9.6100	0.02000	9.7274	0.17702	0.09161	74	-0.66	001.07	0
001	Loss on Drying (%)	0337	9.6150	0.27000	9.7274	0.17702	0.09161	74	-0.64	001.08	0
001	Loss on Drying (%)	0065	9.6213	0.14750	9.7274	0.17702	0.09161	74	-0.60	001.07	0
001	Loss on Drying (%)	0918	9.6250	0.21000	9.7274	0.17702	0.09161	74	-0.58	001.99	0
001	Loss on Drying (%)	0083	9.6400	0.20000	9.7274	0.17702	0.09161	74	-0.49	001.07	0
001	Loss on Drying (%)	0278	9.6400	0.12000	9.7274	0.17702	0.09161	74	-0.49	001.07	0
001	Loss on Drying (%)	0897	9.6450	0.03000	9.7274	0.17702	0.09161	74	-0.47	001.03	0
001	Loss on Drying (%)	0590	9.6550	0.11000	9.7274	0.17702	0.09161	74	-0.41	001.08	0
001	Loss on Drying (%)	0187	9.6650	0.05000	9.7274	0.17702	0.09161	74	-0.35	001.07	0
001	Loss on Drying (%)	2009	9.6735	0.00190	9.7274	0.17702	0.09161	74	-0.30	001.07	0
001	Loss on Drying (%)	0015	9.6850	0.07000	9.7274	0.17702	0.09161	74	-0.24	001.07	0
001	Loss on Drying (%)	0581	9.6850	0.11000	9.7274	0.17702	0.09161	74	-0.24	001.07	0
001	Loss on Drying (%)	0510	9.7000	0.00000	9.7274	0.17702	0.09161	74	-0.15	001.99	0
001	Loss on Drying (%)	0843	9.7050	0.05000	9.7274	0.17702	0.09161	74	-0.13	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	2062	9.7072	0.02430	9.7274	0.17702	0.09161	74	-0.11	001.03	0
001	Loss on Drying (%)	2042	9.7100	0.00000	9.7274	0.17702	0.09161	74	-0.10	001.03	0
001	Loss on Drying (%)	0913	9.7150	0.05000	9.7274	0.17702	0.09161	74	-0.07	001.07	0
001	Loss on Drying (%)	0951	9.7150	0.05000	9.7274	0.17702	0.09161	74	-0.07	001.99	0
001	Loss on Drying (%)	2065	9.7200	0.00000	9.7274	0.17702	0.09161	74	-0.04	001.03	0
001	Loss on Drying (%)	0903	9.7300	0.02000	9.7274	0.17702	0.09161	74	0.01	001.03	0
001	Loss on Drying (%)	0004	9.7300	0.02000	9.7274	0.17702	0.09161	74	0.01	001.99	0
001	Loss on Drying (%)	0948	9.7300	0.06000	9.7274	0.17702	0.09161	74	0.01	001.99	0
001	Loss on Drying (%)	0937	9.7350	0.01000	9.7274	0.17702	0.09161	74	0.04	001.03	0
001	Loss on Drying (%)	0571	9.7350	0.03000	9.7274	0.17702	0.09161	74	0.04	001.07	0
001	Loss on Drying (%)	0868	9.7500	0.02000	9.7274	0.17702	0.09161	74	0.13	001.03	0
001	Loss on Drying (%)	0618	9.7500	0.12000	9.7274	0.17702	0.09161	74	0.13	001.07	0
001	Loss on Drying (%)	0035	9.7550	0.19000	9.7274	0.17702	0.09161	74	0.16	001.07	0
001	Loss on Drying (%)	0895	9.7650	0.01000	9.7274	0.17702	0.09161	74	0.21	001.03	0
001	Loss on Drying (%)	0619	9.7700	0.16000	9.7274	0.17702	0.09161	74	0.24	001.03	0
001	Loss on Drying (%)	0049	9.7850	0.05000	9.7274	0.17702	0.09161	74	0.33	001.07	0
001	Loss on Drying (%)	0139	9.7850	0.09000	9.7274	0.17702	0.09161	74	0.33	001.07	0
001	Loss on Drying (%)	0849	9.7850	0.05000	9.7274	0.17702	0.09161	74	0.33	001.07	0
001	Loss on Drying (%)	0309	9.7880	0.03280	9.7274	0.17702	0.09161	74	0.34	001.00	0
001	Loss on Drying (%)	0089	9.7900	0.00000	9.7274	0.17702	0.09161	74	0.35	001.07	0
001	Loss on Drying (%)	0592	9.8000	0.04000	9.7274	0.17702	0.09161	74	0.41	001.07	0
001	Loss on Drying (%)	0872	9.8000	0.06000	9.7274	0.17702	0.09161	74	0.41	001.07	0
001	Loss on Drying (%)	2059	9.8000	0.06000	9.7274	0.17702	0.09161	74	0.41	001.07	0
001	Loss on Drying (%)	2012	9.8050	0.07000	9.7274	0.17702	0.09161	74	0.44	001.07	0
001	Loss on Drying (%)	0676	9.8150	0.03000	9.7274	0.17702	0.09161	74	0.49	001.99	0
001	Loss on Drying (%)	0357	9.8350	0.03000	9.7274	0.17702	0.09161	74	0.61	001.99	0
001	Loss on Drying (%)	0413	9.8500	0.30000	9.7274	0.17702	0.09161	74	0.69	001.07	0
001	Loss on Drying (%)	0652	9.8500	0.10000	9.7274	0.17702	0.09161	74	0.69	001.08	0
001	Loss on Drying (%)	0689	9.9000	0.00000	9.7274	0.17702	0.09161	74	0.97	001.07	0
001	Loss on Drying (%)	0169	9.9250	0.05000	9.7274	0.17702	0.09161	74	1.12	001.00	0
001	Loss on Drying (%)	0613	9.9500	0.10000	9.7274	0.17702	0.09161	74	1.26	001.99	0
001	Loss on Drying (%)	0852	9.9700	0.04000	9.7274	0.17702	0.09161	74	1.37	001.99	0
001	Loss on Drying (%)	0505	9.9700	0.02000	9.7274	0.17702	0.09161	74	1.37	001.99	0
001	Loss on Drying (%)	0845	9.9900	0.22000	9.7274	0.17702	0.09161	74	1.48	001.07	0
001	Loss on Drying (%)	0504	10.075	0.03000	9.7274	0.17702	0.09161	74	1.96	001.00	0
001	Loss on Drying (%)	0629	10.090	0.02000	9.7274	0.17702	0.09161	74	2.05	001.99	0
001	Loss on Drying (%)	0695	10.155	0.01000	9.7274	0.17702	0.09161	74	2.42	001.07	0
001	Loss on Drying (%)	0178	10.220	0.00000	9.7274	0.17702	0.09161	74	2.78	001.07	0
001	Loss on Drying (%)	2011	10.260	0.24000	9.7274	0.17702	0.09161	74	3.01	001.07	0
001	Loss on Drying (%)	0720	10.270	0.08000	9.7274	0.17702	0.09161	74	3.07	001.99	0
001	Loss on Drying (%)	0045	10.360	0.24000	9.7274	0.17702	0.09161	74	3.57	001.07	0
001	Loss on Drying (%)	0596	10.470	0.02000	9.7274	0.17702	0.09161	74	4.19	001.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	2058	11.425	0.05000	9.7274	0.17702	0.09161	74	9.59	001.99	0
001	Loss on Drying (%)	0610	8.1400	3.0000	9.7274	0.17702	0.09161	74	-8.97	001.05	1
002	Protein (%)	0144	34.855	0.09000	37.937	0.49593	0.22511	208	-6.21	002.06	0
002	Protein (%)	0876	35.327	0.76400	37.937	0.49593	0.22511	208	-5.26	002.06	0
002	Protein (%)	0852	35.375	0.17000	37.937	0.49593	0.22511	208	-5.17	002.05	0
002	Protein (%)	0008	35.690	0.24000	37.937	0.49593	0.22511	208	-4.53	002.06	0
002	Protein (%)	0405	36.190	0.00000	37.937	0.49593	0.22511	208	-3.52	002.04	0
002	Protein (%)	0596	36.445	0.09000	37.937	0.49593	0.22511	208	-3.01	002.05	0
002	Protein (%)	0017	36.500	1.2000	37.937	0.49593	0.22511	208	-2.90	002.06	0
002	Protein (%)	0885	36.710	0.18000	37.937	0.49593	0.22511	208	-2.47	002.05	0
002	Protein (%)	0720	36.835	0.13000	37.937	0.49593	0.22511	208	-2.22	002.06	0
002	Protein (%)	0039	36.889	0.46200	37.937	0.49593	0.22511	208	-2.11	002.05	0
002	Protein (%)	0921	36.895	0.73000	37.937	0.49593	0.22511	208	-2.10	002.05	0
002	Protein (%)	0874	37.030	0.14000	37.937	0.49593	0.22511	208	-1.83	002.04	0
002	Protein (%)	0536	37.035	0.05000	37.937	0.49593	0.22511	208	-1.82	002.05	0
002	Protein (%)	0943	37.045	0.25000	37.937	0.49593	0.22511	208	-1.80	002.05	0
002	Protein (%)	0539	37.060	1.0600	37.937	0.49593	0.22511	208	-1.77	002.06	0
002	Protein (%)	0620	37.086	0.01480	37.937	0.49593	0.22511	208	-1.72	002.05	0
002	Protein (%)	0956	37.100	0.40000	37.937	0.49593	0.22511	208	-1.69	002.06	0
002	Protein (%)	0294	37.100	0.20000	37.937	0.49593	0.22511	208	-1.69	002.06	0
002	Protein (%)	0199	37.105	0.09000	37.937	0.49593	0.22511	208	-1.68	002.01	0
002	Protein (%)	2009	37.125	0.19290	37.937	0.49593	0.22511	208	-1.64	002.05	0
002	Protein (%)	0848	37.145	0.09000	37.937	0.49593	0.22511	208	-1.60	002.01	0
002	Protein (%)	0592	37.155	0.23000	37.937	0.49593	0.22511	208	-1.58	002.06	0
002	Protein (%)	0681	37.165	0.11000	37.937	0.49593	0.22511	208	-1.56	002.99	0
002	Protein (%)	2011	37.180	0.04000	37.937	0.49593	0.22511	208	-1.53	002.05	0
002	Protein (%)	0918	37.185	0.21000	37.937	0.49593	0.22511	208	-1.52	002.06	0
002	Protein (%)	0208	37.250	0.10000	37.937	0.49593	0.22511	208	-1.38	002.08	0
002	Protein (%)	0675	37.260	0.28000	37.937	0.49593	0.22511	208	-1.36	002.05	0
002	Protein (%)	0407	37.270	0.36000	37.937	0.49593	0.22511	208	-1.34	002.06	0
002	Protein (%)	0723	37.340	0.00000	37.937	0.49593	0.22511	208	-1.20	002.01	0
002	Protein (%)	0674	37.340	0.26000	37.937	0.49593	0.22511	208	-1.20	002.05	0
002	Protein (%)	0872	37.345	0.27000	37.937	0.49593	0.22511	208	-1.19	002.06	0
002	Protein (%)	0590	37.350	0.30000	37.937	0.49593	0.22511	208	-1.18	002.06	0
002	Protein (%)	2059	37.364	0.42810	37.937	0.49593	0.22511	208	-1.15	002.06	0
002	Protein (%)	2058	37.370	0.08000	37.937	0.49593	0.22511	208	-1.14	002.05	0
002	Protein (%)	0354	37.390	0.06000	37.937	0.49593	0.22511	208	-1.10	002.05	0
002	Protein (%)	0955	37.400	0.20000	37.937	0.49593	0.22511	208	-1.08	002.05	0
002	Protein (%)	0028	37.435	0.47000	37.937	0.49593	0.22511	208	-1.01	002.00	0
002	Protein (%)	0722	37.482	0.01230	37.937	0.49593	0.22511	208	-0.92	002.05	0
002	Protein (%)	0354	37.500	0.02000	37.937	0.49593	0.22511	208	-0.88	002.06	0
002	Protein (%)	0968	37.501	0.07200	37.937	0.49593	0.22511	208	-0.88	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0629	37.520	0.06000	37.937	0.49593	0.22511	208	-0.84	002.10	0
002	Protein (%)	0881	37.529	0.02200	37.937	0.49593	0.22511	208	-0.82	002.01	0
002	Protein (%)	0651	37.535	0.36300	37.937	0.49593	0.22511	208	-0.81	002.05	0
002	Protein (%)	2048	37.540	0.22000	37.937	0.49593	0.22511	208	-0.80	002.05	0
002	Protein (%)	0948	37.545	0.03000	37.937	0.49593	0.22511	208	-0.79	002.05	0
002	Protein (%)	0652	37.550	0.10000	37.937	0.49593	0.22511	208	-0.78	002.01	0
002	Protein (%)	0139	37.550	0.40000	37.937	0.49593	0.22511	208	-0.78	002.06	0
002	Protein (%)	0959	37.555	0.83000	37.937	0.49593	0.22511	208	-0.77	002.06	0
002	Protein (%)	2062	37.560	0.07250	37.937	0.49593	0.22511	208	-0.76	002.05	0
002	Protein (%)	0552	37.570	0.08000	37.937	0.49593	0.22511	208	-0.74	002.05	0
002	Protein (%)	0870	37.583	0.34400	37.937	0.49593	0.22511	208	-0.71	002.01	0
002	Protein (%)	0042	37.585	0.17000	37.937	0.49593	0.22511	208	-0.71	002.02	0
002	Protein (%)	0581	37.590	1.1400	37.937	0.49593	0.22511	208	-0.70	002.00	0
002	Protein (%)	2006	37.595	0.09000	37.937	0.49593	0.22511	208	-0.69	002.05	0
002	Protein (%)	0066	37.600	0.28000	37.937	0.49593	0.22511	208	-0.68	002.02	0
002	Protein (%)	0728	37.610	0.30000	37.937	0.49593	0.22511	208	-0.66	002.04	0
002	Protein (%)	0643	37.620	0.16000	37.937	0.49593	0.22511	208	-0.64	002.99	0
002	Protein (%)	0042	37.630	0.14000	37.937	0.49593	0.22511	208	-0.62	002.06	0
002	Protein (%)	0169	37.650	0.00000	37.937	0.49593	0.22511	208	-0.58	002.02	0
002	Protein (%)	2042	37.650	0.10000	37.937	0.49593	0.22511	208	-0.58	002.05	0
002	Protein (%)	2012	37.660	0.08000	37.937	0.49593	0.22511	208	-0.56	002.05	0
002	Protein (%)	2022	37.665	0.13000	37.937	0.49593	0.22511	208	-0.55	002.05	0
002	Protein (%)	0208	37.685	0.19000	37.937	0.49593	0.22511	208	-0.51	002.06	0
002	Protein (%)	0693	37.695	0.71000	37.937	0.49593	0.22511	208	-0.49	002.06	0
002	Protein (%)	0619	37.700	0.00000	37.937	0.49593	0.22511	208	-0.48	002.05	0
002	Protein (%)	0897	37.700	0.00000	37.937	0.49593	0.22511	208	-0.48	002.05	0
002	Protein (%)	0941	37.700	0.20000	37.937	0.49593	0.22511	208	-0.48	002.05	0
002	Protein (%)	0889	37.700	0.00000	37.937	0.49593	0.22511	208	-0.48	002.11	0
002	Protein (%)	2068	37.705	0.11000	37.937	0.49593	0.22511	208	-0.47	002.01	0
002	Protein (%)	2065	37.710	0.00000	37.937	0.49593	0.22511	208	-0.46	002.05	0
002	Protein (%)	0004	37.720	0.26000	37.937	0.49593	0.22511	208	-0.44	002.06	0
002	Protein (%)	0849	37.730	0.06000	37.937	0.49593	0.22511	208	-0.42	002.05	0
002	Protein (%)	0337	37.740	0.44000	37.937	0.49593	0.22511	208	-0.40	002.06	0
002	Protein (%)	0952	37.775	0.05000	37.937	0.49593	0.22511	208	-0.33	002.05	0
002	Protein (%)	0615	37.775	0.19000	37.937	0.49593	0.22511	208	-0.33	002.06	0
002	Protein (%)	0563	37.775	0.15000	37.937	0.49593	0.22511	208	-0.33	002.08	0
002	Protein (%)	0036	37.804	0.00950	37.937	0.49593	0.22511	208	-0.27	002.02	0
002	Protein (%)	2023	37.810	0.26000	37.937	0.49593	0.22511	208	-0.26	002.01	0
002	Protein (%)	0939	37.815	0.03000	37.937	0.49593	0.22511	208	-0.25	002.05	0
002	Protein (%)	0695	37.815	0.01000	37.937	0.49593	0.22511	208	-0.25	002.06	0
002	Protein (%)	0164	37.820	0.06000	37.937	0.49593	0.22511	208	-0.24	002.06	0
002	Protein (%)	0098	37.820	0.00000	37.937	0.49593	0.22511	208	-0.24	002.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	2023	37.825	0.33000	37.937	0.49593	0.22511	208	-0.23	002.06	0
002	Protein (%)	0891	37.835	0.11000	37.937	0.49593	0.22511	208	-0.20	002.05	0
002	Protein (%)	0045	37.850	0.90000	37.937	0.49593	0.22511	208	-0.17	002.06	0
002	Protein (%)	0047	37.850	0.10000	37.937	0.49593	0.22511	208	-0.17	002.06	0
002	Protein (%)	0413	37.850	0.30000	37.937	0.49593	0.22511	208	-0.17	002.06	0
002	Protein (%)	0910	37.850	0.30000	37.937	0.49593	0.22511	208	-0.17	002.06	0
002	Protein (%)	0964	37.850	0.14000	37.937	0.49593	0.22511	208	-0.17	002.06	0
002	Protein (%)	0003	37.855	1.0700	37.937	0.49593	0.22511	208	-0.16	002.06	0
002	Protein (%)	2067	37.859	0.02500	37.937	0.49593	0.22511	208	-0.16	002.05	0
002	Protein (%)	0845	37.860	0.26000	37.937	0.49593	0.22511	208	-0.15	002.00	0
002	Protein (%)	0505	37.870	0.08000	37.937	0.49593	0.22511	208	-0.13	002.06	0
002	Protein (%)	0357	37.875	0.13000	37.937	0.49593	0.22511	208	-0.12	002.06	0
002	Protein (%)	2058	37.920	0.04000	37.937	0.49593	0.22511	208	-0.03	002.06	0
002	Protein (%)	0297	37.935	0.05000	37.937	0.49593	0.22511	208	0.00	002.06	0
002	Protein (%)	0685	37.945	0.03000	37.937	0.49593	0.22511	208	0.02	002.01	0
002	Protein (%)	0010	37.950	0.70000	37.937	0.49593	0.22511	208	0.03	002.06	0
002	Protein (%)	0903	37.955	0.01000	37.937	0.49593	0.22511	208	0.04	002.05	0
002	Protein (%)	0951	37.970	0.32000	37.937	0.49593	0.22511	208	0.07	002.05	0
002	Protein (%)	0940	37.975	0.13000	37.937	0.49593	0.22511	208	0.08	002.00	0
002	Protein (%)	0687	37.975	0.05000	37.937	0.49593	0.22511	208	0.08	002.06	0
002	Protein (%)	0015	37.980	0.16000	37.937	0.49593	0.22511	208	0.09	002.05	0
002	Protein (%)	0205	37.980	0.08000	37.937	0.49593	0.22511	208	0.09	002.06	0
002	Protein (%)	0358	37.995	0.39000	37.937	0.49593	0.22511	208	0.12	002.06	0
002	Protein (%)	0100	37.995	0.23000	37.937	0.49593	0.22511	208	0.12	002.06	0
002	Protein (%)	0425	37.995	0.07000	37.937	0.49593	0.22511	208	0.12	002.06	0
002	Protein (%)	0098	38.000	0.00000	37.937	0.49593	0.22511	208	0.13	002.06	0
002	Protein (%)	0226	38.000	0.00000	37.937	0.49593	0.22511	208	0.13	002.06	0
002	Protein (%)	0553	38.000	0.60000	37.937	0.49593	0.22511	208	0.13	002.06	0
002	Protein (%)	0006	38.008	0.25400	37.937	0.49593	0.22511	208	0.14	002.06	0
002	Protein (%)	0939	38.010	0.46000	37.937	0.49593	0.22511	208	0.15	002.06	0
002	Protein (%)	0889	38.015	0.17000	37.937	0.49593	0.22511	208	0.16	002.01	0
002	Protein (%)	0541	38.020	0.36000	37.937	0.49593	0.22511	208	0.17	002.06	0
002	Protein (%)	0937	38.025	0.11000	37.937	0.49593	0.22511	208	0.18	002.05	0
002	Protein (%)	0913	38.030	0.38000	37.937	0.49593	0.22511	208	0.19	002.06	0
002	Protein (%)	0689	38.050	0.10000	37.937	0.49593	0.22511	208	0.23	002.05	0
002	Protein (%)	0171	38.050	0.30000	37.937	0.49593	0.22511	208	0.23	002.06	0
002	Protein (%)	0574	38.050	0.08000	37.937	0.49593	0.22511	208	0.23	002.06	0
002	Protein (%)	0083	38.055	0.15000	37.937	0.49593	0.22511	208	0.24	002.06	0
002	Protein (%)	0958	38.075	0.07000	37.937	0.49593	0.22511	208	0.28	002.06	0
002	Protein (%)	0309	38.085	0.47000	37.937	0.49593	0.22511	208	0.30	002.06	0
002	Protein (%)	0018	38.090	0.76000	37.937	0.49593	0.22511	208	0.31	002.06	0
002	Protein (%)	0589	38.090	0.40000	37.937	0.49593	0.22511	208	0.31	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0868	38.100	0.04000	37.937	0.49593	0.22511	208	0.33	002.05	0
002	Protein (%)	0278	38.100	0.00000	37.937	0.49593	0.22511	208	0.33	002.06	0
002	Protein (%)	0610	38.100	0.00000	37.937	0.49593	0.22511	208	0.33	002.06	0
002	Protein (%)	0884	38.100	0.20000	37.937	0.49593	0.22511	208	0.33	002.06	0
002	Protein (%)	0941	38.100	0.20000	37.937	0.49593	0.22511	208	0.33	002.06	0
002	Protein (%)	0034	38.101	0.32200	37.937	0.49593	0.22511	208	0.33	002.06	0
002	Protein (%)	2003	38.105	0.19000	37.937	0.49593	0.22511	208	0.34	002.06	0
002	Protein (%)	0123	38.110	0.24000	37.937	0.49593	0.22511	208	0.35	002.06	0
002	Protein (%)	0229	38.110	0.18000	37.937	0.49593	0.22511	208	0.35	002.06	0
002	Protein (%)	0682	38.115	0.05000	37.937	0.49593	0.22511	208	0.36	002.06	0
002	Protein (%)	0199	38.120	0.38000	37.937	0.49593	0.22511	208	0.37	002.06	0
002	Protein (%)	0726	38.146	0.01500	37.937	0.49593	0.22511	208	0.42	002.06	0
002	Protein (%)	0152	38.150	0.10000	37.937	0.49593	0.22511	208	0.43	002.01	0
002	Protein (%)	0033	38.150	0.10000	37.937	0.49593	0.22511	208	0.43	002.06	0
002	Protein (%)	0138	38.154	0.10400	37.937	0.49593	0.22511	208	0.44	002.06	0
002	Protein (%)	0868	38.160	0.04000	37.937	0.49593	0.22511	208	0.45	002.06	0
002	Protein (%)	0148	38.165	0.09000	37.937	0.49593	0.22511	208	0.46	002.06	0
002	Protein (%)	0529	38.180	0.86000	37.937	0.49593	0.22511	208	0.49	002.06	0
002	Protein (%)	0843	38.180	0.20000	37.937	0.49593	0.22511	208	0.49	002.06	0
002	Protein (%)	0298	38.190	0.02000	37.937	0.49593	0.22511	208	0.51	002.06	0
002	Protein (%)	0016	38.200	0.20000	37.937	0.49593	0.22511	208	0.53	002.06	0
002	Protein (%)	0175	38.200	0.60000	37.937	0.49593	0.22511	208	0.53	002.06	0
002	Protein (%)	0265	38.205	0.61000	37.937	0.49593	0.22511	208	0.54	002.06	0
002	Protein (%)	0035	38.215	0.03000	37.937	0.49593	0.22511	208	0.56	002.06	0
002	Protein (%)	0297	38.230	0.06000	37.937	0.49593	0.22511	208	0.59	002.11	0
002	Protein (%)	0142	38.245	0.11000	37.937	0.49593	0.22511	208	0.62	002.06	0
002	Protein (%)	0510	38.250	0.10000	37.937	0.49593	0.22511	208	0.63	002.06	0
002	Protein (%)	0065	38.256	0.04750	37.937	0.49593	0.22511	208	0.64	002.06	0
002	Protein (%)	0960	38.270	0.64000	37.937	0.49593	0.22511	208	0.67	002.06	0
002	Protein (%)	0106	38.275	0.03000	37.937	0.49593	0.22511	208	0.68	002.00	0
002	Protein (%)	0571	38.280	0.02200	37.937	0.49593	0.22511	208	0.69	002.06	0
002	Protein (%)	0009	38.285	0.07000	37.937	0.49593	0.22511	208	0.70	002.06	0
002	Protein (%)	0861	38.290	0.12000	37.937	0.49593	0.22511	208	0.71	002.06	0
002	Protein (%)	0014	38.300	0.40000	37.937	0.49593	0.22511	208	0.73	002.06	0
002	Protein (%)	0168	38.300	0.08000	37.937	0.49593	0.22511	208	0.73	002.06	0
002	Protein (%)	0955	38.300	0.20000	37.937	0.49593	0.22511	208	0.73	002.06	0
002	Protein (%)	0032	38.305	0.47000	37.937	0.49593	0.22511	208	0.74	002.06	0
002	Protein (%)	0202	38.310	0.22000	37.937	0.49593	0.22511	208	0.75	002.06	0
002	Protein (%)	0504	38.310	0.18000	37.937	0.49593	0.22511	208	0.75	002.06	0
002	Protein (%)	0036	38.335	0.01000	37.937	0.49593	0.22511	208	0.80	002.06	0
002	Protein (%)	0895	38.345	0.01000	37.937	0.49593	0.22511	208	0.82	002.05	0
002	Protein (%)	0074	38.345	0.15000	37.937	0.49593	0.22511	208	0.82	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0062	38.355	0.19000	37.937	0.49593	0.22511	208	0.84	002.01	0
002	Protein (%)	0650	38.360	0.04000	37.937	0.49593	0.22511	208	0.85	002.06	0
002	Protein (%)	0953	38.360	0.18000	37.937	0.49593	0.22511	208	0.85	002.06	0
002	Protein (%)	0508	38.370	0.64000	37.937	0.49593	0.22511	208	0.87	002.06	0
002	Protein (%)	2006	38.375	0.01000	37.937	0.49593	0.22511	208	0.88	002.06	0
002	Protein (%)	0089	38.380	0.00000	37.937	0.49593	0.22511	208	0.89	002.06	0
002	Protein (%)	0233	38.390	0.10000	37.937	0.49593	0.22511	208	0.91	002.06	0
002	Protein (%)	0001	38.405	0.13000	37.937	0.49593	0.22511	208	0.94	002.06	0
002	Protein (%)	0646	38.410	0.16000	37.937	0.49593	0.22511	208	0.95	002.06	0
002	Protein (%)	0504	38.415	0.17000	37.937	0.49593	0.22511	208	0.96	002.04	0
002	Protein (%)	0951	38.425	0.73000	37.937	0.49593	0.22511	208	0.98	002.11	0
002	Protein (%)	0660	38.430	0.26000	37.937	0.49593	0.22511	208	0.99	002.06	0
002	Protein (%)	0190	38.435	0.05000	37.937	0.49593	0.22511	208	1.00	002.06	0
002	Protein (%)	0961	38.440	0.40000	37.937	0.49593	0.22511	208	1.02	002.06	0
002	Protein (%)	0263	38.450	0.12000	37.937	0.49593	0.22511	208	1.04	002.06	0
002	Protein (%)	0353	38.485	0.15000	37.937	0.49593	0.22511	208	1.11	002.06	0
002	Protein (%)	0178	38.490	0.46000	37.937	0.49593	0.22511	208	1.12	002.05	0
002	Protein (%)	0948	38.495	0.19000	37.937	0.49593	0.22511	208	1.13	002.06	0
002	Protein (%)	0619	38.500	0.00000	37.937	0.49593	0.22511	208	1.14	002.06	0
002	Protein (%)	0912	38.500	1.0000	37.937	0.49593	0.22511	208	1.14	002.06	0
002	Protein (%)	0857	38.510	0.04000	37.937	0.49593	0.22511	208	1.16	002.06	0
002	Protein (%)	0674	38.540	0.04000	37.937	0.49593	0.22511	208	1.22	002.06	0
002	Protein (%)	0968	38.542	0.00700	37.937	0.49593	0.22511	208	1.22	002.06	0
002	Protein (%)	2004	38.550	0.70000	37.937	0.49593	0.22511	208	1.24	002.99	0
002	Protein (%)	0019	38.590	0.16000	37.937	0.49593	0.22511	208	1.32	002.06	0
002	Protein (%)	0108	38.590	1.3000	37.937	0.49593	0.22511	208	1.32	002.06	0
002	Protein (%)	0613	38.595	0.07000	37.937	0.49593	0.22511	208	1.33	002.06	0
002	Protein (%)	0609	38.605	0.03000	37.937	0.49593	0.22511	208	1.35	002.06	0
002	Protein (%)	2016	38.605	0.01000	37.937	0.49593	0.22511	208	1.35	002.06	0
002	Protein (%)	0957	38.615	0.49000	37.937	0.49593	0.22511	208	1.37	002.06	0
002	Protein (%)	0300	38.620	0.02000	37.937	0.49593	0.22511	208	1.38	002.06	0
002	Protein (%)	0853	38.635	0.19000	37.937	0.49593	0.22511	208	1.41	002.06	0
002	Protein (%)	0049	38.730	0.82000	37.937	0.49593	0.22511	208	1.60	002.06	0
002	Protein (%)	0598	38.730	0.06000	37.937	0.49593	0.22511	208	1.60	002.06	0
002	Protein (%)	0520	38.800	0.00000	37.937	0.49593	0.22511	208	1.74	002.06	0
002	Protein (%)	0618	38.861	0.16900	37.937	0.49593	0.22511	208	1.86	002.06	0
002	Protein (%)	0511	38.875	0.21000	37.937	0.49593	0.22511	208	1.89	002.06	0
002	Protein (%)	2074	39.000	0.00000	37.937	0.49593	0.22511	208	2.14	002.06	0
002	Protein (%)	0345	39.085	0.11000	37.937	0.49593	0.22511	208	2.32	002.06	0
002	Protein (%)	0852	39.115	0.79000	37.937	0.49593	0.22511	208	2.38	002.11	0
002	Protein (%)	0692	40.250	0.30000	37.937	0.49593	0.22511	208	4.66	002.06	0
002	Protein (%)	0720	41.340	0.08000	37.937	0.49593	0.22511	208	6.86	002.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	2012	36.030	3.2400	37.937	0.49593	0.22511	208	-3.84	002.06	1
002	Protein (%)	0187	37.530	1.3800	37.937	0.49593	0.22511	208	-0.82	002.04	1
002	Protein (%)	0512	37.785	2.4100	37.937	0.49593	0.22511	208	-0.31	002.06	1
002	Protein (%)	0676	9.2400	0.50000	37.937	0.49593	0.22511	208	-57.86	002.06	2
003	Fat (%)	0047	2.2100	0.02000	4.0994	0.30569	0.08001	146	-6.18	003.99	0
003	Fat (%)	0357	3.2500	0.10000	4.0994	0.30569	0.08001	146	-2.78	003.14	0
003	Fat (%)	0574	3.3650	0.03000	4.0994	0.30569	0.08001	146	-2.40	003.14	0
003	Fat (%)	0619	3.4900	0.06000	4.0994	0.30569	0.08001	146	-1.99	003.10	0
003	Fat (%)	0574	3.5000	0.02000	4.0994	0.30569	0.08001	146	-1.96	003.06	0
003	Fat (%)	0720	3.5050	0.31000	4.0994	0.30569	0.08001	146	-1.94	003.11	0
003	Fat (%)	0062	3.5350	0.03000	4.0994	0.30569	0.08001	146	-1.85	003.10	0
003	Fat (%)	0940	3.5950	0.13000	4.0994	0.30569	0.08001	146	-1.65	003.12	0
003	Fat (%)	0298	3.6100	0.02000	4.0994	0.30569	0.08001	146	-1.60	003.10	0
003	Fat (%)	0876	3.6500	0.10000	4.0994	0.30569	0.08001	146	-1.47	003.00	0
003	Fat (%)	0553	3.6500	0.14000	4.0994	0.30569	0.08001	146	-1.47	003.10	0
003	Fat (%)	0613	3.6500	0.14000	4.0994	0.30569	0.08001	146	-1.47	003.14	0
003	Fat (%)	0089	3.6700	0.00000	4.0994	0.30569	0.08001	146	-1.40	003.14	0
003	Fat (%)	0042	3.7000	0.28000	4.0994	0.30569	0.08001	146	-1.31	003.10	0
003	Fat (%)	0028	3.7100	0.04000	4.0994	0.30569	0.08001	146	-1.27	003.13	0
003	Fat (%)	0098	3.7300	0.12000	4.0994	0.30569	0.08001	146	-1.21	003.10	0
003	Fat (%)	0229	3.7300	0.14000	4.0994	0.30569	0.08001	146	-1.21	003.14	0
003	Fat (%)	0897	3.7800	0.00000	4.0994	0.30569	0.08001	146	-1.04	003.12	0
003	Fat (%)	0913	3.7850	0.11000	4.0994	0.30569	0.08001	146	-1.03	003.14	0
003	Fat (%)	0912	3.8000	0.00000	4.0994	0.30569	0.08001	146	-0.98	003.14	0
003	Fat (%)	0881	3.8045	0.04500	4.0994	0.30569	0.08001	146	-0.96	003.10	0
003	Fat (%)	2068	3.8200	0.02000	4.0994	0.30569	0.08001	146	-0.91	003.09	0
003	Fat (%)	0629	3.8200	0.02000	4.0994	0.30569	0.08001	146	-0.91	003.10	0
003	Fat (%)	2022	3.8200	0.02000	4.0994	0.30569	0.08001	146	-0.91	003.10	0
003	Fat (%)	0297	3.8250	0.11000	4.0994	0.30569	0.08001	146	-0.90	003.06	0
003	Fat (%)	2012	3.8250	0.09000	4.0994	0.30569	0.08001	146	-0.90	003.09	0
003	Fat (%)	0297	3.8250	0.11000	4.0994	0.30569	0.08001	146	-0.90	003.11	0
003	Fat (%)	0728	3.8300	0.12000	4.0994	0.30569	0.08001	146	-0.88	003.10	0
003	Fat (%)	0144	3.8300	0.16000	4.0994	0.30569	0.08001	146	-0.88	003.14	0
003	Fat (%)	0853	3.8350	0.05000	4.0994	0.30569	0.08001	146	-0.86	003.14	0
003	Fat (%)	0674	3.8400	0.08000	4.0994	0.30569	0.08001	146	-0.85	003.09	0
003	Fat (%)	0100	3.8450	0.05000	4.0994	0.30569	0.08001	146	-0.83	003.10	0
003	Fat (%)	0529	3.8800	0.02000	4.0994	0.30569	0.08001	146	-0.72	003.14	0
003	Fat (%)	0693	3.8900	0.04000	4.0994	0.30569	0.08001	146	-0.68	003.10	0
003	Fat (%)	0895	3.9050	0.01000	4.0994	0.30569	0.08001	146	-0.64	003.12	0
003	Fat (%)	0563	3.9097	0.02260	4.0994	0.30569	0.08001	146	-0.62	003.01	0
003	Fat (%)	0265	3.9100	0.06000	4.0994	0.30569	0.08001	146	-0.62	003.14	0
003	Fat (%)	0337	3.9200	0.10000	4.0994	0.30569	0.08001	146	-0.59	003.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003 Fat (%)		0720	3.9200	0.04000	4.0994	0.30569	0.08001	146	-0.59	003.00	0
003 Fat (%)		2006	3.9200	0.02000	4.0994	0.30569	0.08001	146	-0.59	003.12	0
003 Fat (%)		2006	3.9200	0.02000	4.0994	0.30569	0.08001	146	-0.59	003.13	0
003 Fat (%)		0407	3.9200	0.10000	4.0994	0.30569	0.08001	146	-0.59	003.14	0
003 Fat (%)		0870	3.9397	0.16330	4.0994	0.30569	0.08001	146	-0.52	003.10	0
003 Fat (%)		2058	3.9500	0.08000	4.0994	0.30569	0.08001	146	-0.49	003.00	0
003 Fat (%)		0033	3.9550	0.11000	4.0994	0.30569	0.08001	146	-0.47	003.13	0
003 Fat (%)		0233	3.9650	0.03000	4.0994	0.30569	0.08001	146	-0.44	003.10	0
003 Fat (%)		0205	3.9660	0.01200	4.0994	0.30569	0.08001	146	-0.44	003.13	0
003 Fat (%)		0045	3.9700	0.14000	4.0994	0.30569	0.08001	146	-0.42	003.10	0
003 Fat (%)		0178	3.9750	0.01000	4.0994	0.30569	0.08001	146	-0.41	003.10	0
003 Fat (%)		0868	3.9750	0.03000	4.0994	0.30569	0.08001	146	-0.41	003.10	0
003 Fat (%)		0939	3.9750	0.27000	4.0994	0.30569	0.08001	146	-0.41	003.10	0
003 Fat (%)		0169	3.9800	0.26000	4.0994	0.30569	0.08001	146	-0.39	003.14	0
003 Fat (%)		0004	3.9850	0.15000	4.0994	0.30569	0.08001	146	-0.37	003.09	0
003 Fat (%)		0083	3.9900	0.08000	4.0994	0.30569	0.08001	146	-0.36	003.06	0
003 Fat (%)		0687	3.9900	0.02000	4.0994	0.30569	0.08001	146	-0.36	003.06	0
003 Fat (%)		2023	3.9950	0.05000	4.0994	0.30569	0.08001	146	-0.34	003.14	0
003 Fat (%)		0918	4.0000	0.28000	4.0994	0.30569	0.08001	146	-0.33	003.06	0
003 Fat (%)		0660	4.0000	0.12000	4.0994	0.30569	0.08001	146	-0.33	003.13	0
003 Fat (%)		0552	4.0100	0.02000	4.0994	0.30569	0.08001	146	-0.29	003.06	0
003 Fat (%)		0202	4.0150	0.03000	4.0994	0.30569	0.08001	146	-0.28	003.14	0
003 Fat (%)		0066	4.0200	0.08000	4.0994	0.30569	0.08001	146	-0.26	003.14	0
003 Fat (%)		0903	4.0250	0.01000	4.0994	0.30569	0.08001	146	-0.24	003.12	0
003 Fat (%)		0861	4.0300	0.08000	4.0994	0.30569	0.08001	146	-0.23	003.10	0
003 Fat (%)		0148	4.0350	0.03000	4.0994	0.30569	0.08001	146	-0.21	003.06	0
003 Fat (%)		0175	4.0350	0.25000	4.0994	0.30569	0.08001	146	-0.21	003.14	0
003 Fat (%)		0034	4.0400	0.08000	4.0994	0.30569	0.08001	146	-0.19	003.10	0
003 Fat (%)		0098	4.0400	0.02000	4.0994	0.30569	0.08001	146	-0.19	003.13	0
003 Fat (%)		0581	4.0400	0.10000	4.0994	0.30569	0.08001	146	-0.19	003.14	0
003 Fat (%)		0199	4.0450	0.01000	4.0994	0.30569	0.08001	146	-0.18	003.06	0
003 Fat (%)		0425	4.0450	0.03000	4.0994	0.30569	0.08001	146	-0.18	003.06	0
003 Fat (%)		0345	4.0500	0.10000	4.0994	0.30569	0.08001	146	-0.16	003.00	0
003 Fat (%)		0689	4.0500	0.10000	4.0994	0.30569	0.08001	146	-0.16	003.10	0
003 Fat (%)		0956	4.0500	0.10000	4.0994	0.30569	0.08001	146	-0.16	003.14	0
003 Fat (%)		0520	4.0550	0.05000	4.0994	0.30569	0.08001	146	-0.15	003.14	0
003 Fat (%)		0164	4.0800	0.02000	4.0994	0.30569	0.08001	146	-0.06	003.06	0
003 Fat (%)		0885	4.1000	0.22000	4.0994	0.30569	0.08001	146	0.00	003.00	0
003 Fat (%)		0019	4.1100	0.02000	4.0994	0.30569	0.08001	146	0.03	003.14	0
003 Fat (%)		0849	4.1170	0.03400	4.0994	0.30569	0.08001	146	0.06	003.06	0
003 Fat (%)		0294	4.1250	0.01000	4.0994	0.30569	0.08001	146	0.08	003.06	0
003 Fat (%)		0955	4.1300	0.06000	4.0994	0.30569	0.08001	146	0.10	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	2062	4.1406	0.07050	4.0994	0.30569	0.08001	146	0.13	003.12	0
003	Fat (%)	0689	4.1500	0.10000	4.0994	0.30569	0.08001	146	0.17	003.06	0
003	Fat (%)	0171	4.1500	0.04000	4.0994	0.30569	0.08001	146	0.17	003.12	0
003	Fat (%)	0263	4.1567	0.01330	4.0994	0.30569	0.08001	146	0.19	003.09	0
003	Fat (%)	0505	4.1600	0.04000	4.0994	0.30569	0.08001	146	0.20	003.09	0
003	Fat (%)	0187	4.1600	0.04000	4.0994	0.30569	0.08001	146	0.20	003.13	0
003	Fat (%)	2009	4.1645	0.00440	4.0994	0.30569	0.08001	146	0.21	003.10	0
003	Fat (%)	0937	4.1700	0.00000	4.0994	0.30569	0.08001	146	0.23	003.10	0
003	Fat (%)	2065	4.1700	0.00000	4.0994	0.30569	0.08001	146	0.23	003.12	0
003	Fat (%)	0884	4.1750	0.05000	4.0994	0.30569	0.08001	146	0.25	003.00	0
003	Fat (%)	0508	4.1885	0.18370	4.0994	0.30569	0.08001	146	0.29	003.09	0
003	Fat (%)	0504	4.1900	0.16000	4.0994	0.30569	0.08001	146	0.30	003.01	0
003	Fat (%)	0891	4.1910	0.00260	4.0994	0.30569	0.08001	146	0.30	003.14	0
003	Fat (%)	0123	4.1950	0.07000	4.0994	0.30569	0.08001	146	0.31	003.13	0
003	Fat (%)	0009	4.1950	0.05000	4.0994	0.30569	0.08001	146	0.31	003.14	0
003	Fat (%)	0948	4.1950	0.01000	4.0994	0.30569	0.08001	146	0.31	003.14	0
003	Fat (%)	0910	4.2000	0.18000	4.0994	0.30569	0.08001	146	0.33	003.06	0
003	Fat (%)	0300	4.2020	0.15000	4.0994	0.30569	0.08001	146	0.34	003.06	0
003	Fat (%)	0682	4.2100	0.06000	4.0994	0.30569	0.08001	146	0.36	003.06	0
003	Fat (%)	0354	4.2150	0.03000	4.0994	0.30569	0.08001	146	0.38	003.09	0
003	Fat (%)	2053	4.2250	0.01000	4.0994	0.30569	0.08001	146	0.41	003.00	0
003	Fat (%)	0142	4.2350	0.05000	4.0994	0.30569	0.08001	146	0.44	003.00	0
003	Fat (%)	0598	4.2350	0.01000	4.0994	0.30569	0.08001	146	0.44	003.14	0
003	Fat (%)	0278	4.2500	0.30000	4.0994	0.30569	0.08001	146	0.49	003.14	0
003	Fat (%)	0017	4.3000	0.00000	4.0994	0.30569	0.08001	146	0.66	003.00	0
003	Fat (%)	0226	4.3000	0.00000	4.0994	0.30569	0.08001	146	0.66	003.09	0
003	Fat (%)	0510	4.3000	0.00000	4.0994	0.30569	0.08001	146	0.66	003.09	0
003	Fat (%)	0152	4.3000	0.20000	4.0994	0.30569	0.08001	146	0.66	003.09	0
003	Fat (%)	2011	4.3050	0.07000	4.0994	0.30569	0.08001	146	0.67	003.10	0
003	Fat (%)	0098	4.3100	0.16000	4.0994	0.30569	0.08001	146	0.69	003.09	0
003	Fat (%)	0968	4.3130	0.02800	4.0994	0.30569	0.08001	146	0.70	003.09	0
003	Fat (%)	2048	4.3200	0.10000	4.0994	0.30569	0.08001	146	0.72	003.13	0
003	Fat (%)	0001	4.3265	0.14900	4.0994	0.30569	0.08001	146	0.74	003.14	0
003	Fat (%)	0646	4.3450	0.07000	4.0994	0.30569	0.08001	146	0.80	003.13	0
003	Fat (%)	0511	4.3500	0.08000	4.0994	0.30569	0.08001	146	0.82	003.06	0
003	Fat (%)	0685	4.3600	0.04000	4.0994	0.30569	0.08001	146	0.85	003.09	0
003	Fat (%)	0074	4.3700	0.04000	4.0994	0.30569	0.08001	146	0.89	003.06	0
003	Fat (%)	0723	4.3800	0.00000	4.0994	0.30569	0.08001	146	0.92	003.09	0
003	Fat (%)	0358	4.4100	0.20000	4.0994	0.30569	0.08001	146	1.02	003.14	0
003	Fat (%)	0675	4.4200	0.10000	4.0994	0.30569	0.08001	146	1.05	003.09	0
003	Fat (%)	0889	4.4200	0.00000	4.0994	0.30569	0.08001	146	1.05	003.11	0
003	Fat (%)	0354	4.4400	0.04000	4.0994	0.30569	0.08001	146	1.11	003.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0015	4.4500	0.12000	4.0994	0.30569	0.08001	146	1.15	003.14	0
003	Fat (%)	0676	4.4500	0.10000	4.0994	0.30569	0.08001	146	1.15	003.10	0
003	Fat (%)	0175	4.4800	0.12000	4.0994	0.30569	0.08001	146	1.25	003.00	0
003	Fat (%)	0948	4.4900	0.06000	4.0994	0.30569	0.08001	146	1.28	003.09	0
003	Fat (%)	0619	4.4900	0.02000	4.0994	0.30569	0.08001	146	1.28	003.14	0
003	Fat (%)	2042	4.5050	0.03000	4.0994	0.30569	0.08001	146	1.33	003.10	0
003	Fat (%)	0190	4.5250	0.03000	4.0994	0.30569	0.08001	146	1.39	003.14	0
003	Fat (%)	0609	4.5550	0.17000	4.0994	0.30569	0.08001	146	1.49	003.10	0
003	Fat (%)	0726	4.5600	0.02000	4.0994	0.30569	0.08001	146	1.51	003.14	0
003	Fat (%)	0722	4.5668	0.03540	4.0994	0.30569	0.08001	146	1.53	003.09	0
003	Fat (%)	0852	4.5700	0.06000	4.0994	0.30569	0.08001	146	1.54	003.06	0
003	Fat (%)	0695	4.5700	0.14000	4.0994	0.30569	0.08001	146	1.54	003.10	0
003	Fat (%)	0353	4.5950	0.01000	4.0994	0.30569	0.08001	146	1.62	003.09	0
003	Fat (%)	0590	4.6500	0.40000	4.0994	0.30569	0.08001	146	1.80	003.09	0
003	Fat (%)	0106	4.6550	0.05000	4.0994	0.30569	0.08001	146	1.82	003.01	0
003	Fat (%)	0413	4.8000	0.00000	4.0994	0.30569	0.08001	146	2.29	003.14	0
003	Fat (%)	0596	4.8100	0.00000	4.0994	0.30569	0.08001	146	2.32	003.00	0
003	Fat (%)	0889	4.8150	0.03000	4.0994	0.30569	0.08001	146	2.34	003.10	0
003	Fat (%)	0848	4.8150	0.29000	4.0994	0.30569	0.08001	146	2.34	003.14	0
003	Fat (%)	0681	4.8450	0.01000	4.0994	0.30569	0.08001	146	2.44	003.13	0
003	Fat (%)	0139	4.9100	0.12000	4.0994	0.30569	0.08001	146	2.65	003.00	0
003	Fat (%)	0065	5.0063	0.01750	4.0994	0.30569	0.08001	146	2.97	003.00	0
003	Fat (%)	0618	6.1650	0.51000	4.0994	0.30569	0.08001	146	6.76	003.10	0
003	Fat (%)	0852	6.7000	0.08000	4.0994	0.30569	0.08001	146	8.51	003.11	0
003	Fat (%)	0208	3.5550	0.53000	4.0994	0.30569	0.08001	146	-1.78	003.13	1
003	Fat (%)	0108	3.7600	0.88000	4.0994	0.30569	0.08001	146	-1.11	003.14	1
003	Fat (%)	0964	3.9800	0.66000	4.0994	0.30569	0.08001	146	-0.39	003.09	1
003	Fat (%)	0536	4.1850	0.65000	4.0994	0.30569	0.08001	146	0.28	003.99	1
003	Fat (%)	0309	4.4691	0.64530	4.0994	0.30569	0.08001	146	1.21	003.00	1
003	Fat (%)	0049	4.5150	0.61000	4.0994	0.30569	0.08001	146	1.36	003.14	1
003	Fat (%)	0952	9.6600	0.12000	4.0994	0.30569	0.08001	146	18.19	003.10	2
004	Fiber (%)	0004	1.7350	0.03000	8.9670	1.0804	0.27929	122	-6.69	004.07	0
004	Fiber (%)	0123	6.5650	0.11000	8.9670	1.0804	0.27929	122	-2.22	004.07	0
004	Fiber (%)	2042	6.6250	0.01000	8.9670	1.0804	0.27929	122	-2.17	004.03	0
004	Fiber (%)	0263	6.9000	0.01340	8.9670	1.0804	0.27929	122	-1.91	004.07	0
004	Fiber (%)	0596	6.9950	0.67000	8.9670	1.0804	0.27929	122	-1.83	004.00	0
004	Fiber (%)	0035	7.3900	0.18000	8.9670	1.0804	0.27929	122	-1.46	004.07	0
004	Fiber (%)	0720	7.3950	0.19000	8.9670	1.0804	0.27929	122	-1.45	004.06	0
004	Fiber (%)	0903	7.5550	0.01000	8.9670	1.0804	0.27929	122	-1.31	004.06	0
004	Fiber (%)	0685	7.5650	0.09000	8.9670	1.0804	0.27929	122	-1.30	004.03	0
004	Fiber (%)	0884	7.5950	0.39000	8.9670	1.0804	0.27929	122	-1.27	004.00	0
004	Fiber (%)	2022	7.6500	0.08000	8.9670	1.0804	0.27929	122	-1.22	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0199	7.6950	0.21000	8.9670	1.0804	0.27929	122	-1.18	004.06	0
004	Fiber (%)	0895	7.6950	0.01000	8.9670	1.0804	0.27929	122	-1.18	004.06	0
004	Fiber (%)	0629	7.7000	0.00000	8.9670	1.0804	0.27929	122	-1.17	004.99	0
004	Fiber (%)	0897	7.7100	0.02000	8.9670	1.0804	0.27929	122	-1.16	004.06	0
004	Fiber (%)	0505	7.7100	0.16000	8.9670	1.0804	0.27929	122	-1.16	004.07	0
004	Fiber (%)	0590	7.7550	0.83000	8.9670	1.0804	0.27929	122	-1.12	004.06	0
004	Fiber (%)	0956	7.8000	0.60000	8.9670	1.0804	0.27929	122	-1.08	004.07	0
004	Fiber (%)	2012	7.8350	0.01000	8.9670	1.0804	0.27929	122	-1.05	004.07	0
004	Fiber (%)	0008	7.8400	0.72000	8.9670	1.0804	0.27929	122	-1.04	004.07	0
004	Fiber (%)	0941	7.9000	0.20000	8.9670	1.0804	0.27929	122	-0.99	004.06	0
004	Fiber (%)	0708	7.9250	0.33000	8.9670	1.0804	0.27929	122	-0.96	004.07	0
004	Fiber (%)	0175	7.9800	0.08000	8.9670	1.0804	0.27929	122	-0.91	004.00	0
004	Fiber (%)	0675	7.9950	0.01000	8.9670	1.0804	0.27929	122	-0.90	004.06	0
004	Fiber (%)	0098	8.0250	0.15000	8.9670	1.0804	0.27929	122	-0.87	004.06	0
004	Fiber (%)	0720	8.1000	0.00000	8.9670	1.0804	0.27929	122	-0.80	004.11	0
004	Fiber (%)	0951	8.1050	0.41000	8.9670	1.0804	0.27929	122	-0.80	004.11	0
004	Fiber (%)	0407	8.1950	0.11000	8.9670	1.0804	0.27929	122	-0.71	004.07	0
004	Fiber (%)	0881	8.1985	0.24900	8.9670	1.0804	0.27929	122	-0.71	004.06	0
004	Fiber (%)	0940	8.2550	1.0500	8.9670	1.0804	0.27929	122	-0.66	004.99	0
004	Fiber (%)	0968	8.2835	0.11900	8.9670	1.0804	0.27929	122	-0.63	004.06	0
004	Fiber (%)	2009	8.2850	0.17340	8.9670	1.0804	0.27929	122	-0.63	004.06	0
004	Fiber (%)	0298	8.3000	0.02000	8.9670	1.0804	0.27929	122	-0.62	004.00	0
004	Fiber (%)	0202	8.3450	0.15000	8.9670	1.0804	0.27929	122	-0.58	004.07	0
004	Fiber (%)	0943	8.3700	0.04000	8.9670	1.0804	0.27929	122	-0.55	004.00	0
004	Fiber (%)	0413	8.4000	0.40000	8.9670	1.0804	0.27929	122	-0.52	004.07	0
004	Fiber (%)	0300	8.4000	0.46200	8.9670	1.0804	0.27929	122	-0.52	004.07	0
004	Fiber (%)	0345	8.4250	0.05000	8.9670	1.0804	0.27929	122	-0.50	004.00	0
004	Fiber (%)	0563	8.4278	0.27730	8.9670	1.0804	0.27929	122	-0.50	004.07	0
004	Fiber (%)	0643	8.4350	0.09000	8.9670	1.0804	0.27929	122	-0.49	004.07	0
004	Fiber (%)	2068	8.4550	0.05000	8.9670	1.0804	0.27929	122	-0.47	004.03	0
004	Fiber (%)	0265	8.4650	0.41000	8.9670	1.0804	0.27929	122	-0.46	004.07	0
004	Fiber (%)	0205	8.5100	0.44000	8.9670	1.0804	0.27929	122	-0.42	004.06	0
004	Fiber (%)	0646	8.5150	0.37000	8.9670	1.0804	0.27929	122	-0.42	004.07	0
004	Fiber (%)	2004	8.5200	0.12000	8.9670	1.0804	0.27929	122	-0.41	004.00	0
004	Fiber (%)	0083	8.5200	0.46000	8.9670	1.0804	0.27929	122	-0.41	004.07	0
004	Fiber (%)	0689	8.5500	0.30000	8.9670	1.0804	0.27929	122	-0.39	004.06	0
004	Fiber (%)	0723	8.5505	0.00000	8.9670	1.0804	0.27929	122	-0.39	004.07	0
004	Fiber (%)	0868	8.5850	0.01000	8.9670	1.0804	0.27929	122	-0.35	004.06	0
004	Fiber (%)	0948	8.6500	0.38000	8.9670	1.0804	0.27929	122	-0.29	004.07	0
004	Fiber (%)	0948	8.7000	0.18000	8.9670	1.0804	0.27929	122	-0.25	004.06	0
004	Fiber (%)	0912	8.7000	1.0000	8.9670	1.0804	0.27929	122	-0.25	004.07	0
004	Fiber (%)	0885	8.7650	0.07000	8.9670	1.0804	0.27929	122	-0.19	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0845	8.7850	0.01000	8.9670	1.0804	0.27929	122	-0.17	004.06	0
004	Fiber (%)	0038	8.7900	0.08000	8.9670	1.0804	0.27929	122	-0.16	004.06	0
004	Fiber (%)	0728	8.8050	0.27000	8.9670	1.0804	0.27929	122	-0.15	004.06	0
004	Fiber (%)	2065	8.8300	0.00000	8.9670	1.0804	0.27929	122	-0.13	004.06	0
004	Fiber (%)	0353	8.8700	0.02000	8.9670	1.0804	0.27929	122	-0.09	004.00	0
004	Fiber (%)	0870	8.8713	0.56970	8.9670	1.0804	0.27929	122	-0.09	004.07	0
004	Fiber (%)	0674	8.9000	0.12000	8.9670	1.0804	0.27929	122	-0.06	004.06	0
004	Fiber (%)	0918	8.9150	0.15000	8.9670	1.0804	0.27929	122	-0.05	004.06	0
004	Fiber (%)	0169	8.9250	0.45000	8.9670	1.0804	0.27929	122	-0.04	004.00	0
004	Fiber (%)	0511	8.9500	0.10000	8.9670	1.0804	0.27929	122	-0.02	004.00	0
004	Fiber (%)	0552	8.9800	0.02000	8.9670	1.0804	0.27929	122	0.01	004.06	0
004	Fiber (%)	0337	9.0150	0.11000	8.9670	1.0804	0.27929	122	0.04	004.00	0
004	Fiber (%)	0425	9.0500	0.10000	8.9670	1.0804	0.27929	122	0.08	004.00	0
004	Fiber (%)	0309	9.0519	0.16890	8.9670	1.0804	0.27929	122	0.08	004.00	0
004	Fiber (%)	2011	9.1050	0.11000	8.9670	1.0804	0.27929	122	0.13	004.00	0
004	Fiber (%)	2023	9.1100	0.32000	8.9670	1.0804	0.27929	122	0.13	004.00	0
004	Fiber (%)	0100	9.1150	0.23000	8.9670	1.0804	0.27929	122	0.14	004.07	0
004	Fiber (%)	0952	9.1250	0.27000	8.9670	1.0804	0.27929	122	0.15	004.06	0
004	Fiber (%)	2062	9.1350	0.23000	8.9670	1.0804	0.27929	122	0.16	004.06	0
004	Fiber (%)	0164	9.1500	0.10000	8.9670	1.0804	0.27929	122	0.17	004.00	0
004	Fiber (%)	2006	9.2100	0.08000	8.9670	1.0804	0.27929	122	0.22	004.06	0
004	Fiber (%)	0682	9.2500	0.10000	8.9670	1.0804	0.27929	122	0.26	004.07	0
004	Fiber (%)	0861	9.2550	1.1300	8.9670	1.0804	0.27929	122	0.27	004.07	0
004	Fiber (%)	0609	9.2700	0.22000	8.9670	1.0804	0.27929	122	0.28	004.06	0
004	Fiber (%)	0208	9.3000	0.24000	8.9670	1.0804	0.27929	122	0.31	004.00	0
004	Fiber (%)	0019	9.3150	0.53000	8.9670	1.0804	0.27929	122	0.32	004.07	0
004	Fiber (%)	0278	9.3500	0.30000	8.9670	1.0804	0.27929	122	0.35	004.07	0
004	Fiber (%)	0098	9.3750	0.53000	8.9670	1.0804	0.27929	122	0.38	004.07	0
004	Fiber (%)	0074	9.4000	0.44000	8.9670	1.0804	0.27929	122	0.40	004.07	0
004	Fiber (%)	2058	9.4150	0.15000	8.9670	1.0804	0.27929	122	0.41	004.03	0
004	Fiber (%)	0354	9.4650	0.07000	8.9670	1.0804	0.27929	122	0.46	004.00	0
004	Fiber (%)	0722	9.4719	0.13310	8.9670	1.0804	0.27929	122	0.47	004.06	0
004	Fiber (%)	0226	9.5000	0.20000	8.9670	1.0804	0.27929	122	0.49	004.00	0
004	Fiber (%)	0910	9.5500	0.50000	8.9670	1.0804	0.27929	122	0.54	004.07	0
004	Fiber (%)	0171	9.5550	0.11000	8.9670	1.0804	0.27929	122	0.54	004.00	0
004	Fiber (%)	0178	9.7300	0.28000	8.9670	1.0804	0.27929	122	0.71	004.07	0
004	Fiber (%)	0951	9.7400	0.06000	8.9670	1.0804	0.27929	122	0.72	004.07	0
004	Fiber (%)	0015	9.7700	0.10000	8.9670	1.0804	0.27929	122	0.74	004.07	0
004	Fiber (%)	0033	9.7750	0.07000	8.9670	1.0804	0.27929	122	0.75	004.07	0
004	Fiber (%)	0529	9.7900	0.16000	8.9670	1.0804	0.27929	122	0.76	004.07	0
004	Fiber (%)	0045	9.8350	1.3300	8.9670	1.0804	0.27929	122	0.80	004.01	0
004	Fiber (%)	0913	9.8400	0.88000	8.9670	1.0804	0.27929	122	0.81	004.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0592	9.8400	0.30000	8.9670	1.0804	0.27929	122	0.81	004.07	0
004	Fiber (%)	0003	9.8900	0.18000	8.9670	1.0804	0.27929	122	0.85	004.07	0
004	Fiber (%)	0876	9.9000	0.20000	8.9670	1.0804	0.27929	122	0.86	004.00	0
004	Fiber (%)	0520	9.9200	1.8400	8.9670	1.0804	0.27929	122	0.88	004.07	0
004	Fiber (%)	0504	9.9800	0.62000	8.9670	1.0804	0.27929	122	0.94	004.00	0
004	Fiber (%)	0229	10.000	0.20000	8.9670	1.0804	0.27929	122	0.96	004.07	0
004	Fiber (%)	0581	10.050	1.1000	8.9670	1.0804	0.27929	122	1.00	004.07	0
004	Fiber (%)	0726	10.140	0.12000	8.9670	1.0804	0.27929	122	1.09	004.07	0
004	Fiber (%)	0089	10.150	0.12000	8.9670	1.0804	0.27929	122	1.09	004.07	0
004	Fiber (%)	0619	10.185	0.63000	8.9670	1.0804	0.27929	122	1.13	004.07	0
004	Fiber (%)	0009	10.270	0.38000	8.9670	1.0804	0.27929	122	1.21	004.07	0
004	Fiber (%)	0190	10.275	0.25000	8.9670	1.0804	0.27929	122	1.21	004.07	0
004	Fiber (%)	0354	10.295	0.01000	8.9670	1.0804	0.27929	122	1.23	004.07	0
004	Fiber (%)	0693	10.300	0.12000	8.9670	1.0804	0.27929	122	1.23	004.03	0
004	Fiber (%)	0034	10.300	0.60000	8.9670	1.0804	0.27929	122	1.23	004.07	0
004	Fiber (%)	0294	10.300	0.20000	8.9670	1.0804	0.27929	122	1.23	004.07	0
004	Fiber (%)	0913	10.390	0.78000	8.9670	1.0804	0.27929	122	1.32	004.07	0
004	Fiber (%)	0849	10.402	0.09600	8.9670	1.0804	0.27929	122	1.33	004.07	0
004	Fiber (%)	0510	10.750	0.10000	8.9670	1.0804	0.27929	122	1.65	004.07	0
004	Fiber (%)	0297	10.780	0.32000	8.9670	1.0804	0.27929	122	1.68	004.07	0
004	Fiber (%)	2053	10.905	0.15000	8.9670	1.0804	0.27929	122	1.79	004.07	0
004	Fiber (%)	0852	11.130	0.24000	8.9670	1.0804	0.27929	122	2.00	004.11	0
004	Fiber (%)	0891	11.250	0.11100	8.9670	1.0804	0.27929	122	2.11	004.07	0
004	Fiber (%)	0937	11.360	0.60000	8.9670	1.0804	0.27929	122	2.21	004.06	0
004	Fiber (%)	0695	12.150	0.58000	8.9670	1.0804	0.27929	122	2.95	004.00	0
004	Fiber (%)	0939	12.270	0.46000	8.9670	1.0804	0.27929	122	3.06	004.07	0
004	Fiber (%)	0598	12.525	0.23000	8.9670	1.0804	0.27929	122	3.29	004.07	0
004	Fiber (%)	0848	5.3450	8.5900	8.9670	1.0804	0.27929	122	-3.35	004.07	1
004	Fiber (%)	0613	9.7850	2.9300	8.9670	1.0804	0.27929	122	0.76	004.07	1
005	Ash (%)	0852	12.545	0.35000	16.059	0.50927	0.16314	151	-6.90	005.11	0
005	Ash (%)	0967	13.560	0.14000	16.059	0.50927	0.16314	151	-4.91	005.99	0
005	Ash (%)	2048	13.840	0.12000	16.059	0.50927	0.16314	151	-4.36	005.00	0
005	Ash (%)	0169	14.330	0.06000	16.059	0.50927	0.16314	151	-3.40	005.00	0
005	Ash (%)	0042	14.340	0.16000	16.059	0.50927	0.16314	151	-3.38	005.00	0
005	Ash (%)	0208	14.350	0.10000	16.059	0.50927	0.16314	151	-3.36	005.00	0
005	Ash (%)	0960	14.365	0.51000	16.059	0.50927	0.16314	151	-3.33	005.00	0
005	Ash (%)	0049	14.395	0.19000	16.059	0.50927	0.16314	151	-3.27	005.00	0
005	Ash (%)	0123	14.400	0.14000	16.059	0.50927	0.16314	151	-3.26	005.00	0
005	Ash (%)	0728	14.415	0.25000	16.059	0.50927	0.16314	151	-3.23	005.99	0
005	Ash (%)	0693	14.500	0.06000	16.059	0.50927	0.16314	151	-3.06	005.00	0
005	Ash (%)	0539	14.680	0.00000	16.059	0.50927	0.16314	151	-2.71	005.00	0
005	Ash (%)	0889	14.700	0.08000	16.059	0.50927	0.16314	151	-2.67	005.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	2062	14.830	0.02000	16.059	0.50927	0.16314	151	-2.41	005.05	0
005	Ash (%)	0065	14.871	0.24130	16.059	0.50927	0.16314	151	-2.33	005.00	0
005	Ash (%)	0596	14.965	0.37000	16.059	0.50927	0.16314	151	-2.15	005.00	0
005	Ash (%)	0142	15.145	0.11000	16.059	0.50927	0.16314	151	-1.79	005.00	0
005	Ash (%)	0598	15.215	0.01000	16.059	0.50927	0.16314	151	-1.66	005.00	0
005	Ash (%)	0918	15.225	0.45000	16.059	0.50927	0.16314	151	-1.64	005.00	0
005	Ash (%)	0139	15.270	0.00000	16.059	0.50927	0.16314	151	-1.55	005.00	0
005	Ash (%)	0874	15.275	0.21000	16.059	0.50927	0.16314	151	-1.54	005.01	0
005	Ash (%)	0536	15.340	0.12000	16.059	0.50927	0.16314	151	-1.41	005.99	0
005	Ash (%)	0202	15.390	0.36000	16.059	0.50927	0.16314	151	-1.31	005.99	0
005	Ash (%)	0038	15.430	0.36000	16.059	0.50927	0.16314	151	-1.24	005.00	0
005	Ash (%)	0957	15.435	0.47000	16.059	0.50927	0.16314	151	-1.23	005.00	0
005	Ash (%)	0337	15.450	0.68000	16.059	0.50927	0.16314	151	-1.20	005.00	0
005	Ash (%)	0541	15.475	0.61000	16.059	0.50927	0.16314	151	-1.15	005.00	0
005	Ash (%)	0008	15.500	0.06000	16.059	0.50927	0.16314	151	-1.10	005.00	0
005	Ash (%)	0959	15.505	0.23000	16.059	0.50927	0.16314	151	-1.09	005.00	0
005	Ash (%)	0682	15.505	0.09000	16.059	0.50927	0.16314	151	-1.09	005.00	0
005	Ash (%)	0089	15.510	0.00000	16.059	0.50927	0.16314	151	-1.08	005.00	0
005	Ash (%)	0001	15.561	0.29970	16.059	0.50927	0.16314	151	-0.98	005.00	0
005	Ash (%)	0912	15.600	0.00000	16.059	0.50927	0.16314	151	-0.90	005.03	0
005	Ash (%)	0953	15.605	0.57000	16.059	0.50927	0.16314	151	-0.89	005.00	0
005	Ash (%)	0958	15.625	0.11000	16.059	0.50927	0.16314	151	-0.85	005.00	0
005	Ash (%)	0891	15.630	0.04000	16.059	0.50927	0.16314	151	-0.84	005.05	0
005	Ash (%)	0003	15.635	0.27000	16.059	0.50927	0.16314	151	-0.83	005.00	0
005	Ash (%)	2068	15.705	0.01000	16.059	0.50927	0.16314	151	-0.70	005.00	0
005	Ash (%)	0951	15.710	0.44000	16.059	0.50927	0.16314	151	-0.69	005.05	0
005	Ash (%)	0723	15.723	0.00000	16.059	0.50927	0.16314	151	-0.66	005.00	0
005	Ash (%)	0298	15.740	0.02000	16.059	0.50927	0.16314	151	-0.63	005.00	0
005	Ash (%)	0015	15.745	0.03000	16.059	0.50927	0.16314	151	-0.62	005.00	0
005	Ash (%)	0171	15.750	0.10000	16.059	0.50927	0.16314	151	-0.61	005.00	0
005	Ash (%)	0148	15.780	0.16000	16.059	0.50927	0.16314	151	-0.55	005.00	0
005	Ash (%)	0520	15.785	0.71000	16.059	0.50927	0.16314	151	-0.54	005.00	0
005	Ash (%)	0552	15.790	0.26000	16.059	0.50927	0.16314	151	-0.53	005.00	0
005	Ash (%)	0861	15.835	0.19000	16.059	0.50927	0.16314	151	-0.44	005.00	0
005	Ash (%)	0205	15.845	0.17000	16.059	0.50927	0.16314	151	-0.42	005.00	0
005	Ash (%)	0354	15.845	0.01000	16.059	0.50927	0.16314	151	-0.42	005.00	0
005	Ash (%)	0643	15.845	0.15000	16.059	0.50927	0.16314	151	-0.42	005.00	0
005	Ash (%)	0425	15.850	0.04000	16.059	0.50927	0.16314	151	-0.41	005.00	0
005	Ash (%)	0175	15.850	0.10000	16.059	0.50927	0.16314	151	-0.41	005.00	0
005	Ash (%)	0651	15.851	0.01600	16.059	0.50927	0.16314	151	-0.41	005.00	0
005	Ash (%)	0004	15.870	0.02000	16.059	0.50927	0.16314	151	-0.37	005.00	0
005	Ash (%)	0881	15.873	0.15100	16.059	0.50927	0.16314	151	-0.37	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0358	15.875	0.07000	16.059	0.50927	0.16314	151	-0.36	005.00	0
005	Ash (%)	0685	15.880	0.02000	16.059	0.50927	0.16314	151	-0.35	005.05	0
005	Ash (%)	0870	15.889	0.15950	16.059	0.50927	0.16314	151	-0.33	005.00	0
005	Ash (%)	0098	15.895	0.15000	16.059	0.50927	0.16314	151	-0.32	005.00	0
005	Ash (%)	0848	15.910	0.00000	16.059	0.50927	0.16314	151	-0.29	005.00	0
005	Ash (%)	0345	15.990	0.20000	16.059	0.50927	0.16314	151	-0.14	005.00	0
005	Ash (%)	0592	16.010	0.32000	16.059	0.50927	0.16314	151	-0.10	005.05	0
005	Ash (%)	0613	16.020	0.46000	16.059	0.50927	0.16314	151	-0.08	005.99	0
005	Ash (%)	0164	16.030	0.10000	16.059	0.50927	0.16314	151	-0.06	005.00	0
005	Ash (%)	0689	16.030	0.08000	16.059	0.50927	0.16314	151	-0.06	005.05	0
005	Ash (%)	2067	16.050	0.04500	16.059	0.50927	0.16314	151	-0.02	005.00	0
005	Ash (%)	0675	16.055	0.25000	16.059	0.50927	0.16314	151	-0.01	005.00	0
005	Ash (%)	2065	16.070	0.00000	16.059	0.50927	0.16314	151	0.02	005.05	0
005	Ash (%)	0100	16.075	0.11000	16.059	0.50927	0.16314	151	0.03	005.00	0
005	Ash (%)	0660	16.085	0.33000	16.059	0.50927	0.16314	151	0.05	005.00	0
005	Ash (%)	0722	16.099	0.12980	16.059	0.50927	0.16314	151	0.08	005.00	0
005	Ash (%)	0265	16.100	0.02000	16.059	0.50927	0.16314	151	0.08	005.00	0
005	Ash (%)	0294	16.100	0.00000	16.059	0.50927	0.16314	151	0.08	005.05	0
005	Ash (%)	0695	16.100	0.00600	16.059	0.50927	0.16314	151	0.08	005.05	0
005	Ash (%)	0138	16.103	0.10600	16.059	0.50927	0.16314	151	0.09	005.00	0
005	Ash (%)	0943	16.115	0.05000	16.059	0.50927	0.16314	151	0.11	005.00	0
005	Ash (%)	0278	16.120	0.16000	16.059	0.50927	0.16314	151	0.12	005.00	0
005	Ash (%)	0609	16.125	0.03000	16.059	0.50927	0.16314	151	0.13	005.00	0
005	Ash (%)	0948	16.130	0.00000	16.059	0.50927	0.16314	151	0.14	005.00	0
005	Ash (%)	0681	16.150	0.04000	16.059	0.50927	0.16314	151	0.18	005.00	0
005	Ash (%)	0956	16.150	0.30000	16.059	0.50927	0.16314	151	0.18	005.00	0
005	Ash (%)	0263	16.152	0.01000	16.059	0.50927	0.16314	151	0.18	005.05	0
005	Ash (%)	0035	16.160	0.30000	16.059	0.50927	0.16314	151	0.20	005.00	0
005	Ash (%)	0108	16.165	0.51000	16.059	0.50927	0.16314	151	0.21	005.00	0
005	Ash (%)	0961	16.175	0.23000	16.059	0.50927	0.16314	151	0.23	005.00	0
005	Ash (%)	2006	16.175	0.29000	16.059	0.50927	0.16314	151	0.23	005.00	0
005	Ash (%)	2022	16.175	0.01000	16.059	0.50927	0.16314	151	0.23	005.00	0
005	Ash (%)	2012	16.185	0.23000	16.059	0.50927	0.16314	151	0.25	005.00	0
005	Ash (%)	0066	16.190	0.10000	16.059	0.50927	0.16314	151	0.26	005.00	0
005	Ash (%)	0968	16.191	0.53000	16.059	0.50927	0.16314	151	0.26	005.00	0
005	Ash (%)	0297	16.200	0.00000	16.059	0.50927	0.16314	151	0.28	005.00	0
005	Ash (%)	0353	16.205	0.17000	16.059	0.50927	0.16314	151	0.29	005.00	0
005	Ash (%)	0940	16.210	0.16000	16.059	0.50927	0.16314	151	0.30	005.05	0
005	Ash (%)	0674	16.215	0.01000	16.059	0.50927	0.16314	151	0.31	005.00	0
005	Ash (%)	0553	16.230	0.64000	16.059	0.50927	0.16314	151	0.34	005.00	0
005	Ash (%)	0083	16.240	0.30000	16.059	0.50927	0.16314	151	0.36	005.00	0
005	Ash (%)	0045	16.250	0.10000	16.059	0.50927	0.16314	151	0.37	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0849	16.251	0.04100	16.059	0.50927	0.16314	151	0.38	005.05	0
005	Ash (%)	0505	16.255	0.17000	16.059	0.50927	0.16314	151	0.38	005.00	0
005	Ash (%)	0062	16.265	0.29000	16.059	0.50927	0.16314	151	0.40	005.00	0
005	Ash (%)	0620	16.265	0.01000	16.059	0.50927	0.16314	151	0.40	005.00	0
005	Ash (%)	2011	16.275	0.05000	16.059	0.50927	0.16314	151	0.42	005.05	0
005	Ash (%)	0510	16.285	0.17000	16.059	0.50927	0.16314	151	0.44	005.00	0
005	Ash (%)	0229	16.295	0.03000	16.059	0.50927	0.16314	151	0.46	005.00	0
005	Ash (%)	0563	16.298	0.06410	16.059	0.50927	0.16314	151	0.47	005.00	0
005	Ash (%)	0913	16.310	0.18000	16.059	0.50927	0.16314	151	0.49	005.00	0
005	Ash (%)	0407	16.310	0.08000	16.059	0.50927	0.16314	151	0.49	005.00	0
005	Ash (%)	0646	16.335	0.17000	16.059	0.50927	0.16314	151	0.54	005.00	0
005	Ash (%)	0852	16.350	0.10000	16.059	0.50927	0.16314	151	0.57	005.00	0
005	Ash (%)	2058	16.350	0.02000	16.059	0.50927	0.16314	151	0.57	005.05	0
005	Ash (%)	2004	16.350	0.30000	16.059	0.50927	0.16314	151	0.57	005.99	0
005	Ash (%)	0574	16.375	0.07000	16.059	0.50927	0.16314	151	0.62	005.99	0
005	Ash (%)	0144	16.385	0.05000	16.059	0.50927	0.16314	151	0.64	005.00	0
005	Ash (%)	0853	16.385	0.55000	16.059	0.50927	0.16314	151	0.64	005.00	0
005	Ash (%)	2009	16.388	0.02630	16.059	0.50927	0.16314	151	0.65	005.05	0
005	Ash (%)	0152	16.400	0.20000	16.059	0.50927	0.16314	151	0.67	005.00	0
005	Ash (%)	0033	16.400	0.60000	16.059	0.50927	0.16314	151	0.67	005.05	0
005	Ash (%)	2042	16.400	0.00000	16.059	0.50927	0.16314	151	0.67	005.05	0
005	Ash (%)	0589	16.415	0.37000	16.059	0.50927	0.16314	151	0.70	005.00	0
005	Ash (%)	0187	16.430	0.10000	16.059	0.50927	0.16314	151	0.73	005.00	0
005	Ash (%)	0937	16.430	0.02000	16.059	0.50927	0.16314	151	0.73	005.05	0
005	Ash (%)	0413	16.500	0.20000	16.059	0.50927	0.16314	151	0.87	005.05	0
005	Ash (%)	0619	16.500	0.00000	16.059	0.50927	0.16314	151	0.87	005.05	0
005	Ash (%)	0895	16.500	0.00000	16.059	0.50927	0.16314	151	0.87	005.05	0
005	Ash (%)	0921	16.500	0.00000	16.059	0.50927	0.16314	151	0.87	005.05	0
005	Ash (%)	0581	16.505	0.13000	16.059	0.50927	0.16314	151	0.88	005.00	0
005	Ash (%)	0618	16.505	0.31000	16.059	0.50927	0.16314	151	0.88	005.00	0
005	Ash (%)	0629	16.530	0.04000	16.059	0.50927	0.16314	151	0.92	005.99	0
005	Ash (%)	0309	16.546	0.07800	16.059	0.50927	0.16314	151	0.96	005.00	0
005	Ash (%)	0178	16.555	0.07000	16.059	0.50927	0.16314	151	0.97	005.00	0
005	Ash (%)	0885	16.555	0.23000	16.059	0.50927	0.16314	151	0.97	005.05	0
005	Ash (%)	0884	16.585	0.09000	16.059	0.50927	0.16314	151	1.03	005.99	0
005	Ash (%)	0903	16.645	0.01000	16.059	0.50927	0.16314	151	1.15	005.05	0
005	Ash (%)	0226	16.650	0.30000	16.059	0.50927	0.16314	151	1.16	005.00	0
005	Ash (%)	0868	16.685	0.07000	16.059	0.50927	0.16314	151	1.23	005.05	0
005	Ash (%)	0590	16.720	0.14000	16.059	0.50927	0.16314	151	1.30	005.05	0
005	Ash (%)	0939	16.730	0.28000	16.059	0.50927	0.16314	151	1.32	005.05	0
005	Ash (%)	0897	16.750	0.10000	16.059	0.50927	0.16314	151	1.36	005.05	0
005	Ash (%)	0676	16.775	0.05000	16.059	0.50927	0.16314	151	1.41	005.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0955	16.800	0.00000	16.059	0.50927	0.16314	151	1.45	005.05	0
005	Ash (%)	0889	16.805	0.13000	16.059	0.50927	0.16314	151	1.46	005.05	0
005	Ash (%)	0357	16.850	0.10000	16.059	0.50927	0.16314	151	1.55	005.00	0
005	Ash (%)	0615	16.875	0.01000	16.059	0.50927	0.16314	151	1.60	005.00	0
005	Ash (%)	2023	16.925	0.31000	16.059	0.50927	0.16314	151	1.70	005.99	0
005	Ash (%)	0504	16.975	0.21000	16.059	0.50927	0.16314	151	1.80	005.00	0
005	Ash (%)	0720	17.015	0.17000	16.059	0.50927	0.16314	151	1.88	005.05	0
005	Ash (%)	0652	17.050	0.10000	16.059	0.50927	0.16314	151	1.95	005.99	0
005	Ash (%)	0610	17.095	0.03000	16.059	0.50927	0.16314	151	2.03	005.02	0
005	Ash (%)	0951	17.150	0.62000	16.059	0.50927	0.16314	151	2.14	005.11	0
005	Ash (%)	0650	17.215	0.01000	16.059	0.50927	0.16314	151	2.27	005.00	0
005	Ash (%)	0297	17.860	0.04000	16.059	0.50927	0.16314	151	3.54	005.11	0
005	Ash (%)	0845	15.485	0.89000	16.059	0.50927	0.16314	151	-1.13	005.00	1
005	Ash (%)	0720	21.900	0.10000	16.059	0.50927	0.16314	151	11.47	005.11	2
006	Total sugars (%)	0227	1.3650	0.01000	3.9070	1.6476	0.14250	12	-1.54	006.99	0
006	Total sugars (%)	0723	1.6900	0.00000	3.9070	1.6476	0.14250	12	-1.35	006.99	0
006	Total sugars (%)	0921	2.3850	0.09000	3.9070	1.6476	0.14250	12	-0.92	006.00	0
006	Total sugars (%)	2004	3.0150	0.05000	3.9070	1.6476	0.14250	12	-0.54	006.99	0
006	Total sugars (%)	0720	3.2350	0.09000	3.9070	1.6476	0.14250	12	-0.41	006.99	0
006	Total sugars (%)	0003	4.1250	0.25000	3.9070	1.6476	0.14250	12	0.13	006.99	0
006	Total sugars (%)	0689	4.4000	0.40000	3.9070	1.6476	0.14250	12	0.30	006.01	0
006	Total sugars (%)	0226	4.8000	0.20000	3.9070	1.6476	0.14250	12	0.54	006.99	0
006	Total sugars (%)	0951	4.9650	0.01000	3.9070	1.6476	0.14250	12	0.64	006.99	0
006	Total sugars (%)	0956	5.0500	0.10000	3.9070	1.6476	0.14250	12	0.69	006.99	0
006	Total sugars (%)	0407	5.5100	0.12000	3.9070	1.6476	0.14250	12	0.97	006.01	0
006	Total sugars (%)	0066	5.9350	0.39000	3.9070	1.6476	0.14250	12	1.23	006.00	0
006	Total sugars (%)	0912	5.7000	0.80000	3.9070	1.6476	0.14250	12	1.09	006.99	1
008	Fiber (%)	0178	10.660	0.12000	11.843	0.48277	0.29366	49	-2.45	008.08	0
008	Fiber (%)	2004	10.800	0.40000	11.843	0.48277	0.29366	49	-2.16	008.08	0
008	Fiber (%)	0049	10.840	0.58000	11.843	0.48277	0.29366	49	-2.08	008.08	0
008	Fiber (%)	0263	10.908	0.04340	11.843	0.48277	0.29366	49	-1.94	008.08	0
008	Fiber (%)	0033	11.050	0.10000	11.843	0.48277	0.29366	49	-1.64	008.08	0
008	Fiber (%)	2011	11.155	0.09000	11.843	0.48277	0.29366	49	-1.42	008.02	0
008	Fiber (%)	0278	11.300	0.60000	11.843	0.48277	0.29366	49	-1.12	008.08	0
008	Fiber (%)	0357	11.300	0.20000	11.843	0.48277	0.29366	49	-1.12	008.08	0
008	Fiber (%)	0912	11.300	0.00000	11.843	0.48277	0.29366	49	-1.12	008.08	0
008	Fiber (%)	0939	11.345	1.0300	11.843	0.48277	0.29366	49	-1.03	008.08	0
008	Fiber (%)	0968	11.410	0.46000	11.843	0.48277	0.29366	49	-0.90	008.08	0
008	Fiber (%)	0728	11.460	0.42000	11.843	0.48277	0.29366	49	-0.79	008.02	0
008	Fiber (%)	0309	11.469	0.13500	11.843	0.48277	0.29366	49	-0.77	008.02	0
008	Fiber (%)	0148	11.570	0.04000	11.843	0.48277	0.29366	49	-0.56	008.08	0
008	Fiber (%)	0297	11.580	0.64000	11.843	0.48277	0.29366	49	-0.54	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
008	Fiber (%)	0265	11.650	0.10000	11.843	0.48277	0.29366	49	-0.40	008.05	0
008	Fiber (%)	0870	11.653	0.00970	11.843	0.48277	0.29366	49	-0.39	008.08	0
008	Fiber (%)	0001	11.690	0.22000	11.843	0.48277	0.29366	49	-0.32	008.08	0
008	Fiber (%)	0504	11.720	0.78000	11.843	0.48277	0.29366	49	-0.25	008.02	0
008	Fiber (%)	0918	11.743	0.72100	11.843	0.48277	0.29366	49	-0.21	008.08	0
008	Fiber (%)	0098	11.775	0.65000	11.843	0.48277	0.29366	49	-0.14	008.02	0
008	Fiber (%)	0861	11.810	0.04000	11.843	0.48277	0.29366	49	-0.07	008.08	0
008	Fiber (%)	0358	11.835	0.21000	11.843	0.48277	0.29366	49	-0.02	008.08	0
008	Fiber (%)	0164	11.850	0.10000	11.843	0.48277	0.29366	49	0.02	008.08	0
008	Fiber (%)	0187	11.895	0.05000	11.843	0.48277	0.29366	49	0.11	008.02	0
008	Fiber (%)	0956	11.900	0.40000	11.843	0.48277	0.29366	49	0.12	008.08	0
008	Fiber (%)	0294	11.950	0.10000	11.843	0.48277	0.29366	49	0.22	008.08	0
008	Fiber (%)	0413	11.950	0.50000	11.843	0.48277	0.29366	49	0.22	008.08	0
008	Fiber (%)	0354	11.955	0.11000	11.843	0.48277	0.29366	49	0.23	008.08	0
008	Fiber (%)	0581	11.955	0.51000	11.843	0.48277	0.29366	49	0.23	008.08	0
008	Fiber (%)	0948	11.980	0.20000	11.843	0.48277	0.29366	49	0.28	008.02	0
008	Fiber (%)	0675	12.045	0.03000	11.843	0.48277	0.29366	49	0.42	008.02	0
008	Fiber (%)	0035	12.070	0.02000	11.843	0.48277	0.29366	49	0.47	008.02	0
008	Fiber (%)	0148	12.075	0.05000	11.843	0.48277	0.29366	49	0.48	008.02	0
008	Fiber (%)	0106	12.090	0.14000	11.843	0.48277	0.29366	49	0.51	008.08	0
008	Fiber (%)	0592	12.095	0.13000	11.843	0.48277	0.29366	49	0.52	008.08	0
008	Fiber (%)	0609	12.105	0.09000	11.843	0.48277	0.29366	49	0.54	008.02	0
008	Fiber (%)	0083	12.120	0.40000	11.843	0.48277	0.29366	49	0.57	008.08	0
008	Fiber (%)	2012	12.125	0.55000	11.843	0.48277	0.29366	49	0.59	008.08	0
008	Fiber (%)	0723	12.230	0.00000	11.843	0.48277	0.29366	49	0.80	008.08	0
008	Fiber (%)	0407	12.235	0.31000	11.843	0.48277	0.29366	49	0.81	008.08	0
008	Fiber (%)	0045	12.250	0.90000	11.843	0.48277	0.29366	49	0.84	008.08	0
008	Fiber (%)	0353	12.300	0.56000	11.843	0.48277	0.29366	49	0.95	008.02	0
008	Fiber (%)	0510	12.500	0.20000	11.843	0.48277	0.29366	49	1.36	008.08	0
008	Fiber (%)	0646	12.635	0.25000	11.843	0.48277	0.29366	49	1.64	008.08	0
008	Fiber (%)	0849	12.705	0.29000	11.843	0.48277	0.29366	49	1.79	008.08	0
008	Fiber (%)	0066	12.845	0.71000	11.843	0.48277	0.29366	49	2.08	008.08	0
008	Fiber (%)	0405	22.875	0.09000	11.843	0.48277	0.29366	49	22.85	008.02	0
008	Fiber (%)	0720	25.615	0.11000	11.843	0.48277	0.29366	49	28.53	008.99	0
008	Fiber (%)	0693	12.320	1.6200	11.843	0.48277	0.29366	49	0.99	008.08	1
009	Fiber (%)	0720	11.465	0.01000	20.407	1.2273	0.51477	44	-7.29	009.99	0
009	Fiber (%)	2004	18.200	0.60000	20.407	1.2273	0.51477	44	-1.80	009.09	0
009	Fiber (%)	0278	18.650	0.10000	20.407	1.2273	0.51477	44	-1.43	009.09	0
009	Fiber (%)	0294	18.750	0.10000	20.407	1.2273	0.51477	44	-1.35	009.09	0
009	Fiber (%)	0609	18.780	0.26000	20.407	1.2273	0.51477	44	-1.33	009.07	0
009	Fiber (%)	0889	18.805	0.91000	20.407	1.2273	0.51477	44	-1.31	009.09	0
009	Fiber (%)	0049	19.055	0.63000	20.407	1.2273	0.51477	44	-1.10	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
009	Fiber (%)	0187	19.095	0.05000	20.407	1.2273	0.51477	44	-1.07	009.07	0
009	Fiber (%)	0263	19.215	0.19000	20.407	1.2273	0.51477	44	-0.97	009.09	0
009	Fiber (%)	0581	19.355	0.29000	20.407	1.2273	0.51477	44	-0.86	009.09	0
009	Fiber (%)	0045	19.550	0.30000	20.407	1.2273	0.51477	44	-0.70	009.09	0
009	Fiber (%)	0353	19.565	0.81000	20.407	1.2273	0.51477	44	-0.69	009.07	0
009	Fiber (%)	0948	19.615	0.07000	20.407	1.2273	0.51477	44	-0.64	009.09	0
009	Fiber (%)	0164	20.000	0.00000	20.407	1.2273	0.51477	44	-0.33	009.09	0
009	Fiber (%)	0912	20.000	0.00000	20.407	1.2273	0.51477	44	-0.33	009.09	0
009	Fiber (%)	0354	20.110	0.08000	20.407	1.2273	0.51477	44	-0.24	009.09	0
009	Fiber (%)	0357	20.150	1.7000	20.407	1.2273	0.51477	44	-0.21	009.09	0
009	Fiber (%)	0956	20.200	0.20000	20.407	1.2273	0.51477	44	-0.17	009.09	0
009	Fiber (%)	0675	20.250	0.02000	20.407	1.2273	0.51477	44	-0.13	009.07	0
009	Fiber (%)	0413	20.300	1.8000	20.407	1.2273	0.51477	44	-0.09	009.09	0
009	Fiber (%)	0613	20.345	1.6500	20.407	1.2273	0.51477	44	-0.05	009.09	0
009	Fiber (%)	0510	20.400	0.00000	20.407	1.2273	0.51477	44	-0.01	009.09	0
009	Fiber (%)	0728	20.505	0.25000	20.407	1.2273	0.51477	44	0.08	009.99	0
009	Fiber (%)	0870	20.538	0.16540	20.407	1.2273	0.51477	44	0.11	009.09	0
009	Fiber (%)	0106	20.555	0.05000	20.407	1.2273	0.51477	44	0.12	009.09	0
009	Fiber (%)	0693	20.575	0.71000	20.407	1.2273	0.51477	44	0.14	009.09	0
009	Fiber (%)	2011	20.730	0.82000	20.407	1.2273	0.51477	44	0.26	009.07	0
009	Fiber (%)	0918	20.784	0.05200	20.407	1.2273	0.51477	44	0.31	009.09	0
009	Fiber (%)	0297	20.880	0.08000	20.407	1.2273	0.51477	44	0.39	009.09	0
009	Fiber (%)	2012	20.910	0.76000	20.407	1.2273	0.51477	44	0.41	009.09	0
009	Fiber (%)	0098	21.050	0.90000	20.407	1.2273	0.51477	44	0.52	009.07	0
009	Fiber (%)	0849	21.060	0.12000	20.407	1.2273	0.51477	44	0.53	009.09	0
009	Fiber (%)	0939	21.065	2.0700	20.407	1.2273	0.51477	44	0.54	009.09	0
009	Fiber (%)	0723	21.180	0.00000	20.407	1.2273	0.51477	44	0.63	009.09	0
009	Fiber (%)	0968	21.180	0.64000	20.407	1.2273	0.51477	44	0.63	009.09	0
009	Fiber (%)	0309	21.302	0.19240	20.407	1.2273	0.51477	44	0.73	009.07	0
009	Fiber (%)	0646	21.365	0.27000	20.407	1.2273	0.51477	44	0.78	009.09	0
009	Fiber (%)	0083	21.375	1.4300	20.407	1.2273	0.51477	44	0.79	009.09	0
009	Fiber (%)	0407	22.525	0.45000	20.407	1.2273	0.51477	44	1.73	009.09	0
009	Fiber (%)	0178	22.560	0.64000	20.407	1.2273	0.51477	44	1.75	009.09	0
009	Fiber (%)	0066	23.300	1.0400	20.407	1.2273	0.51477	44	2.36	009.09	0
009	Fiber (%)	0001	24.135	0.27000	20.407	1.2273	0.51477	44	3.04	009.09	0
009	Fiber (%)	0504	25.035	1.4700	20.407	1.2273	0.51477	44	3.77	009.04	0
009	Fiber (%)	0265	27.250	0.50000	20.407	1.2273	0.51477	44	5.58	009.09	0
010	Moisture (%)	0952	3.3800	0.02000	9.4443	0.72862	0.09646	16	-8.32	010.99	0
010	Moisture (%)	0852	6.8050	0.09000	9.4443	0.72862	0.09646	16	-3.62	010.11	0
010	Moisture (%)	0889	8.2700	0.06000	9.4443	0.72862	0.09646	16	-1.61	010.11	0
010	Moisture (%)	0967	8.3100	0.00000	9.4443	0.72862	0.09646	16	-1.56	010.99	0
010	Moisture (%)	0168	8.9450	0.05000	9.4443	0.72862	0.09646	16	-0.69	010.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
010	Moisture (%)	0720	9.1500	0.02000	9.4443	0.72862	0.09646	16	-0.40	010.11	0
010	Moisture (%)	0208	9.4500	0.04000	9.4443	0.72862	0.09646	16	0.01	010.03	0
010	Moisture (%)	0722	9.5469	0.01330	9.4443	0.72862	0.09646	16	0.14	010.99	0
010	Moisture (%)	0405	9.6200	0.02000	9.4443	0.72862	0.09646	16	0.24	010.99	0
010	Moisture (%)	0939	9.7000	0.28000	9.4443	0.72862	0.09646	16	0.35	010.99	0
010	Moisture (%)	0948	9.7300	0.06000	9.4443	0.72862	0.09646	16	0.39	010.99	0
010	Moisture (%)	0164	9.9550	0.41000	9.4443	0.72862	0.09646	16	0.70	010.03	0
010	Moisture (%)	0951	9.9800	0.16000	9.4443	0.72862	0.09646	16	0.74	010.11	0
010	Moisture (%)	0884	10.060	0.10000	9.4443	0.72862	0.09646	16	0.84	010.99	0
010	Moisture (%)	2004	10.150	0.10000	9.4443	0.72862	0.09646	16	0.97	010.99	0
010	Moisture (%)	0943	10.870	0.12000	9.4443	0.72862	0.09646	16	1.96	010.99	0
010	Moisture (%)	0843	10.160	0.68000	9.4443	0.72862	0.09646	16	0.98	010.03	1
011	Loss on Drying (%)	2016	9.0950	0.03000	10.815	0.42868	0.11499	77	-4.01	011.01	0
011	Loss on Drying (%)	0874	9.7500	0.08000	10.815	0.42868	0.11499	77	-2.49	011.01	0
011	Loss on Drying (%)	0646	9.8750	0.21000	10.815	0.42868	0.11499	77	-2.19	011.01	0
011	Loss on Drying (%)	0885	10.060	0.08000	10.815	0.42868	0.11499	77	-1.76	011.03	0
011	Loss on Drying (%)	0294	10.100	0.20000	10.815	0.42868	0.11499	77	-1.67	011.01	0
011	Loss on Drying (%)	0650	10.220	0.12000	10.815	0.42868	0.11499	77	-1.39	011.01	0
011	Loss on Drying (%)	0682	10.280	0.04000	10.815	0.42868	0.11499	77	-1.25	011.01	0
011	Loss on Drying (%)	0857	10.300	0.00000	10.815	0.42868	0.11499	77	-1.20	011.99	0
011	Loss on Drying (%)	0960	10.315	0.45000	10.815	0.42868	0.11499	77	-1.17	011.01	0
011	Loss on Drying (%)	0870	10.323	0.13700	10.815	0.42868	0.11499	77	-1.15	011.01	0
011	Loss on Drying (%)	0265	10.350	0.10000	10.815	0.42868	0.11499	77	-1.09	011.01	0
011	Loss on Drying (%)	0942	10.350	0.10000	10.815	0.42868	0.11499	77	-1.09	011.02	0
011	Loss on Drying (%)	0226	10.360	0.06000	10.815	0.42868	0.11499	77	-1.06	011.01	0
011	Loss on Drying (%)	0298	10.380	0.02000	10.815	0.42868	0.11499	77	-1.02	011.01	0
011	Loss on Drying (%)	0539	10.405	0.05000	10.815	0.42868	0.11499	77	-0.96	011.01	0
011	Loss on Drying (%)	0675	10.430	0.02000	10.815	0.42868	0.11499	77	-0.90	011.01	0
011	Loss on Drying (%)	2006	10.430	0.04000	10.815	0.42868	0.11499	77	-0.90	011.01	0
011	Loss on Drying (%)	0178	10.440	0.24000	10.815	0.42868	0.11499	77	-0.88	011.01	0
011	Loss on Drying (%)	0171	10.510	0.00000	10.815	0.42868	0.11499	77	-0.71	011.01	0
011	Loss on Drying (%)	0968	10.528	0.01500	10.815	0.42868	0.11499	77	-0.67	011.01	0
011	Loss on Drying (%)	0953	10.530	0.06000	10.815	0.42868	0.11499	77	-0.67	011.01	0
011	Loss on Drying (%)	0066	10.555	0.03000	10.815	0.42868	0.11499	77	-0.61	011.01	0
011	Loss on Drying (%)	0852	10.555	0.07000	10.815	0.42868	0.11499	77	-0.61	011.99	0
011	Loss on Drying (%)	0233	10.605	0.21000	10.815	0.42868	0.11499	77	-0.49	011.01	0
011	Loss on Drying (%)	0843	10.615	0.37000	10.815	0.42868	0.11499	77	-0.47	011.01	0
011	Loss on Drying (%)	0510	10.650	0.10000	10.815	0.42868	0.11499	77	-0.39	011.01	0
011	Loss on Drying (%)	0175	10.650	0.30000	10.815	0.42868	0.11499	77	-0.39	011.01	0
011	Loss on Drying (%)	0674	10.655	0.07000	10.815	0.42868	0.11499	77	-0.37	011.01	0
011	Loss on Drying (%)	0541	10.675	0.59000	10.815	0.42868	0.11499	77	-0.33	011.99	0
011	Loss on Drying (%)	0358	10.685	0.03000	10.815	0.42868	0.11499	77	-0.30	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0354	10.705	0.01000	10.815	0.42868	0.11499	77	-0.26	011.01	0
011	Loss on Drying (%)	0148	10.730	0.14000	10.815	0.42868	0.11499	77	-0.20	011.01	0
011	Loss on Drying (%)	0848	10.735	0.19000	10.815	0.42868	0.11499	77	-0.19	011.01	0
011	Loss on Drying (%)	0876	10.750	0.10000	10.815	0.42868	0.11499	77	-0.15	011.01	0
011	Loss on Drying (%)	0574	10.760	0.08000	10.815	0.42868	0.11499	77	-0.13	011.01	0
011	Loss on Drying (%)	0685	10.770	0.06000	10.815	0.42868	0.11499	77	-0.11	011.01	0
011	Loss on Drying (%)	0152	10.800	0.00000	10.815	0.42868	0.11499	77	-0.04	011.01	0
011	Loss on Drying (%)	0208	10.800	0.20000	10.815	0.42868	0.11499	77	-0.04	011.01	0
011	Loss on Drying (%)	0552	10.810	0.02000	10.815	0.42868	0.11499	77	-0.01	011.01	0
011	Loss on Drying (%)	0881	10.828	0.02300	10.815	0.42868	0.11499	77	0.03	011.01	0
011	Loss on Drying (%)	2067	10.837	0.09000	10.815	0.42868	0.11499	77	0.05	011.01	0
011	Loss on Drying (%)	0681	10.855	0.03000	10.815	0.42868	0.11499	77	0.09	011.03	0
011	Loss on Drying (%)	0033	10.865	0.05000	10.815	0.42868	0.11499	77	0.12	011.01	0
011	Loss on Drying (%)	0723	10.880	0.00000	10.815	0.42868	0.11499	77	0.15	011.01	0
011	Loss on Drying (%)	0511	10.930	0.14000	10.815	0.42868	0.11499	77	0.27	011.01	0
011	Loss on Drying (%)	0598	10.930	0.24000	10.815	0.42868	0.11499	77	0.27	011.01	0
011	Loss on Drying (%)	0596	10.945	0.05000	10.815	0.42868	0.11499	77	0.30	011.01	0
011	Loss on Drying (%)	0651	10.955	0.00600	10.815	0.42868	0.11499	77	0.33	011.01	0
011	Loss on Drying (%)	0722	10.957	0.01690	10.815	0.42868	0.11499	77	0.33	011.01	0
011	Loss on Drying (%)	0861	10.980	0.04000	10.815	0.42868	0.11499	77	0.38	011.01	0
011	Loss on Drying (%)	0955	11.000	0.00000	10.815	0.42868	0.11499	77	0.43	011.01	0
011	Loss on Drying (%)	0008	11.005	0.15000	10.815	0.42868	0.11499	77	0.44	011.01	0
011	Loss on Drying (%)	0553	11.025	0.25000	10.815	0.42868	0.11499	77	0.49	011.01	0
011	Loss on Drying (%)	0229	11.040	0.02000	10.815	0.42868	0.11499	77	0.52	011.01	0
011	Loss on Drying (%)	0098	11.045	0.07000	10.815	0.42868	0.11499	77	0.54	011.01	0
011	Loss on Drying (%)	0959	11.045	0.27000	10.815	0.42868	0.11499	77	0.54	011.01	0
011	Loss on Drying (%)	0660	11.055	0.39000	10.815	0.42868	0.11499	77	0.56	011.01	0
011	Loss on Drying (%)	0620	11.066	0.00610	10.815	0.42868	0.11499	77	0.59	011.01	0
011	Loss on Drying (%)	2023	11.085	0.01000	10.815	0.42868	0.11499	77	0.63	011.02	0
011	Loss on Drying (%)	0164	11.185	0.03000	10.815	0.42868	0.11499	77	0.86	011.01	0
011	Loss on Drying (%)	0520	11.185	0.05000	10.815	0.42868	0.11499	77	0.86	011.01	0
011	Loss on Drying (%)	2022	11.195	0.13000	10.815	0.42868	0.11499	77	0.89	011.01	0
011	Loss on Drying (%)	0541	11.235	0.29000	10.815	0.42868	0.11499	77	0.98	011.01	0
011	Loss on Drying (%)	0957	11.255	0.45000	10.815	0.42868	0.11499	77	1.03	011.01	0
011	Loss on Drying (%)	0144	11.260	0.10000	10.815	0.42868	0.11499	77	1.04	011.01	0
011	Loss on Drying (%)	0138	11.282	0.03700	10.815	0.42868	0.11499	77	1.09	011.01	0
011	Loss on Drying (%)	0205	11.290	0.28000	10.815	0.42868	0.11499	77	1.11	011.01	0
011	Loss on Drying (%)	0589	11.310	0.08000	10.815	0.42868	0.11499	77	1.15	011.01	0
011	Loss on Drying (%)	0100	11.330	0.06000	10.815	0.42868	0.11499	77	1.20	011.01	0
011	Loss on Drying (%)	0123	11.365	0.07000	10.815	0.42868	0.11499	77	1.28	011.01	0
011	Loss on Drying (%)	0202	11.375	0.05000	10.815	0.42868	0.11499	77	1.31	011.01	0
011	Loss on Drying (%)	0563	11.436	0.04290	10.815	0.42868	0.11499	77	1.45	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0958	11.495	0.01000	10.815	0.42868	0.11499	77	1.59	011.01	0
011	Loss on Drying (%)	0309	11.595	0.13000	10.815	0.42868	0.11499	77	1.82	011.01	0
011	Loss on Drying (%)	0407	11.670	0.02000	10.815	0.42868	0.11499	77	1.99	011.01	0
011	Loss on Drying (%)	0913	11.755	0.31000	10.815	0.42868	0.11499	77	2.19	011.01	0
011	Loss on Drying (%)	0728	11.900	0.24000	10.815	0.42868	0.11499	77	2.53	011.01	0
011	Loss on Drying (%)	0062	10.105	0.61000	10.815	0.42868	0.11499	77	-1.66	011.01	1
011	Loss on Drying (%)	0108	10.615	0.63000	10.815	0.42868	0.11499	77	-0.47	011.01	1
011	Loss on Drying (%)	0961	11.010	0.64000	10.815	0.42868	0.11499	77	0.45	011.01	1
012	Starch (%)	0278	3.5500	0.10000	4.4778	0.72923	0.15337	29	-1.27	012.04	0
012	Starch (%)	0723	3.5820	0.00000	4.4778	0.72923	0.15337	29	-1.23	012.00	0
012	Starch (%)	0676	3.6500	0.10000	4.4778	0.72923	0.15337	29	-1.14	012.01	0
012	Starch (%)	0870	3.7362	0.15660	4.4778	0.72923	0.15337	29	-1.02	012.01	0
012	Starch (%)	0265	3.7500	0.30000	4.4778	0.72923	0.15337	29	-1.00	012.01	0
012	Starch (%)	0956	3.8000	0.20000	4.4778	0.72923	0.15337	29	-0.93	012.01	0
012	Starch (%)	0297	3.8250	0.01000	4.4778	0.72923	0.15337	29	-0.90	012.03	0
012	Starch (%)	0407	4.0250	0.11000	4.4778	0.72923	0.15337	29	-0.62	012.03	0
012	Starch (%)	0353	4.0400	0.04000	4.4778	0.72923	0.15337	29	-0.60	012.04	0
012	Starch (%)	2023	4.1500	0.30000	4.4778	0.72923	0.15337	29	-0.45	012.00	0
012	Starch (%)	0613	4.1600	0.00000	4.4778	0.72923	0.15337	29	-0.44	012.01	0
012	Starch (%)	0178	4.1800	0.10000	4.4778	0.72923	0.15337	29	-0.41	012.00	0
012	Starch (%)	0098	4.1900	0.10000	4.4778	0.72923	0.15337	29	-0.39	012.03	0
012	Starch (%)	0510	4.2000	0.20000	4.4778	0.72923	0.15337	29	-0.38	012.04	0
012	Starch (%)	0354	4.2950	0.03000	4.4778	0.72923	0.15337	29	-0.25	012.00	0
012	Starch (%)	0920	4.5100	0.08000	4.4778	0.72923	0.15337	29	0.04	012.00	0
012	Starch (%)	0918	4.5525	0.20100	4.4778	0.72923	0.15337	29	0.10	012.01	0
012	Starch (%)	0619	4.5650	0.01000	4.4778	0.72923	0.15337	29	0.12	012.00	0
012	Starch (%)	0609	4.7000	0.38000	4.4778	0.72923	0.15337	29	0.30	012.00	0
012	Starch (%)	0948	4.7900	0.34000	4.4778	0.72923	0.15337	29	0.43	012.04	0
012	Starch (%)	2004	4.8350	0.59000	4.4778	0.72923	0.15337	29	0.49	012.01	0
012	Starch (%)	0889	5.1450	0.05000	4.4778	0.72923	0.15337	29	0.91	012.03	0
012	Starch (%)	0951	5.3150	0.45000	4.4778	0.72923	0.15337	29	1.15	012.11	0
012	Starch (%)	0951	5.3300	0.00000	4.4778	0.72923	0.15337	29	1.17	012.00	0
012	Starch (%)	0106	5.5450	0.11000	4.4778	0.72923	0.15337	29	1.46	012.04	0
012	Starch (%)	0689	6.0000	0.20000	4.4778	0.72923	0.15337	29	2.09	012.00	0
012	Starch (%)	0682	6.1700	0.08000	4.4778	0.72923	0.15337	29	2.32	012.00	0
012	Starch (%)	0889	6.4600	0.20000	4.4778	0.72923	0.15337	29	2.72	012.11	0
012	Starch (%)	0720	12.085	0.01000	4.4778	0.72923	0.15337	29	10.43	012.11	0
013	Fat (%)	0618	3.7300	0.22000	5.2723	0.61417	0.16860	58	-2.51	013.08	0
013	Fat (%)	0951	3.7750	0.13000	5.2723	0.61417	0.16860	58	-2.44	013.00	0
013	Fat (%)	0845	3.9000	0.18000	5.2723	0.61417	0.16860	58	-2.23	013.10	0
013	Fat (%)	0035	3.9650	0.13000	5.2723	0.61417	0.16860	58	-2.13	013.08	0
013	Fat (%)	0951	4.1000	0.20000	5.2723	0.61417	0.16860	58	-1.91	013.12	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0083	4.3000	0.10000	5.2723	0.61417	0.16860	58	-1.58	013.00	0
013 Fat (%)		0615	4.3650	0.25000	5.2723	0.61417	0.16860	58	-1.48	013.00	0
013 Fat (%)		0853	4.3900	0.08000	5.2723	0.61417	0.16860	58	-1.44	013.02	0
013 Fat (%)		0884	4.6400	0.38000	5.2723	0.61417	0.16860	58	-1.03	013.00	0
013 Fat (%)		0689	4.7000	0.00000	5.2723	0.61417	0.16860	58	-0.93	013.00	0
013 Fat (%)		2006	4.7250	0.05000	5.2723	0.61417	0.16860	58	-0.89	013.00	0
013 Fat (%)		2006	4.7250	0.05000	5.2723	0.61417	0.16860	58	-0.89	013.10	0
013 Fat (%)		0948	4.8800	0.16000	5.2723	0.61417	0.16860	58	-0.64	013.00	0
013 Fat (%)		0682	4.8950	0.07000	5.2723	0.61417	0.16860	58	-0.61	013.02	0
013 Fat (%)		2058	4.8950	0.15000	5.2723	0.61417	0.16860	58	-0.61	013.02	0
013 Fat (%)		0870	4.9400	0.30020	5.2723	0.61417	0.16860	58	-0.54	013.02	0
013 Fat (%)		2004	5.0000	0.00000	5.2723	0.61417	0.16860	58	-0.44	013.00	0
013 Fat (%)		0910	5.0400	0.20000	5.2723	0.61417	0.16860	58	-0.38	013.00	0
013 Fat (%)		0504	5.0800	0.08000	5.2723	0.61417	0.16860	58	-0.31	013.00	0
013 Fat (%)		0581	5.0800	0.52000	5.2723	0.61417	0.16860	58	-0.31	013.13	0
013 Fat (%)		2003	5.1050	0.43000	5.2723	0.61417	0.16860	58	-0.27	013.10	0
013 Fat (%)		0652	5.1500	0.10000	5.2723	0.61417	0.16860	58	-0.20	013.10	0
013 Fat (%)		0297	5.1550	0.01000	5.2723	0.61417	0.16860	58	-0.19	013.00	0
013 Fat (%)		0681	5.1700	0.14000	5.2723	0.61417	0.16860	58	-0.17	013.00	0
013 Fat (%)		0148	5.1700	0.06000	5.2723	0.61417	0.16860	58	-0.17	013.02	0
013 Fat (%)		0618	5.1750	0.37000	5.2723	0.61417	0.16860	58	-0.16	013.00	0
013 Fat (%)		0643	5.1900	0.12000	5.2723	0.61417	0.16860	58	-0.13	013.02	0
013 Fat (%)		0957	5.2150	0.23000	5.2723	0.61417	0.16860	58	-0.09	013.02	0
013 Fat (%)		0164	5.2300	0.16000	5.2723	0.61417	0.16860	58	-0.07	013.02	0
013 Fat (%)		0354	5.2450	0.03000	5.2723	0.61417	0.16860	58	-0.04	013.02	0
013 Fat (%)		0171	5.2650	0.21000	5.2723	0.61417	0.16860	58	-0.01	013.02	0
013 Fat (%)		0008	5.3100	0.10000	5.2723	0.61417	0.16860	58	0.06	013.02	0
013 Fat (%)		0660	5.3650	0.19000	5.2723	0.61417	0.16860	58	0.15	013.10	0
013 Fat (%)		0033	5.3750	0.01000	5.2723	0.61417	0.16860	58	0.17	013.10	0
013 Fat (%)		0961	5.4050	0.07000	5.2723	0.61417	0.16860	58	0.22	013.12	0
013 Fat (%)		0675	5.4450	0.03000	5.2723	0.61417	0.16860	58	0.28	013.02	0
013 Fat (%)		0229	5.4600	0.04000	5.2723	0.61417	0.16860	58	0.31	013.00	0
013 Fat (%)		0874	5.4900	0.30000	5.2723	0.61417	0.16860	58	0.35	013.00	0
013 Fat (%)		0960	5.4900	0.20000	5.2723	0.61417	0.16860	58	0.35	013.02	0
013 Fat (%)		0016	5.5300	0.04000	5.2723	0.61417	0.16860	58	0.42	013.02	0
013 Fat (%)		0555	5.5500	0.70000	5.2723	0.61417	0.16860	58	0.45	013.00	0
013 Fat (%)		0100	5.6650	0.41000	5.2723	0.61417	0.16860	58	0.64	013.02	0
013 Fat (%)		0353	5.7200	0.30000	5.2723	0.61417	0.16860	58	0.73	013.10	0
013 Fat (%)		2023	5.7500	0.16000	5.2723	0.61417	0.16860	58	0.78	013.00	0
013 Fat (%)		0968	5.7630	0.01400	5.2723	0.61417	0.16860	58	0.80	013.10	0
013 Fat (%)		0202	5.7900	0.00000	5.2723	0.61417	0.16860	58	0.84	013.00	0
013 Fat (%)		0958	5.8600	0.08000	5.2723	0.61417	0.16860	58	0.96	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013	Fat (%)	0309	5.8670	0.01450	5.2723	0.61417	0.16860	58	0.97	013.00	0
013	Fat (%)	2016	5.9150	0.07000	5.2723	0.61417	0.16860	58	1.05	013.02	0
013	Fat (%)	0553	5.9500	0.36000	5.2723	0.61417	0.16860	58	1.10	013.02	0
013	Fat (%)	0098	5.9800	0.06000	5.2723	0.61417	0.16860	58	1.15	013.02	0
013	Fat (%)	0337	5.9950	0.39000	5.2723	0.61417	0.16860	58	1.18	013.02	0
013	Fat (%)	0265	6.0000	0.00000	5.2723	0.61417	0.16860	58	1.18	013.13	0
013	Fat (%)	0695	6.0750	0.05000	5.2723	0.61417	0.16860	58	1.31	013.00	0
013	Fat (%)	0959	6.1000	0.72000	5.2723	0.61417	0.16860	58	1.35	013.02	0
013	Fat (%)	0943	6.1250	0.09000	5.2723	0.61417	0.16860	58	1.39	013.02	0
013	Fat (%)	0650	6.4300	0.04000	5.2723	0.61417	0.16860	58	1.88	013.02	0
013	Fat (%)	0861	6.6850	0.23000	5.2723	0.61417	0.16860	58	2.30	013.00	0
013	Fat (%)	0003	4.8550	0.89000	5.2723	0.61417	0.16860	58	-0.68	013.02	1
015	Aluminum (mg / kg (ppm))	2058	70.030	1.8800	104.91	21.530	10.553	15	-1.62	015.43	0
015	Aluminum (mg / kg (ppm))	0510	71.000	4.0000	104.91	21.530	10.553	15	-1.57	015.43	0
015	Aluminum (mg / kg (ppm))	0353	72.310	10.380	104.91	21.530	10.553	15	-1.51	015.43	0
015	Aluminum (mg / kg (ppm))	0297	93.000	36.000	104.91	21.530	10.553	15	-0.55	015.43	0
015	Aluminum (mg / kg (ppm))	0560	98.200	5.2000	104.91	21.530	10.553	15	-0.31	015.42	0
015	Aluminum (mg / kg (ppm))	0164	99.500	1.0000	104.91	21.530	10.553	15	-0.25	015.41	0
015	Aluminum (mg / kg (ppm))	0345	105.00	6.0000	104.91	21.530	10.553	15	0.00	015.43	0
015	Aluminum (mg / kg (ppm))	0918	107.18	6.6840	104.91	21.530	10.553	15	0.11	015.43	0
015	Aluminum (mg / kg (ppm))	0964	108.47	6.0800	104.91	21.530	10.553	15	0.17	015.41	0
015	Aluminum (mg / kg (ppm))	0011	111.84	0.82250	104.91	21.530	10.553	15	0.32	015.41	0
015	Aluminum (mg / kg (ppm))	0049	112.50	1.3500	104.91	21.530	10.553	15	0.35	015.41	0
015	Aluminum (mg / kg (ppm))	0520	124.05	42.900	104.91	21.530	10.553	15	0.89	015.41	0
015	Aluminum (mg / kg (ppm))	0553	125.00	16.000	104.91	21.530	10.553	15	0.93	015.53	0
015	Aluminum (mg / kg (ppm))	0169	129.50	3.0000	104.91	21.530	10.553	15	1.14	015.43	0
015	Aluminum (mg / kg (ppm))	0171	132.50	17.000	104.91	21.530	10.553	15	1.28	015.41	0
017	Boron (mg / kg (ppm))	0345	11.400	0.80000	14.181	1.6572	0.86727	11	-1.68	017.43	0
017	Boron (mg / kg (ppm))	0297	11.500	1.0000	14.181	1.6572	0.86727	11	-1.62	017.43	0
017	Boron (mg / kg (ppm))	0353	13.185	2.0300	14.181	1.6572	0.86727	11	-0.60	017.43	0
017	Boron (mg / kg (ppm))	0045	13.800	1.4000	14.181	1.6572	0.86727	11	-0.23	017.42	0
017	Boron (mg / kg (ppm))	0510	14.000	0.00000	14.181	1.6572	0.86727	11	-0.11	017.43	0
017	Boron (mg / kg (ppm))	0693	14.095	0.65000	14.181	1.6572	0.86727	11	-0.05	017.42	0
017	Boron (mg / kg (ppm))	0358	14.190	0.56000	14.181	1.6572	0.86727	11	0.01	017.41	0
017	Boron (mg / kg (ppm))	0918	14.220	0.58000	14.181	1.6572	0.86727	11	0.02	017.43	0
017	Boron (mg / kg (ppm))	0049	16.475	0.91000	14.181	1.6572	0.86727	11	1.38	017.41	0
017	Boron (mg / kg (ppm))	0560	16.775	1.1500	14.181	1.6572	0.86727	11	1.57	017.42	0
017	Boron (mg / kg (ppm))	0294	18.370	0.46000	14.181	1.6572	0.86727	11	2.53	017.42	0
019	Calcium (%)	0889	2.5900	0.14000	3.9175	0.19408	0.07681	152	-6.84	019.99	0
019	Calcium (%)	0852	2.9500	0.10000	3.9175	0.19408	0.07681	152	-4.99	019.99	0
019	Calcium (%)	0852	3.0500	0.10000	3.9175	0.19408	0.07681	152	-4.47	019.08	0
019	Calcium (%)	0508	3.0527	0.11070	3.9175	0.19408	0.07681	152	-4.46	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0405	3.2600	0.04000	3.9175	0.19408	0.07681	152	-3.39	019.41	0
019	Calcium (%)	0337	3.2950	0.05000	3.9175	0.19408	0.07681	152	-3.21	019.00	0
019	Calcium (%)	0139	3.3175	0.08500	3.9175	0.19408	0.07681	152	-3.09	019.31	0
019	Calcium (%)	0154	3.3917	0.21350	3.9175	0.19408	0.07681	152	-2.71	019.52	0
019	Calcium (%)	0298	3.5000	0.02000	3.9175	0.19408	0.07681	152	-2.15	019.41	0
019	Calcium (%)	0035	3.5045	0.05100	3.9175	0.19408	0.07681	152	-2.13	019.32	0
019	Calcium (%)	0895	3.5450	0.01000	3.9175	0.19408	0.07681	152	-1.92	019.00	0
019	Calcium (%)	0629	3.5450	0.01000	3.9175	0.19408	0.07681	152	-1.92	019.08	0
019	Calcium (%)	0142	3.5740	0.00800	3.9175	0.19408	0.07681	152	-1.77	019.31	0
019	Calcium (%)	0019	3.5850	0.07000	3.9175	0.19408	0.07681	152	-1.71	019.41	0
019	Calcium (%)	0968	3.6025	0.00700	3.9175	0.19408	0.07681	152	-1.62	019.43	0
019	Calcium (%)	0552	3.6050	0.05000	3.9175	0.19408	0.07681	152	-1.61	019.00	0
019	Calcium (%)	0511	3.6200	0.06000	3.9175	0.19408	0.07681	152	-1.53	019.41	0
019	Calcium (%)	0613	3.6200	0.26000	3.9175	0.19408	0.07681	152	-1.53	019.42	0
019	Calcium (%)	0951	3.6420	0.02600	3.9175	0.19408	0.07681	152	-1.42	019.31	0
019	Calcium (%)	0108	3.6450	0.31000	3.9175	0.19408	0.07681	152	-1.40	019.31	0
019	Calcium (%)	0144	3.6550	0.01000	3.9175	0.19408	0.07681	152	-1.35	019.41	0
019	Calcium (%)	0689	3.6700	0.10000	3.9175	0.19408	0.07681	152	-1.28	019.08	0
019	Calcium (%)	0036	3.6726	0.01490	3.9175	0.19408	0.07681	152	-1.26	019.43	0
019	Calcium (%)	0016	3.6750	0.15000	3.9175	0.19408	0.07681	152	-1.25	019.52	0
019	Calcium (%)	0553	3.6850	0.23000	3.9175	0.19408	0.07681	152	-1.20	019.41	0
019	Calcium (%)	0692	3.6850	0.03000	3.9175	0.19408	0.07681	152	-1.20	019.42	0
019	Calcium (%)	0345	3.6875	0.07500	3.9175	0.19408	0.07681	152	-1.19	019.43	0
019	Calcium (%)	0536	3.6950	0.05000	3.9175	0.19408	0.07681	152	-1.15	019.31	0
019	Calcium (%)	0629	3.6950	0.01000	3.9175	0.19408	0.07681	152	-1.15	019.43	0
019	Calcium (%)	0035	3.7070	0.15600	3.9175	0.19408	0.07681	152	-1.08	019.42	0
019	Calcium (%)	0572	3.7265	0.07300	3.9175	0.19408	0.07681	152	-0.98	019.53	0
019	Calcium (%)	0510	3.7450	0.09000	3.9175	0.19408	0.07681	152	-0.89	019.43	0
019	Calcium (%)	0018	3.7500	0.16000	3.9175	0.19408	0.07681	152	-0.86	019.41	0
019	Calcium (%)	0685	3.7500	0.02000	3.9175	0.19408	0.07681	152	-0.86	019.41	0
019	Calcium (%)	0039	3.7512	0.02910	3.9175	0.19408	0.07681	152	-0.86	019.31	0
019	Calcium (%)	0001	3.7520	0.07400	3.9175	0.19408	0.07681	152	-0.85	019.31	0
019	Calcium (%)	0265	3.7550	0.19000	3.9175	0.19408	0.07681	152	-0.84	019.42	0
019	Calcium (%)	0940	3.7600	0.16000	3.9175	0.19408	0.07681	152	-0.81	019.08	0
019	Calcium (%)	0175	3.7600	0.02000	3.9175	0.19408	0.07681	152	-0.81	019.31	0
019	Calcium (%)	0720	3.7750	0.03000	3.9175	0.19408	0.07681	152	-0.73	019.41	0
019	Calcium (%)	0354	3.8000	0.00000	3.9175	0.19408	0.07681	152	-0.61	019.31	0
019	Calcium (%)	0848	3.8000	0.10000	3.9175	0.19408	0.07681	152	-0.61	019.41	0
019	Calcium (%)	0353	3.8050	0.25000	3.9175	0.19408	0.07681	152	-0.58	019.43	0
019	Calcium (%)	0171	3.8150	0.01000	3.9175	0.19408	0.07681	152	-0.53	019.41	0
019	Calcium (%)	0689	3.8200	0.00000	3.9175	0.19408	0.07681	152	-0.50	019.31	0
019	Calcium (%)	0948	3.8450	0.01000	3.9175	0.19408	0.07681	152	-0.37	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0849	3.8470	0.00600	3.9175	0.19408	0.07681	152	-0.36	019.08	0
019	Calcium (%)	0723	3.8542	0.00000	3.9175	0.19408	0.07681	152	-0.33	019.31	0
019	Calcium (%)	0726	3.8560	0.00400	3.9175	0.19408	0.07681	152	-0.32	019.42	0
019	Calcium (%)	0651	3.8580	0.00000	3.9175	0.19408	0.07681	152	-0.31	019.00	0
019	Calcium (%)	2053	3.8600	0.02000	3.9175	0.19408	0.07681	152	-0.30	019.42	0
019	Calcium (%)	0910	3.8650	0.13000	3.9175	0.19408	0.07681	152	-0.27	019.41	0
019	Calcium (%)	0921	3.8660	0.00000	3.9175	0.19408	0.07681	152	-0.27	019.31	0
019	Calcium (%)	0881	3.8725	0.02100	3.9175	0.19408	0.07681	152	-0.23	019.00	0
019	Calcium (%)	0042	3.8750	0.01000	3.9175	0.19408	0.07681	152	-0.22	019.42	0
019	Calcium (%)	0357	3.8750	0.11000	3.9175	0.19408	0.07681	152	-0.22	019.42	0
019	Calcium (%)	0038	3.8750	0.13000	3.9175	0.19408	0.07681	152	-0.22	019.43	0
019	Calcium (%)	0004	3.8800	0.08000	3.9175	0.19408	0.07681	152	-0.19	019.41	0
019	Calcium (%)	2011	3.8850	0.03000	3.9175	0.19408	0.07681	152	-0.17	019.00	0
019	Calcium (%)	0681	3.8900	0.04000	3.9175	0.19408	0.07681	152	-0.14	019.00	0
019	Calcium (%)	0897	3.8900	0.00000	3.9175	0.19408	0.07681	152	-0.14	019.00	0
019	Calcium (%)	0891	3.8950	0.05000	3.9175	0.19408	0.07681	152	-0.12	019.00	0
019	Calcium (%)	0358	3.8950	0.09000	3.9175	0.19408	0.07681	152	-0.12	019.41	0
019	Calcium (%)	2023	3.8950	0.11000	3.9175	0.19408	0.07681	152	-0.12	019.41	0
019	Calcium (%)	0620	3.8965	0.01280	3.9175	0.19408	0.07681	152	-0.11	019.00	0
019	Calcium (%)	0555	3.9000	0.20000	3.9175	0.19408	0.07681	152	-0.09	019.42	0
019	Calcium (%)	0208	3.9050	0.13000	3.9175	0.19408	0.07681	152	-0.06	019.31	0
019	Calcium (%)	0675	3.9050	0.05000	3.9175	0.19408	0.07681	152	-0.06	019.43	0
019	Calcium (%)	2065	3.9150	0.01000	3.9175	0.19408	0.07681	152	-0.01	019.00	0
019	Calcium (%)	0619	3.9150	0.01000	3.9175	0.19408	0.07681	152	-0.01	019.41	0
019	Calcium (%)	0152	3.9200	0.12000	3.9175	0.19408	0.07681	152	0.01	019.31	0
019	Calcium (%)	0233	3.9250	0.03000	3.9175	0.19408	0.07681	152	0.04	019.31	0
019	Calcium (%)	0868	3.9250	0.03000	3.9175	0.19408	0.07681	152	0.04	019.31	0
019	Calcium (%)	0563	3.9282	0.02510	3.9175	0.19408	0.07681	152	0.05	019.31	0
019	Calcium (%)	0937	3.9300	0.02000	3.9175	0.19408	0.07681	152	0.06	019.00	0
019	Calcium (%)	0674	3.9300	0.02000	3.9175	0.19408	0.07681	152	0.06	019.31	0
019	Calcium (%)	0008	3.9300	0.06000	3.9175	0.19408	0.07681	152	0.06	019.43	0
019	Calcium (%)	0590	3.9300	0.00000	3.9175	0.19408	0.07681	152	0.06	019.08	0
019	Calcium (%)	0089	3.9300	0.00000	3.9175	0.19408	0.07681	152	0.06	019.41	0
019	Calcium (%)	0676	3.9300	0.08000	3.9175	0.19408	0.07681	152	0.06	019.99	0
019	Calcium (%)	0263	3.9332	0.01340	3.9175	0.19408	0.07681	152	0.08	019.32	0
019	Calcium (%)	0903	3.9350	0.01000	3.9175	0.19408	0.07681	152	0.09	019.00	0
019	Calcium (%)	2068	3.9400	0.00000	3.9175	0.19408	0.07681	152	0.12	019.00	0
019	Calcium (%)	0033	3.9450	0.05000	3.9175	0.19408	0.07681	152	0.14	019.43	0
019	Calcium (%)	0885	3.9500	0.00000	3.9175	0.19408	0.07681	152	0.17	019.08	0
019	Calcium (%)	0098	3.9500	0.02000	3.9175	0.19408	0.07681	152	0.17	019.41	0
019	Calcium (%)	0014	3.9600	0.14000	3.9175	0.19408	0.07681	152	0.22	019.31	0
019	Calcium (%)	0964	3.9638	0.29430	3.9175	0.19408	0.07681	152	0.24	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0190	3.9650	0.05000	3.9175	0.19408	0.07681	152	0.24	019.42	0
019	Calcium (%)	2042	3.9750	0.01000	3.9175	0.19408	0.07681	152	0.30	019.08	0
019	Calcium (%)	2022	3.9750	0.03000	3.9175	0.19408	0.07681	152	0.30	019.31	0
019	Calcium (%)	0693	3.9800	0.26000	3.9175	0.19408	0.07681	152	0.32	019.42	0
019	Calcium (%)	0229	3.9850	0.01000	3.9175	0.19408	0.07681	152	0.35	019.41	0
019	Calcium (%)	0278	3.9900	0.12000	3.9175	0.19408	0.07681	152	0.37	019.42	0
019	Calcium (%)	0169	3.9950	0.03000	3.9175	0.19408	0.07681	152	0.40	019.32	0
019	Calcium (%)	0609	3.9950	0.01000	3.9175	0.19408	0.07681	152	0.40	019.32	0
019	Calcium (%)	2012	3.9950	0.01000	3.9175	0.19408	0.07681	152	0.40	019.41	0
019	Calcium (%)	0123	4.0000	0.06000	3.9175	0.19408	0.07681	152	0.43	019.41	0
019	Calcium (%)	0413	4.0000	0.00000	3.9175	0.19408	0.07681	152	0.43	019.41	0
019	Calcium (%)	0955	4.0000	0.04000	3.9175	0.19408	0.07681	152	0.43	019.44	0
019	Calcium (%)	0106	4.0050	0.09000	3.9175	0.19408	0.07681	152	0.45	019.42	0
019	Calcium (%)	0205	4.0100	0.04000	3.9175	0.19408	0.07681	152	0.48	019.42	0
019	Calcium (%)	0297	4.0100	0.10000	3.9175	0.19408	0.07681	152	0.48	019.43	0
019	Calcium (%)	0874	4.0105	0.02300	3.9175	0.19408	0.07681	152	0.48	019.31	0
019	Calcium (%)	0049	4.0150	0.01000	3.9175	0.19408	0.07681	152	0.50	019.41	0
019	Calcium (%)	0098	4.0150	0.03000	3.9175	0.19408	0.07681	152	0.50	019.43	0
019	Calcium (%)	0425	4.0150	0.03000	3.9175	0.19408	0.07681	152	0.50	019.43	0
019	Calcium (%)	2058	4.0150	0.19000	3.9175	0.19408	0.07681	152	0.50	019.43	0
019	Calcium (%)	0646	4.0200	0.06000	3.9175	0.19408	0.07681	152	0.53	019.00	0
019	Calcium (%)	0202	4.0200	0.06000	3.9175	0.19408	0.07681	152	0.53	019.42	0
019	Calcium (%)	2009	4.0276	0.03570	3.9175	0.19408	0.07681	152	0.57	019.08	0
019	Calcium (%)	0164	4.0300	0.00000	3.9175	0.19408	0.07681	152	0.58	019.41	0
019	Calcium (%)	0003	4.0400	0.10000	3.9175	0.19408	0.07681	152	0.63	019.41	0
019	Calcium (%)	0028	4.0450	0.09000	3.9175	0.19408	0.07681	152	0.66	019.43	0
019	Calcium (%)	2074	4.0500	0.10000	3.9175	0.19408	0.07681	152	0.68	019.42	0
019	Calcium (%)	0870	4.0515	0.22900	3.9175	0.19408	0.07681	152	0.69	019.42	0
019	Calcium (%)	0964	4.0518	0.23480	3.9175	0.19408	0.07681	152	0.69	019.43	0
019	Calcium (%)	2062	4.0521	0.01220	3.9175	0.19408	0.07681	152	0.69	019.00	0
019	Calcium (%)	0011	4.0536	0.01420	3.9175	0.19408	0.07681	152	0.70	019.41	0
019	Calcium (%)	0294	4.0550	0.07000	3.9175	0.19408	0.07681	152	0.71	019.42	0
019	Calcium (%)	2004	4.0550	0.29000	3.9175	0.19408	0.07681	152	0.71	019.44	0
019	Calcium (%)	0598	4.0630	0.00200	3.9175	0.19408	0.07681	152	0.75	019.41	0
019	Calcium (%)	0168	4.0695	0.12900	3.9175	0.19408	0.07681	152	0.78	019.43	0
019	Calcium (%)	0138	4.0795	0.10300	3.9175	0.19408	0.07681	152	0.83	019.08	0
019	Calcium (%)	0187	4.0800	0.04000	3.9175	0.19408	0.07681	152	0.84	019.42	0
019	Calcium (%)	0047	4.0800	0.20000	3.9175	0.19408	0.07681	152	0.84	019.52	0
019	Calcium (%)	0036	4.0878	0.07710	3.9175	0.19408	0.07681	152	0.88	019.03	0
019	Calcium (%)	2006	4.0985	0.05500	3.9175	0.19408	0.07681	152	0.93	019.09	0
019	Calcium (%)	2006	4.0985	0.05500	3.9175	0.19408	0.07681	152	0.93	019.99	0
019	Calcium (%)	0178	4.1030	0.01200	3.9175	0.19408	0.07681	152	0.96	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0083	4.1100	0.04000	3.9175	0.19408	0.07681	152	0.99	019.41	0
019	Calcium (%)	0612	4.1100	0.08000	3.9175	0.19408	0.07681	152	0.99	019.32	0
019	Calcium (%)	0148	4.1170	0.00200	3.9175	0.19408	0.07681	152	1.03	019.41	0
019	Calcium (%)	0687	4.1250	0.05000	3.9175	0.19408	0.07681	152	1.07	019.31	0
019	Calcium (%)	2006	4.1275	0.00900	3.9175	0.19408	0.07681	152	1.08	019.00	0
019	Calcium (%)	0884	4.1400	0.10000	3.9175	0.19408	0.07681	152	1.15	019.31	0
019	Calcium (%)	0010	4.1400	0.28000	3.9175	0.19408	0.07681	152	1.15	019.33	0
019	Calcium (%)	0300	4.1730	0.22200	3.9175	0.19408	0.07681	152	1.32	019.41	0
019	Calcium (%)	0918	4.1745	0.26700	3.9175	0.19408	0.07681	152	1.32	019.43	0
019	Calcium (%)	0226	4.1900	0.02000	3.9175	0.19408	0.07681	152	1.40	019.41	0
019	Calcium (%)	0560	4.1900	0.08000	3.9175	0.19408	0.07681	152	1.40	019.42	0
019	Calcium (%)	0939	4.2150	0.37000	3.9175	0.19408	0.07681	152	1.53	019.31	0
019	Calcium (%)	0407	4.2200	0.08000	3.9175	0.19408	0.07681	152	1.56	019.41	0
019	Calcium (%)	0695	4.2270	0.00600	3.9175	0.19408	0.07681	152	1.59	019.41	0
019	Calcium (%)	0045	4.2400	0.08000	3.9175	0.19408	0.07681	152	1.66	019.42	0
019	Calcium (%)	0722	4.2631	0.03630	3.9175	0.19408	0.07681	152	1.78	019.32	0
019	Calcium (%)	0100	4.2900	0.36000	3.9175	0.19408	0.07681	152	1.92	019.99	0
019	Calcium (%)	0650	4.3350	0.19000	3.9175	0.19408	0.07681	152	2.15	019.31	0
019	Calcium (%)	0066	4.4200	0.02000	3.9175	0.19408	0.07681	152	2.59	019.31	0
019	Calcium (%)	0199	4.4450	0.11000	3.9175	0.19408	0.07681	152	2.72	019.43	0
019	Calcium (%)	0682	4.4600	0.04000	3.9175	0.19408	0.07681	152	2.80	019.41	0
019	Calcium (%)	0504	4.5445	0.20100	3.9175	0.19408	0.07681	152	3.23	019.32	0
019	Calcium (%)	0520	3.6800	0.64000	3.9175	0.19408	0.07681	152	-1.22	019.41	1
019	Calcium (%)	0017	3.8100	1.0400	3.9175	0.19408	0.07681	152	-0.55	019.43	1
019	Calcium (%)	0208	3.9890	0.53000	3.9175	0.19408	0.07681	152	0.37	019.41	1
019	Calcium (%)	2055	4.4000	0.88000	3.9175	0.19408	0.07681	152	2.49	019.53	1
019	Calcium (%)	0505	1.1600	0.04000	3.9175	0.19408	0.07681	152	-14.21	019.31	2
021	Cobalt (mg / kg (ppm))	0619	0.66250	0.11300	1.3380	0.22714	0.18170	19	-2.97	021.41	0
021	Cobalt (mg / kg (ppm))	0693	0.90500	0.07000	1.3380	0.22714	0.18170	19	-1.91	021.00	0
021	Cobalt (mg / kg (ppm))	0345	0.93000	0.02000	1.3380	0.22714	0.18170	19	-1.80	021.43	0
021	Cobalt (mg / kg (ppm))	0560	1.0495	0.16100	1.3380	0.22714	0.18170	19	-1.27	021.42	0
021	Cobalt (mg / kg (ppm))	0199	1.0850	0.07000	1.3380	0.22714	0.18170	19	-1.11	021.53	0
021	Cobalt (mg / kg (ppm))	0555	1.1000	0.20000	1.3380	0.22714	0.18170	19	-1.05	021.52	0
021	Cobalt (mg / kg (ppm))	0098	1.1765	0.25900	1.3380	0.22714	0.18170	19	-0.71	021.52	0
021	Cobalt (mg / kg (ppm))	0011	1.2860	0.05100	1.3380	0.22714	0.18170	19	-0.23	021.41	0
021	Cobalt (mg / kg (ppm))	0918	1.3890	0.04000	1.3380	0.22714	0.18170	19	0.22	021.53	0
021	Cobalt (mg / kg (ppm))	0164	1.4000	0.20000	1.3380	0.22714	0.18170	19	0.27	021.31	0
021	Cobalt (mg / kg (ppm))	0106	1.4100	0.04000	1.3380	0.22714	0.18170	19	0.32	021.42	0
021	Cobalt (mg / kg (ppm))	0169	1.4450	0.05000	1.3380	0.22714	0.18170	19	0.47	021.43	0
021	Cobalt (mg / kg (ppm))	0964	1.4478	0.16570	1.3380	0.22714	0.18170	19	0.48	021.41	0
021	Cobalt (mg / kg (ppm))	0553	1.4550	0.15000	1.3380	0.22714	0.18170	19	0.52	021.53	0
021	Cobalt (mg / kg (ppm))	0964	1.4802	0.02560	1.3380	0.22714	0.18170	19	0.63	021.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
021	Cobalt (mg / kg (ppm))	0510	1.5250	0.11000	1.3380	0.22714	0.18170	19	0.82	021.43	0
021	Cobalt (mg / kg (ppm))	2055	1.5375	0.52700	1.3380	0.22714	0.18170	19	0.88	021.53	0
021	Cobalt (mg / kg (ppm))	0003	1.6200	0.60000	1.3380	0.22714	0.18170	19	1.24	021.43	0
021	Cobalt (mg / kg (ppm))	2074	1.7000	0.60000	1.3380	0.22714	0.18170	19	1.59	021.42	0
022	Copper (mg / kg (ppm))	0536	0.00320	0.00020	11.219	1.5612	0.64506	75	-7.18	022.31	0
022	Copper (mg / kg (ppm))	0265	8.0000	2.0000	11.219	1.5612	0.64506	75	-2.06	022.42	0
022	Copper (mg / kg (ppm))	0345	8.3000	0.40000	11.219	1.5612	0.64506	75	-1.87	022.43	0
022	Copper (mg / kg (ppm))	0629	8.5900	0.00000	11.219	1.5612	0.64506	75	-1.68	022.43	0
022	Copper (mg / kg (ppm))	0199	8.7700	0.34000	11.219	1.5612	0.64506	75	-1.57	022.53	0
022	Copper (mg / kg (ppm))	0613	8.9850	0.69000	11.219	1.5612	0.64506	75	-1.43	022.42	0
022	Copper (mg / kg (ppm))	0294	9.4100	0.22000	11.219	1.5612	0.64506	75	-1.16	022.42	0
022	Copper (mg / kg (ppm))	0353	9.4750	0.35000	11.219	1.5612	0.64506	75	-1.12	022.43	0
022	Copper (mg / kg (ppm))	0297	9.5000	1.0000	11.219	1.5612	0.64506	75	-1.10	022.43	0
022	Copper (mg / kg (ppm))	0508	9.7266	0.47720	11.219	1.5612	0.64506	75	-0.96	022.43	0
022	Copper (mg / kg (ppm))	0723	9.8198	0.00000	11.219	1.5612	0.64506	75	-0.90	022.31	0
022	Copper (mg / kg (ppm))	0510	10.000	0.00000	11.219	1.5612	0.64506	75	-0.78	022.43	0
022	Copper (mg / kg (ppm))	0968	10.000	0.00000	11.219	1.5612	0.64506	75	-0.78	022.43	0
022	Copper (mg / kg (ppm))	0100	10.000	0.00000	11.219	1.5612	0.64506	75	-0.78	022.99	0
022	Copper (mg / kg (ppm))	0168	10.015	1.0300	11.219	1.5612	0.64506	75	-0.77	022.43	0
022	Copper (mg / kg (ppm))	0011	10.020	0.44000	11.219	1.5612	0.64506	75	-0.77	022.41	0
022	Copper (mg / kg (ppm))	2023	10.035	0.53000	11.219	1.5612	0.64506	75	-0.76	022.53	0
022	Copper (mg / kg (ppm))	0425	10.100	0.00000	11.219	1.5612	0.64506	75	-0.72	022.43	0
022	Copper (mg / kg (ppm))	0208	10.129	1.5830	11.219	1.5612	0.64506	75	-0.70	022.41	0
022	Copper (mg / kg (ppm))	0278	10.150	0.10000	11.219	1.5612	0.64506	75	-0.68	022.42	0
022	Copper (mg / kg (ppm))	0918	10.270	0.48000	11.219	1.5612	0.64506	75	-0.61	022.43	0
022	Copper (mg / kg (ppm))	0148	10.350	0.44000	11.219	1.5612	0.64506	75	-0.56	022.41	0
022	Copper (mg / kg (ppm))	0964	10.377	0.83580	11.219	1.5612	0.64506	75	-0.54	022.41	0
022	Copper (mg / kg (ppm))	0692	10.400	0.00000	11.219	1.5612	0.64506	75	-0.52	022.42	0
022	Copper (mg / kg (ppm))	0083	10.500	1.0000	11.219	1.5612	0.64506	75	-0.46	022.41	0
022	Copper (mg / kg (ppm))	0229	10.500	1.0000	11.219	1.5612	0.64506	75	-0.46	022.41	0
022	Copper (mg / kg (ppm))	0555	10.500	3.0000	11.219	1.5612	0.64506	75	-0.46	022.42	0
022	Copper (mg / kg (ppm))	0169	10.500	0.20000	11.219	1.5612	0.64506	75	-0.46	022.43	0
022	Copper (mg / kg (ppm))	0572	10.500	0.60000	11.219	1.5612	0.64506	75	-0.46	022.53	0
022	Copper (mg / kg (ppm))	2058	10.570	0.28000	11.219	1.5612	0.64506	75	-0.42	022.43	0
022	Copper (mg / kg (ppm))	0553	10.600	0.40000	11.219	1.5612	0.64506	75	-0.40	022.41	0
022	Copper (mg / kg (ppm))	0682	10.760	0.08000	11.219	1.5612	0.64506	75	-0.29	022.41	0
022	Copper (mg / kg (ppm))	0555	10.800	2.4000	11.219	1.5612	0.64506	75	-0.27	022.52	0
022	Copper (mg / kg (ppm))	0504	10.830	0.04000	11.219	1.5612	0.64506	75	-0.25	022.32	0
022	Copper (mg / kg (ppm))	0358	10.980	0.40000	11.219	1.5612	0.64506	75	-0.15	022.41	0
022	Copper (mg / kg (ppm))	0868	11.000	0.00000	11.219	1.5612	0.64506	75	-0.14	022.31	0
022	Copper (mg / kg (ppm))	0164	11.000	0.00000	11.219	1.5612	0.64506	75	-0.14	022.41	0
022	Copper (mg / kg (ppm))	0357	11.000	0.00000	11.219	1.5612	0.64506	75	-0.14	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0413	11.000	0.80000	11.219	1.5612	0.64506	75	-0.14	022.42	0
022	Copper (mg / kg (ppm))	0008	11.050	1.3000	11.219	1.5612	0.64506	75	-0.11	022.43	0
022	Copper (mg / kg (ppm))	0520	11.110	3.3200	11.219	1.5612	0.64506	75	-0.07	022.41	0
022	Copper (mg / kg (ppm))	2004	11.350	0.10000	11.219	1.5612	0.64506	75	0.08	022.44	0
022	Copper (mg / kg (ppm))	0098	11.375	0.77000	11.219	1.5612	0.64506	75	0.10	022.43	0
022	Copper (mg / kg (ppm))	0598	11.395	0.01000	11.219	1.5612	0.64506	75	0.11	022.41	0
022	Copper (mg / kg (ppm))	0035	11.415	0.03000	11.219	1.5612	0.64506	75	0.13	022.42	0
022	Copper (mg / kg (ppm))	0178	11.420	2.3000	11.219	1.5612	0.64506	75	0.13	022.31	0
022	Copper (mg / kg (ppm))	0693	11.480	3.1800	11.219	1.5612	0.64506	75	0.17	022.42	0
022	Copper (mg / kg (ppm))	0629	11.500	1.0000	11.219	1.5612	0.64506	75	0.18	022.31	0
022	Copper (mg / kg (ppm))	0560	11.600	0.00000	11.219	1.5612	0.64506	75	0.24	022.42	0
022	Copper (mg / kg (ppm))	0033	11.730	0.24000	11.219	1.5612	0.64506	75	0.33	022.43	0
022	Copper (mg / kg (ppm))	0045	11.850	0.30000	11.219	1.5612	0.64506	75	0.40	022.42	0
022	Copper (mg / kg (ppm))	0171	11.950	0.70000	11.219	1.5612	0.64506	75	0.47	022.41	0
022	Copper (mg / kg (ppm))	0870	11.985	0.63000	11.219	1.5612	0.64506	75	0.49	022.42	0
022	Copper (mg / kg (ppm))	0964	11.985	0.17000	11.219	1.5612	0.64506	75	0.49	022.43	0
022	Copper (mg / kg (ppm))	0049	12.155	0.29000	11.219	1.5612	0.64506	75	0.60	022.41	0
022	Copper (mg / kg (ppm))	0948	12.340	0.26000	11.219	1.5612	0.64506	75	0.72	022.33	0
022	Copper (mg / kg (ppm))	0674	12.800	0.02000	11.219	1.5612	0.64506	75	1.01	022.31	0
022	Copper (mg / kg (ppm))	0038	12.940	0.12000	11.219	1.5612	0.64506	75	1.10	022.32	0
022	Copper (mg / kg (ppm))	0405	13.000	0.00000	11.219	1.5612	0.64506	75	1.14	022.41	0
022	Copper (mg / kg (ppm))	0202	13.030	0.02000	11.219	1.5612	0.64506	75	1.16	022.42	0
022	Copper (mg / kg (ppm))	0354	13.125	0.09000	11.219	1.5612	0.64506	75	1.22	022.31	0
022	Copper (mg / kg (ppm))	0609	13.155	0.43000	11.219	1.5612	0.64506	75	1.24	022.32	0
022	Copper (mg / kg (ppm))	0695	13.215	0.67800	11.219	1.5612	0.64506	75	1.28	022.41	0
022	Copper (mg / kg (ppm))	0187	13.400	0.20000	11.219	1.5612	0.64506	75	1.40	022.42	0
022	Copper (mg / kg (ppm))	0106	13.600	0.00000	11.219	1.5612	0.64506	75	1.53	022.42	0
022	Copper (mg / kg (ppm))	0003	14.000	0.00000	11.219	1.5612	0.64506	75	1.78	022.41	0
022	Copper (mg / kg (ppm))	0407	14.055	2.0900	11.219	1.5612	0.64506	75	1.82	022.41	0
022	Copper (mg / kg (ppm))	0563	14.265	0.31000	11.219	1.5612	0.64506	75	1.95	022.31	0
022	Copper (mg / kg (ppm))	0689	14.300	0.20000	11.219	1.5612	0.64506	75	1.97	022.31	0
022	Copper (mg / kg (ppm))	0098	14.450	1.8400	11.219	1.5612	0.64506	75	2.07	022.41	0
022	Copper (mg / kg (ppm))	0675	15.300	1.3200	11.219	1.5612	0.64506	75	2.61	022.43	0
022	Copper (mg / kg (ppm))	0035	15.595	1.1500	11.219	1.5612	0.64506	75	2.80	022.32	0
022	Copper (mg / kg (ppm))	2012	15.910	3.1200	11.219	1.5612	0.64506	75	3.00	022.41	0
022	Copper (mg / kg (ppm))	0951	16.000	0.20000	11.219	1.5612	0.64506	75	3.06	022.31	0
022	Copper (mg / kg (ppm))	0720	18.260	0.87500	11.219	1.5612	0.64506	75	4.51	022.41	0
022	Copper (mg / kg (ppm))	0226	11.500	5.0000	11.219	1.5612	0.64506	75	0.18	022.41	1
022	Copper (mg / kg (ppm))	2055	18.000	6.0000	11.219	1.5612	0.64506	75	4.34	022.53	1
022	Copper (mg / kg (ppm))	0042	23.800	7.0000	11.219	1.5612	0.64506	75	8.06	022.42	1
022	Copper (mg / kg (ppm))	0505	278.00	4.0000	11.219	1.5612	0.64506	75	170.89	022.31	2
023	Fluorine (%)	0619	8.6150	0.33000			0.33000	1			

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0613	168.80	1.4000	257.45	22.997	8.3018	89	-3.85	025.42	0
025	Iron (mg / kg (ppm))	0555	190.00	20.000	257.45	22.997	8.3018	89	-2.93	025.42	0
025	Iron (mg / kg (ppm))	2023	199.50	1.0000	257.45	22.997	8.3018	89	-2.52	025.43	0
025	Iron (mg / kg (ppm))	0154	199.84	4.4100	257.45	22.997	8.3018	89	-2.51	025.52	0
025	Iron (mg / kg (ppm))	0951	203.35	8.9000	257.45	22.997	8.3018	89	-2.35	025.31	0
025	Iron (mg / kg (ppm))	0948	204.60	0.89000	257.45	22.997	8.3018	89	-2.30	025.33	0
025	Iron (mg / kg (ppm))	0297	207.50	17.000	257.45	22.997	8.3018	89	-2.17	025.43	0
025	Iron (mg / kg (ppm))	0187	214.10	1.9600	257.45	22.997	8.3018	89	-1.89	025.42	0
025	Iron (mg / kg (ppm))	0405	214.50	13.000	257.45	22.997	8.3018	89	-1.87	025.41	0
025	Iron (mg / kg (ppm))	0098	217.70	7.8000	257.45	22.997	8.3018	89	-1.73	025.43	0
025	Iron (mg / kg (ppm))	0619	218.50	3.0000	257.45	22.997	8.3018	89	-1.69	025.41	0
025	Iron (mg / kg (ppm))	0955	218.50	9.0000	257.45	22.997	8.3018	89	-1.69	025.41	0
025	Iron (mg / kg (ppm))	0918	222.79	24.350	257.45	22.997	8.3018	89	-1.51	025.43	0
025	Iron (mg / kg (ppm))	0278	226.00	2.0000	257.45	22.997	8.3018	89	-1.37	025.42	0
025	Iron (mg / kg (ppm))	0610	228.00	8.0000	257.45	22.997	8.3018	89	-1.28	025.41	0
025	Iron (mg / kg (ppm))	0413	232.50	15.000	257.45	22.997	8.3018	89	-1.08	025.42	0
025	Iron (mg / kg (ppm))	0345	234.00	2.0000	257.45	22.997	8.3018	89	-1.02	025.43	0
025	Iron (mg / kg (ppm))	0265	238.50	13.000	257.45	22.997	8.3018	89	-0.82	025.42	0
025	Iron (mg / kg (ppm))	0169	239.50	5.0000	257.45	22.997	8.3018	89	-0.78	025.43	0
025	Iron (mg / kg (ppm))	0511	240.50	15.000	257.45	22.997	8.3018	89	-0.74	025.41	0
025	Iron (mg / kg (ppm))	0168	240.65	0.30000	257.45	22.997	8.3018	89	-0.73	025.43	0
025	Iron (mg / kg (ppm))	0106	241.00	0.00000	257.45	22.997	8.3018	89	-0.72	025.42	0
025	Iron (mg / kg (ppm))	0629	242.00	0.00000	257.45	22.997	8.3018	89	-0.67	025.43	0
025	Iron (mg / kg (ppm))	0510	243.00	0.00000	257.45	22.997	8.3018	89	-0.63	025.43	0
025	Iron (mg / kg (ppm))	0199	243.50	1.2000	257.45	22.997	8.3018	89	-0.61	025.53	0
025	Iron (mg / kg (ppm))	0520	244.60	40.400	257.45	22.997	8.3018	89	-0.56	025.41	0
025	Iron (mg / kg (ppm))	0555	245.00	50.000	257.45	22.997	8.3018	89	-0.54	025.52	0
025	Iron (mg / kg (ppm))	0968	246.00	0.00000	257.45	22.997	8.3018	89	-0.50	025.43	0
025	Iron (mg / kg (ppm))	0910	249.00	18.000	257.45	22.997	8.3018	89	-0.37	025.41	0
025	Iron (mg / kg (ppm))	0726	249.05	1.1000	257.45	22.997	8.3018	89	-0.37	025.42	0
025	Iron (mg / kg (ppm))	2012	249.12	4.9700	257.45	22.997	8.3018	89	-0.36	025.41	0
025	Iron (mg / kg (ppm))	0407	249.23	5.5200	257.45	22.997	8.3018	89	-0.36	025.41	0
025	Iron (mg / kg (ppm))	0083	249.50	7.0000	257.45	22.997	8.3018	89	-0.35	025.41	0
025	Iron (mg / kg (ppm))	0695	250.11	1.3430	257.45	22.997	8.3018	89	-0.32	025.41	0
025	Iron (mg / kg (ppm))	2058	250.59	4.3300	257.45	22.997	8.3018	89	-0.30	025.43	0
025	Iron (mg / kg (ppm))	0693	253.00	16.000	257.45	22.997	8.3018	89	-0.19	025.42	0
025	Iron (mg / kg (ppm))	0353	253.35	3.7000	257.45	22.997	8.3018	89	-0.18	025.43	0
025	Iron (mg / kg (ppm))	0226	254.00	22.000	257.45	22.997	8.3018	89	-0.15	025.41	0
025	Iron (mg / kg (ppm))	2074	255.00	10.000	257.45	22.997	8.3018	89	-0.11	025.42	0
025	Iron (mg / kg (ppm))	0171	256.00	6.0000	257.45	22.997	8.3018	89	-0.06	025.41	0
025	Iron (mg / kg (ppm))	0042	256.50	3.0000	257.45	22.997	8.3018	89	-0.04	025.42	0
025	Iron (mg / kg (ppm))	0692	258.00	30.000	257.45	22.997	8.3018	89	0.02	025.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0100	258.00	6.0000	257.45	22.997	8.3018	89	0.02	025.99	0
025	Iron (mg / kg (ppm))	0560	258.50	3.0000	257.45	22.997	8.3018	89	0.05	025.42	0
025	Iron (mg / kg (ppm))	0629	259.00	10.000	257.45	22.997	8.3018	89	0.07	025.31	0
025	Iron (mg / kg (ppm))	0004	259.00	10.000	257.45	22.997	8.3018	89	0.07	025.41	0
025	Iron (mg / kg (ppm))	0870	259.00	13.600	257.45	22.997	8.3018	89	0.07	025.42	0
025	Iron (mg / kg (ppm))	0504	259.30	27.400	257.45	22.997	8.3018	89	0.08	025.32	0
025	Iron (mg / kg (ppm))	0598	260.10	4.8000	257.45	22.997	8.3018	89	0.12	025.41	0
025	Iron (mg / kg (ppm))	0098	260.40	4.8000	257.45	22.997	8.3018	89	0.13	025.41	0
025	Iron (mg / kg (ppm))	0675	261.73	1.0300	257.45	22.997	8.3018	89	0.19	025.43	0
025	Iron (mg / kg (ppm))	0868	262.00	0.00000	257.45	22.997	8.3018	89	0.20	025.31	0
025	Iron (mg / kg (ppm))	0011	263.21	1.0700	257.45	22.997	8.3018	89	0.25	025.41	0
025	Iron (mg / kg (ppm))	2004	263.50	1.0000	257.45	22.997	8.3018	89	0.26	025.41	0
025	Iron (mg / kg (ppm))	0164	264.00	4.0000	257.45	22.997	8.3018	89	0.28	025.41	0
025	Iron (mg / kg (ppm))	0553	264.00	54.000	257.45	22.997	8.3018	89	0.28	025.41	0
025	Iron (mg / kg (ppm))	0874	265.50	7.0000	257.45	22.997	8.3018	89	0.35	025.31	0
025	Iron (mg / kg (ppm))	0939	265.65	3.7000	257.45	22.997	8.3018	89	0.36	025.31	0
025	Iron (mg / kg (ppm))	0190	265.84	5.7200	257.45	22.997	8.3018	89	0.36	025.42	0
025	Iron (mg / kg (ppm))	0294	266.19	5.5800	257.45	22.997	8.3018	89	0.38	025.42	0
025	Iron (mg / kg (ppm))	0300	268.07	4.5630	257.45	22.997	8.3018	89	0.46	025.41	0
025	Iron (mg / kg (ppm))	0563	268.50	1.0000	257.45	22.997	8.3018	89	0.48	025.31	0
025	Iron (mg / kg (ppm))	0354	269.86	3.5100	257.45	22.997	8.3018	89	0.54	025.31	0
025	Iron (mg / kg (ppm))	0148	270.40	3.2000	257.45	22.997	8.3018	89	0.56	025.41	0
025	Iron (mg / kg (ppm))	0008	271.00	0.00000	257.45	22.997	8.3018	89	0.59	025.43	0
025	Iron (mg / kg (ppm))	0358	272.08	18.610	257.45	22.997	8.3018	89	0.64	025.41	0
025	Iron (mg / kg (ppm))	0049	272.30	12.010	257.45	22.997	8.3018	89	0.65	025.41	0
025	Iron (mg / kg (ppm))	0921	272.40	0.00000	257.45	22.997	8.3018	89	0.65	025.31	0
025	Iron (mg / kg (ppm))	2022	272.45	2.9000	257.45	22.997	8.3018	89	0.65	025.31	0
025	Iron (mg / kg (ppm))	0508	273.49	12.346	257.45	22.997	8.3018	89	0.70	025.43	0
025	Iron (mg / kg (ppm))	0720	274.15	3.1000	257.45	22.997	8.3018	89	0.73	025.41	0
025	Iron (mg / kg (ppm))	0689	274.75	2.1000	257.45	22.997	8.3018	89	0.75	025.31	0
025	Iron (mg / kg (ppm))	0723	276.89	0.00000	257.45	22.997	8.3018	89	0.85	025.31	0
025	Iron (mg / kg (ppm))	0964	279.31	24.980	257.45	22.997	8.3018	89	0.95	025.43	0
025	Iron (mg / kg (ppm))	0425	280.40	10.600	257.45	22.997	8.3018	89	1.00	025.43	0
025	Iron (mg / kg (ppm))	0035	282.65	4.1000	257.45	22.997	8.3018	89	1.10	025.42	0
025	Iron (mg / kg (ppm))	0038	283.00	6.0000	257.45	22.997	8.3018	89	1.11	025.31	0
025	Iron (mg / kg (ppm))	0208	283.00	2.0000	257.45	22.997	8.3018	89	1.11	025.31	0
025	Iron (mg / kg (ppm))	0964	283.36	25.750	257.45	22.997	8.3018	89	1.13	025.41	0
025	Iron (mg / kg (ppm))	0229	284.00	4.0000	257.45	22.997	8.3018	89	1.15	025.41	0
025	Iron (mg / kg (ppm))	0337	290.38	9.1000	257.45	22.997	8.3018	89	1.43	025.32	0
025	Iron (mg / kg (ppm))	0208	291.10	2.0000	257.45	22.997	8.3018	89	1.46	025.41	0
025	Iron (mg / kg (ppm))	0045	293.00	2.0000	257.45	22.997	8.3018	89	1.55	025.42	0
025	Iron (mg / kg (ppm))	0682	296.31	2.1600	257.45	22.997	8.3018	89	1.69	025.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0066	300.69	2.9600	257.45	22.997	8.3018	89	1.88	025.31	0
025	Iron (mg / kg (ppm))	0035	303.85	9.5000	257.45	22.997	8.3018	89	2.02	025.32	0
025	Iron (mg / kg (ppm))	0178	305.15	0.10000	257.45	22.997	8.3018	89	2.07	025.31	0
025	Iron (mg / kg (ppm))	0003	323.00	2.0000	257.45	22.997	8.3018	89	2.85	025.41	0
025	Iron (mg / kg (ppm))	0175	324.00	8.0000	257.45	22.997	8.3018	89	2.89	025.31	0
025	Iron (mg / kg (ppm))	2055	311.50	159.00	257.45	22.997	8.3018	89	2.35	025.53	1
025	Iron (mg / kg (ppm))	0609	664.48	7.3100	257.45	22.997	8.3018	89	17.70	025.32	2
025	Iron (mg / kg (ppm))	0505	690.00	20.000	257.45	22.997	8.3018	89	18.81	025.31	2
027	Magnesium (%)	0505	0.20650	0.00300	0.51393	0.02517	0.01444	95	-12.21	027.31	0
027	Magnesium (%)	0889	0.27500	0.01000	0.51393	0.02517	0.01444	95	-9.49	027.99	0
027	Magnesium (%)	0695	0.41550	0.00500	0.51393	0.02517	0.01444	95	-3.91	027.41	0
027	Magnesium (%)	0154	0.44145	0.02050	0.51393	0.02517	0.01444	95	-2.88	027.52	0
027	Magnesium (%)	0345	0.44950	0.00900	0.51393	0.02517	0.01444	95	-2.56	027.43	0
027	Magnesium (%)	0520	0.45500	0.09000	0.51393	0.02517	0.01444	95	-2.34	027.41	0
027	Magnesium (%)	0613	0.46000	0.04000	0.51393	0.02517	0.01444	95	-2.14	027.42	0
027	Magnesium (%)	0555	0.47000	0.00000	0.51393	0.02517	0.01444	95	-1.75	027.42	0
027	Magnesium (%)	0629	0.47000	0.00000	0.51393	0.02517	0.01444	95	-1.75	027.43	0
027	Magnesium (%)	0675	0.47000	0.00000	0.51393	0.02517	0.01444	95	-1.75	027.43	0
027	Magnesium (%)	0598	0.47460	0.00360	0.51393	0.02517	0.01444	95	-1.56	027.41	0
027	Magnesium (%)	0510	0.47500	0.01000	0.51393	0.02517	0.01444	95	-1.55	027.43	0
027	Magnesium (%)	0139	0.47675	0.00550	0.51393	0.02517	0.01444	95	-1.48	027.31	0
027	Magnesium (%)	0354	0.48000	0.02000	0.51393	0.02517	0.01444	95	-1.35	027.31	0
027	Magnesium (%)	0106	0.48000	0.00000	0.51393	0.02517	0.01444	95	-1.35	027.42	0
027	Magnesium (%)	0563	0.48180	0.00060	0.51393	0.02517	0.01444	95	-1.28	027.31	0
027	Magnesium (%)	0066	0.48500	0.01000	0.51393	0.02517	0.01444	95	-1.15	027.31	0
027	Magnesium (%)	0265	0.48500	0.05000	0.51393	0.02517	0.01444	95	-1.15	027.42	0
027	Magnesium (%)	0508	0.48780	0.00140	0.51393	0.02517	0.01444	95	-1.04	027.43	0
027	Magnesium (%)	0142	0.48850	0.00300	0.51393	0.02517	0.01444	95	-1.01	027.31	0
027	Magnesium (%)	0955	0.48950	0.03100	0.51393	0.02517	0.01444	95	-0.97	027.44	0
027	Magnesium (%)	0609	0.49500	0.01000	0.51393	0.02517	0.01444	95	-0.75	027.32	0
027	Magnesium (%)	0910	0.49500	0.01000	0.51393	0.02517	0.01444	95	-0.75	027.41	0
027	Magnesium (%)	2023	0.49900	0.01000	0.51393	0.02517	0.01444	95	-0.59	027.41	0
027	Magnesium (%)	0572	0.49960	0.01440	0.51393	0.02517	0.01444	95	-0.57	027.53	0
027	Magnesium (%)	0297	0.50000	0.02000	0.51393	0.02517	0.01444	95	-0.55	027.43	0
027	Magnesium (%)	0353	0.50000	0.02000	0.51393	0.02517	0.01444	95	-0.55	027.43	0
027	Magnesium (%)	0425	0.50000	0.00000	0.51393	0.02517	0.01444	95	-0.55	027.43	0
027	Magnesium (%)	0035	0.50120	0.00660	0.51393	0.02517	0.01444	95	-0.51	027.42	0
027	Magnesium (%)	0407	0.50150	0.00100	0.51393	0.02517	0.01444	95	-0.49	027.41	0
027	Magnesium (%)	0045	0.50200	0.01000	0.51393	0.02517	0.01444	95	-0.47	027.42	0
027	Magnesium (%)	0619	0.50350	0.00500	0.51393	0.02517	0.01444	95	-0.41	027.41	0
027	Magnesium (%)	0590	0.50500	0.01000	0.51393	0.02517	0.01444	95	-0.35	027.31	0
027	Magnesium (%)	0689	0.50500	0.01000	0.51393	0.02517	0.01444	95	-0.35	027.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0358	0.50500	0.01000	0.51393	0.02517	0.01444	95	-0.35	027.41	0
027	Magnesium (%)	2004	0.50550	0.00300	0.51393	0.02517	0.01444	95	-0.33	027.44	0
027	Magnesium (%)	0964	0.50775	0.02010	0.51393	0.02517	0.01444	95	-0.25	027.41	0
027	Magnesium (%)	0038	0.50800	0.01000	0.51393	0.02517	0.01444	95	-0.24	027.31	0
027	Magnesium (%)	2022	0.50900	0.00600	0.51393	0.02517	0.01444	95	-0.20	027.31	0
027	Magnesium (%)	0035	0.50945	0.00730	0.51393	0.02517	0.01444	95	-0.18	027.32	0
027	Magnesium (%)	0004	0.51000	0.00000	0.51393	0.02517	0.01444	95	-0.16	027.41	0
027	Magnesium (%)	0229	0.51000	0.00000	0.51393	0.02517	0.01444	95	-0.16	027.41	0
027	Magnesium (%)	0357	0.51000	0.00000	0.51393	0.02517	0.01444	95	-0.16	027.42	0
027	Magnesium (%)	0918	0.51000	0.00400	0.51393	0.02517	0.01444	95	-0.16	027.43	0
027	Magnesium (%)	0300	0.51100	0.00400	0.51393	0.02517	0.01444	95	-0.12	027.41	0
027	Magnesium (%)	0553	0.51250	0.02300	0.51393	0.02517	0.01444	95	-0.06	027.41	0
027	Magnesium (%)	0951	0.51300	0.01800	0.51393	0.02517	0.01444	95	-0.04	027.31	0
027	Magnesium (%)	0868	0.51500	0.01000	0.51393	0.02517	0.01444	95	0.04	027.31	0
027	Magnesium (%)	0939	0.51500	0.01000	0.51393	0.02517	0.01444	95	0.04	027.31	0
027	Magnesium (%)	0693	0.51500	0.01000	0.51393	0.02517	0.01444	95	0.04	027.42	0
027	Magnesium (%)	0726	0.51735	0.00030	0.51393	0.02517	0.01444	95	0.14	027.42	0
027	Magnesium (%)	0208	0.51845	0.00290	0.51393	0.02517	0.01444	95	0.18	027.31	0
027	Magnesium (%)	0175	0.52000	0.04000	0.51393	0.02517	0.01444	95	0.24	027.31	0
027	Magnesium (%)	0049	0.52000	0.00000	0.51393	0.02517	0.01444	95	0.24	027.41	0
027	Magnesium (%)	0083	0.52000	0.02000	0.51393	0.02517	0.01444	95	0.24	027.41	0
027	Magnesium (%)	0171	0.52000	0.00000	0.51393	0.02517	0.01444	95	0.24	027.41	0
027	Magnesium (%)	0413	0.52000	0.02000	0.51393	0.02517	0.01444	95	0.24	027.41	0
027	Magnesium (%)	0278	0.52000	0.00000	0.51393	0.02517	0.01444	95	0.24	027.42	0
027	Magnesium (%)	0098	0.52000	0.02000	0.51393	0.02517	0.01444	95	0.24	027.43	0
027	Magnesium (%)	2058	0.52000	0.02000	0.51393	0.02517	0.01444	95	0.24	027.43	0
027	Magnesium (%)	0208	0.52100	0.00600	0.51393	0.02517	0.01444	95	0.28	027.41	0
027	Magnesium (%)	0650	0.52210	0.01780	0.51393	0.02517	0.01444	95	0.32	027.31	0
027	Magnesium (%)	0008	0.52250	0.00900	0.51393	0.02517	0.01444	95	0.34	027.43	0
027	Magnesium (%)	0190	0.52500	0.03000	0.51393	0.02517	0.01444	95	0.44	027.42	0
027	Magnesium (%)	0294	0.52500	0.01000	0.51393	0.02517	0.01444	95	0.44	027.42	0
027	Magnesium (%)	0033	0.52500	0.01000	0.51393	0.02517	0.01444	95	0.44	027.43	0
027	Magnesium (%)	0504	0.52550	0.03900	0.51393	0.02517	0.01444	95	0.46	027.32	0
027	Magnesium (%)	0164	0.52600	0.02600	0.51393	0.02517	0.01444	95	0.48	027.41	0
027	Magnesium (%)	0169	0.53000	0.00000	0.51393	0.02517	0.01444	95	0.64	027.32	0
027	Magnesium (%)	0003	0.53000	0.02000	0.51393	0.02517	0.01444	95	0.64	027.41	0
027	Magnesium (%)	0610	0.53000	0.02000	0.51393	0.02517	0.01444	95	0.64	027.41	0
027	Magnesium (%)	0720	0.53000	0.06000	0.51393	0.02517	0.01444	95	0.64	027.41	0
027	Magnesium (%)	0187	0.53000	0.00000	0.51393	0.02517	0.01444	95	0.64	027.42	0
027	Magnesium (%)	0011	0.53150	0.00500	0.51393	0.02517	0.01444	95	0.70	027.41	0
027	Magnesium (%)	0042	0.53400	0.00200	0.51393	0.02517	0.01444	95	0.80	027.42	0
027	Magnesium (%)	0560	0.53480	0.01640	0.51393	0.02517	0.01444	95	0.83	027.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0098	0.53500	0.01000	0.51393	0.02517	0.01444	95	0.84	027.41	0
027	Magnesium (%)	2074	0.53500	0.01000	0.51393	0.02517	0.01444	95	0.84	027.42	0
027	Magnesium (%)	0202	0.54000	0.00000	0.51393	0.02517	0.01444	95	1.04	027.42	0
027	Magnesium (%)	0263	0.54190	0.00400	0.51393	0.02517	0.01444	95	1.11	027.32	0
027	Magnesium (%)	0964	0.54440	0.03160	0.51393	0.02517	0.01444	95	1.21	027.43	0
027	Magnesium (%)	0148	0.54600	0.00800	0.51393	0.02517	0.01444	95	1.27	027.41	0
027	Magnesium (%)	0968	0.54700	0.00200	0.51393	0.02517	0.01444	95	1.31	027.43	0
027	Magnesium (%)	0511	0.55000	0.14000	0.51393	0.02517	0.01444	95	1.43	027.41	0
027	Magnesium (%)	0682	0.55500	0.01000	0.51393	0.02517	0.01444	95	1.63	027.41	0
027	Magnesium (%)	0870	0.56005	0.02230	0.51393	0.02517	0.01444	95	1.83	027.42	0
027	Magnesium (%)	0100	0.56500	0.03000	0.51393	0.02517	0.01444	95	2.03	027.99	0
027	Magnesium (%)	0168	0.56800	0.00000	0.51393	0.02517	0.01444	95	2.15	027.43	0
027	Magnesium (%)	2012	0.57000	0.00000	0.51393	0.02517	0.01444	95	2.23	027.41	0
027	Magnesium (%)	0226	0.58500	0.03000	0.51393	0.02517	0.01444	95	2.82	027.41	0
027	Magnesium (%)	0405	0.61500	0.01000	0.51393	0.02517	0.01444	95	4.02	027.41	0
027	Magnesium (%)	0536	0.62000	0.02000	0.51393	0.02517	0.01444	95	4.21	027.31	0
027	Magnesium (%)	0874	0.65525	0.00430	0.51393	0.02517	0.01444	95	5.61	027.31	0
027	Magnesium (%)	0948	0.66500	0.01000	0.51393	0.02517	0.01444	95	6.00	027.33	0
027	Magnesium (%)	2055	0.71000	0.06000	0.51393	0.02517	0.01444	95	7.79	027.53	0
027	Magnesium (%)	0692	124.00	30.000	0.51393	0.02517	0.01444	95	4905.88	027.42	2
028	Manganese (mg / kg (ppm))	0536	0.06000	0.00000	116.19	9.7267	6.0964	87	-11.94	028.31	0
028	Manganese (mg / kg (ppm))	0619	86.750	5.1000	116.19	9.7267	6.0964	87	-3.03	028.41	0
028	Manganese (mg / kg (ppm))	0613	89.340	14.360	116.19	9.7267	6.0964	87	-2.76	028.42	0
028	Manganese (mg / kg (ppm))	2023	93.500	0.60000	116.19	9.7267	6.0964	87	-2.33	028.44	0
028	Manganese (mg / kg (ppm))	0955	98.700	8.6000	116.19	9.7267	6.0964	87	-1.80	028.44	0
028	Manganese (mg / kg (ppm))	0520	100.31	17.390	116.19	9.7267	6.0964	87	-1.63	028.41	0
028	Manganese (mg / kg (ppm))	2074	102.00	16.000	116.19	9.7267	6.0964	87	-1.46	028.42	0
028	Manganese (mg / kg (ppm))	0675	102.93	2.1300	116.19	9.7267	6.0964	87	-1.36	028.43	0
028	Manganese (mg / kg (ppm))	0345	104.50	3.0000	116.19	9.7267	6.0964	87	-1.20	028.43	0
028	Manganese (mg / kg (ppm))	0964	105.31	2.2900	116.19	9.7267	6.0964	87	-1.12	028.41	0
028	Manganese (mg / kg (ppm))	0511	105.50	5.0000	116.19	9.7267	6.0964	87	-1.10	028.41	0
028	Manganese (mg / kg (ppm))	0407	105.62	4.4700	116.19	9.7267	6.0964	87	-1.09	028.41	0
028	Manganese (mg / kg (ppm))	0510	106.50	3.0000	116.19	9.7267	6.0964	87	-1.00	028.43	0
028	Manganese (mg / kg (ppm))	0723	106.65	0.00000	116.19	9.7267	6.0964	87	-0.98	028.31	0
028	Manganese (mg / kg (ppm))	0208	106.90	18.410	116.19	9.7267	6.0964	87	-0.96	028.41	0
028	Manganese (mg / kg (ppm))	2058	107.17	3.8100	116.19	9.7267	6.0964	87	-0.93	028.43	0
028	Manganese (mg / kg (ppm))	0629	107.50	1.0000	116.19	9.7267	6.0964	87	-0.89	028.31	0
028	Manganese (mg / kg (ppm))	0164	107.50	1.0000	116.19	9.7267	6.0964	87	-0.89	028.41	0
028	Manganese (mg / kg (ppm))	0011	107.71	0.66000	116.19	9.7267	6.0964	87	-0.87	028.41	0
028	Manganese (mg / kg (ppm))	0413	108.50	1.0000	116.19	9.7267	6.0964	87	-0.79	028.42	0
028	Manganese (mg / kg (ppm))	0563	109.00	2.0000	116.19	9.7267	6.0964	87	-0.74	028.31	0
028	Manganese (mg / kg (ppm))	2012	109.10	1.4300	116.19	9.7267	6.0964	87	-0.73	028.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0948	109.80	2.1800	116.19	9.7267	6.0964	87	-0.66	028.33	0
028	Manganese (mg / kg (ppm))	0042	110.00	14.000	116.19	9.7267	6.0964	87	-0.64	028.42	0
028	Manganese (mg / kg (ppm))	0590	110.50	3.0000	116.19	9.7267	6.0964	87	-0.58	028.31	0
028	Manganese (mg / kg (ppm))	0629	110.50	0.00000	116.19	9.7267	6.0964	87	-0.58	028.43	0
028	Manganese (mg / kg (ppm))	0610	111.00	8.0000	116.19	9.7267	6.0964	87	-0.53	028.41	0
028	Manganese (mg / kg (ppm))	0425	111.00	4.0000	116.19	9.7267	6.0964	87	-0.53	028.43	0
028	Manganese (mg / kg (ppm))	0918	111.01	2.5500	116.19	9.7267	6.0964	87	-0.53	028.43	0
028	Manganese (mg / kg (ppm))	0300	111.16	2.1730	116.19	9.7267	6.0964	87	-0.52	028.41	0
028	Manganese (mg / kg (ppm))	0354	111.31	0.26000	116.19	9.7267	6.0964	87	-0.50	028.31	0
028	Manganese (mg / kg (ppm))	0148	111.65	2.7000	116.19	9.7267	6.0964	87	-0.47	028.41	0
028	Manganese (mg / kg (ppm))	2022	112.10	2.4000	116.19	9.7267	6.0964	87	-0.42	028.31	0
028	Manganese (mg / kg (ppm))	0689	112.90	2.0000	116.19	9.7267	6.0964	87	-0.34	028.31	0
028	Manganese (mg / kg (ppm))	0353	113.55	3.3000	116.19	9.7267	6.0964	87	-0.27	028.43	0
028	Manganese (mg / kg (ppm))	0968	114.00	2.0000	116.19	9.7267	6.0964	87	-0.23	028.43	0
028	Manganese (mg / kg (ppm))	0572	114.50	1.0000	116.19	9.7267	6.0964	87	-0.17	028.53	0
028	Manganese (mg / kg (ppm))	0508	114.97	25.560	116.19	9.7267	6.0964	87	-0.13	028.43	0
028	Manganese (mg / kg (ppm))	0178	115.00	0.80000	116.19	9.7267	6.0964	87	-0.12	028.31	0
028	Manganese (mg / kg (ppm))	0910	115.00	22.000	116.19	9.7267	6.0964	87	-0.12	028.41	0
028	Manganese (mg / kg (ppm))	0003	115.50	1.0000	116.19	9.7267	6.0964	87	-0.07	028.41	0
028	Manganese (mg / kg (ppm))	0004	116.00	8.0000	116.19	9.7267	6.0964	87	-0.02	028.41	0
028	Manganese (mg / kg (ppm))	0357	116.00	8.0000	116.19	9.7267	6.0964	87	-0.02	028.42	0
028	Manganese (mg / kg (ppm))	0049	116.01	3.3800	116.19	9.7267	6.0964	87	-0.02	028.41	0
028	Manganese (mg / kg (ppm))	0171	116.50	3.0000	116.19	9.7267	6.0964	87	0.03	028.41	0
028	Manganese (mg / kg (ppm))	0598	116.95	2.3000	116.19	9.7267	6.0964	87	0.08	028.41	0
028	Manganese (mg / kg (ppm))	0208	117.50	7.0000	116.19	9.7267	6.0964	87	0.13	028.31	0
028	Manganese (mg / kg (ppm))	0038	117.50	1.0000	116.19	9.7267	6.0964	87	0.13	028.32	0
028	Manganese (mg / kg (ppm))	0870	117.50	6.0000	116.19	9.7267	6.0964	87	0.13	028.42	0
028	Manganese (mg / kg (ppm))	0726	118.85	0.10000	116.19	9.7267	6.0964	87	0.27	028.42	0
028	Manganese (mg / kg (ppm))	0553	119.00	20.000	116.19	9.7267	6.0964	87	0.29	028.41	0
028	Manganese (mg / kg (ppm))	0939	119.41	0.70000	116.19	9.7267	6.0964	87	0.33	028.31	0
028	Manganese (mg / kg (ppm))	0190	119.89	1.1700	116.19	9.7267	6.0964	87	0.38	028.42	0
028	Manganese (mg / kg (ppm))	0695	119.96	0.37200	116.19	9.7267	6.0964	87	0.39	028.41	0
028	Manganese (mg / kg (ppm))	0682	120.00	2.0000	116.19	9.7267	6.0964	87	0.39	028.41	0
028	Manganese (mg / kg (ppm))	0175	120.50	9.0000	116.19	9.7267	6.0964	87	0.44	028.31	0
028	Manganese (mg / kg (ppm))	0083	120.50	5.0000	116.19	9.7267	6.0964	87	0.44	028.41	0
028	Manganese (mg / kg (ppm))	0278	121.00	6.0000	116.19	9.7267	6.0964	87	0.49	028.42	0
028	Manganese (mg / kg (ppm))	0358	121.29	2.5500	116.19	9.7267	6.0964	87	0.52	028.41	0
028	Manganese (mg / kg (ppm))	0199	121.35	20.300	116.19	9.7267	6.0964	87	0.53	028.53	0
028	Manganese (mg / kg (ppm))	0868	122.00	0.00000	116.19	9.7267	6.0964	87	0.60	028.31	0
028	Manganese (mg / kg (ppm))	0033	122.50	3.0000	116.19	9.7267	6.0964	87	0.65	028.43	0
028	Manganese (mg / kg (ppm))	0297	122.50	1.0000	116.19	9.7267	6.0964	87	0.65	028.43	0
028	Manganese (mg / kg (ppm))	2004	122.50	5.0000	116.19	9.7267	6.0964	87	0.65	028.44	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0202	122.51	3.0200	116.19	9.7267	6.0964	87	0.65	028.42	0
028	Manganese (mg / kg (ppm))	0964	122.91	11.360	116.19	9.7267	6.0964	87	0.69	028.43	0
028	Manganese (mg / kg (ppm))	0405	123.00	2.0000	116.19	9.7267	6.0964	87	0.70	028.41	0
028	Manganese (mg / kg (ppm))	0035	123.15	19.900	116.19	9.7267	6.0964	87	0.72	028.42	0
028	Manganese (mg / kg (ppm))	0229	123.50	3.0000	116.19	9.7267	6.0964	87	0.75	028.41	0
028	Manganese (mg / kg (ppm))	0692	124.00	30.000	116.19	9.7267	6.0964	87	0.80	028.42	0
028	Manganese (mg / kg (ppm))	0008	124.50	9.0000	116.19	9.7267	6.0964	87	0.85	028.43	0
028	Manganese (mg / kg (ppm))	0693	125.00	30.000	116.19	9.7267	6.0964	87	0.91	028.42	0
028	Manganese (mg / kg (ppm))	0560	125.50	9.0000	116.19	9.7267	6.0964	87	0.96	028.42	0
028	Manganese (mg / kg (ppm))	0098	125.55	3.3000	116.19	9.7267	6.0964	87	0.96	028.43	0
028	Manganese (mg / kg (ppm))	0169	126.00	4.0000	116.19	9.7267	6.0964	87	1.01	028.43	0
028	Manganese (mg / kg (ppm))	0504	126.75	0.70000	116.19	9.7267	6.0964	87	1.09	028.32	0
028	Manganese (mg / kg (ppm))	0609	127.02	4.2500	116.19	9.7267	6.0964	87	1.11	028.32	0
028	Manganese (mg / kg (ppm))	0187	127.34	0.30000	116.19	9.7267	6.0964	87	1.15	028.42	0
028	Manganese (mg / kg (ppm))	0226	127.50	7.0000	116.19	9.7267	6.0964	87	1.16	028.41	0
028	Manganese (mg / kg (ppm))	0098	127.60	0.20000	116.19	9.7267	6.0964	87	1.17	028.41	0
028	Manganese (mg / kg (ppm))	0100	130.00	0.00000	116.19	9.7267	6.0964	87	1.42	028.99	0
028	Manganese (mg / kg (ppm))	0294	130.18	4.4500	116.19	9.7267	6.0964	87	1.44	028.42	0
028	Manganese (mg / kg (ppm))	0106	132.50	1.0000	116.19	9.7267	6.0964	87	1.68	028.42	0
028	Manganese (mg / kg (ppm))	2055	134.85	15.700	116.19	9.7267	6.0964	87	1.92	028.53	0
028	Manganese (mg / kg (ppm))	0720	135.54	18.360	116.19	9.7267	6.0964	87	1.99	028.41	0
028	Manganese (mg / kg (ppm))	0045	136.50	21.000	116.19	9.7267	6.0964	87	2.09	028.42	0
028	Manganese (mg / kg (ppm))	0035	138.90	7.8000	116.19	9.7267	6.0964	87	2.33	028.32	0
028	Manganese (mg / kg (ppm))	0555	98.000	44.000	116.19	9.7267	6.0964	87	-1.87	028.42	1
028	Manganese (mg / kg (ppm))	0265	134.50	39.000	116.19	9.7267	6.0964	87	1.88	028.42	1
028	Manganese (mg / kg (ppm))	0555	140.00	40.000	116.19	9.7267	6.0964	87	2.45	028.52	1
028	Manganese (mg / kg (ppm))	0505	250.50	7.0000	116.19	9.7267	6.0964	87	13.81	028.31	2
031	Phosphorus (%)	0016	0.80300	0.02400	1.1165	0.04475	0.02189	146	-7.00	031.01	0
031	Phosphorus (%)	0613	0.94500	0.09000	1.1165	0.04475	0.02189	146	-3.83	031.42	0
031	Phosphorus (%)	0889	0.96000	0.02000	1.1165	0.04475	0.02189	146	-3.50	031.99	0
031	Phosphorus (%)	0692	0.97500	0.03000	1.1165	0.04475	0.02189	146	-3.16	031.42	0
031	Phosphorus (%)	0154	0.98880	0.07300	1.1165	0.04475	0.02189	146	-2.85	031.52	0
031	Phosphorus (%)	0685	1.0000	0.02000	1.1165	0.04475	0.02189	146	-2.60	031.41	0
031	Phosphorus (%)	0555	1.0000	0.00000	1.1165	0.04475	0.02189	146	-2.60	031.42	0
031	Phosphorus (%)	0337	1.0050	0.11000	1.1165	0.04475	0.02189	146	-2.49	031.01	0
031	Phosphorus (%)	0910	1.0100	0.02000	1.1165	0.04475	0.02189	146	-2.38	031.41	0
031	Phosphorus (%)	0650	1.0300	0.06000	1.1165	0.04475	0.02189	146	-1.93	031.01	0
031	Phosphorus (%)	0106	1.0300	0.00000	1.1165	0.04475	0.02189	146	-1.93	031.42	0
031	Phosphorus (%)	0609	1.0350	0.01000	1.1165	0.04475	0.02189	146	-1.82	031.01	0
031	Phosphorus (%)	0019	1.0350	0.07000	1.1165	0.04475	0.02189	146	-1.82	031.41	0
031	Phosphorus (%)	0035	1.0400	0.00600	1.1165	0.04475	0.02189	146	-1.71	031.01	0
031	Phosphorus (%)	0407	1.0400	0.02000	1.1165	0.04475	0.02189	146	-1.71	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0674	1.0500	0.00000	1.1165	0.04475	0.02189	146	-1.49	031.01	0
031	Phosphorus (%)	0089	1.0500	0.00000	1.1165	0.04475	0.02189	146	-1.49	031.41	0
031	Phosphorus (%)	0298	1.0500	0.02000	1.1165	0.04475	0.02189	146	-1.49	031.41	0
031	Phosphorus (%)	0852	1.0500	0.10000	1.1165	0.04475	0.02189	146	-1.49	031.99	0
031	Phosphorus (%)	2023	1.0550	0.03000	1.1165	0.04475	0.02189	146	-1.37	031.43	0
031	Phosphorus (%)	0035	1.0575	0.02900	1.1165	0.04475	0.02189	146	-1.32	031.42	0
031	Phosphorus (%)	0964	1.0584	0.04840	1.1165	0.04475	0.02189	146	-1.30	031.41	0
031	Phosphorus (%)	0955	1.0650	0.07000	1.1165	0.04475	0.02189	146	-1.15	031.44	0
031	Phosphorus (%)	0874	1.0664	0.01600	1.1165	0.04475	0.02189	146	-1.12	031.01	0
031	Phosphorus (%)	0144	1.0700	0.00000	1.1165	0.04475	0.02189	146	-1.04	031.41	0
031	Phosphorus (%)	0619	1.0700	0.00000	1.1165	0.04475	0.02189	146	-1.04	031.41	0
031	Phosphorus (%)	0511	1.0750	0.03000	1.1165	0.04475	0.02189	146	-0.93	031.01	0
031	Phosphorus (%)	0208	1.0800	0.06000	1.1165	0.04475	0.02189	146	-0.82	031.01	0
031	Phosphorus (%)	0939	1.0800	0.02000	1.1165	0.04475	0.02189	146	-0.82	031.01	0
031	Phosphorus (%)	0047	1.0800	0.06000	1.1165	0.04475	0.02189	146	-0.82	031.03	0
031	Phosphorus (%)	0171	1.0800	0.02000	1.1165	0.04475	0.02189	146	-0.82	031.41	0
031	Phosphorus (%)	0590	1.0800	0.04000	1.1165	0.04475	0.02189	146	-0.82	031.99	0
031	Phosphorus (%)	0676	1.0800	0.02000	1.1165	0.04475	0.02189	146	-0.82	031.99	0
031	Phosphorus (%)	0018	1.0850	0.11000	1.1165	0.04475	0.02189	146	-0.70	031.01	0
031	Phosphorus (%)	0152	1.0850	0.01000	1.1165	0.04475	0.02189	146	-0.70	031.01	0
031	Phosphorus (%)	0693	1.0850	0.09000	1.1165	0.04475	0.02189	146	-0.70	031.42	0
031	Phosphorus (%)	0100	1.0850	0.01000	1.1165	0.04475	0.02189	146	-0.70	031.99	0
031	Phosphorus (%)	0687	1.0900	0.02000	1.1165	0.04475	0.02189	146	-0.59	031.01	0
031	Phosphorus (%)	2065	1.0900	0.00000	1.1165	0.04475	0.02189	146	-0.59	031.01	0
031	Phosphorus (%)	2068	1.0900	0.00000	1.1165	0.04475	0.02189	146	-0.59	031.01	0
031	Phosphorus (%)	0620	1.0914	0.00350	1.1165	0.04475	0.02189	146	-0.56	031.01	0
031	Phosphorus (%)	0651	1.0945	0.00500	1.1165	0.04475	0.02189	146	-0.49	031.01	0
031	Phosphorus (%)	0968	1.0950	0.00800	1.1165	0.04475	0.02189	146	-0.48	031.43	0
031	Phosphorus (%)	0897	1.0950	0.01000	1.1165	0.04475	0.02189	146	-0.48	031.01	0
031	Phosphorus (%)	0610	1.0950	0.05000	1.1165	0.04475	0.02189	146	-0.48	031.41	0
031	Phosphorus (%)	0345	1.0950	0.01000	1.1165	0.04475	0.02189	146	-0.48	031.43	0
031	Phosphorus (%)	0142	1.1000	0.00000	1.1165	0.04475	0.02189	146	-0.37	031.01	0
031	Phosphorus (%)	0233	1.1000	0.00000	1.1165	0.04475	0.02189	146	-0.37	031.01	0
031	Phosphorus (%)	2058	1.1000	0.08000	1.1165	0.04475	0.02189	146	-0.37	031.01	0
031	Phosphorus (%)	0169	1.1000	0.00000	1.1165	0.04475	0.02189	146	-0.37	031.03	0
031	Phosphorus (%)	0042	1.1000	0.10000	1.1165	0.04475	0.02189	146	-0.37	031.42	0
031	Phosphorus (%)	2074	1.1000	0.00000	1.1165	0.04475	0.02189	146	-0.37	031.42	0
031	Phosphorus (%)	0425	1.1000	0.00000	1.1165	0.04475	0.02189	146	-0.37	031.43	0
031	Phosphorus (%)	0918	1.1000	0.04800	1.1165	0.04475	0.02189	146	-0.37	031.43	0
031	Phosphorus (%)	2011	1.1050	0.01000	1.1165	0.04475	0.02189	146	-0.26	031.01	0
031	Phosphorus (%)	0045	1.1050	0.01000	1.1165	0.04475	0.02189	146	-0.26	031.42	0
031	Phosphorus (%)	0294	1.1050	0.01000	1.1165	0.04475	0.02189	146	-0.26	031.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0297	1.1050	0.03000	1.1165	0.04475	0.02189	146	-0.26	031.43	0
031	Phosphorus (%)	0695	1.1090	0.01600	1.1165	0.04475	0.02189	146	-0.17	031.41	0
031	Phosphorus (%)	0017	1.1100	0.04000	1.1165	0.04475	0.02189	146	-0.15	031.43	0
031	Phosphorus (%)	0175	1.1100	0.02000	1.1165	0.04475	0.02189	146	-0.15	031.01	0
031	Phosphorus (%)	0354	1.1100	0.00000	1.1165	0.04475	0.02189	146	-0.15	031.01	0
031	Phosphorus (%)	0646	1.1100	0.02000	1.1165	0.04475	0.02189	146	-0.15	031.01	0
031	Phosphorus (%)	2058	1.1100	0.02000	1.1165	0.04475	0.02189	146	-0.15	031.43	0
031	Phosphorus (%)	0039	1.1116	0.00960	1.1165	0.04475	0.02189	146	-0.11	031.53	0
031	Phosphorus (%)	0138	1.1130	0.01400	1.1165	0.04475	0.02189	146	-0.08	031.06	0
031	Phosphorus (%)	0726	1.1145	0.01100	1.1165	0.04475	0.02189	146	-0.04	031.42	0
031	Phosphorus (%)	0083	1.1150	0.03000	1.1165	0.04475	0.02189	146	-0.03	031.41	0
031	Phosphorus (%)	0553	1.1150	0.07000	1.1165	0.04475	0.02189	146	-0.03	031.41	0
031	Phosphorus (%)	0885	1.1150	0.01000	1.1165	0.04475	0.02189	146	-0.03	031.01	0
031	Phosphorus (%)	0675	1.1150	0.01000	1.1165	0.04475	0.02189	146	-0.03	031.43	0
031	Phosphorus (%)	0263	1.1155	0.00330	1.1165	0.04475	0.02189	146	-0.02	031.01	0
031	Phosphorus (%)	0629	1.1200	0.00000	1.1165	0.04475	0.02189	146	0.08	031.01	0
031	Phosphorus (%)	2022	1.1200	0.00000	1.1165	0.04475	0.02189	146	0.08	031.01	0
031	Phosphorus (%)	0187	1.1200	0.02000	1.1165	0.04475	0.02189	146	0.08	031.42	0
031	Phosphorus (%)	0278	1.1200	0.00000	1.1165	0.04475	0.02189	146	0.08	031.42	0
031	Phosphorus (%)	0033	1.1200	0.04000	1.1165	0.04475	0.02189	146	0.08	031.43	0
031	Phosphorus (%)	0629	1.1200	0.00000	1.1165	0.04475	0.02189	146	0.08	031.43	0
031	Phosphorus (%)	0011	1.1225	0.00760	1.1165	0.04475	0.02189	146	0.13	031.02	0
031	Phosphorus (%)	0722	1.1237	0.00930	1.1165	0.04475	0.02189	146	0.16	031.01	0
031	Phosphorus (%)	0178	1.1240	0.02200	1.1165	0.04475	0.02189	146	0.17	031.01	0
031	Phosphorus (%)	0884	1.1250	0.03000	1.1165	0.04475	0.02189	146	0.19	031.01	0
031	Phosphorus (%)	2006	1.1250	0.01200	1.1165	0.04475	0.02189	146	0.19	031.01	0
031	Phosphorus (%)	0358	1.1250	0.01000	1.1165	0.04475	0.02189	146	0.19	031.41	0
031	Phosphorus (%)	0190	1.1250	0.01000	1.1165	0.04475	0.02189	146	0.19	031.42	0
031	Phosphorus (%)	0036	1.1277	0.00640	1.1165	0.04475	0.02189	146	0.25	031.03	0
031	Phosphorus (%)	0921	1.1278	0.00000	1.1165	0.04475	0.02189	146	0.25	031.01	0
031	Phosphorus (%)	0891	1.1300	0.00000	1.1165	0.04475	0.02189	146	0.30	031.01	0
031	Phosphorus (%)	0505	1.1300	0.00000	1.1165	0.04475	0.02189	146	0.30	031.02	0
031	Phosphorus (%)	0001	1.1300	0.00000	1.1165	0.04475	0.02189	146	0.30	031.03	0
031	Phosphorus (%)	0413	1.1300	0.02000	1.1165	0.04475	0.02189	146	0.30	031.41	0
031	Phosphorus (%)	0848	1.1300	0.04000	1.1165	0.04475	0.02189	146	0.30	031.41	0
031	Phosphorus (%)	0205	1.1300	0.04000	1.1165	0.04475	0.02189	146	0.30	031.42	0
031	Phosphorus (%)	0098	1.1300	0.12000	1.1165	0.04475	0.02189	146	0.30	031.43	0
031	Phosphorus (%)	2004	1.1300	0.00000	1.1165	0.04475	0.02189	146	0.30	031.44	0
031	Phosphorus (%)	0563	1.1318	0.00420	1.1165	0.04475	0.02189	146	0.34	031.01	0
031	Phosphorus (%)	2067	1.1335	0.00500	1.1165	0.04475	0.02189	146	0.38	031.01	0
031	Phosphorus (%)	0004	1.1350	0.01000	1.1165	0.04475	0.02189	146	0.41	031.41	0
031	Phosphorus (%)	0164	1.1350	0.01000	1.1165	0.04475	0.02189	146	0.41	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0229	1.1350	0.01000	1.1165	0.04475	0.02189	146	0.41	031.41	0
031	Phosphorus (%)	2012	1.1350	0.01000	1.1165	0.04475	0.02189	146	0.41	031.41	0
031	Phosphorus (%)	0357	1.1350	0.01000	1.1165	0.04475	0.02189	146	0.41	031.42	0
031	Phosphorus (%)	0552	1.1350	0.01000	1.1165	0.04475	0.02189	146	0.41	031.99	0
031	Phosphorus (%)	0723	1.1353	0.00000	1.1165	0.04475	0.02189	146	0.42	031.01	0
031	Phosphorus (%)	0036	1.1393	0.00190	1.1165	0.04475	0.02189	146	0.51	031.43	0
031	Phosphorus (%)	0849	1.1400	0.00400	1.1165	0.04475	0.02189	146	0.53	031.01	0
031	Phosphorus (%)	0202	1.1400	0.00000	1.1165	0.04475	0.02189	146	0.53	031.42	0
031	Phosphorus (%)	2062	1.1435	0.00300	1.1165	0.04475	0.02189	146	0.60	031.01	0
031	Phosphorus (%)	0508	1.1447	0.00090	1.1165	0.04475	0.02189	146	0.63	031.43	0
031	Phosphorus (%)	0937	1.1450	0.01000	1.1165	0.04475	0.02189	146	0.64	031.01	0
031	Phosphorus (%)	0948	1.1450	0.03000	1.1165	0.04475	0.02189	146	0.64	031.01	0
031	Phosphorus (%)	0682	1.1450	0.03000	1.1165	0.04475	0.02189	146	0.64	031.41	0
031	Phosphorus (%)	0870	1.1465	0.05500	1.1165	0.04475	0.02189	146	0.67	031.42	0
031	Phosphorus (%)	0689	1.1500	0.02000	1.1165	0.04475	0.02189	146	0.75	031.01	0
031	Phosphorus (%)	0049	1.1500	0.00000	1.1165	0.04475	0.02189	146	0.75	031.41	0
031	Phosphorus (%)	0226	1.1500	0.00000	1.1165	0.04475	0.02189	146	0.75	031.41	0
031	Phosphorus (%)	0139	1.1520	0.00600	1.1165	0.04475	0.02189	146	0.79	031.01	0
031	Phosphorus (%)	0008	1.1550	0.01000	1.1165	0.04475	0.02189	146	0.86	031.43	0
031	Phosphorus (%)	0028	1.1550	0.01000	1.1165	0.04475	0.02189	146	0.86	031.43	0
031	Phosphorus (%)	0720	1.1550	0.09000	1.1165	0.04475	0.02189	146	0.86	031.41	0
031	Phosphorus (%)	0964	1.1557	0.01440	1.1165	0.04475	0.02189	146	0.88	031.43	0
031	Phosphorus (%)	2053	1.1600	0.02000	1.1165	0.04475	0.02189	146	0.97	031.02	0
031	Phosphorus (%)	0098	1.1600	0.00000	1.1165	0.04475	0.02189	146	0.97	031.41	0
031	Phosphorus (%)	0300	1.1630	0.02600	1.1165	0.04475	0.02189	146	1.04	031.41	0
031	Phosphorus (%)	0951	1.1645	0.01700	1.1165	0.04475	0.02189	146	1.07	031.01	0
031	Phosphorus (%)	0353	1.1650	0.05000	1.1165	0.04475	0.02189	146	1.08	031.43	0
031	Phosphorus (%)	0038	1.1700	0.10000	1.1165	0.04475	0.02189	146	1.20	031.01	0
031	Phosphorus (%)	0510	1.1700	0.02000	1.1165	0.04475	0.02189	146	1.20	031.43	0
031	Phosphorus (%)	0881	1.1730	0.00800	1.1165	0.04475	0.02189	146	1.26	031.01	0
031	Phosphorus (%)	0011	1.1738	0.00140	1.1165	0.04475	0.02189	146	1.28	031.41	0
031	Phosphorus (%)	0598	1.1745	0.00500	1.1165	0.04475	0.02189	146	1.30	031.41	0
031	Phosphorus (%)	0895	1.1750	0.01000	1.1165	0.04475	0.02189	146	1.31	031.00	0
031	Phosphorus (%)	0903	1.1750	0.01000	1.1165	0.04475	0.02189	146	1.31	031.01	0
031	Phosphorus (%)	0572	1.1770	0.03200	1.1165	0.04475	0.02189	146	1.35	031.53	0
031	Phosphorus (%)	0168	1.1798	0.00310	1.1165	0.04475	0.02189	146	1.41	031.43	0
031	Phosphorus (%)	2042	1.1800	0.00000	1.1165	0.04475	0.02189	146	1.42	031.01	0
031	Phosphorus (%)	0014	1.1800	0.00000	1.1165	0.04475	0.02189	146	1.42	031.42	0
031	Phosphorus (%)	0868	1.1850	0.01000	1.1165	0.04475	0.02189	146	1.53	031.01	0
031	Phosphorus (%)	0123	1.1950	0.01000	1.1165	0.04475	0.02189	146	1.75	031.41	0
031	Phosphorus (%)	0560	1.2134	0.02600	1.1165	0.04475	0.02189	146	2.17	031.42	0
031	Phosphorus (%)	2009	1.2300	0.01250	1.1165	0.04475	0.02189	146	2.54	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0003	1.2350	0.01000	1.1165	0.04475	0.02189	146	2.65	031.41	0
031	Phosphorus (%)	0148	1.2380	0.00800	1.1165	0.04475	0.02189	146	2.71	031.41	0
031	Phosphorus (%)	0405	1.2750	0.05000	1.1165	0.04475	0.02189	146	3.54	031.41	0
031	Phosphorus (%)	0199	1.2950	0.01000	1.1165	0.04475	0.02189	146	3.99	031.53	0
031	Phosphorus (%)	0066	1.3550	0.01000	1.1165	0.04475	0.02189	146	5.33	031.01	0
031	Phosphorus (%)	0520	1.0300	0.18000	1.1165	0.04475	0.02189	146	-1.93	031.41	1
031	Phosphorus (%)	0265	1.0950	0.13000	1.1165	0.04475	0.02189	146	-0.48	031.42	1
031	Phosphorus (%)	0208	1.1525	0.16500	1.1165	0.04475	0.02189	146	0.80	031.41	1
031	Phosphorus (%)	2055	1.3592	0.13620	1.1165	0.04475	0.02189	146	5.42	031.53	1
031	Phosphorus (%)	0940	0.58500	0.03000	1.1165	0.04475	0.02189	146	-11.88	031.01	2
032	Potassium (%)	2074	0.95500	0.05000	1.3284	0.08246	0.03086	95	-4.53	032.42	0
032	Potassium (%)	0536	0.95700	0.01600	1.3284	0.08246	0.03086	95	-4.50	032.31	0
032	Potassium (%)	0505	1.0650	0.01000	1.3284	0.08246	0.03086	95	-3.19	032.31	0
032	Potassium (%)	0720	1.0750	0.07000	1.3284	0.08246	0.03086	95	-3.07	032.41	0
032	Potassium (%)	2006	1.1220	0.01400	1.3284	0.08246	0.03086	95	-2.50	032.08	0
032	Potassium (%)	0154	1.1472	0.08320	1.3284	0.08246	0.03086	95	-2.20	032.52	0
032	Potassium (%)	0968	1.1540	0.00400	1.3284	0.08246	0.03086	95	-2.11	032.43	0
032	Potassium (%)	0142	1.1605	0.00100	1.3284	0.08246	0.03086	95	-2.04	032.31	0
032	Potassium (%)	0889	1.1650	0.01000	1.3284	0.08246	0.03086	95	-1.98	032.99	0
032	Potassium (%)	0613	1.1900	0.08000	1.3284	0.08246	0.03086	95	-1.68	032.42	0
032	Potassium (%)	0083	1.2100	0.16000	1.3284	0.08246	0.03086	95	-1.44	032.41	0
032	Potassium (%)	0590	1.2150	0.01000	1.3284	0.08246	0.03086	95	-1.38	032.02	0
032	Potassium (%)	0609	1.2150	0.01000	1.3284	0.08246	0.03086	95	-1.38	032.32	0
032	Potassium (%)	0345	1.2200	0.04000	1.3284	0.08246	0.03086	95	-1.31	032.43	0
032	Potassium (%)	0508	1.2400	0.04670	1.3284	0.08246	0.03086	95	-1.07	032.43	0
032	Potassium (%)	0675	1.2400	0.02000	1.3284	0.08246	0.03086	95	-1.07	032.43	0
032	Potassium (%)	0139	1.2435	0.00900	1.3284	0.08246	0.03086	95	-1.03	032.02	0
032	Potassium (%)	0918	1.2495	0.06300	1.3284	0.08246	0.03086	95	-0.96	032.43	0
032	Potassium (%)	0511	1.2550	0.05000	1.3284	0.08246	0.03086	95	-0.89	032.41	0
032	Potassium (%)	2022	1.2600	0.00000	1.3284	0.08246	0.03086	95	-0.83	032.31	0
032	Potassium (%)	0629	1.2600	0.00000	1.3284	0.08246	0.03086	95	-0.83	032.43	0
032	Potassium (%)	2023	1.2600	0.00000	1.3284	0.08246	0.03086	95	-0.83	032.43	0
032	Potassium (%)	0175	1.2650	0.01000	1.3284	0.08246	0.03086	95	-0.77	032.31	0
032	Potassium (%)	0144	1.2650	0.01000	1.3284	0.08246	0.03086	95	-0.77	032.41	0
032	Potassium (%)	0619	1.2650	0.01000	1.3284	0.08246	0.03086	95	-0.77	032.41	0
032	Potassium (%)	0692	1.2650	0.03000	1.3284	0.08246	0.03086	95	-0.77	032.42	0
032	Potassium (%)	0955	1.2800	0.06000	1.3284	0.08246	0.03086	95	-0.59	032.44	0
032	Potassium (%)	0964	1.2825	0.05780	1.3284	0.08246	0.03086	95	-0.56	032.41	0
032	Potassium (%)	0629	1.2900	0.00000	1.3284	0.08246	0.03086	95	-0.47	032.31	0
032	Potassium (%)	0650	1.2950	0.01000	1.3284	0.08246	0.03086	95	-0.40	032.31	0
032	Potassium (%)	0169	1.2950	0.01000	1.3284	0.08246	0.03086	95	-0.40	032.32	0
032	Potassium (%)	0910	1.2950	0.05000	1.3284	0.08246	0.03086	95	-0.40	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0510	1.2950	0.03000	1.3284	0.08246	0.03086	95	-0.40	032.43	0
032	Potassium (%)	2004	1.2950	0.05000	1.3284	0.08246	0.03086	95	-0.40	032.44	0
032	Potassium (%)	0555	1.3000	0.00000	1.3284	0.08246	0.03086	95	-0.34	032.42	0
032	Potassium (%)	0035	1.3015	0.01500	1.3284	0.08246	0.03086	95	-0.33	032.42	0
032	Potassium (%)	0693	1.3050	0.03000	1.3284	0.08246	0.03086	95	-0.28	032.42	0
032	Potassium (%)	0178	1.3060	0.01600	1.3284	0.08246	0.03086	95	-0.27	032.31	0
032	Potassium (%)	0353	1.3100	0.02000	1.3284	0.08246	0.03086	95	-0.22	032.43	0
032	Potassium (%)	0598	1.3105	0.01300	1.3284	0.08246	0.03086	95	-0.22	032.41	0
032	Potassium (%)	0229	1.3150	0.03000	1.3284	0.08246	0.03086	95	-0.16	032.41	0
032	Potassium (%)	0265	1.3200	0.10000	1.3284	0.08246	0.03086	95	-0.10	032.42	0
032	Potassium (%)	0100	1.3200	0.04000	1.3284	0.08246	0.03086	95	-0.10	032.99	0
032	Potassium (%)	0171	1.3250	0.01000	1.3284	0.08246	0.03086	95	-0.04	032.41	0
032	Potassium (%)	0045	1.3250	0.03000	1.3284	0.08246	0.03086	95	-0.04	032.42	0
032	Potassium (%)	0004	1.3300	0.02000	1.3284	0.08246	0.03086	95	0.02	032.41	0
032	Potassium (%)	2012	1.3300	0.02000	1.3284	0.08246	0.03086	95	0.02	032.41	0
032	Potassium (%)	0049	1.3350	0.05000	1.3284	0.08246	0.03086	95	0.08	032.41	0
032	Potassium (%)	0042	1.3400	0.06000	1.3284	0.08246	0.03086	95	0.14	032.42	0
032	Potassium (%)	0357	1.3400	0.00000	1.3284	0.08246	0.03086	95	0.14	032.42	0
032	Potassium (%)	0726	1.3415	0.00300	1.3284	0.08246	0.03086	95	0.16	032.42	0
032	Potassium (%)	0572	1.3420	0.00200	1.3284	0.08246	0.03086	95	0.17	032.53	0
032	Potassium (%)	0354	1.3450	0.01000	1.3284	0.08246	0.03086	95	0.20	032.31	0
032	Potassium (%)	0011	1.3484	0.00800	1.3284	0.08246	0.03086	95	0.24	032.41	0
032	Potassium (%)	0358	1.3500	0.00000	1.3284	0.08246	0.03086	95	0.26	032.41	0
032	Potassium (%)	0205	1.3500	0.02000	1.3284	0.08246	0.03086	95	0.26	032.42	0
032	Potassium (%)	0008	1.3500	0.00000	1.3284	0.08246	0.03086	95	0.26	032.43	0
032	Potassium (%)	0425	1.3500	0.02000	1.3284	0.08246	0.03086	95	0.26	032.43	0
032	Potassium (%)	0038	1.3550	0.01000	1.3284	0.08246	0.03086	95	0.32	032.31	0
032	Potassium (%)	0948	1.3550	0.03000	1.3284	0.08246	0.03086	95	0.32	032.31	0
032	Potassium (%)	0413	1.3550	0.03000	1.3284	0.08246	0.03086	95	0.32	032.41	0
032	Potassium (%)	0874	1.3557	0.02780	1.3284	0.08246	0.03086	95	0.33	032.31	0
032	Potassium (%)	0033	1.3600	0.04000	1.3284	0.08246	0.03086	95	0.38	032.43	0
032	Potassium (%)	0035	1.3630	0.00800	1.3284	0.08246	0.03086	95	0.42	032.32	0
032	Potassium (%)	0164	1.3650	0.05000	1.3284	0.08246	0.03086	95	0.44	032.41	0
032	Potassium (%)	0066	1.3650	0.01000	1.3284	0.08246	0.03086	95	0.44	032.31	0
032	Potassium (%)	0297	1.3650	0.01000	1.3284	0.08246	0.03086	95	0.44	032.43	0
032	Potassium (%)	0202	1.3700	0.02000	1.3284	0.08246	0.03086	95	0.50	032.42	0
032	Potassium (%)	0278	1.3700	0.02000	1.3284	0.08246	0.03086	95	0.50	032.42	0
032	Potassium (%)	0300	1.3705	0.02100	1.3284	0.08246	0.03086	95	0.51	032.41	0
032	Potassium (%)	0563	1.3839	0.00680	1.3284	0.08246	0.03086	95	0.67	032.31	0
032	Potassium (%)	0868	1.3850	0.01000	1.3284	0.08246	0.03086	95	0.69	032.31	0
032	Potassium (%)	0187	1.3850	0.01000	1.3284	0.08246	0.03086	95	0.69	032.42	0
032	Potassium (%)	0208	1.3850	0.03000	1.3284	0.08246	0.03086	95	0.69	032.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0695	1.3870	0.01000	1.3284	0.08246	0.03086	95	0.71	032.41	0
032	Potassium (%)	0263	1.3899	0.01810	1.3284	0.08246	0.03086	95	0.75	032.32	0
032	Potassium (%)	0610	1.3950	0.03000	1.3284	0.08246	0.03086	95	0.81	032.41	0
032	Potassium (%)	0190	1.3950	0.03000	1.3284	0.08246	0.03086	95	0.81	032.42	0
032	Potassium (%)	0294	1.3950	0.03000	1.3284	0.08246	0.03086	95	0.81	032.42	0
032	Potassium (%)	0682	1.4000	0.04000	1.3284	0.08246	0.03086	95	0.87	032.41	0
032	Potassium (%)	0407	1.4050	0.01000	1.3284	0.08246	0.03086	95	0.93	032.41	0
032	Potassium (%)	0560	1.4087	0.05400	1.3284	0.08246	0.03086	95	0.97	032.42	0
032	Potassium (%)	0148	1.4100	0.00200	1.3284	0.08246	0.03086	95	0.99	032.41	0
032	Potassium (%)	0504	1.4400	0.12000	1.3284	0.08246	0.03086	95	1.35	032.02	0
032	Potassium (%)	0226	1.4400	0.10000	1.3284	0.08246	0.03086	95	1.35	032.41	0
032	Potassium (%)	2055	1.4440	0.12250	1.3284	0.08246	0.03086	95	1.40	032.53	0
032	Potassium (%)	0003	1.4450	0.01000	1.3284	0.08246	0.03086	95	1.41	032.41	0
032	Potassium (%)	0098	1.4500	0.08000	1.3284	0.08246	0.03086	95	1.47	032.43	0
032	Potassium (%)	0964	1.4507	0.14610	1.3284	0.08246	0.03086	95	1.48	032.43	0
032	Potassium (%)	0870	1.4605	0.06100	1.3284	0.08246	0.03086	95	1.60	032.42	0
032	Potassium (%)	0881	1.4675	0.04300	1.3284	0.08246	0.03086	95	1.69	032.02	0
032	Potassium (%)	0098	1.4850	0.05000	1.3284	0.08246	0.03086	95	1.90	032.41	0
032	Potassium (%)	0405	1.5050	0.01000	1.3284	0.08246	0.03086	95	2.14	032.41	0
032	Potassium (%)	0106	1.5300	0.02000	1.3284	0.08246	0.03086	95	2.45	032.42	0
032	Potassium (%)	0199	1.5900	0.02000	1.3284	0.08246	0.03086	95	3.17	032.53	0
032	Potassium (%)	0520	1.2200	0.28000	1.3284	0.08246	0.03086	95	-1.31	032.41	1
032	Potassium (%)	0208	1.4310	0.21800	1.3284	0.08246	0.03086	95	1.24	032.41	1
032	Potassium (%)	0951	2.1115	0.03700	1.3284	0.08246	0.03086	95	9.50	032.02	2
033	Salt as chloride (%)	0723	0.32000	0.00000	3.1639	0.13845	0.03236	87	-20.54	033.00	0
033	Salt as chloride (%)	0726	1.3415	0.00300	3.1639	0.13845	0.03236	87	-13.16	033.03	0
033	Salt as chloride (%)	0951	1.7275	0.02700	3.1639	0.13845	0.03236	87	-10.37	033.00	0
033	Salt as chloride (%)	2058	1.9900	0.00000	3.1639	0.13845	0.03236	87	-8.48	033.00	0
033	Salt as chloride (%)	0265	2.0000	0.00000	3.1639	0.13845	0.03236	87	-8.41	033.03	0
033	Salt as chloride (%)	0017	2.2850	0.23000	3.1639	0.13845	0.03236	87	-6.35	033.99	0
033	Salt as chloride (%)	0358	2.4000	0.02000	3.1639	0.13845	0.03236	87	-5.52	033.99	0
033	Salt as chloride (%)	0848	2.5400	0.00000	3.1639	0.13845	0.03236	87	-4.51	033.03	0
033	Salt as chloride (%)	0685	2.7150	0.05000	3.1639	0.13845	0.03236	87	-3.24	033.00	0
033	Salt as chloride (%)	0505	2.7250	0.05000	3.1639	0.13845	0.03236	87	-3.17	033.03	0
033	Salt as chloride (%)	0353	2.7450	0.03000	3.1639	0.13845	0.03236	87	-3.03	033.00	0
033	Salt as chloride (%)	2012	2.7500	0.02000	3.1639	0.13845	0.03236	87	-2.99	033.00	0
033	Salt as chloride (%)	2006	2.7795	0.00100	3.1639	0.13845	0.03236	87	-2.78	033.01	0
033	Salt as chloride (%)	0014	2.8000	0.02000	3.1639	0.13845	0.03236	87	-2.63	033.03	0
033	Salt as chloride (%)	2022	2.8370	0.00200	3.1639	0.13845	0.03236	87	-2.36	033.00	0
033	Salt as chloride (%)	0016	2.8400	0.02000	3.1639	0.13845	0.03236	87	-2.34	033.00	0
033	Salt as chloride (%)	2006	2.8730	0.02800	3.1639	0.13845	0.03236	87	-2.10	033.00	0
033	Salt as chloride (%)	0881	2.9220	0.03400	3.1639	0.13845	0.03236	87	-1.75	033.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0693	2.9300	0.00000	3.1639	0.13845	0.03236	87	-1.69	033.00	0
033	Salt as chloride (%)	2011	2.9300	0.04000	3.1639	0.13845	0.03236	87	-1.69	033.01	0
033	Salt as chloride (%)	2042	2.9700	0.00000	3.1639	0.13845	0.03236	87	-1.40	033.00	0
033	Salt as chloride (%)	0682	2.9800	0.04000	3.1639	0.13845	0.03236	87	-1.33	033.01	0
033	Salt as chloride (%)	0849	3.0350	0.01000	3.1639	0.13845	0.03236	87	-0.93	033.00	0
033	Salt as chloride (%)	0868	3.0400	0.00000	3.1639	0.13845	0.03236	87	-0.89	033.00	0
033	Salt as chloride (%)	0895	3.0400	0.00000	3.1639	0.13845	0.03236	87	-0.89	033.00	0
033	Salt as chloride (%)	0937	3.0450	0.03000	3.1639	0.13845	0.03236	87	-0.86	033.05	0
033	Salt as chloride (%)	0885	3.0650	0.03000	3.1639	0.13845	0.03236	87	-0.71	033.00	0
033	Salt as chloride (%)	0910	3.0650	0.05000	3.1639	0.13845	0.03236	87	-0.71	033.00	0
033	Salt as chloride (%)	0539	3.0700	0.04000	3.1639	0.13845	0.03236	87	-0.68	033.00	0
033	Salt as chloride (%)	2065	3.0850	0.01000	3.1639	0.13845	0.03236	87	-0.57	033.00	0
033	Salt as chloride (%)	0903	3.1050	0.01000	3.1639	0.13845	0.03236	87	-0.43	033.00	0
033	Salt as chloride (%)	0298	3.1100	0.02000	3.1639	0.13845	0.03236	87	-0.39	033.00	0
033	Salt as chloride (%)	0552	3.1300	0.08000	3.1639	0.13845	0.03236	87	-0.24	033.99	0
033	Salt as chloride (%)	0897	3.1500	0.00000	3.1639	0.13845	0.03236	87	-0.10	033.00	0
033	Salt as chloride (%)	0510	3.1500	0.04000	3.1639	0.13845	0.03236	87	-0.10	033.01	0
033	Salt as chloride (%)	2009	3.1574	0.02110	3.1639	0.13845	0.03236	87	-0.05	033.00	0
033	Salt as chloride (%)	2068	3.1600	0.00000	3.1639	0.13845	0.03236	87	-0.03	033.00	0
033	Salt as chloride (%)	0891	3.1610	0.01160	3.1639	0.13845	0.03236	87	-0.02	033.00	0
033	Salt as chloride (%)	2067	3.1785	0.03500	3.1639	0.13845	0.03236	87	0.11	033.00	0
033	Salt as chloride (%)	0939	3.1800	0.04000	3.1639	0.13845	0.03236	87	0.12	033.01	0
033	Salt as chloride (%)	0309	3.1813	0.00350	3.1639	0.13845	0.03236	87	0.13	033.99	0
033	Salt as chloride (%)	0011	3.1884	0.01650	3.1639	0.13845	0.03236	87	0.18	033.01	0
033	Salt as chloride (%)	0425	3.1900	0.00000	3.1639	0.13845	0.03236	87	0.19	033.01	0
033	Salt as chloride (%)	0948	3.1900	0.02000	3.1639	0.13845	0.03236	87	0.19	033.01	0
033	Salt as chloride (%)	0675	3.1950	0.01000	3.1639	0.13845	0.03236	87	0.22	033.00	0
033	Salt as chloride (%)	0003	3.2000	0.00000	3.1639	0.13845	0.03236	87	0.26	033.01	0
033	Salt as chloride (%)	0100	3.2100	0.02000	3.1639	0.13845	0.03236	87	0.33	033.01	0
033	Salt as chloride (%)	0229	3.2100	0.02000	3.1639	0.13845	0.03236	87	0.33	033.01	0
033	Salt as chloride (%)	0208	3.2100	0.04000	3.1639	0.13845	0.03236	87	0.33	033.99	0
033	Salt as chloride (%)	0650	3.2150	0.03000	3.1639	0.13845	0.03236	87	0.37	033.01	0
033	Salt as chloride (%)	0098	3.2200	0.10000	3.1639	0.13845	0.03236	87	0.41	033.01	0
033	Salt as chloride (%)	0171	3.2200	0.04000	3.1639	0.13845	0.03236	87	0.41	033.05	0
033	Salt as chloride (%)	0681	3.2200	0.04000	3.1639	0.13845	0.03236	87	0.41	033.99	0
033	Salt as chloride (%)	0178	3.2245	0.00300	3.1639	0.13845	0.03236	87	0.44	033.01	0
033	Salt as chloride (%)	0629	3.2350	0.05000	3.1639	0.13845	0.03236	87	0.51	033.01	0
033	Salt as chloride (%)	0004	3.2350	0.05000	3.1639	0.13845	0.03236	87	0.51	033.05	0
033	Salt as chloride (%)	0148	3.2350	0.01000	3.1639	0.13845	0.03236	87	0.51	033.01	0
033	Salt as chloride (%)	0619	3.2350	0.03000	3.1639	0.13845	0.03236	87	0.51	033.99	0
033	Salt as chloride (%)	0169	3.2400	0.00000	3.1639	0.13845	0.03236	87	0.55	033.00	0
033	Salt as chloride (%)	0226	3.2400	0.02000	3.1639	0.13845	0.03236	87	0.55	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	2023	3.2400	0.02000	3.1639	0.13845	0.03236	87	0.55	033.01	0
033	Salt as chloride (%)	0337	3.2450	0.01000	3.1639	0.13845	0.03236	87	0.59	033.01	0
033	Salt as chloride (%)	0164	3.2500	0.00000	3.1639	0.13845	0.03236	87	0.62	033.01	0
033	Salt as chloride (%)	0590	3.2500	0.06000	3.1639	0.13845	0.03236	87	0.62	033.01	0
033	Salt as chloride (%)	2062	3.2526	0.04920	3.1639	0.13845	0.03236	87	0.64	033.00	0
033	Salt as chloride (%)	0955	3.2550	0.03000	3.1639	0.13845	0.03236	87	0.66	033.00	0
033	Salt as chloride (%)	0001	3.2600	0.00000	3.1639	0.13845	0.03236	87	0.69	033.01	0
033	Salt as chloride (%)	0413	3.2600	0.04000	3.1639	0.13845	0.03236	87	0.69	033.01	0
033	Salt as chloride (%)	0407	3.2650	0.01000	3.1639	0.13845	0.03236	87	0.73	033.01	0
033	Salt as chloride (%)	0083	3.2650	0.05000	3.1639	0.13845	0.03236	87	0.73	033.01	0
033	Salt as chloride (%)	0144	3.2650	0.13000	3.1639	0.13845	0.03236	87	0.73	033.03	0
033	Salt as chloride (%)	0205	3.2700	0.02000	3.1639	0.13845	0.03236	87	0.77	033.01	0
033	Salt as chloride (%)	0175	3.2750	0.05000	3.1639	0.13845	0.03236	87	0.80	033.01	0
033	Salt as chloride (%)	0354	3.2750	0.01000	3.1639	0.13845	0.03236	87	0.80	033.01	0
033	Salt as chloride (%)	0861	3.2800	0.04000	3.1639	0.13845	0.03236	87	0.84	033.01	0
033	Salt as chloride (%)	0199	3.3000	0.00000	3.1639	0.13845	0.03236	87	0.98	033.01	0
033	Salt as chloride (%)	0278	3.3000	0.02000	3.1639	0.13845	0.03236	87	0.98	033.01	0
033	Salt as chloride (%)	0511	3.3100	0.04000	3.1639	0.13845	0.03236	87	1.06	033.00	0
033	Salt as chloride (%)	0689	3.3150	0.09000	3.1639	0.13845	0.03236	87	1.09	033.05	0
033	Salt as chloride (%)	0013	3.3250	0.01000	3.1639	0.13845	0.03236	87	1.16	033.99	0
033	Salt as chloride (%)	0964	3.3465	0.19700	3.1639	0.13845	0.03236	87	1.32	033.01	0
033	Salt as chloride (%)	0106	3.3550	0.01000	3.1639	0.13845	0.03236	87	1.38	033.01	0
033	Salt as chloride (%)	0019	3.4000	0.00000	3.1639	0.13845	0.03236	87	1.71	033.01	0
033	Salt as chloride (%)	0045	3.4050	0.03000	3.1639	0.13845	0.03236	87	1.74	033.00	0
033	Salt as chloride (%)	0874	3.4485	0.02300	3.1639	0.13845	0.03236	87	2.06	033.01	0
033	Salt as chloride (%)	0596	3.8850	0.03000	3.1639	0.13845	0.03236	87	5.21	033.01	0
033	Salt as chloride (%)	0190	3.9300	0.30000	3.1639	0.13845	0.03236	87	5.53	033.03	0
033	Salt as chloride (%)	0674	2.9200	1.0200	3.1639	0.13845	0.03236	87	-1.76	033.01	1
034	Selenium (mg / kg (ppm))	0199	1.2650	0.07000	1.7863	0.25776	0.22077	24	-2.02	034.53	0
034	Selenium (mg / kg (ppm))	0033	1.4400	0.06000	1.7863	0.25776	0.22077	24	-1.34	034.53	0
034	Selenium (mg / kg (ppm))	2058	1.4800	0.04000	1.7863	0.25776	0.22077	24	-1.19	034.53	0
034	Selenium (mg / kg (ppm))	0619	1.5000	0.04000	1.7863	0.25776	0.22077	24	-1.11	034.41	0
034	Selenium (mg / kg (ppm))	0171	1.5250	0.11000	1.7863	0.25776	0.22077	24	-1.01	034.04	0
034	Selenium (mg / kg (ppm))	0555	1.6000	0.00000	1.7863	0.25776	0.22077	24	-0.72	034.99	0
034	Selenium (mg / kg (ppm))	0208	1.6350	0.09000	1.7863	0.25776	0.22077	24	-0.59	034.04	0
034	Selenium (mg / kg (ppm))	0169	1.6650	0.01000	1.7863	0.25776	0.22077	24	-0.47	034.04	0
034	Selenium (mg / kg (ppm))	0047	1.7150	0.37000	1.7863	0.25776	0.22077	24	-0.28	034.52	0
034	Selenium (mg / kg (ppm))	0164	1.7350	0.01000	1.7863	0.25776	0.22077	24	-0.20	034.04	0
034	Selenium (mg / kg (ppm))	0098	1.7400	0.00000	1.7863	0.25776	0.22077	24	-0.18	034.01	0
034	Selenium (mg / kg (ppm))	0168	1.7745	0.85300	1.7863	0.25776	0.22077	24	-0.05	034.53	0
034	Selenium (mg / kg (ppm))	0016	1.7750	0.15000	1.7863	0.25776	0.22077	24	-0.04	034.52	0
034	Selenium (mg / kg (ppm))	2055	1.7950	0.37000	1.7863	0.25776	0.22077	24	0.03	034.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
034	Selenium (mg / kg (ppm))	0038	1.8450	0.13000	1.7863	0.25776	0.22077	24	0.23	034.01	0
034	Selenium (mg / kg (ppm))	0098	1.9250	0.04800	1.7863	0.25776	0.22077	24	0.54	034.52	0
034	Selenium (mg / kg (ppm))	0964	1.9418	0.31240	1.7863	0.25776	0.22077	24	0.60	034.43	0
034	Selenium (mg / kg (ppm))	0003	1.9600	1.1200	1.7863	0.25776	0.22077	24	0.67	034.43	0
034	Selenium (mg / kg (ppm))	0918	1.9725	0.05500	1.7863	0.25776	0.22077	24	0.72	034.53	0
034	Selenium (mg / kg (ppm))	2023	2.0000	0.00000	1.7863	0.25776	0.22077	24	0.83	034.53	0
034	Selenium (mg / kg (ppm))	0563	2.0450	0.11000	1.7863	0.25776	0.22077	24	1.00	034.04	0
034	Selenium (mg / kg (ppm))	0013	2.0800	0.14000	1.7863	0.25776	0.22077	24	1.14	034.34	0
034	Selenium (mg / kg (ppm))	0555	2.1500	1.1000	1.7863	0.25776	0.22077	24	1.41	034.52	0
034	Selenium (mg / kg (ppm))	0190	2.2150	0.11000	1.7863	0.25776	0.22077	24	1.66	034.42	0
034	Selenium (mg / kg (ppm))	0693	1.3050	2.6100	1.7863	0.25776	0.22077	24	-1.87	034.42	1
034	Selenium (mg / kg (ppm))	0553	197.00	2.0000	1.7863	0.25776	0.22077	24	757.34	034.53	2
035	Sodium (%)	0505	0.38000	0.00000	0.93245	0.05515	0.02075	104	-10.02	035.31	0
035	Sodium (%)	0609	0.60500	0.01000	0.93245	0.05515	0.02075	104	-5.94	035.32	0
035	Sodium (%)	2022	0.78500	0.01200	0.93245	0.05515	0.02075	104	-2.67	035.31	0
035	Sodium (%)	0520	0.79000	0.14000	0.93245	0.05515	0.02075	104	-2.58	035.41	0
035	Sodium (%)	0951	0.79650	0.00100	0.93245	0.05515	0.02075	104	-2.47	035.05	0
035	Sodium (%)	0675	0.80500	0.03000	0.93245	0.05515	0.02075	104	-2.31	035.43	0
035	Sodium (%)	0405	0.81500	0.03000	0.93245	0.05515	0.02075	104	-2.13	035.41	0
035	Sodium (%)	0154	0.81595	0.04490	0.93245	0.05515	0.02075	104	-2.11	035.52	0
035	Sodium (%)	0139	0.81750	0.00500	0.93245	0.05515	0.02075	104	-2.08	035.05	0
035	Sodium (%)	0035	0.82585	0.00310	0.93245	0.05515	0.02075	104	-1.93	035.32	0
035	Sodium (%)	0345	0.82650	0.00700	0.93245	0.05515	0.02075	104	-1.92	035.43	0
035	Sodium (%)	0106	0.83000	0.00000	0.93245	0.05515	0.02075	104	-1.86	035.42	0
035	Sodium (%)	0298	0.84000	0.02000	0.93245	0.05515	0.02075	104	-1.68	035.41	0
035	Sodium (%)	0144	0.85500	0.03000	0.93245	0.05515	0.02075	104	-1.40	035.41	0
035	Sodium (%)	0692	0.85500	0.01000	0.93245	0.05515	0.02075	104	-1.40	035.42	0
035	Sodium (%)	0089	0.87000	0.00000	0.93245	0.05515	0.02075	104	-1.13	035.41	0
035	Sodium (%)	0171	0.87000	0.00000	0.93245	0.05515	0.02075	104	-1.13	035.41	0
035	Sodium (%)	0353	0.87500	0.03000	0.93245	0.05515	0.02075	104	-1.04	035.43	0
035	Sodium (%)	0142	0.87900	0.00400	0.93245	0.05515	0.02075	104	-0.97	035.31	0
035	Sodium (%)	0613	0.88000	0.02000	0.93245	0.05515	0.02075	104	-0.95	035.42	0
035	Sodium (%)	0035	0.88240	0.00420	0.93245	0.05515	0.02075	104	-0.91	035.42	0
035	Sodium (%)	2006	0.88300	0.00200	0.93245	0.05515	0.02075	104	-0.90	035.01	0
035	Sodium (%)	0049	0.89000	0.00000	0.93245	0.05515	0.02075	104	-0.77	035.41	0
035	Sodium (%)	0629	0.89000	0.00000	0.93245	0.05515	0.02075	104	-0.77	035.43	0
035	Sodium (%)	2023	0.89550	0.00700	0.93245	0.05515	0.02075	104	-0.67	035.41	0
035	Sodium (%)	0964	0.89650	0.00200	0.93245	0.05515	0.02075	104	-0.65	035.41	0
035	Sodium (%)	0042	0.89700	0.07200	0.93245	0.05515	0.02075	104	-0.64	035.42	0
035	Sodium (%)	0572	0.89800	0.04100	0.93245	0.05515	0.02075	104	-0.62	035.53	0
035	Sodium (%)	0939	0.90000	0.00000	0.93245	0.05515	0.02075	104	-0.59	035.31	0
035	Sodium (%)	0723	0.90075	0.00010	0.93245	0.05515	0.02075	104	-0.57	035.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0619	0.90200	0.00800	0.93245	0.05515	0.02075	104	-0.55	035.41	0
035	Sodium (%)	0590	0.90500	0.01000	0.93245	0.05515	0.02075	104	-0.50	035.05	0
035	Sodium (%)	0425	0.90500	0.01000	0.93245	0.05515	0.02075	104	-0.50	035.43	0
035	Sodium (%)	0508	0.90540	0.00280	0.93245	0.05515	0.02075	104	-0.49	035.43	0
035	Sodium (%)	0948	0.91000	0.02000	0.93245	0.05515	0.02075	104	-0.41	035.31	0
035	Sodium (%)	0955	0.91400	0.04400	0.93245	0.05515	0.02075	104	-0.33	035.41	0
035	Sodium (%)	0004	0.91500	0.05000	0.93245	0.05515	0.02075	104	-0.32	035.41	0
035	Sodium (%)	0233	0.92000	0.00000	0.93245	0.05515	0.02075	104	-0.23	035.31	0
035	Sodium (%)	0921	0.92000	0.00000	0.93245	0.05515	0.02075	104	-0.23	035.31	0
035	Sodium (%)	0682	0.92000	0.02000	0.93245	0.05515	0.02075	104	-0.23	035.41	0
035	Sodium (%)	2012	0.92000	0.00000	0.93245	0.05515	0.02075	104	-0.23	035.41	0
035	Sodium (%)	0278	0.92000	0.00000	0.93245	0.05515	0.02075	104	-0.23	035.42	0
035	Sodium (%)	2058	0.92000	0.02000	0.93245	0.05515	0.02075	104	-0.23	035.43	0
035	Sodium (%)	0918	0.92150	0.03300	0.93245	0.05515	0.02075	104	-0.20	035.43	0
035	Sodium (%)	0038	0.92400	0.00600	0.93245	0.05515	0.02075	104	-0.15	035.31	0
035	Sodium (%)	0265	0.92500	0.01000	0.93245	0.05515	0.02075	104	-0.14	035.42	0
035	Sodium (%)	0407	0.92550	0.00500	0.93245	0.05515	0.02075	104	-0.13	035.41	0
035	Sodium (%)	0148	0.92650	0.00300	0.93245	0.05515	0.02075	104	-0.11	035.41	0
035	Sodium (%)	0190	0.93000	0.02000	0.93245	0.05515	0.02075	104	-0.04	035.42	0
035	Sodium (%)	0354	0.93000	0.00000	0.93245	0.05515	0.02075	104	-0.04	035.31	0
035	Sodium (%)	0138	0.93150	0.00900	0.93245	0.05515	0.02075	104	-0.02	035.01	0
035	Sodium (%)	0553	0.93450	0.07900	0.93245	0.05515	0.02075	104	0.04	035.41	0
035	Sodium (%)	0083	0.93500	0.01000	0.93245	0.05515	0.02075	104	0.05	035.41	0
035	Sodium (%)	0123	0.94000	0.00000	0.93245	0.05515	0.02075	104	0.14	035.41	0
035	Sodium (%)	2074	0.94000	0.04000	0.93245	0.05515	0.02075	104	0.14	035.42	0
035	Sodium (%)	0726	0.94110	0.00140	0.93245	0.05515	0.02075	104	0.16	035.42	0
035	Sodium (%)	0008	0.94350	0.00300	0.93245	0.05515	0.02075	104	0.20	035.43	0
035	Sodium (%)	0229	0.94500	0.01000	0.93245	0.05515	0.02075	104	0.23	035.41	0
035	Sodium (%)	0297	0.94500	0.01000	0.93245	0.05515	0.02075	104	0.23	035.43	0
035	Sodium (%)	0598	0.94715	0.01050	0.93245	0.05515	0.02075	104	0.27	035.41	0
035	Sodium (%)	0695	0.94800	0.02800	0.93245	0.05515	0.02075	104	0.28	035.41	0
035	Sodium (%)	0881	0.95000	0.00200	0.93245	0.05515	0.02075	104	0.32	035.05	0
035	Sodium (%)	0629	0.95000	0.02000	0.93245	0.05515	0.02075	104	0.32	035.31	0
035	Sodium (%)	0358	0.95000	0.00000	0.93245	0.05515	0.02075	104	0.32	035.41	0
035	Sodium (%)	0610	0.95000	0.04000	0.93245	0.05515	0.02075	104	0.32	035.41	0
035	Sodium (%)	0294	0.95000	0.02000	0.93245	0.05515	0.02075	104	0.32	035.42	0
035	Sodium (%)	0045	0.95200	0.04600	0.93245	0.05515	0.02075	104	0.35	035.42	0
035	Sodium (%)	0011	0.95430	0.00060	0.93245	0.05515	0.02075	104	0.40	035.41	0
035	Sodium (%)	0868	0.95500	0.00400	0.93245	0.05515	0.02075	104	0.41	035.31	0
035	Sodium (%)	0868	0.95550	0.00100	0.93245	0.05515	0.02075	104	0.42	035.01	0
035	Sodium (%)	0152	0.96000	0.02000	0.93245	0.05515	0.02075	104	0.50	035.05	0
035	Sodium (%)	0413	0.96000	0.00000	0.93245	0.05515	0.02075	104	0.50	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0910	0.96000	0.08000	0.93245	0.05515	0.02075	104	0.50	035.41	0
035	Sodium (%)	0555	0.96000	0.02000	0.93245	0.05515	0.02075	104	0.50	035.42	0
035	Sodium (%)	0536	0.96100	0.01600	0.93245	0.05515	0.02075	104	0.52	035.31	0
035	Sodium (%)	2004	0.96450	0.04900	0.93245	0.05515	0.02075	104	0.58	035.41	0
035	Sodium (%)	0510	0.96450	0.00700	0.93245	0.05515	0.02075	104	0.58	035.43	0
035	Sodium (%)	0098	0.96500	0.07000	0.93245	0.05515	0.02075	104	0.59	035.43	0
035	Sodium (%)	0208	0.96650	0.00500	0.93245	0.05515	0.02075	104	0.62	035.31	0
035	Sodium (%)	0504	0.97000	0.00000	0.93245	0.05515	0.02075	104	0.68	035.05	0
035	Sodium (%)	0164	0.97000	0.02000	0.93245	0.05515	0.02075	104	0.68	035.41	0
035	Sodium (%)	0693	0.97000	0.08000	0.93245	0.05515	0.02075	104	0.68	035.42	0
035	Sodium (%)	0205	0.97150	0.01700	0.93245	0.05515	0.02075	104	0.71	035.42	0
035	Sodium (%)	0337	0.97500	0.05000	0.93245	0.05515	0.02075	104	0.77	035.05	0
035	Sodium (%)	0169	0.97500	0.01000	0.93245	0.05515	0.02075	104	0.77	035.32	0
035	Sodium (%)	0098	0.97500	0.01000	0.93245	0.05515	0.02075	104	0.77	035.41	0
035	Sodium (%)	0175	0.98500	0.03000	0.93245	0.05515	0.02075	104	0.95	035.31	0
035	Sodium (%)	0202	0.98500	0.01000	0.93245	0.05515	0.02075	104	0.95	035.42	0
035	Sodium (%)	0874	0.98585	0.01710	0.93245	0.05515	0.02075	104	0.97	035.31	0
035	Sodium (%)	0964	0.99995	0.05130	0.93245	0.05515	0.02075	104	1.22	035.43	0
035	Sodium (%)	0650	1.0000	0.02000	0.93245	0.05515	0.02075	104	1.22	035.31	0
035	Sodium (%)	0226	1.0000	0.00800	0.93245	0.05515	0.02075	104	1.22	035.41	0
035	Sodium (%)	0100	1.0000	0.04000	0.93245	0.05515	0.02075	104	1.22	035.99	0
035	Sodium (%)	0300	1.0010	0.01600	0.93245	0.05515	0.02075	104	1.24	035.41	0
035	Sodium (%)	0187	1.0050	0.01000	0.93245	0.05515	0.02075	104	1.32	035.42	0
035	Sodium (%)	0563	1.0108	0.00480	0.93245	0.05515	0.02075	104	1.42	035.31	0
035	Sodium (%)	0263	1.0182	0.01850	0.93245	0.05515	0.02075	104	1.55	035.32	0
035	Sodium (%)	0208	1.0220	0.01800	0.93245	0.05515	0.02075	104	1.62	035.41	0
035	Sodium (%)	0560	1.0578	0.04540	0.93245	0.05515	0.02075	104	2.27	035.42	0
035	Sodium (%)	0199	1.0650	0.03000	0.93245	0.05515	0.02075	104	2.40	035.53	0
035	Sodium (%)	0720	1.0850	0.03000	0.93245	0.05515	0.02075	104	2.77	035.41	0
035	Sodium (%)	0870	1.1360	0.03600	0.93245	0.05515	0.02075	104	3.69	035.42	0
035	Sodium (%)	2055	1.3845	0.17760	0.93245	0.05515	0.02075	104	8.20	035.53	0
035	Sodium (%)	0889	1.6800	0.02000	0.93245	0.05515	0.02075	104	13.56	035.99	0
035	Sodium (%)	0108	0.57000	0.76000	0.93245	0.05515	0.02075	104	-6.57	035.05	1
035	Sodium (%)	0511	1.3600	0.92000	0.93245	0.05515	0.02075	104	7.75	035.41	1
036	Sulfur (%)	0168	0.39575	0.06750	0.48262	0.03272	0.01920	29	-2.65	036.04	0
036	Sulfur (%)	0889	0.42000	0.00000	0.48262	0.03272	0.01920	29	-1.91	036.99	0
036	Sulfur (%)	0345	0.42750	0.00500	0.48262	0.03272	0.01920	29	-1.68	036.43	0
036	Sulfur (%)	0555	0.45000	0.02000	0.48262	0.03272	0.01920	29	-1.00	036.42	0
036	Sulfur (%)	0693	0.45000	0.02000	0.48262	0.03272	0.01920	29	-1.00	036.42	0
036	Sulfur (%)	0357	0.46000	0.00000	0.48262	0.03272	0.01920	29	-0.69	036.42	0
036	Sulfur (%)	0629	0.46000	0.00000	0.48262	0.03272	0.01920	29	-0.69	036.43	0
036	Sulfur (%)	0918	0.46350	0.04100	0.48262	0.03272	0.01920	29	-0.58	036.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
036	Sulfur (%)	0407	0.46500	0.01000	0.48262	0.03272	0.01920	29	-0.54	036.42	0
036	Sulfur (%)	0045	0.46700	0.01000	0.48262	0.03272	0.01920	29	-0.48	036.42	0
036	Sulfur (%)	0226	0.47000	0.00000	0.48262	0.03272	0.01920	29	-0.39	036.04	0
036	Sulfur (%)	0297	0.47000	0.02000	0.48262	0.03272	0.01920	29	-0.39	036.43	0
036	Sulfur (%)	0353	0.47000	0.04000	0.48262	0.03272	0.01920	29	-0.39	036.43	0
036	Sulfur (%)	0098	0.48000	0.00000	0.48262	0.03272	0.01920	29	-0.08	036.04	0
036	Sulfur (%)	0265	0.48000	0.06000	0.48262	0.03272	0.01920	29	-0.08	036.42	0
036	Sulfur (%)	0508	0.48280	0.01320	0.48262	0.03272	0.01920	29	0.01	036.43	0
036	Sulfur (%)	0229	0.48500	0.01000	0.48262	0.03272	0.01920	29	0.07	036.04	0
036	Sulfur (%)	0164	0.48500	0.01000	0.48262	0.03272	0.01920	29	0.07	036.42	0
036	Sulfur (%)	0202	0.49000	0.00000	0.48262	0.03272	0.01920	29	0.23	036.42	0
036	Sulfur (%)	0106	0.50000	0.00000	0.48262	0.03272	0.01920	29	0.53	036.42	0
036	Sulfur (%)	0613	0.50500	0.13000	0.48262	0.03272	0.01920	29	0.68	036.42	0
036	Sulfur (%)	0278	0.51000	0.00000	0.48262	0.03272	0.01920	29	0.84	036.42	0
036	Sulfur (%)	0169	0.51000	0.00000	0.48262	0.03272	0.01920	29	0.84	036.43	0
036	Sulfur (%)	0098	0.51360	0.02200	0.48262	0.03272	0.01920	29	0.95	036.43	0
036	Sulfur (%)	0708	0.52450	0.00900	0.48262	0.03272	0.01920	29	1.28	036.42	0
036	Sulfur (%)	0510	0.52500	0.01000	0.48262	0.03272	0.01920	29	1.30	036.43	0
036	Sulfur (%)	0870	0.52570	0.01240	0.48262	0.03272	0.01920	29	1.32	036.42	0
036	Sulfur (%)	0560	0.53270	0.01660	0.48262	0.03272	0.01920	29	1.53	036.42	0
036	Sulfur (%)	0294	0.53500	0.03000	0.48262	0.03272	0.01920	29	1.60	036.42	0
036	Sulfur (%)	0187	27.009	52.942	0.48262	0.03272	0.01920	29	810.64	036.42	2
037	Zinc (mg / kg (ppm))	0536	0.17000	0.00000	345.77	27.554	12.440	93	-12.54	037.31	0
037	Zinc (mg / kg (ppm))	0175	3.5300	0.10000	345.77	27.554	12.440	93	-12.42	037.31	0
037	Zinc (mg / kg (ppm))	0505	205.00	2.0000	345.77	27.554	12.440	93	-5.11	037.31	0
037	Zinc (mg / kg (ppm))	0889	258.50	9.0000	345.77	27.554	12.440	93	-3.17	037.99	0
037	Zinc (mg / kg (ppm))	0613	259.50	19.000	345.77	27.554	12.440	93	-3.13	037.52	0
037	Zinc (mg / kg (ppm))	0555	265.00	50.000	345.77	27.554	12.440	93	-2.93	037.42	0
037	Zinc (mg / kg (ppm))	0870	269.80	3.8000	345.77	27.554	12.440	93	-2.76	037.42	0
037	Zinc (mg / kg (ppm))	0199	276.75	18.500	345.77	27.554	12.440	93	-2.51	037.53	0
037	Zinc (mg / kg (ppm))	0345	289.00	8.0000	345.77	27.554	12.440	93	-2.06	037.43	0
037	Zinc (mg / kg (ppm))	0619	299.00	6.0000	345.77	27.554	12.440	93	-1.70	037.41	0
037	Zinc (mg / kg (ppm))	0948	300.64	2.5000	345.77	27.554	12.440	93	-1.64	037.33	0
037	Zinc (mg / kg (ppm))	0405	303.50	1.0000	345.77	27.554	12.440	93	-1.53	037.41	0
037	Zinc (mg / kg (ppm))	0164	305.00	10.000	345.77	27.554	12.440	93	-1.48	037.41	0
037	Zinc (mg / kg (ppm))	0918	311.09	11.040	345.77	27.554	12.440	93	-1.26	037.43	0
037	Zinc (mg / kg (ppm))	0106	314.50	1.0000	345.77	27.554	12.440	93	-1.13	037.42	0
037	Zinc (mg / kg (ppm))	0520	317.30	59.000	345.77	27.554	12.440	93	-1.03	037.41	0
037	Zinc (mg / kg (ppm))	0042	318.00	62.000	345.77	27.554	12.440	93	-1.01	037.42	0
037	Zinc (mg / kg (ppm))	0955	318.50	9.0000	345.77	27.554	12.440	93	-0.99	037.44	0
037	Zinc (mg / kg (ppm))	0692	322.00	20.000	345.77	27.554	12.440	93	-0.86	037.42	0
037	Zinc (mg / kg (ppm))	0353	322.10	0.80000	345.77	27.554	12.440	93	-0.86	037.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	2023	322.50	13.000	345.77	27.554	12.440	93	-0.84	037.43	0
037	Zinc (mg / kg (ppm))	0723	324.99	0.00000	345.77	27.554	12.440	93	-0.75	037.31	0
037	Zinc (mg / kg (ppm))	2058	325.00	8.4500	345.77	27.554	12.440	93	-0.75	037.43	0
037	Zinc (mg / kg (ppm))	0609	326.80	2.0800	345.77	27.554	12.440	93	-0.69	037.32	0
037	Zinc (mg / kg (ppm))	0695	328.21	2.7060	345.77	27.554	12.440	93	-0.64	037.41	0
037	Zinc (mg / kg (ppm))	0874	329.50	3.0000	345.77	27.554	12.440	93	-0.59	037.31	0
037	Zinc (mg / kg (ppm))	0511	330.00	18.000	345.77	27.554	12.440	93	-0.57	037.41	0
037	Zinc (mg / kg (ppm))	2074	330.00	20.000	345.77	27.554	12.440	93	-0.57	037.42	0
037	Zinc (mg / kg (ppm))	0148	330.90	0.20000	345.77	27.554	12.440	93	-0.54	037.41	0
037	Zinc (mg / kg (ppm))	0168	331.60	24.400	345.77	27.554	12.440	93	-0.51	037.43	0
037	Zinc (mg / kg (ppm))	0610	332.50	19.000	345.77	27.554	12.440	93	-0.48	037.41	0
037	Zinc (mg / kg (ppm))	0968	332.50	3.0000	345.77	27.554	12.440	93	-0.48	037.43	0
037	Zinc (mg / kg (ppm))	0171	335.50	17.000	345.77	27.554	12.440	93	-0.37	037.41	0
037	Zinc (mg / kg (ppm))	0964	335.89	32.720	345.77	27.554	12.440	93	-0.36	037.41	0
037	Zinc (mg / kg (ppm))	0629	340.00	0.00000	345.77	27.554	12.440	93	-0.21	037.43	0
037	Zinc (mg / kg (ppm))	0358	340.07	16.560	345.77	27.554	12.440	93	-0.21	037.41	0
037	Zinc (mg / kg (ppm))	0004	340.50	7.0000	345.77	27.554	12.440	93	-0.19	037.41	0
037	Zinc (mg / kg (ppm))	0425	340.60	0.00000	345.77	27.554	12.440	93	-0.19	037.43	0
037	Zinc (mg / kg (ppm))	0939	341.79	7.6800	345.77	27.554	12.440	93	-0.14	037.31	0
037	Zinc (mg / kg (ppm))	0265	343.00	0.00000	345.77	27.554	12.440	93	-0.10	037.42	0
037	Zinc (mg / kg (ppm))	0208	344.40	25.800	345.77	27.554	12.440	93	-0.05	037.41	0
037	Zinc (mg / kg (ppm))	0049	344.65	31.000	345.77	27.554	12.440	93	-0.04	037.41	0
037	Zinc (mg / kg (ppm))	0098	346.40	1.4000	345.77	27.554	12.440	93	0.02	037.41	0
037	Zinc (mg / kg (ppm))	0357	346.50	1.0000	345.77	27.554	12.440	93	0.03	037.42	0
037	Zinc (mg / kg (ppm))	0951	346.55	31.100	345.77	27.554	12.440	93	0.03	037.31	0
037	Zinc (mg / kg (ppm))	0910	348.00	4.0000	345.77	27.554	12.440	93	0.08	037.41	0
037	Zinc (mg / kg (ppm))	0035	348.05	28.500	345.77	27.554	12.440	93	0.08	037.42	0
037	Zinc (mg / kg (ppm))	0169	348.50	5.0000	345.77	27.554	12.440	93	0.10	037.43	0
037	Zinc (mg / kg (ppm))	0508	349.62	5.3900	345.77	27.554	12.440	93	0.14	037.43	0
037	Zinc (mg / kg (ppm))	0038	351.50	9.0000	345.77	27.554	12.440	93	0.21	037.32	0
037	Zinc (mg / kg (ppm))	0868	352.50	5.0000	345.77	27.554	12.440	93	0.24	037.31	0
037	Zinc (mg / kg (ppm))	0178	352.90	0.40000	345.77	27.554	12.440	93	0.26	037.31	0
037	Zinc (mg / kg (ppm))	0011	354.67	0.56000	345.77	27.554	12.440	93	0.32	037.41	0
037	Zinc (mg / kg (ppm))	0083	355.00	6.0000	345.77	27.554	12.440	93	0.33	037.41	0
037	Zinc (mg / kg (ppm))	0033	355.00	20.000	345.77	27.554	12.440	93	0.33	037.43	0
037	Zinc (mg / kg (ppm))	0553	355.50	25.000	345.77	27.554	12.440	93	0.35	037.41	0
037	Zinc (mg / kg (ppm))	0187	355.98	2.1000	345.77	27.554	12.440	93	0.37	037.42	0
037	Zinc (mg / kg (ppm))	0413	356.50	21.000	345.77	27.554	12.440	93	0.39	037.42	0
037	Zinc (mg / kg (ppm))	0629	357.00	2.0000	345.77	27.554	12.440	93	0.41	037.31	0
037	Zinc (mg / kg (ppm))	0693	357.50	59.000	345.77	27.554	12.440	93	0.43	037.42	0
037	Zinc (mg / kg (ppm))	0100	357.50	23.000	345.77	27.554	12.440	93	0.43	037.99	0
037	Zinc (mg / kg (ppm))	0720	359.12	6.8180	345.77	27.554	12.440	93	0.48	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0598	360.25	2.3000	345.77	27.554	12.440	93	0.53	037.41	0
037	Zinc (mg / kg (ppm))	2012	361.56	2.1200	345.77	27.554	12.440	93	0.57	037.41	0
037	Zinc (mg / kg (ppm))	0354	362.19	2.5300	345.77	27.554	12.440	93	0.60	037.31	0
037	Zinc (mg / kg (ppm))	0407	362.60	2.5200	345.77	27.554	12.440	93	0.61	037.41	0
037	Zinc (mg / kg (ppm))	0045	363.00	10.000	345.77	27.554	12.440	93	0.63	037.42	0
037	Zinc (mg / kg (ppm))	0726	363.40	0.40000	345.77	27.554	12.440	93	0.64	037.42	0
037	Zinc (mg / kg (ppm))	0190	363.51	12.820	345.77	27.554	12.440	93	0.64	037.42	0
037	Zinc (mg / kg (ppm))	0510	364.00	4.0000	345.77	27.554	12.440	93	0.66	037.43	0
037	Zinc (mg / kg (ppm))	2022	365.50	3.6000	345.77	27.554	12.440	93	0.72	037.31	0
037	Zinc (mg / kg (ppm))	0208	366.50	11.000	345.77	27.554	12.440	93	0.75	037.31	0
037	Zinc (mg / kg (ppm))	2004	366.50	3.0000	345.77	27.554	12.440	93	0.75	037.44	0
037	Zinc (mg / kg (ppm))	0229	368.00	6.0000	345.77	27.554	12.440	93	0.81	037.41	0
037	Zinc (mg / kg (ppm))	0682	368.00	4.0000	345.77	27.554	12.440	93	0.81	037.41	0
037	Zinc (mg / kg (ppm))	0964	368.04	33.160	345.77	27.554	12.440	93	0.81	037.43	0
037	Zinc (mg / kg (ppm))	0572	368.50	47.000	345.77	27.554	12.440	93	0.82	037.53	0
037	Zinc (mg / kg (ppm))	0560	369.50	13.000	345.77	27.554	12.440	93	0.86	037.42	0
037	Zinc (mg / kg (ppm))	0008	370.50	11.000	345.77	27.554	12.440	93	0.90	037.43	0
037	Zinc (mg / kg (ppm))	0300	370.91	2.1130	345.77	27.554	12.440	93	0.91	037.41	0
037	Zinc (mg / kg (ppm))	0035	371.55	14.700	345.77	27.554	12.440	93	0.94	037.32	0
037	Zinc (mg / kg (ppm))	0297	373.00	40.000	345.77	27.554	12.440	93	0.99	037.43	0
037	Zinc (mg / kg (ppm))	0294	376.51	33.220	345.77	27.554	12.440	93	1.12	037.42	0
037	Zinc (mg / kg (ppm))	0675	378.79	3.1500	345.77	27.554	12.440	93	1.20	037.43	0
037	Zinc (mg / kg (ppm))	0689	379.60	0.20000	345.77	27.554	12.440	93	1.23	037.31	0
037	Zinc (mg / kg (ppm))	0563	381.50	3.0000	345.77	27.554	12.440	93	1.30	037.31	0
037	Zinc (mg / kg (ppm))	0003	382.00	4.0000	345.77	27.554	12.440	93	1.31	037.41	0
037	Zinc (mg / kg (ppm))	0098	382.60	15.800	345.77	27.554	12.440	93	1.34	037.43	0
037	Zinc (mg / kg (ppm))	2055	383.00	54.000	345.77	27.554	12.440	93	1.35	037.53	0
037	Zinc (mg / kg (ppm))	0674	384.78	2.7100	345.77	27.554	12.440	93	1.42	037.31	0
037	Zinc (mg / kg (ppm))	0202	391.99	3.9400	345.77	27.554	12.440	93	1.68	037.42	0
037	Zinc (mg / kg (ppm))	0226	393.50	3.0000	345.77	27.554	12.440	93	1.73	037.41	0
037	Zinc (mg / kg (ppm))	0504	393.60	8.0000	345.77	27.554	12.440	93	1.74	037.32	0
037	Zinc (mg / kg (ppm))	0555	370.00	140.00	345.77	27.554	12.440	93	0.88	037.52	1
038	Molybdenum (mg / kg (ppm))	0345	4.0950	0.15000	5.3093	0.62674	0.47936	19	-1.94	038.43	0
038	Molybdenum (mg / kg (ppm))	0278	4.4850	0.21000	5.3093	0.62674	0.47936	19	-1.32	038.42	0
038	Molybdenum (mg / kg (ppm))	0693	4.6100	0.20000	5.3093	0.62674	0.47936	19	-1.12	038.42	0
038	Molybdenum (mg / kg (ppm))	0510	4.8000	0.00000	5.3093	0.62674	0.47936	19	-0.81	038.43	0
038	Molybdenum (mg / kg (ppm))	0353	4.9450	0.11000	5.3093	0.62674	0.47936	19	-0.58	038.43	0
038	Molybdenum (mg / kg (ppm))	0297	5.0000	0.06000	5.3093	0.62674	0.47936	19	-0.49	038.43	0
038	Molybdenum (mg / kg (ppm))	0560	5.0250	0.69000	5.3093	0.62674	0.47936	19	-0.45	038.42	0
038	Molybdenum (mg / kg (ppm))	0169	5.0300	0.02000	5.3093	0.62674	0.47936	19	-0.45	038.43	0
038	Molybdenum (mg / kg (ppm))	0964	5.1450	0.14760	5.3093	0.62674	0.47936	19	-0.26	038.41	0
038	Molybdenum (mg / kg (ppm))	0964	5.2257	0.81930	5.3093	0.62674	0.47936	19	-0.13	038.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
038	Molybdenum (mg / kg (ppm))	0011	5.3683	0.33350	5.3093	0.62674	0.47936	19	0.09	038.41	0
038	Molybdenum (mg / kg (ppm))	0508	5.5752	0.08940	5.3093	0.62674	0.47936	19	0.42	038.43	0
038	Molybdenum (mg / kg (ppm))	0918	5.6400	0.45600	5.3093	0.62674	0.47936	19	0.53	038.53	0
038	Molybdenum (mg / kg (ppm))	0555	5.7500	0.30000	5.3093	0.62674	0.47936	19	0.70	038.52	0
038	Molybdenum (mg / kg (ppm))	2023	5.8000	0.88000	5.3093	0.62674	0.47936	19	0.78	038.53	0
038	Molybdenum (mg / kg (ppm))	0168	5.8530	0.77200	5.3093	0.62674	0.47936	19	0.87	038.53	0
038	Molybdenum (mg / kg (ppm))	0553	5.9100	1.1800	5.3093	0.62674	0.47936	19	0.96	038.43	0
038	Molybdenum (mg / kg (ppm))	2055	6.6650	1.2100	5.3093	0.62674	0.47936	19	2.16	038.53	0
038	Molybdenum (mg / kg (ppm))	0003	6.7000	1.4800	5.3093	0.62674	0.47936	19	2.22	038.43	0
038	Molybdenum (mg / kg (ppm))	0098	5.3035	2.6110	5.3093	0.62674	0.47936	19	-0.01	038.52	1
040	Barium (mg / kg (ppm))	0508	6.1884	0.27330	6.7576	0.39471	0.28583	4	-1.44	040.43	0
040	Barium (mg / kg (ppm))	0918	6.8570	0.44000	6.7576	0.39471	0.28583	4	0.25	040.53	0
040	Barium (mg / kg (ppm))	0560	6.8850	0.03000	6.7576	0.39471	0.28583	4	0.32	040.42	0
040	Barium (mg / kg (ppm))	0555	7.1000	0.40000	6.7576	0.39471	0.28583	4	0.87	040.52	0
041	Vanadium (mg / kg (ppm))	0553	0.68400	0.01000			0.01000	1			
042	Chloride (%)	0613	1.8050	0.01000	1.9000	0.13435	0.03000	2	-0.71	042.99	0
042	Chloride (%)	0297	1.9950	0.05000	1.9000	0.13435	0.03000	2	0.71	042.00	0
051	Chlortetracycline (mg / kg (ppm))	0613	0.00000	0.00000			0.00000	1			
057	Ethoxyquin (mg / kg (ppm))	2053	0.85000	0.10000	1.7450	1.2657	0.05000	2	-0.71	057.01	0
057	Ethoxyquin (mg / kg (ppm))	0875	2.6400	0.00000	1.7450	1.2657	0.05000	2	0.71	057.99	0
061	Lasalocid Sodium (mg / kg (ppm))	0009	110.76	1.5800	128.44	7.4042	2.6600	17	-2.39	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0964	120.47	1.6700	128.44	7.4042	2.6600	17	-1.08	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0910	121.40	0.00000	128.44	7.4042	2.6600	17	-0.95	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	0610	121.50	1.0000	128.44	7.4042	2.6600	17	-0.94	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	0014	125.29	1.0000	128.44	7.4042	2.6600	17	-0.43	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0629	125.50	1.0000	128.44	7.4042	2.6600	17	-0.40	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	2053	126.00	4.0000	128.44	7.4042	2.6600	17	-0.33	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	0047	126.15	7.5000	128.44	7.4042	2.6600	17	-0.31	061.01	0
061	Lasalocid Sodium (mg / kg (ppm))	0027	126.40	5.5200	128.44	7.4042	2.6600	17	-0.28	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0033	129.00	0.40000	128.44	7.4042	2.6600	17	0.08	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0013	129.50	1.0000	128.44	7.4042	2.6600	17	0.14	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0036	132.40	5.2000	128.44	7.4042	2.6600	17	0.53	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	0032	132.50	1.0000	128.44	7.4042	2.6600	17	0.55	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	0010	142.50	3.0000	128.44	7.4042	2.6600	17	1.90	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0001	143.49	5.2500	128.44	7.4042	2.6600	17	2.03	061.03	0
061	Lasalocid Sodium (mg / kg (ppm))	0218	145.00	0.00000	128.44	7.4042	2.6600	17	2.24	061.02	0
061	Lasalocid Sodium (mg / kg (ppm))	0668	162.95	6.1000	128.44	7.4042	2.6600	17	4.66	061.02	0
065	Monensin (mg / kg (ppm))	0613	0.00000	0.00000			0.00000	1			
073	Oxytetracycline (mg / kg (ppm))	0613	0.00000	0.00000			0.00000	1			
079	Salinomycin (mg / kg (ppm))	0613	0.00000	0.00000			0.00000	1			
101	Choline Chloride (mg / kg (ppm))	2004	1,230.0	40.000			40.000	1			
102	Niacin (mg / kg (ppm))	0227	46.750	4.5000			4.5000	1			

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
103	Pantothenic Acid (mg / kg (ppm))	0227	6.6600	0.26000			0.26000	1			
104	Riboflavin (mg / kg (ppm))	0227	2.3450	0.11000	4.0352	1.7868	0.09100	3	-0.95	104.00	0
104	Riboflavin (mg / kg (ppm))	2023	3.8555	0.03300	4.0352	1.7868	0.09100	3	-0.10	104.03	0
104	Riboflavin (mg / kg (ppm))	0171	5.9050	0.13000	4.0352	1.7868	0.09100	3	1.05	104.00	0
105	Thiamine (mg / kg (ppm))	2023	5.1000	0.20000			0.20000	1			
106	Vitamin A (KU / kg)	0675	7.2500	0.10000	27.396	8.4567	1.1412	25	-2.38	106.02	0
106	Vitamin A (KU / kg)	0921	11.610	0.00000	27.396	8.4567	1.1412	25	-1.87	106.02	0
106	Vitamin A (KU / kg)	0910	13.720	1.0400	27.396	8.4567	1.1412	25	-1.62	106.02	0
106	Vitamin A (KU / kg)	0003	14.455	0.23000	27.396	8.4567	1.1412	25	-1.53	106.02	0
106	Vitamin A (KU / kg)	0019	16.876	0.19600	27.396	8.4567	1.1412	25	-1.24	106.00	0
106	Vitamin A (KU / kg)	2067	20.849	0.09100	27.396	8.4567	1.1412	25	-0.77	106.02	0
106	Vitamin A (KU / kg)	0004	24.262	0.55100	27.396	8.4567	1.1412	25	-0.37	106.02	0
106	Vitamin A (KU / kg)	0619	24.400	0.00000	27.396	8.4567	1.1412	25	-0.35	106.02	0
106	Vitamin A (KU / kg)	0027	24.443	1.8100	27.396	8.4567	1.1412	25	-0.35	106.02	0
106	Vitamin A (KU / kg)	0199	24.750	0.10000	27.396	8.4567	1.1412	25	-0.31	106.02	0
106	Vitamin A (KU / kg)	2053	25.950	1.3000	27.396	8.4567	1.1412	25	-0.17	106.02	0
106	Vitamin A (KU / kg)	0676	26.900	0.40000	27.396	8.4567	1.1412	25	-0.06	106.02	0
106	Vitamin A (KU / kg)	0941	27.931	3.7640	27.396	8.4567	1.1412	25	0.06	106.02	0
106	Vitamin A (KU / kg)	0610	28.350	2.3000	27.396	8.4567	1.1412	25	0.11	106.02	0
106	Vitamin A (KU / kg)	2058	29.015	1.3500	27.396	8.4567	1.1412	25	0.19	106.02	0
106	Vitamin A (KU / kg)	0563	29.326	1.6254	27.396	8.4567	1.1412	25	0.23	106.02	0
106	Vitamin A (KU / kg)	2023	29.550	5.1000	27.396	8.4567	1.1412	25	0.25	106.02	0
106	Vitamin A (KU / kg)	0098	30.050	0.90000	27.396	8.4567	1.1412	25	0.31	106.01	0
106	Vitamin A (KU / kg)	0035	33.090	0.70900	27.396	8.4567	1.1412	25	0.67	106.02	0
106	Vitamin A (KU / kg)	0227	33.600	1.8000	27.396	8.4567	1.1412	25	0.73	106.02	0
106	Vitamin A (KU / kg)	0861	34.600	0.80000	27.396	8.4567	1.1412	25	0.85	106.02	0
106	Vitamin A (KU / kg)	0208	36.927	1.5430	27.396	8.4567	1.1412	25	1.13	106.02	0
106	Vitamin A (KU / kg)	2066	39.790	0.74000	27.396	8.4567	1.1412	25	1.47	106.02	0
106	Vitamin A (KU / kg)	0169	51.850	0.58000	27.396	8.4567	1.1412	25	2.89	106.02	0
106	Vitamin A (KU / kg)	2004	57.750	1.5000	27.396	8.4567	1.1412	25	3.59	106.02	0
106	Vitamin A (KU / kg)	0555	21.250	10.500	27.396	8.4567	1.1412	25	-0.73	106.02	1
107	Vitamin B12 (µg / kg (ppb))	0227	30.300	1.0000			1.0000	1			
108	Vitamin D3 (KU / kg)	0610	2.3500	0.02000	3.4914	1.0535	0.18325	8	-1.08	108.02	0
108	Vitamin D3 (KU / kg)	2058	2.3800	0.02000	3.4914	1.0535	0.18325	8	-1.05	108.02	0
108	Vitamin D3 (KU / kg)	0227	2.9650	0.23000	3.4914	1.0535	0.18325	8	-0.50	108.02	0
108	Vitamin D3 (KU / kg)	2023	3.1530	0.49600	3.4914	1.0535	0.18325	8	-0.32	108.01	0
108	Vitamin D3 (KU / kg)	2004	3.8850	0.09000	3.4914	1.0535	0.18325	8	0.37	108.99	0
108	Vitamin D3 (KU / kg)	0675	4.0000	0.04000	3.4914	1.0535	0.18325	8	0.48	108.02	0
108	Vitamin D3 (KU / kg)	0676	4.2500	0.30000	3.4914	1.0535	0.18325	8	0.72	108.02	0
108	Vitamin D3 (KU / kg)	0169	7.0150	0.27000	3.4914	1.0535	0.18325	8	3.34	108.01	0
109	Vitamin E (mg / kg (ppm))	0619	0.31800	0.00000	110.84	31.749	2.5334	22	-3.48	109.02	0
109	Vitamin E (mg / kg (ppm))	0685	65.945	0.33000	110.84	31.749	2.5334	22	-1.41	109.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
109	Vitamin E (mg / kg (ppm))	0555	76.500	5.0000	110.84	31.749	2.5334	22	-1.08	109.02	0
109	Vitamin E (mg / kg (ppm))	0171	84.850	4.5000	110.84	31.749	2.5334	22	-0.82	109.99	0
109	Vitamin E (mg / kg (ppm))	0675	86.730	7.2200	110.84	31.749	2.5334	22	-0.76	109.02	0
109	Vitamin E (mg / kg (ppm))	0027	86.740	1.2200	110.84	31.749	2.5334	22	-0.76	109.02	0
109	Vitamin E (mg / kg (ppm))	2053	88.500	1.0000	110.84	31.749	2.5334	22	-0.70	109.02	0
109	Vitamin E (mg / kg (ppm))	2067	103.50	1.0000	110.84	31.749	2.5334	22	-0.23	109.02	0
109	Vitamin E (mg / kg (ppm))	0723	104.40	0.00000	110.84	31.749	2.5334	22	-0.20	109.02	0
109	Vitamin E (mg / kg (ppm))	2058	107.67	1.1100	110.84	31.749	2.5334	22	-0.10	109.02	0
109	Vitamin E (mg / kg (ppm))	0169	109.00	2.0000	110.84	31.749	2.5334	22	-0.06	109.02	0
109	Vitamin E (mg / kg (ppm))	0590	110.00	0.00000	110.84	31.749	2.5334	22	-0.03	109.02	0
109	Vitamin E (mg / kg (ppm))	0199	112.70	0.00000	110.84	31.749	2.5334	22	0.06	109.02	0
109	Vitamin E (mg / kg (ppm))	0098	119.00	6.0000	110.84	31.749	2.5334	22	0.26	109.02	0
109	Vitamin E (mg / kg (ppm))	0676	121.75	0.30000	110.84	31.749	2.5334	22	0.34	109.02	0
109	Vitamin E (mg / kg (ppm))	0921	122.80	0.00000	110.84	31.749	2.5334	22	0.38	109.02	0
109	Vitamin E (mg / kg (ppm))	0208	126.64	10.933	110.84	31.749	2.5334	22	0.50	109.02	0
109	Vitamin E (mg / kg (ppm))	2023	133.20	2.0000	110.84	31.749	2.5334	22	0.70	109.02	0
109	Vitamin E (mg / kg (ppm))	0227	149.00	2.0000	110.84	31.749	2.5334	22	1.20	109.02	0
109	Vitamin E (mg / kg (ppm))	0861	150.00	0.00000	110.84	31.749	2.5334	22	1.23	109.02	0
109	Vitamin E (mg / kg (ppm))	0910	159.20	1.6000	110.84	31.749	2.5334	22	1.52	109.02	0
109	Vitamin E (mg / kg (ppm))	0563	229.10	9.5208	110.84	31.749	2.5334	22	3.72	109.02	0
109	Vitamin E (mg / kg (ppm))	0610	129.00	14.000	110.84	31.749	2.5334	22	0.57	109.02	1
113	Folic Acid (mg / kg (ppm))	0227	1.5050	0.03000			0.03000	1			
114	Biotin (mg / kg (ppm))	0227	0.38500	0.03200			0.03200	1			
115	Non Protein Nitrogen (NPN) (%)	0035	5.4550	0.01000			0.01000	1			
120	Alanine (%)	0676	1.3240	0.05400	1.4067	0.02564	0.02534	19	-3.23	120.05	0
120	Alanine (%)	0619	1.3450	0.03000	1.4067	0.02564	0.02534	19	-2.41	120.00	0
120	Alanine (%)	0652	1.3550	0.05000	1.4067	0.02564	0.02534	19	-2.02	120.00	0
120	Alanine (%)	0675	1.3550	0.01000	1.4067	0.02564	0.02534	19	-2.02	120.00	0
120	Alanine (%)	0297	1.3835	0.04300	1.4067	0.02564	0.02534	19	-0.91	120.01	0
120	Alanine (%)	0684	1.3940	0.05000	1.4067	0.02564	0.02534	19	-0.50	120.00	0
120	Alanine (%)	0941	1.3950	0.01000	1.4067	0.02564	0.02534	19	-0.46	120.00	0
120	Alanine (%)	0227	1.4050	0.03000	1.4067	0.02564	0.02534	19	-0.07	120.00	0
120	Alanine (%)	0968	1.4070	0.01000	1.4067	0.02564	0.02534	19	0.01	120.00	0
120	Alanine (%)	0872	1.4086	0.01300	1.4067	0.02564	0.02534	19	0.07	120.00	0
120	Alanine (%)	0644	1.4090	0.00600	1.4067	0.02564	0.02534	19	0.09	120.00	0
120	Alanine (%)	2023	1.4100	0.00000	1.4067	0.02564	0.02534	19	0.13	120.02	0
120	Alanine (%)	0098	1.4153	0.00200	1.4067	0.02564	0.02534	19	0.33	120.02	0
120	Alanine (%)	2004	1.4200	0.06000	1.4067	0.02564	0.02534	19	0.52	120.01	0
120	Alanine (%)	2059	1.4215	0.00100	1.4067	0.02564	0.02534	19	0.58	120.00	0
120	Alanine (%)	0571	1.4310	0.00800	1.4067	0.02564	0.02534	19	0.95	120.00	0
120	Alanine (%)	0504	1.4450	0.01000	1.4067	0.02564	0.02534	19	1.49	120.00	0
120	Alanine (%)	0868	1.4450	0.01000	1.4067	0.02564	0.02534	19	1.49	120.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
120	Alanine (%)	0918	1.5903	0.08450	1.4067	0.02564	0.02534	19	7.16	120.00	0
121	Arginine (%)	0675	2.8450	0.01000	3.0641	0.12658	0.06134	18	-1.73	121.00	0
121	Arginine (%)	0619	2.8800	0.08000	3.0641	0.12658	0.06134	18	-1.45	121.00	0
121	Arginine (%)	0227	2.8950	0.21000	3.0641	0.12658	0.06134	18	-1.34	121.00	0
121	Arginine (%)	0652	2.9600	0.02000	3.0641	0.12658	0.06134	18	-0.82	121.00	0
121	Arginine (%)	0684	2.9775	0.13500	3.0641	0.12658	0.06134	18	-0.68	121.00	0
121	Arginine (%)	0941	3.0050	0.07000	3.0641	0.12658	0.06134	18	-0.47	121.00	0
121	Arginine (%)	0968	3.0255	0.01700	3.0641	0.12658	0.06134	18	-0.31	121.00	0
121	Arginine (%)	0872	3.0342	0.02170	3.0641	0.12658	0.06134	18	-0.24	121.00	0
121	Arginine (%)	2004	3.0650	0.15000	3.0641	0.12658	0.06134	18	0.01	121.01	0
121	Arginine (%)	0098	3.0660	0.00670	3.0641	0.12658	0.06134	18	0.01	121.02	0
121	Arginine (%)	2059	3.1085	0.01700	3.0641	0.12658	0.06134	18	0.35	121.00	0
121	Arginine (%)	0868	3.1150	0.03000	3.0641	0.12658	0.06134	18	0.40	121.00	0
121	Arginine (%)	0504	3.1250	0.03000	3.0641	0.12658	0.06134	18	0.48	121.00	0
121	Arginine (%)	0644	3.1290	0.03800	3.0641	0.12658	0.06134	18	0.51	121.00	0
121	Arginine (%)	0571	3.1750	0.05000	3.0641	0.12658	0.06134	18	0.88	121.00	0
121	Arginine (%)	2023	3.2100	0.04000	3.0641	0.12658	0.06134	18	1.15	121.02	0
121	Arginine (%)	0918	3.2989	0.08180	3.0641	0.12658	0.06134	18	1.85	121.00	0
121	Arginine (%)	0297	3.3235	0.09700	3.0641	0.12658	0.06134	18	2.05	121.01	0
121	Arginine (%)	0676	3.0060	0.28600	3.0641	0.12658	0.06134	18	-0.46	121.05	1
122	Aspartic (%)	0675	2.6550	0.01000	2.8851	0.08985	0.04843	18	-2.56	122.00	0
122	Aspartic (%)	0619	2.7450	0.07000	2.8851	0.08985	0.04843	18	-1.56	122.00	0
122	Aspartic (%)	0676	2.7920	0.18000	2.8851	0.08985	0.04843	18	-1.04	122.05	0
122	Aspartic (%)	0652	2.8300	0.16000	2.8851	0.08985	0.04843	18	-0.61	122.00	0
122	Aspartic (%)	0968	2.8470	0.00800	2.8851	0.08985	0.04843	18	-0.42	122.00	0
122	Aspartic (%)	0098	2.8481	0.04940	2.8851	0.08985	0.04843	18	-0.41	122.02	0
122	Aspartic (%)	0684	2.8540	0.04800	2.8851	0.08985	0.04843	18	-0.35	122.00	0
122	Aspartic (%)	2004	2.8600	0.08000	2.8851	0.08985	0.04843	18	-0.28	122.01	0
122	Aspartic (%)	0941	2.8650	0.01000	2.8851	0.08985	0.04843	18	-0.22	122.00	0
122	Aspartic (%)	2059	2.8690	0.00400	2.8851	0.08985	0.04843	18	-0.18	122.00	0
122	Aspartic (%)	0868	2.8950	0.01000	2.8851	0.08985	0.04843	18	0.11	122.00	0
122	Aspartic (%)	0872	2.9312	0.01940	2.8851	0.08985	0.04843	18	0.51	122.00	0
122	Aspartic (%)	0504	2.9350	0.01000	2.8851	0.08985	0.04843	18	0.56	122.00	0
122	Aspartic (%)	0297	2.9400	0.08600	2.8851	0.08985	0.04843	18	0.61	122.01	0
122	Aspartic (%)	0644	2.9700	0.01600	2.8851	0.08985	0.04843	18	0.95	122.00	0
122	Aspartic (%)	0227	2.9850	0.07000	2.8851	0.08985	0.04843	18	1.11	122.00	0
122	Aspartic (%)	0571	2.9995	0.04100	2.8851	0.08985	0.04843	18	1.27	122.00	0
122	Aspartic (%)	2023	3.0100	0.00000	2.8851	0.08985	0.04843	18	1.39	122.02	0
122	Aspartic (%)	0918	3.0057	0.32070	2.8851	0.08985	0.04843	18	1.34	122.00	1
124	Cysteine/Cystine (%)	0941	0.40000	0.02000	0.46660	0.03088	0.00999	18	-2.16	124.00	0
124	Cysteine/Cystine (%)	0297	0.42650	0.00300	0.46660	0.03088	0.00999	18	-1.30	124.01	0
124	Cysteine/Cystine (%)	2004	0.42850	0.00100	0.46660	0.03088	0.00999	18	-1.23	124.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
124	Cysteine/Cystine (%)	0652	0.44500	0.01000	0.46660	0.03088	0.00999	18	-0.70	124.00	0
124	Cysteine/Cystine (%)	0619	0.44950	0.01100	0.46660	0.03088	0.00999	18	-0.55	124.00	0
124	Cysteine/Cystine (%)	0644	0.45150	0.00300	0.46660	0.03088	0.00999	18	-0.49	124.00	0
124	Cysteine/Cystine (%)	0227	0.45500	0.01000	0.46660	0.03088	0.00999	18	-0.38	124.00	0
124	Cysteine/Cystine (%)	0868	0.46100	0.00200	0.46660	0.03088	0.00999	18	-0.18	124.00	0
124	Cysteine/Cystine (%)	0968	0.46400	0.00000	0.46660	0.03088	0.00999	18	-0.08	124.00	0
124	Cysteine/Cystine (%)	0504	0.46500	0.03000	0.46660	0.03088	0.00999	18	-0.05	124.00	0
124	Cysteine/Cystine (%)	0675	0.46500	0.01000	0.46660	0.03088	0.00999	18	-0.05	124.00	0
124	Cysteine/Cystine (%)	0872	0.47465	0.00190	0.46660	0.03088	0.00999	18	0.26	124.00	0
124	Cysteine/Cystine (%)	2059	0.48150	0.00500	0.46660	0.03088	0.00999	18	0.48	124.00	0
124	Cysteine/Cystine (%)	0684	0.49050	0.00500	0.46660	0.03088	0.00999	18	0.77	124.00	0
124	Cysteine/Cystine (%)	0571	0.50200	0.00200	0.46660	0.03088	0.00999	18	1.15	124.00	0
124	Cysteine/Cystine (%)	2023	0.51500	0.01000	0.46660	0.03088	0.00999	18	1.57	124.02	0
124	Cysteine/Cystine (%)	0098	0.52790	0.01900	0.46660	0.03088	0.00999	18	1.99	124.02	0
124	Cysteine/Cystine (%)	0918	0.53950	0.03700	0.46660	0.03088	0.00999	18	2.36	124.00	0
125	Glutamic (%)	0619	5.6100	0.16000	5.9339	0.18795	0.08166	18	-1.72	125.00	0
125	Glutamic (%)	0504	5.7300	0.04000	5.9339	0.18795	0.08166	18	-1.08	125.00	0
125	Glutamic (%)	2004	5.7350	0.17000	5.9339	0.18795	0.08166	18	-1.06	125.01	0
125	Glutamic (%)	0675	5.7550	0.01000	5.9339	0.18795	0.08166	18	-0.95	125.00	0
125	Glutamic (%)	0941	5.8000	0.06000	5.9339	0.18795	0.08166	18	-0.71	125.00	0
125	Glutamic (%)	0098	5.8192	0.02820	5.9339	0.18795	0.08166	18	-0.61	125.02	0
125	Glutamic (%)	2059	5.8445	0.01700	5.9339	0.18795	0.08166	18	-0.48	125.00	0
125	Glutamic (%)	0872	5.9018	0.03750	5.9339	0.18795	0.08166	18	-0.17	125.00	0
125	Glutamic (%)	0227	5.9100	0.06000	5.9339	0.18795	0.08166	18	-0.13	125.00	0
125	Glutamic (%)	0868	5.9450	0.03000	5.9339	0.18795	0.08166	18	0.06	125.00	0
125	Glutamic (%)	0571	5.9745	0.07300	5.9339	0.18795	0.08166	18	0.22	125.00	0
125	Glutamic (%)	0968	6.0280	0.01600	5.9339	0.18795	0.08166	18	0.50	125.00	0
125	Glutamic (%)	0644	6.0610	0.06800	5.9339	0.18795	0.08166	18	0.68	125.00	0
125	Glutamic (%)	0652	6.0700	0.20000	5.9339	0.18795	0.08166	18	0.72	125.00	0
125	Glutamic (%)	2023	6.0900	0.12000	5.9339	0.18795	0.08166	18	0.83	125.02	0
125	Glutamic (%)	0297	6.1320	0.14800	5.9339	0.18795	0.08166	18	1.05	125.01	0
125	Glutamic (%)	0684	6.1465	0.14700	5.9339	0.18795	0.08166	18	1.13	125.00	0
125	Glutamic (%)	0918	6.3395	0.08510	5.9339	0.18795	0.08166	18	2.16	125.00	0
125	Glutamic (%)	0676	5.6720	0.50400	5.9339	0.18795	0.08166	18	-1.39	125.05	1
126	Glycine (%)	0675	1.5550	0.01000	1.6486	0.05002	0.03029	19	-1.87	126.00	0
126	Glycine (%)	0619	1.5900	0.04000	1.6486	0.05002	0.03029	19	-1.17	126.00	0
126	Glycine (%)	0676	1.5935	0.01700	1.6486	0.05002	0.03029	19	-1.10	126.05	0
126	Glycine (%)	2004	1.5950	0.05000	1.6486	0.05002	0.03029	19	-1.07	126.01	0
126	Glycine (%)	0684	1.5990	0.09000	1.6486	0.05002	0.03029	19	-0.99	126.00	0
126	Glycine (%)	0941	1.6200	0.02000	1.6486	0.05002	0.03029	19	-0.57	126.00	0
126	Glycine (%)	0968	1.6345	0.00300	1.6486	0.05002	0.03029	19	-0.28	126.00	0
126	Glycine (%)	0644	1.6380	0.02600	1.6486	0.05002	0.03029	19	-0.21	126.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
126	Glycine (%)	2059	1.6475	0.00900	1.6486	0.05002	0.03029	19	-0.02	126.00	0
126	Glycine (%)	0098	1.6498	0.00950	1.6486	0.05002	0.03029	19	0.02	126.02	0
126	Glycine (%)	0872	1.6540	0.01550	1.6486	0.05002	0.03029	19	0.11	126.00	0
126	Glycine (%)	0652	1.6600	0.02000	1.6486	0.05002	0.03029	19	0.23	126.00	0
126	Glycine (%)	0227	1.6650	0.01000	1.6486	0.05002	0.03029	19	0.33	126.00	0
126	Glycine (%)	0297	1.6720	0.06400	1.6486	0.05002	0.03029	19	0.47	126.01	0
126	Glycine (%)	0571	1.6740	0.03000	1.6486	0.05002	0.03029	19	0.51	126.00	0
126	Glycine (%)	0868	1.7000	0.00000	1.6486	0.05002	0.03029	19	1.03	126.00	0
126	Glycine (%)	2023	1.7200	0.02000	1.6486	0.05002	0.03029	19	1.43	126.02	0
126	Glycine (%)	0504	1.7450	0.05000	1.6486	0.05002	0.03029	19	1.93	126.00	0
126	Glycine (%)	0918	1.7768	0.09160	1.6486	0.05002	0.03029	19	2.56	126.00	0
127	Histidine (%)	2004	0.74850	0.05900	0.82362	0.04353	0.01836	18	-1.73	127.01	0
127	Histidine (%)	0652	0.77500	0.03000	0.82362	0.04353	0.01836	18	-1.12	127.00	0
127	Histidine (%)	2023	0.77500	0.01000	0.82362	0.04353	0.01836	18	-1.12	127.02	0
127	Histidine (%)	0675	0.78500	0.01000	0.82362	0.04353	0.01836	18	-0.89	127.00	0
127	Histidine (%)	0684	0.78650	0.01700	0.82362	0.04353	0.01836	18	-0.85	127.00	0
127	Histidine (%)	0941	0.79500	0.03000	0.82362	0.04353	0.01836	18	-0.66	127.00	0
127	Histidine (%)	0619	0.80850	0.01700	0.82362	0.04353	0.01836	18	-0.35	127.00	0
127	Histidine (%)	0098	0.81060	0.00200	0.82362	0.04353	0.01836	18	-0.30	127.02	0
127	Histidine (%)	0676	0.81750	0.05900	0.82362	0.04353	0.01836	18	-0.14	127.05	0
127	Histidine (%)	0968	0.83450	0.00900	0.82362	0.04353	0.01836	18	0.25	127.00	0
127	Histidine (%)	0504	0.84500	0.01000	0.82362	0.04353	0.01836	18	0.49	127.00	0
127	Histidine (%)	0571	0.84850	0.01300	0.82362	0.04353	0.01836	18	0.57	127.00	0
127	Histidine (%)	0872	0.85380	0.00060	0.82362	0.04353	0.01836	18	0.69	127.00	0
127	Histidine (%)	2059	0.85550	0.00100	0.82362	0.04353	0.01836	18	0.73	127.00	0
127	Histidine (%)	0644	0.86100	0.00400	0.82362	0.04353	0.01836	18	0.86	127.00	0
127	Histidine (%)	0868	0.86150	0.01700	0.82362	0.04353	0.01836	18	0.87	127.00	0
127	Histidine (%)	0227	0.86500	0.01000	0.82362	0.04353	0.01836	18	0.95	127.00	0
127	Histidine (%)	0918	0.92695	0.03190	0.82362	0.04353	0.01836	18	2.37	127.00	0
127	Histidine (%)	0297	0.80950	0.10300	0.82362	0.04353	0.01836	18	-0.32	127.01	1
128	Isoleucine (%)	0675	0.93500	0.01000	1.0506	0.05619	0.02345	19	-2.06	128.00	0
128	Isoleucine (%)	0619	0.95650	0.02700	1.0506	0.05619	0.02345	19	-1.67	128.00	0
128	Isoleucine (%)	0941	0.97000	0.00000	1.0506	0.05619	0.02345	19	-1.43	128.00	0
128	Isoleucine (%)	0684	0.97150	0.03900	1.0506	0.05619	0.02345	19	-1.41	128.00	0
128	Isoleucine (%)	2023	1.0050	0.01000	1.0506	0.05619	0.02345	19	-0.81	128.02	0
128	Isoleucine (%)	2004	1.0150	0.01000	1.0506	0.05619	0.02345	19	-0.63	128.01	0
128	Isoleucine (%)	0652	1.0250	0.07000	1.0506	0.05619	0.02345	19	-0.46	128.00	0
128	Isoleucine (%)	0968	1.0480	0.01800	1.0506	0.05619	0.02345	19	-0.05	128.00	0
128	Isoleucine (%)	0098	1.0546	0.02100	1.0506	0.05619	0.02345	19	0.07	128.02	0
128	Isoleucine (%)	0872	1.0628	0.01820	1.0506	0.05619	0.02345	19	0.22	128.00	0
128	Isoleucine (%)	2059	1.0710	0.00400	1.0506	0.05619	0.02345	19	0.36	128.00	0
128	Isoleucine (%)	0644	1.0740	0.01600	1.0506	0.05619	0.02345	19	0.42	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
128	Isoleucine (%)	0227	1.0750	0.03000	1.0506	0.05619	0.02345	19	0.43	128.00	0
128	Isoleucine (%)	0676	1.0845	0.06500	1.0506	0.05619	0.02345	19	0.60	128.05	0
128	Isoleucine (%)	0868	1.0900	0.02000	1.0506	0.05619	0.02345	19	0.70	128.00	0
128	Isoleucine (%)	0504	1.1000	0.02000	1.0506	0.05619	0.02345	19	0.88	128.00	0
128	Isoleucine (%)	0571	1.1025	0.00700	1.0506	0.05619	0.02345	19	0.92	128.00	0
128	Isoleucine (%)	0297	1.1040	0.05400	1.0506	0.05619	0.02345	19	0.95	128.01	0
128	Isoleucine (%)	0918	1.1648	0.00640	1.0506	0.05619	0.02345	19	2.03	128.00	0
129	Leucine (%)	0619	1.7950	0.05000	1.9564	0.07026	0.02052	18	-2.30	129.00	0
129	Leucine (%)	0941	1.8150	0.01000	1.9564	0.07026	0.02052	18	-2.01	129.00	0
129	Leucine (%)	0675	1.8450	0.01000	1.9564	0.07026	0.02052	18	-1.59	129.00	0
129	Leucine (%)	0652	1.9100	0.02000	1.9564	0.07026	0.02052	18	-0.66	129.00	0
129	Leucine (%)	0684	1.9185	0.04900	1.9564	0.07026	0.02052	18	-0.54	129.00	0
129	Leucine (%)	0968	1.9250	0.00200	1.9564	0.07026	0.02052	18	-0.45	129.00	0
129	Leucine (%)	2004	1.9250	0.03000	1.9564	0.07026	0.02052	18	-0.45	129.01	0
129	Leucine (%)	0872	1.9468	0.01200	1.9564	0.07026	0.02052	18	-0.14	129.00	0
129	Leucine (%)	0098	1.9534	0.00080	1.9564	0.07026	0.02052	18	-0.04	129.02	0
129	Leucine (%)	0868	1.9650	0.01000	1.9564	0.07026	0.02052	18	0.12	129.00	0
129	Leucine (%)	2059	1.9665	0.00100	1.9564	0.07026	0.02052	18	0.14	129.00	0
129	Leucine (%)	0227	1.9800	0.04000	1.9564	0.07026	0.02052	18	0.34	129.00	0
129	Leucine (%)	0644	1.9900	0.00600	1.9564	0.07026	0.02052	18	0.48	129.00	0
129	Leucine (%)	0504	2.0200	0.02000	1.9564	0.07026	0.02052	18	0.90	129.00	0
129	Leucine (%)	0297	2.0200	0.06800	1.9564	0.07026	0.02052	18	0.90	129.01	0
129	Leucine (%)	0571	2.0240	0.01800	1.9564	0.07026	0.02052	18	0.96	129.00	0
129	Leucine (%)	2023	2.0350	0.01000	1.9564	0.07026	0.02052	18	1.12	129.02	0
129	Leucine (%)	0918	2.1123	0.01260	1.9564	0.07026	0.02052	18	2.22	129.00	0
129	Leucine (%)	0676	1.9115	0.10500	1.9564	0.07026	0.02052	18	-0.64	129.05	1
130	L-Lysine (%)	0619	1.3400	0.02000	1.4897	0.08603	0.02362	20	-1.74	130.00	0
130	L-Lysine (%)	0675	1.3850	0.01000	1.4897	0.08603	0.02362	20	-1.22	130.00	0
130	L-Lysine (%)	2004	1.4000	0.02000	1.4897	0.08603	0.02362	20	-1.04	130.01	0
130	L-Lysine (%)	0684	1.4045	0.07500	1.4897	0.08603	0.02362	20	-0.99	130.00	0
130	L-Lysine (%)	0652	1.4200	0.04000	1.4897	0.08603	0.02362	20	-0.81	130.00	0
130	L-Lysine (%)	0941	1.4500	0.02000	1.4897	0.08603	0.02362	20	-0.46	130.00	0
130	L-Lysine (%)	0872	1.4566	0.01300	1.4897	0.08603	0.02362	20	-0.39	130.00	0
130	L-Lysine (%)	0297	1.4595	0.06100	1.4897	0.08603	0.02362	20	-0.35	130.01	0
130	L-Lysine (%)	2059	1.4740	0.00200	1.4897	0.08603	0.02362	20	-0.18	130.00	0
130	L-Lysine (%)	0571	1.4780	0.02200	1.4897	0.08603	0.02362	20	-0.14	130.00	0
130	L-Lysine (%)	0676	1.4845	0.07900	1.4897	0.08603	0.02362	20	-0.06	130.05	0
130	L-Lysine (%)	0968	1.4895	0.00300	1.4897	0.08603	0.02362	20	0.00	130.00	0
130	L-Lysine (%)	0098	1.5147	0.00100	1.4897	0.08603	0.02362	20	0.29	130.02	0
130	L-Lysine (%)	0644	1.5200	0.00200	1.4897	0.08603	0.02362	20	0.35	130.00	0
130	L-Lysine (%)	0723	1.5270	0.00000	1.4897	0.08603	0.02362	20	0.43	130.05	0
130	L-Lysine (%)	0918	1.5682	0.04440	1.4897	0.08603	0.02362	20	0.91	130.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
130	L-Lysine (%)	0504	1.6200	0.00000	1.4897	0.08603	0.02362	20	1.51	130.00	0
130	L-Lysine (%)	0227	1.6350	0.01000	1.4897	0.08603	0.02362	20	1.69	130.00	0
130	L-Lysine (%)	2023	1.6800	0.02000	1.4897	0.08603	0.02362	20	2.21	130.02	0
130	L-Lysine (%)	0868	1.7550	0.03000	1.4897	0.08603	0.02362	20	3.08	130.00	0
131	Methionine (%)	0619	0.38750	0.00700	0.44461	0.04089	0.00591	18	-1.40	131.00	0
131	Methionine (%)	0652	0.39000	0.00000	0.44461	0.04089	0.00591	18	-1.34	131.00	0
131	Methionine (%)	0941	0.40500	0.01000	0.44461	0.04089	0.00591	18	-0.97	131.00	0
131	Methionine (%)	0684	0.41450	0.00700	0.44461	0.04089	0.00591	18	-0.74	131.00	0
131	Methionine (%)	0968	0.41450	0.00500	0.44461	0.04089	0.00591	18	-0.74	131.00	0
131	Methionine (%)	0675	0.41500	0.01000	0.44461	0.04089	0.00591	18	-0.72	131.00	0
131	Methionine (%)	0872	0.42470	0.00280	0.44461	0.04089	0.00591	18	-0.49	131.00	0
131	Methionine (%)	2059	0.43700	0.00000	0.44461	0.04089	0.00591	18	-0.19	131.00	0
131	Methionine (%)	0227	0.45000	0.00000	0.44461	0.04089	0.00591	18	0.13	131.00	0
131	Methionine (%)	0504	0.45000	0.00000	0.44461	0.04089	0.00591	18	0.13	131.00	0
131	Methionine (%)	0098	0.45130	0.01660	0.44461	0.04089	0.00591	18	0.16	131.02	0
131	Methionine (%)	0571	0.46200	0.01200	0.44461	0.04089	0.00591	18	0.43	131.00	0
131	Methionine (%)	2004	0.46250	0.01500	0.44461	0.04089	0.00591	18	0.44	131.01	0
131	Methionine (%)	2023	0.47000	0.00000	0.44461	0.04089	0.00591	18	0.62	131.02	0
131	Methionine (%)	0868	0.47250	0.00300	0.44461	0.04089	0.00591	18	0.68	131.00	0
131	Methionine (%)	0297	0.48800	0.00800	0.44461	0.04089	0.00591	18	1.06	131.01	0
131	Methionine (%)	0644	0.50250	0.00100	0.44461	0.04089	0.00591	18	1.42	131.00	0
131	Methionine (%)	0918	0.53950	0.00900	0.44461	0.04089	0.00591	18	2.32	131.00	0
132	Phenylalanine (%)	0652	1.3950	0.13000	1.5595	0.04563	0.03827	19	-3.60	132.00	0
132	Phenylalanine (%)	0619	1.4450	0.05000	1.5595	0.04563	0.03827	19	-2.51	132.00	0
132	Phenylalanine (%)	0675	1.4850	0.01000	1.5595	0.04563	0.03827	19	-1.63	132.00	0
132	Phenylalanine (%)	0684	1.5240	0.04200	1.5595	0.04563	0.03827	19	-0.78	132.00	0
132	Phenylalanine (%)	0676	1.5310	0.08800	1.5595	0.04563	0.03827	19	-0.62	132.05	0
132	Phenylalanine (%)	0968	1.5370	0.02200	1.5595	0.04563	0.03827	19	-0.49	132.00	0
132	Phenylalanine (%)	0098	1.5511	0.03810	1.5595	0.04563	0.03827	19	-0.19	132.02	0
132	Phenylalanine (%)	0941	1.5550	0.03000	1.5595	0.04563	0.03827	19	-0.10	132.00	0
132	Phenylalanine (%)	2004	1.5550	0.05000	1.5595	0.04563	0.03827	19	-0.10	132.01	0
132	Phenylalanine (%)	0868	1.5600	0.02000	1.5595	0.04563	0.03827	19	0.01	132.00	0
132	Phenylalanine (%)	2023	1.5600	0.02000	1.5595	0.04563	0.03827	19	0.01	132.02	0
132	Phenylalanine (%)	0504	1.5650	0.01000	1.5595	0.04563	0.03827	19	0.12	132.00	0
132	Phenylalanine (%)	0227	1.5800	0.02000	1.5595	0.04563	0.03827	19	0.45	132.00	0
132	Phenylalanine (%)	0872	1.5805	0.01210	1.5595	0.04563	0.03827	19	0.46	132.00	0
132	Phenylalanine (%)	0644	1.5910	0.02800	1.5595	0.04563	0.03827	19	0.69	132.00	0
132	Phenylalanine (%)	2059	1.5960	0.00400	1.5595	0.04563	0.03827	19	0.80	132.00	0
132	Phenylalanine (%)	0918	1.6095	0.05100	1.5595	0.04563	0.03827	19	1.10	132.00	0
132	Phenylalanine (%)	0571	1.6325	0.03100	1.5595	0.04563	0.03827	19	1.60	132.00	0
132	Phenylalanine (%)	0297	1.7125	0.07100	1.5595	0.04563	0.03827	19	3.35	132.01	0
133	Proline (%)	0652	1.3250	0.05000	1.4619	0.04170	0.02994	16	-3.28	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
133	Proline (%)	0675	1.3350	0.01000	1.4619	0.04170	0.02994	16	-3.04	133.00	0
133	Proline (%)	2059	1.4285	0.00700	1.4619	0.04170	0.02994	16	-0.80	133.00	0
133	Proline (%)	0968	1.4310	0.00800	1.4619	0.04170	0.02994	16	-0.74	133.00	0
133	Proline (%)	2004	1.4400	0.04000	1.4619	0.04170	0.02994	16	-0.52	133.04	0
133	Proline (%)	0619	1.4500	0.04000	1.4619	0.04170	0.02994	16	-0.28	133.00	0
133	Proline (%)	0684	1.4535	0.05900	1.4619	0.04170	0.02994	16	-0.20	133.00	0
133	Proline (%)	0676	1.4640	0.05400	1.4619	0.04170	0.02994	16	0.05	133.05	0
133	Proline (%)	0227	1.4650	0.01000	1.4619	0.04170	0.02994	16	0.08	133.00	0
133	Proline (%)	0941	1.4650	0.01000	1.4619	0.04170	0.02994	16	0.08	133.00	0
133	Proline (%)	0504	1.4700	0.02000	1.4619	0.04170	0.02994	16	0.19	133.00	0
133	Proline (%)	0571	1.4890	0.02600	1.4619	0.04170	0.02994	16	0.65	133.00	0
133	Proline (%)	0868	1.5000	0.02000	1.4619	0.04170	0.02994	16	0.91	133.00	0
133	Proline (%)	0872	1.5045	0.00900	1.4619	0.04170	0.02994	16	1.02	133.00	0
133	Proline (%)	0644	1.5050	0.01600	1.4619	0.04170	0.02994	16	1.03	133.00	0
133	Proline (%)	2023	2.6200	0.10000	1.4619	0.04170	0.02994	16	27.77	133.99	0
133	Proline (%)	0918	2.2093	0.25940	1.4619	0.04170	0.02994	16	17.92	133.00	1
134	Serine (%)	0504	1.2750	0.07000	1.3893	0.06099	0.02806	18	-1.87	134.00	0
134	Serine (%)	0652	1.3200	0.06000	1.3893	0.06099	0.02806	18	-1.14	134.00	0
134	Serine (%)	0676	1.3275	0.08500	1.3893	0.06099	0.02806	18	-1.01	134.05	0
134	Serine (%)	0098	1.3305	0.02420	1.3893	0.06099	0.02806	18	-0.96	134.02	0
134	Serine (%)	0675	1.3350	0.01000	1.3893	0.06099	0.02806	18	-0.89	134.00	0
134	Serine (%)	0619	1.3500	0.04000	1.3893	0.06099	0.02806	18	-0.64	134.00	0
134	Serine (%)	0968	1.3765	0.00700	1.3893	0.06099	0.02806	18	-0.21	134.00	0
134	Serine (%)	2059	1.3890	0.00000	1.3893	0.06099	0.02806	18	0.00	134.00	0
134	Serine (%)	0872	1.3920	0.00390	1.3893	0.06099	0.02806	18	0.04	134.00	0
134	Serine (%)	0868	1.3950	0.01000	1.3893	0.06099	0.02806	18	0.09	134.00	0
134	Serine (%)	2004	1.3950	0.05000	1.3893	0.06099	0.02806	18	0.09	134.01	0
134	Serine (%)	0571	1.4135	0.02500	1.3893	0.06099	0.02806	18	0.40	134.00	0
134	Serine (%)	0644	1.4150	0.00600	1.3893	0.06099	0.02806	18	0.42	134.00	0
134	Serine (%)	0941	1.4300	0.02000	1.3893	0.06099	0.02806	18	0.67	134.00	0
134	Serine (%)	0684	1.4385	0.00500	1.3893	0.06099	0.02806	18	0.81	134.00	0
134	Serine (%)	2023	1.4500	0.00000	1.3893	0.06099	0.02806	18	1.00	134.02	0
134	Serine (%)	0297	1.4715	0.02900	1.3893	0.06099	0.02806	18	1.35	134.01	0
134	Serine (%)	0227	1.4800	0.06000	1.3893	0.06099	0.02806	18	1.49	134.00	0
134	Serine (%)	0918	1.5537	0.18940	1.3893	0.06099	0.02806	18	2.70	134.00	1
135	Threonine (%)	0675	0.97500	0.01000	1.0677	0.03992	0.02277	19	-2.32	135.00	0
135	Threonine (%)	0652	0.99500	0.09000	1.0677	0.03992	0.02277	19	-1.82	135.00	0
135	Threonine (%)	0619	1.0350	0.03000	1.0677	0.03992	0.02277	19	-0.82	135.00	0
135	Threonine (%)	0676	1.0385	0.05500	1.0677	0.03992	0.02277	19	-0.73	135.05	0
135	Threonine (%)	0098	1.0400	0.00570	1.0677	0.03992	0.02277	19	-0.70	135.02	0
135	Threonine (%)	2059	1.0480	0.00200	1.0677	0.03992	0.02277	19	-0.49	135.00	0
135	Threonine (%)	0941	1.0500	0.02000	1.0677	0.03992	0.02277	19	-0.44	135.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
135	Threonine (%)	0872	1.0524	0.01300	1.0677	0.03992	0.02277	19	-0.38	135.00	0
135	Threonine (%)	2004	1.0650	0.03000	1.0677	0.03992	0.02277	19	-0.07	135.01	0
135	Threonine (%)	0297	1.0665	0.03700	1.0677	0.03992	0.02277	19	-0.03	135.01	0
135	Threonine (%)	0504	1.0700	0.00000	1.0677	0.03992	0.02277	19	0.06	135.00	0
135	Threonine (%)	0868	1.0700	0.00000	1.0677	0.03992	0.02277	19	0.06	135.00	0
135	Threonine (%)	0968	1.0710	0.01400	1.0677	0.03992	0.02277	19	0.08	135.00	0
135	Threonine (%)	0684	1.0825	0.00100	1.0677	0.03992	0.02277	19	0.37	135.00	0
135	Threonine (%)	0571	1.0915	0.01700	1.0677	0.03992	0.02277	19	0.60	135.00	0
135	Threonine (%)	0644	1.1180	0.00600	1.0677	0.03992	0.02277	19	1.26	135.00	0
135	Threonine (%)	2023	1.1300	0.00000	1.0677	0.03992	0.02277	19	1.56	135.02	0
135	Threonine (%)	0918	1.1880	0.08190	1.0677	0.03992	0.02277	19	3.01	135.00	0
135	Threonine (%)	0227	1.2600	0.02000	1.0677	0.03992	0.02277	19	4.82	135.00	0
136	Tryptophan (%)	0918	0.32090	0.01000	0.39254	0.03280	0.00767	12	-2.18	136.00	0
136	Tryptophan (%)	0504	0.32500	0.01000	0.39254	0.03280	0.00767	12	-2.06	136.99	0
136	Tryptophan (%)	2023	0.34000	0.02000	0.39254	0.03280	0.00767	12	-1.60	136.02	0
136	Tryptophan (%)	0619	0.39050	0.00300	0.39254	0.03280	0.00767	12	-0.06	136.03	0
136	Tryptophan (%)	0872	0.39050	0.00300	0.39254	0.03280	0.00767	12	-0.06	136.03	0
136	Tryptophan (%)	0571	0.39400	0.01600	0.39254	0.03280	0.00767	12	0.04	136.01	0
136	Tryptophan (%)	0098	0.39400	0.00200	0.39254	0.03280	0.00767	12	0.04	136.02	0
136	Tryptophan (%)	0684	0.41200	0.00000	0.39254	0.03280	0.00767	12	0.59	136.00	0
136	Tryptophan (%)	0297	0.41250	0.01100	0.39254	0.03280	0.00767	12	0.61	136.03	0
136	Tryptophan (%)	0644	0.41550	0.00500	0.39254	0.03280	0.00767	12	0.70	136.01	0
136	Tryptophan (%)	2004	0.42300	0.01200	0.39254	0.03280	0.00767	12	0.93	136.99	0
136	Tryptophan (%)	0227	0.43000	0.00000	0.39254	0.03280	0.00767	12	1.14	136.00	0
137	Tyrosine (%)	0227	0.80500	0.05000	0.91538	0.05363	0.02353	14	-2.06	137.00	0
137	Tyrosine (%)	0968	0.85300	0.01800	0.91538	0.05363	0.02353	14	-1.16	137.00	0
137	Tyrosine (%)	0098	0.87505	0.02750	0.91538	0.05363	0.02353	14	-0.75	137.02	0
137	Tyrosine (%)	0675	0.88500	0.01000	0.91538	0.05363	0.02353	14	-0.57	137.00	0
137	Tyrosine (%)	0941	0.88500	0.03000	0.91538	0.05363	0.02353	14	-0.57	137.00	0
137	Tyrosine (%)	0297	0.89950	0.06900	0.91538	0.05363	0.02353	14	-0.30	137.01	0
137	Tyrosine (%)	0684	0.90000	0.01600	0.91538	0.05363	0.02353	14	-0.29	137.00	0
137	Tyrosine (%)	2023	0.91500	0.03000	0.91538	0.05363	0.02353	14	-0.01	137.02	0
137	Tyrosine (%)	0644	0.92950	0.01300	0.91538	0.05363	0.02353	14	0.26	137.00	0
137	Tyrosine (%)	0504	0.94500	0.01000	0.91538	0.05363	0.02353	14	0.55	137.00	0
137	Tyrosine (%)	0872	0.96450	0.00900	0.91538	0.05363	0.02353	14	0.92	137.00	0
137	Tyrosine (%)	2004	0.96850	0.04300	0.91538	0.05363	0.02353	14	0.99	137.01	0
137	Tyrosine (%)	2059	0.97500	0.00200	0.91538	0.05363	0.02353	14	1.11	137.00	0
137	Tyrosine (%)	0918	1.0250	0.00190	0.91538	0.05363	0.02353	14	2.04	137.00	0
137	Tyrosine (%)	0676	0.92250	0.12700	0.91538	0.05363	0.02353	14	0.13	137.05	1
138	Valine (%)	0619	1.2300	0.04000	1.3880	0.09936	0.02472	19	-1.59	138.00	0
138	Valine (%)	0675	1.2650	0.01000	1.3880	0.09936	0.02472	19	-1.24	138.00	0
138	Valine (%)	0684	1.2800	0.03800	1.3880	0.09936	0.02472	19	-1.09	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
138	Valine (%)	0941	1.2850	0.01000	1.3880	0.09936	0.02472	19	-1.04	138.00	0
138	Valine (%)	0652	1.3100	0.02000	1.3880	0.09936	0.02472	19	-0.79	138.00	0
138	Valine (%)	2023	1.3300	0.00000	1.3880	0.09936	0.02472	19	-0.58	138.02	0
138	Valine (%)	2004	1.3350	0.05000	1.3880	0.09936	0.02472	19	-0.53	138.01	0
138	Valine (%)	0872	1.3721	0.02320	1.3880	0.09936	0.02472	19	-0.16	138.00	0
138	Valine (%)	0968	1.3875	0.00300	1.3880	0.09936	0.02472	19	-0.01	138.00	0
138	Valine (%)	0098	1.4057	0.01540	1.3880	0.09936	0.02472	19	0.18	138.02	0
138	Valine (%)	2059	1.4095	0.01300	1.3880	0.09936	0.02472	19	0.22	138.00	0
138	Valine (%)	0868	1.4100	0.02000	1.3880	0.09936	0.02472	19	0.22	138.00	0
138	Valine (%)	0644	1.4280	0.00800	1.3880	0.09936	0.02472	19	0.40	138.00	0
138	Valine (%)	0227	1.4350	0.03000	1.3880	0.09936	0.02472	19	0.47	138.00	0
138	Valine (%)	0504	1.4400	0.02000	1.3880	0.09936	0.02472	19	0.52	138.00	0
138	Valine (%)	0571	1.4625	0.00100	1.3880	0.09936	0.02472	19	0.75	138.00	0
138	Valine (%)	0676	1.5005	0.09300	1.3880	0.09936	0.02472	19	1.13	138.05	0
138	Valine (%)	0918	1.5315	0.00700	1.3880	0.09936	0.02472	19	1.44	138.00	0
138	Valine (%)	0297	1.6470	0.06800	1.3880	0.09936	0.02472	19	2.61	138.01	0
139	Taurine (%)	0098	0.00000	0.00000	0.03875	0.04589	0.00250	4	-0.84	139.02	0
139	Taurine (%)	2023	0.00000	0.00000	0.03875	0.04589	0.00250	4	-0.84	139.02	0
139	Taurine (%)	0941	0.06500	0.01000	0.03875	0.04589	0.00250	4	0.57	139.00	0
139	Taurine (%)	0504	0.09000	0.00000	0.03875	0.04589	0.00250	4	1.12	139.00	0
160	Fructose (%)	0199	0.00000	0.00000	0.06311	0.05771	0.00573	4	-1.09	160.99	0
160	Fructose (%)	0297	0.05600	0.00200	0.06311	0.05771	0.00573	4	-0.12	160.99	0
160	Fructose (%)	2004	0.05645	0.00090	0.06311	0.05771	0.00573	4	-0.12	160.99	0
160	Fructose (%)	0148	0.14000	0.02000	0.06311	0.05771	0.00573	4	1.33	160.99	0
161	Galactose (%)	0297	0.00000	0.00000	0.00668	0.00944	0.00095	2	-0.71	161.99	0
161	Galactose (%)	2004	0.01335	0.00190	0.00668	0.00944	0.00095	2	0.71	161.99	0
162	Glucose (%)	0199	0.00000	0.00000	0.04666	0.03413	0.00308	4	-1.37	162.99	0
162	Glucose (%)	2004	0.04565	0.00230	0.04666	0.03413	0.00308	4	-0.03	162.99	0
162	Glucose (%)	0297	0.06100	0.01000	0.04666	0.03413	0.00308	4	0.42	162.99	0
162	Glucose (%)	0148	0.08000	0.00000	0.04666	0.03413	0.00308	4	0.98	162.99	0
163	Lactose (%)	0148	0.00000	0.00000	0.00000	0.00000	0.00000	4	0.00	163.99	0
163	Lactose (%)	0199	0.00000	0.00000	0.00000	0.00000	0.00000	4	0.00	163.99	0
163	Lactose (%)	0297	0.00000	0.00000	0.00000	0.00000	0.00000	4	0.00	163.99	0
163	Lactose (%)	2004	0.00000	0.00000	0.00000	0.00000	0.00000	4	0.00	163.99	0
164	Maltose (%)	0148	0.00000	0.00000	0.06558	0.08376	0.00210	4	-0.78	164.99	0
164	Maltose (%)	0199	0.00000	0.00000	0.06558	0.08376	0.00210	4	-0.78	164.99	0
164	Maltose (%)	2004	0.08730	0.00040	0.06558	0.08376	0.00210	4	0.26	164.99	0
164	Maltose (%)	0297	0.17500	0.00800	0.06558	0.08376	0.00210	4	1.31	164.99	0
165	Sucrose (%)	2004	0.62150	0.00300	1.4835	0.28303	0.00971	7	-3.05	165.99	0
165	Sucrose (%)	0148	1.3350	0.01000	1.4835	0.28303	0.00971	7	-0.52	165.99	0
165	Sucrose (%)	0227	1.3650	0.01000	1.4835	0.28303	0.00971	7	-0.42	165.99	0
165	Sucrose (%)	2058	1.4400	0.02000	1.4835	0.28303	0.00971	7	-0.15	165.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
165	Sucrose (%)	0199	1.5950	0.01000	1.4835	0.28303	0.00971	7	0.39	165.99	0
165	Sucrose (%)	0297	1.7695	0.01500	1.4835	0.28303	0.00971	7	1.01	165.99	0
165	Sucrose (%)	0629	1.9700	0.00000	1.4835	0.28303	0.00971	7	1.72	165.99	0
166	Raffinose (%)	0297	3.2035	0.00100			0.00100	1			
167	Stachyose (%)	0297	0.24300	0.01600			0.01600	1			
200	Arachidonic Acid (%)	0008	0.01000	0.00000			0.00000	1			
210	Linoleic Acid (%)	0008	1.8600	0.06000			0.06000	1			
400	Water activity (Units)	2066	0.57050	0.00700	0.59400	0.01573	0.00305	4	-1.49	400.99	0
400	Water activity (Units)	0942	0.60000	0.00000	0.59400	0.01573	0.00305	4	0.38	400.01	0
400	Water activity (Units)	0552	0.60200	0.00020	0.59400	0.01573	0.00305	4	0.51	400.01	0
400	Water activity (Units)	0589	0.60350	0.00500	0.59400	0.01573	0.00305	4	0.60	400.01	0
516	Arsenic, total (mg / kg (ppm))	0563	0.06200	0.01000	0.13200	0.04437	0.01963	11	-1.58	516.00	0
516	Arsenic, total (mg / kg (ppm))	2058	0.09500	0.01000	0.13200	0.04437	0.01963	11	-0.83	516.53	0
516	Arsenic, total (mg / kg (ppm))	0171	0.09750	0.04900	0.13200	0.04437	0.01963	11	-0.78	516.00	0
516	Arsenic, total (mg / kg (ppm))	0939	0.12000	0.00000	0.13200	0.04437	0.01963	11	-0.27	516.00	0
516	Arsenic, total (mg / kg (ppm))	0199	0.12000	0.02000	0.13200	0.04437	0.01963	11	-0.27	516.53	0
516	Arsenic, total (mg / kg (ppm))	0553	0.12400	0.00600	0.13200	0.04437	0.01963	11	-0.18	516.53	0
516	Arsenic, total (mg / kg (ppm))	0227	0.13650	0.00100	0.13200	0.04437	0.01963	11	0.10	516.53	0
516	Arsenic, total (mg / kg (ppm))	0168	0.14470	0.01080	0.13200	0.04437	0.01963	11	0.29	516.53	0
516	Arsenic, total (mg / kg (ppm))	0964	0.23825	0.02730	0.13200	0.04437	0.01963	11	2.39	516.43	0
516	Arsenic, total (mg / kg (ppm))	0003	0.24000	0.08000	0.13200	0.04437	0.01963	11	2.43	516.43	0
516	Arsenic, total (mg / kg (ppm))	0918	0.24300	0.00180	0.13200	0.04437	0.01963	11	2.50	516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	0.39450	0.14900	0.13200	0.04437	0.01963	11	5.92	516.52	1
518	Cadmium (mg / kg (ppm))	0425	0.00000	0.00000	0.09830	0.03019	0.01012	15	-3.26	518.43	0
518	Cadmium (mg / kg (ppm))	0003	0.02000	0.04000	0.09830	0.03019	0.01012	15	-2.59	518.43	0
518	Cadmium (mg / kg (ppm))	0695	0.06200	0.01800	0.09830	0.03019	0.01012	15	-1.20	518.41	0
518	Cadmium (mg / kg (ppm))	0968	0.08000	0.00000	0.09830	0.03019	0.01012	15	-0.61	518.41	0
518	Cadmium (mg / kg (ppm))	2058	0.08500	0.01000	0.09830	0.03019	0.01012	15	-0.44	518.53	0
518	Cadmium (mg / kg (ppm))	0199	0.09000	0.00000	0.09830	0.03019	0.01012	15	-0.27	518.53	0
518	Cadmium (mg / kg (ppm))	0939	0.09500	0.01000	0.09830	0.03019	0.01012	15	-0.11	518.34	0
518	Cadmium (mg / kg (ppm))	0098	0.09950	0.00100	0.09830	0.03019	0.01012	15	0.04	518.52	0
518	Cadmium (mg / kg (ppm))	0227	0.10800	0.00600	0.09830	0.03019	0.01012	15	0.32	518.53	0
518	Cadmium (mg / kg (ppm))	0168	0.11465	0.01190	0.09830	0.03019	0.01012	15	0.54	518.53	0
518	Cadmium (mg / kg (ppm))	0918	0.11490	0.00540	0.09830	0.03019	0.01012	15	0.55	518.53	0
518	Cadmium (mg / kg (ppm))	0011	0.11875	0.00050	0.09830	0.03019	0.01012	15	0.68	518.41	0
518	Cadmium (mg / kg (ppm))	0553	0.11950	0.00500	0.09830	0.03019	0.01012	15	0.70	518.53	0
518	Cadmium (mg / kg (ppm))	2055	0.13150	0.02900	0.09830	0.03019	0.01012	15	1.10	518.53	0
518	Cadmium (mg / kg (ppm))	0563	0.15250	0.01500	0.09830	0.03019	0.01012	15	1.80	518.34	0
518	Cadmium (mg / kg (ppm))	0964	0.15140	0.07480	0.09830	0.03019	0.01012	15	1.76	518.43	1
520	Chromium (mg / kg (ppm))	0968	2.7950	0.11000	4.9967	1.8668	1.0649	12	-1.18	520.99	0
520	Chromium (mg / kg (ppm))	0555	3.3500	0.70000	4.9967	1.8668	1.0649	12	-0.88	520.52	0
520	Chromium (mg / kg (ppm))	0011	3.3698	0.04950	4.9967	1.8668	1.0649	12	-0.87	520.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
520	Chromium (mg / kg (ppm))	0918	4.0756	0.17160	4.9967	1.8668	1.0649	12	-0.49	520.53	0
520	Chromium (mg / kg (ppm))	0510	4.1600	0.02000	4.9967	1.8668	1.0649	12	-0.45	520.43	0
520	Chromium (mg / kg (ppm))	2023	4.5150	0.21000	4.9967	1.8668	1.0649	12	-0.26	520.53	0
520	Chromium (mg / kg (ppm))	0508	4.5884	0.04470	4.9967	1.8668	1.0649	12	-0.22	520.43	0
520	Chromium (mg / kg (ppm))	0964	4.7678	0.21900	4.9967	1.8668	1.0649	12	-0.12	520.43	0
520	Chromium (mg / kg (ppm))	2012	6.7300	2.0000	4.9967	1.8668	1.0649	12	0.93	520.43	0
520	Chromium (mg / kg (ppm))	2055	7.6110	4.5540	4.9967	1.8668	1.0649	12	1.40	520.53	0
520	Chromium (mg / kg (ppm))	0563	8.5900	0.18000	4.9967	1.8668	1.0649	12	1.92	520.31	0
520	Chromium (mg / kg (ppm))	0003	11.820	4.5200	4.9967	1.8668	1.0649	12	3.66	520.43	0
526	Lead (mg / kg (ppm))	0003	0.00000	0.00000	0.23626	0.09327	0.01342	14	-2.53	526.43	0
526	Lead (mg / kg (ppm))	0425	0.00000	0.00000	0.23626	0.09327	0.01342	14	-2.53	526.43	0
526	Lead (mg / kg (ppm))	0563	0.13000	0.04000	0.23626	0.09327	0.01342	14	-1.14	526.34	0
526	Lead (mg / kg (ppm))	2058	0.14500	0.01000	0.23626	0.09327	0.01342	14	-0.98	526.53	0
526	Lead (mg / kg (ppm))	0199	0.20500	0.01000	0.23626	0.09327	0.01342	14	-0.34	526.53	0
526	Lead (mg / kg (ppm))	0921	0.24100	0.00000	0.23626	0.09327	0.01342	14	0.05	526.31	0
526	Lead (mg / kg (ppm))	0227	0.24750	0.00700	0.23626	0.09327	0.01342	14	0.12	526.53	0
526	Lead (mg / kg (ppm))	0098	0.25200	0.03000	0.23626	0.09327	0.01342	14	0.17	526.52	0
526	Lead (mg / kg (ppm))	0553	0.26350	0.01900	0.23626	0.09327	0.01342	14	0.29	526.53	0
526	Lead (mg / kg (ppm))	0918	0.27280	0.02520	0.23626	0.09327	0.01342	14	0.39	526.53	0
526	Lead (mg / kg (ppm))	0555	0.30000	0.00000	0.23626	0.09327	0.01342	14	0.68	526.52	0
526	Lead (mg / kg (ppm))	0168	0.31735	0.00670	0.23626	0.09327	0.01342	14	0.87	526.53	0
526	Lead (mg / kg (ppm))	0939	0.32000	0.04000	0.23626	0.09327	0.01342	14	0.90	526.34	0
526	Lead (mg / kg (ppm))	0689	1.2000	0.00000	0.23626	0.09327	0.01342	14	10.33	526.31	0
526	Lead (mg / kg (ppm))	0964	0.15715	0.07310	0.23626	0.09327	0.01342	14	-0.85	526.43	1
529	Mercury (µg / kg (ppb))	0199	0.00000	0.00000	25.667	28.919	0.00000	3	-0.89	529.99	0
529	Mercury (µg / kg (ppb))	0939	20.000	0.00000	25.667	28.919	0.00000	3	-0.20	529.00	0
529	Mercury (µg / kg (ppb))	0425	57.000	0.00000	25.667	28.919	0.00000	3	1.08	529.00	0
539	Nickel (mg / kg (ppm))	0508	2.1290	0.01580	3.0493	0.71301	0.20502	6	-1.29	539.43	0
539	Nickel (mg / kg (ppm))	0011	2.6873	0.08750	3.0493	0.71301	0.20502	6	-0.51	539.41	0
539	Nickel (mg / kg (ppm))	2023	2.8750	0.11000	3.0493	0.71301	0.20502	6	-0.24	539.53	0
539	Nickel (mg / kg (ppm))	0964	3.1836	0.46860	3.0493	0.71301	0.20502	6	0.19	539.43	0
539	Nickel (mg / kg (ppm))	0918	3.4916	0.04820	3.0493	0.71301	0.20502	6	0.62	539.53	0
539	Nickel (mg / kg (ppm))	0555	5.0500	0.50000	3.0493	0.71301	0.20502	6	2.81	539.52	0
539	Nickel (mg / kg (ppm))	0003	10.560	5.2800	3.0493	0.71301	0.20502	6	10.53	539.43	1
600	Total Aflatoxin (µg / kg (ppb))	0028	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0589	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0042	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0689	0.60000	0.20000							
600	Total Aflatoxin (µg / kg (ppb))	0723	1.1500	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	2006	0.35000	0.70000							
610	Deoxynivalenol (µg / kg (ppb))	0028	200.00	0.00000							
620	Total Fumonisin (µg / kg (ppb))	0589	0.00000	0.00000							

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
630	Ochratoxin A (µg / kg (ppb))	2006	0.00000	0.00000							
640	T-2 (µg / kg (ppb))	2006	24.450	6.3000							
640	T-2 (µg / kg (ppb))	0227	106.25	1.7000							
650	Zearalenone (µg / kg (ppb))	0227	43.000	16.000							