

AAFCO Check Sample Program
All Labs and All Methods Report
Sort by Method
Proficiency Testing
Sample # 201428
Dry Cat Food



AAFCO
CHECK SAMPLE PROGRAM

Robust statistics not used if < 6 labs reporting, in this case the Z Scores are included for information only (Grey).

Issue Date : 09/30/2014

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
000	Urea (%)	0920	0.00000	0.00000	0.05000	0.07071	0.00000	2	-0.71	000.99	0
000	Urea (%)	0278	0.10000	0.00000	0.05000	0.07071	0.00000	2	0.71	000.02	0
001	Loss on Drying (%)	0618	1.3650	0.05000	4.6341	0.24452	0.06831	72	-13.37	001.07	0
001	Loss on Drying (%)	0618	2.8000	0.02000	4.6341	0.24452	0.06831	72	-7.50	001.99	0
001	Loss on Drying (%)	2048	3.6738	0.01410	4.6341	0.24452	0.06831	72	-3.93	001.00	0
001	Loss on Drying (%)	0345	3.7200	0.02000	4.6341	0.24452	0.06831	72	-3.74	001.00	0
001	Loss on Drying (%)	0536	3.8600	0.04000	4.6341	0.24452	0.06831	72	-3.17	001.99	0
001	Loss on Drying (%)	0510	3.9500	0.10000	4.6341	0.24452	0.06831	72	-2.80	001.99	0
001	Loss on Drying (%)	2055	4.0000	0.00000	4.6341	0.24452	0.06831	72	-2.59	001.99	0
001	Loss on Drying (%)	0720	4.1100	0.10000	4.6341	0.24452	0.06831	72	-2.14	001.99	0
001	Loss on Drying (%)	0889	4.1250	0.17000	4.6341	0.24452	0.06831	72	-2.08	001.99	0
001	Loss on Drying (%)	2075	4.2000	0.02000	4.6341	0.24452	0.06831	72	-1.78	001.08	0
001	Loss on Drying (%)	0038	4.2350	0.01000	4.6341	0.24452	0.06831	72	-1.63	001.07	0
001	Loss on Drying (%)	0142	4.3000	0.02000	4.6341	0.24452	0.06831	72	-1.37	001.07	0
001	Loss on Drying (%)	0353	4.3000	0.22000	4.6341	0.24452	0.06831	72	-1.37	001.07	0
001	Loss on Drying (%)	0675	4.3650	0.03000	4.6341	0.24452	0.06831	72	-1.10	001.07	0
001	Loss on Drying (%)	0853	4.3750	0.19000	4.6341	0.24452	0.06831	72	-1.06	001.99	0
001	Loss on Drying (%)	0843	4.3900	0.10000	4.6341	0.24452	0.06831	72	-1.00	001.07	0
001	Loss on Drying (%)	0035	4.4400	0.24000	4.6341	0.24452	0.06831	72	-0.79	001.07	0
001	Loss on Drying (%)	0676	4.4550	0.07000	4.6341	0.24452	0.06831	72	-0.73	001.99	0
001	Loss on Drying (%)	0887	4.4650	0.01000	4.6341	0.24452	0.06831	72	-0.69	001.03	0
001	Loss on Drying (%)	0098	4.5050	0.11000	4.6341	0.24452	0.06831	72	-0.53	001.07	0
001	Loss on Drying (%)	0171	4.5150	0.07000	4.6341	0.24452	0.06831	72	-0.49	001.07	0
001	Loss on Drying (%)	2009	4.5163	0.00490	4.6341	0.24452	0.06831	72	-0.48	001.07	0
001	Loss on Drying (%)	0948	4.5600	0.02000	4.6341	0.24452	0.06831	72	-0.30	001.99	0
001	Loss on Drying (%)	0512	4.5685	0.12900	4.6341	0.24452	0.06831	72	-0.27	001.07	0
001	Loss on Drying (%)	0004	4.5700	0.02000	4.6341	0.24452	0.06831	72	-0.26	001.99	0
001	Loss on Drying (%)	2059	4.5850	0.03000	4.6341	0.24452	0.06831	72	-0.20	001.07	0
001	Loss on Drying (%)	0590	4.6000	0.00000	4.6341	0.24452	0.06831	72	-0.14	001.08	0
001	Loss on Drying (%)	2062	4.6091	0.00640	4.6341	0.24452	0.06831	72	-0.10	001.03	0
001	Loss on Drying (%)	0187	4.6150	0.15000	4.6341	0.24452	0.06831	72	-0.08	001.07	0
001	Loss on Drying (%)	0297	4.6150	0.03000	4.6341	0.24452	0.06831	72	-0.08	001.07	0
001	Loss on Drying (%)	2011	4.6300	0.08000	4.6341	0.24452	0.06831	72	-0.02	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0622	4.6393	0.07040	4.6341	0.24452	0.06831	72	0.02	001.00	0
001	Loss on Drying (%)	0083	4.6400	0.08000	4.6341	0.24452	0.06831	72	0.02	001.07	0
001	Loss on Drying (%)	0178	4.6500	0.08000	4.6341	0.24452	0.06831	72	0.06	001.07	0
001	Loss on Drying (%)	0609	4.6500	0.10000	4.6341	0.24452	0.06831	72	0.06	001.07	0
001	Loss on Drying (%)	0845	4.6500	0.10000	4.6341	0.24452	0.06831	72	0.06	001.07	0
001	Loss on Drying (%)	0037	4.6550	0.07000	4.6341	0.24452	0.06831	72	0.09	001.99	0
001	Loss on Drying (%)	0893	4.6850	0.01000	4.6341	0.24452	0.06831	72	0.21	001.03	0
001	Loss on Drying (%)	0357	4.6850	0.01000	4.6341	0.24452	0.06831	72	0.21	001.99	0
001	Loss on Drying (%)	0015	4.6950	0.01000	4.6341	0.24452	0.06831	72	0.25	001.07	0
001	Loss on Drying (%)	0918	4.7050	0.29000	4.6341	0.24452	0.06831	72	0.29	001.99	0
001	Loss on Drying (%)	0619	4.7300	0.06000	4.6341	0.24452	0.06831	72	0.39	001.03	0
001	Loss on Drying (%)	2063	4.7300	0.02000	4.6341	0.24452	0.06831	72	0.39	001.03	0
001	Loss on Drying (%)	0571	4.7300	0.16000	4.6341	0.24452	0.06831	72	0.39	001.07	0
001	Loss on Drying (%)	0897	4.7450	0.01000	4.6341	0.24452	0.06831	72	0.45	001.03	0
001	Loss on Drying (%)	0505	4.7600	0.02000	4.6341	0.24452	0.06831	72	0.51	001.99	0
001	Loss on Drying (%)	0891	4.7634	0.00020	4.6341	0.24452	0.06831	72	0.53	001.03	0
001	Loss on Drying (%)	0849	4.7680	0.00400	4.6341	0.24452	0.06831	72	0.55	001.07	0
001	Loss on Drying (%)	0903	4.7750	0.01000	4.6341	0.24452	0.06831	72	0.58	001.03	0
001	Loss on Drying (%)	0504	4.7800	0.38000	4.6341	0.24452	0.06831	72	0.60	001.00	0
001	Loss on Drying (%)	2042	4.7800	0.00000	4.6341	0.24452	0.06831	72	0.60	001.03	0
001	Loss on Drying (%)	0638	4.7800	0.16000	4.6341	0.24452	0.06831	72	0.60	001.07	0
001	Loss on Drying (%)	0581	4.7850	0.05000	4.6341	0.24452	0.06831	72	0.62	001.07	0
001	Loss on Drying (%)	2012	4.8000	0.16000	4.6341	0.24452	0.06831	72	0.68	001.07	0
001	Loss on Drying (%)	0895	4.8050	0.01000	4.6341	0.24452	0.06831	72	0.70	001.03	0
001	Loss on Drying (%)	0872	4.8250	0.01000	4.6341	0.24452	0.06831	72	0.78	001.07	0
001	Loss on Drying (%)	0065	4.8295	0.01900	4.6341	0.24452	0.06831	72	0.80	001.07	0
001	Loss on Drying (%)	0868	4.8300	0.00000	4.6341	0.24452	0.06831	72	0.80	001.03	0
001	Loss on Drying (%)	0788	4.8400	0.02000	4.6341	0.24452	0.06831	72	0.84	001.00	0
001	Loss on Drying (%)	0610	4.8400	0.04000	4.6341	0.24452	0.06831	72	0.84	001.05	0
001	Loss on Drying (%)	0652	4.8500	0.10000	4.6341	0.24452	0.06831	72	0.88	001.08	0
001	Loss on Drying (%)	0074	4.8550	0.05000	4.6341	0.24452	0.06831	72	0.90	001.07	0
001	Loss on Drying (%)	0139	4.8600	0.08000	4.6341	0.24452	0.06831	72	0.92	001.07	0
001	Loss on Drying (%)	0615	4.8700	0.24000	4.6341	0.24452	0.06831	72	0.96	001.00	0
001	Loss on Drying (%)	0629	4.8700	0.02000	4.6341	0.24452	0.06831	72	0.96	001.99	0
001	Loss on Drying (%)	0937	4.8900	0.00000	4.6341	0.24452	0.06831	72	1.05	001.03	0
001	Loss on Drying (%)	0689	4.9000	0.20000	4.6341	0.24452	0.06831	72	1.09	001.07	0
001	Loss on Drying (%)	0278	4.9050	0.05000	4.6341	0.24452	0.06831	72	1.11	001.07	0
001	Loss on Drying (%)	0049	4.9250	0.01000	4.6341	0.24452	0.06831	72	1.19	001.07	0
001	Loss on Drying (%)	0089	5.0700	0.00000	4.6341	0.24452	0.06831	72	1.78	001.07	0
001	Loss on Drying (%)	0695	5.1800	0.04000	4.6341	0.24452	0.06831	72	2.23	001.07	0
001	Loss on Drying (%)	0852	7.2500	0.10000	4.6341	0.24452	0.06831	72	10.70	001.99	0
001	Loss on Drying (%)	0045	4.6700	0.60000	4.6341	0.24452	0.06831	72	0.15	001.07	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0693	4.7065	0.40900	4.6341	0.24452	0.06831	72	0.30	001.07	1
001	Loss on Drying (%)	0413	95.450	0.10000	4.6341	0.24452	0.06831	72	371.40	001.07	2
001	Loss on Drying (%)	0786	4.7700	0.02000	4.6341	0.24452	0.06831	72	0.56	001.00	8
001	Loss on Drying (%)	0787	4.8400	0.04000	4.6341	0.24452	0.06831	72	0.84	001.00	8
002	Protein (%)	0876	29.040	0.70000	32.286	0.39912	0.15816	212	-8.13	002.06	0
002	Protein (%)	0889	29.565	0.49000	32.286	0.39912	0.15816	212	-6.82	002.11	0
002	Protein (%)	0011	30.400	0.00000	32.286	0.39912	0.15816	212	-4.72	002.06	0
002	Protein (%)	0889	30.625	0.33000	32.286	0.39912	0.15816	212	-4.16	002.01	0
002	Protein (%)	0042	31.040	0.12000	32.286	0.39912	0.15816	212	-3.12	002.02	0
002	Protein (%)	0674	31.100	0.00000	32.286	0.39912	0.15816	212	-2.97	002.06	0
002	Protein (%)	0039	31.102	0.08190	32.286	0.39912	0.15816	212	-2.97	002.05	0
002	Protein (%)	0620	31.182	0.08820	32.286	0.39912	0.15816	212	-2.76	002.05	0
002	Protein (%)	0028	31.285	0.09000	32.286	0.39912	0.15816	212	-2.51	002.00	0
002	Protein (%)	0042	31.315	0.13000	32.286	0.39912	0.15816	212	-2.43	002.06	0
002	Protein (%)	0887	31.340	0.02000	32.286	0.39912	0.15816	212	-2.37	002.05	0
002	Protein (%)	0885	31.345	0.23000	32.286	0.39912	0.15816	212	-2.36	002.05	0
002	Protein (%)	0726	31.480	0.08000	32.286	0.39912	0.15816	212	-2.02	002.06	0
002	Protein (%)	2066	31.500	0.20000	32.286	0.39912	0.15816	212	-1.97	002.06	0
002	Protein (%)	0536	31.505	0.49000	32.286	0.39912	0.15816	212	-1.96	002.05	0
002	Protein (%)	0169	31.515	0.31000	32.286	0.39912	0.15816	212	-1.93	002.02	0
002	Protein (%)	2075	31.525	0.13000	32.286	0.39912	0.15816	212	-1.91	002.06	0
002	Protein (%)	0921	31.560	0.00000	32.286	0.39912	0.15816	212	-1.82	002.05	0
002	Protein (%)	0826	31.565	0.61000	32.286	0.39912	0.15816	212	-1.81	002.99	0
002	Protein (%)	2006	31.580	0.08000	32.286	0.39912	0.15816	212	-1.77	002.05	0
002	Protein (%)	2042	31.600	0.00000	32.286	0.39912	0.15816	212	-1.72	002.05	0
002	Protein (%)	0229	31.610	0.10000	32.286	0.39912	0.15816	212	-1.69	002.06	0
002	Protein (%)	0674	31.640	0.00000	32.286	0.39912	0.15816	212	-1.62	002.05	0
002	Protein (%)	0652	31.700	0.20000	32.286	0.39912	0.15816	212	-1.47	002.01	0
002	Protein (%)	0941	31.700	0.20000	32.286	0.39912	0.15816	212	-1.47	002.05	0
002	Protein (%)	0194	31.715	0.03000	32.286	0.39912	0.15816	212	-1.43	002.05	0
002	Protein (%)	2058	31.720	0.10000	32.286	0.39912	0.15816	212	-1.42	002.05	0
002	Protein (%)	0405	31.730	0.00000	32.286	0.39912	0.15816	212	-1.39	002.04	0
002	Protein (%)	0036	31.734	0.02830	32.286	0.39912	0.15816	212	-1.38	002.02	0
002	Protein (%)	0650	31.745	0.03000	32.286	0.39912	0.15816	212	-1.35	002.06	0
002	Protein (%)	0706	31.795	0.05000	32.286	0.39912	0.15816	212	-1.23	002.00	0
002	Protein (%)	0619	31.800	0.00000	32.286	0.39912	0.15816	212	-1.22	002.05	0
002	Protein (%)	0893	31.805	0.01000	32.286	0.39912	0.15816	212	-1.20	002.05	0
002	Protein (%)	2022	31.850	0.24000	32.286	0.39912	0.15816	212	-1.09	002.05	0
002	Protein (%)	0043	31.855	0.11000	32.286	0.39912	0.15816	212	-1.08	002.01	0
002	Protein (%)	0870	31.868	0.59000	32.286	0.39912	0.15816	212	-1.05	002.01	0
002	Protein (%)	2068	31.870	0.02000	32.286	0.39912	0.15816	212	-1.04	002.01	0
002	Protein (%)	0407	31.880	0.34000	32.286	0.39912	0.15816	212	-1.02	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0629	31.895	0.25000	32.286	0.39912	0.15816	212	-0.98	002.10	0
002	Protein (%)	0955	31.900	0.40000	32.286	0.39912	0.15816	212	-0.97	002.05	0
002	Protein (%)	0968	31.905	0.11100	32.286	0.39912	0.15816	212	-0.95	002.01	0
002	Protein (%)	2062	31.913	0.02570	32.286	0.39912	0.15816	212	-0.93	002.05	0
002	Protein (%)	0948	31.915	0.09000	32.286	0.39912	0.15816	212	-0.93	002.05	0
002	Protein (%)	0795	31.960	0.06000	32.286	0.39912	0.15816	212	-0.82	002.06	0
002	Protein (%)	2048	31.960	0.00650	32.286	0.39912	0.15816	212	-0.81	002.05	0
002	Protein (%)	0891	31.981	0.05100	32.286	0.39912	0.15816	212	-0.76	002.05	0
002	Protein (%)	0723	31.990	0.00000	32.286	0.39912	0.15816	212	-0.74	002.01	0
002	Protein (%)	0874	32.000	0.22000	32.286	0.39912	0.15816	212	-0.72	002.04	0
002	Protein (%)	2074	32.000	0.00000	32.286	0.39912	0.15816	212	-0.72	002.06	0
002	Protein (%)	0354	32.005	0.09000	32.286	0.39912	0.15816	212	-0.70	002.05	0
002	Protein (%)	0638	32.020	0.04000	32.286	0.39912	0.15816	212	-0.67	002.04	0
002	Protein (%)	0948	32.020	0.06000	32.286	0.39912	0.15816	212	-0.67	002.06	0
002	Protein (%)	0653	32.025	0.23000	32.286	0.39912	0.15816	212	-0.65	002.01	0
002	Protein (%)	0066	32.025	0.11000	32.286	0.39912	0.15816	212	-0.65	002.02	0
002	Protein (%)	2063	32.025	0.01000	32.286	0.39912	0.15816	212	-0.65	002.05	0
002	Protein (%)	0100	32.030	0.22000	32.286	0.39912	0.15816	212	-0.64	002.06	0
002	Protein (%)	2012	32.035	0.17000	32.286	0.39912	0.15816	212	-0.63	002.05	0
002	Protein (%)	2011	32.045	0.23000	32.286	0.39912	0.15816	212	-0.60	002.05	0
002	Protein (%)	0138	32.049	0.16500	32.286	0.39912	0.15816	212	-0.59	002.06	0
002	Protein (%)	0937	32.050	0.10000	32.286	0.39912	0.15816	212	-0.59	002.05	0
002	Protein (%)	0563	32.051	0.32490	32.286	0.39912	0.15816	212	-0.59	002.08	0
002	Protein (%)	0961	32.060	0.36000	32.286	0.39912	0.15816	212	-0.57	002.06	0
002	Protein (%)	0643	32.060	0.06000	32.286	0.39912	0.15816	212	-0.57	002.99	0
002	Protein (%)	0675	32.065	0.09000	32.286	0.39912	0.15816	212	-0.55	002.05	0
002	Protein (%)	0849	32.070	0.08000	32.286	0.39912	0.15816	212	-0.54	002.05	0
002	Protein (%)	0872	32.090	0.32000	32.286	0.39912	0.15816	212	-0.49	002.06	0
002	Protein (%)	0581	32.100	0.30000	32.286	0.39912	0.15816	212	-0.46	002.00	0
002	Protein (%)	0897	32.100	0.00000	32.286	0.39912	0.15816	212	-0.46	002.05	0
002	Protein (%)	0014	32.100	0.20000	32.286	0.39912	0.15816	212	-0.46	002.06	0
002	Protein (%)	0848	32.110	0.04000	32.286	0.39912	0.15816	212	-0.44	002.06	0
002	Protein (%)	0695	32.120	0.10000	32.286	0.39912	0.15816	212	-0.41	002.06	0
002	Protein (%)	0357	32.125	0.13000	32.286	0.39912	0.15816	212	-0.40	002.06	0
002	Protein (%)	0354	32.130	0.02000	32.286	0.39912	0.15816	212	-0.39	002.06	0
002	Protein (%)	0646	32.135	0.17000	32.286	0.39912	0.15816	212	-0.38	002.06	0
002	Protein (%)	0074	32.150	0.08000	32.286	0.39912	0.15816	212	-0.34	002.06	0
002	Protein (%)	0739	32.175	0.31000	32.286	0.39912	0.15816	212	-0.28	002.06	0
002	Protein (%)	0098	32.195	0.09000	32.286	0.39912	0.15816	212	-0.23	002.08	0
002	Protein (%)	0098	32.200	0.00000	32.286	0.39912	0.15816	212	-0.21	002.06	0
002	Protein (%)	0208	32.200	0.00000	32.286	0.39912	0.15816	212	-0.21	002.08	0
002	Protein (%)	0685	32.205	0.01000	32.286	0.39912	0.15816	212	-0.20	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	2023	32.205	0.15000	32.286	0.39912	0.15816	212	-0.20	002.01	0
002	Protein (%)	0552	32.205	0.03000	32.286	0.39912	0.15816	212	-0.20	002.05	0
002	Protein (%)	0817	32.220	0.44000	32.286	0.39912	0.15816	212	-0.16	002.06	0
002	Protein (%)	0868	32.230	0.06000	32.286	0.39912	0.15816	212	-0.14	002.05	0
002	Protein (%)	2009	32.235	0.05070	32.286	0.39912	0.15816	212	-0.13	002.05	0
002	Protein (%)	0720	32.240	0.04000	32.286	0.39912	0.15816	212	-0.11	002.11	0
002	Protein (%)	0017	32.250	0.10000	32.286	0.39912	0.15816	212	-0.09	002.06	0
002	Protein (%)	0226	32.250	0.10000	32.286	0.39912	0.15816	212	-0.09	002.06	0
002	Protein (%)	0278	32.250	0.10000	32.286	0.39912	0.15816	212	-0.09	002.06	0
002	Protein (%)	0553	32.250	0.50000	32.286	0.39912	0.15816	212	-0.09	002.06	0
002	Protein (%)	2067	32.253	0.06300	32.286	0.39912	0.15816	212	-0.08	002.05	0
002	Protein (%)	0539	32.260	0.54000	32.286	0.39912	0.15816	212	-0.06	002.06	0
002	Protein (%)	0015	32.260	0.02000	32.286	0.39912	0.15816	212	-0.06	002.05	0
002	Protein (%)	0788	32.265	0.11000	32.286	0.39912	0.15816	212	-0.05	002.06	0
002	Protein (%)	0083	32.270	0.26000	32.286	0.39912	0.15816	212	-0.04	002.06	0
002	Protein (%)	0845	32.280	0.00000	32.286	0.39912	0.15816	212	-0.01	002.00	0
002	Protein (%)	0018	32.280	0.02000	32.286	0.39912	0.15816	212	-0.01	002.06	0
002	Protein (%)	0242	32.280	0.46000	32.286	0.39912	0.15816	212	-0.01	002.06	0
002	Protein (%)	0943	32.285	0.17000	32.286	0.39912	0.15816	212	0.00	002.05	0
002	Protein (%)	0233	32.290	0.00000	32.286	0.39912	0.15816	212	0.01	002.06	0
002	Protein (%)	0504	32.290	0.22000	32.286	0.39912	0.15816	212	0.01	002.06	0
002	Protein (%)	0004	32.290	0.22000	32.286	0.39912	0.15816	212	0.01	002.06	0
002	Protein (%)	0010	32.300	0.20000	32.286	0.39912	0.15816	212	0.04	002.06	0
002	Protein (%)	0175	32.300	0.00000	32.286	0.39912	0.15816	212	0.04	002.06	0
002	Protein (%)	0139	32.305	0.01000	32.286	0.39912	0.15816	212	0.05	002.06	0
002	Protein (%)	0529	32.310	0.70000	32.286	0.39912	0.15816	212	0.06	002.06	0
002	Protein (%)	0952	32.320	0.00000	32.286	0.39912	0.15816	212	0.09	002.05	0
002	Protein (%)	0959	32.320	0.56000	32.286	0.39912	0.15816	212	0.09	002.06	0
002	Protein (%)	0358	32.325	0.21000	32.286	0.39912	0.15816	212	0.10	002.06	0
002	Protein (%)	0676	32.330	0.18000	32.286	0.39912	0.15816	212	0.11	002.06	0
002	Protein (%)	0425	32.340	0.02000	32.286	0.39912	0.15816	212	0.14	002.06	0
002	Protein (%)	0958	32.340	0.10000	32.286	0.39912	0.15816	212	0.14	002.06	0
002	Protein (%)	0037	32.345	0.01000	32.286	0.39912	0.15816	212	0.15	002.06	0
002	Protein (%)	0152	32.350	0.10000	32.286	0.39912	0.15816	212	0.16	002.01	0
002	Protein (%)	0689	32.350	0.10000	32.286	0.39912	0.15816	212	0.16	002.05	0
002	Protein (%)	0619	32.350	0.10000	32.286	0.39912	0.15816	212	0.16	002.06	0
002	Protein (%)	0941	32.350	0.10000	32.286	0.39912	0.15816	212	0.16	002.06	0
002	Protein (%)	0823	32.350	0.10000	32.286	0.39912	0.15816	212	0.16	002.06	0
002	Protein (%)	0009	32.350	0.08000	32.286	0.39912	0.15816	212	0.16	002.06	0
002	Protein (%)	0955	32.350	0.50000	32.286	0.39912	0.15816	212	0.16	002.06	0
002	Protein (%)	0895	32.355	0.01000	32.286	0.39912	0.15816	212	0.17	002.05	0
002	Protein (%)	0164	32.355	0.01000	32.286	0.39912	0.15816	212	0.17	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0297	32.360	0.24000	32.286	0.39912	0.15816	212	0.19	002.06	0
002	Protein (%)	2059	32.372	0.09370	32.286	0.39912	0.15816	212	0.22	002.06	0
002	Protein (%)	0590	32.375	0.15000	32.286	0.39912	0.15816	212	0.22	002.06	0
002	Protein (%)	2058	32.375	0.01000	32.286	0.39912	0.15816	212	0.22	002.06	0
002	Protein (%)	1000	32.375	0.03000	32.286	0.39912	0.15816	212	0.22	002.06	0
002	Protein (%)	0571	32.380	0.22200	32.286	0.39912	0.15816	212	0.24	002.06	0
002	Protein (%)	0968	32.384	0.20100	32.286	0.39912	0.15816	212	0.25	002.06	0
002	Protein (%)	0687	32.385	0.07000	32.286	0.39912	0.15816	212	0.25	002.06	0
002	Protein (%)	0660	32.390	0.02000	32.286	0.39912	0.15816	212	0.26	002.06	0
002	Protein (%)	0861	32.390	0.40000	32.286	0.39912	0.15816	212	0.26	002.06	0
002	Protein (%)	0773	32.395	0.01000	32.286	0.39912	0.15816	212	0.27	002.06	0
002	Protein (%)	0033	32.400	0.20000	32.286	0.39912	0.15816	212	0.29	002.06	0
002	Protein (%)	0208	32.415	0.03000	32.286	0.39912	0.15816	212	0.32	002.06	0
002	Protein (%)	0598	32.415	0.27000	32.286	0.39912	0.15816	212	0.32	002.06	0
002	Protein (%)	0868	32.415	0.01000	32.286	0.39912	0.15816	212	0.32	002.06	0
002	Protein (%)	1009	32.415	0.01000	32.286	0.39912	0.15816	212	0.32	002.06	0
002	Protein (%)	0065	32.417	0.00900	32.286	0.39912	0.15816	212	0.33	002.06	0
002	Protein (%)	0682	32.420	0.02000	32.286	0.39912	0.15816	212	0.34	002.06	0
002	Protein (%)	0957	32.425	0.03000	32.286	0.39912	0.15816	212	0.35	002.06	0
002	Protein (%)	0001	32.445	0.05000	32.286	0.39912	0.15816	212	0.40	002.06	0
002	Protein (%)	0960	32.445	0.51000	32.286	0.39912	0.15816	212	0.40	002.06	0
002	Protein (%)	0049	32.450	0.34000	32.286	0.39912	0.15816	212	0.41	002.06	0
002	Protein (%)	0298	32.450	0.02000	32.286	0.39912	0.15816	212	0.41	002.06	0
002	Protein (%)	0880	32.453	0.33500	32.286	0.39912	0.15816	212	0.42	002.06	0
002	Protein (%)	0512	32.455	0.15000	32.286	0.39912	0.15816	212	0.42	002.06	0
002	Protein (%)	0008	32.465	0.09000	32.286	0.39912	0.15816	212	0.45	002.06	0
002	Protein (%)	0589	32.475	0.01000	32.286	0.39912	0.15816	212	0.47	002.06	0
002	Protein (%)	0720	32.475	0.07000	32.286	0.39912	0.15816	212	0.47	002.06	0
002	Protein (%)	0043	32.485	0.11000	32.286	0.39912	0.15816	212	0.50	002.06	0
002	Protein (%)	0089	32.485	0.01000	32.286	0.39912	0.15816	212	0.50	002.06	0
002	Protein (%)	0123	32.490	0.04000	32.286	0.39912	0.15816	212	0.51	002.06	0
002	Protein (%)	0626	32.490	0.15200	32.286	0.39912	0.15816	212	0.51	002.06	0
002	Protein (%)	0205	32.495	0.25000	32.286	0.39912	0.15816	212	0.52	002.06	0
002	Protein (%)	0939	32.495	0.15000	32.286	0.39912	0.15816	212	0.52	002.05	0
002	Protein (%)	0939	32.510	0.28000	32.286	0.39912	0.15816	212	0.56	002.06	0
002	Protein (%)	0142	32.515	0.03000	32.286	0.39912	0.15816	212	0.57	002.06	0
002	Protein (%)	0003	32.530	0.04000	32.286	0.39912	0.15816	212	0.61	002.06	0
002	Protein (%)	0615	32.530	0.06000	32.286	0.39912	0.15816	212	0.61	002.06	0
002	Protein (%)	0504	32.550	0.16000	32.286	0.39912	0.15816	212	0.66	002.04	0
002	Protein (%)	0510	32.550	0.10000	32.286	0.39912	0.15816	212	0.66	002.06	0
002	Protein (%)	2004	32.550	0.30000	32.286	0.39912	0.15816	212	0.66	002.99	0
002	Protein (%)	0353	32.560	0.16000	32.286	0.39912	0.15816	212	0.69	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0505	32.565	0.15000	32.286	0.39912	0.15816	212	0.70	002.06	0
002	Protein (%)	0019	32.570	0.14000	32.286	0.39912	0.15816	212	0.71	002.06	0
002	Protein (%)	0618	32.575	0.01000	32.286	0.39912	0.15816	212	0.73	002.06	0
002	Protein (%)	0554	32.585	0.37000	32.286	0.39912	0.15816	212	0.75	002.06	0
002	Protein (%)	0045	32.600	0.00000	32.286	0.39912	0.15816	212	0.79	002.06	0
002	Protein (%)	0263	32.609	0.03040	32.286	0.39912	0.15816	212	0.81	002.06	0
002	Protein (%)	0609	32.615	0.13000	32.286	0.39912	0.15816	212	0.83	002.06	0
002	Protein (%)	2023	32.615	0.13000	32.286	0.39912	0.15816	212	0.83	002.06	0
002	Protein (%)	2053	32.615	0.09000	32.286	0.39912	0.15816	212	0.83	002.06	0
002	Protein (%)	0265	32.620	0.20000	32.286	0.39912	0.15816	212	0.84	002.06	0
002	Protein (%)	0417	32.630	0.38000	32.286	0.39912	0.15816	212	0.86	002.06	0
002	Protein (%)	0144	32.635	0.23000	32.286	0.39912	0.15816	212	0.88	002.06	0
002	Protein (%)	0693	32.640	0.27400	32.286	0.39912	0.15816	212	0.89	002.06	0
002	Protein (%)	0190	32.655	0.05000	32.286	0.39912	0.15816	212	0.93	002.06	0
002	Protein (%)	0035	32.660	0.00000	32.286	0.39912	0.15816	212	0.94	002.06	0
002	Protein (%)	0148	32.660	0.16000	32.286	0.39912	0.15816	212	0.94	002.06	0
002	Protein (%)	0168	32.680	0.57900	32.286	0.39912	0.15816	212	0.99	002.06	0
002	Protein (%)	0006	32.703	0.08700	32.286	0.39912	0.15816	212	1.04	002.06	0
002	Protein (%)	0062	32.705	0.03000	32.286	0.39912	0.15816	212	1.05	002.01	0
002	Protein (%)	0036	32.710	0.02000	32.286	0.39912	0.15816	212	1.06	002.06	0
002	Protein (%)	2006	32.739	0.20300	32.286	0.39912	0.15816	212	1.13	002.06	0
002	Protein (%)	0852	32.750	0.18000	32.286	0.39912	0.15816	212	1.16	002.05	0
002	Protein (%)	0574	32.750	0.12000	32.286	0.39912	0.15816	212	1.16	002.06	0
002	Protein (%)	0910	32.750	0.90000	32.286	0.39912	0.15816	212	1.16	002.06	0
002	Protein (%)	0903	32.805	0.01000	32.286	0.39912	0.15816	212	1.30	002.05	0
002	Protein (%)	0541	32.805	0.29000	32.286	0.39912	0.15816	212	1.30	002.06	0
002	Protein (%)	1005	32.820	0.26000	32.286	0.39912	0.15816	212	1.34	002.06	0
002	Protein (%)	0857	32.825	0.25000	32.286	0.39912	0.15816	212	1.35	002.06	0
002	Protein (%)	0843	32.830	0.08000	32.286	0.39912	0.15816	212	1.36	002.06	0
002	Protein (%)	0964	32.835	0.23000	32.286	0.39912	0.15816	212	1.38	002.06	0
002	Protein (%)	1014	32.875	0.13000	32.286	0.39912	0.15816	212	1.48	002.06	0
002	Protein (%)	0781	32.905	0.25000	32.286	0.39912	0.15816	212	1.55	002.06	0
002	Protein (%)	0034	32.912	0.03700	32.286	0.39912	0.15816	212	1.57	002.06	0
002	Protein (%)	0294	33.000	0.00000	32.286	0.39912	0.15816	212	1.79	002.06	0
002	Protein (%)	2012	33.000	0.18000	32.286	0.39912	0.15816	212	1.79	002.06	0
002	Protein (%)	0763	33.005	0.23000	32.286	0.39912	0.15816	212	1.80	002.06	0
002	Protein (%)	0178	33.025	0.59000	32.286	0.39912	0.15816	212	1.85	002.06	0
002	Protein (%)	0610	33.050	0.10000	32.286	0.39912	0.15816	212	1.92	002.06	0
002	Protein (%)	0692	33.150	0.30000	32.286	0.39912	0.15816	212	2.17	002.06	0
002	Protein (%)	0300	33.170	0.60000	32.286	0.39912	0.15816	212	2.22	002.06	0
002	Protein (%)	0511	33.175	0.01000	32.286	0.39912	0.15816	212	2.23	002.06	0
002	Protein (%)	0187	33.280	0.10000	32.286	0.39912	0.15816	212	2.49	002.04	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0038	33.415	0.29000	32.286	0.39912	0.15816	212	2.83	002.06	0
002	Protein (%)	0918	33.485	0.71000	32.286	0.39912	0.15816	212	3.01	002.06	0
002	Protein (%)	0852	34.300	0.12000	32.286	0.39912	0.15816	212	5.05	002.11	0
002	Protein (%)	0297	34.445	0.03000	32.286	0.39912	0.15816	212	5.41	002.11	0
002	Protein (%)	0553	34.560	0.10000	32.286	0.39912	0.15816	212	5.70	002.11	0
002	Protein (%)	0853	35.885	0.43000	32.286	0.39912	0.15816	212	9.02	002.06	0
002	Protein (%)	0777	32.040	1.2200	32.286	0.39912	0.15816	212	-0.62	002.06	1
002	Protein (%)	0108	32.305	1.6300	32.286	0.39912	0.15816	212	0.05	002.06	1
002	Protein (%)	0956	32.450	1.9000	32.286	0.39912	0.15816	212	0.41	002.06	1
002	Protein (%)	0413	32.650	1.1000	32.286	0.39912	0.15816	212	0.91	002.06	1
002	Protein (%)	0520	33.450	2.9000	32.286	0.39912	0.15816	212	2.92	002.06	1
002	Protein (%)	0912	5.2450	0.07000	32.286	0.39912	0.15816	212	-67.75	002.06	2
002	Protein (%)	0806	31.805	0.05000	32.286	0.39912	0.15816	212	-1.20	002.06	8
002	Protein (%)	0797	31.905	0.13000	32.286	0.39912	0.15816	212	-0.95	002.06	8
002	Protein (%)	0798	31.960	0.14000	32.286	0.39912	0.15816	212	-0.82	002.06	8
002	Protein (%)	0802	31.960	0.14000	32.286	0.39912	0.15816	212	-0.82	002.06	8
002	Protein (%)	0751	31.980	0.12000	32.286	0.39912	0.15816	212	-0.77	002.06	8
002	Protein (%)	0796	31.985	0.19000	32.286	0.39912	0.15816	212	-0.75	002.06	8
002	Protein (%)	0805	32.015	0.27000	32.286	0.39912	0.15816	212	-0.68	002.06	8
002	Protein (%)	0787	32.030	0.04000	32.286	0.39912	0.15816	212	-0.64	002.06	8
002	Protein (%)	0799	32.030	0.34000	32.286	0.39912	0.15816	212	-0.64	002.06	8
002	Protein (%)	0801	32.030	0.10000	32.286	0.39912	0.15816	212	-0.64	002.06	8
002	Protein (%)	1016	32.045	0.01000	32.286	0.39912	0.15816	212	-0.60	002.06	8
002	Protein (%)	0807	32.070	0.18000	32.286	0.39912	0.15816	212	-0.54	002.06	8
002	Protein (%)	0803	32.100	0.10000	32.286	0.39912	0.15816	212	-0.46	002.06	8
002	Protein (%)	0804	32.120	0.10000	32.286	0.39912	0.15816	212	-0.41	002.06	8
002	Protein (%)	0767	32.125	0.07000	32.286	0.39912	0.15816	212	-0.40	002.06	8
002	Protein (%)	0757	32.220	0.06000	32.286	0.39912	0.15816	212	-0.16	002.06	8
002	Protein (%)	0750	32.240	0.02000	32.286	0.39912	0.15816	212	-0.11	002.06	8
002	Protein (%)	0752	32.245	0.07000	32.286	0.39912	0.15816	212	-0.10	002.06	8
002	Protein (%)	0748	32.250	0.10000	32.286	0.39912	0.15816	212	-0.09	002.06	8
002	Protein (%)	0789	32.250	0.16000	32.286	0.39912	0.15816	212	-0.09	002.06	8
002	Protein (%)	0755	32.255	0.05000	32.286	0.39912	0.15816	212	-0.08	002.06	8
002	Protein (%)	0770	32.255	0.01000	32.286	0.39912	0.15816	212	-0.08	002.06	8
002	Protein (%)	0824	32.260	0.04000	32.286	0.39912	0.15816	212	-0.06	002.06	8
002	Protein (%)	1008	32.278	0.04600	32.286	0.39912	0.15816	212	-0.02	002.06	8
002	Protein (%)	0840	32.280	0.06000	32.286	0.39912	0.15816	212	-0.01	002.06	8
002	Protein (%)	0810	32.290	0.06000	32.286	0.39912	0.15816	212	0.01	002.06	8
002	Protein (%)	0828	32.290	0.08000	32.286	0.39912	0.15816	212	0.01	002.06	8
002	Protein (%)	0811	32.295	0.03000	32.286	0.39912	0.15816	212	0.02	002.06	8
002	Protein (%)	0756	32.300	0.00000	32.286	0.39912	0.15816	212	0.04	002.06	8
002	Protein (%)	0754	32.305	0.01000	32.286	0.39912	0.15816	212	0.05	002.06	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0753	32.310	0.24000	32.286	0.39912	0.15816	212	0.06	002.06	8
002	Protein (%)	0765	32.310	0.02000	32.286	0.39912	0.15816	212	0.06	002.06	8
002	Protein (%)	0841	32.310	0.02000	32.286	0.39912	0.15816	212	0.06	002.06	8
002	Protein (%)	0766	32.325	0.01000	32.286	0.39912	0.15816	212	0.10	002.06	8
002	Protein (%)	0747	32.335	0.01000	32.286	0.39912	0.15816	212	0.12	002.06	8
002	Protein (%)	1004	32.347	0.03200	32.286	0.39912	0.15816	212	0.15	002.06	8
002	Protein (%)	0764	32.350	0.00000	32.286	0.39912	0.15816	212	0.16	002.06	8
002	Protein (%)	0771	32.350	0.06000	32.286	0.39912	0.15816	212	0.16	002.06	8
002	Protein (%)	0836	32.355	0.11000	32.286	0.39912	0.15816	212	0.17	002.06	8
002	Protein (%)	0815	32.360	0.16000	32.286	0.39912	0.15816	212	0.19	002.06	8
002	Protein (%)	0792	32.365	0.07000	32.286	0.39912	0.15816	212	0.20	002.06	8
002	Protein (%)	0768	32.370	0.04000	32.286	0.39912	0.15816	212	0.21	002.06	8
002	Protein (%)	0818	32.370	0.52000	32.286	0.39912	0.15816	212	0.21	002.06	8
002	Protein (%)	0825	32.370	0.12000	32.286	0.39912	0.15816	212	0.21	002.06	8
002	Protein (%)	0742	32.375	0.05000	32.286	0.39912	0.15816	212	0.22	002.06	8
002	Protein (%)	1015	32.400	0.00000	32.286	0.39912	0.15816	212	0.29	002.06	8
002	Protein (%)	0745	32.415	0.07000	32.286	0.39912	0.15816	212	0.32	002.06	8
002	Protein (%)	0774	32.420	0.00000	32.286	0.39912	0.15816	212	0.34	002.06	8
002	Protein (%)	0775	32.425	0.01000	32.286	0.39912	0.15816	212	0.35	002.06	8
002	Protein (%)	0808	32.425	0.03000	32.286	0.39912	0.15816	212	0.35	002.06	8
002	Protein (%)	0834	32.425	0.07000	32.286	0.39912	0.15816	212	0.35	002.06	8
002	Protein (%)	1012	32.425	0.13000	32.286	0.39912	0.15816	212	0.35	002.06	8
002	Protein (%)	0758	32.445	0.09000	32.286	0.39912	0.15816	212	0.40	002.06	8
002	Protein (%)	1017	32.447	0.05100	32.286	0.39912	0.15816	212	0.40	002.06	8
002	Protein (%)	0749	32.460	0.10000	32.286	0.39912	0.15816	212	0.44	002.06	8
002	Protein (%)	0809	32.480	0.26000	32.286	0.39912	0.15816	212	0.49	002.06	8
002	Protein (%)	0813	32.480	0.08000	32.286	0.39912	0.15816	212	0.49	002.06	8
002	Protein (%)	0814	32.480	0.04000	32.286	0.39912	0.15816	212	0.49	002.06	8
002	Protein (%)	0812	32.485	0.17000	32.286	0.39912	0.15816	212	0.50	002.06	8
002	Protein (%)	0831	32.495	0.05000	32.286	0.39912	0.15816	212	0.52	002.06	8
002	Protein (%)	0778	32.500	0.18000	32.286	0.39912	0.15816	212	0.54	002.06	8
002	Protein (%)	0794	32.535	0.25000	32.286	0.39912	0.15816	212	0.62	002.06	8
002	Protein (%)	0832	32.545	0.13000	32.286	0.39912	0.15816	212	0.65	002.06	8
002	Protein (%)	0743	32.550	0.16000	32.286	0.39912	0.15816	212	0.66	002.06	8
002	Protein (%)	0761	32.570	0.26000	32.286	0.39912	0.15816	212	0.71	002.06	8
002	Protein (%)	0735	32.590	0.08000	32.286	0.39912	0.15816	212	0.76	002.06	8
002	Protein (%)	0786	32.590	0.04000	32.286	0.39912	0.15816	212	0.76	002.06	8
002	Protein (%)	1006	32.625	0.09000	32.286	0.39912	0.15816	212	0.85	002.06	8
002	Protein (%)	0779	32.630	0.02000	32.286	0.39912	0.15816	212	0.86	002.06	8
002	Protein (%)	0744	32.665	0.05000	32.286	0.39912	0.15816	212	0.95	002.06	8
002	Protein (%)	0746	32.680	0.00000	32.286	0.39912	0.15816	212	0.99	002.06	8
002	Protein (%)	0839	32.680	0.84000	32.286	0.39912	0.15816	212	0.99	002.06	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0838	32.730	0.34000	32.286	0.39912	0.15816	212	1.11	002.06	8
002	Protein (%)	0736	32.745	0.03000	32.286	0.39912	0.15816	212	1.15	002.06	8
002	Protein (%)	0790	32.770	0.04000	32.286	0.39912	0.15816	212	1.21	002.06	8
002	Protein (%)	0760	32.775	0.09000	32.286	0.39912	0.15816	212	1.23	002.06	8
002	Protein (%)	0759	32.810	0.06000	32.286	0.39912	0.15816	212	1.31	002.06	8
002	Protein (%)	1007	32.960	0.10000	32.286	0.39912	0.15816	212	1.69	002.06	8
002	Protein (%)	1002	32.990	0.36000	32.286	0.39912	0.15816	212	1.76	002.06	8
002	Protein (%)	0782	33.010	0.10000	32.286	0.39912	0.15816	212	1.82	002.06	8
002	Protein (%)	0830	33.685	0.29000	32.286	0.39912	0.15816	212	3.51	002.06	8
002	Protein (%)	0791	33.965	2.8900	32.286	0.39912	0.15816	212	4.21	002.06	8
003	Fat (%)	0574	5.3950	0.07000	6.5887	0.21020	0.08249	122	-5.68	003.14	0
003	Fat (%)	0574	5.6850	0.01000	6.5887	0.21020	0.08249	122	-4.30	003.06	0
003	Fat (%)	0853	5.8950	0.05000	6.5887	0.21020	0.08249	122	-3.30	003.14	0
003	Fat (%)	0144	6.1050	0.03000	6.5887	0.21020	0.08249	122	-2.30	003.14	0
003	Fat (%)	0952	6.1100	0.02000	6.5887	0.21020	0.08249	122	-2.28	003.10	0
003	Fat (%)	0912	6.1800	0.00000	6.5887	0.21020	0.08249	122	-1.94	003.14	0
003	Fat (%)	0089	6.2400	0.00000	6.5887	0.21020	0.08249	122	-1.66	003.14	0
003	Fat (%)	0720	6.2450	0.41000	6.5887	0.21020	0.08249	122	-1.63	003.06	0
003	Fat (%)	0723	6.2900	0.00000	6.5887	0.21020	0.08249	122	-1.42	003.09	0
003	Fat (%)	2062	6.3055	0.06820	6.5887	0.21020	0.08249	122	-1.35	003.12	0
003	Fat (%)	0876	6.3100	0.26000	6.5887	0.21020	0.08249	122	-1.33	003.00	0
003	Fat (%)	0298	6.3300	0.02000	6.5887	0.21020	0.08249	122	-1.23	003.10	0
003	Fat (%)	0939	6.3500	0.10000	6.5887	0.21020	0.08249	122	-1.14	003.00	0
003	Fat (%)	0226	6.3500	0.10000	6.5887	0.21020	0.08249	122	-1.14	003.09	0
003	Fat (%)	0520	6.3600	0.20000	6.5887	0.21020	0.08249	122	-1.09	003.14	0
003	Fat (%)	0720	6.3650	0.01000	6.5887	0.21020	0.08249	122	-1.06	003.11	0
003	Fat (%)	0887	6.3700	0.02000	6.5887	0.21020	0.08249	122	-1.04	003.10	0
003	Fat (%)	0885	6.3850	0.05000	6.5887	0.21020	0.08249	122	-0.97	003.00	0
003	Fat (%)	0903	6.3950	0.01000	6.5887	0.21020	0.08249	122	-0.92	003.12	0
003	Fat (%)	0208	6.4050	0.29000	6.5887	0.21020	0.08249	122	-0.87	003.13	0
003	Fat (%)	0781	6.4050	0.01000	6.5887	0.21020	0.08249	122	-0.87	003.10	0
003	Fat (%)	0693	6.4065	0.08100	6.5887	0.21020	0.08249	122	-0.87	003.10	0
003	Fat (%)	2063	6.4100	0.02000	6.5887	0.21020	0.08249	122	-0.85	003.06	0
003	Fat (%)	0629	6.4200	0.04000	6.5887	0.21020	0.08249	122	-0.80	003.10	0
003	Fat (%)	0294	6.4300	0.06000	6.5887	0.21020	0.08249	122	-0.75	003.06	0
003	Fat (%)	0062	6.4300	0.02000	6.5887	0.21020	0.08249	122	-0.75	003.10	0
003	Fat (%)	0190	6.4350	0.05000	6.5887	0.21020	0.08249	122	-0.73	003.14	0
003	Fat (%)	0598	6.4350	0.01000	6.5887	0.21020	0.08249	122	-0.73	003.14	0
003	Fat (%)	0861	6.4400	0.06000	6.5887	0.21020	0.08249	122	-0.71	003.10	0
003	Fat (%)	0563	6.4412	0.01970	6.5887	0.21020	0.08249	122	-0.70	003.01	0
003	Fat (%)	0689	6.4500	0.10000	6.5887	0.21020	0.08249	122	-0.66	003.10	0
003	Fat (%)	0581	6.4500	0.06000	6.5887	0.21020	0.08249	122	-0.66	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003 Fat (%)		0108	6.4650	0.23000	6.5887	0.21020	0.08249	122	-0.59	003.14	0
003 Fat (%)		0660	6.4700	0.08000	6.5887	0.21020	0.08249	122	-0.56	003.13	0
003 Fat (%)		2068	6.4750	0.05000	6.5887	0.21020	0.08249	122	-0.54	003.09	0
003 Fat (%)		0066	6.4750	0.09000	6.5887	0.21020	0.08249	122	-0.54	003.14	0
003 Fat (%)		0948	6.4850	0.01000	6.5887	0.21020	0.08249	122	-0.49	003.09	0
003 Fat (%)		0910	6.4900	0.20000	6.5887	0.21020	0.08249	122	-0.47	003.06	0
003 Fat (%)		0553	6.4900	0.02000	6.5887	0.21020	0.08249	122	-0.47	003.10	0
003 Fat (%)		0164	6.5000	0.08000	6.5887	0.21020	0.08249	122	-0.42	003.06	0
003 Fat (%)		0297	6.5000	0.02000	6.5887	0.21020	0.08249	122	-0.42	003.06	0
003 Fat (%)		0278	6.5000	0.00000	6.5887	0.21020	0.08249	122	-0.42	003.14	0
003 Fat (%)		0357	6.5000	0.00000	6.5887	0.21020	0.08249	122	-0.42	003.14	0
003 Fat (%)		0956	6.5000	0.00000	6.5887	0.21020	0.08249	122	-0.42	003.14	0
003 Fat (%)		0891	6.5009	0.00040	6.5887	0.21020	0.08249	122	-0.42	003.14	0
003 Fat (%)		0895	6.5050	0.01000	6.5887	0.21020	0.08249	122	-0.40	003.12	0
003 Fat (%)		0300	6.5085	0.18900	6.5887	0.21020	0.08249	122	-0.38	003.06	0
003 Fat (%)		0674	6.5100	0.00000	6.5887	0.21020	0.08249	122	-0.37	003.09	0
003 Fat (%)		0682	6.5150	0.01000	6.5887	0.21020	0.08249	122	-0.35	003.06	0
003 Fat (%)		0529	6.5150	0.03000	6.5887	0.21020	0.08249	122	-0.35	003.14	0
003 Fat (%)		0171	6.5300	0.08000	6.5887	0.21020	0.08249	122	-0.28	003.12	0
003 Fat (%)		0868	6.5350	0.03000	6.5887	0.21020	0.08249	122	-0.26	003.10	0
003 Fat (%)		0205	6.5370	0.10400	6.5887	0.21020	0.08249	122	-0.25	003.13	0
003 Fat (%)		0619	6.5450	0.03000	6.5887	0.21020	0.08249	122	-0.21	003.10	0
003 Fat (%)		0037	6.5450	0.13000	6.5887	0.21020	0.08249	122	-0.21	003.14	0
003 Fat (%)		0948	6.5450	0.01000	6.5887	0.21020	0.08249	122	-0.21	003.14	0
003 Fat (%)		0870	6.5462	0.02320	6.5887	0.21020	0.08249	122	-0.20	003.10	0
003 Fat (%)		0687	6.5550	0.11000	6.5887	0.21020	0.08249	122	-0.16	003.06	0
003 Fat (%)		0619	6.5550	0.03000	6.5887	0.21020	0.08249	122	-0.16	003.14	0
003 Fat (%)		2011	6.5600	0.46000	6.5887	0.21020	0.08249	122	-0.14	003.10	0
003 Fat (%)		2009	6.5719	0.01690	6.5887	0.21020	0.08249	122	-0.08	003.10	0
003 Fat (%)		0098	6.5750	0.11000	6.5887	0.21020	0.08249	122	-0.07	003.10	0
003 Fat (%)		2022	6.5800	0.04000	6.5887	0.21020	0.08249	122	-0.04	003.10	0
003 Fat (%)		0897	6.5800	0.00000	6.5887	0.21020	0.08249	122	-0.04	003.12	0
003 Fat (%)		2006	6.5850	0.03000	6.5887	0.21020	0.08249	122	-0.02	003.12	0
003 Fat (%)		2006	6.5850	0.03000	6.5887	0.21020	0.08249	122	-0.02	003.13	0
003 Fat (%)		0123	6.5950	0.13000	6.5887	0.21020	0.08249	122	0.03	003.13	0
003 Fat (%)		0413	6.6000	0.40000	6.5887	0.21020	0.08249	122	0.05	003.14	0
003 Fat (%)		0425	6.6050	0.01000	6.5887	0.21020	0.08249	122	0.08	003.06	0
003 Fat (%)		0552	6.6100	0.08000	6.5887	0.21020	0.08249	122	0.10	003.06	0
003 Fat (%)		0354	6.6150	0.01000	6.5887	0.21020	0.08249	122	0.13	003.09	0
003 Fat (%)		2012	6.6200	0.04000	6.5887	0.21020	0.08249	122	0.15	003.09	0
003 Fat (%)		0233	6.6300	0.02000	6.5887	0.21020	0.08249	122	0.20	003.10	0
003 Fat (%)		0049	6.6300	0.04000	6.5887	0.21020	0.08249	122	0.20	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0098	6.6350	0.19000	6.5887	0.21020	0.08249	122	0.22	003.09	0
003	Fat (%)	0074	6.6400	0.02000	6.5887	0.21020	0.08249	122	0.24	003.06	0
003	Fat (%)	0242	6.6400	0.02000	6.5887	0.21020	0.08249	122	0.24	003.10	0
003	Fat (%)	0955	6.6450	0.13000	6.5887	0.21020	0.08249	122	0.27	003.14	0
003	Fat (%)	0689	6.6500	0.10000	6.5887	0.21020	0.08249	122	0.29	003.06	0
003	Fat (%)	0893	6.6550	0.01000	6.5887	0.21020	0.08249	122	0.32	003.12	0
003	Fat (%)	0100	6.6700	0.02000	6.5887	0.21020	0.08249	122	0.39	003.10	0
003	Fat (%)	0045	6.6800	0.10000	6.5887	0.21020	0.08249	122	0.43	003.10	0
003	Fat (%)	0726	6.6800	0.06000	6.5887	0.21020	0.08249	122	0.43	003.14	0
003	Fat (%)	0849	6.6835	0.01300	6.5887	0.21020	0.08249	122	0.45	003.06	0
003	Fat (%)	0358	6.6950	0.07000	6.5887	0.21020	0.08249	122	0.51	003.14	0
003	Fat (%)	0354	6.7050	0.01000	6.5887	0.21020	0.08249	122	0.55	003.00	0
003	Fat (%)	0685	6.7050	0.01000	6.5887	0.21020	0.08249	122	0.55	003.09	0
003	Fat (%)	0889	6.7050	0.13000	6.5887	0.21020	0.08249	122	0.55	003.10	0
003	Fat (%)	0194	6.7250	0.03000	6.5887	0.21020	0.08249	122	0.65	003.00	0
003	Fat (%)	0609	6.7250	0.09000	6.5887	0.21020	0.08249	122	0.65	003.10	0
003	Fat (%)	0148	6.7400	0.06000	6.5887	0.21020	0.08249	122	0.72	003.06	0
003	Fat (%)	0229	6.7400	0.02000	6.5887	0.21020	0.08249	122	0.72	003.14	0
003	Fat (%)	0098	6.7450	0.11000	6.5887	0.21020	0.08249	122	0.74	003.13	0
003	Fat (%)	0152	6.7500	0.10000	6.5887	0.21020	0.08249	122	0.77	003.09	0
003	Fat (%)	0968	6.7555	0.35300	6.5887	0.21020	0.08249	122	0.79	003.09	0
003	Fat (%)	0353	6.7600	0.06000	6.5887	0.21020	0.08249	122	0.82	003.09	0
003	Fat (%)	0695	6.7600	0.00000	6.5887	0.21020	0.08249	122	0.82	003.10	0
003	Fat (%)	0646	6.7600	0.16000	6.5887	0.21020	0.08249	122	0.82	003.13	0
003	Fat (%)	0187	6.7700	0.02000	6.5887	0.21020	0.08249	122	0.86	003.13	0
003	Fat (%)	0638	6.7750	0.15000	6.5887	0.21020	0.08249	122	0.89	003.09	0
003	Fat (%)	0675	6.7750	0.17000	6.5887	0.21020	0.08249	122	0.89	003.09	0
003	Fat (%)	2042	6.8000	0.00000	6.5887	0.21020	0.08249	122	1.01	003.10	0
003	Fat (%)	0083	6.8100	0.18000	6.5887	0.21020	0.08249	122	1.05	003.06	0
003	Fat (%)	0848	6.8800	0.00000	6.5887	0.21020	0.08249	122	1.39	003.14	0
003	Fat (%)	0918	6.8850	0.01000	6.5887	0.21020	0.08249	122	1.41	003.06	0
003	Fat (%)	0142	6.9050	0.07000	6.5887	0.21020	0.08249	122	1.50	003.00	0
003	Fat (%)	0511	7.0200	0.28000	6.5887	0.21020	0.08249	122	2.05	003.06	0
003	Fat (%)	0852	7.1600	0.30000	6.5887	0.21020	0.08249	122	2.72	003.06	0
003	Fat (%)	2023	7.2000	0.22000	6.5887	0.21020	0.08249	122	2.91	003.14	0
003	Fat (%)	0265	7.2400	0.16000	6.5887	0.21020	0.08249	122	3.10	003.14	0
003	Fat (%)	0139	7.4650	0.17000	6.5887	0.21020	0.08249	122	4.17	003.00	0
003	Fat (%)	0889	7.4800	0.28000	6.5887	0.21020	0.08249	122	4.24	003.11	0
003	Fat (%)	0590	7.6000	0.00000	6.5887	0.21020	0.08249	122	4.81	003.09	0
003	Fat (%)	0297	7.6100	0.04000	6.5887	0.21020	0.08249	122	4.86	003.11	0
003	Fat (%)	0788	8.2950	0.21000	6.5887	0.21020	0.08249	122	8.12	003.99	0
003	Fat (%)	2048	8.7775	0.12500	6.5887	0.21020	0.08249	122	10.41	003.13	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	2075	8.8700	0.08000	6.5887	0.21020	0.08249	122	10.85	003.14	0
003	Fat (%)	0536	8.9650	0.09000	6.5887	0.21020	0.08249	122	11.31	003.99	0
003	Fat (%)	0169	9.2100	0.30000	6.5887	0.21020	0.08249	122	12.47	003.06	0
003	Fat (%)	0004	9.9800	0.04000	6.5887	0.21020	0.08249	122	16.13	003.09	0
003	Fat (%)	0553	10.065	0.01000	6.5887	0.21020	0.08249	122	16.54	003.11	0
003	Fat (%)	0028	10.080	0.06000	6.5887	0.21020	0.08249	122	16.61	003.13	0
003	Fat (%)	0843	5.7800	0.78000	6.5887	0.21020	0.08249	122	-3.85	003.14	1
003	Fat (%)	0504	6.5400	0.80000	6.5887	0.21020	0.08249	122	-0.23	003.01	1
003	Fat (%)	0623	7.0760	0.92840	6.5887	0.21020	0.08249	122	2.32	003.10	1
003	Fat (%)	0880	7.9500	0.90000	6.5887	0.21020	0.08249	122	6.48	003.99	1
003	Fat (%)	0852	12.585	0.21000	6.5887	0.21020	0.08249	122	28.53	003.11	2
003	Fat (%)	1007	6.3550	0.05000	6.5887	0.21020	0.08249	122	-1.11	003.10	8
003	Fat (%)	0782	6.3750	0.05000	6.5887	0.21020	0.08249	122	-1.02	003.10	8
003	Fat (%)	0787	8.0400	0.30000	6.5887	0.21020	0.08249	122	6.90	003.99	8
003	Fat (%)	0759	10.265	0.07000	6.5887	0.21020	0.08249	122	17.49	003.00	8
004	Fiber (%)	0265	1.0200	0.18000	2.1142	0.40281	0.10249	117	-2.72	004.07	0
004	Fiber (%)	0263	1.2100	0.20660	2.1142	0.40281	0.10249	117	-2.24	004.07	0
004	Fiber (%)	0144	1.2450	0.01000	2.1142	0.40281	0.10249	117	-2.16	004.07	0
004	Fiber (%)	0066	1.3200	0.16000	2.1142	0.40281	0.10249	117	-1.97	004.07	0
004	Fiber (%)	0510	1.4500	0.10000	2.1142	0.40281	0.10249	117	-1.65	004.07	0
004	Fiber (%)	2042	1.4600	0.02000	2.1142	0.40281	0.10249	117	-1.62	004.03	0
004	Fiber (%)	0889	1.4900	0.10000	2.1142	0.40281	0.10249	117	-1.55	004.07	0
004	Fiber (%)	0889	1.4900	0.02000	2.1142	0.40281	0.10249	117	-1.55	004.11	0
004	Fiber (%)	0910	1.5000	0.00000	2.1142	0.40281	0.10249	117	-1.52	004.07	0
004	Fiber (%)	0505	1.5350	0.05000	2.1142	0.40281	0.10249	117	-1.44	004.07	0
004	Fiber (%)	0413	1.6000	0.00000	2.1142	0.40281	0.10249	117	-1.28	004.07	0
004	Fiber (%)	0956	1.6000	0.40000	2.1142	0.40281	0.10249	117	-1.28	004.07	0
004	Fiber (%)	0100	1.6200	0.00000	2.1142	0.40281	0.10249	117	-1.23	004.07	0
004	Fiber (%)	0123	1.6200	0.04000	2.1142	0.40281	0.10249	117	-1.23	004.07	0
004	Fiber (%)	0629	1.6250	0.05000	2.1142	0.40281	0.10249	117	-1.21	004.99	0
004	Fiber (%)	0563	1.6548	0.01710	2.1142	0.40281	0.10249	117	-1.14	004.07	0
004	Fiber (%)	0939	1.6600	0.16000	2.1142	0.40281	0.10249	117	-1.13	004.07	0
004	Fiber (%)	0098	1.6650	0.07000	2.1142	0.40281	0.10249	117	-1.12	004.07	0
004	Fiber (%)	0619	1.6950	0.15000	2.1142	0.40281	0.10249	117	-1.04	004.07	0
004	Fiber (%)	0042	1.7150	0.47000	2.1142	0.40281	0.10249	117	-0.99	004.07	0
004	Fiber (%)	0685	1.7250	0.01000	2.1142	0.40281	0.10249	117	-0.97	004.03	0
004	Fiber (%)	0887	1.7450	0.01000	2.1142	0.40281	0.10249	117	-0.92	004.06	0
004	Fiber (%)	0581	1.7500	0.30000	2.1142	0.40281	0.10249	117	-0.90	004.07	0
004	Fiber (%)	0298	1.7600	0.02000	2.1142	0.40281	0.10249	117	-0.88	004.00	0
004	Fiber (%)	0552	1.8000	0.14000	2.1142	0.40281	0.10249	117	-0.78	004.06	0
004	Fiber (%)	0354	1.8150	0.01000	2.1142	0.40281	0.10249	117	-0.74	004.07	0
004	Fiber (%)	0074	1.8350	0.01000	2.1142	0.40281	0.10249	117	-0.69	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0008	1.8400	0.34000	2.1142	0.40281	0.10249	117	-0.68	004.07	0
004	Fiber (%)	0015	1.8450	0.01000	2.1142	0.40281	0.10249	117	-0.67	004.07	0
004	Fiber (%)	0425	1.8500	0.10000	2.1142	0.40281	0.10249	117	-0.66	004.00	0
004	Fiber (%)	0407	1.8550	0.29000	2.1142	0.40281	0.10249	117	-0.64	004.07	0
004	Fiber (%)	2022	1.8700	0.02000	2.1142	0.40281	0.10249	117	-0.61	004.06	0
004	Fiber (%)	0194	1.8750	0.03000	2.1142	0.40281	0.10249	117	-0.59	004.00	0
004	Fiber (%)	0891	1.9065	0.01300	2.1142	0.40281	0.10249	117	-0.52	004.07	0
004	Fiber (%)	0726	1.9300	0.04000	2.1142	0.40281	0.10249	117	-0.46	004.07	0
004	Fiber (%)	0948	1.9300	0.06000	2.1142	0.40281	0.10249	117	-0.46	004.07	0
004	Fiber (%)	2053	1.9300	0.02000	2.1142	0.40281	0.10249	117	-0.46	004.07	0
004	Fiber (%)	0948	1.9400	0.06000	2.1142	0.40281	0.10249	117	-0.43	004.06	0
004	Fiber (%)	0229	1.9500	0.10000	2.1142	0.40281	0.10249	117	-0.41	004.07	0
004	Fiber (%)	2068	1.9550	0.07000	2.1142	0.40281	0.10249	117	-0.40	004.03	0
004	Fiber (%)	0903	1.9550	0.01000	2.1142	0.40281	0.10249	117	-0.40	004.06	0
004	Fiber (%)	0848	1.9550	0.01000	2.1142	0.40281	0.10249	117	-0.40	004.07	0
004	Fiber (%)	0682	1.9750	0.05000	2.1142	0.40281	0.10249	117	-0.35	004.07	0
004	Fiber (%)	0098	1.9800	0.08000	2.1142	0.40281	0.10249	117	-0.33	004.06	0
004	Fiber (%)	0083	1.9800	0.26000	2.1142	0.40281	0.10249	117	-0.33	004.07	0
004	Fiber (%)	0164	2.0000	0.00000	2.1142	0.40281	0.10249	117	-0.28	004.00	0
004	Fiber (%)	0653	2.0050	0.01000	2.1142	0.40281	0.10249	117	-0.27	004.06	0
004	Fiber (%)	0897	2.0200	0.04000	2.1142	0.40281	0.10249	117	-0.23	004.06	0
004	Fiber (%)	0520	2.0200	0.38000	2.1142	0.40281	0.10249	117	-0.23	004.07	0
004	Fiber (%)	0885	2.0250	0.09000	2.1142	0.40281	0.10249	117	-0.22	004.06	0
004	Fiber (%)	0895	2.0300	0.02000	2.1142	0.40281	0.10249	117	-0.21	004.06	0
004	Fiber (%)	0004	2.0300	0.14000	2.1142	0.40281	0.10249	117	-0.21	004.07	0
004	Fiber (%)	0354	2.0400	0.04000	2.1142	0.40281	0.10249	117	-0.18	004.00	0
004	Fiber (%)	0590	2.0500	0.10000	2.1142	0.40281	0.10249	117	-0.16	004.06	0
004	Fiber (%)	0868	2.0550	0.01000	2.1142	0.40281	0.10249	117	-0.15	004.06	0
004	Fiber (%)	0178	2.0650	0.23000	2.1142	0.40281	0.10249	117	-0.12	004.07	0
004	Fiber (%)	0345	2.0850	0.07000	2.1142	0.40281	0.10249	117	-0.07	004.00	0
004	Fiber (%)	2023	2.0900	0.04000	2.1142	0.40281	0.10249	117	-0.06	004.00	0
004	Fiber (%)	0169	2.1000	0.14000	2.1142	0.40281	0.10249	117	-0.04	004.00	0
004	Fiber (%)	0504	2.1250	0.17000	2.1142	0.40281	0.10249	117	0.03	004.00	0
004	Fiber (%)	0968	2.1390	0.07800	2.1142	0.40281	0.10249	117	0.06	004.06	0
004	Fiber (%)	0033	2.1500	0.30000	2.1142	0.40281	0.10249	117	0.09	004.07	0
004	Fiber (%)	0955	2.1500	0.10000	2.1142	0.40281	0.10249	117	0.09	004.07	0
004	Fiber (%)	0038	2.1650	0.13000	2.1142	0.40281	0.10249	117	0.13	004.06	0
004	Fiber (%)	0646	2.1650	0.09000	2.1142	0.40281	0.10249	117	0.13	004.07	0
004	Fiber (%)	0876	2.1950	0.03000	2.1142	0.40281	0.10249	117	0.20	004.00	0
004	Fiber (%)	0511	2.2000	0.00000	2.1142	0.40281	0.10249	117	0.21	004.00	0
004	Fiber (%)	0689	2.2000	0.00000	2.1142	0.40281	0.10249	117	0.21	004.06	0
004	Fiber (%)	2063	2.2050	0.01000	2.1142	0.40281	0.10249	117	0.23	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0723	2.2201	0.00000	2.1142	0.40281	0.10249	117	0.26	004.07	0
004	Fiber (%)	0723	2.2219	0.00000	2.1142	0.40281	0.10249	117	0.27	004.06	0
004	Fiber (%)	0720	2.2450	0.17000	2.1142	0.40281	0.10249	117	0.32	004.06	0
004	Fiber (%)	0893	2.2500	0.02000	2.1142	0.40281	0.10249	117	0.34	004.06	0
004	Fiber (%)	0034	2.2500	0.10000	2.1142	0.40281	0.10249	117	0.34	004.07	0
004	Fiber (%)	2011	2.2650	0.13000	2.1142	0.40281	0.10249	117	0.37	004.00	0
004	Fiber (%)	0175	2.2700	0.14000	2.1142	0.40281	0.10249	117	0.39	004.00	0
004	Fiber (%)	0529	2.2700	0.00000	2.1142	0.40281	0.10249	117	0.39	004.07	0
004	Fiber (%)	0620	2.2836	0.28480	2.1142	0.40281	0.10249	117	0.42	004.06	0
004	Fiber (%)	0171	2.2850	0.03000	2.1142	0.40281	0.10249	117	0.42	004.00	0
004	Fiber (%)	2004	2.2900	0.04000	2.1142	0.40281	0.10249	117	0.44	004.00	0
004	Fiber (%)	2058	2.2950	0.01000	2.1142	0.40281	0.10249	117	0.45	004.03	0
004	Fiber (%)	0952	2.3300	0.02000	2.1142	0.40281	0.10249	117	0.54	004.06	0
004	Fiber (%)	0353	2.3450	0.21000	2.1142	0.40281	0.10249	117	0.57	004.00	0
004	Fiber (%)	0941	2.3500	0.10000	2.1142	0.40281	0.10249	117	0.59	004.06	0
004	Fiber (%)	0720	2.3500	0.10000	2.1142	0.40281	0.10249	117	0.59	004.11	0
004	Fiber (%)	0205	2.3500	0.24000	2.1142	0.40281	0.10249	117	0.59	004.06	0
004	Fiber (%)	2062	2.3585	0.00100	2.1142	0.40281	0.10249	117	0.61	004.06	0
004	Fiber (%)	0675	2.3600	0.18000	2.1142	0.40281	0.10249	117	0.61	004.06	0
004	Fiber (%)	0242	2.3800	0.00000	2.1142	0.40281	0.10249	117	0.66	004.07	0
004	Fiber (%)	0676	2.4000	0.24000	2.1142	0.40281	0.10249	117	0.71	004.06	0
004	Fiber (%)	0208	2.4050	0.13000	2.1142	0.40281	0.10249	117	0.72	004.00	0
004	Fiber (%)	0706	2.4250	0.05000	2.1142	0.40281	0.10249	117	0.77	004.00	0
004	Fiber (%)	0943	2.4250	0.05000	2.1142	0.40281	0.10249	117	0.77	004.00	0
004	Fiber (%)	0190	2.4300	0.04000	2.1142	0.40281	0.10249	117	0.78	004.07	0
004	Fiber (%)	0294	2.4500	0.10000	2.1142	0.40281	0.10249	117	0.83	004.07	0
004	Fiber (%)	0553	2.4500	0.08000	2.1142	0.40281	0.10249	117	0.83	004.11	0
004	Fiber (%)	0918	2.4750	0.37000	2.1142	0.40281	0.10249	117	0.90	004.06	0
004	Fiber (%)	0638	2.5000	0.00000	2.1142	0.40281	0.10249	117	0.96	004.06	0
004	Fiber (%)	0708	2.5100	0.06000	2.1142	0.40281	0.10249	117	0.98	004.07	0
004	Fiber (%)	0643	2.5700	0.08000	2.1142	0.40281	0.10249	117	1.13	004.07	0
004	Fiber (%)	0598	2.5850	0.19000	2.1142	0.40281	0.10249	117	1.17	004.07	0
004	Fiber (%)	0626	2.6700	0.02000	2.1142	0.40281	0.10249	117	1.38	004.03	0
004	Fiber (%)	0693	2.6700	0.42000	2.1142	0.40281	0.10249	117	1.38	004.03	0
004	Fiber (%)	2006	2.6750	0.13000	2.1142	0.40281	0.10249	117	1.39	004.06	0
004	Fiber (%)	0845	2.6950	0.37000	2.1142	0.40281	0.10249	117	1.44	004.06	0
004	Fiber (%)	0226	2.7500	0.10000	2.1142	0.40281	0.10249	117	1.58	004.00	0
004	Fiber (%)	0695	2.8300	0.12000	2.1142	0.40281	0.10249	117	1.78	004.00	0
004	Fiber (%)	0019	2.9200	0.20000	2.1142	0.40281	0.10249	117	2.00	004.07	0
004	Fiber (%)	2009	2.9901	0.15490	2.1142	0.40281	0.10249	117	2.17	004.06	0
004	Fiber (%)	0045	3.1650	0.05000	2.1142	0.40281	0.10249	117	2.61	004.01	0
004	Fiber (%)	0674	3.2000	0.00000	2.1142	0.40281	0.10249	117	2.70	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0870	3.2313	0.17620	2.1142	0.40281	0.10249	117	2.77	004.07	0
004	Fiber (%)	2012	3.7750	0.13000	2.1142	0.40281	0.10249	117	4.12	004.07	0
004	Fiber (%)	0278	4.0500	0.10000	2.1142	0.40281	0.10249	117	4.81	004.07	0
004	Fiber (%)	0089	4.4650	0.25000	2.1142	0.40281	0.10249	117	5.84	004.07	0
004	Fiber (%)	0609	4.6750	0.01000	2.1142	0.40281	0.10249	117	6.36	004.06	0
004	Fiber (%)	0937	6.6050	0.11000	2.1142	0.40281	0.10249	117	11.15	004.07	0
004	Fiber (%)	0553	1.3000	0.60000	2.1142	0.40281	0.10249	117	-2.02	004.07	1
004	Fiber (%)	0512	2.2795	0.67300	2.1142	0.40281	0.10249	117	0.41	004.06	1
004	Fiber (%)	0610	2.5000	0.80000	2.1142	0.40281	0.10249	117	0.96	004.06	1
004	Fiber (%)	0861	2.5650	0.69000	2.1142	0.40281	0.10249	117	1.12	004.07	1
004	Fiber (%)	0297	18.585	0.15000	2.1142	0.40281	0.10249	117	40.89	004.07	2
005	Ash (%)	0297	5.7050	0.07000	6.8986	0.20800	0.06075	148	-5.74	005.11	0
005	Ash (%)	1000	5.7150	0.01000	6.8986	0.20800	0.06075	148	-5.69	005.00	0
005	Ash (%)	2048	6.4702	0.01720	6.8986	0.20800	0.06075	148	-2.06	005.00	0
005	Ash (%)	0853	6.4950	0.23000	6.8986	0.20800	0.06075	148	-1.94	005.00	0
005	Ash (%)	0763	6.4950	0.03000	6.8986	0.20800	0.06075	148	-1.94	005.00	0
005	Ash (%)	0959	6.5200	0.02000	6.8986	0.20800	0.06075	148	-1.82	005.00	0
005	Ash (%)	0008	6.5250	0.19000	6.8986	0.20800	0.06075	148	-1.80	005.00	0
005	Ash (%)	0874	6.5350	0.21000	6.8986	0.20800	0.06075	148	-1.75	005.01	0
005	Ash (%)	0169	6.5650	0.11000	6.8986	0.20800	0.06075	148	-1.60	005.00	0
005	Ash (%)	0957	6.5700	0.06000	6.8986	0.20800	0.06075	148	-1.58	005.00	0
005	Ash (%)	0049	6.5800	0.08000	6.8986	0.20800	0.06075	148	-1.53	005.00	0
005	Ash (%)	0773	6.5900	0.00000	6.8986	0.20800	0.06075	148	-1.48	005.00	0
005	Ash (%)	0539	6.5950	0.03000	6.8986	0.20800	0.06075	148	-1.46	005.00	0
005	Ash (%)	0208	6.6000	0.00000	6.8986	0.20800	0.06075	148	-1.44	005.00	0
005	Ash (%)	1009	6.6050	0.01000	6.8986	0.20800	0.06075	148	-1.41	005.00	0
005	Ash (%)	0693	6.6070	0.16800	6.8986	0.20800	0.06075	148	-1.40	005.00	0
005	Ash (%)	0337	6.6100	0.06000	6.8986	0.20800	0.06075	148	-1.39	005.00	0
005	Ash (%)	0065	6.6265	0.00700	6.8986	0.20800	0.06075	148	-1.31	005.00	0
005	Ash (%)	0520	6.6450	0.03000	6.8986	0.20800	0.06075	148	-1.22	005.00	0
005	Ash (%)	0278	6.6550	0.13000	6.8986	0.20800	0.06075	148	-1.17	005.00	0
005	Ash (%)	1014	6.6550	0.05000	6.8986	0.20800	0.06075	148	-1.17	005.00	0
005	Ash (%)	0623	6.6743	0.13730	6.8986	0.20800	0.06075	148	-1.08	005.00	0
005	Ash (%)	0358	6.6750	0.25000	6.8986	0.20800	0.06075	148	-1.08	005.00	0
005	Ash (%)	0194	6.6950	0.03000	6.8986	0.20800	0.06075	148	-0.98	005.00	0
005	Ash (%)	0912	6.7000	0.00000	6.8986	0.20800	0.06075	148	-0.95	005.03	0
005	Ash (%)	0407	6.7050	0.05000	6.8986	0.20800	0.06075	148	-0.93	005.00	0
005	Ash (%)	0541	6.7150	0.03000	6.8986	0.20800	0.06075	148	-0.88	005.00	0
005	Ash (%)	0139	6.7200	0.00000	6.8986	0.20800	0.06075	148	-0.86	005.00	0
005	Ash (%)	0100	6.7250	0.11000	6.8986	0.20800	0.06075	148	-0.83	005.00	0
005	Ash (%)	0148	6.7400	0.08000	6.8986	0.20800	0.06075	148	-0.76	005.00	0
005	Ash (%)	0205	6.7435	0.04300	6.8986	0.20800	0.06075	148	-0.75	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0098	6.7450	0.07000	6.8986	0.20800	0.06075	148	-0.74	005.00	0
005	Ash (%)	0123	6.7450	0.11000	6.8986	0.20800	0.06075	148	-0.74	005.00	0
005	Ash (%)	0682	6.7500	0.10000	6.8986	0.20800	0.06075	148	-0.71	005.00	0
005	Ash (%)	0956	6.7500	0.10000	6.8986	0.20800	0.06075	148	-0.71	005.00	0
005	Ash (%)	0817	6.7500	0.12000	6.8986	0.20800	0.06075	148	-0.71	005.00	0
005	Ash (%)	2062	6.7531	0.10950	6.8986	0.20800	0.06075	148	-0.70	005.05	0
005	Ash (%)	0739	6.7550	0.13000	6.8986	0.20800	0.06075	148	-0.69	005.00	0
005	Ash (%)	0598	6.7600	0.00000	6.8986	0.20800	0.06075	148	-0.67	005.00	0
005	Ash (%)	2068	6.7600	0.02000	6.8986	0.20800	0.06075	148	-0.67	005.00	0
005	Ash (%)	0066	6.7650	0.03000	6.8986	0.20800	0.06075	148	-0.64	005.00	0
005	Ash (%)	0660	6.7700	0.02000	6.8986	0.20800	0.06075	148	-0.62	005.00	0
005	Ash (%)	0175	6.7750	0.05000	6.8986	0.20800	0.06075	148	-0.59	005.00	0
005	Ash (%)	0781	6.7750	0.03000	6.8986	0.20800	0.06075	148	-0.59	005.00	0
005	Ash (%)	0142	6.7800	0.06000	6.8986	0.20800	0.06075	148	-0.57	005.00	0
005	Ash (%)	0510	6.7800	0.08000	6.8986	0.20800	0.06075	148	-0.57	005.00	0
005	Ash (%)	0845	6.7800	0.24000	6.8986	0.20800	0.06075	148	-0.57	005.00	0
005	Ash (%)	0958	6.7850	0.03000	6.8986	0.20800	0.06075	148	-0.55	005.00	0
005	Ash (%)	0795	6.7850	0.03000	6.8986	0.20800	0.06075	148	-0.55	005.00	0
005	Ash (%)	0015	6.7900	0.04000	6.8986	0.20800	0.06075	148	-0.52	005.00	0
005	Ash (%)	0265	6.7950	0.01000	6.8986	0.20800	0.06075	148	-0.50	005.00	0
005	Ash (%)	0004	6.7950	0.11000	6.8986	0.20800	0.06075	148	-0.50	005.00	0
005	Ash (%)	0968	6.7990	0.02800	6.8986	0.20800	0.06075	148	-0.48	005.00	0
005	Ash (%)	0777	6.8000	0.04000	6.8986	0.20800	0.06075	148	-0.47	005.00	0
005	Ash (%)	0089	6.8050	0.01000	6.8986	0.20800	0.06075	148	-0.45	005.00	0
005	Ash (%)	0552	6.8050	0.03000	6.8986	0.20800	0.06075	148	-0.45	005.00	0
005	Ash (%)	0870	6.8241	0.29930	6.8986	0.20800	0.06075	148	-0.36	005.00	0
005	Ash (%)	0848	6.8250	0.01000	6.8986	0.20800	0.06075	148	-0.35	005.00	0
005	Ash (%)	0893	6.8250	0.01000	6.8986	0.20800	0.06075	148	-0.35	005.05	0
005	Ash (%)	0620	6.8350	0.07000	6.8986	0.20800	0.06075	148	-0.31	005.00	0
005	Ash (%)	0003	6.8400	0.10000	6.8986	0.20800	0.06075	148	-0.28	005.00	0
005	Ash (%)	0298	6.8500	0.02000	6.8986	0.20800	0.06075	148	-0.23	005.00	0
005	Ash (%)	0609	6.8500	0.04000	6.8986	0.20800	0.06075	148	-0.23	005.00	0
005	Ash (%)	0618	6.8630	0.00800	6.8986	0.20800	0.06075	148	-0.17	005.00	0
005	Ash (%)	0891	6.8650	0.05000	6.8986	0.20800	0.06075	148	-0.16	005.05	0
005	Ash (%)	0354	6.8750	0.05000	6.8986	0.20800	0.06075	148	-0.11	005.00	0
005	Ash (%)	0536	6.8750	0.01000	6.8986	0.20800	0.06075	148	-0.11	005.99	0
005	Ash (%)	0108	6.8850	0.05000	6.8986	0.20800	0.06075	148	-0.07	005.00	0
005	Ash (%)	0880	6.8850	0.01000	6.8986	0.20800	0.06075	148	-0.07	005.00	0
005	Ash (%)	0643	6.8900	0.06000	6.8986	0.20800	0.06075	148	-0.04	005.00	0
005	Ash (%)	0035	6.9050	0.06000	6.8986	0.20800	0.06075	148	0.03	005.00	0
005	Ash (%)	0178	6.9350	0.01000	6.8986	0.20800	0.06075	148	0.17	005.00	0
005	Ash (%)	0574	6.9350	0.09000	6.8986	0.20800	0.06075	148	0.17	005.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0651	6.9370	0.03200	6.8986	0.20800	0.06075	148	0.18	005.00	0
005	Ash (%)	0563	6.9393	0.01690	6.8986	0.20800	0.06075	148	0.20	005.00	0
005	Ash (%)	0646	6.9400	0.06000	6.8986	0.20800	0.06075	148	0.20	005.00	0
005	Ash (%)	0706	6.9400	0.04000	6.8986	0.20800	0.06075	148	0.20	005.00	0
005	Ash (%)	0918	6.9400	0.18000	6.8986	0.20800	0.06075	148	0.20	005.00	0
005	Ash (%)	0674	6.9400	0.00000	6.8986	0.20800	0.06075	148	0.20	005.00	0
005	Ash (%)	0723	6.9428	0.00000	6.8986	0.20800	0.06075	148	0.21	005.00	0
005	Ash (%)	0505	6.9450	0.03000	6.8986	0.20800	0.06075	148	0.22	005.00	0
005	Ash (%)	2023	6.9450	0.01000	6.8986	0.20800	0.06075	148	0.22	005.99	0
005	Ash (%)	2006	6.9500	0.04000	6.8986	0.20800	0.06075	148	0.25	005.00	0
005	Ash (%)	0353	6.9500	0.02000	6.8986	0.20800	0.06075	148	0.25	005.00	0
005	Ash (%)	0861	6.9500	0.02000	6.8986	0.20800	0.06075	148	0.25	005.00	0
005	Ash (%)	0294	6.9500	0.10000	6.8986	0.20800	0.06075	148	0.25	005.05	0
005	Ash (%)	0001	6.9528	0.04060	6.8986	0.20800	0.06075	148	0.26	005.00	0
005	Ash (%)	0187	6.9600	0.08000	6.8986	0.20800	0.06075	148	0.30	005.00	0
005	Ash (%)	0229	6.9700	0.06000	6.8986	0.20800	0.06075	148	0.34	005.00	0
005	Ash (%)	0425	6.9700	0.02000	6.8986	0.20800	0.06075	148	0.34	005.00	0
005	Ash (%)	0629	6.9700	0.20000	6.8986	0.20800	0.06075	148	0.34	005.99	0
005	Ash (%)	2011	6.9800	0.20000	6.8986	0.20800	0.06075	148	0.39	005.05	0
005	Ash (%)	0164	6.9850	0.05000	6.8986	0.20800	0.06075	148	0.42	005.00	0
005	Ash (%)	2022	6.9850	0.19000	6.8986	0.20800	0.06075	148	0.42	005.00	0
005	Ash (%)	0943	6.9950	0.05000	6.8986	0.20800	0.06075	148	0.46	005.00	0
005	Ash (%)	0083	6.9950	0.17000	6.8986	0.20800	0.06075	148	0.46	005.00	0
005	Ash (%)	0653	7.0000	0.02000	6.8986	0.20800	0.06075	148	0.49	005.00	0
005	Ash (%)	0685	7.0000	0.04000	6.8986	0.20800	0.06075	148	0.49	005.05	0
005	Ash (%)	0887	7.0000	0.02000	6.8986	0.20800	0.06075	148	0.49	005.05	0
005	Ash (%)	2058	7.0000	0.04000	6.8986	0.20800	0.06075	148	0.49	005.05	0
005	Ash (%)	2063	7.0000	0.02000	6.8986	0.20800	0.06075	148	0.49	005.05	0
005	Ash (%)	2055	7.0000	0.00000	6.8986	0.20800	0.06075	148	0.49	005.99	0
005	Ash (%)	0589	7.0050	0.01000	6.8986	0.20800	0.06075	148	0.51	005.00	0
005	Ash (%)	0675	7.0050	0.01000	6.8986	0.20800	0.06075	148	0.51	005.00	0
005	Ash (%)	0695	7.0050	0.01000	6.8986	0.20800	0.06075	148	0.51	005.05	0
005	Ash (%)	0263	7.0067	0.01330	6.8986	0.20800	0.06075	148	0.52	005.05	0
005	Ash (%)	0138	7.0150	0.07000	6.8986	0.20800	0.06075	148	0.56	005.00	0
005	Ash (%)	0689	7.0250	0.07000	6.8986	0.20800	0.06075	148	0.61	005.05	0
005	Ash (%)	2042	7.0250	0.01000	6.8986	0.20800	0.06075	148	0.61	005.05	0
005	Ash (%)	0650	7.0300	0.02000	6.8986	0.20800	0.06075	148	0.63	005.00	0
005	Ash (%)	0897	7.0350	0.03000	6.8986	0.20800	0.06075	148	0.66	005.05	0
005	Ash (%)	0622	7.0391	0.00100	6.8986	0.20800	0.06075	148	0.68	005.00	0
005	Ash (%)	2012	7.0400	0.10000	6.8986	0.20800	0.06075	148	0.68	005.00	0
005	Ash (%)	0638	7.0400	0.08000	6.8986	0.20800	0.06075	148	0.68	005.05	0
005	Ash (%)	0903	7.0450	0.01000	6.8986	0.20800	0.06075	148	0.70	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0297	7.0500	0.10000	6.8986	0.20800	0.06075	148	0.73	005.00	0
005	Ash (%)	0045	7.0500	0.04000	6.8986	0.20800	0.06075	148	0.73	005.00	0
005	Ash (%)	0033	7.0650	0.07000	6.8986	0.20800	0.06075	148	0.80	005.05	0
005	Ash (%)	0144	7.0800	0.02000	6.8986	0.20800	0.06075	148	0.87	005.00	0
005	Ash (%)	0615	7.0850	0.11000	6.8986	0.20800	0.06075	148	0.90	005.00	0
005	Ash (%)	0345	7.0900	0.02000	6.8986	0.20800	0.06075	148	0.92	005.00	0
005	Ash (%)	0948	7.0900	0.02000	6.8986	0.20800	0.06075	148	0.92	005.00	0
005	Ash (%)	0610	7.0900	0.02000	6.8986	0.20800	0.06075	148	0.92	005.02	0
005	Ash (%)	0889	7.0900	0.34000	6.8986	0.20800	0.06075	148	0.92	005.11	0
005	Ash (%)	0939	7.0950	0.07000	6.8986	0.20800	0.06075	148	0.94	005.00	0
005	Ash (%)	0849	7.0990	0.02200	6.8986	0.20800	0.06075	148	0.96	005.05	0
005	Ash (%)	0681	7.1000	0.12000	6.8986	0.20800	0.06075	148	0.97	005.00	0
005	Ash (%)	0590	7.1000	0.00000	6.8986	0.20800	0.06075	148	0.97	005.05	0
005	Ash (%)	0652	7.1000	0.00000	6.8986	0.20800	0.06075	148	0.97	005.99	0
005	Ash (%)	0895	7.1050	0.01000	6.8986	0.20800	0.06075	148	0.99	005.05	0
005	Ash (%)	0619	7.1150	0.09000	6.8986	0.20800	0.06075	148	1.04	005.05	0
005	Ash (%)	0171	7.1250	0.03000	6.8986	0.20800	0.06075	148	1.09	005.00	0
005	Ash (%)	0413	7.1500	0.10000	6.8986	0.20800	0.06075	148	1.21	005.05	0
005	Ash (%)	0921	7.1550	0.09000	6.8986	0.20800	0.06075	148	1.23	005.05	0
005	Ash (%)	0581	7.1700	0.02000	6.8986	0.20800	0.06075	148	1.30	005.00	0
005	Ash (%)	0062	7.1750	0.01000	6.8986	0.20800	0.06075	148	1.33	005.00	0
005	Ash (%)	0676	7.1750	0.01000	6.8986	0.20800	0.06075	148	1.33	005.99	0
005	Ash (%)	0885	7.1900	0.14000	6.8986	0.20800	0.06075	148	1.40	005.05	0
005	Ash (%)	0226	7.2000	0.00000	6.8986	0.20800	0.06075	148	1.45	005.00	0
005	Ash (%)	2009	7.2071	0.06810	6.8986	0.20800	0.06075	148	1.48	005.05	0
005	Ash (%)	0720	7.2100	0.10000	6.8986	0.20800	0.06075	148	1.50	005.05	0
005	Ash (%)	0868	7.2100	0.00000	6.8986	0.20800	0.06075	148	1.50	005.05	0
005	Ash (%)	2004	7.2350	0.01000	6.8986	0.20800	0.06075	148	1.62	005.99	0
005	Ash (%)	0504	7.2500	0.02000	6.8986	0.20800	0.06075	148	1.69	005.00	0
005	Ash (%)	0357	7.3000	0.00000	6.8986	0.20800	0.06075	148	1.93	005.00	0
005	Ash (%)	0961	7.3000	0.10000	6.8986	0.20800	0.06075	148	1.93	005.00	0
005	Ash (%)	0889	7.3600	0.10000	6.8986	0.20800	0.06075	148	2.22	005.05	0
005	Ash (%)	0852	7.4950	0.17000	6.8986	0.20800	0.06075	148	2.87	005.00	0
005	Ash (%)	0960	5.9500	1.2600	6.8986	0.20800	0.06075	148	-4.56	005.00	1
005	Ash (%)	0553	6.6100	0.74000	6.8986	0.20800	0.06075	148	-1.39	005.00	1
005	Ash (%)	0242	7.5250	0.65000	6.8986	0.20800	0.06075	148	3.01	005.00	1
005	Ash (%)	0720	9.4250	0.03000	6.8986	0.20800	0.06075	148	12.15	005.11	2
005	Ash (%)	0796	6.4950	0.07000	6.8986	0.20800	0.06075	148	-1.94	005.00	8
005	Ash (%)	0841	6.5250	0.03000	6.8986	0.20800	0.06075	148	-1.80	005.00	8
005	Ash (%)	0761	6.5400	0.12000	6.8986	0.20800	0.06075	148	-1.72	005.00	8
005	Ash (%)	0811	6.5400	0.02000	6.8986	0.20800	0.06075	148	-1.72	005.00	8
005	Ash (%)	1008	6.5400	0.06000	6.8986	0.20800	0.06075	148	-1.72	005.00	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0834	6.5450	0.07000	6.8986	0.20800	0.06075	148	-1.70	005.00	8
005	Ash (%)	0809	6.5500	0.04000	6.8986	0.20800	0.06075	148	-1.68	005.00	8
005	Ash (%)	1016	6.5550	0.17000	6.8986	0.20800	0.06075	148	-1.65	005.00	8
005	Ash (%)	0778	6.5650	0.19000	6.8986	0.20800	0.06075	148	-1.60	005.00	8
005	Ash (%)	0735	6.5700	0.04000	6.8986	0.20800	0.06075	148	-1.58	005.00	8
005	Ash (%)	1002	6.5750	0.01000	6.8986	0.20800	0.06075	148	-1.56	005.00	8
005	Ash (%)	0808	6.5800	0.04000	6.8986	0.20800	0.06075	148	-1.53	005.00	8
005	Ash (%)	0754	6.5850	0.01000	6.8986	0.20800	0.06075	148	-1.51	005.00	8
005	Ash (%)	1015	6.5850	0.07000	6.8986	0.20800	0.06075	148	-1.51	005.00	8
005	Ash (%)	0752	6.5950	0.03000	6.8986	0.20800	0.06075	148	-1.46	005.00	8
005	Ash (%)	0749	6.6000	0.02000	6.8986	0.20800	0.06075	148	-1.44	005.00	8
005	Ash (%)	0757	6.6000	0.06000	6.8986	0.20800	0.06075	148	-1.44	005.00	8
005	Ash (%)	0753	6.6050	0.05000	6.8986	0.20800	0.06075	148	-1.41	005.00	8
005	Ash (%)	1004	6.6050	0.01000	6.8986	0.20800	0.06075	148	-1.41	005.00	8
005	Ash (%)	0758	6.6150	0.03000	6.8986	0.20800	0.06075	148	-1.36	005.00	8
005	Ash (%)	0774	6.6150	0.11000	6.8986	0.20800	0.06075	148	-1.36	005.00	8
005	Ash (%)	1017	6.6200	0.04000	6.8986	0.20800	0.06075	148	-1.34	005.00	8
005	Ash (%)	0755	6.6250	0.01000	6.8986	0.20800	0.06075	148	-1.32	005.00	8
005	Ash (%)	0756	6.6250	0.05000	6.8986	0.20800	0.06075	148	-1.32	005.00	8
005	Ash (%)	0840	6.6400	0.02000	6.8986	0.20800	0.06075	148	-1.24	005.00	8
005	Ash (%)	0770	6.6500	0.00000	6.8986	0.20800	0.06075	148	-1.20	005.00	8
005	Ash (%)	0765	6.6550	0.07000	6.8986	0.20800	0.06075	148	-1.17	005.00	8
005	Ash (%)	0766	6.6650	0.13000	6.8986	0.20800	0.06075	148	-1.12	005.00	8
005	Ash (%)	0799	6.6650	0.07000	6.8986	0.20800	0.06075	148	-1.12	005.00	8
005	Ash (%)	0750	6.6700	0.06000	6.8986	0.20800	0.06075	148	-1.10	005.00	8
005	Ash (%)	0831	6.6700	0.00000	6.8986	0.20800	0.06075	148	-1.10	005.00	8
005	Ash (%)	0805	6.6750	0.05000	6.8986	0.20800	0.06075	148	-1.08	005.00	8
005	Ash (%)	0810	6.6750	0.03000	6.8986	0.20800	0.06075	148	-1.08	005.00	8
005	Ash (%)	0801	6.6800	0.18000	6.8986	0.20800	0.06075	148	-1.05	005.00	8
005	Ash (%)	0818	6.6850	0.01000	6.8986	0.20800	0.06075	148	-1.03	005.00	8
005	Ash (%)	0797	6.6950	0.09000	6.8986	0.20800	0.06075	148	-0.98	005.00	8
005	Ash (%)	0798	6.6950	0.03000	6.8986	0.20800	0.06075	148	-0.98	005.00	8
005	Ash (%)	0815	6.6950	0.07000	6.8986	0.20800	0.06075	148	-0.98	005.00	8
005	Ash (%)	0838	6.7150	0.03000	6.8986	0.20800	0.06075	148	-0.88	005.00	8
005	Ash (%)	0812	6.7250	0.09000	6.8986	0.20800	0.06075	148	-0.83	005.00	8
005	Ash (%)	0813	6.7350	0.07000	6.8986	0.20800	0.06075	148	-0.79	005.00	8
005	Ash (%)	0832	6.7350	0.05000	6.8986	0.20800	0.06075	148	-0.79	005.00	8
005	Ash (%)	0802	6.7350	0.01000	6.8986	0.20800	0.06075	148	-0.79	005.00	8
005	Ash (%)	0814	6.7350	0.01000	6.8986	0.20800	0.06075	148	-0.79	005.00	8
005	Ash (%)	0742	6.7450	0.09000	6.8986	0.20800	0.06075	148	-0.74	005.00	8
005	Ash (%)	0803	6.7500	0.14000	6.8986	0.20800	0.06075	148	-0.71	005.00	8
005	Ash (%)	0775	6.7550	0.05000	6.8986	0.20800	0.06075	148	-0.69	005.00	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0760	6.7600	0.08000	6.8986	0.20800	0.06075	148	-0.67	005.00	8
005	Ash (%)	0736	6.7650	0.13000	6.8986	0.20800	0.06075	148	-0.64	005.00	8
005	Ash (%)	0746	6.7650	0.11000	6.8986	0.20800	0.06075	148	-0.64	005.00	8
005	Ash (%)	0767	6.7650	0.21000	6.8986	0.20800	0.06075	148	-0.64	005.00	8
005	Ash (%)	0782	6.7700	0.06000	6.8986	0.20800	0.06075	148	-0.62	005.00	8
005	Ash (%)	0764	6.7750	0.35000	6.8986	0.20800	0.06075	148	-0.59	005.00	8
005	Ash (%)	1007	6.7800	0.02000	6.8986	0.20800	0.06075	148	-0.57	005.00	8
005	Ash (%)	0744	6.7800	0.26000	6.8986	0.20800	0.06075	148	-0.57	005.00	8
005	Ash (%)	0807	6.7950	0.01000	6.8986	0.20800	0.06075	148	-0.50	005.00	8
005	Ash (%)	0751	6.8000	0.00000	6.8986	0.20800	0.06075	148	-0.47	005.00	8
005	Ash (%)	0747	6.8000	0.20000	6.8986	0.20800	0.06075	148	-0.47	005.00	8
005	Ash (%)	0806	6.8150	0.13000	6.8986	0.20800	0.06075	148	-0.40	005.00	8
005	Ash (%)	0839	6.8196	0.02740	6.8986	0.20800	0.06075	148	-0.38	005.00	8
005	Ash (%)	1012	6.8200	0.12000	6.8986	0.20800	0.06075	148	-0.38	005.00	8
005	Ash (%)	0830	6.8265	0.25520	6.8986	0.20800	0.06075	148	-0.35	005.00	8
005	Ash (%)	0828	6.8300	0.20000	6.8986	0.20800	0.06075	148	-0.33	005.00	8
005	Ash (%)	1006	6.8450	0.03000	6.8986	0.20800	0.06075	148	-0.26	005.00	8
005	Ash (%)	0745	6.8550	0.11000	6.8986	0.20800	0.06075	148	-0.21	005.00	8
005	Ash (%)	0804	6.8600	0.04000	6.8986	0.20800	0.06075	148	-0.19	005.00	8
005	Ash (%)	0768	6.8650	0.05000	6.8986	0.20800	0.06075	148	-0.16	005.00	8
005	Ash (%)	0779	6.8700	0.08000	6.8986	0.20800	0.06075	148	-0.14	005.00	8
005	Ash (%)	0771	6.8750	0.21000	6.8986	0.20800	0.06075	148	-0.11	005.00	8
005	Ash (%)	0748	6.8800	0.02000	6.8986	0.20800	0.06075	148	-0.09	005.00	8
005	Ash (%)	0743	6.9050	0.03000	6.8986	0.20800	0.06075	148	0.03	005.00	8
005	Ash (%)	0759	6.9400	0.06000	6.8986	0.20800	0.06075	148	0.20	005.00	8
006	Total sugars (%)	0921	2.0700	0.04000	3.1884	0.98935	0.12727	11	-1.13	006.00	0
006	Total sugars (%)	0723	2.3900	0.00000	3.1884	0.98935	0.12727	11	-0.81	006.99	0
006	Total sugars (%)	2004	2.4200	0.00000	3.1884	0.98935	0.12727	11	-0.78	006.99	0
006	Total sugars (%)	2066	2.4250	0.35000	3.1884	0.98935	0.12727	11	-0.77	006.99	0
006	Total sugars (%)	0226	2.4500	0.10000	3.1884	0.98935	0.12727	11	-0.75	006.99	0
006	Total sugars (%)	0407	3.4600	0.02000	3.1884	0.98935	0.12727	11	0.27	006.01	0
006	Total sugars (%)	0939	3.5950	0.03000	3.1884	0.98935	0.12727	11	0.41	006.00	0
006	Total sugars (%)	0066	3.6650	0.35000	3.1884	0.98935	0.12727	11	0.48	006.00	0
006	Total sugars (%)	0956	3.7000	0.40000	3.1884	0.98935	0.12727	11	0.52	006.99	0
006	Total sugars (%)	0720	4.2250	0.11000	3.1884	0.98935	0.12727	11	1.05	006.99	0
006	Total sugars (%)	0912	5.1000	0.00000	3.1884	0.98935	0.12727	11	1.93	006.99	0
008	Fiber (%)	0178	2.3600	0.02000	4.0177	1.1403	0.28905	44	-1.45	008.08	0
008	Fiber (%)	0849	2.4125	0.02500	4.0177	1.1403	0.28905	44	-1.41	008.08	0
008	Fiber (%)	0723	2.5600	0.00000	4.0177	1.1403	0.28905	44	-1.28	008.08	0
008	Fiber (%)	0049	2.6250	1.2100	4.0177	1.1403	0.28905	44	-1.22	008.08	0
008	Fiber (%)	0948	2.7550	0.09000	4.0177	1.1403	0.28905	44	-1.11	008.02	0
008	Fiber (%)	0912	2.7800	0.00000	4.0177	1.1403	0.28905	44	-1.09	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
008	Fiber (%)	0164	2.8000	0.00000	4.0177	1.1403	0.28905	44	-1.07	008.08	0
008	Fiber (%)	0413	2.9500	0.30000	4.0177	1.1403	0.28905	44	-0.94	008.08	0
008	Fiber (%)	0278	3.0500	0.30000	4.0177	1.1403	0.28905	44	-0.85	008.08	0
008	Fiber (%)	0918	3.2138	0.42640	4.0177	1.1403	0.28905	44	-0.70	008.08	0
008	Fiber (%)	2004	3.2350	0.09000	4.0177	1.1403	0.28905	44	-0.69	008.08	0
008	Fiber (%)	0297	3.2700	0.46000	4.0177	1.1403	0.28905	44	-0.66	008.08	0
008	Fiber (%)	0889	3.2950	0.47000	4.0177	1.1403	0.28905	44	-0.63	008.08	0
008	Fiber (%)	0354	3.3900	0.02000	4.0177	1.1403	0.28905	44	-0.55	008.08	0
008	Fiber (%)	0263	3.4467	0.20670	4.0177	1.1403	0.28905	44	-0.50	008.08	0
008	Fiber (%)	0861	3.4700	1.3800	4.0177	1.1403	0.28905	44	-0.48	008.08	0
008	Fiber (%)	0939	3.4950	0.33000	4.0177	1.1403	0.28905	44	-0.46	008.02	0
008	Fiber (%)	0265	3.7000	1.2000	4.0177	1.1403	0.28905	44	-0.28	008.05	0
008	Fiber (%)	0968	3.7300	0.58000	4.0177	1.1403	0.28905	44	-0.25	008.08	0
008	Fiber (%)	0581	3.7600	0.12000	4.0177	1.1403	0.28905	44	-0.23	008.08	0
008	Fiber (%)	0407	3.7800	0.00000	4.0177	1.1403	0.28905	44	-0.21	008.08	0
008	Fiber (%)	0098	3.7850	0.29000	4.0177	1.1403	0.28905	44	-0.20	008.02	0
008	Fiber (%)	0353	3.9250	0.13000	4.0177	1.1403	0.28905	44	-0.08	008.02	0
008	Fiber (%)	0357	3.9500	0.30000	4.0177	1.1403	0.28905	44	-0.06	008.08	0
008	Fiber (%)	0870	3.9938	0.18930	4.0177	1.1403	0.28905	44	-0.02	008.08	0
008	Fiber (%)	0405	4.0700	0.04000	4.0177	1.1403	0.28905	44	0.05	008.02	0
008	Fiber (%)	0675	4.1500	0.16000	4.0177	1.1403	0.28905	44	0.12	008.02	0
008	Fiber (%)	0187	4.1850	0.05000	4.0177	1.1403	0.28905	44	0.15	008.02	0
008	Fiber (%)	0038	4.4950	0.31000	4.0177	1.1403	0.28905	44	0.42	008.02	0
008	Fiber (%)	0358	4.4950	0.27000	4.0177	1.1403	0.28905	44	0.42	008.08	0
008	Fiber (%)	0956	4.5000	1.4000	4.0177	1.1403	0.28905	44	0.42	008.08	0
008	Fiber (%)	0001	4.7950	0.03000	4.0177	1.1403	0.28905	44	0.68	008.08	0
008	Fiber (%)	0045	5.0000	0.16000	4.0177	1.1403	0.28905	44	0.86	008.08	0
008	Fiber (%)	0083	5.0400	0.32000	4.0177	1.1403	0.28905	44	0.90	008.08	0
008	Fiber (%)	0646	5.2550	0.09000	4.0177	1.1403	0.28905	44	1.09	008.08	0
008	Fiber (%)	0148	5.3200	0.00000	4.0177	1.1403	0.28905	44	1.14	008.02	0
008	Fiber (%)	0693	5.6315	0.79100	4.0177	1.1403	0.28905	44	1.42	008.08	0
008	Fiber (%)	0148	5.9600	0.00000	4.0177	1.1403	0.28905	44	1.70	008.08	0
008	Fiber (%)	0037	6.0050	0.05000	4.0177	1.1403	0.28905	44	1.74	008.08	0
008	Fiber (%)	0510	6.8000	0.00000	4.0177	1.1403	0.28905	44	2.44	008.08	0
008	Fiber (%)	2012	8.4650	0.09000	4.0177	1.1403	0.28905	44	3.90	008.08	0
008	Fiber (%)	0294	8.6500	0.10000	4.0177	1.1403	0.28905	44	4.06	008.08	0
008	Fiber (%)	0609	11.235	0.59000	4.0177	1.1403	0.28905	44	6.33	008.02	0
008	Fiber (%)	0720	13.735	0.13000	4.0177	1.1403	0.28905	44	8.52	008.99	0
008	Fiber (%)	0504	4.4200	1.9600	4.0177	1.1403	0.28905	44	0.35	008.02	1
009	Fiber (%)	0720	0.47000	0.08000	10.368	1.7806	0.35099	40	-5.56	009.99	0
009	Fiber (%)	0889	6.6850	0.19000	10.368	1.7806	0.35099	40	-2.07	009.99	0
009	Fiber (%)	2004	7.7600	0.20000	10.368	1.7806	0.35099	40	-1.46	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
009	Fiber (%)	0861	8.0150	1.5900	10.368	1.7806	0.35099	40	-1.32	009.09	0
009	Fiber (%)	0912	8.2800	0.00000	10.368	1.7806	0.35099	40	-1.17	009.09	0
009	Fiber (%)	0948	8.8100	0.18000	10.368	1.7806	0.35099	40	-0.88	009.09	0
009	Fiber (%)	0609	8.8150	0.09000	10.368	1.7806	0.35099	40	-0.87	009.07	0
009	Fiber (%)	0049	8.9650	0.19000	10.368	1.7806	0.35099	40	-0.79	009.09	0
009	Fiber (%)	0164	9.0000	0.20000	10.368	1.7806	0.35099	40	-0.77	009.09	0
009	Fiber (%)	0849	9.1600	0.10000	10.368	1.7806	0.35099	40	-0.68	009.09	0
009	Fiber (%)	0870	9.2959	0.53470	10.368	1.7806	0.35099	40	-0.60	009.09	0
009	Fiber (%)	0353	9.3200	0.22000	10.368	1.7806	0.35099	40	-0.59	009.07	0
009	Fiber (%)	0939	9.3500	0.44000	10.368	1.7806	0.35099	40	-0.57	009.09	0
009	Fiber (%)	0278	9.4500	0.10000	10.368	1.7806	0.35099	40	-0.52	009.09	0
009	Fiber (%)	0354	9.4800	0.06000	10.368	1.7806	0.35099	40	-0.50	009.09	0
009	Fiber (%)	0581	9.9750	0.01000	10.368	1.7806	0.35099	40	-0.22	009.09	0
009	Fiber (%)	0723	10.020	0.00000	10.368	1.7806	0.35099	40	-0.20	009.09	0
009	Fiber (%)	0178	10.130	1.5200	10.368	1.7806	0.35099	40	-0.13	009.09	0
009	Fiber (%)	0407	10.135	0.01000	10.368	1.7806	0.35099	40	-0.13	009.09	0
009	Fiber (%)	0413	10.200	0.60000	10.368	1.7806	0.35099	40	-0.09	009.09	0
009	Fiber (%)	0001	10.350	0.30000	10.368	1.7806	0.35099	40	-0.01	009.09	0
009	Fiber (%)	0889	10.360	1.3000	10.368	1.7806	0.35099	40	0.00	009.09	0
009	Fiber (%)	0187	10.495	0.01000	10.368	1.7806	0.35099	40	0.07	009.07	0
009	Fiber (%)	0357	10.550	0.10000	10.368	1.7806	0.35099	40	0.10	009.09	0
009	Fiber (%)	0265	10.900	0.40000	10.368	1.7806	0.35099	40	0.30	009.09	0
009	Fiber (%)	0956	11.000	0.20000	10.368	1.7806	0.35099	40	0.35	009.09	0
009	Fiber (%)	0693	11.054	0.41200	10.368	1.7806	0.35099	40	0.39	009.09	0
009	Fiber (%)	0263	11.070	0.28000	10.368	1.7806	0.35099	40	0.39	009.09	0
009	Fiber (%)	0504	11.120	1.0600	10.368	1.7806	0.35099	40	0.42	009.04	0
009	Fiber (%)	0918	11.507	0.06300	10.368	1.7806	0.35099	40	0.64	009.09	0
009	Fiber (%)	0083	11.770	0.62000	10.368	1.7806	0.35099	40	0.79	009.09	0
009	Fiber (%)	0646	11.905	0.45000	10.368	1.7806	0.35099	40	0.86	009.09	0
009	Fiber (%)	0297	12.150	0.54000	10.368	1.7806	0.35099	40	1.00	009.09	0
009	Fiber (%)	0675	12.200	0.44000	10.368	1.7806	0.35099	40	1.03	009.07	0
009	Fiber (%)	0294	12.600	0.00000	10.368	1.7806	0.35099	40	1.25	009.09	0
009	Fiber (%)	0510	12.600	0.20000	10.368	1.7806	0.35099	40	1.25	009.09	0
009	Fiber (%)	0968	13.515	0.11000	10.368	1.7806	0.35099	40	1.77	009.09	0
009	Fiber (%)	0037	14.560	0.66000	10.368	1.7806	0.35099	40	2.35	009.09	0
009	Fiber (%)	2011	14.705	0.51000	10.368	1.7806	0.35099	40	2.44	009.07	0
009	Fiber (%)	2012	15.215	0.07000	10.368	1.7806	0.35099	40	2.72	009.09	0
009	Fiber (%)	0045	12.250	1.9000	10.368	1.7806	0.35099	40	1.06	009.09	1
010	Moisture (%)	0826	2.8800	0.20000	4.6228	0.53925	0.07737	19	-3.23	010.03	0
010	Moisture (%)	0720	3.9700	0.02000	4.6228	0.53925	0.07737	19	-1.21	010.11	0
010	Moisture (%)	0843	4.0100	0.04000	4.6228	0.53925	0.07737	19	-1.14	010.03	0
010	Moisture (%)	0168	4.2450	0.05000	4.6228	0.53925	0.07737	19	-0.70	010.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
010	Moisture (%)	0889	4.3100	0.10000	4.6228	0.53925	0.07737	19	-0.58	010.11	0
010	Moisture (%)	0943	4.3250	0.17000	4.6228	0.53925	0.07737	19	-0.55	010.99	0
010	Moisture (%)	2004	4.3250	0.01000	4.6228	0.53925	0.07737	19	-0.55	010.99	0
010	Moisture (%)	2043	4.3750	0.25000	4.6228	0.53925	0.07737	19	-0.46	010.11	0
010	Moisture (%)	0553	4.4500	0.04000	4.6228	0.53925	0.07737	19	-0.32	010.11	0
010	Moisture (%)	0948	4.5600	0.02000	4.6228	0.53925	0.07737	19	-0.12	010.99	0
010	Moisture (%)	0910	4.6500	0.30000	4.6228	0.53925	0.07737	19	0.05	010.99	0
010	Moisture (%)	0726	4.8100	0.02000	4.6228	0.53925	0.07737	19	0.35	010.99	0
010	Moisture (%)	0706	4.9050	0.03000	4.6228	0.53925	0.07737	19	0.52	010.99	0
010	Moisture (%)	0952	4.9400	0.02000	4.6228	0.53925	0.07737	19	0.59	010.99	0
010	Moisture (%)	0190	5.1050	0.07000	4.6228	0.53925	0.07737	19	0.89	010.99	0
010	Moisture (%)	0164	5.1200	0.08000	4.6228	0.53925	0.07737	19	0.92	010.03	0
010	Moisture (%)	0852	5.2650	0.01000	4.6228	0.53925	0.07737	19	1.19	010.11	0
010	Moisture (%)	0405	5.3350	0.01000	4.6228	0.53925	0.07737	19	1.32	010.99	0
010	Moisture (%)	0013	5.4050	0.03000	4.6228	0.53925	0.07737	19	1.45	010.99	0
011	Loss on Drying (%)	0876	2.9450	0.49000	5.2074	0.31036	0.08738	90	-7.29	011.01	0
011	Loss on Drying (%)	0681	4.4200	0.12000	5.2074	0.31036	0.08738	90	-2.54	011.03	0
011	Loss on Drying (%)	0034	4.4700	0.00000	5.2074	0.31036	0.08738	90	-2.38	011.01	0
011	Loss on Drying (%)	0062	4.5100	0.20000	5.2074	0.31036	0.08738	90	-2.25	011.01	0
011	Loss on Drying (%)	0417	4.5150	0.13000	5.2074	0.31036	0.08738	90	-2.23	011.02	0
011	Loss on Drying (%)	0685	4.5550	0.01000	5.2074	0.31036	0.08738	90	-2.10	011.01	0
011	Loss on Drying (%)	0968	4.5835	0.01100	5.2074	0.31036	0.08738	90	-2.01	011.01	0
011	Loss on Drying (%)	0178	4.6100	0.40000	5.2074	0.31036	0.08738	90	-1.92	011.01	0
011	Loss on Drying (%)	0848	4.7000	0.46000	5.2074	0.31036	0.08738	90	-1.63	011.01	0
011	Loss on Drying (%)	0870	4.7427	0.03740	5.2074	0.31036	0.08738	90	-1.50	011.01	0
011	Loss on Drying (%)	0874	4.7600	0.00000	5.2074	0.31036	0.08738	90	-1.44	011.01	0
011	Loss on Drying (%)	0226	4.8000	0.00000	5.2074	0.31036	0.08738	90	-1.31	011.01	0
011	Loss on Drying (%)	0541	4.8100	0.32000	5.2074	0.31036	0.08738	90	-1.28	011.99	0
011	Loss on Drying (%)	0175	4.8500	0.10000	5.2074	0.31036	0.08738	90	-1.15	011.01	0
011	Loss on Drying (%)	0529	4.8800	0.00000	5.2074	0.31036	0.08738	90	-1.05	011.01	0
011	Loss on Drying (%)	0723	4.9300	0.00000	5.2074	0.31036	0.08738	90	-0.89	011.01	0
011	Loss on Drying (%)	0407	4.9350	0.09000	5.2074	0.31036	0.08738	90	-0.88	011.01	0
011	Loss on Drying (%)	0298	4.9400	0.02000	5.2074	0.31036	0.08738	90	-0.86	011.01	0
011	Loss on Drying (%)	0294	4.9500	0.10000	5.2074	0.31036	0.08738	90	-0.83	011.01	0
011	Loss on Drying (%)	0682	4.9550	0.03000	5.2074	0.31036	0.08738	90	-0.81	011.01	0
011	Loss on Drying (%)	0164	4.9600	0.00000	5.2074	0.31036	0.08738	90	-0.80	011.01	0
011	Loss on Drying (%)	0511	4.9650	0.07000	5.2074	0.31036	0.08738	90	-0.78	011.01	0
011	Loss on Drying (%)	0138	4.9675	0.03100	5.2074	0.31036	0.08738	90	-0.77	011.01	0
011	Loss on Drying (%)	2006	4.9700	0.00000	5.2074	0.31036	0.08738	90	-0.76	011.01	0
011	Loss on Drying (%)	0066	4.9950	0.05000	5.2074	0.31036	0.08738	90	-0.68	011.01	0
011	Loss on Drying (%)	0781	5.0488	0.00860	5.2074	0.31036	0.08738	90	-0.51	011.01	0
011	Loss on Drying (%)	0598	5.0500	0.00000	5.2074	0.31036	0.08738	90	-0.51	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	2068	5.0550	0.03000	5.2074	0.31036	0.08738	90	-0.49	011.01	0
011	Loss on Drying (%)	0650	5.0600	0.04000	5.2074	0.31036	0.08738	90	-0.47	011.01	0
011	Loss on Drying (%)	1014	5.0600	0.12000	5.2074	0.31036	0.08738	90	-0.47	011.01	0
011	Loss on Drying (%)	0229	5.0800	0.02000	5.2074	0.31036	0.08738	90	-0.41	011.01	0
011	Loss on Drying (%)	0510	5.1000	0.20000	5.2074	0.31036	0.08738	90	-0.35	011.01	0
011	Loss on Drying (%)	0300	5.1200	0.34800	5.2074	0.31036	0.08738	90	-0.28	011.01	0
011	Loss on Drying (%)	2022	5.1250	0.01000	5.2074	0.31036	0.08738	90	-0.27	011.01	0
011	Loss on Drying (%)	0008	5.1300	0.10000	5.2074	0.31036	0.08738	90	-0.25	011.01	0
011	Loss on Drying (%)	0651	5.1465	0.03100	5.2074	0.31036	0.08738	90	-0.20	011.01	0
011	Loss on Drying (%)	0843	5.1550	0.03000	5.2074	0.31036	0.08738	90	-0.17	011.01	0
011	Loss on Drying (%)	0589	5.1700	0.02000	5.2074	0.31036	0.08738	90	-0.12	011.01	0
011	Loss on Drying (%)	0942	5.1700	0.06000	5.2074	0.31036	0.08738	90	-0.12	011.02	0
011	Loss on Drying (%)	0739	5.1900	0.04000	5.2074	0.31036	0.08738	90	-0.06	011.01	0
011	Loss on Drying (%)	0955	5.2050	0.03000	5.2074	0.31036	0.08738	90	-0.01	011.01	0
011	Loss on Drying (%)	0194	5.2150	0.03000	5.2074	0.31036	0.08738	90	0.02	011.01	0
011	Loss on Drying (%)	0620	5.2212	0.16500	5.2074	0.31036	0.08738	90	0.04	011.01	0
011	Loss on Drying (%)	0817	5.2250	0.03000	5.2074	0.31036	0.08738	90	0.06	011.01	0
011	Loss on Drying (%)	0098	5.2350	0.11000	5.2074	0.31036	0.08738	90	0.09	011.01	0
011	Loss on Drying (%)	0861	5.2400	0.02000	5.2074	0.31036	0.08738	90	0.11	011.01	0
011	Loss on Drying (%)	0100	5.2500	0.08000	5.2074	0.31036	0.08738	90	0.14	011.01	0
011	Loss on Drying (%)	0265	5.2500	0.10000	5.2074	0.31036	0.08738	90	0.14	011.01	0
011	Loss on Drying (%)	0233	5.2600	0.02000	5.2074	0.31036	0.08738	90	0.17	011.01	0
011	Loss on Drying (%)	0354	5.2650	0.01000	5.2074	0.31036	0.08738	90	0.19	011.01	0
011	Loss on Drying (%)	0148	5.2800	0.02000	5.2074	0.31036	0.08738	90	0.23	011.01	0
011	Loss on Drying (%)	2023	5.2800	0.02000	5.2074	0.31036	0.08738	90	0.23	011.02	0
011	Loss on Drying (%)	0539	5.2800	0.00000	5.2074	0.31036	0.08738	90	0.23	011.01	0
011	Loss on Drying (%)	0520	5.2850	0.07000	5.2074	0.31036	0.08738	90	0.25	011.01	0
011	Loss on Drying (%)	0777	5.2900	0.02000	5.2074	0.31036	0.08738	90	0.27	011.01	0
011	Loss on Drying (%)	0123	5.3000	0.16000	5.2074	0.31036	0.08738	90	0.30	011.01	0
011	Loss on Drying (%)	0653	5.3050	0.07000	5.2074	0.31036	0.08738	90	0.31	011.01	0
011	Loss on Drying (%)	1009	5.3050	0.09000	5.2074	0.31036	0.08738	90	0.31	011.01	0
011	Loss on Drying (%)	0242	5.3300	0.04000	5.2074	0.31036	0.08738	90	0.40	011.01	0
011	Loss on Drying (%)	0541	5.3550	0.03000	5.2074	0.31036	0.08738	90	0.48	011.01	0
011	Loss on Drying (%)	0171	5.3600	0.14000	5.2074	0.31036	0.08738	90	0.49	011.01	0
011	Loss on Drying (%)	0823	5.3600	0.04000	5.2074	0.31036	0.08738	90	0.49	011.01	0
011	Loss on Drying (%)	0961	5.3650	0.03000	5.2074	0.31036	0.08738	90	0.51	011.01	0
011	Loss on Drying (%)	0033	5.3700	0.06000	5.2074	0.31036	0.08738	90	0.52	011.01	0
011	Loss on Drying (%)	0208	5.3950	0.01000	5.2074	0.31036	0.08738	90	0.60	011.01	0
011	Loss on Drying (%)	0646	5.3950	0.03000	5.2074	0.31036	0.08738	90	0.60	011.01	0
011	Loss on Drying (%)	0675	5.3950	0.01000	5.2074	0.31036	0.08738	90	0.60	011.01	0
011	Loss on Drying (%)	0622	5.4138	0.02080	5.2074	0.31036	0.08738	90	0.67	011.01	0
011	Loss on Drying (%)	0205	5.4140	0.12400	5.2074	0.31036	0.08738	90	0.67	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0039	5.4459	0.00310	5.2074	0.31036	0.08738	90	0.77	011.01	0
011	Loss on Drying (%)	0152	5.4500	0.10000	5.2074	0.31036	0.08738	90	0.78	011.01	0
011	Loss on Drying (%)	0857	5.4500	0.10000	5.2074	0.31036	0.08738	90	0.78	011.99	0
011	Loss on Drying (%)	0358	5.4600	0.24000	5.2074	0.31036	0.08738	90	0.81	011.01	0
011	Loss on Drying (%)	0660	5.4700	0.04000	5.2074	0.31036	0.08738	90	0.85	011.01	0
011	Loss on Drying (%)	0574	5.4800	0.04000	5.2074	0.31036	0.08738	90	0.88	011.01	0
011	Loss on Drying (%)	0674	5.4800	0.00000	5.2074	0.31036	0.08738	90	0.88	011.01	0
011	Loss on Drying (%)	2058	5.4800	0.22000	5.2074	0.31036	0.08738	90	0.88	011.01	0
011	Loss on Drying (%)	0958	5.5300	0.06000	5.2074	0.31036	0.08738	90	1.04	011.01	0
011	Loss on Drying (%)	0880	5.5350	0.29000	5.2074	0.31036	0.08738	90	1.06	011.01	0
011	Loss on Drying (%)	0959	5.5550	0.15000	5.2074	0.31036	0.08738	90	1.12	011.01	0
011	Loss on Drying (%)	0763	5.5600	0.22000	5.2074	0.31036	0.08738	90	1.14	011.01	0
011	Loss on Drying (%)	1000	5.5700	0.02000	5.2074	0.31036	0.08738	90	1.17	011.01	0
011	Loss on Drying (%)	0563	5.6106	0.08060	5.2074	0.31036	0.08738	90	1.30	011.01	0
011	Loss on Drying (%)	1005	5.7000	0.20000	5.2074	0.31036	0.08738	90	1.59	011.01	0
011	Loss on Drying (%)	0108	5.7450	0.35000	5.2074	0.31036	0.08738	90	1.73	011.01	0
011	Loss on Drying (%)	0795	5.7500	0.04000	5.2074	0.31036	0.08738	90	1.75	011.01	0
011	Loss on Drying (%)	0144	5.8350	0.05000	5.2074	0.31036	0.08738	90	2.02	011.01	0
011	Loss on Drying (%)	0773	5.8850	0.19000	5.2074	0.31036	0.08738	90	2.18	011.01	0
011	Loss on Drying (%)	0623	6.0762	0.06410	5.2074	0.31036	0.08738	90	2.80	011.01	0
011	Loss on Drying (%)	0852	7.5500	0.10000	5.2074	0.31036	0.08738	90	7.55	011.99	0
011	Loss on Drying (%)	0553	4.0450	1.4700	5.2074	0.31036	0.08738	90	-3.75	011.01	1
011	Loss on Drying (%)	0960	5.8600	1.1600	5.2074	0.31036	0.08738	90	2.10	011.01	1
011	Loss on Drying (%)	0957	6.0000	0.68000	5.2074	0.31036	0.08738	90	2.55	011.01	1
011	Loss on Drying (%)	0552	6.0850	1.1700	5.2074	0.31036	0.08738	90	2.83	011.01	1
011	Loss on Drying (%)	0830	4.5597	0.43680	5.2074	0.31036	0.08738	90	-2.09	011.01	8
011	Loss on Drying (%)	1007	5.0511	0.00660	5.2074	0.31036	0.08738	90	-0.50	011.01	8
011	Loss on Drying (%)	0782	5.0515	0.00210	5.2074	0.31036	0.08738	90	-0.50	011.01	8
011	Loss on Drying (%)	0747	5.1000	0.16000	5.2074	0.31036	0.08738	90	-0.35	011.01	8
011	Loss on Drying (%)	1008	5.1650	0.03000	5.2074	0.31036	0.08738	90	-0.14	011.01	8
011	Loss on Drying (%)	0839	5.1790	0.41800	5.2074	0.31036	0.08738	90	-0.09	011.01	8
011	Loss on Drying (%)	0814	5.1950	0.01000	5.2074	0.31036	0.08738	90	-0.04	011.01	8
011	Loss on Drying (%)	0749	5.2100	0.06000	5.2074	0.31036	0.08738	90	0.01	011.01	8
011	Loss on Drying (%)	0815	5.2150	0.03000	5.2074	0.31036	0.08738	90	0.02	011.01	8
011	Loss on Drying (%)	0838	5.2200	0.04000	5.2074	0.31036	0.08738	90	0.04	011.01	8
011	Loss on Drying (%)	0758	5.2400	0.20000	5.2074	0.31036	0.08738	90	0.11	011.01	8
011	Loss on Drying (%)	0757	5.2450	0.17000	5.2074	0.31036	0.08738	90	0.12	011.01	8
011	Loss on Drying (%)	0818	5.2450	0.09000	5.2074	0.31036	0.08738	90	0.12	011.01	8
011	Loss on Drying (%)	0824	5.2450	0.11000	5.2074	0.31036	0.08738	90	0.12	011.01	8
011	Loss on Drying (%)	0760	5.2550	0.03000	5.2074	0.31036	0.08738	90	0.15	011.01	8
011	Loss on Drying (%)	0813	5.2650	0.09000	5.2074	0.31036	0.08738	90	0.19	011.01	8
011	Loss on Drying (%)	0775	5.2700	0.02000	5.2074	0.31036	0.08738	90	0.20	011.01	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0836	5.2800	0.06000	5.2074	0.31036	0.08738	90	0.23	011.01	8
011	Loss on Drying (%)	0753	5.2850	0.01000	5.2074	0.31036	0.08738	90	0.25	011.01	8
011	Loss on Drying (%)	0831	5.2900	0.00000	5.2074	0.31036	0.08738	90	0.27	011.01	8
011	Loss on Drying (%)	0765	5.2950	0.01000	5.2074	0.31036	0.08738	90	0.28	011.01	8
011	Loss on Drying (%)	0834	5.3000	0.16000	5.2074	0.31036	0.08738	90	0.30	011.01	8
011	Loss on Drying (%)	0755	5.3050	0.03000	5.2074	0.31036	0.08738	90	0.31	011.01	8
011	Loss on Drying (%)	0771	5.3050	0.05000	5.2074	0.31036	0.08738	90	0.31	011.01	8
011	Loss on Drying (%)	0752	5.3100	0.02000	5.2074	0.31036	0.08738	90	0.33	011.01	8
011	Loss on Drying (%)	0754	5.3100	0.02000	5.2074	0.31036	0.08738	90	0.33	011.01	8
011	Loss on Drying (%)	0743	5.3150	0.01000	5.2074	0.31036	0.08738	90	0.35	011.01	8
011	Loss on Drying (%)	0825	5.3150	0.01000	5.2074	0.31036	0.08738	90	0.35	011.01	8
011	Loss on Drying (%)	1015	5.3150	0.07000	5.2074	0.31036	0.08738	90	0.35	011.01	8
011	Loss on Drying (%)	0756	5.3250	0.11000	5.2074	0.31036	0.08738	90	0.38	011.01	8
011	Loss on Drying (%)	0832	5.3450	0.05000	5.2074	0.31036	0.08738	90	0.44	011.01	8
011	Loss on Drying (%)	0751	5.3500	0.04000	5.2074	0.31036	0.08738	90	0.46	011.01	8
011	Loss on Drying (%)	0767	5.3500	0.04000	5.2074	0.31036	0.08738	90	0.46	011.01	8
011	Loss on Drying (%)	0770	5.3550	0.03000	5.2074	0.31036	0.08738	90	0.48	011.01	8
011	Loss on Drying (%)	0750	5.3600	0.04000	5.2074	0.31036	0.08738	90	0.49	011.01	8
011	Loss on Drying (%)	0742	5.3650	0.03000	5.2074	0.31036	0.08738	90	0.51	011.01	8
011	Loss on Drying (%)	0774	5.3650	0.21000	5.2074	0.31036	0.08738	90	0.51	011.01	8
011	Loss on Drying (%)	0764	5.3700	0.00000	5.2074	0.31036	0.08738	90	0.52	011.01	8
011	Loss on Drying (%)	1004	5.3750	0.03000	5.2074	0.31036	0.08738	90	0.54	011.01	8
011	Loss on Drying (%)	0812	5.3800	0.04000	5.2074	0.31036	0.08738	90	0.56	011.01	8
011	Loss on Drying (%)	1016	5.3850	0.05000	5.2074	0.31036	0.08738	90	0.57	011.01	8
011	Loss on Drying (%)	1017	5.3850	0.09000	5.2074	0.31036	0.08738	90	0.57	011.01	8
011	Loss on Drying (%)	1002	5.3900	0.04000	5.2074	0.31036	0.08738	90	0.59	011.01	8
011	Loss on Drying (%)	0761	5.3950	0.01000	5.2074	0.31036	0.08738	90	0.60	011.01	8
011	Loss on Drying (%)	0759	5.4000	0.04000	5.2074	0.31036	0.08738	90	0.62	011.01	8
011	Loss on Drying (%)	0748	5.4200	0.02000	5.2074	0.31036	0.08738	90	0.69	011.01	8
011	Loss on Drying (%)	0746	5.4300	0.02000	5.2074	0.31036	0.08738	90	0.72	011.01	8
011	Loss on Drying (%)	0779	5.4350	0.01000	5.2074	0.31036	0.08738	90	0.73	011.01	8
011	Loss on Drying (%)	0766	5.4400	0.04000	5.2074	0.31036	0.08738	90	0.75	011.01	8
011	Loss on Drying (%)	1006	5.4400	0.02000	5.2074	0.31036	0.08738	90	0.75	011.01	8
011	Loss on Drying (%)	0744	5.4550	0.03000	5.2074	0.31036	0.08738	90	0.80	011.01	8
011	Loss on Drying (%)	1012	5.4550	0.01000	5.2074	0.31036	0.08738	90	0.80	011.01	8
011	Loss on Drying (%)	0745	5.4600	0.08000	5.2074	0.31036	0.08738	90	0.81	011.01	8
011	Loss on Drying (%)	0792	5.4600	0.06000	5.2074	0.31036	0.08738	90	0.81	011.01	8
011	Loss on Drying (%)	0778	5.4650	0.11000	5.2074	0.31036	0.08738	90	0.83	011.01	8
011	Loss on Drying (%)	0768	5.4700	0.02000	5.2074	0.31036	0.08738	90	0.85	011.01	8
011	Loss on Drying (%)	0736	5.4750	0.01000	5.2074	0.31036	0.08738	90	0.86	011.01	8
011	Loss on Drying (%)	0828	5.5200	0.02000	5.2074	0.31036	0.08738	90	1.01	011.01	8
011	Loss on Drying (%)	0791	5.5550	0.19000	5.2074	0.31036	0.08738	90	1.12	011.01	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0801	5.5800	0.04000	5.2074	0.31036	0.08738	90	1.20	011.01	8
011	Loss on Drying (%)	0840	5.5950	0.11000	5.2074	0.31036	0.08738	90	1.25	011.01	8
011	Loss on Drying (%)	0809	5.6050	0.15000	5.2074	0.31036	0.08738	90	1.28	011.03	8
011	Loss on Drying (%)	0789	5.6200	0.06000	5.2074	0.31036	0.08738	90	1.33	011.01	8
011	Loss on Drying (%)	0805	5.6200	0.02000	5.2074	0.31036	0.08738	90	1.33	011.01	8
011	Loss on Drying (%)	0735	5.6300	0.08000	5.2074	0.31036	0.08738	90	1.36	011.01	8
011	Loss on Drying (%)	0808	5.6350	0.01000	5.2074	0.31036	0.08738	90	1.38	011.01	8
011	Loss on Drying (%)	0810	5.6500	0.06000	5.2074	0.31036	0.08738	90	1.43	011.01	8
011	Loss on Drying (%)	0807	5.6650	0.05000	5.2074	0.31036	0.08738	90	1.47	011.01	8
011	Loss on Drying (%)	0790	5.6800	0.02000	5.2074	0.31036	0.08738	90	1.52	011.01	8
011	Loss on Drying (%)	0798	5.6800	0.02000	5.2074	0.31036	0.08738	90	1.52	011.01	8
011	Loss on Drying (%)	0811	5.7000	0.04000	5.2074	0.31036	0.08738	90	1.59	011.01	8
011	Loss on Drying (%)	0841	5.7100	0.06000	5.2074	0.31036	0.08738	90	1.62	011.01	8
011	Loss on Drying (%)	0802	5.7150	0.07000	5.2074	0.31036	0.08738	90	1.64	011.01	8
011	Loss on Drying (%)	0804	5.7500	0.10000	5.2074	0.31036	0.08738	90	1.75	011.01	8
011	Loss on Drying (%)	0794	5.7550	0.05000	5.2074	0.31036	0.08738	90	1.76	011.01	8
011	Loss on Drying (%)	0806	5.8050	0.19000	5.2074	0.31036	0.08738	90	1.93	011.01	8
011	Loss on Drying (%)	0799	5.8200	0.04000	5.2074	0.31036	0.08738	90	1.97	011.01	8
011	Loss on Drying (%)	0803	5.8250	0.05000	5.2074	0.31036	0.08738	90	1.99	011.01	8
011	Loss on Drying (%)	0797	5.8500	0.02000	5.2074	0.31036	0.08738	90	2.07	011.01	8
011	Loss on Drying (%)	0796	5.9450	0.01000	5.2074	0.31036	0.08738	90	2.38	011.01	8
012	Starch (%)	2006	21.020	0.36000	31.739	2.1245	0.30759	28	-5.05	012.00	0
012	Starch (%)	0885	27.845	0.51000	31.739	2.1245	0.30759	28	-1.83	012.03	0
012	Starch (%)	0889	28.645	0.29000	31.739	2.1245	0.30759	28	-1.46	012.11	0
012	Starch (%)	0918	28.846	0.85900	31.739	2.1245	0.30759	28	-1.36	012.01	0
012	Starch (%)	0297	29.940	0.30000	31.739	2.1245	0.30759	28	-0.85	012.11	0
012	Starch (%)	0407	30.340	0.20000	31.739	2.1245	0.30759	28	-0.66	012.03	0
012	Starch (%)	0160	30.490	0.58000	31.739	2.1245	0.30759	28	-0.59	012.04	0
012	Starch (%)	2004	30.550	0.10000	31.739	2.1245	0.30759	28	-0.56	012.01	0
012	Starch (%)	0870	30.593	0.34340	31.739	2.1245	0.30759	28	-0.54	012.01	0
012	Starch (%)	0297	30.620	0.04000	31.739	2.1245	0.30759	28	-0.53	012.03	0
012	Starch (%)	0956	30.650	0.50000	31.739	2.1245	0.30759	28	-0.51	012.01	0
012	Starch (%)	0278	30.850	0.50000	31.739	2.1245	0.30759	28	-0.42	012.04	0
012	Starch (%)	0889	31.220	0.20000	31.739	2.1245	0.30759	28	-0.24	012.03	0
012	Starch (%)	0510	31.550	0.50000	31.739	2.1245	0.30759	28	-0.09	012.04	0
012	Starch (%)	0353	32.075	0.07000	31.739	2.1245	0.30759	28	0.16	012.04	0
012	Starch (%)	0720	32.260	0.18000	31.739	2.1245	0.30759	28	0.25	012.11	0
012	Starch (%)	0265	32.500	0.60000	31.739	2.1245	0.30759	28	0.36	012.01	0
012	Starch (%)	0178	32.605	0.01000	31.739	2.1245	0.30759	28	0.41	012.00	0
012	Starch (%)	0682	32.935	0.03000	31.739	2.1245	0.30759	28	0.56	012.00	0
012	Starch (%)	0619	33.150	0.30000	31.739	2.1245	0.30759	28	0.66	012.00	0
012	Starch (%)	0948	33.375	0.35000	31.739	2.1245	0.30759	28	0.77	012.04	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
012 Starch (%)		0723	33.450	0.00000	31.739	2.1245	0.30759	28	0.81	012.00	0
012 Starch (%)		0920	33.640	0.00000	31.739	2.1245	0.30759	28	0.89	012.00	0
012 Starch (%)		0609	33.765	0.19000	31.739	2.1245	0.30759	28	0.95	012.00	0
012 Starch (%)		0354	33.800	0.22000	31.739	2.1245	0.30759	28	0.97	012.00	0
012 Starch (%)		0939	34.190	0.08000	31.739	2.1245	0.30759	28	1.15	012.00	0
012 Starch (%)		0689	34.450	0.50000	31.739	2.1245	0.30759	28	1.28	012.00	0
012 Starch (%)		2023	34.800	0.80000	31.739	2.1245	0.30759	28	1.44	012.00	0
012 Starch (%)		0098	30.350	1.9000	31.739	2.1245	0.30759	28	-0.65	012.03	1
013 Fat (%)		0554	5.9300	0.38000	9.7431	0.49383	0.16736	88	-7.72	013.10	0
013 Fat (%)		0555	7.1000	0.20000	9.7431	0.49383	0.16736	88	-5.35	013.00	0
013 Fat (%)		0618	7.3500	0.30000	9.7431	0.49383	0.16736	88	-4.85	013.08	0
013 Fat (%)		0297	8.1650	0.01000	9.7431	0.49383	0.16736	88	-3.20	013.00	0
013 Fat (%)		0015	8.1800	0.10000	9.7431	0.49383	0.16736	88	-3.17	013.13	0
013 Fat (%)		0968	8.2010	0.15400	9.7431	0.49383	0.16736	88	-3.12	013.10	0
013 Fat (%)		0083	8.2800	0.34000	9.7431	0.49383	0.16736	88	-2.96	013.00	0
013 Fat (%)		0777	8.7150	0.09000	9.7431	0.49383	0.16736	88	-2.08	013.00	0
013 Fat (%)		1014	8.9050	0.29000	9.7431	0.49383	0.16736	88	-1.70	013.02	0
013 Fat (%)		0689	9.0500	0.10000	9.7431	0.49383	0.16736	88	-1.40	013.00	0
013 Fat (%)		0638	9.0500	0.10000	9.7431	0.49383	0.16736	88	-1.40	013.10	0
013 Fat (%)		0910	9.0750	0.29000	9.7431	0.49383	0.16736	88	-1.35	013.00	0
013 Fat (%)		2004	9.1000	0.00000	9.7431	0.49383	0.16736	88	-1.30	013.00	0
013 Fat (%)		0653	9.1100	0.08000	9.7431	0.49383	0.16736	88	-1.28	013.00	0
013 Fat (%)		0629	9.1950	0.11000	9.7431	0.49383	0.16736	88	-1.11	013.00	0
013 Fat (%)		0017	9.2500	0.30000	9.7431	0.49383	0.16736	88	-1.00	013.02	0
013 Fat (%)		0229	9.3000	0.20000	9.7431	0.49383	0.16736	88	-0.90	013.00	0
013 Fat (%)		0035	9.3200	0.54000	9.7431	0.49383	0.16736	88	-0.86	013.00	0
013 Fat (%)		0948	9.3200	0.02000	9.7431	0.49383	0.16736	88	-0.86	013.00	0
013 Fat (%)		0353	9.3200	0.18000	9.7431	0.49383	0.16736	88	-0.86	013.10	0
013 Fat (%)		0033	9.3250	0.07000	9.7431	0.49383	0.16736	88	-0.85	013.10	0
013 Fat (%)		0870	9.3271	0.02500	9.7431	0.49383	0.16736	88	-0.84	013.02	0
013 Fat (%)		1005	9.3600	0.44000	9.7431	0.49383	0.16736	88	-0.78	013.02	0
013 Fat (%)		0610	9.3650	0.01000	9.7431	0.49383	0.16736	88	-0.77	013.10	0
013 Fat (%)		1009	9.3750	0.03000	9.7431	0.49383	0.16736	88	-0.75	013.02	0
013 Fat (%)		0652	9.4000	0.00000	9.7431	0.49383	0.16736	88	-0.69	013.10	0
013 Fat (%)		2023	9.4300	0.04000	9.7431	0.49383	0.16736	88	-0.63	013.00	0
013 Fat (%)		0242	9.4400	0.00000	9.7431	0.49383	0.16736	88	-0.61	013.00	0
013 Fat (%)		0681	9.5050	0.01000	9.7431	0.49383	0.16736	88	-0.48	013.00	0
013 Fat (%)		2053	9.5200	0.08000	9.7431	0.49383	0.16736	88	-0.45	013.02	0
013 Fat (%)		0823	9.5500	0.02000	9.7431	0.49383	0.16736	88	-0.39	013.02	0
013 Fat (%)		0013	9.5950	0.21000	9.7431	0.49383	0.16736	88	-0.30	013.02	0
013 Fat (%)		0843	9.6000	0.02000	9.7431	0.49383	0.16736	88	-0.29	013.02	0
013 Fat (%)		0510	9.6500	0.10000	9.7431	0.49383	0.16736	88	-0.19	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0853	9.6650	0.17000	9.7431	0.49383	0.16736	88	-0.16	013.02	0
013 Fat (%)		0660	9.6850	0.05000	9.7431	0.49383	0.16736	88	-0.12	013.10	0
013 Fat (%)		0650	9.7050	0.03000	9.7431	0.49383	0.16736	88	-0.08	013.02	0
013 Fat (%)		0337	9.7250	0.55000	9.7431	0.49383	0.16736	88	-0.04	013.02	0
013 Fat (%)		0675	9.7250	0.09000	9.7431	0.49383	0.16736	88	-0.04	013.02	0
013 Fat (%)		0739	9.7450	0.17000	9.7431	0.49383	0.16736	88	0.00	013.02	0
013 Fat (%)		0354	9.7700	0.06000	9.7431	0.49383	0.16736	88	0.05	013.02	0
013 Fat (%)		0148	9.7800	0.02000	9.7431	0.49383	0.16736	88	0.07	013.02	0
013 Fat (%)		0955	9.8100	0.16000	9.7431	0.49383	0.16736	88	0.14	013.13	0
013 Fat (%)		0695	9.8200	0.18000	9.7431	0.49383	0.16736	88	0.16	013.00	0
013 Fat (%)		0615	9.8400	0.10000	9.7431	0.49383	0.16736	88	0.20	013.00	0
013 Fat (%)		0505	9.8450	0.57000	9.7431	0.49383	0.16736	88	0.21	013.02	0
013 Fat (%)		0943	9.8600	0.20000	9.7431	0.49383	0.16736	88	0.24	013.02	0
013 Fat (%)		0178	9.8600	0.04000	9.7431	0.49383	0.16736	88	0.24	013.10	0
013 Fat (%)		0773	9.8750	0.13000	9.7431	0.49383	0.16736	88	0.27	013.02	0
013 Fat (%)		0957	9.9050	0.49000	9.7431	0.49383	0.16736	88	0.33	013.02	0
013 Fat (%)		0958	9.9150	0.09000	9.7431	0.49383	0.16736	88	0.35	013.02	0
013 Fat (%)		0960	9.9250	0.31000	9.7431	0.49383	0.16736	88	0.37	013.02	0
013 Fat (%)		0874	9.9300	0.12000	9.7431	0.49383	0.16736	88	0.38	013.00	0
013 Fat (%)		0164	9.9500	0.18000	9.7431	0.49383	0.16736	88	0.42	013.02	0
013 Fat (%)		0682	9.9500	0.10000	9.7431	0.49383	0.16736	88	0.42	013.02	0
013 Fat (%)		1000	9.9650	0.03000	9.7431	0.49383	0.16736	88	0.45	013.02	0
013 Fat (%)		0512	9.9665	0.06700	9.7431	0.49383	0.16736	88	0.45	013.02	0
013 Fat (%)		0171	9.9850	0.13000	9.7431	0.49383	0.16736	88	0.49	013.02	0
013 Fat (%)		0065	9.9915	0.01700	9.7431	0.49383	0.16736	88	0.50	013.02	0
013 Fat (%)		0208	10.005	0.19000	9.7431	0.49383	0.16736	88	0.53	013.02	0
013 Fat (%)		0643	10.020	0.30000	9.7431	0.49383	0.16736	88	0.56	013.02	0
013 Fat (%)		0795	10.020	0.18000	9.7431	0.49383	0.16736	88	0.56	013.02	0
013 Fat (%)		0039	10.027	0.05890	9.7431	0.49383	0.16736	88	0.58	013.02	0
013 Fat (%)		0160	10.030	0.48000	9.7431	0.49383	0.16736	88	0.58	013.10	0
013 Fat (%)		0175	10.050	0.10000	9.7431	0.49383	0.16736	88	0.62	013.02	0
013 Fat (%)		0763	10.095	0.37000	9.7431	0.49383	0.16736	88	0.71	013.02	0
013 Fat (%)		0511	10.115	0.27000	9.7431	0.49383	0.16736	88	0.75	013.02	0
013 Fat (%)		0964	10.125	0.27000	9.7431	0.49383	0.16736	88	0.77	013.02	0
013 Fat (%)		0001	10.127	0.19580	9.7431	0.49383	0.16736	88	0.78	013.02	0
013 Fat (%)		0407	10.130	0.22000	9.7431	0.49383	0.16736	88	0.78	013.02	0
013 Fat (%)		0003	10.160	0.92000	9.7431	0.49383	0.16736	88	0.84	013.13	0
013 Fat (%)		0100	10.175	0.11000	9.7431	0.49383	0.16736	88	0.87	013.02	0
013 Fat (%)		0008	10.180	0.04000	9.7431	0.49383	0.16736	88	0.88	013.02	0
013 Fat (%)		0581	10.180	0.34000	9.7431	0.49383	0.16736	88	0.88	013.13	0
013 Fat (%)		0861	10.185	0.07000	9.7431	0.49383	0.16736	88	0.89	013.00	0
013 Fat (%)		0959	10.205	0.07000	9.7431	0.49383	0.16736	88	0.94	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0034	10.220	0.00000	9.7431	0.49383	0.16736	88	0.97	013.02	0
013 Fat (%)		0817	10.230	0.06000	9.7431	0.49383	0.16736	88	0.99	013.02	0
013 Fat (%)		0265	10.250	0.10000	9.7431	0.49383	0.16736	88	1.03	013.13	0
013 Fat (%)		0676	10.300	0.00000	9.7431	0.49383	0.16736	88	1.13	013.02	0
013 Fat (%)		2006	10.340	0.10000	9.7431	0.49383	0.16736	88	1.21	013.00	0
013 Fat (%)		2006	10.340	0.10000	9.7431	0.49383	0.16736	88	1.21	013.10	0
013 Fat (%)		0098	10.370	0.08000	9.7431	0.49383	0.16736	88	1.27	013.02	0
013 Fat (%)		0504	10.375	0.27000	9.7431	0.49383	0.16736	88	1.28	013.00	0
013 Fat (%)		2058	10.450	0.10000	9.7431	0.49383	0.16736	88	1.43	013.02	0
013 Fat (%)		0961	10.465	0.17000	9.7431	0.49383	0.16736	88	1.46	013.02	0
013 Fat (%)		0706	10.950	0.10000	9.7431	0.49383	0.16736	88	2.44	013.00	0
013 Fat (%)		0826	10.955	0.57000	9.7431	0.49383	0.16736	88	2.45	013.00	0
013 Fat (%)		0553	9.0100	1.7400	9.7431	0.49383	0.16736	88	-1.48	013.02	1
013 Fat (%)		0876	11.945	2.8100	9.7431	0.49383	0.16736	88	4.46	013.02	1
013 Fat (%)		0845	2.6950	0.37000	9.7431	0.49383	0.16736	88	-14.27	013.10	2
013 Fat (%)		1008	8.9500	0.04000	9.7431	0.49383	0.16736	88	-1.61	013.02	8
013 Fat (%)		0775	9.0150	0.13000	9.7431	0.49383	0.16736	88	-1.47	013.02	8
013 Fat (%)		1017	9.0650	0.13000	9.7431	0.49383	0.16736	88	-1.37	013.02	8
013 Fat (%)		0834	9.0750	0.01000	9.7431	0.49383	0.16736	88	-1.35	013.02	8
013 Fat (%)		0735	9.1550	0.07000	9.7431	0.49383	0.16736	88	-1.19	013.02	8
013 Fat (%)		0831	9.2400	0.04000	9.7431	0.49383	0.16736	88	-1.02	013.02	8
013 Fat (%)		0736	9.2450	0.09000	9.7431	0.49383	0.16736	88	-1.01	013.02	8
013 Fat (%)		0838	9.2500	0.30000	9.7431	0.49383	0.16736	88	-1.00	013.02	8
013 Fat (%)		0757	9.2650	0.07000	9.7431	0.49383	0.16736	88	-0.97	013.02	8
013 Fat (%)		0779	9.2700	0.04000	9.7431	0.49383	0.16736	88	-0.96	013.02	8
013 Fat (%)		1002	9.2750	0.35000	9.7431	0.49383	0.16736	88	-0.95	013.02	8
013 Fat (%)		0832	9.2750	0.13000	9.7431	0.49383	0.16736	88	-0.95	013.02	8
013 Fat (%)		0839	9.3300	0.06000	9.7431	0.49383	0.16736	88	-0.84	013.02	8
013 Fat (%)		1004	9.3600	0.00000	9.7431	0.49383	0.16736	88	-0.78	013.02	8
013 Fat (%)		0778	9.3850	0.13000	9.7431	0.49383	0.16736	88	-0.73	013.02	8
013 Fat (%)		0752	9.4100	0.02000	9.7431	0.49383	0.16736	88	-0.67	013.02	8
013 Fat (%)		0750	9.4250	0.07000	9.7431	0.49383	0.16736	88	-0.64	013.02	8
013 Fat (%)		0751	9.4400	0.48000	9.7431	0.49383	0.16736	88	-0.61	013.02	8
013 Fat (%)		0774	9.4400	0.04000	9.7431	0.49383	0.16736	88	-0.61	013.02	8
013 Fat (%)		0791	9.4850	0.09000	9.7431	0.49383	0.16736	88	-0.52	013.02	8
013 Fat (%)		0749	9.5050	0.15000	9.7431	0.49383	0.16736	88	-0.48	013.02	8
013 Fat (%)		0830	9.5103	0.14720	9.7431	0.49383	0.16736	88	-0.47	013.02	8
013 Fat (%)		1016	9.5200	0.24000	9.7431	0.49383	0.16736	88	-0.45	013.02	8
013 Fat (%)		0809	9.5300	0.18000	9.7431	0.49383	0.16736	88	-0.43	013.00	8
013 Fat (%)		0756	9.5450	0.03000	9.7431	0.49383	0.16736	88	-0.40	013.02	8
013 Fat (%)		1015	9.5600	0.06000	9.7431	0.49383	0.16736	88	-0.37	013.02	8
013 Fat (%)		0753	9.5900	0.48000	9.7431	0.49383	0.16736	88	-0.31	013.02	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013 Fat (%)		0825	9.6000	0.04000	9.7431	0.49383	0.16736	88	-0.29	013.02	8
013 Fat (%)		0836	9.6000	0.04000	9.7431	0.49383	0.16736	88	-0.29	013.02	8
013 Fat (%)		0754	9.6150	0.09000	9.7431	0.49383	0.16736	88	-0.26	013.02	8
013 Fat (%)		0755	9.6550	0.03000	9.7431	0.49383	0.16736	88	-0.18	013.02	8
013 Fat (%)		0758	9.6600	0.04000	9.7431	0.49383	0.16736	88	-0.17	013.02	8
013 Fat (%)		0794	9.6600	0.30000	9.7431	0.49383	0.16736	88	-0.17	013.02	8
013 Fat (%)		0824	9.6600	0.06000	9.7431	0.49383	0.16736	88	-0.17	013.02	8
013 Fat (%)		0764	9.7050	0.07000	9.7431	0.49383	0.16736	88	-0.08	013.02	8
013 Fat (%)		0792	9.7250	0.27000	9.7431	0.49383	0.16736	88	-0.04	013.02	8
013 Fat (%)		0789	9.7550	0.21000	9.7431	0.49383	0.16736	88	0.02	013.02	8
013 Fat (%)		0760	9.7600	0.02000	9.7431	0.49383	0.16736	88	0.03	013.02	8
013 Fat (%)		0767	9.7650	0.07000	9.7431	0.49383	0.16736	88	0.04	013.02	8
013 Fat (%)		0808	9.8050	0.01000	9.7431	0.49383	0.16736	88	0.13	013.02	8
013 Fat (%)		0765	9.8150	0.03000	9.7431	0.49383	0.16736	88	0.15	013.02	8
013 Fat (%)		0770	9.8150	0.03000	9.7431	0.49383	0.16736	88	0.15	013.02	8
013 Fat (%)		1006	9.8150	0.01000	9.7431	0.49383	0.16736	88	0.15	013.02	8
013 Fat (%)		0766	9.8850	0.05000	9.7431	0.49383	0.16736	88	0.29	013.02	8
013 Fat (%)		0810	9.8850	0.09000	9.7431	0.49383	0.16736	88	0.29	013.02	8
013 Fat (%)		0768	9.8900	0.04000	9.7431	0.49383	0.16736	88	0.30	013.02	8
013 Fat (%)		0828	9.9000	0.02000	9.7431	0.49383	0.16736	88	0.32	013.02	8
013 Fat (%)		0761	9.9200	0.00000	9.7431	0.49383	0.16736	88	0.36	013.02	8
013 Fat (%)		1012	9.9250	0.21000	9.7431	0.49383	0.16736	88	0.37	013.02	8
013 Fat (%)		0840	9.9350	0.15000	9.7431	0.49383	0.16736	88	0.39	013.02	8
013 Fat (%)		0790	9.9400	0.36000	9.7431	0.49383	0.16736	88	0.40	013.02	8
013 Fat (%)		0811	9.9650	0.03000	9.7431	0.49383	0.16736	88	0.45	013.02	8
013 Fat (%)		0841	9.9800	0.02000	9.7431	0.49383	0.16736	88	0.48	013.02	8
013 Fat (%)		0745	10.010	0.04000	9.7431	0.49383	0.16736	88	0.54	013.02	8
013 Fat (%)		0743	10.015	0.05000	9.7431	0.49383	0.16736	88	0.55	013.02	8
013 Fat (%)		0812	10.085	0.07000	9.7431	0.49383	0.16736	88	0.69	013.02	8
013 Fat (%)		0815	10.090	0.14000	9.7431	0.49383	0.16736	88	0.70	013.02	8
013 Fat (%)		0742	10.095	0.03000	9.7431	0.49383	0.16736	88	0.71	013.02	8
013 Fat (%)		0813	10.130	0.14000	9.7431	0.49383	0.16736	88	0.78	013.02	8
013 Fat (%)		0771	10.130	0.16000	9.7431	0.49383	0.16736	88	0.78	013.02	8
013 Fat (%)		0805	10.140	0.10000	9.7431	0.49383	0.16736	88	0.80	013.02	8
013 Fat (%)		0803	10.155	0.07000	9.7431	0.49383	0.16736	88	0.83	013.02	8
013 Fat (%)		0804	10.160	0.08000	9.7431	0.49383	0.16736	88	0.84	013.02	8
013 Fat (%)		0814	10.165	0.15000	9.7431	0.49383	0.16736	88	0.85	013.02	8
013 Fat (%)		0818	10.165	0.27000	9.7431	0.49383	0.16736	88	0.85	013.02	8
013 Fat (%)		0796	10.170	0.16000	9.7431	0.49383	0.16736	88	0.86	013.02	8
013 Fat (%)		0744	10.185	0.07000	9.7431	0.49383	0.16736	88	0.89	013.02	8
013 Fat (%)		0746	10.190	0.02000	9.7431	0.49383	0.16736	88	0.91	013.02	8
013 Fat (%)		0798	10.210	0.26000	9.7431	0.49383	0.16736	88	0.95	013.02	8

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
013	Fat (%)	0801	10.210	0.14000	9.7431	0.49383	0.16736	88	0.95	013.02	8
013	Fat (%)	0747	10.255	0.01000	9.7431	0.49383	0.16736	88	1.04	013.02	8
013	Fat (%)	0802	10.280	0.10000	9.7431	0.49383	0.16736	88	1.09	013.02	8
013	Fat (%)	0806	10.330	0.26000	9.7431	0.49383	0.16736	88	1.19	013.02	8
013	Fat (%)	0748	10.335	0.03000	9.7431	0.49383	0.16736	88	1.20	013.02	8
013	Fat (%)	0797	10.350	0.30000	9.7431	0.49383	0.16736	88	1.23	013.02	8
013	Fat (%)	0807	10.470	0.08000	9.7431	0.49383	0.16736	88	1.47	013.02	8
013	Fat (%)	0799	10.500	0.66000	9.7431	0.49383	0.16736	88	1.53	013.02	8
014	Fiber, total dietary (TDF) (%)	0943	10.485	0.19000			0.19000	1			
015	Aluminum (mg / kg (ppm))	0918	44.144	1.1177	80.048	10.711	5.2591	14	-3.35	015.43	0
015	Aluminum (mg / kg (ppm))	0049	63.060	9.0600	80.048	10.711	5.2591	14	-1.59	015.41	0
015	Aluminum (mg / kg (ppm))	0297	66.000	8.0000	80.048	10.711	5.2591	14	-1.31	015.43	0
015	Aluminum (mg / kg (ppm))	0171	72.950	12.500	80.048	10.711	5.2591	14	-0.66	015.41	0
015	Aluminum (mg / kg (ppm))	0011	76.567	0.17950	80.048	10.711	5.2591	14	-0.32	015.41	0
015	Aluminum (mg / kg (ppm))	0560	77.400	1.6000	80.048	10.711	5.2591	14	-0.25	015.42	0
015	Aluminum (mg / kg (ppm))	0164	79.500	1.0000	80.048	10.711	5.2591	14	-0.05	015.41	0
015	Aluminum (mg / kg (ppm))	0964	81.750	10.300	80.048	10.711	5.2591	14	0.16	015.41	0
015	Aluminum (mg / kg (ppm))	0510	82.000	0.00000	80.048	10.711	5.2591	14	0.18	015.43	0
015	Aluminum (mg / kg (ppm))	0520	83.995	1.8500	80.048	10.711	5.2591	14	0.37	015.41	0
015	Aluminum (mg / kg (ppm))	0353	85.130	8.6200	80.048	10.711	5.2591	14	0.47	015.43	0
015	Aluminum (mg / kg (ppm))	0169	91.800	5.6000	80.048	10.711	5.2591	14	1.10	015.43	0
015	Aluminum (mg / kg (ppm))	0345	97.950	4.1000	80.048	10.711	5.2591	14	1.67	015.43	0
015	Aluminum (mg / kg (ppm))	0553	99.150	9.7000	80.048	10.711	5.2591	14	1.78	015.53	0
017	Boron (mg / kg (ppm))	0297	0.00000	0.00000	6.6189	0.88047	0.36417	12	-7.52	017.43	0
017	Boron (mg / kg (ppm))	0345	5.9000	0.20000	6.6189	0.88047	0.36417	12	-0.82	017.43	0
017	Boron (mg / kg (ppm))	0693	5.9700	0.70000	6.6189	0.88047	0.36417	12	-0.74	017.42	0
017	Boron (mg / kg (ppm))	0358	6.0600	0.44000	6.6189	0.88047	0.36417	12	-0.63	017.41	0
017	Boron (mg / kg (ppm))	0918	6.2700	0.22000	6.6189	0.88047	0.36417	12	-0.40	017.43	0
017	Boron (mg / kg (ppm))	0045	6.3550	1.2900	6.6189	0.88047	0.36417	12	-0.30	017.42	0
017	Boron (mg / kg (ppm))	0353	6.7100	0.02000	6.6189	0.88047	0.36417	12	0.10	017.43	0
017	Boron (mg / kg (ppm))	0510	7.0000	0.00000	6.6189	0.88047	0.36417	12	0.43	017.43	0
017	Boron (mg / kg (ppm))	0912	7.1000	0.00000	6.6189	0.88047	0.36417	12	0.55	017.53	0
017	Boron (mg / kg (ppm))	0049	7.1850	1.0500	6.6189	0.88047	0.36417	12	0.64	017.41	0
017	Boron (mg / kg (ppm))	0294	8.3250	0.15000	6.6189	0.88047	0.36417	12	1.94	017.42	0
017	Boron (mg / kg (ppm))	0037	10.350	0.30000	6.6189	0.88047	0.36417	12	4.24	017.43	0
019	Calcium (%)	0889	1.0950	0.01000	1.4810	0.07718	0.02934	146	-5.00	019.99	0
019	Calcium (%)	0852	1.1000	0.00000	1.4810	0.07718	0.02934	146	-4.94	019.99	0
019	Calcium (%)	0676	1.2400	0.00000	1.4810	0.07718	0.02934	146	-3.12	019.99	0
019	Calcium (%)	0154	1.2689	0.03450	1.4810	0.07718	0.02934	146	-2.75	019.52	0
019	Calcium (%)	0536	1.2750	0.01000	1.4810	0.07718	0.02934	146	-2.67	019.02	0
019	Calcium (%)	0852	1.3000	0.00000	1.4810	0.07718	0.02934	146	-2.35	019.08	0
019	Calcium (%)	0142	1.3075	0.02100	1.4810	0.07718	0.02934	146	-2.25	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0144	1.3200	0.00000	1.4810	0.07718	0.02934	146	-2.09	019.41	0
019	Calcium (%)	0622	1.3304	0.00010	1.4810	0.07718	0.02934	146	-1.95	019.00	0
019	Calcium (%)	0609	1.3500	0.02000	1.4810	0.07718	0.02934	146	-1.70	019.32	0
019	Calcium (%)	0895	1.3550	0.01000	1.4810	0.07718	0.02934	146	-1.63	019.00	0
019	Calcium (%)	0651	1.3575	0.00300	1.4810	0.07718	0.02934	146	-1.60	019.00	0
019	Calcium (%)	0623	1.3618	0.04650	1.4810	0.07718	0.02934	146	-1.55	019.00	0
019	Calcium (%)	0175	1.3700	0.02000	1.4810	0.07718	0.02934	146	-1.44	019.31	0
019	Calcium (%)	0405	1.3700	0.04000	1.4810	0.07718	0.02934	146	-1.44	019.41	0
019	Calcium (%)	0033	1.3700	0.04000	1.4810	0.07718	0.02934	146	-1.44	019.43	0
019	Calcium (%)	0893	1.3750	0.01000	1.4810	0.07718	0.02934	146	-1.37	019.00	0
019	Calcium (%)	0108	1.3750	0.05000	1.4810	0.07718	0.02934	146	-1.37	019.31	0
019	Calcium (%)	0089	1.3800	0.00000	1.4810	0.07718	0.02934	146	-1.31	019.41	0
019	Calcium (%)	0510	1.3800	0.02000	1.4810	0.07718	0.02934	146	-1.31	019.43	0
019	Calcium (%)	0653	1.3815	0.03300	1.4810	0.07718	0.02934	146	-1.29	019.31	0
019	Calcium (%)	0921	1.3840	0.04000	1.4810	0.07718	0.02934	146	-1.26	019.31	0
019	Calcium (%)	0042	1.3850	0.07000	1.4810	0.07718	0.02934	146	-1.24	019.42	0
019	Calcium (%)	0910	1.3900	0.06000	1.4810	0.07718	0.02934	146	-1.18	019.41	0
019	Calcium (%)	0897	1.3950	0.01000	1.4810	0.07718	0.02934	146	-1.11	019.00	0
019	Calcium (%)	0903	1.4050	0.01000	1.4810	0.07718	0.02934	146	-0.99	019.00	0
019	Calcium (%)	0695	1.4055	0.01300	1.4810	0.07718	0.02934	146	-0.98	019.41	0
019	Calcium (%)	0168	1.4065	0.02700	1.4810	0.07718	0.02934	146	-0.97	019.43	0
019	Calcium (%)	0620	1.4094	0.00000	1.4810	0.07718	0.02934	146	-0.93	019.00	0
019	Calcium (%)	0552	1.4150	0.05000	1.4810	0.07718	0.02934	146	-0.86	019.00	0
019	Calcium (%)	0297	1.4150	0.05000	1.4810	0.07718	0.02934	146	-0.86	019.43	0
019	Calcium (%)	0520	1.4250	0.11000	1.4810	0.07718	0.02934	146	-0.73	019.41	0
019	Calcium (%)	0036	1.4299	0.02300	1.4810	0.07718	0.02934	146	-0.66	019.43	0
019	Calcium (%)	0590	1.4300	0.04000	1.4810	0.07718	0.02934	146	-0.66	019.08	0
019	Calcium (%)	0098	1.4300	0.00000	1.4810	0.07718	0.02934	146	-0.66	019.41	0
019	Calcium (%)	0298	1.4300	0.02000	1.4810	0.07718	0.02934	146	-0.66	019.41	0
019	Calcium (%)	0011	1.4316	0.01650	1.4810	0.07718	0.02934	146	-0.64	019.41	0
019	Calcium (%)	0874	1.4328	0.03850	1.4810	0.07718	0.02934	146	-0.63	019.31	0
019	Calcium (%)	0205	1.4350	0.01000	1.4810	0.07718	0.02934	146	-0.60	019.42	0
019	Calcium (%)	0891	1.4353	0.01270	1.4810	0.07718	0.02934	146	-0.59	019.00	0
019	Calcium (%)	0511	1.4400	0.02000	1.4810	0.07718	0.02934	146	-0.53	019.41	0
019	Calcium (%)	0407	1.4450	0.01000	1.4810	0.07718	0.02934	146	-0.47	019.41	0
019	Calcium (%)	0885	1.4500	0.02000	1.4810	0.07718	0.02934	146	-0.40	019.08	0
019	Calcium (%)	0233	1.4500	0.00000	1.4810	0.07718	0.02934	146	-0.40	019.31	0
019	Calcium (%)	0358	1.4500	0.02000	1.4810	0.07718	0.02934	146	-0.40	019.41	0
019	Calcium (%)	0675	1.4500	0.02000	1.4810	0.07718	0.02934	146	-0.40	019.43	0
019	Calcium (%)	2006	1.4550	0.01800	1.4810	0.07718	0.02934	146	-0.34	019.09	0
019	Calcium (%)	0505	1.4550	0.01000	1.4810	0.07718	0.02934	146	-0.34	019.31	0
019	Calcium (%)	0638	1.4550	0.01000	1.4810	0.07718	0.02934	146	-0.34	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0868	1.4550	0.01000	1.4810	0.07718	0.02934	146	-0.34	019.31	0
019	Calcium (%)	2006	1.4550	0.01800	1.4810	0.07718	0.02934	146	-0.34	019.99	0
019	Calcium (%)	0138	1.4580	0.02400	1.4810	0.07718	0.02934	146	-0.30	019.08	0
019	Calcium (%)	0650	1.4600	0.04000	1.4810	0.07718	0.02934	146	-0.27	019.31	0
019	Calcium (%)	0687	1.4600	0.08000	1.4810	0.07718	0.02934	146	-0.27	019.31	0
019	Calcium (%)	2012	1.4600	0.00000	1.4810	0.07718	0.02934	146	-0.27	019.41	0
019	Calcium (%)	0278	1.4600	0.00000	1.4810	0.07718	0.02934	146	-0.27	019.42	0
019	Calcium (%)	0693	1.4625	0.04900	1.4810	0.07718	0.02934	146	-0.24	019.42	0
019	Calcium (%)	0918	1.4640	0.04200	1.4810	0.07718	0.02934	146	-0.22	019.43	0
019	Calcium (%)	0194	1.4650	0.01000	1.4810	0.07718	0.02934	146	-0.21	019.00	0
019	Calcium (%)	0265	1.4650	0.03000	1.4810	0.07718	0.02934	146	-0.21	019.42	0
019	Calcium (%)	0563	1.4667	0.00510	1.4810	0.07718	0.02934	146	-0.19	019.31	0
019	Calcium (%)	0682	1.4700	0.02000	1.4810	0.07718	0.02934	146	-0.14	019.41	0
019	Calcium (%)	0045	1.4700	0.00000	1.4810	0.07718	0.02934	146	-0.14	019.42	0
019	Calcium (%)	0242	1.4700	0.02000	1.4810	0.07718	0.02934	146	-0.14	019.99	0
019	Calcium (%)	0178	1.4720	0.00200	1.4810	0.07718	0.02934	146	-0.12	019.31	0
019	Calcium (%)	0887	1.4750	0.01000	1.4810	0.07718	0.02934	146	-0.08	019.00	0
019	Calcium (%)	0066	1.4750	0.07000	1.4810	0.07718	0.02934	146	-0.08	019.31	0
019	Calcium (%)	0148	1.4750	0.00600	1.4810	0.07718	0.02934	146	-0.08	019.41	0
019	Calcium (%)	2004	1.4750	0.07000	1.4810	0.07718	0.02934	146	-0.08	019.44	0
019	Calcium (%)	0560	1.4781	0.03740	1.4810	0.07718	0.02934	146	-0.04	019.42	0
019	Calcium (%)	0674	1.4800	0.00000	1.4810	0.07718	0.02934	146	-0.01	019.31	0
019	Calcium (%)	0171	1.4800	0.02000	1.4810	0.07718	0.02934	146	-0.01	019.41	0
019	Calcium (%)	2006	1.4815	0.01900	1.4810	0.07718	0.02934	146	0.01	019.00	0
019	Calcium (%)	0226	1.4850	0.01000	1.4810	0.07718	0.02934	146	0.05	019.41	0
019	Calcium (%)	2009	1.4866	0.00030	1.4810	0.07718	0.02934	146	0.07	019.08	0
019	Calcium (%)	0008	1.4900	0.02200	1.4810	0.07718	0.02934	146	0.12	019.43	0
019	Calcium (%)	0353	1.4900	0.00000	1.4810	0.07718	0.02934	146	0.12	019.43	0
019	Calcium (%)	0968	1.4925	0.00100	1.4810	0.07718	0.02934	146	0.15	019.43	0
019	Calcium (%)	0065	1.4930	0.01810	1.4810	0.07718	0.02934	146	0.15	019.31	0
019	Calcium (%)	0263	1.4930	0.00470	1.4810	0.07718	0.02934	146	0.15	019.32	0
019	Calcium (%)	0083	1.4950	0.03000	1.4810	0.07718	0.02934	146	0.18	019.41	0
019	Calcium (%)	0848	1.4950	0.03000	1.4810	0.07718	0.02934	146	0.18	019.41	0
019	Calcium (%)	0504	1.4965	0.08300	1.4810	0.07718	0.02934	146	0.20	019.42	0
019	Calcium (%)	0870	1.4985	0.01900	1.4810	0.07718	0.02934	146	0.23	019.42	0
019	Calcium (%)	2068	1.5000	0.00000	1.4810	0.07718	0.02934	146	0.25	019.00	0
019	Calcium (%)	0629	1.5000	0.02000	1.4810	0.07718	0.02934	146	0.25	019.08	0
019	Calcium (%)	0164	1.5000	0.00000	1.4810	0.07718	0.02934	146	0.25	019.41	0
019	Calcium (%)	0413	1.5000	0.00000	1.4810	0.07718	0.02934	146	0.25	019.41	0
019	Calcium (%)	2074	1.5000	0.00000	1.4810	0.07718	0.02934	146	0.25	019.42	0
019	Calcium (%)	0512	1.5030	0.02400	1.4810	0.07718	0.02934	146	0.28	019.41	0
019	Calcium (%)	0038	1.5050	0.01000	1.4810	0.07718	0.02934	146	0.31	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0354	1.5050	0.01000	1.4810	0.07718	0.02934	146	0.31	019.31	0
019	Calcium (%)	0074	1.5050	0.05000	1.4810	0.07718	0.02934	146	0.31	019.41	0
019	Calcium (%)	0229	1.5050	0.01000	1.4810	0.07718	0.02934	146	0.31	019.41	0
019	Calcium (%)	0300	1.5050	0.10400	1.4810	0.07718	0.02934	146	0.31	019.41	0
019	Calcium (%)	0038	1.5050	0.07000	1.4810	0.07718	0.02934	146	0.31	019.43	0
019	Calcium (%)	0035	1.5075	0.11900	1.4810	0.07718	0.02934	146	0.34	019.42	0
019	Calcium (%)	0572	1.5095	0.02700	1.4810	0.07718	0.02934	146	0.37	019.53	0
019	Calcium (%)	0689	1.5100	0.02000	1.4810	0.07718	0.02934	146	0.38	019.08	0
019	Calcium (%)	2022	1.5100	0.00000	1.4810	0.07718	0.02934	146	0.38	019.31	0
019	Calcium (%)	0668	1.5100	0.02000	1.4810	0.07718	0.02934	146	0.38	019.43	0
019	Calcium (%)	2062	1.5145	0.00100	1.4810	0.07718	0.02934	146	0.43	019.00	0
019	Calcium (%)	0169	1.5150	0.01000	1.4810	0.07718	0.02934	146	0.44	019.32	0
019	Calcium (%)	2053	1.5150	0.01000	1.4810	0.07718	0.02934	146	0.44	019.42	0
019	Calcium (%)	2042	1.5200	0.00000	1.4810	0.07718	0.02934	146	0.50	019.08	0
019	Calcium (%)	0425	1.5200	0.02000	1.4810	0.07718	0.02934	146	0.50	019.43	0
019	Calcium (%)	0139	1.5215	0.02100	1.4810	0.07718	0.02934	146	0.52	019.31	0
019	Calcium (%)	0849	1.5240	0.01200	1.4810	0.07718	0.02934	146	0.56	019.08	0
019	Calcium (%)	0681	1.5250	0.03000	1.4810	0.07718	0.02934	146	0.57	019.00	0
019	Calcium (%)	0948	1.5300	0.04000	1.4810	0.07718	0.02934	146	0.63	019.31	0
019	Calcium (%)	0723	1.5325	0.00000	1.4810	0.07718	0.02934	146	0.67	019.31	0
019	Calcium (%)	0357	1.5350	0.01000	1.4810	0.07718	0.02934	146	0.70	019.42	0
019	Calcium (%)	0049	1.5400	0.10000	1.4810	0.07718	0.02934	146	0.76	019.41	0
019	Calcium (%)	0629	1.5400	0.00000	1.4810	0.07718	0.02934	146	0.76	019.43	0
019	Calcium (%)	0619	1.5450	0.01000	1.4810	0.07718	0.02934	146	0.83	019.41	0
019	Calcium (%)	0294	1.5450	0.01000	1.4810	0.07718	0.02934	146	0.83	019.42	0
019	Calcium (%)	0692	1.5450	0.21000	1.4810	0.07718	0.02934	146	0.83	019.42	0
019	Calcium (%)	0689	1.5500	0.10000	1.4810	0.07718	0.02934	146	0.89	019.31	0
019	Calcium (%)	0004	1.5500	0.00000	1.4810	0.07718	0.02934	146	0.89	019.41	0
019	Calcium (%)	0555	1.5500	0.10000	1.4810	0.07718	0.02934	146	0.89	019.42	0
019	Calcium (%)	2011	1.5600	0.00000	1.4810	0.07718	0.02934	146	1.02	019.00	0
019	Calcium (%)	2063	1.5600	0.00000	1.4810	0.07718	0.02934	146	1.02	019.08	0
019	Calcium (%)	0003	1.5600	0.00000	1.4810	0.07718	0.02934	146	1.02	019.41	0
019	Calcium (%)	0098	1.5600	0.00000	1.4810	0.07718	0.02934	146	1.02	019.43	0
019	Calcium (%)	2023	1.5650	0.03000	1.4810	0.07718	0.02934	146	1.09	019.41	0
019	Calcium (%)	2023	1.5650	0.03000	1.4810	0.07718	0.02934	146	1.09	019.44	0
019	Calcium (%)	0939	1.5700	0.08000	1.4810	0.07718	0.02934	146	1.15	019.31	0
019	Calcium (%)	0123	1.5700	0.06000	1.4810	0.07718	0.02934	146	1.15	019.41	0
019	Calcium (%)	0964	1.5724	0.01050	1.4810	0.07718	0.02934	146	1.18	019.41	0
019	Calcium (%)	0726	1.5760	0.00600	1.4810	0.07718	0.02934	146	1.23	019.42	0
019	Calcium (%)	0610	1.5800	0.00000	1.4810	0.07718	0.02934	146	1.28	019.41	0
019	Calcium (%)	0100	1.5800	0.02000	1.4810	0.07718	0.02934	146	1.28	019.99	0
019	Calcium (%)	0035	1.5815	0.12700	1.4810	0.07718	0.02934	146	1.30	019.32	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0036	1.5826	0.00210	1.4810	0.07718	0.02934	146	1.32	019.03	0
019	Calcium (%)	0504	1.5840	0.06000	1.4810	0.07718	0.02934	146	1.33	019.33	0
019	Calcium (%)	0912	1.5900	0.00000	1.4810	0.07718	0.02934	146	1.41	019.53	0
019	Calcium (%)	0706	1.6000	0.00000	1.4810	0.07718	0.02934	146	1.54	019.08	0
019	Calcium (%)	0190	1.6100	0.04000	1.4810	0.07718	0.02934	146	1.67	019.42	0
019	Calcium (%)	0037	1.6250	0.07000	1.4810	0.07718	0.02934	146	1.87	019.43	0
019	Calcium (%)	0598	1.6290	0.01800	1.4810	0.07718	0.02934	146	1.92	019.41	0
019	Calcium (%)	0720	1.6300	0.10000	1.4810	0.07718	0.02934	146	1.93	019.41	0
019	Calcium (%)	0504	1.6325	0.00500	1.4810	0.07718	0.02934	146	1.96	019.32	0
019	Calcium (%)	0337	1.6400	0.48000	1.4810	0.07718	0.02934	146	2.06	019.00	0
019	Calcium (%)	2055	1.6400	0.02000	1.4810	0.07718	0.02934	146	2.06	019.53	0
019	Calcium (%)	0536	1.6550	0.05000	1.4810	0.07718	0.02934	146	2.25	019.31	0
019	Calcium (%)	0187	1.7050	0.01000	1.4810	0.07718	0.02934	146	2.90	019.42	0
019	Calcium (%)	0345	2.9320	3.0180	1.4810	0.07718	0.02934	146	18.80	019.43	2
021	Cobalt (mg / kg (ppm))	0918	0.68575	0.07590	1.1639	0.33555	0.10437	22	-1.43	021.53	0
021	Cobalt (mg / kg (ppm))	0619	0.74800	0.00600	1.1639	0.33555	0.10437	22	-1.24	021.41	0
021	Cobalt (mg / kg (ppm))	0693	0.81050	0.08300	1.1639	0.33555	0.10437	22	-1.05	021.00	0
021	Cobalt (mg / kg (ppm))	0555	0.81500	0.07000	1.1639	0.33555	0.10437	22	-1.04	021.52	0
021	Cobalt (mg / kg (ppm))	0171	0.85500	0.05000	1.1639	0.33555	0.10437	22	-0.92	021.41	0
021	Cobalt (mg / kg (ppm))	0098	0.90050	0.38300	1.1639	0.33555	0.10437	22	-0.79	021.53	0
021	Cobalt (mg / kg (ppm))	0345	0.92500	0.01000	1.1639	0.33555	0.10437	22	-0.71	021.43	0
021	Cobalt (mg / kg (ppm))	2055	0.99500	0.04400	1.1639	0.33555	0.10437	22	-0.50	021.53	0
021	Cobalt (mg / kg (ppm))	0912	1.0900	0.00000	1.1639	0.33555	0.10437	22	-0.22	021.53	0
021	Cobalt (mg / kg (ppm))	0560	1.1500	0.10000	1.1639	0.33555	0.10437	22	-0.04	021.42	0
021	Cobalt (mg / kg (ppm))	0011	1.1838	0.01450	1.1639	0.33555	0.10437	22	0.06	021.41	0
021	Cobalt (mg / kg (ppm))	0553	1.1940	0.43200	1.1639	0.33555	0.10437	22	0.09	021.53	0
021	Cobalt (mg / kg (ppm))	0689	1.2000	0.00000	1.1639	0.33555	0.10437	22	0.11	021.31	0
021	Cobalt (mg / kg (ppm))	0510	1.2250	0.01000	1.1639	0.33555	0.10437	22	0.18	021.43	0
021	Cobalt (mg / kg (ppm))	0610	1.2700	0.02000	1.1639	0.33555	0.10437	22	0.32	021.34	0
021	Cobalt (mg / kg (ppm))	0164	1.3500	0.10000	1.1639	0.33555	0.10437	22	0.55	021.31	0
021	Cobalt (mg / kg (ppm))	0169	1.4300	0.12000	1.1639	0.33555	0.10437	22	0.79	021.43	0
021	Cobalt (mg / kg (ppm))	0964	1.4445	0.27780	1.1639	0.33555	0.10437	22	0.84	021.41	0
021	Cobalt (mg / kg (ppm))	2022	1.5000	0.20000	1.1639	0.33555	0.10437	22	1.00	021.31	0
021	Cobalt (mg / kg (ppm))	0038	1.5000	0.00000	1.1639	0.33555	0.10437	22	1.00	021.43	0
021	Cobalt (mg / kg (ppm))	2074	1.8500	0.30000	1.1639	0.33555	0.10437	22	2.04	021.42	0
021	Cobalt (mg / kg (ppm))	0646	2.2000	0.00000	1.1639	0.33555	0.10437	22	3.09	021.31	0
021	Cobalt (mg / kg (ppm))	0043	1.4750	0.57000	1.1639	0.33555	0.10437	22	0.93	021.43	1
022	Copper (mg / kg (ppm))	0405	14.500	1.0000	22.931	1.8800	0.85296	93	-4.48	022.41	0
022	Copper (mg / kg (ppm))	0004	18.000	2.0000	22.931	1.8800	0.85296	93	-2.62	022.41	0
022	Copper (mg / kg (ppm))	0536	18.140	0.72000	22.931	1.8800	0.85296	93	-2.55	022.31	0
022	Copper (mg / kg (ppm))	0874	18.400	1.4000	22.931	1.8800	0.85296	93	-2.41	022.31	0
022	Copper (mg / kg (ppm))	0619	18.700	0.20000	22.931	1.8800	0.85296	93	-2.25	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0049	18.885	2.3900	22.931	1.8800	0.85296	93	-2.15	022.41	0
022	Copper (mg / kg (ppm))	0598	19.690	0.70000	22.931	1.8800	0.85296	93	-1.72	022.41	0
022	Copper (mg / kg (ppm))	0609	20.000	0.00000	22.931	1.8800	0.85296	93	-1.56	022.32	0
022	Copper (mg / kg (ppm))	2023	20.100	0.20000	22.931	1.8800	0.85296	93	-1.51	022.53	0
022	Copper (mg / kg (ppm))	0178	20.485	0.79000	22.931	1.8800	0.85296	93	-1.30	022.31	0
022	Copper (mg / kg (ppm))	0354	20.485	0.39000	22.931	1.8800	0.85296	93	-1.30	022.31	0
022	Copper (mg / kg (ppm))	0353	20.625	0.23000	22.931	1.8800	0.85296	93	-1.23	022.43	0
022	Copper (mg / kg (ppm))	0098	20.965	1.4700	22.931	1.8800	0.85296	93	-1.05	022.41	0
022	Copper (mg / kg (ppm))	0242	21.000	2.0000	22.931	1.8800	0.85296	93	-1.03	022.99	0
022	Copper (mg / kg (ppm))	0045	21.100	0.00000	22.931	1.8800	0.85296	93	-0.97	022.42	0
022	Copper (mg / kg (ppm))	0674	21.110	0.00000	22.931	1.8800	0.85296	93	-0.97	022.31	0
022	Copper (mg / kg (ppm))	0629	21.250	0.50000	22.931	1.8800	0.85296	93	-0.89	022.31	0
022	Copper (mg / kg (ppm))	0520	21.255	2.1300	22.931	1.8800	0.85296	93	-0.89	022.41	0
022	Copper (mg / kg (ppm))	2067	21.265	1.0720	22.931	1.8800	0.85296	93	-0.89	022.31	0
022	Copper (mg / kg (ppm))	0169	21.300	0.20000	22.931	1.8800	0.85296	93	-0.87	022.43	0
022	Copper (mg / kg (ppm))	0629	21.400	0.00000	22.931	1.8800	0.85296	93	-0.81	022.43	0
022	Copper (mg / kg (ppm))	0164	21.500	1.0000	22.931	1.8800	0.85296	93	-0.76	022.41	0
022	Copper (mg / kg (ppm))	0100	21.500	1.0000	22.931	1.8800	0.85296	93	-0.76	022.99	0
022	Copper (mg / kg (ppm))	0653	21.720	1.0800	22.931	1.8800	0.85296	93	-0.64	022.31	0
022	Copper (mg / kg (ppm))	0345	21.800	0.20000	22.931	1.8800	0.85296	93	-0.60	022.43	0
022	Copper (mg / kg (ppm))	0425	21.800	0.20000	22.931	1.8800	0.85296	93	-0.60	022.43	0
022	Copper (mg / kg (ppm))	0098	21.950	2.3600	22.931	1.8800	0.85296	93	-0.52	022.43	0
022	Copper (mg / kg (ppm))	0294	21.980	0.04000	22.931	1.8800	0.85296	93	-0.51	022.42	0
022	Copper (mg / kg (ppm))	0035	21.990	0.96000	22.931	1.8800	0.85296	93	-0.50	022.32	0
022	Copper (mg / kg (ppm))	0003	22.000	2.0000	22.931	1.8800	0.85296	93	-0.50	022.41	0
022	Copper (mg / kg (ppm))	0074	22.000	0.00000	22.931	1.8800	0.85296	93	-0.50	022.41	0
022	Copper (mg / kg (ppm))	0910	22.000	0.00000	22.931	1.8800	0.85296	93	-0.50	022.41	0
022	Copper (mg / kg (ppm))	0297	22.000	2.0000	22.931	1.8800	0.85296	93	-0.50	022.43	0
022	Copper (mg / kg (ppm))	0682	22.150	0.10000	22.931	1.8800	0.85296	93	-0.42	022.41	0
022	Copper (mg / kg (ppm))	0011	22.243	0.44500	22.931	1.8800	0.85296	93	-0.37	022.41	0
022	Copper (mg / kg (ppm))	0918	22.245	0.03000	22.931	1.8800	0.85296	93	-0.36	022.43	0
022	Copper (mg / kg (ppm))	0638	22.300	0.00000	22.931	1.8800	0.85296	93	-0.34	022.31	0
022	Copper (mg / kg (ppm))	0175	22.500	1.0000	22.931	1.8800	0.85296	93	-0.23	022.31	0
022	Copper (mg / kg (ppm))	0870	22.520	0.50000	22.931	1.8800	0.85296	93	-0.22	022.42	0
022	Copper (mg / kg (ppm))	0868	22.600	0.00000	22.931	1.8800	0.85296	93	-0.18	022.31	0
022	Copper (mg / kg (ppm))	0948	22.600	0.48000	22.931	1.8800	0.85296	93	-0.18	022.33	0
022	Copper (mg / kg (ppm))	0563	22.690	0.74000	22.931	1.8800	0.85296	93	-0.13	022.31	0
022	Copper (mg / kg (ppm))	0692	22.700	3.6000	22.931	1.8800	0.85296	93	-0.12	022.42	0
022	Copper (mg / kg (ppm))	0723	22.782	0.00000	22.931	1.8800	0.85296	93	-0.08	022.31	0
022	Copper (mg / kg (ppm))	0358	22.885	0.05000	22.931	1.8800	0.85296	93	-0.02	022.41	0
022	Copper (mg / kg (ppm))	0590	23.000	0.00000	22.931	1.8800	0.85296	93	0.04	022.31	0
022	Copper (mg / kg (ppm))	0229	23.000	2.0000	22.931	1.8800	0.85296	93	0.04	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0265	23.000	0.00000	22.931	1.8800	0.85296	93	0.04	022.42	0
022	Copper (mg / kg (ppm))	0510	23.000	0.00000	22.931	1.8800	0.85296	93	0.04	022.43	0
022	Copper (mg / kg (ppm))	0968	23.000	0.00000	22.931	1.8800	0.85296	93	0.04	022.43	0
022	Copper (mg / kg (ppm))	0512	23.040	3.3800	22.931	1.8800	0.85296	93	0.06	022.41	0
022	Copper (mg / kg (ppm))	2004	23.050	1.1000	22.931	1.8800	0.85296	93	0.06	022.44	0
022	Copper (mg / kg (ppm))	0038	23.150	0.30000	22.931	1.8800	0.85296	93	0.12	022.43	0
022	Copper (mg / kg (ppm))	0505	23.250	1.5000	22.931	1.8800	0.85296	93	0.17	022.31	0
022	Copper (mg / kg (ppm))	0668	23.250	1.1000	22.931	1.8800	0.85296	93	0.17	022.43	0
022	Copper (mg / kg (ppm))	0413	23.300	1.6000	22.931	1.8800	0.85296	93	0.20	022.42	0
022	Copper (mg / kg (ppm))	0560	23.350	0.10000	22.931	1.8800	0.85296	93	0.22	022.42	0
022	Copper (mg / kg (ppm))	0226	23.500	1.0000	22.931	1.8800	0.85296	93	0.30	022.41	0
022	Copper (mg / kg (ppm))	0555	23.500	1.0000	22.931	1.8800	0.85296	93	0.30	022.52	0
022	Copper (mg / kg (ppm))	0008	23.545	1.0300	22.931	1.8800	0.85296	93	0.33	022.43	0
022	Copper (mg / kg (ppm))	0693	23.573	0.59200	22.931	1.8800	0.85296	93	0.34	022.42	0
022	Copper (mg / kg (ppm))	0504	23.610	1.7600	22.931	1.8800	0.85296	93	0.36	022.32	0
022	Copper (mg / kg (ppm))	0964	23.633	2.4900	22.931	1.8800	0.85296	93	0.37	022.41	0
022	Copper (mg / kg (ppm))	0939	23.745	2.4100	22.931	1.8800	0.85296	93	0.43	022.31	0
022	Copper (mg / kg (ppm))	0689	23.750	1.3000	22.931	1.8800	0.85296	93	0.44	022.31	0
022	Copper (mg / kg (ppm))	0035	23.785	0.15000	22.931	1.8800	0.85296	93	0.45	022.42	0
022	Copper (mg / kg (ppm))	0726	23.815	0.05000	22.931	1.8800	0.85296	93	0.47	022.42	0
022	Copper (mg / kg (ppm))	0572	23.850	0.10000	22.931	1.8800	0.85296	93	0.49	022.53	0
022	Copper (mg / kg (ppm))	0610	24.000	1.0000	22.931	1.8800	0.85296	93	0.57	022.41	0
022	Copper (mg / kg (ppm))	0357	24.000	0.00000	22.931	1.8800	0.85296	93	0.57	022.42	0
022	Copper (mg / kg (ppm))	0912	24.000	0.00000	22.931	1.8800	0.85296	93	0.57	022.53	0
022	Copper (mg / kg (ppm))	0033	24.100	0.60000	22.931	1.8800	0.85296	93	0.62	022.43	0
022	Copper (mg / kg (ppm))	0148	24.180	0.22000	22.931	1.8800	0.85296	93	0.66	022.41	0
022	Copper (mg / kg (ppm))	0066	24.195	0.55000	22.931	1.8800	0.85296	93	0.67	022.31	0
022	Copper (mg / kg (ppm))	2012	24.360	2.5400	22.931	1.8800	0.85296	93	0.76	022.41	0
022	Copper (mg / kg (ppm))	0278	24.500	0.40000	22.931	1.8800	0.85296	93	0.83	022.42	0
022	Copper (mg / kg (ppm))	0168	24.935	0.47000	22.931	1.8800	0.85296	93	1.07	022.43	0
022	Copper (mg / kg (ppm))	0083	25.000	0.00000	22.931	1.8800	0.85296	93	1.10	022.41	0
022	Copper (mg / kg (ppm))	0037	25.250	0.50000	22.931	1.8800	0.85296	93	1.23	022.43	0
022	Copper (mg / kg (ppm))	0695	25.296	0.73700	22.931	1.8800	0.85296	93	1.26	022.41	0
022	Copper (mg / kg (ppm))	0038	25.500	1.0000	22.931	1.8800	0.85296	93	1.37	022.32	0
022	Copper (mg / kg (ppm))	0675	25.915	0.31000	22.931	1.8800	0.85296	93	1.59	022.43	0
022	Copper (mg / kg (ppm))	0555	26.500	1.0000	22.931	1.8800	0.85296	93	1.90	022.42	0
022	Copper (mg / kg (ppm))	0190	26.520	0.22000	22.931	1.8800	0.85296	93	1.91	022.42	0
022	Copper (mg / kg (ppm))	0042	26.900	0.20000	22.931	1.8800	0.85296	93	2.11	022.42	0
022	Copper (mg / kg (ppm))	0646	27.000	1.0000	22.931	1.8800	0.85296	93	2.16	022.31	0
022	Copper (mg / kg (ppm))	2055	27.000	2.0000	22.931	1.8800	0.85296	93	2.16	022.53	0
022	Copper (mg / kg (ppm))	0511	27.500	3.0000	22.931	1.8800	0.85296	93	2.43	022.41	0
022	Copper (mg / kg (ppm))	0407	29.200	0.06000	22.931	1.8800	0.85296	93	3.33	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0681	30.885	0.05000	22.931	1.8800	0.85296	93	4.23	022.99	0
022	Copper (mg / kg (ppm))	0187	32.700	0.40000	22.931	1.8800	0.85296	93	5.20	022.42	0
022	Copper (mg / kg (ppm))	0043	34.250	4.5000	22.931	1.8800	0.85296	93	6.02	022.43	0
022	Copper (mg / kg (ppm))	0720	41.182	0.42900	22.931	1.8800	0.85296	93	9.71	022.41	0
022	Copper (mg / kg (ppm))	0921	20.340	5.5200	22.931	1.8800	0.85296	93	-1.38	022.31	1
022	Copper (mg / kg (ppm))	0171	26.400	12.000	22.931	1.8800	0.85296	93	1.85	022.41	1
025	Iron (mg / kg (ppm))	0187	141.16	0.51000	336.93	23.650	8.2449	88	-8.28	025.42	0
025	Iron (mg / kg (ppm))	2055	249.00	34.000	336.93	23.650	8.2449	88	-3.72	025.53	0
025	Iron (mg / kg (ppm))	0609	277.50	5.0000	336.93	23.650	8.2449	88	-2.51	025.32	0
025	Iron (mg / kg (ppm))	0948	280.50	7.0300	336.93	23.650	8.2449	88	-2.39	025.33	0
025	Iron (mg / kg (ppm))	0675	285.05	1.7500	336.93	23.650	8.2449	88	-2.19	025.43	0
025	Iron (mg / kg (ppm))	2023	288.50	9.0000	336.93	23.650	8.2449	88	-2.05	025.43	0
025	Iron (mg / kg (ppm))	0154	293.00	32.200	336.93	23.650	8.2449	88	-1.86	025.52	0
025	Iron (mg / kg (ppm))	0921	295.28	12.780	336.93	23.650	8.2449	88	-1.76	025.31	0
025	Iron (mg / kg (ppm))	0043	298.50	1.0000	336.93	23.650	8.2449	88	-1.62	025.43	0
025	Iron (mg / kg (ppm))	0918	299.27	25.970	336.93	23.650	8.2449	88	-1.59	025.43	0
025	Iron (mg / kg (ppm))	0425	301.00	11.200	336.93	23.650	8.2449	88	-1.52	025.43	0
025	Iron (mg / kg (ppm))	0337	301.50	13.000	336.93	23.650	8.2449	88	-1.50	025.32	0
025	Iron (mg / kg (ppm))	0505	302.50	5.0000	336.93	23.650	8.2449	88	-1.46	025.31	0
025	Iron (mg / kg (ppm))	0695	308.94	3.2930	336.93	23.650	8.2449	88	-1.18	025.41	0
025	Iron (mg / kg (ppm))	0619	313.00	2.0000	336.93	23.650	8.2449	88	-1.01	025.41	0
025	Iron (mg / kg (ppm))	0098	314.30	43.200	336.93	23.650	8.2449	88	-0.96	025.43	0
025	Iron (mg / kg (ppm))	0226	315.00	4.0000	336.93	23.650	8.2449	88	-0.93	025.41	0
025	Iron (mg / kg (ppm))	0720	315.75	2.5000	336.93	23.650	8.2449	88	-0.90	025.41	0
025	Iron (mg / kg (ppm))	0638	316.00	4.0000	336.93	23.650	8.2449	88	-0.89	025.31	0
025	Iron (mg / kg (ppm))	0278	316.50	7.0000	336.93	23.650	8.2449	88	-0.86	025.42	0
025	Iron (mg / kg (ppm))	2074	320.00	0.00000	336.93	23.650	8.2449	88	-0.72	025.42	0
025	Iron (mg / kg (ppm))	2012	320.65	2.6100	336.93	23.650	8.2449	88	-0.69	025.41	0
025	Iron (mg / kg (ppm))	0870	322.45	10.900	336.93	23.650	8.2449	88	-0.61	025.42	0
025	Iron (mg / kg (ppm))	0726	323.00	4.8000	336.93	23.650	8.2449	88	-0.59	025.42	0
025	Iron (mg / kg (ppm))	0242	323.00	12.000	336.93	23.650	8.2449	88	-0.59	025.99	0
025	Iron (mg / kg (ppm))	0555	323.43	22.080	336.93	23.650	8.2449	88	-0.57	025.42	0
025	Iron (mg / kg (ppm))	0511	323.50	5.0000	336.93	23.650	8.2449	88	-0.57	025.41	0
025	Iron (mg / kg (ppm))	0555	325.00	10.000	336.93	23.650	8.2449	88	-0.50	025.52	0
025	Iron (mg / kg (ppm))	0033	325.50	9.0000	336.93	23.650	8.2449	88	-0.48	025.43	0
025	Iron (mg / kg (ppm))	0968	326.50	1.0000	336.93	23.650	8.2449	88	-0.44	025.43	0
025	Iron (mg / kg (ppm))	0668	327.50	39.000	336.93	23.650	8.2449	88	-0.40	025.43	0
025	Iron (mg / kg (ppm))	0265	328.00	2.0000	336.93	23.650	8.2449	88	-0.38	025.42	0
025	Iron (mg / kg (ppm))	0563	328.50	1.0000	336.93	23.650	8.2449	88	-0.36	025.31	0
025	Iron (mg / kg (ppm))	0083	328.50	5.0000	336.93	23.650	8.2449	88	-0.36	025.41	0
025	Iron (mg / kg (ppm))	0610	331.50	5.0000	336.93	23.650	8.2449	88	-0.23	025.41	0
025	Iron (mg / kg (ppm))	0169	332.00	8.0000	336.93	23.650	8.2449	88	-0.21	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0297	332.50	1.0000	336.93	23.650	8.2449	88	-0.19	025.43	0
025	Iron (mg / kg (ppm))	0100	333.00	2.0000	336.93	23.650	8.2449	88	-0.17	025.99	0
025	Iron (mg / kg (ppm))	0407	333.95	5.2400	336.93	23.650	8.2449	88	-0.13	025.41	0
025	Iron (mg / kg (ppm))	0345	334.50	5.0000	336.93	23.650	8.2449	88	-0.10	025.43	0
025	Iron (mg / kg (ppm))	0629	335.00	0.00000	336.93	23.650	8.2449	88	-0.08	025.31	0
025	Iron (mg / kg (ppm))	0168	335.00	30.000	336.93	23.650	8.2449	88	-0.08	025.43	0
025	Iron (mg / kg (ppm))	0520	335.30	13.400	336.93	23.650	8.2449	88	-0.07	025.41	0
025	Iron (mg / kg (ppm))	0098	336.75	24.300	336.93	23.650	8.2449	88	-0.01	025.41	0
025	Iron (mg / kg (ppm))	0011	337.20	3.3900	336.93	23.650	8.2449	88	0.01	025.41	0
025	Iron (mg / kg (ppm))	0560	339.60	31.600	336.93	23.650	8.2449	88	0.11	025.42	0
025	Iron (mg / kg (ppm))	0148	340.75	0.30000	336.93	23.650	8.2449	88	0.16	025.41	0
025	Iron (mg / kg (ppm))	0910	341.00	4.0000	336.93	23.650	8.2449	88	0.17	025.41	0
025	Iron (mg / kg (ppm))	0164	342.00	2.0000	336.93	23.650	8.2449	88	0.21	025.41	0
025	Iron (mg / kg (ppm))	0354	342.28	0.00000	336.93	23.650	8.2449	88	0.23	025.31	0
025	Iron (mg / kg (ppm))	0723	343.80	0.00000	336.93	23.650	8.2449	88	0.29	025.31	0
025	Iron (mg / kg (ppm))	0510	344.00	6.0000	336.93	23.650	8.2449	88	0.30	025.43	0
025	Iron (mg / kg (ppm))	0358	344.40	1.8400	336.93	23.650	8.2449	88	0.32	025.41	0
025	Iron (mg / kg (ppm))	0629	344.50	3.0000	336.93	23.650	8.2449	88	0.32	025.43	0
025	Iron (mg / kg (ppm))	0413	345.00	20.000	336.93	23.650	8.2449	88	0.34	025.42	0
025	Iron (mg / kg (ppm))	0598	346.65	4.5000	336.93	23.650	8.2449	88	0.41	025.41	0
025	Iron (mg / kg (ppm))	0190	347.36	0.92000	336.93	23.650	8.2449	88	0.44	025.42	0
025	Iron (mg / kg (ppm))	0353	347.70	5.8000	336.93	23.650	8.2449	88	0.46	025.43	0
025	Iron (mg / kg (ppm))	0175	348.00	8.0000	336.93	23.650	8.2449	88	0.47	025.31	0
025	Iron (mg / kg (ppm))	0646	348.00	0.00000	336.93	23.650	8.2449	88	0.47	025.31	0
025	Iron (mg / kg (ppm))	2004	348.00	14.000	336.93	23.650	8.2449	88	0.47	025.41	0
025	Iron (mg / kg (ppm))	0689	349.50	3.0000	336.93	23.650	8.2449	88	0.53	025.31	0
025	Iron (mg / kg (ppm))	0229	349.50	9.0000	336.93	23.650	8.2449	88	0.53	025.41	0
025	Iron (mg / kg (ppm))	0682	349.50	1.0000	336.93	23.650	8.2449	88	0.53	025.41	0
025	Iron (mg / kg (ppm))	0512	349.90	1.6000	336.93	23.650	8.2449	88	0.55	025.41	0
025	Iron (mg / kg (ppm))	2022	350.25	1.7000	336.93	23.650	8.2449	88	0.56	025.31	0
025	Iron (mg / kg (ppm))	0504	351.25	33.500	336.93	23.650	8.2449	88	0.61	025.33	0
025	Iron (mg / kg (ppm))	0171	352.00	2.0000	336.93	23.650	8.2449	88	0.64	025.41	0
025	Iron (mg / kg (ppm))	0294	353.69	0.38000	336.93	23.650	8.2449	88	0.71	025.42	0
025	Iron (mg / kg (ppm))	0693	354.49	3.8400	336.93	23.650	8.2449	88	0.74	025.42	0
025	Iron (mg / kg (ppm))	0008	356.25	13.300	336.93	23.650	8.2449	88	0.82	025.43	0
025	Iron (mg / kg (ppm))	0004	359.50	1.0000	336.93	23.650	8.2449	88	0.95	025.41	0
025	Iron (mg / kg (ppm))	0035	360.65	6.5000	336.93	23.650	8.2449	88	1.00	025.42	0
025	Iron (mg / kg (ppm))	0074	362.00	8.0000	336.93	23.650	8.2449	88	1.06	025.41	0
025	Iron (mg / kg (ppm))	0049	362.41	9.0700	336.93	23.650	8.2449	88	1.08	025.41	0
025	Iron (mg / kg (ppm))	0868	365.00	2.0000	336.93	23.650	8.2449	88	1.19	025.31	0
025	Iron (mg / kg (ppm))	0042	367.00	6.0000	336.93	23.650	8.2449	88	1.27	025.42	0
025	Iron (mg / kg (ppm))	0038	368.00	4.0000	336.93	23.650	8.2449	88	1.31	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0038	371.00	4.0000	336.93	23.650	8.2449	88	1.44	025.31	0
025	Iron (mg / kg (ppm))	0504	372.25	12.100	336.93	23.650	8.2449	88	1.49	025.32	0
025	Iron (mg / kg (ppm))	0874	375.50	13.000	336.93	23.650	8.2449	88	1.63	025.31	0
025	Iron (mg / kg (ppm))	0405	386.00	2.0000	336.93	23.650	8.2449	88	2.07	025.41	0
025	Iron (mg / kg (ppm))	0037	392.75	3.1000	336.93	23.650	8.2449	88	2.36	025.43	0
025	Iron (mg / kg (ppm))	0045	394.00	4.0000	336.93	23.650	8.2449	88	2.41	025.42	0
025	Iron (mg / kg (ppm))	2067	398.30	1.5780	336.93	23.650	8.2449	88	2.60	025.31	0
025	Iron (mg / kg (ppm))	0066	403.92	5.4700	336.93	23.650	8.2449	88	2.83	025.31	0
025	Iron (mg / kg (ppm))	0653	415.45	26.300	336.93	23.650	8.2449	88	3.32	025.31	0
025	Iron (mg / kg (ppm))	0912	430.00	0.00000	336.93	23.650	8.2449	88	3.94	025.53	0
025	Iron (mg / kg (ppm))	0692	299.50	49.000	336.93	23.650	8.2449	88	-1.58	025.42	1
025	Iron (mg / kg (ppm))	0964	380.20	60.500	336.93	23.650	8.2449	88	1.83	025.41	1
027	Magnesium (%)	0889	0.08500	0.01000	0.15846	0.00963	0.00459	86	-7.63	027.99	0
027	Magnesium (%)	0405	0.12500	0.01000	0.15846	0.00963	0.00459	86	-3.47	027.41	0
027	Magnesium (%)	0520	0.12500	0.01000	0.15846	0.00963	0.00459	86	-3.47	027.41	0
027	Magnesium (%)	0345	0.13750	0.00300	0.15846	0.00963	0.00459	86	-2.18	027.43	0
027	Magnesium (%)	0921	0.13800	0.00400	0.15846	0.00963	0.00459	86	-2.12	027.31	0
027	Magnesium (%)	0043	0.14000	0.00000	0.15846	0.00963	0.00459	86	-1.92	027.43	0
027	Magnesium (%)	0650	0.14040	0.01220	0.15846	0.00963	0.00459	86	-1.88	027.31	0
027	Magnesium (%)	0154	0.14100	0.00360	0.15846	0.00963	0.00459	86	-1.81	027.52	0
027	Magnesium (%)	0918	0.14350	0.00100	0.15846	0.00963	0.00459	86	-1.55	027.43	0
027	Magnesium (%)	0175	0.15000	0.00000	0.15846	0.00963	0.00459	86	-0.88	027.31	0
027	Magnesium (%)	0638	0.15000	0.00000	0.15846	0.00963	0.00459	86	-0.88	027.31	0
027	Magnesium (%)	0229	0.15000	0.00000	0.15846	0.00963	0.00459	86	-0.88	027.41	0
027	Magnesium (%)	0358	0.15000	0.00000	0.15846	0.00963	0.00459	86	-0.88	027.41	0
027	Magnesium (%)	0510	0.15000	0.00000	0.15846	0.00963	0.00459	86	-0.88	027.43	0
027	Magnesium (%)	0033	0.15000	0.00000	0.15846	0.00963	0.00459	86	-0.88	027.43	0
027	Magnesium (%)	0142	0.15050	0.00500	0.15846	0.00963	0.00459	86	-0.83	027.31	0
027	Magnesium (%)	2004	0.15050	0.00300	0.15846	0.00963	0.00459	86	-0.83	027.44	0
027	Magnesium (%)	0868	0.15150	0.00100	0.15846	0.00963	0.00459	86	-0.72	027.31	0
027	Magnesium (%)	0629	0.15150	0.00300	0.15846	0.00963	0.00459	86	-0.72	027.43	0
027	Magnesium (%)	0560	0.15190	0.00800	0.15846	0.00963	0.00459	86	-0.68	027.42	0
027	Magnesium (%)	0042	0.15250	0.00300	0.15846	0.00963	0.00459	86	-0.62	027.42	0
027	Magnesium (%)	0038	0.15250	0.00100	0.15846	0.00963	0.00459	86	-0.62	027.43	0
027	Magnesium (%)	2022	0.15300	0.00400	0.15846	0.00963	0.00459	86	-0.57	027.31	0
027	Magnesium (%)	0148	0.15300	0.00200	0.15846	0.00963	0.00459	86	-0.57	027.41	0
027	Magnesium (%)	0168	0.15300	0.00600	0.15846	0.00963	0.00459	86	-0.57	027.43	0
027	Magnesium (%)	0035	0.15340	0.00040	0.15846	0.00963	0.00459	86	-0.53	027.42	0
027	Magnesium (%)	0045	0.15350	0.00300	0.15846	0.00963	0.00459	86	-0.52	027.42	0
027	Magnesium (%)	0035	0.15390	0.00020	0.15846	0.00963	0.00459	86	-0.47	027.32	0
027	Magnesium (%)	0653	0.15450	0.00100	0.15846	0.00963	0.00459	86	-0.41	027.31	0
027	Magnesium (%)	0609	0.15500	0.01000	0.15846	0.00963	0.00459	86	-0.36	027.32	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0049	0.15500	0.01000	0.15846	0.00963	0.00459	86	-0.36	027.41	0
027	Magnesium (%)	0413	0.15500	0.01000	0.15846	0.00963	0.00459	86	-0.36	027.41	0
027	Magnesium (%)	0265	0.15500	0.01000	0.15846	0.00963	0.00459	86	-0.36	027.42	0
027	Magnesium (%)	0555	0.15500	0.01000	0.15846	0.00963	0.00459	86	-0.36	027.42	0
027	Magnesium (%)	0692	0.15500	0.01000	0.15846	0.00963	0.00459	86	-0.36	027.42	0
027	Magnesium (%)	0563	0.15575	0.00010	0.15846	0.00963	0.00459	86	-0.28	027.31	0
027	Magnesium (%)	0874	0.15580	0.00120	0.15846	0.00963	0.00459	86	-0.28	027.31	0
027	Magnesium (%)	0038	0.15600	0.00600	0.15846	0.00963	0.00459	86	-0.26	027.31	0
027	Magnesium (%)	0504	0.15605	0.01710	0.15846	0.00963	0.00459	86	-0.25	027.33	0
027	Magnesium (%)	0065	0.15620	0.00040	0.15846	0.00963	0.00459	86	-0.24	027.31	0
027	Magnesium (%)	0695	0.15700	0.00200	0.15846	0.00963	0.00459	86	-0.15	027.41	0
027	Magnesium (%)	0504	0.15735	0.00070	0.15846	0.00963	0.00459	86	-0.12	027.32	0
027	Magnesium (%)	0008	0.15750	0.00100	0.15846	0.00963	0.00459	86	-0.10	027.43	0
027	Magnesium (%)	0870	0.15840	0.00460	0.15846	0.00963	0.00459	86	-0.01	027.42	0
027	Magnesium (%)	0139	0.15900	0.00060	0.15846	0.00963	0.00459	86	0.06	027.31	0
027	Magnesium (%)	0668	0.15900	0.00800	0.15846	0.00963	0.00459	86	0.06	027.43	0
027	Magnesium (%)	0354	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.31	0
027	Magnesium (%)	0074	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.41	0
027	Magnesium (%)	0164	0.16000	0.00200	0.15846	0.00963	0.00459	86	0.16	027.41	0
027	Magnesium (%)	0171	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.41	0
027	Magnesium (%)	0226	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.41	0
027	Magnesium (%)	0294	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.42	0
027	Magnesium (%)	0357	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.42	0
027	Magnesium (%)	2074	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.42	0
027	Magnesium (%)	0297	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.43	0
027	Magnesium (%)	0353	0.16000	0.02000	0.15846	0.00963	0.00459	86	0.16	027.43	0
027	Magnesium (%)	0242	0.16000	0.00000	0.15846	0.00963	0.00459	86	0.16	027.99	0
027	Magnesium (%)	0572	0.16010	0.00840	0.15846	0.00963	0.00459	86	0.17	027.53	0
027	Magnesium (%)	2067	0.16100	0.00200	0.15846	0.00963	0.00459	86	0.26	027.31	0
027	Magnesium (%)	0011	0.16220	0.00320	0.15846	0.00963	0.00459	86	0.39	027.41	0
027	Magnesium (%)	0263	0.16255	0.00070	0.15846	0.00963	0.00459	86	0.42	027.32	0
027	Magnesium (%)	0598	0.16385	0.00290	0.15846	0.00963	0.00459	86	0.56	027.41	0
027	Magnesium (%)	0964	0.16500	0.01540	0.15846	0.00963	0.00459	86	0.68	027.41	0
027	Magnesium (%)	0083	0.16500	0.01000	0.15846	0.00963	0.00459	86	0.68	027.41	0
027	Magnesium (%)	0098	0.16500	0.01000	0.15846	0.00963	0.00459	86	0.68	027.41	0
027	Magnesium (%)	0098	0.16500	0.01000	0.15846	0.00963	0.00459	86	0.68	027.43	0
027	Magnesium (%)	0425	0.16500	0.01000	0.15846	0.00963	0.00459	86	0.68	027.43	0
027	Magnesium (%)	0675	0.16500	0.01000	0.15846	0.00963	0.00459	86	0.68	027.43	0
027	Magnesium (%)	0178	0.16950	0.00100	0.15846	0.00963	0.00459	86	1.15	027.31	0
027	Magnesium (%)	0948	0.17000	0.02000	0.15846	0.00963	0.00459	86	1.20	027.33	0
027	Magnesium (%)	0278	0.17000	0.02000	0.15846	0.00963	0.00459	86	1.20	027.42	0
027	Magnesium (%)	0003	0.17000	0.00000	0.15846	0.00963	0.00459	86	1.20	027.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0682	0.17000	0.00000	0.15846	0.00963	0.00459	86	1.20	027.41	0
027	Magnesium (%)	2012	0.17000	0.00000	0.15846	0.00963	0.00459	86	1.20	027.41	0
027	Magnesium (%)	0037	0.17000	0.00000	0.15846	0.00963	0.00459	86	1.20	027.43	0
027	Magnesium (%)	0968	0.17050	0.00300	0.15846	0.00963	0.00459	86	1.25	027.43	0
027	Magnesium (%)	0720	0.17500	0.01000	0.15846	0.00963	0.00459	86	1.72	027.41	0
027	Magnesium (%)	0100	0.17500	0.01000	0.15846	0.00963	0.00459	86	1.72	027.99	0
027	Magnesium (%)	2023	0.17550	0.00300	0.15846	0.00963	0.00459	86	1.77	027.41	0
027	Magnesium (%)	2023	0.17550	0.00300	0.15846	0.00963	0.00459	86	1.77	027.44	0
027	Magnesium (%)	0693	0.17750	0.00500	0.15846	0.00963	0.00459	86	1.98	027.42	0
027	Magnesium (%)	0407	0.17900	0.00000	0.15846	0.00963	0.00459	86	2.13	027.41	0
027	Magnesium (%)	0912	0.18000	0.00000	0.15846	0.00963	0.00459	86	2.24	027.53	0
027	Magnesium (%)	2055	0.18090	0.00860	0.15846	0.00963	0.00459	86	2.33	027.53	0
027	Magnesium (%)	0536	0.18500	0.01000	0.15846	0.00963	0.00459	86	2.76	027.31	0
027	Magnesium (%)	0187	0.18560	0.00060	0.15846	0.00963	0.00459	86	2.82	027.42	0
027	Magnesium (%)	0169	17.000	0.00000	0.15846	0.00963	0.00459	86	1748.52	027.32	2
028	Manganese (mg / kg (ppm))	2012	32.595	0.31000	43.774	2.7040	1.1789	92	-4.13	028.41	0
028	Manganese (mg / kg (ppm))	0948	35.805	0.55000	43.774	2.7040	1.1789	92	-2.95	028.33	0
028	Manganese (mg / kg (ppm))	0278	36.000	2.0000	43.774	2.7040	1.1789	92	-2.87	028.42	0
028	Manganese (mg / kg (ppm))	0175	37.000	2.0000	43.774	2.7040	1.1789	92	-2.51	028.31	0
028	Manganese (mg / kg (ppm))	2074	38.500	1.0000	43.774	2.7040	1.1789	92	-1.95	028.42	0
028	Manganese (mg / kg (ppm))	2067	38.522	0.39700	43.774	2.7040	1.1789	92	-1.94	028.31	0
028	Manganese (mg / kg (ppm))	0043	38.800	0.60000	43.774	2.7040	1.1789	92	-1.84	028.43	0
028	Manganese (mg / kg (ppm))	0870	39.240	0.00000	43.774	2.7040	1.1789	92	-1.68	028.42	0
028	Manganese (mg / kg (ppm))	0520	39.480	4.2000	43.774	2.7040	1.1789	92	-1.59	028.41	0
028	Manganese (mg / kg (ppm))	0164	40.000	0.00000	43.774	2.7040	1.1789	92	-1.40	028.41	0
028	Manganese (mg / kg (ppm))	0035	40.135	2.3900	43.774	2.7040	1.1789	92	-1.35	028.42	0
028	Manganese (mg / kg (ppm))	0169	40.300	1.0000	43.774	2.7040	1.1789	92	-1.28	028.43	0
028	Manganese (mg / kg (ppm))	0629	40.700	0.20000	43.774	2.7040	1.1789	92	-1.14	028.31	0
028	Manganese (mg / kg (ppm))	0638	40.900	4.8000	43.774	2.7040	1.1789	92	-1.06	028.31	0
028	Manganese (mg / kg (ppm))	0695	41.140	0.92000	43.774	2.7040	1.1789	92	-0.97	028.41	0
028	Manganese (mg / kg (ppm))	0921	41.270	0.26000	43.774	2.7040	1.1789	92	-0.93	028.31	0
028	Manganese (mg / kg (ppm))	0918	41.640	2.2000	43.774	2.7040	1.1789	92	-0.79	028.43	0
028	Manganese (mg / kg (ppm))	0033	41.700	1.0000	43.774	2.7040	1.1789	92	-0.77	028.43	0
028	Manganese (mg / kg (ppm))	0354	41.705	0.47000	43.774	2.7040	1.1789	92	-0.77	028.31	0
028	Manganese (mg / kg (ppm))	0504	41.820	2.4600	43.774	2.7040	1.1789	92	-0.72	028.33	0
028	Manganese (mg / kg (ppm))	0178	41.995	1.0500	43.774	2.7040	1.1789	92	-0.66	028.31	0
028	Manganese (mg / kg (ppm))	0590	42.000	0.00000	43.774	2.7040	1.1789	92	-0.66	028.31	0
028	Manganese (mg / kg (ppm))	0265	42.000	0.00000	43.774	2.7040	1.1789	92	-0.66	028.42	0
028	Manganese (mg / kg (ppm))	0510	42.000	0.00000	43.774	2.7040	1.1789	92	-0.66	028.43	0
028	Manganese (mg / kg (ppm))	0619	42.150	0.10000	43.774	2.7040	1.1789	92	-0.60	028.41	0
028	Manganese (mg / kg (ppm))	0049	42.200	1.4400	43.774	2.7040	1.1789	92	-0.58	028.41	0
028	Manganese (mg / kg (ppm))	0692	42.250	2.5000	43.774	2.7040	1.1789	92	-0.56	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0536	42.365	0.73000	43.774	2.7040	1.1789	92	-0.52	028.31	0
028	Manganese (mg / kg (ppm))	0074	42.500	1.0000	43.774	2.7040	1.1789	92	-0.47	028.41	0
028	Manganese (mg / kg (ppm))	0226	42.500	1.0000	43.774	2.7040	1.1789	92	-0.47	028.41	0
028	Manganese (mg / kg (ppm))	0004	42.500	5.0000	43.774	2.7040	1.1789	92	-0.47	028.41	0
028	Manganese (mg / kg (ppm))	0242	42.500	1.0000	43.774	2.7040	1.1789	92	-0.47	028.99	0
028	Manganese (mg / kg (ppm))	0629	42.600	0.00000	43.774	2.7040	1.1789	92	-0.43	028.43	0
028	Manganese (mg / kg (ppm))	0407	42.745	0.03000	43.774	2.7040	1.1789	92	-0.38	028.41	0
028	Manganese (mg / kg (ppm))	0646	42.750	1.5000	43.774	2.7040	1.1789	92	-0.38	028.31	0
028	Manganese (mg / kg (ppm))	0171	42.800	0.60000	43.774	2.7040	1.1789	92	-0.36	028.41	0
028	Manganese (mg / kg (ppm))	0682	42.900	0.20000	43.774	2.7040	1.1789	92	-0.32	028.41	0
028	Manganese (mg / kg (ppm))	0910	43.000	2.0000	43.774	2.7040	1.1789	92	-0.29	028.41	0
028	Manganese (mg / kg (ppm))	0297	43.000	0.00000	43.774	2.7040	1.1789	92	-0.29	028.43	0
028	Manganese (mg / kg (ppm))	2022	43.250	0.90000	43.774	2.7040	1.1789	92	-0.19	028.31	0
028	Manganese (mg / kg (ppm))	0011	43.278	0.13500	43.774	2.7040	1.1789	92	-0.18	028.41	0
028	Manganese (mg / kg (ppm))	0668	43.300	2.4000	43.774	2.7040	1.1789	92	-0.18	028.43	0
028	Manganese (mg / kg (ppm))	0083	43.500	1.0000	43.774	2.7040	1.1789	92	-0.10	028.41	0
028	Manganese (mg / kg (ppm))	0511	43.500	1.0000	43.774	2.7040	1.1789	92	-0.10	028.41	0
028	Manganese (mg / kg (ppm))	0968	43.500	1.0000	43.774	2.7040	1.1789	92	-0.10	028.43	0
028	Manganese (mg / kg (ppm))	0066	43.715	1.0300	43.774	2.7040	1.1789	92	-0.02	028.31	0
028	Manganese (mg / kg (ppm))	0098	43.780	2.6600	43.774	2.7040	1.1789	92	0.00	028.41	0
028	Manganese (mg / kg (ppm))	0345	43.950	1.1000	43.774	2.7040	1.1789	92	0.07	028.43	0
028	Manganese (mg / kg (ppm))	0512	43.995	0.63000	43.774	2.7040	1.1789	92	0.08	028.41	0
028	Manganese (mg / kg (ppm))	0229	44.000	2.0000	43.774	2.7040	1.1789	92	0.08	028.41	0
028	Manganese (mg / kg (ppm))	0413	44.100	0.80000	43.774	2.7040	1.1789	92	0.12	028.42	0
028	Manganese (mg / kg (ppm))	2004	44.300	0.20000	43.774	2.7040	1.1789	92	0.19	028.44	0
028	Manganese (mg / kg (ppm))	0358	44.430	0.30000	43.774	2.7040	1.1789	92	0.24	028.41	0
028	Manganese (mg / kg (ppm))	0964	44.436	1.8895	43.774	2.7040	1.1789	92	0.25	028.41	0
028	Manganese (mg / kg (ppm))	0610	44.500	1.0000	43.774	2.7040	1.1789	92	0.27	028.41	0
028	Manganese (mg / kg (ppm))	0560	44.600	2.2000	43.774	2.7040	1.1789	92	0.31	028.42	0
028	Manganese (mg / kg (ppm))	0038	44.600	0.20000	43.774	2.7040	1.1789	92	0.31	028.43	0
028	Manganese (mg / kg (ppm))	0555	44.605	0.43000	43.774	2.7040	1.1789	92	0.31	028.42	0
028	Manganese (mg / kg (ppm))	0689	45.000	2.0000	43.774	2.7040	1.1789	92	0.45	028.31	0
028	Manganese (mg / kg (ppm))	0868	45.000	0.60000	43.774	2.7040	1.1789	92	0.45	028.31	0
028	Manganese (mg / kg (ppm))	0425	45.000	0.20000	43.774	2.7040	1.1789	92	0.45	028.43	0
028	Manganese (mg / kg (ppm))	0563	45.025	0.10340	43.774	2.7040	1.1789	92	0.46	028.31	0
028	Manganese (mg / kg (ppm))	0723	45.027	0.00000	43.774	2.7040	1.1789	92	0.46	028.31	0
028	Manganese (mg / kg (ppm))	0042	45.200	2.8000	43.774	2.7040	1.1789	92	0.53	028.42	0
028	Manganese (mg / kg (ppm))	0505	45.500	1.0000	43.774	2.7040	1.1789	92	0.64	028.31	0
028	Manganese (mg / kg (ppm))	0555	45.500	1.0000	43.774	2.7040	1.1789	92	0.64	028.52	0
028	Manganese (mg / kg (ppm))	0100	45.500	1.0000	43.774	2.7040	1.1789	92	0.64	028.99	0
028	Manganese (mg / kg (ppm))	0675	45.605	0.21000	43.774	2.7040	1.1789	92	0.68	028.43	0
028	Manganese (mg / kg (ppm))	0098	45.655	1.2300	43.774	2.7040	1.1789	92	0.70	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0504	45.720	1.1000	43.774	2.7040	1.1789	92	0.72	028.32	0
028	Manganese (mg / kg (ppm))	0598	45.875	1.5700	43.774	2.7040	1.1789	92	0.78	028.41	0
028	Manganese (mg / kg (ppm))	0148	45.965	0.55000	43.774	2.7040	1.1789	92	0.81	028.41	0
028	Manganese (mg / kg (ppm))	0357	46.000	0.00000	43.774	2.7040	1.1789	92	0.82	028.42	0
028	Manganese (mg / kg (ppm))	0912	46.000	0.00000	43.774	2.7040	1.1789	92	0.82	028.53	0
028	Manganese (mg / kg (ppm))	0187	46.135	0.87000	43.774	2.7040	1.1789	92	0.87	028.42	0
028	Manganese (mg / kg (ppm))	0045	46.250	0.50000	43.774	2.7040	1.1789	92	0.92	028.42	0
028	Manganese (mg / kg (ppm))	0294	46.420	1.3800	43.774	2.7040	1.1789	92	0.98	028.42	0
028	Manganese (mg / kg (ppm))	0353	46.495	2.3700	43.774	2.7040	1.1789	92	1.01	028.43	0
028	Manganese (mg / kg (ppm))	0726	46.500	0.22000	43.774	2.7040	1.1789	92	1.01	028.42	0
028	Manganese (mg / kg (ppm))	0572	46.500	1.0000	43.774	2.7040	1.1789	92	1.01	028.53	0
028	Manganese (mg / kg (ppm))	0939	46.795	5.0300	43.774	2.7040	1.1789	92	1.12	028.31	0
028	Manganese (mg / kg (ppm))	0038	47.000	0.00000	43.774	2.7040	1.1789	92	1.19	028.32	0
028	Manganese (mg / kg (ppm))	2055	47.150	3.9000	43.774	2.7040	1.1789	92	1.25	028.53	0
028	Manganese (mg / kg (ppm))	0874	47.400	0.40000	43.774	2.7040	1.1789	92	1.34	028.31	0
028	Manganese (mg / kg (ppm))	0003	47.500	3.0000	43.774	2.7040	1.1789	92	1.38	028.41	0
028	Manganese (mg / kg (ppm))	0008	47.540	2.1800	43.774	2.7040	1.1789	92	1.39	028.43	0
028	Manganese (mg / kg (ppm))	2023	48.900	0.20000	43.774	2.7040	1.1789	92	1.90	028.44	0
028	Manganese (mg / kg (ppm))	0037	49.000	0.00000	43.774	2.7040	1.1789	92	1.93	028.43	0
028	Manganese (mg / kg (ppm))	0190	49.125	0.29000	43.774	2.7040	1.1789	92	1.98	028.42	0
028	Manganese (mg / kg (ppm))	0720	56.175	0.97000	43.774	2.7040	1.1789	92	4.59	028.41	0
028	Manganese (mg / kg (ppm))	0405	59.000	2.0000	43.774	2.7040	1.1789	92	5.63	028.41	0
028	Manganese (mg / kg (ppm))	0609	67.500	5.0000	43.774	2.7040	1.1789	92	8.77	028.32	0
028	Manganese (mg / kg (ppm))	0693	2,111.9	4,134.3	43.774	2.7040	1.1789	92	764.82	028.42	2
031	Phosphorus (%)	0108	0.69000	0.04000	0.85507	0.03212	0.01194	127	-5.14	031.01	0
031	Phosphorus (%)	0889	0.69500	0.01000	0.85507	0.03212	0.01194	127	-4.98	031.99	0
031	Phosphorus (%)	0089	0.75000	0.00000	0.85507	0.03212	0.01194	127	-3.27	031.41	0
031	Phosphorus (%)	0609	0.77000	0.02000	0.85507	0.03212	0.01194	127	-2.65	031.01	0
031	Phosphorus (%)	0154	0.77045	0.00670	0.85507	0.03212	0.01194	127	-2.63	031.52	0
031	Phosphorus (%)	0874	0.78590	0.00600	0.85507	0.03212	0.01194	127	-2.15	031.01	0
031	Phosphorus (%)	0035	0.78655	0.00030	0.85507	0.03212	0.01194	127	-2.13	031.42	0
031	Phosphorus (%)	0144	0.79500	0.01000	0.85507	0.03212	0.01194	127	-1.87	031.41	0
031	Phosphorus (%)	0205	0.79950	0.01300	0.85507	0.03212	0.01194	127	-1.73	031.42	0
031	Phosphorus (%)	0407	0.80250	0.00100	0.85507	0.03212	0.01194	127	-1.64	031.41	0
031	Phosphorus (%)	0194	0.80500	0.01000	0.85507	0.03212	0.01194	127	-1.56	031.01	0
031	Phosphorus (%)	0706	0.80500	0.01000	0.85507	0.03212	0.01194	127	-1.56	031.01	0
031	Phosphorus (%)	0065	0.81260	0.00680	0.85507	0.03212	0.01194	127	-1.32	031.01	0
031	Phosphorus (%)	2011	0.81500	0.03000	0.85507	0.03212	0.01194	127	-1.25	031.01	0
031	Phosphorus (%)	0425	0.81500	0.01000	0.85507	0.03212	0.01194	127	-1.25	031.43	0
031	Phosphorus (%)	0033	0.81500	0.03000	0.85507	0.03212	0.01194	127	-1.25	031.43	0
031	Phosphorus (%)	0242	0.81500	0.03000	0.85507	0.03212	0.01194	127	-1.25	031.99	0
031	Phosphorus (%)	0682	0.82000	0.00000	0.85507	0.03212	0.01194	127	-1.09	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0294	0.82000	0.00000	0.85507	0.03212	0.01194	127	-1.09	031.42	0
031	Phosphorus (%)	0689	0.82000	0.02000	0.85507	0.03212	0.01194	127	-1.09	031.01	0
031	Phosphorus (%)	2006	0.82150	0.00500	0.85507	0.03212	0.01194	127	-1.05	031.01	0
031	Phosphorus (%)	0045	0.82250	0.03700	0.85507	0.03212	0.01194	127	-1.01	031.42	0
031	Phosphorus (%)	0175	0.82500	0.01000	0.85507	0.03212	0.01194	127	-0.94	031.01	0
031	Phosphorus (%)	0676	0.82500	0.01000	0.85507	0.03212	0.01194	127	-0.94	031.99	0
031	Phosphorus (%)	2068	0.83000	0.00000	0.85507	0.03212	0.01194	127	-0.78	031.01	0
031	Phosphorus (%)	0298	0.83000	0.02000	0.85507	0.03212	0.01194	127	-0.78	031.41	0
031	Phosphorus (%)	2074	0.83000	0.00000	0.85507	0.03212	0.01194	127	-0.78	031.42	0
031	Phosphorus (%)	0042	0.83300	0.00400	0.85507	0.03212	0.01194	127	-0.69	031.42	0
031	Phosphorus (%)	0619	0.83350	0.00300	0.85507	0.03212	0.01194	127	-0.67	031.41	0
031	Phosphorus (%)	0263	0.83410	0.00000	0.85507	0.03212	0.01194	127	-0.65	031.01	0
031	Phosphorus (%)	0870	0.83465	0.01850	0.85507	0.03212	0.01194	127	-0.64	031.42	0
031	Phosphorus (%)	0511	0.83500	0.01000	0.85507	0.03212	0.01194	127	-0.62	031.01	0
031	Phosphorus (%)	0687	0.83500	0.03000	0.85507	0.03212	0.01194	127	-0.62	031.01	0
031	Phosphorus (%)	2058	0.83500	0.03000	0.85507	0.03212	0.01194	127	-0.62	031.01	0
031	Phosphorus (%)	0229	0.83500	0.01000	0.85507	0.03212	0.01194	127	-0.62	031.41	0
031	Phosphorus (%)	0297	0.83500	0.01000	0.85507	0.03212	0.01194	127	-0.62	031.43	0
031	Phosphorus (%)	0178	0.83900	0.00800	0.85507	0.03212	0.01194	127	-0.50	031.01	0
031	Phosphorus (%)	0622	0.83920	0.00160	0.85507	0.03212	0.01194	127	-0.49	031.01	0
031	Phosphorus (%)	0233	0.84000	0.00000	0.85507	0.03212	0.01194	127	-0.47	031.01	0
031	Phosphorus (%)	0849	0.84000	0.00200	0.85507	0.03212	0.01194	127	-0.47	031.01	0
031	Phosphorus (%)	2022	0.84000	0.00000	0.85507	0.03212	0.01194	127	-0.47	031.01	0
031	Phosphorus (%)	0358	0.84000	0.00000	0.85507	0.03212	0.01194	127	-0.47	031.41	0
031	Phosphorus (%)	0357	0.84000	0.00000	0.85507	0.03212	0.01194	127	-0.47	031.42	0
031	Phosphorus (%)	0100	0.84000	0.00000	0.85507	0.03212	0.01194	127	-0.47	031.99	0
031	Phosphorus (%)	0011	0.84295	0.00970	0.85507	0.03212	0.01194	127	-0.38	031.02	0
031	Phosphorus (%)	0918	0.84350	0.00500	0.85507	0.03212	0.01194	127	-0.36	031.43	0
031	Phosphorus (%)	0620	0.84475	0.00090	0.85507	0.03212	0.01194	127	-0.32	031.01	0
031	Phosphorus (%)	0413	0.84500	0.03000	0.85507	0.03212	0.01194	127	-0.31	031.41	0
031	Phosphorus (%)	0720	0.84500	0.03000	0.85507	0.03212	0.01194	127	-0.31	031.41	0
031	Phosphorus (%)	0968	0.84600	0.00200	0.85507	0.03212	0.01194	127	-0.28	031.43	0
031	Phosphorus (%)	0563	0.84680	0.00160	0.85507	0.03212	0.01194	127	-0.26	031.01	0
031	Phosphorus (%)	0038	0.84700	0.01400	0.85507	0.03212	0.01194	127	-0.25	031.01	0
031	Phosphorus (%)	0142	0.85000	0.04000	0.85507	0.03212	0.01194	127	-0.16	031.01	0
031	Phosphorus (%)	0164	0.85000	0.00000	0.85507	0.03212	0.01194	127	-0.16	031.41	0
031	Phosphorus (%)	0171	0.85000	0.00000	0.85507	0.03212	0.01194	127	-0.16	031.41	0
031	Phosphorus (%)	0695	0.85000	0.03200	0.85507	0.03212	0.01194	127	-0.16	031.41	0
031	Phosphorus (%)	2012	0.85000	0.00000	0.85507	0.03212	0.01194	127	-0.16	031.41	0
031	Phosphorus (%)	0504	0.85150	0.04300	0.85507	0.03212	0.01194	127	-0.11	031.42	0
031	Phosphorus (%)	0300	0.85250	0.02100	0.85507	0.03212	0.01194	127	-0.08	031.41	0
031	Phosphorus (%)	0187	0.85310	0.00120	0.85507	0.03212	0.01194	127	-0.06	031.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0651	0.85400	0.00200	0.85507	0.03212	0.01194	127	-0.03	031.01	0
031	Phosphorus (%)	0036	0.85485	0.00410	0.85507	0.03212	0.01194	127	-0.01	031.43	0
031	Phosphorus (%)	0354	0.85500	0.01000	0.85507	0.03212	0.01194	127	0.00	031.01	0
031	Phosphorus (%)	0638	0.85500	0.01000	0.85507	0.03212	0.01194	127	0.00	031.01	0
031	Phosphorus (%)	0903	0.85500	0.01000	0.85507	0.03212	0.01194	127	0.00	031.01	0
031	Phosphorus (%)	0510	0.85500	0.01000	0.85507	0.03212	0.01194	127	0.00	031.43	0
031	Phosphorus (%)	0668	0.85500	0.00000	0.85507	0.03212	0.01194	127	0.00	031.43	0
031	Phosphorus (%)	0675	0.85500	0.01000	0.85507	0.03212	0.01194	127	0.00	031.43	0
031	Phosphorus (%)	2009	0.85535	0.00490	0.85507	0.03212	0.01194	127	0.01	031.01	0
031	Phosphorus (%)	0036	0.85535	0.00070	0.85507	0.03212	0.01194	127	0.01	031.03	0
031	Phosphorus (%)	0693	0.85600	0.02800	0.85507	0.03212	0.01194	127	0.03	031.42	0
031	Phosphorus (%)	0891	0.85710	0.00300	0.85507	0.03212	0.01194	127	0.06	031.01	0
031	Phosphorus (%)	0723	0.85720	0.00000	0.85507	0.03212	0.01194	127	0.07	031.01	0
031	Phosphorus (%)	2004	0.85750	0.00700	0.85507	0.03212	0.01194	127	0.08	031.44	0
031	Phosphorus (%)	0148	0.85800	0.00200	0.85507	0.03212	0.01194	127	0.09	031.41	0
031	Phosphorus (%)	0674	0.86000	0.00000	0.85507	0.03212	0.01194	127	0.15	031.01	0
031	Phosphorus (%)	0948	0.86000	0.02000	0.85507	0.03212	0.01194	127	0.15	031.01	0
031	Phosphorus (%)	2042	0.86000	0.00000	0.85507	0.03212	0.01194	127	0.15	031.01	0
031	Phosphorus (%)	0504	0.86000	0.00000	0.85507	0.03212	0.01194	127	0.15	031.03	0
031	Phosphorus (%)	0138	0.86000	0.00800	0.85507	0.03212	0.01194	127	0.15	031.06	0
031	Phosphorus (%)	0278	0.86000	0.00000	0.85507	0.03212	0.01194	127	0.15	031.42	0
031	Phosphorus (%)	0629	0.86000	0.00000	0.85507	0.03212	0.01194	127	0.15	031.43	0
031	Phosphorus (%)	0921	0.86200	0.00000	0.85507	0.03212	0.01194	127	0.22	031.01	0
031	Phosphorus (%)	0035	0.86300	0.00400	0.85507	0.03212	0.01194	127	0.25	031.01	0
031	Phosphorus (%)	0139	0.86450	0.01500	0.85507	0.03212	0.01194	127	0.29	031.01	0
031	Phosphorus (%)	0626	0.86450	0.00100	0.85507	0.03212	0.01194	127	0.29	031.01	0
031	Phosphorus (%)	0049	0.86500	0.01000	0.85507	0.03212	0.01194	127	0.31	031.41	0
031	Phosphorus (%)	0895	0.87000	0.00000	0.85507	0.03212	0.01194	127	0.46	031.00	0
031	Phosphorus (%)	0885	0.87000	0.00000	0.85507	0.03212	0.01194	127	0.46	031.01	0
031	Phosphorus (%)	0848	0.87000	0.00000	0.85507	0.03212	0.01194	127	0.46	031.41	0
031	Phosphorus (%)	0265	0.87000	0.02000	0.85507	0.03212	0.01194	127	0.46	031.42	0
031	Phosphorus (%)	0692	0.87000	0.06000	0.85507	0.03212	0.01194	127	0.46	031.42	0
031	Phosphorus (%)	0011	0.87245	0.00110	0.85507	0.03212	0.01194	127	0.54	031.41	0
031	Phosphorus (%)	0893	0.87500	0.01000	0.85507	0.03212	0.01194	127	0.62	031.01	0
031	Phosphorus (%)	0939	0.87500	0.01000	0.85507	0.03212	0.01194	127	0.62	031.01	0
031	Phosphorus (%)	0653	0.87950	0.03300	0.85507	0.03212	0.01194	127	0.76	031.01	0
031	Phosphorus (%)	0623	0.87965	0.01990	0.85507	0.03212	0.01194	127	0.77	031.00	0
031	Phosphorus (%)	0887	0.88000	0.02000	0.85507	0.03212	0.01194	127	0.78	031.01	0
031	Phosphorus (%)	0066	0.88500	0.01000	0.85507	0.03212	0.01194	127	0.93	031.01	0
031	Phosphorus (%)	0353	0.88500	0.01000	0.85507	0.03212	0.01194	127	0.93	031.43	0
031	Phosphorus (%)	2062	0.88550	0.00900	0.85507	0.03212	0.01194	127	0.95	031.01	0
031	Phosphorus (%)	0008	0.88550	0.00700	0.85507	0.03212	0.01194	127	0.95	031.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0629	0.89000	0.00000	0.85507	0.03212	0.01194	127	1.09	031.01	0
031	Phosphorus (%)	0868	0.89000	0.00600	0.85507	0.03212	0.01194	127	1.09	031.01	0
031	Phosphorus (%)	0897	0.89000	0.00000	0.85507	0.03212	0.01194	127	1.09	031.01	0
031	Phosphorus (%)	0123	0.89000	0.02000	0.85507	0.03212	0.01194	127	1.09	031.41	0
031	Phosphorus (%)	0572	0.89005	0.00830	0.85507	0.03212	0.01194	127	1.09	031.53	0
031	Phosphorus (%)	0038	0.89150	0.01900	0.85507	0.03212	0.01194	127	1.13	031.43	0
031	Phosphorus (%)	0226	0.89500	0.01000	0.85507	0.03212	0.01194	127	1.24	031.41	0
031	Phosphorus (%)	0083	0.90000	0.02000	0.85507	0.03212	0.01194	127	1.40	031.41	0
031	Phosphorus (%)	0098	0.90500	0.01000	0.85507	0.03212	0.01194	127	1.55	031.43	0
031	Phosphorus (%)	0555	0.91000	0.06000	0.85507	0.03212	0.01194	127	1.71	031.42	0
031	Phosphorus (%)	2063	0.91500	0.01000	0.85507	0.03212	0.01194	127	1.87	031.01	0
031	Phosphorus (%)	0345	0.91800	0.00600	0.85507	0.03212	0.01194	127	1.96	031.43	0
031	Phosphorus (%)	2023	0.92000	0.04000	0.85507	0.03212	0.01194	127	2.02	031.43	0
031	Phosphorus (%)	2023	0.92000	0.04000	0.85507	0.03212	0.01194	127	2.02	031.44	0
031	Phosphorus (%)	0098	0.92500	0.01000	0.85507	0.03212	0.01194	127	2.18	031.41	0
031	Phosphorus (%)	0964	0.94710	0.01500	0.85507	0.03212	0.01194	127	2.87	031.41	0
031	Phosphorus (%)	0003	0.95000	0.00000	0.85507	0.03212	0.01194	127	2.96	031.41	0
031	Phosphorus (%)	0598	0.97400	0.01700	0.85507	0.03212	0.01194	127	3.70	031.41	0
031	Phosphorus (%)	0852	0.97500	0.01000	0.85507	0.03212	0.01194	127	3.73	031.99	0
031	Phosphorus (%)	0912	0.98000	0.00000	0.85507	0.03212	0.01194	127	3.89	031.53	0
031	Phosphorus (%)	0536	1.0050	0.01000	0.85507	0.03212	0.01194	127	4.67	031.06	0
031	Phosphorus (%)	0168	1.0190	0.04200	0.85507	0.03212	0.01194	127	5.10	031.43	0
031	Phosphorus (%)	0037	1.0250	0.03000	0.85507	0.03212	0.01194	127	5.29	031.43	0
031	Phosphorus (%)	0405	1.0500	0.02000	0.85507	0.03212	0.01194	127	6.07	031.41	0
031	Phosphorus (%)	2055	1.0650	0.05000	0.85507	0.03212	0.01194	127	6.54	031.53	0
031	Phosphorus (%)	0552	0.77500	0.13000	0.85507	0.03212	0.01194	127	-2.49	031.99	1
031	Phosphorus (%)	0560	0.86210	0.07440	0.85507	0.03212	0.01194	127	0.22	031.42	1
031	Phosphorus (%)	0520	0.87000	0.08000	0.85507	0.03212	0.01194	127	0.46	031.41	1
031	Phosphorus (%)	0337	0.90500	0.11000	0.85507	0.03212	0.01194	127	1.55	031.01	1
031	Phosphorus (%)	0169	79.000	0.00000	0.85507	0.03212	0.01194	127	2432.99	031.03	2
032	Potassium (%)	2074	0.55000	0.06000	0.85028	0.03426	0.01703	95	-8.77	032.42	0
032	Potassium (%)	0720	0.57500	0.05000	0.85028	0.03426	0.01703	95	-8.04	032.41	0
032	Potassium (%)	0646	0.69500	0.01000	0.85028	0.03426	0.01703	95	-4.53	032.31	0
032	Potassium (%)	0889	0.70000	0.00000	0.85028	0.03426	0.01703	95	-4.39	032.99	0
032	Potassium (%)	0405	0.70500	0.01000	0.85028	0.03426	0.01703	95	-4.24	032.41	0
032	Potassium (%)	0619	0.75350	0.00900	0.85028	0.03426	0.01703	95	-2.83	032.41	0
032	Potassium (%)	0144	0.76000	0.06000	0.85028	0.03426	0.01703	95	-2.64	032.41	0
032	Potassium (%)	0609	0.76500	0.01000	0.85028	0.03426	0.01703	95	-2.49	032.32	0
032	Potassium (%)	0003	0.77000	0.02000	0.85028	0.03426	0.01703	95	-2.34	032.41	0
032	Potassium (%)	0154	0.79340	0.01020	0.85028	0.03426	0.01703	95	-1.66	032.52	0
032	Potassium (%)	0033	0.79500	0.03000	0.85028	0.03426	0.01703	95	-1.61	032.43	0
032	Potassium (%)	2006	0.79750	0.04700	0.85028	0.03426	0.01703	95	-1.54	032.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0345	0.80450	0.00300	0.85028	0.03426	0.01703	95	-1.34	032.43	0
032	Potassium (%)	0910	0.81000	0.02000	0.85028	0.03426	0.01703	95	-1.18	032.41	0
032	Potassium (%)	0045	0.81000	0.02000	0.85028	0.03426	0.01703	95	-1.18	032.42	0
032	Potassium (%)	0675	0.81000	0.00000	0.85028	0.03426	0.01703	95	-1.18	032.43	0
032	Potassium (%)	0638	0.81500	0.03000	0.85028	0.03426	0.01703	95	-1.03	032.31	0
032	Potassium (%)	0171	0.82000	0.00000	0.85028	0.03426	0.01703	95	-0.88	032.41	0
032	Potassium (%)	0004	0.82000	0.06000	0.85028	0.03426	0.01703	95	-0.88	032.41	0
032	Potassium (%)	0563	0.82240	0.03080	0.85028	0.03426	0.01703	95	-0.81	032.31	0
032	Potassium (%)	0083	0.82500	0.01000	0.85028	0.03426	0.01703	95	-0.74	032.41	0
032	Potassium (%)	0682	0.82500	0.01000	0.85028	0.03426	0.01703	95	-0.74	032.41	0
032	Potassium (%)	0870	0.82710	0.04940	0.85028	0.03426	0.01703	95	-0.68	032.42	0
032	Potassium (%)	0918	0.82950	0.01700	0.85028	0.03426	0.01703	95	-0.61	032.43	0
032	Potassium (%)	0629	0.83000	0.02000	0.85028	0.03426	0.01703	95	-0.59	032.31	0
032	Potassium (%)	0948	0.83000	0.02000	0.85028	0.03426	0.01703	95	-0.59	032.31	0
032	Potassium (%)	0205	0.83050	0.01300	0.85028	0.03426	0.01703	95	-0.58	032.42	0
032	Potassium (%)	0653	0.83200	0.00600	0.85028	0.03426	0.01703	95	-0.53	032.31	0
032	Potassium (%)	0011	0.83200	0.01140	0.85028	0.03426	0.01703	95	-0.53	032.41	0
032	Potassium (%)	0294	0.83500	0.01000	0.85028	0.03426	0.01703	95	-0.45	032.42	0
032	Potassium (%)	0139	0.83600	0.00200	0.85028	0.03426	0.01703	95	-0.42	032.02	0
032	Potassium (%)	0629	0.83800	0.00000	0.85028	0.03426	0.01703	95	-0.36	032.43	0
032	Potassium (%)	0142	0.83900	0.00400	0.85028	0.03426	0.01703	95	-0.33	032.31	0
032	Potassium (%)	0226	0.84000	0.00000	0.85028	0.03426	0.01703	95	-0.30	032.41	0
032	Potassium (%)	0100	0.84000	0.02000	0.85028	0.03426	0.01703	95	-0.30	032.99	0
032	Potassium (%)	0035	0.84380	0.01920	0.85028	0.03426	0.01703	95	-0.19	032.42	0
032	Potassium (%)	0148	0.84450	0.00500	0.85028	0.03426	0.01703	95	-0.17	032.41	0
032	Potassium (%)	0964	0.84455	0.05250	0.85028	0.03426	0.01703	95	-0.17	032.41	0
032	Potassium (%)	0175	0.84500	0.01000	0.85028	0.03426	0.01703	95	-0.15	032.31	0
032	Potassium (%)	0354	0.84500	0.01000	0.85028	0.03426	0.01703	95	-0.15	032.31	0
032	Potassium (%)	0536	0.84500	0.01000	0.85028	0.03426	0.01703	95	-0.15	032.31	0
032	Potassium (%)	0164	0.84500	0.03000	0.85028	0.03426	0.01703	95	-0.15	032.41	0
032	Potassium (%)	0413	0.84500	0.03000	0.85028	0.03426	0.01703	95	-0.15	032.41	0
032	Potassium (%)	2004	0.84500	0.02000	0.85028	0.03426	0.01703	95	-0.15	032.44	0
032	Potassium (%)	0868	0.84650	0.00100	0.85028	0.03426	0.01703	95	-0.11	032.31	0
032	Potassium (%)	0512	0.84905	0.00510	0.85028	0.03426	0.01703	95	-0.04	032.41	0
032	Potassium (%)	0610	0.85000	0.02000	0.85028	0.03426	0.01703	95	-0.01	032.41	0
032	Potassium (%)	0357	0.85000	0.02000	0.85028	0.03426	0.01703	95	-0.01	032.42	0
032	Potassium (%)	0065	0.85230	0.00060	0.85028	0.03426	0.01703	95	0.06	032.31	0
032	Potassium (%)	0038	0.85250	0.00500	0.85028	0.03426	0.01703	95	0.06	032.31	0
032	Potassium (%)	0695	0.85350	0.00100	0.85028	0.03426	0.01703	95	0.09	032.41	0
032	Potassium (%)	0939	0.85500	0.01000	0.85028	0.03426	0.01703	95	0.14	032.31	0
032	Potassium (%)	0049	0.85500	0.01000	0.85028	0.03426	0.01703	95	0.14	032.41	0
032	Potassium (%)	2012	0.85500	0.01000	0.85028	0.03426	0.01703	95	0.14	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0297	0.85500	0.01000	0.85028	0.03426	0.01703	95	0.14	032.43	0
032	Potassium (%)	0353	0.85500	0.01000	0.85028	0.03426	0.01703	95	0.14	032.43	0
032	Potassium (%)	0008	0.85550	0.01700	0.85028	0.03426	0.01703	95	0.15	032.43	0
032	Potassium (%)	0407	0.85750	0.00300	0.85028	0.03426	0.01703	95	0.21	032.41	0
032	Potassium (%)	0038	0.85850	0.00300	0.85028	0.03426	0.01703	95	0.24	032.43	0
032	Potassium (%)	0074	0.86000	0.00000	0.85028	0.03426	0.01703	95	0.28	032.41	0
032	Potassium (%)	0229	0.86000	0.02000	0.85028	0.03426	0.01703	95	0.28	032.41	0
032	Potassium (%)	0520	0.86000	0.06000	0.85028	0.03426	0.01703	95	0.28	032.41	0
032	Potassium (%)	0265	0.86000	0.00000	0.85028	0.03426	0.01703	95	0.28	032.42	0
032	Potassium (%)	0242	0.86000	0.00000	0.85028	0.03426	0.01703	95	0.28	032.99	0
032	Potassium (%)	0668	0.86100	0.03200	0.85028	0.03426	0.01703	95	0.31	032.43	0
032	Potassium (%)	0693	0.86350	0.02700	0.85028	0.03426	0.01703	95	0.39	032.42	0
032	Potassium (%)	0504	0.86500	0.01000	0.85028	0.03426	0.01703	95	0.43	032.02	0
032	Potassium (%)	0358	0.86500	0.01000	0.85028	0.03426	0.01703	95	0.43	032.41	0
032	Potassium (%)	0560	0.86725	0.05190	0.85028	0.03426	0.01703	95	0.50	032.42	0
032	Potassium (%)	0098	0.87000	0.04000	0.85028	0.03426	0.01703	95	0.58	032.43	0
032	Potassium (%)	0874	0.87110	0.00340	0.85028	0.03426	0.01703	95	0.61	032.31	0
032	Potassium (%)	0098	0.87500	0.07000	0.85028	0.03426	0.01703	95	0.72	032.41	0
032	Potassium (%)	0042	0.87500	0.00400	0.85028	0.03426	0.01703	95	0.72	032.42	0
032	Potassium (%)	0425	0.87500	0.01000	0.85028	0.03426	0.01703	95	0.72	032.43	0
032	Potassium (%)	0066	0.88000	0.01600	0.85028	0.03426	0.01703	95	0.87	032.31	0
032	Potassium (%)	0650	0.88500	0.03000	0.85028	0.03426	0.01703	95	1.01	032.31	0
032	Potassium (%)	0511	0.88500	0.05000	0.85028	0.03426	0.01703	95	1.01	032.41	0
032	Potassium (%)	0510	0.88500	0.01000	0.85028	0.03426	0.01703	95	1.01	032.43	0
032	Potassium (%)	0598	0.88750	0.00220	0.85028	0.03426	0.01703	95	1.09	032.41	0
032	Potassium (%)	0555	0.89000	0.04000	0.85028	0.03426	0.01703	95	1.16	032.42	0
032	Potassium (%)	0035	0.89020	0.00320	0.85028	0.03426	0.01703	95	1.17	032.32	0
032	Potassium (%)	0726	0.89270	0.00220	0.85028	0.03426	0.01703	95	1.24	032.42	0
032	Potassium (%)	0505	0.89500	0.03000	0.85028	0.03426	0.01703	95	1.31	032.31	0
032	Potassium (%)	0278	0.89500	0.01000	0.85028	0.03426	0.01703	95	1.31	032.42	0
032	Potassium (%)	2023	0.89500	0.01000	0.85028	0.03426	0.01703	95	1.31	032.43	0
032	Potassium (%)	2023	0.89500	0.01000	0.85028	0.03426	0.01703	95	1.31	032.44	0
032	Potassium (%)	0504	0.89800	0.01600	0.85028	0.03426	0.01703	95	1.39	032.42	0
032	Potassium (%)	0037	0.90000	0.00000	0.85028	0.03426	0.01703	95	1.45	032.43	0
032	Potassium (%)	0572	0.91535	0.03690	0.85028	0.03426	0.01703	95	1.90	032.53	0
032	Potassium (%)	0187	0.92000	0.00600	0.85028	0.03426	0.01703	95	2.04	032.42	0
032	Potassium (%)	0912	0.92000	0.00000	0.85028	0.03426	0.01703	95	2.04	032.53	0
032	Potassium (%)	0178	0.92100	0.01200	0.85028	0.03426	0.01703	95	2.06	032.31	0
032	Potassium (%)	0968	0.92500	0.00000	0.85028	0.03426	0.01703	95	2.18	032.43	0
032	Potassium (%)	2055	0.96000	0.00000	0.85028	0.03426	0.01703	95	3.20	032.53	0
032	Potassium (%)	0190	0.98500	0.01000	0.85028	0.03426	0.01703	95	3.93	032.42	0
032	Potassium (%)	0921	0.72300	0.16400	0.85028	0.03426	0.01703	95	-3.72	032.31	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0692	0.86500	0.11000	0.85028	0.03426	0.01703	95	0.43	032.42	1
032	Potassium (%)	0169	83.000	0.00000	0.85028	0.03426	0.01703	95	2398.03	032.32	2
033	Salt as chloride (%)	0868	0.29150	0.00100	0.88183	0.07068	0.01583	70	-8.35	033.00	0
033	Salt as chloride (%)	2006	0.68400	0.03400	0.88183	0.07068	0.01583	70	-2.80	033.00	0
033	Salt as chloride (%)	0675	0.69500	0.01000	0.88183	0.07068	0.01583	70	-2.64	033.00	0
033	Salt as chloride (%)	0144	0.70000	0.04000	0.88183	0.07068	0.01583	70	-2.57	033.03	0
033	Salt as chloride (%)	2011	0.70100	0.00200	0.88183	0.07068	0.01583	70	-2.56	033.01	0
033	Salt as chloride (%)	0265	0.73000	0.00000	0.88183	0.07068	0.01583	70	-2.15	033.03	0
033	Salt as chloride (%)	0539	0.74500	0.01000	0.88183	0.07068	0.01583	70	-1.94	033.00	0
033	Salt as chloride (%)	2009	0.77450	0.00240	0.88183	0.07068	0.01583	70	-1.52	033.00	0
033	Salt as chloride (%)	0358	0.77500	0.01000	0.88183	0.07068	0.01583	70	-1.51	033.99	0
033	Salt as chloride (%)	2042	0.78000	0.00000	0.88183	0.07068	0.01583	70	-1.44	033.00	0
033	Salt as chloride (%)	2022	0.78950	0.00100	0.88183	0.07068	0.01583	70	-1.31	033.00	0
033	Salt as chloride (%)	2068	0.79000	0.00000	0.88183	0.07068	0.01583	70	-1.30	033.00	0
033	Salt as chloride (%)	0353	0.79500	0.03000	0.88183	0.07068	0.01583	70	-1.23	033.00	0
033	Salt as chloride (%)	2063	0.79500	0.01000	0.88183	0.07068	0.01583	70	-1.23	033.00	0
033	Salt as chloride (%)	0505	0.79500	0.01000	0.88183	0.07068	0.01583	70	-1.23	033.03	0
033	Salt as chloride (%)	0891	0.79790	0.00100	0.88183	0.07068	0.01583	70	-1.19	033.00	0
033	Salt as chloride (%)	0897	0.80000	0.00000	0.88183	0.07068	0.01583	70	-1.16	033.00	0
033	Salt as chloride (%)	0895	0.80500	0.01000	0.88183	0.07068	0.01583	70	-1.09	033.00	0
033	Salt as chloride (%)	2012	0.80500	0.01000	0.88183	0.07068	0.01583	70	-1.09	033.00	0
033	Salt as chloride (%)	2006	0.81450	0.00300	0.88183	0.07068	0.01583	70	-0.95	033.01	0
033	Salt as chloride (%)	0849	0.81650	0.00700	0.88183	0.07068	0.01583	70	-0.92	033.00	0
033	Salt as chloride (%)	0903	0.82500	0.01000	0.88183	0.07068	0.01583	70	-0.80	033.00	0
033	Salt as chloride (%)	0723	0.83000	0.00000	0.88183	0.07068	0.01583	70	-0.73	033.00	0
033	Salt as chloride (%)	0638	0.83000	0.00000	0.88183	0.07068	0.01583	70	-0.73	033.01	0
033	Salt as chloride (%)	0885	0.84500	0.01000	0.88183	0.07068	0.01583	70	-0.52	033.00	0
033	Salt as chloride (%)	0681	0.86000	0.00000	0.88183	0.07068	0.01583	70	-0.31	033.99	0
033	Salt as chloride (%)	0693	0.86150	0.03500	0.88183	0.07068	0.01583	70	-0.29	033.00	0
033	Salt as chloride (%)	0298	0.87000	0.02000	0.88183	0.07068	0.01583	70	-0.17	033.00	0
033	Salt as chloride (%)	0893	0.87500	0.01000	0.88183	0.07068	0.01583	70	-0.10	033.00	0
033	Salt as chloride (%)	0619	0.87500	0.02800	0.88183	0.07068	0.01583	70	-0.10	033.99	0
033	Salt as chloride (%)	0629	0.88500	0.01000	0.88183	0.07068	0.01583	70	0.04	033.01	0
033	Salt as chloride (%)	2062	0.88850	0.01500	0.88183	0.07068	0.01583	70	0.09	033.00	0
033	Salt as chloride (%)	0004	0.89000	0.02000	0.88183	0.07068	0.01583	70	0.12	033.05	0
033	Salt as chloride (%)	0552	0.89500	0.07000	0.88183	0.07068	0.01583	70	0.19	033.99	0
033	Salt as chloride (%)	0939	0.90000	0.00000	0.88183	0.07068	0.01583	70	0.26	033.01	0
033	Salt as chloride (%)	0148	0.90400	0.00200	0.88183	0.07068	0.01583	70	0.31	033.01	0
033	Salt as chloride (%)	0194	0.90500	0.01000	0.88183	0.07068	0.01583	70	0.33	033.01	0
033	Salt as chloride (%)	0413	0.90500	0.01000	0.88183	0.07068	0.01583	70	0.33	033.01	0
033	Salt as chloride (%)	0861	0.90500	0.01000	0.88183	0.07068	0.01583	70	0.33	033.01	0
033	Salt as chloride (%)	0178	0.90950	0.00500	0.88183	0.07068	0.01583	70	0.39	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0354	0.91000	0.00000	0.88183	0.07068	0.01583	70	0.40	033.01	0
033	Salt as chloride (%)	0425	0.91000	0.02000	0.88183	0.07068	0.01583	70	0.40	033.01	0
033	Salt as chloride (%)	2023	0.91000	0.00000	0.88183	0.07068	0.01583	70	0.40	033.01	0
033	Salt as chloride (%)	0083	0.91500	0.01000	0.88183	0.07068	0.01583	70	0.47	033.01	0
033	Salt as chloride (%)	0098	0.91500	0.03000	0.88183	0.07068	0.01583	70	0.47	033.01	0
033	Salt as chloride (%)	0100	0.91500	0.01000	0.88183	0.07068	0.01583	70	0.47	033.01	0
033	Salt as chloride (%)	0171	0.91500	0.05000	0.88183	0.07068	0.01583	70	0.47	033.05	0
033	Salt as chloride (%)	0011	0.91890	0.00360	0.88183	0.07068	0.01583	70	0.52	033.01	0
033	Salt as chloride (%)	0001	0.92000	0.02000	0.88183	0.07068	0.01583	70	0.54	033.01	0
033	Salt as chloride (%)	0226	0.92000	0.00000	0.88183	0.07068	0.01583	70	0.54	033.01	0
033	Salt as chloride (%)	0689	0.92000	0.00000	0.88183	0.07068	0.01583	70	0.54	033.05	0
033	Salt as chloride (%)	0407	0.92450	0.00100	0.88183	0.07068	0.01583	70	0.60	033.01	0
033	Salt as chloride (%)	0175	0.92500	0.01000	0.88183	0.07068	0.01583	70	0.61	033.01	0
033	Salt as chloride (%)	0590	0.92500	0.03000	0.88183	0.07068	0.01583	70	0.61	033.01	0
033	Salt as chloride (%)	0205	0.92600	0.01000	0.88183	0.07068	0.01583	70	0.62	033.01	0
033	Salt as chloride (%)	0511	0.93000	0.04000	0.88183	0.07068	0.01583	70	0.68	033.00	0
033	Salt as chloride (%)	0229	0.93000	0.02000	0.88183	0.07068	0.01583	70	0.68	033.01	0
033	Salt as chloride (%)	0948	0.93000	0.00000	0.88183	0.07068	0.01583	70	0.68	033.01	0
033	Salt as chloride (%)	0164	0.94000	0.00000	0.88183	0.07068	0.01583	70	0.82	033.01	0
033	Salt as chloride (%)	0510	0.94000	0.00000	0.88183	0.07068	0.01583	70	0.82	033.01	0
033	Salt as chloride (%)	0650	0.95000	0.04000	0.88183	0.07068	0.01583	70	0.96	033.01	0
033	Salt as chloride (%)	0682	0.95500	0.01000	0.88183	0.07068	0.01583	70	1.04	033.01	0
033	Salt as chloride (%)	0242	0.96000	0.02000	0.88183	0.07068	0.01583	70	1.11	033.01	0
033	Salt as chloride (%)	2058	0.96500	0.01000	0.88183	0.07068	0.01583	70	1.18	033.00	0
033	Salt as chloride (%)	0337	0.99000	0.08000	0.88183	0.07068	0.01583	70	1.53	033.01	0
033	Salt as chloride (%)	0874	1.0008	0.00680	0.88183	0.07068	0.01583	70	1.68	033.01	0
033	Salt as chloride (%)	0045	1.0150	0.17000	0.88183	0.07068	0.01583	70	1.88	033.00	0
033	Salt as chloride (%)	2043	1.0250	0.05000	0.88183	0.07068	0.01583	70	2.03	033.05	0
033	Salt as chloride (%)	0674	1.0400	0.00000	0.88183	0.07068	0.01583	70	2.24	033.01	0
033	Salt as chloride (%)	0278	2.1550	0.01000	0.88183	0.07068	0.01583	70	18.01	033.01	0
033	Salt as chloride (%)	0169	90.500	5.0000	0.88183	0.07068	0.01583	70	1268.02	033.00	2
034	Selenium (mg / kg (ppm))	0033	0.11500	0.01000	0.46408	0.09141	0.03262	18	-3.82	034.43	0
034	Selenium (mg / kg (ppm))	0563	0.21000	0.00000	0.46408	0.09141	0.03262	18	-2.78	034.04	0
034	Selenium (mg / kg (ppm))	0171	0.35500	0.01000	0.46408	0.09141	0.03262	18	-1.19	034.04	0
034	Selenium (mg / kg (ppm))	0939	0.37000	0.00000	0.46408	0.09141	0.03262	18	-1.03	034.04	0
034	Selenium (mg / kg (ppm))	0638	0.39500	0.01000	0.46408	0.09141	0.03262	18	-0.76	034.01	0
034	Selenium (mg / kg (ppm))	0164	0.44500	0.01000	0.46408	0.09141	0.03262	18	-0.21	034.04	0
034	Selenium (mg / kg (ppm))	0610	0.45000	0.00000	0.46408	0.09141	0.03262	18	-0.15	034.04	0
034	Selenium (mg / kg (ppm))	0619	0.45750	0.02100	0.46408	0.09141	0.03262	18	-0.07	034.41	0
034	Selenium (mg / kg (ppm))	0555	0.46500	0.05000	0.46408	0.09141	0.03262	18	0.01	034.99	0
034	Selenium (mg / kg (ppm))	0038	0.46950	0.00700	0.46408	0.09141	0.03262	18	0.06	034.01	0
034	Selenium (mg / kg (ppm))	0098	0.47500	0.01000	0.46408	0.09141	0.03262	18	0.12	034.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
034	Selenium (mg / kg (ppm))	0555	0.48000	0.00000	0.46408	0.09141	0.03262	18	0.17	034.52	0
034	Selenium (mg / kg (ppm))	2023	0.50000	0.00000	0.46408	0.09141	0.03262	18	0.39	034.53	0
034	Selenium (mg / kg (ppm))	0553	0.50800	0.02400	0.46408	0.09141	0.03262	18	0.48	034.53	0
034	Selenium (mg / kg (ppm))	0098	0.54950	0.08900	0.46408	0.09141	0.03262	18	0.93	034.53	0
034	Selenium (mg / kg (ppm))	2055	0.56500	0.31000	0.46408	0.09141	0.03262	18	1.10	034.53	0
034	Selenium (mg / kg (ppm))	0912	0.63000	0.00000	0.46408	0.09141	0.03262	18	1.82	034.53	0
034	Selenium (mg / kg (ppm))	0918	0.73035	0.03610	0.46408	0.09141	0.03262	18	2.91	034.53	0
034	Selenium (mg / kg (ppm))	0169	41.500	1.0000	0.46408	0.09141	0.03262	18	448.93	034.04	2
035	Sodium (%)	0043	0.24000	0.00000	0.31131	0.01624	0.00815	93	-4.39	035.43	0
035	Sodium (%)	0609	0.24500	0.01000	0.31131	0.01624	0.00815	93	-4.08	035.32	0
035	Sodium (%)	0948	0.26000	0.00000	0.31131	0.01624	0.00815	93	-3.16	035.31	0
035	Sodium (%)	0042	0.27750	0.00100	0.31131	0.01624	0.00815	93	-2.08	035.42	0
035	Sodium (%)	0089	0.28000	0.00000	0.31131	0.01624	0.00815	93	-1.93	035.41	0
035	Sodium (%)	2006	0.28050	0.01100	0.31131	0.01624	0.00815	93	-1.90	035.01	0
035	Sodium (%)	0154	0.28110	0.00760	0.31131	0.01624	0.00815	93	-1.86	035.52	0
035	Sodium (%)	0242	0.28500	0.01000	0.31131	0.01624	0.00815	93	-1.62	035.99	0
035	Sodium (%)	0345	0.28680	0.00360	0.31131	0.01624	0.00815	93	-1.51	035.43	0
035	Sodium (%)	0035	0.28895	0.01230	0.31131	0.01624	0.00815	93	-1.38	035.32	0
035	Sodium (%)	0035	0.28995	0.00770	0.31131	0.01624	0.00815	93	-1.32	035.42	0
035	Sodium (%)	0868	0.29150	0.00100	0.31131	0.01624	0.00815	93	-1.22	035.31	0
035	Sodium (%)	0353	0.29500	0.01000	0.31131	0.01624	0.00815	93	-1.00	035.43	0
035	Sodium (%)	0638	0.29700	0.00000	0.31131	0.01624	0.00815	93	-0.88	035.31	0
035	Sodium (%)	2022	0.29800	0.00200	0.31131	0.01624	0.00815	93	-0.82	035.31	0
035	Sodium (%)	0045	0.29950	0.00500	0.31131	0.01624	0.00815	93	-0.73	035.42	0
035	Sodium (%)	0175	0.30000	0.02000	0.31131	0.01624	0.00815	93	-0.70	035.31	0
035	Sodium (%)	0298	0.30000	0.02000	0.31131	0.01624	0.00815	93	-0.70	035.41	0
035	Sodium (%)	0358	0.30000	0.00000	0.31131	0.01624	0.00815	93	-0.70	035.41	0
035	Sodium (%)	0682	0.30000	0.00000	0.31131	0.01624	0.00815	93	-0.70	035.41	0
035	Sodium (%)	0265	0.30000	0.00000	0.31131	0.01624	0.00815	93	-0.70	035.42	0
035	Sodium (%)	0294	0.30000	0.00000	0.31131	0.01624	0.00815	93	-0.70	035.42	0
035	Sodium (%)	0226	0.30050	0.00100	0.31131	0.01624	0.00815	93	-0.67	035.41	0
035	Sodium (%)	0407	0.30150	0.00100	0.31131	0.01624	0.00815	93	-0.60	035.41	0
035	Sodium (%)	0510	0.30150	0.00500	0.31131	0.01624	0.00815	93	-0.60	035.43	0
035	Sodium (%)	0148	0.30200	0.00200	0.31131	0.01624	0.00815	93	-0.57	035.41	0
035	Sodium (%)	0205	0.30200	0.00400	0.31131	0.01624	0.00815	93	-0.57	035.42	0
035	Sodium (%)	0964	0.30220	0.01840	0.31131	0.01624	0.00815	93	-0.56	035.41	0
035	Sodium (%)	0011	0.30280	0.00520	0.31131	0.01624	0.00815	93	-0.52	035.41	0
035	Sodium (%)	0139	0.30350	0.00300	0.31131	0.01624	0.00815	93	-0.48	035.05	0
035	Sodium (%)	2004	0.30350	0.01100	0.31131	0.01624	0.00815	93	-0.48	035.41	0
035	Sodium (%)	0918	0.30350	0.00100	0.31131	0.01624	0.00815	93	-0.48	035.43	0
035	Sodium (%)	0144	0.30500	0.01000	0.31131	0.01624	0.00815	93	-0.39	035.41	0
035	Sodium (%)	0164	0.30500	0.01000	0.31131	0.01624	0.00815	93	-0.39	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0038	0.30500	0.00600	0.31131	0.01624	0.00815	93	-0.39	035.43	0
035	Sodium (%)	0098	0.30500	0.01000	0.31131	0.01624	0.00815	93	-0.39	035.43	0
035	Sodium (%)	0675	0.30500	0.01000	0.31131	0.01624	0.00815	93	-0.39	035.43	0
035	Sodium (%)	0065	0.30530	0.00260	0.31131	0.01624	0.00815	93	-0.37	035.31	0
035	Sodium (%)	0870	0.30685	0.01590	0.31131	0.01624	0.00815	93	-0.27	035.42	0
035	Sodium (%)	0563	0.30690	0.00160	0.31131	0.01624	0.00815	93	-0.27	035.31	0
035	Sodium (%)	0695	0.30750	0.00100	0.31131	0.01624	0.00815	93	-0.23	035.41	0
035	Sodium (%)	0008	0.30850	0.00500	0.31131	0.01624	0.00815	93	-0.17	035.43	0
035	Sodium (%)	0868	0.30900	0.00200	0.31131	0.01624	0.00815	93	-0.14	035.01	0
035	Sodium (%)	0108	0.31000	0.00000	0.31131	0.01624	0.00815	93	-0.08	035.05	0
035	Sodium (%)	0233	0.31000	0.00000	0.31131	0.01624	0.00815	93	-0.08	035.31	0
035	Sodium (%)	0650	0.31000	0.02000	0.31131	0.01624	0.00815	93	-0.08	035.31	0
035	Sodium (%)	0098	0.31000	0.02000	0.31131	0.01624	0.00815	93	-0.08	035.41	0
035	Sodium (%)	0413	0.31000	0.00000	0.31131	0.01624	0.00815	93	-0.08	035.41	0
035	Sodium (%)	2012	0.31000	0.00000	0.31131	0.01624	0.00815	93	-0.08	035.41	0
035	Sodium (%)	0278	0.31000	0.00000	0.31131	0.01624	0.00815	93	-0.08	035.42	0
035	Sodium (%)	0504	0.31000	0.01000	0.31131	0.01624	0.00815	93	-0.08	035.42	0
035	Sodium (%)	0692	0.31000	0.02000	0.31131	0.01624	0.00815	93	-0.08	035.42	0
035	Sodium (%)	0297	0.31000	0.02000	0.31131	0.01624	0.00815	93	-0.08	035.43	0
035	Sodium (%)	0693	0.31100	0.01200	0.31131	0.01624	0.00815	93	-0.02	035.42	0
035	Sodium (%)	0921	0.31150	0.00900	0.31131	0.01624	0.00815	93	0.01	035.31	0
035	Sodium (%)	0504	0.31500	0.01000	0.31131	0.01624	0.00815	93	0.23	035.05	0
035	Sodium (%)	0049	0.31500	0.01000	0.31131	0.01624	0.00815	93	0.23	035.41	0
035	Sodium (%)	0083	0.31500	0.01000	0.31131	0.01624	0.00815	93	0.23	035.41	0
035	Sodium (%)	0560	0.31560	0.00900	0.31131	0.01624	0.00815	93	0.26	035.42	0
035	Sodium (%)	0038	0.31600	0.00200	0.31131	0.01624	0.00815	93	0.29	035.31	0
035	Sodium (%)	0572	0.31785	0.01590	0.31131	0.01624	0.00815	93	0.40	035.53	0
035	Sodium (%)	0723	0.31860	0.00000	0.31131	0.01624	0.00815	93	0.45	035.31	0
035	Sodium (%)	0536	0.32000	0.00000	0.31131	0.01624	0.00815	93	0.54	035.31	0
035	Sodium (%)	0629	0.32000	0.00000	0.31131	0.01624	0.00815	93	0.54	035.31	0
035	Sodium (%)	0171	0.32000	0.00000	0.31131	0.01624	0.00815	93	0.54	035.41	0
035	Sodium (%)	0229	0.32000	0.00000	0.31131	0.01624	0.00815	93	0.54	035.41	0
035	Sodium (%)	0425	0.32000	0.00000	0.31131	0.01624	0.00815	93	0.54	035.43	0
035	Sodium (%)	0668	0.32000	0.00600	0.31131	0.01624	0.00815	93	0.54	035.43	0
035	Sodium (%)	0100	0.32000	0.00000	0.31131	0.01624	0.00815	93	0.54	035.99	0
035	Sodium (%)	0142	0.32050	0.01300	0.31131	0.01624	0.00815	93	0.57	035.31	0
035	Sodium (%)	0598	0.32610	0.01460	0.31131	0.01624	0.00815	93	0.91	035.41	0
035	Sodium (%)	0619	0.32650	0.00300	0.31131	0.01624	0.00815	93	0.94	035.41	0
035	Sodium (%)	0629	0.32700	0.00000	0.31131	0.01624	0.00815	93	0.97	035.43	0
035	Sodium (%)	0874	0.32825	0.00490	0.31131	0.01624	0.00815	93	1.04	035.31	0
035	Sodium (%)	0653	0.33000	0.00600	0.31131	0.01624	0.00815	93	1.15	035.31	0
035	Sodium (%)	2074	0.33000	0.00000	0.31131	0.01624	0.00815	93	1.15	035.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0033	0.33000	0.00000	0.31131	0.01624	0.00815	93	1.15	035.43	0
035	Sodium (%)	0520	0.33290	0.03200	0.31131	0.01624	0.00815	93	1.33	035.41	0
035	Sodium (%)	0187	0.33335	0.00030	0.31131	0.01624	0.00815	93	1.36	035.42	0
035	Sodium (%)	0300	0.33500	0.02000	0.31131	0.01624	0.00815	93	1.46	035.41	0
035	Sodium (%)	0337	0.33500	0.01000	0.31131	0.01624	0.00815	93	1.46	035.05	0
035	Sodium (%)	0720	0.34000	0.02000	0.31131	0.01624	0.00815	93	1.77	035.41	0
035	Sodium (%)	0405	0.34700	0.00400	0.31131	0.01624	0.00815	93	2.20	035.41	0
035	Sodium (%)	2023	0.35000	0.02000	0.31131	0.01624	0.00815	93	2.38	035.41	0
035	Sodium (%)	0912	0.36000	0.00000	0.31131	0.01624	0.00815	93	3.00	035.53	0
035	Sodium (%)	2055	0.36000	0.02000	0.31131	0.01624	0.00815	93	3.00	035.53	0
035	Sodium (%)	0263	0.36020	0.00280	0.31131	0.01624	0.00815	93	3.01	035.32	0
035	Sodium (%)	0555	0.37500	0.05000	0.31131	0.01624	0.00815	93	3.92	035.42	0
035	Sodium (%)	0138	0.37950	0.00300	0.31131	0.01624	0.00815	93	4.20	035.01	0
035	Sodium (%)	0123	0.38000	0.00000	0.31131	0.01624	0.00815	93	4.23	035.41	0
035	Sodium (%)	0354	0.39500	0.01000	0.31131	0.01624	0.00815	93	5.15	035.31	0
035	Sodium (%)	0178	0.39700	0.04400	0.31131	0.01624	0.00815	93	5.28	035.31	0
035	Sodium (%)	0889	1.0100	0.06000	0.31131	0.01624	0.00815	93	43.02	035.99	0
035	Sodium (%)	0169	30.000	2.0000	0.31131	0.01624	0.00815	93	1827.99	035.32	2
036	Sulfur (%)	0042	0.25450	0.00500	0.45357	0.02469	0.00798	30	-8.06	036.42	0
036	Sulfur (%)	0045	0.41050	0.01900	0.45357	0.02469	0.00798	30	-1.74	036.42	0
036	Sulfur (%)	0407	0.41900	0.00200	0.45357	0.02469	0.00798	30	-1.40	036.42	0
036	Sulfur (%)	0171	0.42500	0.01000	0.45357	0.02469	0.00798	30	-1.16	036.42	0
036	Sulfur (%)	0889	0.42500	0.01000	0.45357	0.02469	0.00798	30	-1.16	036.99	0
036	Sulfur (%)	0278	0.43000	0.00000	0.45357	0.02469	0.00798	30	-0.95	036.42	0
036	Sulfur (%)	0918	0.43450	0.01100	0.45357	0.02469	0.00798	30	-0.77	036.43	0
036	Sulfur (%)	0297	0.44000	0.00000	0.45357	0.02469	0.00798	30	-0.55	036.43	0
036	Sulfur (%)	0345	0.44150	0.00100	0.45357	0.02469	0.00798	30	-0.49	036.43	0
036	Sulfur (%)	0265	0.44500	0.01000	0.45357	0.02469	0.00798	30	-0.35	036.42	0
036	Sulfur (%)	0357	0.44500	0.01000	0.45357	0.02469	0.00798	30	-0.35	036.42	0
036	Sulfur (%)	0693	0.44550	0.00100	0.45357	0.02469	0.00798	30	-0.33	036.42	0
036	Sulfur (%)	0708	0.44850	0.01100	0.45357	0.02469	0.00798	30	-0.21	036.42	0
036	Sulfur (%)	0164	0.45000	0.00000	0.45357	0.02469	0.00798	30	-0.14	036.42	0
036	Sulfur (%)	0870	0.45490	0.02060	0.45357	0.02469	0.00798	30	0.05	036.42	0
036	Sulfur (%)	0610	0.45500	0.01000	0.45357	0.02469	0.00798	30	0.06	036.04	0
036	Sulfur (%)	0294	0.45500	0.01000	0.45357	0.02469	0.00798	30	0.06	036.42	0
036	Sulfur (%)	0098	0.46000	0.00000	0.45357	0.02469	0.00798	30	0.26	036.04	0
036	Sulfur (%)	0912	0.46000	0.00000	0.45357	0.02469	0.00798	30	0.26	036.53	0
036	Sulfur (%)	0038	0.46300	0.00200	0.45357	0.02469	0.00798	30	0.38	036.43	0
036	Sulfur (%)	0560	0.46485	0.02890	0.45357	0.02469	0.00798	30	0.46	036.42	0
036	Sulfur (%)	0629	0.46600	0.00000	0.45357	0.02469	0.00798	30	0.50	036.43	0
036	Sulfur (%)	0229	0.47500	0.01000	0.45357	0.02469	0.00798	30	0.87	036.04	0
036	Sulfur (%)	0555	0.47500	0.01000	0.45357	0.02469	0.00798	30	0.87	036.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
036	Sulfur (%)	0353	0.47500	0.03000	0.45357	0.02469	0.00798	30	0.87	036.43	0
036	Sulfur (%)	0098	0.48000	0.00000	0.45357	0.02469	0.00798	30	1.07	036.43	0
036	Sulfur (%)	0510	0.48000	0.00000	0.45357	0.02469	0.00798	30	1.07	036.43	0
036	Sulfur (%)	0242	0.48000	0.00000	0.45357	0.02469	0.00798	30	1.07	036.99	0
036	Sulfur (%)	0226	0.52000	0.02000	0.45357	0.02469	0.00798	30	2.69	036.04	0
036	Sulfur (%)	0187	0.56885	0.00790	0.45357	0.02469	0.00798	30	4.67	036.42	0
036	Sulfur (%)	0168	0.70250	0.47300	0.45357	0.02469	0.00798	30	10.08	036.04	1
036	Sulfur (%)	0169	42.000	0.00000	0.45357	0.02469	0.00798	30	1682.50	036.43	2
037	Zinc (mg / kg (ppm))	0609	107.50	1.0000	220.07	12.943	4.8745	93	-8.70	037.32	0
037	Zinc (mg / kg (ppm))	0405	182.00	4.0000	220.07	12.943	4.8745	93	-2.94	037.41	0
037	Zinc (mg / kg (ppm))	0870	188.15	8.1000	220.07	12.943	4.8745	93	-2.47	037.42	0
037	Zinc (mg / kg (ppm))	0921	191.59	5.0400	220.07	12.943	4.8745	93	-2.20	037.31	0
037	Zinc (mg / kg (ppm))	0874	196.00	6.0000	220.07	12.943	4.8745	93	-1.86	037.31	0
037	Zinc (mg / kg (ppm))	0589	197.50	17.000	220.07	12.943	4.8745	93	-1.74	037.33	0
037	Zinc (mg / kg (ppm))	0353	200.10	4.2000	220.07	12.943	4.8745	93	-1.54	037.43	0
037	Zinc (mg / kg (ppm))	0968	202.00	0.00000	220.07	12.943	4.8745	93	-1.40	037.43	0
037	Zinc (mg / kg (ppm))	0653	202.15	0.70000	220.07	12.943	4.8745	93	-1.38	037.31	0
037	Zinc (mg / kg (ppm))	0407	202.63	0.72000	220.07	12.943	4.8745	93	-1.35	037.41	0
037	Zinc (mg / kg (ppm))	0619	203.50	5.0000	220.07	12.943	4.8745	93	-1.28	037.41	0
037	Zinc (mg / kg (ppm))	0918	203.99	5.2500	220.07	12.943	4.8745	93	-1.24	037.43	0
037	Zinc (mg / kg (ppm))	0043	205.00	2.0000	220.07	12.943	4.8745	93	-1.16	037.43	0
037	Zinc (mg / kg (ppm))	0242	205.00	2.0000	220.07	12.943	4.8745	93	-1.16	037.99	0
037	Zinc (mg / kg (ppm))	0178	206.46	4.6700	220.07	12.943	4.8745	93	-1.05	037.31	0
037	Zinc (mg / kg (ppm))	0629	207.00	0.00000	220.07	12.943	4.8745	93	-1.01	037.43	0
037	Zinc (mg / kg (ppm))	0175	209.00	6.0000	220.07	12.943	4.8745	93	-0.86	037.31	0
037	Zinc (mg / kg (ppm))	0563	209.00	2.0000	220.07	12.943	4.8745	93	-0.86	037.31	0
037	Zinc (mg / kg (ppm))	0164	209.00	2.0000	220.07	12.943	4.8745	93	-0.86	037.41	0
037	Zinc (mg / kg (ppm))	0668	210.00	2.0000	220.07	12.943	4.8745	93	-0.78	037.43	0
037	Zinc (mg / kg (ppm))	0035	210.05	3.5000	220.07	12.943	4.8745	93	-0.77	037.32	0
037	Zinc (mg / kg (ppm))	0638	211.00	6.0000	220.07	12.943	4.8745	93	-0.70	037.31	0
037	Zinc (mg / kg (ppm))	0520	211.20	16.000	220.07	12.943	4.8745	93	-0.69	037.41	0
037	Zinc (mg / kg (ppm))	0354	211.70	0.96000	220.07	12.943	4.8745	93	-0.65	037.31	0
037	Zinc (mg / kg (ppm))	2022	211.85	2.7000	220.07	12.943	4.8745	93	-0.64	037.31	0
037	Zinc (mg / kg (ppm))	0682	212.50	1.0000	220.07	12.943	4.8745	93	-0.58	037.41	0
037	Zinc (mg / kg (ppm))	0049	213.06	1.3800	220.07	12.943	4.8745	93	-0.54	037.41	0
037	Zinc (mg / kg (ppm))	0358	213.60	1.5000	220.07	12.943	4.8745	93	-0.50	037.41	0
037	Zinc (mg / kg (ppm))	0148	213.65	4.7000	220.07	12.943	4.8745	93	-0.50	037.41	0
037	Zinc (mg / kg (ppm))	0610	213.75	2.5000	220.07	12.943	4.8745	93	-0.49	037.41	0
037	Zinc (mg / kg (ppm))	0889	214.00	6.0000	220.07	12.943	4.8745	93	-0.47	037.99	0
037	Zinc (mg / kg (ppm))	0033	214.50	5.0000	220.07	12.943	4.8745	93	-0.43	037.43	0
037	Zinc (mg / kg (ppm))	0695	215.37	0.58400	220.07	12.943	4.8745	93	-0.36	037.41	0
037	Zinc (mg / kg (ppm))	0692	215.50	23.000	220.07	12.943	4.8745	93	-0.35	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0345	215.50	1.0000	220.07	12.943	4.8745	93	-0.35	037.43	0
037	Zinc (mg / kg (ppm))	0226	216.50	1.0000	220.07	12.943	4.8745	93	-0.28	037.41	0
037	Zinc (mg / kg (ppm))	2004	217.00	6.0000	220.07	12.943	4.8745	93	-0.24	037.44	0
037	Zinc (mg / kg (ppm))	0868	218.00	0.00000	220.07	12.943	4.8745	93	-0.16	037.31	0
037	Zinc (mg / kg (ppm))	0074	218.00	2.0000	220.07	12.943	4.8745	93	-0.16	037.41	0
037	Zinc (mg / kg (ppm))	0720	218.61	1.0170	220.07	12.943	4.8745	93	-0.11	037.41	0
037	Zinc (mg / kg (ppm))	0504	218.85	16.900	220.07	12.943	4.8745	93	-0.09	037.33	0
037	Zinc (mg / kg (ppm))	0948	219.04	4.2700	220.07	12.943	4.8745	93	-0.08	037.33	0
037	Zinc (mg / kg (ppm))	0008	219.40	5.2000	220.07	12.943	4.8745	93	-0.05	037.43	0
037	Zinc (mg / kg (ppm))	0011	219.45	1.3950	220.07	12.943	4.8745	93	-0.05	037.41	0
037	Zinc (mg / kg (ppm))	0098	219.60	15.800	220.07	12.943	4.8745	93	-0.04	037.41	0
037	Zinc (mg / kg (ppm))	0629	220.00	0.00000	220.07	12.943	4.8745	93	-0.01	037.31	0
037	Zinc (mg / kg (ppm))	0511	220.00	2.0000	220.07	12.943	4.8745	93	-0.01	037.41	0
037	Zinc (mg / kg (ppm))	0265	220.00	4.0000	220.07	12.943	4.8745	93	-0.01	037.42	0
037	Zinc (mg / kg (ppm))	0510	220.00	0.00000	220.07	12.943	4.8745	93	-0.01	037.43	0
037	Zinc (mg / kg (ppm))	0675	220.16	2.1100	220.07	12.943	4.8745	93	0.01	037.43	0
037	Zinc (mg / kg (ppm))	0693	220.27	0.24000	220.07	12.943	4.8745	93	0.02	037.42	0
037	Zinc (mg / kg (ppm))	0045	221.00	10.000	220.07	12.943	4.8745	93	0.07	037.42	0
037	Zinc (mg / kg (ppm))	0294	221.35	1.3000	220.07	12.943	4.8745	93	0.10	037.42	0
037	Zinc (mg / kg (ppm))	0723	221.73	0.00000	220.07	12.943	4.8745	93	0.13	037.31	0
037	Zinc (mg / kg (ppm))	0689	222.00	0.00000	220.07	12.943	4.8745	93	0.15	037.31	0
037	Zinc (mg / kg (ppm))	0297	222.00	2.0000	220.07	12.943	4.8745	93	0.15	037.43	0
037	Zinc (mg / kg (ppm))	0964	223.59	19.955	220.07	12.943	4.8745	93	0.27	037.41	0
037	Zinc (mg / kg (ppm))	0187	223.85	3.7100	220.07	12.943	4.8745	93	0.29	037.42	0
037	Zinc (mg / kg (ppm))	0505	224.50	5.0000	220.07	12.943	4.8745	93	0.34	037.31	0
037	Zinc (mg / kg (ppm))	0038	224.50	5.0000	220.07	12.943	4.8745	93	0.34	037.32	0
037	Zinc (mg / kg (ppm))	0357	224.50	1.0000	220.07	12.943	4.8745	93	0.34	037.42	0
037	Zinc (mg / kg (ppm))	0512	224.75	1.3000	220.07	12.943	4.8745	93	0.36	037.41	0
037	Zinc (mg / kg (ppm))	0560	225.00	16.000	220.07	12.943	4.8745	93	0.38	037.42	0
037	Zinc (mg / kg (ppm))	0425	225.10	0.20000	220.07	12.943	4.8745	93	0.39	037.43	0
037	Zinc (mg / kg (ppm))	0171	226.50	1.0000	220.07	12.943	4.8745	93	0.50	037.41	0
037	Zinc (mg / kg (ppm))	2012	226.78	0.55000	220.07	12.943	4.8745	93	0.52	037.41	0
037	Zinc (mg / kg (ppm))	2067	227.17	1.2240	220.07	12.943	4.8745	93	0.55	037.31	0
037	Zinc (mg / kg (ppm))	2055	227.50	1.0000	220.07	12.943	4.8745	93	0.57	037.53	0
037	Zinc (mg / kg (ppm))	0598	227.70	5.0000	220.07	12.943	4.8745	93	0.59	037.41	0
037	Zinc (mg / kg (ppm))	0169	228.00	4.0000	220.07	12.943	4.8745	93	0.61	037.43	0
037	Zinc (mg / kg (ppm))	0035	228.85	0.30000	220.07	12.943	4.8745	93	0.68	037.42	0
037	Zinc (mg / kg (ppm))	0004	229.00	2.0000	220.07	12.943	4.8745	93	0.69	037.41	0
037	Zinc (mg / kg (ppm))	0100	231.50	3.0000	220.07	12.943	4.8745	93	0.88	037.99	0
037	Zinc (mg / kg (ppm))	0190	232.45	0.49000	220.07	12.943	4.8745	93	0.96	037.42	0
037	Zinc (mg / kg (ppm))	2023	232.50	11.000	220.07	12.943	4.8745	93	0.96	037.43	0
037	Zinc (mg / kg (ppm))	0229	233.00	4.0000	220.07	12.943	4.8745	93	1.00	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0590	233.50	1.0000	220.07	12.943	4.8745	93	1.04	037.31	0
037	Zinc (mg / kg (ppm))	0413	233.50	7.0000	220.07	12.943	4.8745	93	1.04	037.42	0
037	Zinc (mg / kg (ppm))	0083	234.00	4.0000	220.07	12.943	4.8745	93	1.08	037.41	0
037	Zinc (mg / kg (ppm))	0726	234.75	0.10000	220.07	12.943	4.8745	93	1.13	037.42	0
037	Zinc (mg / kg (ppm))	0098	235.00	8.8000	220.07	12.943	4.8745	93	1.15	037.43	0
037	Zinc (mg / kg (ppm))	0555	235.00	10.000	220.07	12.943	4.8745	93	1.15	037.52	0
037	Zinc (mg / kg (ppm))	0038	236.50	1.0000	220.07	12.943	4.8745	93	1.27	037.43	0
037	Zinc (mg / kg (ppm))	0555	236.72	13.340	220.07	12.943	4.8745	93	1.29	037.42	0
037	Zinc (mg / kg (ppm))	0572	237.50	9.0000	220.07	12.943	4.8745	93	1.35	037.53	0
037	Zinc (mg / kg (ppm))	0504	238.65	19.900	220.07	12.943	4.8745	93	1.44	037.32	0
037	Zinc (mg / kg (ppm))	0037	239.15	2.5000	220.07	12.943	4.8745	93	1.47	037.43	0
037	Zinc (mg / kg (ppm))	0912	240.00	0.00000	220.07	12.943	4.8745	93	1.54	037.53	0
037	Zinc (mg / kg (ppm))	0674	245.19	0.00000	220.07	12.943	4.8745	93	1.94	037.31	0
037	Zinc (mg / kg (ppm))	0536	251.74	28.220	220.07	12.943	4.8745	93	2.45	037.31	0
037	Zinc (mg / kg (ppm))	0042	255.50	7.0000	220.07	12.943	4.8745	93	2.74	037.42	0
037	Zinc (mg / kg (ppm))	0646	262.50	0.00000	220.07	12.943	4.8745	93	3.28	037.31	0
037	Zinc (mg / kg (ppm))	0003	265.50	27.000	220.07	12.943	4.8745	93	3.51	037.41	0
037	Zinc (mg / kg (ppm))	2074	190.00	40.000	220.07	12.943	4.8745	93	-2.32	037.42	1
037	Zinc (mg / kg (ppm))	0168	215.00	30.000	220.07	12.943	4.8745	93	-0.39	037.43	1
037	Zinc (mg / kg (ppm))	0066	1,084.0	40.000	220.07	12.943	4.8745	93	66.75	037.31	2
038	Molybdenum (mg / kg (ppm))	0353	0.21000	0.02000	0.74874	0.12183	0.09911	17	-4.42	038.43	0
038	Molybdenum (mg / kg (ppm))	0964	0.42190	0.49180	0.74874	0.12183	0.09911	17	-2.68	038.41	0
038	Molybdenum (mg / kg (ppm))	0560	0.60000	0.20000	0.74874	0.12183	0.09911	17	-1.22	038.42	0
038	Molybdenum (mg / kg (ppm))	0345	0.66000	0.02000	0.74874	0.12183	0.09911	17	-0.73	038.43	0
038	Molybdenum (mg / kg (ppm))	0278	0.67500	0.07000	0.74874	0.12183	0.09911	17	-0.61	038.42	0
038	Molybdenum (mg / kg (ppm))	0693	0.69100	0.51800	0.74874	0.12183	0.09911	17	-0.47	038.42	0
038	Molybdenum (mg / kg (ppm))	2055	0.70000	0.04000	0.74874	0.12183	0.09911	17	-0.40	038.53	0
038	Molybdenum (mg / kg (ppm))	0098	0.73900	0.08600	0.74874	0.12183	0.09911	17	-0.08	038.53	0
038	Molybdenum (mg / kg (ppm))	0555	0.77500	0.01000	0.74874	0.12183	0.09911	17	0.22	038.52	0
038	Molybdenum (mg / kg (ppm))	0297	0.78000	0.08000	0.74874	0.12183	0.09911	17	0.26	038.43	0
038	Molybdenum (mg / kg (ppm))	2023	0.78500	0.01000	0.74874	0.12183	0.09911	17	0.30	038.53	0
038	Molybdenum (mg / kg (ppm))	0038	0.80000	0.00000	0.74874	0.12183	0.09911	17	0.42	038.43	0
038	Molybdenum (mg / kg (ppm))	0011	0.80700	0.06400	0.74874	0.12183	0.09911	17	0.48	038.41	0
038	Molybdenum (mg / kg (ppm))	0918	0.81430	0.03600	0.74874	0.12183	0.09911	17	0.54	038.53	0
038	Molybdenum (mg / kg (ppm))	0553	0.87450	0.03900	0.74874	0.12183	0.09911	17	1.03	038.53	0
038	Molybdenum (mg / kg (ppm))	0912	0.92000	0.00000	0.74874	0.12183	0.09911	17	1.41	038.53	0
038	Molybdenum (mg / kg (ppm))	0510	1.0000	0.00000	0.74874	0.12183	0.09911	17	2.06	038.43	0
038	Molybdenum (mg / kg (ppm))	0169	45.500	1.0000	0.74874	0.12183	0.09911	17	367.33	038.43	2
040	Barium (mg / kg (ppm))	0918	5.1575	0.25110	5.5858	0.37098	0.28370	3	-1.15	040.53	0
040	Barium (mg / kg (ppm))	0560	5.8000	0.00000	5.5858	0.37098	0.28370	3	0.58	040.42	0
040	Barium (mg / kg (ppm))	0555	5.8000	0.60000	5.5858	0.37098	0.28370	3	0.58	040.52	0
041	Vanadium (mg / kg (ppm))	0553	0.30500	0.02000			0.02000	1			

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
042	Chloride (%)	2012	0.49000	0.00000	0.51250	0.03182	0.00500	2	-0.71	042.00	0
042	Chloride (%)	0297	0.53500	0.01000	0.51250	0.03182	0.00500	2	0.71	042.00	0
101	Choline Chloride (mg / kg (ppm))	2004	1,390.0	180.00	2,248.0	743.05	65.333	3	-1.15	101.01	0
101	Choline Chloride (mg / kg (ppm))	0939	2,677.0	8.0000	2,248.0	743.05	65.333	3	0.58	101.01	0
101	Choline Chloride (mg / kg (ppm))	0939	2,677.0	8.0000	2,248.0	743.05	65.333	3	0.58	101.99	0
104	Riboflavin (mg / kg (ppm))	0171	11.350	0.10000	12.800	2.0506	0.20000	2	-0.71	104.00	0
104	Riboflavin (mg / kg (ppm))	2023	14.250	0.30000	12.800	2.0506	0.20000	2	0.71	104.03	0
105	Thiamine (mg / kg (ppm))	2023	8.9250	0.07000	9.2825	0.50558	0.08500	2	-0.71	105.00	0
105	Thiamine (mg / kg (ppm))	0629	9.6400	0.10000	9.2825	0.50558	0.08500	2	0.71	105.00	0
106	Vitamin A (KU / kg)	0910	5.4450	0.27000	11.260	2.5265	0.70307	16	-2.30	106.02	0
106	Vitamin A (KU / kg)	0555	6.0000	2.6000	11.260	2.5265	0.70307	16	-2.08	106.02	0
106	Vitamin A (KU / kg)	0638	7.0900	1.0000	11.260	2.5265	0.70307	16	-1.65	106.02	0
106	Vitamin A (KU / kg)	0941	9.1450	0.34000	11.260	2.5265	0.70307	16	-0.84	106.02	0
106	Vitamin A (KU / kg)	0004	10.858	0.37500	11.260	2.5265	0.70307	16	-0.16	106.02	0
106	Vitamin A (KU / kg)	2004	11.150	0.10000	11.260	2.5265	0.70307	16	-0.04	106.02	0
106	Vitamin A (KU / kg)	0676	11.185	0.45000	11.260	2.5265	0.70307	16	-0.03	106.02	0
106	Vitamin A (KU / kg)	0098	11.250	0.70000	11.260	2.5265	0.70307	16	0.00	106.01	0
106	Vitamin A (KU / kg)	0169	11.400	0.20000	11.260	2.5265	0.70307	16	0.06	106.02	0
106	Vitamin A (KU / kg)	0027	11.557	1.2910	11.260	2.5265	0.70307	16	0.12	106.02	0
106	Vitamin A (KU / kg)	0171	11.650	0.90000	11.260	2.5265	0.70307	16	0.15	106.00	0
106	Vitamin A (KU / kg)	0610	12.800	1.2000	11.260	2.5265	0.70307	16	0.61	106.02	0
106	Vitamin A (KU / kg)	0861	13.000	0.20000	11.260	2.5265	0.70307	16	0.69	106.02	0
106	Vitamin A (KU / kg)	0675	13.050	0.10000	11.260	2.5265	0.70307	16	0.71	106.02	0
106	Vitamin A (KU / kg)	0563	15.442	0.12310	11.260	2.5265	0.70307	16	1.66	106.02	0
106	Vitamin A (KU / kg)	2023	17.900	1.4000	11.260	2.5265	0.70307	16	2.63	106.02	0
108	Vitamin D3 (KU / kg)	0169	0.00000	0.00000	1.1929	1.1559	0.03020	5	-1.03	108.01	0
108	Vitamin D3 (KU / kg)	2023	0.91500	0.05000	1.1929	1.1559	0.03020	5	-0.24	108.01	0
108	Vitamin D3 (KU / kg)	2023	0.91500	0.05000	1.1929	1.1559	0.03020	5	-0.24	108.02	0
108	Vitamin D3 (KU / kg)	2004	1.0095	0.04100	1.1929	1.1559	0.03020	5	-0.16	108.99	0
108	Vitamin D3 (KU / kg)	0160	3.1250	0.01000	1.1929	1.1559	0.03020	5	1.67	108.02	0
108	Vitamin D3 (KU / kg)	0675	4.2300	0.38000	1.1929	1.1559	0.03020	5	2.63	108.02	1
109	Vitamin E (mg / kg (ppm))	0169	10.100	0.60000	77.815	25.719	6.0151	16	-2.63	109.02	0
109	Vitamin E (mg / kg (ppm))	0555	25.565	2.4500	77.815	25.719	6.0151	16	-2.03	109.02	0
109	Vitamin E (mg / kg (ppm))	0171	52.400	7.4000	77.815	25.719	6.0151	16	-0.99	109.99	0
109	Vitamin E (mg / kg (ppm))	2053	57.000	4.0000	77.815	25.719	6.0151	16	-0.81	109.02	0
109	Vitamin E (mg / kg (ppm))	0955	65.750	5.3000	77.815	25.719	6.0151	16	-0.47	109.02	0
109	Vitamin E (mg / kg (ppm))	0675	69.310	20.680	77.815	25.719	6.0151	16	-0.33	109.02	0
109	Vitamin E (mg / kg (ppm))	0563	73.537	8.7680	77.815	25.719	6.0151	16	-0.17	109.02	0
109	Vitamin E (mg / kg (ppm))	2023	74.700	1.0000	77.815	25.719	6.0151	16	-0.12	109.02	0
109	Vitamin E (mg / kg (ppm))	0676	79.115	2.7100	77.815	25.719	6.0151	16	0.05	109.02	0
109	Vitamin E (mg / kg (ppm))	0610	88.000	14.000	77.815	25.719	6.0151	16	0.40	109.02	0
109	Vitamin E (mg / kg (ppm))	0861	97.000	0.00000	77.815	25.719	6.0151	16	0.75	109.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
109	Vitamin E (mg / kg (ppm))	0098	98.200	5.6000	77.815	25.719	6.0151	16	0.79	109.02	0
109	Vitamin E (mg / kg (ppm))	2022	100.50	11.000	77.815	25.719	6.0151	16	0.88	109.02	0
109	Vitamin E (mg / kg (ppm))	0910	102.95	5.5000	77.815	25.719	6.0151	16	0.98	109.02	0
109	Vitamin E (mg / kg (ppm))	0027	103.12	2.6640	77.815	25.719	6.0151	16	0.98	109.02	0
109	Vitamin E (mg / kg (ppm))	0638	104.99	4.5700	77.815	25.719	6.0151	16	1.06	109.02	0
120	Alanine (%)	0171	0.49700	0.01000	2.1404	0.07304	0.03423	20	-22.50	120.00	0
120	Alanine (%)	0939	1.8000	0.08000	2.1404	0.07304	0.03423	20	-4.66	120.05	0
120	Alanine (%)	0297	1.9640	0.09600	2.1404	0.07304	0.03423	20	-2.41	120.01	0
120	Alanine (%)	0626	2.0550	0.00400	2.1404	0.07304	0.03423	20	-1.17	120.05	0
120	Alanine (%)	0941	2.0950	0.01000	2.1404	0.07304	0.03423	20	-0.62	120.00	0
120	Alanine (%)	0676	2.0970	0.01200	2.1404	0.07304	0.03423	20	-0.59	120.05	0
120	Alanine (%)	0652	2.1050	0.05000	2.1404	0.07304	0.03423	20	-0.48	120.00	0
120	Alanine (%)	2022	2.1050	0.05000	2.1404	0.07304	0.03423	20	-0.48	120.00	0
120	Alanine (%)	0872	2.1334	0.02070	2.1404	0.07304	0.03423	20	-0.10	120.00	0
120	Alanine (%)	0008	2.1475	0.18300	2.1404	0.07304	0.03423	20	0.10	120.05	0
120	Alanine (%)	2059	2.1490	0.00200	2.1404	0.07304	0.03423	20	0.12	120.00	0
120	Alanine (%)	0968	2.1515	0.00700	2.1404	0.07304	0.03423	20	0.15	120.00	0
120	Alanine (%)	0910	2.1600	0.02000	2.1404	0.07304	0.03423	20	0.27	120.00	0
120	Alanine (%)	0571	2.1795	0.00900	2.1404	0.07304	0.03423	20	0.54	120.00	0
120	Alanine (%)	0504	2.1900	0.04000	2.1404	0.07304	0.03423	20	0.68	120.00	0
120	Alanine (%)	0098	2.1922	0.02040	2.1404	0.07304	0.03423	20	0.71	120.02	0
120	Alanine (%)	0675	2.1950	0.01000	2.1404	0.07304	0.03423	20	0.75	120.00	0
120	Alanine (%)	0868	2.2121	0.01450	2.1404	0.07304	0.03423	20	0.98	120.00	0
120	Alanine (%)	2023	2.2550	0.01000	2.1404	0.07304	0.03423	20	1.57	120.02	0
120	Alanine (%)	0684	2.2680	0.03600	2.1404	0.07304	0.03423	20	1.75	120.00	0
120	Alanine (%)	0918	2.4620	0.20600	2.1404	0.07304	0.03423	20	4.40	120.00	1
121	Arginine (%)	0675	1.5950	0.01000	1.7000	0.06579	0.01888	18	-1.60	121.00	0
121	Arginine (%)	0968	1.6375	0.00300	1.7000	0.06579	0.01888	18	-0.95	121.00	0
121	Arginine (%)	0098	1.6431	0.01320	1.7000	0.06579	0.01888	18	-0.86	121.02	0
121	Arginine (%)	0872	1.6440	0.00620	1.7000	0.06579	0.01888	18	-0.85	121.00	0
121	Arginine (%)	0652	1.6500	0.04000	1.7000	0.06579	0.01888	18	-0.76	121.00	0
121	Arginine (%)	0910	1.6650	0.01000	1.7000	0.06579	0.01888	18	-0.53	121.00	0
121	Arginine (%)	0684	1.6765	0.00500	1.7000	0.06579	0.01888	18	-0.36	121.00	0
121	Arginine (%)	0504	1.6800	0.04000	1.7000	0.06579	0.01888	18	-0.30	121.00	0
121	Arginine (%)	0868	1.6952	0.00750	1.7000	0.06579	0.01888	18	-0.07	121.00	0
121	Arginine (%)	0571	1.6965	0.01500	1.7000	0.06579	0.01888	18	-0.05	121.00	0
121	Arginine (%)	0676	1.7010	0.02400	1.7000	0.06579	0.01888	18	0.02	121.05	0
121	Arginine (%)	2022	1.7050	0.01000	1.7000	0.06579	0.01888	18	0.08	121.00	0
121	Arginine (%)	2059	1.7145	0.01100	1.7000	0.06579	0.01888	18	0.22	121.00	0
121	Arginine (%)	2023	1.7500	0.04000	1.7000	0.06579	0.01888	18	0.76	121.02	0
121	Arginine (%)	0297	1.7665	0.01900	1.7000	0.06579	0.01888	18	1.01	121.01	0
121	Arginine (%)	0626	1.7765	0.01500	1.7000	0.06579	0.01888	18	1.16	121.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
121	Arginine (%)	0918	1.7995	0.07100	1.7000	0.06579	0.01888	18	1.51	121.00	0
121	Arginine (%)	0939	1.8400	0.00000	1.7000	0.06579	0.01888	18	2.13	121.05	0
121	Arginine (%)	0008	1.5775	0.36700	1.7000	0.06579	0.01888	18	-1.86	121.05	1
121	Arginine (%)	0171	0.54050	0.01700	1.7000	0.06579	0.01888	18	-17.62	121.00	2
122	Aspartic (%)	0941	2.4450	0.03000	2.5515	0.02774	0.04133	19	-3.84	122.00	0
122	Aspartic (%)	0968	2.5045	0.00300	2.5515	0.02774	0.04133	19	-1.70	122.00	0
122	Aspartic (%)	0098	2.5075	0.05540	2.5515	0.02774	0.04133	19	-1.59	122.02	0
122	Aspartic (%)	0652	2.5100	0.04000	2.5515	0.02774	0.04133	19	-1.50	122.00	0
122	Aspartic (%)	2059	2.5400	0.01200	2.5515	0.02774	0.04133	19	-0.42	122.00	0
122	Aspartic (%)	0297	2.5415	0.05100	2.5515	0.02774	0.04133	19	-0.36	122.01	0
122	Aspartic (%)	0868	2.5419	0.01060	2.5515	0.02774	0.04133	19	-0.35	122.00	0
122	Aspartic (%)	0675	2.5450	0.01000	2.5515	0.02774	0.04133	19	-0.24	122.00	0
122	Aspartic (%)	0504	2.5500	0.08000	2.5515	0.02774	0.04133	19	-0.06	122.00	0
122	Aspartic (%)	0939	2.5500	0.06000	2.5515	0.02774	0.04133	19	-0.06	122.05	0
122	Aspartic (%)	0872	2.5525	0.02430	2.5515	0.02774	0.04133	19	0.03	122.00	0
122	Aspartic (%)	0910	2.5550	0.05000	2.5515	0.02774	0.04133	19	0.12	122.00	0
122	Aspartic (%)	0676	2.5640	0.02400	2.5515	0.02774	0.04133	19	0.45	122.05	0
122	Aspartic (%)	0571	2.5655	0.01100	2.5515	0.02774	0.04133	19	0.50	122.00	0
122	Aspartic (%)	0626	2.5740	0.13400	2.5515	0.02774	0.04133	19	0.81	122.05	0
122	Aspartic (%)	2022	2.5950	0.07000	2.5515	0.02774	0.04133	19	1.57	122.00	0
122	Aspartic (%)	0684	2.5985	0.00300	2.5515	0.02774	0.04133	19	1.69	122.00	0
122	Aspartic (%)	0008	2.6225	0.10700	2.5515	0.02774	0.04133	19	2.56	122.05	0
122	Aspartic (%)	2023	2.7850	0.01000	2.5515	0.02774	0.04133	19	8.42	122.02	0
122	Aspartic (%)	0918	2.8135	0.29700	2.5515	0.02774	0.04133	19	9.44	122.00	1
122	Aspartic (%)	0171	0.92950	0.02700	2.5515	0.02774	0.04133	19	-58.47	122.00	2
124	Cysteine/Cystine (%)	0171	0.11250	0.00500	0.48596	0.03790	0.01160	20	-9.85	124.00	0
124	Cysteine/Cystine (%)	0008	0.30250	0.02300	0.48596	0.03790	0.01160	20	-4.84	124.99	0
124	Cysteine/Cystine (%)	0684	0.42350	0.00700	0.48596	0.03790	0.01160	20	-1.65	124.00	0
124	Cysteine/Cystine (%)	0297	0.45250	0.00300	0.48596	0.03790	0.01160	20	-0.88	124.01	0
124	Cysteine/Cystine (%)	0652	0.46500	0.01000	0.48596	0.03790	0.01160	20	-0.55	124.00	0
124	Cysteine/Cystine (%)	0968	0.47250	0.00100	0.48596	0.03790	0.01160	20	-0.36	124.00	0
124	Cysteine/Cystine (%)	0872	0.47465	0.00570	0.48596	0.03790	0.01160	20	-0.30	124.00	0
124	Cysteine/Cystine (%)	0227	0.47500	0.01000	0.48596	0.03790	0.01160	20	-0.29	124.00	0
124	Cysteine/Cystine (%)	0941	0.47500	0.01000	0.48596	0.03790	0.01160	20	-0.29	124.00	0
124	Cysteine/Cystine (%)	0504	0.48000	0.02000	0.48596	0.03790	0.01160	20	-0.16	124.00	0
124	Cysteine/Cystine (%)	0868	0.48500	0.00160	0.48596	0.03790	0.01160	20	-0.03	124.00	0
124	Cysteine/Cystine (%)	2059	0.48850	0.00500	0.48596	0.03790	0.01160	20	0.07	124.00	0
124	Cysteine/Cystine (%)	0571	0.49650	0.00100	0.48596	0.03790	0.01160	20	0.28	124.00	0
124	Cysteine/Cystine (%)	0675	0.50500	0.01000	0.48596	0.03790	0.01160	20	0.50	124.00	0
124	Cysteine/Cystine (%)	2022	0.50500	0.01000	0.48596	0.03790	0.01160	20	0.50	124.00	0
124	Cysteine/Cystine (%)	0098	0.51695	0.00870	0.48596	0.03790	0.01160	20	0.82	124.02	0
124	Cysteine/Cystine (%)	0910	0.53500	0.01000	0.48596	0.03790	0.01160	20	1.29	124.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
124	Cysteine/Cystine (%)	2023	0.53500	0.03000	0.48596	0.03790	0.01160	20	1.29	124.02	0
124	Cysteine/Cystine (%)	0676	0.54800	0.00800	0.48596	0.03790	0.01160	20	1.64	124.05	0
124	Cysteine/Cystine (%)	0918	0.55750	0.05300	0.48596	0.03790	0.01160	20	1.89	124.00	0
124	Cysteine/Cystine (%)	0939	0.49500	0.07000	0.48596	0.03790	0.01160	20	0.24	124.05	1
125	Glutamic (%)	0939	5.3700	0.12000	5.7905	0.19166	0.08195	19	-2.19	125.05	0
125	Glutamic (%)	0941	5.5800	0.02000	5.7905	0.19166	0.08195	19	-1.10	125.00	0
125	Glutamic (%)	0626	5.5855	0.00500	5.7905	0.19166	0.08195	19	-1.07	125.05	0
125	Glutamic (%)	0968	5.6440	0.00600	5.7905	0.19166	0.08195	19	-0.76	125.00	0
125	Glutamic (%)	0504	5.6900	0.04000	5.7905	0.19166	0.08195	19	-0.52	125.00	0
125	Glutamic (%)	0872	5.6952	0.04840	5.7905	0.19166	0.08195	19	-0.50	125.00	0
125	Glutamic (%)	2059	5.6970	0.02600	5.7905	0.19166	0.08195	19	-0.49	125.00	0
125	Glutamic (%)	0571	5.7055	0.07700	5.7905	0.19166	0.08195	19	-0.44	125.00	0
125	Glutamic (%)	0008	5.7115	0.34100	5.7905	0.19166	0.08195	19	-0.41	125.05	0
125	Glutamic (%)	0676	5.7660	0.11400	5.7905	0.19166	0.08195	19	-0.13	125.05	0
125	Glutamic (%)	0098	5.7700	0.04400	5.7905	0.19166	0.08195	19	-0.11	125.02	0
125	Glutamic (%)	0652	5.8450	0.05000	5.7905	0.19166	0.08195	19	0.28	125.00	0
125	Glutamic (%)	0297	5.8480	0.16400	5.7905	0.19166	0.08195	19	0.30	125.01	0
125	Glutamic (%)	0868	5.8990	0.02570	5.7905	0.19166	0.08195	19	0.57	125.00	0
125	Glutamic (%)	0910	5.9300	0.10000	5.7905	0.19166	0.08195	19	0.73	125.00	0
125	Glutamic (%)	0675	6.1550	0.01000	5.7905	0.19166	0.08195	19	1.90	125.00	0
125	Glutamic (%)	0918	6.2145	0.30900	5.7905	0.19166	0.08195	19	2.21	125.00	0
125	Glutamic (%)	0684	6.2375	0.04700	5.7905	0.19166	0.08195	19	2.33	125.00	0
125	Glutamic (%)	2023	6.3750	0.01000	5.7905	0.19166	0.08195	19	3.05	125.02	0
125	Glutamic (%)	0171	1.7400	0.16000	5.7905	0.19166	0.08195	19	-21.13	125.00	2
126	Glycine (%)	0652	1.5850	0.03000	1.6454	0.03592	0.01731	18	-1.68	126.00	0
126	Glycine (%)	0941	1.5850	0.01000	1.6454	0.03592	0.01731	18	-1.68	126.00	0
126	Glycine (%)	0939	1.5900	0.04000	1.6454	0.03592	0.01731	18	-1.54	126.05	0
126	Glycine (%)	0297	1.6185	0.06900	1.6454	0.03592	0.01731	18	-0.75	126.01	0
126	Glycine (%)	0872	1.6221	0.00420	1.6454	0.03592	0.01731	18	-0.65	126.00	0
126	Glycine (%)	0675	1.6250	0.01000	1.6454	0.03592	0.01731	18	-0.57	126.00	0
126	Glycine (%)	0968	1.6330	0.00600	1.6454	0.03592	0.01731	18	-0.34	126.00	0
126	Glycine (%)	0676	1.6400	0.01400	1.6454	0.03592	0.01731	18	-0.15	126.05	0
126	Glycine (%)	0910	1.6500	0.00000	1.6454	0.03592	0.01731	18	0.13	126.00	0
126	Glycine (%)	0098	1.6543	0.00340	1.6454	0.03592	0.01731	18	0.25	126.02	0
126	Glycine (%)	0626	1.6550	0.01800	1.6454	0.03592	0.01731	18	0.27	126.05	0
126	Glycine (%)	2059	1.6560	0.00600	1.6454	0.03592	0.01731	18	0.30	126.00	0
126	Glycine (%)	0571	1.6590	0.00600	1.6454	0.03592	0.01731	18	0.38	126.00	0
126	Glycine (%)	0868	1.6688	0.00090	1.6454	0.03592	0.01731	18	0.65	126.00	0
126	Glycine (%)	0504	1.6750	0.01000	1.6454	0.03592	0.01731	18	0.83	126.00	0
126	Glycine (%)	0684	1.6840	0.01000	1.6454	0.03592	0.01731	18	1.08	126.00	0
126	Glycine (%)	0008	1.6870	0.05400	1.6454	0.03592	0.01731	18	1.16	126.05	0
126	Glycine (%)	2023	1.7100	0.02000	1.6454	0.03592	0.01731	18	1.80	126.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
126	Glycine (%)	0918	1.7810	0.19000	1.6454	0.03592	0.01731	18	3.78	126.00	1
126	Glycine (%)	0171	0.66350	0.04300	1.6454	0.03592	0.01731	18	-27.33	126.00	2
127	Histidine (%)	0171	0.23550	0.01300	0.73405	0.01915	0.01561	20	-26.03	127.00	0
127	Histidine (%)	0297	0.58150	0.04900	0.73405	0.01915	0.01561	20	-7.96	127.01	0
127	Histidine (%)	2023	0.66000	0.00000	0.73405	0.01915	0.01561	20	-3.87	127.02	0
127	Histidine (%)	0941	0.69500	0.01000	0.73405	0.01915	0.01561	20	-2.04	127.00	0
127	Histidine (%)	2059	0.71500	0.00000	0.73405	0.01915	0.01561	20	-0.99	127.00	0
127	Histidine (%)	0626	0.72850	0.03900	0.73405	0.01915	0.01561	20	-0.29	127.05	0
127	Histidine (%)	0571	0.73300	0.00400	0.73405	0.01915	0.01561	20	-0.05	127.00	0
127	Histidine (%)	0968	0.73350	0.00100	0.73405	0.01915	0.01561	20	-0.03	127.00	0
127	Histidine (%)	0504	0.73500	0.01000	0.73405	0.01915	0.01561	20	0.05	127.00	0
127	Histidine (%)	0910	0.73500	0.01000	0.73405	0.01915	0.01561	20	0.05	127.00	0
127	Histidine (%)	0939	0.73500	0.05000	0.73405	0.01915	0.01561	20	0.05	127.05	0
127	Histidine (%)	0652	0.74000	0.02000	0.73405	0.01915	0.01561	20	0.31	127.00	0
127	Histidine (%)	0008	0.74000	0.03800	0.73405	0.01915	0.01561	20	0.31	127.05	0
127	Histidine (%)	0868	0.74050	0.00860	0.73405	0.01915	0.01561	20	0.34	127.00	0
127	Histidine (%)	0098	0.74655	0.00930	0.73405	0.01915	0.01561	20	0.65	127.02	0
127	Histidine (%)	0872	0.74785	0.00330	0.73405	0.01915	0.01561	20	0.72	127.00	0
127	Histidine (%)	0676	0.75050	0.01100	0.73405	0.01915	0.01561	20	0.86	127.05	0
127	Histidine (%)	0684	0.75200	0.01600	0.73405	0.01915	0.01561	20	0.94	127.00	0
127	Histidine (%)	0675	0.75500	0.01000	0.73405	0.01915	0.01561	20	1.09	127.00	0
127	Histidine (%)	2022	0.78500	0.01000	0.73405	0.01915	0.01561	20	2.66	127.00	0
127	Histidine (%)	0918	0.81100	0.10800	0.73405	0.01915	0.01561	20	4.02	127.00	1
128	Isoleucine (%)	0008	1.0830	0.00800	1.2311	0.05957	0.01867	20	-2.49	128.05	0
128	Isoleucine (%)	0941	1.1050	0.01000	1.2311	0.05957	0.01867	20	-2.12	128.00	0
128	Isoleucine (%)	0939	1.1500	0.06000	1.2311	0.05957	0.01867	20	-1.36	128.05	0
128	Isoleucine (%)	0684	1.1670	0.00600	1.2311	0.05957	0.01867	20	-1.08	128.00	0
128	Isoleucine (%)	0652	1.1850	0.01000	1.2311	0.05957	0.01867	20	-0.77	128.00	0
128	Isoleucine (%)	0675	1.2150	0.01000	1.2311	0.05957	0.01867	20	-0.27	128.00	0
128	Isoleucine (%)	0910	1.2150	0.05000	1.2311	0.05957	0.01867	20	-0.27	128.00	0
128	Isoleucine (%)	2022	1.2150	0.01000	1.2311	0.05957	0.01867	20	-0.27	128.00	0
128	Isoleucine (%)	0968	1.2175	0.00100	1.2311	0.05957	0.01867	20	-0.23	128.00	0
128	Isoleucine (%)	0571	1.2290	0.01800	1.2311	0.05957	0.01867	20	-0.04	128.00	0
128	Isoleucine (%)	0872	1.2388	0.01010	1.2311	0.05957	0.01867	20	0.13	128.00	0
128	Isoleucine (%)	2059	1.2445	0.00100	1.2311	0.05957	0.01867	20	0.22	128.00	0
128	Isoleucine (%)	0626	1.2540	0.00400	1.2311	0.05957	0.01867	20	0.38	128.05	0
128	Isoleucine (%)	0098	1.2568	0.02510	1.2311	0.05957	0.01867	20	0.43	128.02	0
128	Isoleucine (%)	0504	1.2700	0.02000	1.2311	0.05957	0.01867	20	0.65	128.00	0
128	Isoleucine (%)	2023	1.2750	0.01000	1.2311	0.05957	0.01867	20	0.74	128.02	0
128	Isoleucine (%)	0868	1.2767	0.00820	1.2311	0.05957	0.01867	20	0.77	128.00	0
128	Isoleucine (%)	0676	1.2775	0.02500	1.2311	0.05957	0.01867	20	0.78	128.05	0
128	Isoleucine (%)	0918	1.3255	0.06300	1.2311	0.05957	0.01867	20	1.58	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
128	Isoleucine (%)	0297	1.3580	0.02400	1.2311	0.05957	0.01867	20	2.13	128.01	0
128	Isoleucine (%)	0171	0.34750	0.00300	1.2311	0.05957	0.01867	20	-14.83	128.00	2
129	Leucine (%)	0939	3.1500	0.04000	3.4677	0.08636	0.03954	18	-3.68	129.05	0
129	Leucine (%)	0941	3.2850	0.15000	3.4677	0.08636	0.03954	18	-2.12	129.00	0
129	Leucine (%)	0872	3.3954	0.03340	3.4677	0.08636	0.03954	18	-0.84	129.00	0
129	Leucine (%)	0297	3.4030	0.05000	3.4677	0.08636	0.03954	18	-0.75	129.01	0
129	Leucine (%)	0910	3.4050	0.03000	3.4677	0.08636	0.03954	18	-0.73	129.00	0
129	Leucine (%)	0652	3.4200	0.02000	3.4677	0.08636	0.03954	18	-0.55	129.00	0
129	Leucine (%)	0008	3.4345	0.17700	3.4677	0.08636	0.03954	18	-0.38	129.05	0
129	Leucine (%)	0626	3.4405	0.00700	3.4677	0.08636	0.03954	18	-0.31	129.05	0
129	Leucine (%)	0676	3.4770	0.00400	3.4677	0.08636	0.03954	18	0.11	129.05	0
129	Leucine (%)	2059	3.4790	0.01000	3.4677	0.08636	0.03954	18	0.13	129.00	0
129	Leucine (%)	0571	3.4960	0.01800	3.4677	0.08636	0.03954	18	0.33	129.00	0
129	Leucine (%)	0098	3.4992	0.02020	3.4677	0.08636	0.03954	18	0.37	129.02	0
129	Leucine (%)	0968	3.5005	0.00500	3.4677	0.08636	0.03954	18	0.38	129.00	0
129	Leucine (%)	0868	3.5065	0.00510	3.4677	0.08636	0.03954	18	0.45	129.00	0
129	Leucine (%)	0684	3.5440	0.04200	3.4677	0.08636	0.03954	18	0.88	129.00	0
129	Leucine (%)	0504	3.5550	0.07000	3.4677	0.08636	0.03954	18	1.01	129.00	0
129	Leucine (%)	0675	3.5850	0.01000	3.4677	0.08636	0.03954	18	1.36	129.00	0
129	Leucine (%)	2023	3.7800	0.02000	3.4677	0.08636	0.03954	18	3.62	129.02	0
129	Leucine (%)	0918	3.7650	0.24400	3.4677	0.08636	0.03954	18	3.44	129.00	1
129	Leucine (%)	0171	0.83750	0.00900	3.4677	0.08636	0.03954	18	-30.46	129.00	2
130	L-Lysine (%)	0941	1.3100	0.00000	1.3825	0.04596	0.01559	21	-1.58	130.00	0
130	L-Lysine (%)	0652	1.3300	0.02000	1.3825	0.04596	0.01559	21	-1.14	130.00	0
130	L-Lysine (%)	0684	1.3360	0.01800	1.3825	0.04596	0.01559	21	-1.01	130.00	0
130	L-Lysine (%)	0027	1.3420	0.01400	1.3825	0.04596	0.01559	21	-0.88	130.05	0
130	L-Lysine (%)	0675	1.3450	0.01000	1.3825	0.04596	0.01559	21	-0.82	130.00	0
130	L-Lysine (%)	0297	1.3540	0.00200	1.3825	0.04596	0.01559	21	-0.62	130.01	0
130	L-Lysine (%)	0626	1.3590	0.03800	1.3825	0.04596	0.01559	21	-0.51	130.05	0
130	L-Lysine (%)	0910	1.3600	0.02000	1.3825	0.04596	0.01559	21	-0.49	130.00	0
130	L-Lysine (%)	0968	1.3700	0.00000	1.3825	0.04596	0.01559	21	-0.27	130.00	0
130	L-Lysine (%)	0676	1.3750	0.02200	1.3825	0.04596	0.01559	21	-0.16	130.05	0
130	L-Lysine (%)	2059	1.3790	0.00800	1.3825	0.04596	0.01559	21	-0.08	130.00	0
130	L-Lysine (%)	0571	1.3805	0.00700	1.3825	0.04596	0.01559	21	-0.04	130.00	0
130	L-Lysine (%)	0872	1.3838	0.00110	1.3825	0.04596	0.01559	21	0.03	130.00	0
130	L-Lysine (%)	0008	1.3990	0.08200	1.3825	0.04596	0.01559	21	0.36	130.05	0
130	L-Lysine (%)	0868	1.4064	0.00630	1.3825	0.04596	0.01559	21	0.52	130.00	0
130	L-Lysine (%)	2022	1.4100	0.00000	1.3825	0.04596	0.01559	21	0.60	130.00	0
130	L-Lysine (%)	0939	1.4100	0.00000	1.3825	0.04596	0.01559	21	0.60	130.05	0
130	L-Lysine (%)	0098	1.4392	0.00900	1.3825	0.04596	0.01559	21	1.23	130.02	0
130	L-Lysine (%)	0504	1.4450	0.01000	1.3825	0.04596	0.01559	21	1.36	130.00	0
130	L-Lysine (%)	2023	1.5100	0.06000	1.3825	0.04596	0.01559	21	2.77	130.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
130	L-Lysine (%)	0723	1.5440	0.00000	1.3825	0.04596	0.01559	21	3.51	130.05	0
130	L-Lysine (%)	0918	1.4265	0.13100	1.3825	0.04596	0.01559	21	0.96	130.00	1
130	L-Lysine (%)	0171	0.56950	0.06700	1.3825	0.04596	0.01559	21	-17.69	130.00	2
131	Methionine (%)	0171	0.29650	0.04500	0.72572	0.04458	0.01819	22	-9.63	131.00	0
131	Methionine (%)	0684	0.62700	0.00000	0.72572	0.04458	0.01819	22	-2.21	131.00	0
131	Methionine (%)	0008	0.65000	0.00400	0.72572	0.04458	0.01819	22	-1.70	131.99	0
131	Methionine (%)	0941	0.67500	0.01000	0.72572	0.04458	0.01819	22	-1.14	131.00	0
131	Methionine (%)	0968	0.68150	0.00500	0.72572	0.04458	0.01819	22	-0.99	131.00	0
131	Methionine (%)	0626	0.68550	0.06900	0.72572	0.04458	0.01819	22	-0.90	131.05	0
131	Methionine (%)	0297	0.71650	0.00100	0.72572	0.04458	0.01819	22	-0.21	131.01	0
131	Methionine (%)	2022	0.72000	0.00000	0.72572	0.04458	0.01819	22	-0.13	131.00	0
131	Methionine (%)	0910	0.72500	0.01000	0.72572	0.04458	0.01819	22	-0.02	131.00	0
131	Methionine (%)	2059	0.72700	0.00400	0.72572	0.04458	0.01819	22	0.03	131.00	0
131	Methionine (%)	0098	0.72810	0.02780	0.72572	0.04458	0.01819	22	0.05	131.02	0
131	Methionine (%)	0872	0.72945	0.00790	0.72572	0.04458	0.01819	22	0.08	131.00	0
131	Methionine (%)	0652	0.73000	0.04000	0.72572	0.04458	0.01819	22	0.10	131.00	0
131	Methionine (%)	2023	0.73000	0.00000	0.72572	0.04458	0.01819	22	0.10	131.02	0
131	Methionine (%)	0939	0.73500	0.05000	0.72572	0.04458	0.01819	22	0.21	131.05	0
131	Methionine (%)	0504	0.74000	0.02000	0.72572	0.04458	0.01819	22	0.32	131.00	0
131	Methionine (%)	0571	0.74850	0.00100	0.72572	0.04458	0.01819	22	0.51	131.00	0
131	Methionine (%)	0675	0.76500	0.01000	0.72572	0.04458	0.01819	22	0.88	131.00	0
131	Methionine (%)	0227	0.76615	0.01830	0.72572	0.04458	0.01819	22	0.91	131.00	0
131	Methionine (%)	0868	0.78155	0.00210	0.72572	0.04458	0.01819	22	1.25	131.00	0
131	Methionine (%)	0676	0.81250	0.01500	0.72572	0.04458	0.01819	22	1.95	131.05	0
131	Methionine (%)	0918	0.87000	0.06000	0.72572	0.04458	0.01819	22	3.24	131.00	0
132	Phenylalanine (%)	0941	1.5150	0.01000	1.6187	0.05154	0.01978	19	-2.01	132.00	0
132	Phenylalanine (%)	0939	1.5300	0.04000	1.6187	0.05154	0.01978	19	-1.72	132.05	0
132	Phenylalanine (%)	0652	1.5350	0.01000	1.6187	0.05154	0.01978	19	-1.62	132.00	0
132	Phenylalanine (%)	0872	1.5723	0.01850	1.6187	0.05154	0.01978	19	-0.90	132.00	0
132	Phenylalanine (%)	0968	1.5755	0.01100	1.6187	0.05154	0.01978	19	-0.84	132.00	0
132	Phenylalanine (%)	0008	1.5795	0.10700	1.6187	0.05154	0.01978	19	-0.76	132.05	0
132	Phenylalanine (%)	2059	1.6095	0.00900	1.6187	0.05154	0.01978	19	-0.18	132.00	0
132	Phenylalanine (%)	2022	1.6150	0.01000	1.6187	0.05154	0.01978	19	-0.07	132.00	0
132	Phenylalanine (%)	0676	1.6275	0.00500	1.6187	0.05154	0.01978	19	0.17	132.05	0
132	Phenylalanine (%)	0098	1.6291	0.00940	1.6187	0.05154	0.01978	19	0.20	132.02	0
132	Phenylalanine (%)	0626	1.6295	0.00100	1.6187	0.05154	0.01978	19	0.21	132.05	0
132	Phenylalanine (%)	0571	1.6330	0.01200	1.6187	0.05154	0.01978	19	0.28	132.00	0
132	Phenylalanine (%)	0297	1.6370	0.01400	1.6187	0.05154	0.01978	19	0.35	132.01	0
132	Phenylalanine (%)	0684	1.6415	0.04300	1.6187	0.05154	0.01978	19	0.44	132.00	0
132	Phenylalanine (%)	0675	1.6450	0.01000	1.6187	0.05154	0.01978	19	0.51	132.00	0
132	Phenylalanine (%)	0504	1.6650	0.03000	1.6187	0.05154	0.01978	19	0.90	132.00	0
132	Phenylalanine (%)	0910	1.6650	0.01000	1.6187	0.05154	0.01978	19	0.90	132.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
132	Phenylalanine (%)	0868	1.6875	0.00590	1.6187	0.05154	0.01978	19	1.33	132.00	0
132	Phenylalanine (%)	2023	1.7700	0.02000	1.6187	0.05154	0.01978	19	2.94	132.02	0
132	Phenylalanine (%)	0918	1.6750	0.16000	1.6187	0.05154	0.01978	19	1.09	132.00	1
132	Phenylalanine (%)	0171	0.44600	0.01000	1.6187	0.05154	0.01978	19	-22.75	132.00	2
133	Proline (%)	0171	0.56800	0.01000	2.3236	0.10779	0.05218	18	-16.29	133.00	0
133	Proline (%)	0910	2.0850	0.31000	2.3236	0.10779	0.05218	18	-2.21	133.00	0
133	Proline (%)	0675	2.1550	0.01000	2.3236	0.10779	0.05218	18	-1.56	133.00	0
133	Proline (%)	0939	2.2050	0.01000	2.3236	0.10779	0.05218	18	-1.10	133.05	0
133	Proline (%)	0652	2.2650	0.09000	2.3236	0.10779	0.05218	18	-0.54	133.00	0
133	Proline (%)	0941	2.2900	0.00000	2.3236	0.10779	0.05218	18	-0.31	133.00	0
133	Proline (%)	0872	2.3025	0.02100	2.3236	0.10779	0.05218	18	-0.20	133.00	0
133	Proline (%)	0571	2.3150	0.02600	2.3236	0.10779	0.05218	18	-0.08	133.00	0
133	Proline (%)	2059	2.3345	0.00100	2.3236	0.10779	0.05218	18	0.10	133.00	0
133	Proline (%)	0968	2.3380	0.00600	2.3236	0.10779	0.05218	18	0.13	133.00	0
133	Proline (%)	0868	2.3435	0.01530	2.3236	0.10779	0.05218	18	0.18	133.00	0
133	Proline (%)	2022	2.3500	0.04000	2.3236	0.10779	0.05218	18	0.25	133.00	0
133	Proline (%)	0626	2.3735	0.01300	2.3236	0.10779	0.05218	18	0.46	133.05	0
133	Proline (%)	0676	2.4080	0.02400	2.3236	0.10779	0.05218	18	0.78	133.05	0
133	Proline (%)	0684	2.4115	0.02900	2.3236	0.10779	0.05218	18	0.82	133.00	0
133	Proline (%)	0504	2.4250	0.07000	2.3236	0.10779	0.05218	18	0.94	133.00	0
133	Proline (%)	0008	2.4460	0.19400	2.3236	0.10779	0.05218	18	1.14	133.05	0
133	Proline (%)	2023	3.1150	0.07000	2.3236	0.10779	0.05218	18	7.34	133.99	0
133	Proline (%)	0918	2.7790	0.54000	2.3236	0.10779	0.05218	18	4.23	133.00	1
134	Serine (%)	0504	1.4250	0.09000	1.5162	0.06355	0.02388	18	-1.44	134.00	0
134	Serine (%)	0939	1.4450	0.05000	1.5162	0.06355	0.02388	18	-1.12	134.05	0
134	Serine (%)	0098	1.4545	0.01620	1.5162	0.06355	0.02388	18	-0.97	134.02	0
134	Serine (%)	0676	1.4625	0.05900	1.5162	0.06355	0.02388	18	-0.85	134.05	0
134	Serine (%)	0968	1.4685	0.00500	1.5162	0.06355	0.02388	18	-0.75	134.00	0
134	Serine (%)	0626	1.4845	0.00100	1.5162	0.06355	0.02388	18	-0.50	134.05	0
134	Serine (%)	0675	1.4850	0.01000	1.5162	0.06355	0.02388	18	-0.49	134.00	0
134	Serine (%)	0872	1.5073	0.01440	1.5162	0.06355	0.02388	18	-0.14	134.00	0
134	Serine (%)	2059	1.5135	0.00100	1.5162	0.06355	0.02388	18	-0.04	134.00	0
134	Serine (%)	0652	1.5150	0.01000	1.5162	0.06355	0.02388	18	-0.02	134.00	0
134	Serine (%)	0571	1.5260	0.02800	1.5162	0.06355	0.02388	18	0.15	134.00	0
134	Serine (%)	0910	1.5300	0.02000	1.5162	0.06355	0.02388	18	0.22	134.00	0
134	Serine (%)	0941	1.5300	0.06000	1.5162	0.06355	0.02388	18	0.22	134.00	0
134	Serine (%)	0297	1.5530	0.00200	1.5162	0.06355	0.02388	18	0.58	134.01	0
134	Serine (%)	2023	1.5850	0.01000	1.5162	0.06355	0.02388	18	1.08	134.02	0
134	Serine (%)	0868	1.5994	0.01530	1.5162	0.06355	0.02388	18	1.31	134.00	0
134	Serine (%)	0684	1.6000	0.00200	1.5162	0.06355	0.02388	18	1.32	134.00	0
134	Serine (%)	0008	1.6280	0.03600	1.5162	0.06355	0.02388	18	1.76	134.05	0
134	Serine (%)	0918	1.5055	0.20700	1.5162	0.06355	0.02388	18	-0.17	134.00	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
134	Serine (%)	0171	0.46250	0.02100	1.5162	0.06355	0.02388	18	-16.58	134.00	2
135	Threonine (%)	0626	1.0745	0.00300	1.1287	0.02507	0.01493	19	-2.16	135.05	0
135	Threonine (%)	0676	1.0945	0.00900	1.1287	0.02507	0.01493	19	-1.36	135.05	0
135	Threonine (%)	0872	1.1073	0.00860	1.1287	0.02507	0.01493	19	-0.85	135.00	0
135	Threonine (%)	2059	1.1105	0.01100	1.1287	0.02507	0.01493	19	-0.73	135.00	0
135	Threonine (%)	0968	1.1135	0.00100	1.1287	0.02507	0.01493	19	-0.61	135.00	0
135	Threonine (%)	0941	1.1150	0.05000	1.1287	0.02507	0.01493	19	-0.55	135.00	0
135	Threonine (%)	0652	1.1150	0.01000	1.1287	0.02507	0.01493	19	-0.55	135.00	0
135	Threonine (%)	0910	1.1150	0.01000	1.1287	0.02507	0.01493	19	-0.55	135.00	0
135	Threonine (%)	0939	1.1150	0.01000	1.1287	0.02507	0.01493	19	-0.55	135.05	0
135	Threonine (%)	0571	1.1290	0.00400	1.1287	0.02507	0.01493	19	0.01	135.00	0
135	Threonine (%)	0098	1.1308	0.01370	1.1287	0.02507	0.01493	19	0.08	135.02	0
135	Threonine (%)	0675	1.1350	0.01000	1.1287	0.02507	0.01493	19	0.25	135.00	0
135	Threonine (%)	2022	1.1400	0.02000	1.1287	0.02507	0.01493	19	0.45	135.00	0
135	Threonine (%)	0504	1.1400	0.04000	1.1287	0.02507	0.01493	19	0.45	135.00	0
135	Threonine (%)	0297	1.1525	0.01700	1.1287	0.02507	0.01493	19	0.95	135.01	0
135	Threonine (%)	0868	1.1539	0.00330	1.1287	0.02507	0.01493	19	1.00	135.00	0
135	Threonine (%)	0008	1.1565	0.03100	1.1287	0.02507	0.01493	19	1.11	135.05	0
135	Threonine (%)	2023	1.2050	0.01000	1.1287	0.02507	0.01493	19	3.04	135.02	0
135	Threonine (%)	0684	1.2180	0.02200	1.1287	0.02507	0.01493	19	3.56	135.00	0
135	Threonine (%)	0918	1.1960	0.19400	1.1287	0.02507	0.01493	19	2.69	135.00	1
135	Threonine (%)	0171	0.39250	0.01100	1.1287	0.02507	0.01493	19	-29.36	135.00	2
136	Tryptophan (%)	0918	0.18880	0.03360	0.28589	0.01939	0.00974	13	-5.01	136.00	0
136	Tryptophan (%)	0008	0.22200	0.00600	0.28589	0.01939	0.00974	13	-3.29	136.01	0
136	Tryptophan (%)	2023	0.22500	0.01000	0.28589	0.01939	0.00974	13	-3.14	136.02	0
136	Tryptophan (%)	0868	0.27550	0.00300	0.28589	0.01939	0.00974	13	-0.54	136.01	0
136	Tryptophan (%)	0872	0.28350	0.00300	0.28589	0.01939	0.00974	13	-0.12	136.03	0
136	Tryptophan (%)	2059	0.28450	0.00300	0.28589	0.01939	0.00974	13	-0.07	136.01	0
136	Tryptophan (%)	0297	0.28650	0.00500	0.28589	0.01939	0.00974	13	0.03	136.03	0
136	Tryptophan (%)	0098	0.29050	0.01100	0.28589	0.01939	0.00974	13	0.24	136.02	0
136	Tryptophan (%)	0619	0.29100	0.00600	0.28589	0.01939	0.00974	13	0.26	136.03	0
136	Tryptophan (%)	0571	0.29250	0.00300	0.28589	0.01939	0.00974	13	0.34	136.01	0
136	Tryptophan (%)	0684	0.30550	0.00900	0.28589	0.01939	0.00974	13	1.01	136.00	0
136	Tryptophan (%)	0227	0.31000	0.00400	0.28589	0.01939	0.00974	13	1.24	136.00	0
136	Tryptophan (%)	0504	0.31500	0.03000	0.28589	0.01939	0.00974	13	1.50	136.99	0
137	Tyrosine (%)	0171	0.33900	0.00400	1.1882	0.09552	0.03459	17	-8.89	137.00	0
137	Tyrosine (%)	0910	0.94500	0.07000	1.1882	0.09552	0.03459	17	-2.55	137.00	0
137	Tyrosine (%)	0008	0.98800	0.00800	1.1882	0.09552	0.03459	17	-2.10	137.05	0
137	Tyrosine (%)	2023	0.99500	0.03000	1.1882	0.09552	0.03459	17	-2.02	137.02	0
137	Tyrosine (%)	0626	1.0355	0.07500	1.1882	0.09552	0.03459	17	-1.60	137.05	0
137	Tyrosine (%)	0939	1.0650	0.03000	1.1882	0.09552	0.03459	17	-1.29	137.05	0
137	Tyrosine (%)	0968	1.0865	0.02900	1.1882	0.09552	0.03459	17	-1.07	137.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
137	Tyrosine (%)	0872	1.2220	0.00800	1.1882	0.09552	0.03459	17	0.35	137.00	0
137	Tyrosine (%)	0676	1.2245	0.04300	1.1882	0.09552	0.03459	17	0.38	137.05	0
137	Tyrosine (%)	0675	1.2250	0.01000	1.1882	0.09552	0.03459	17	0.38	137.00	0
137	Tyrosine (%)	0098	1.2258	0.04610	1.1882	0.09552	0.03459	17	0.39	137.02	0
137	Tyrosine (%)	0504	1.2450	0.01000	1.1882	0.09552	0.03459	17	0.59	137.00	0
137	Tyrosine (%)	0684	1.2465	0.02500	1.1882	0.09552	0.03459	17	0.61	137.00	0
137	Tyrosine (%)	0941	1.2500	0.06000	1.1882	0.09552	0.03459	17	0.65	137.00	0
137	Tyrosine (%)	2059	1.2790	0.01600	1.1882	0.09552	0.03459	17	0.95	137.00	0
137	Tyrosine (%)	0297	1.2825	0.01300	1.1882	0.09552	0.03459	17	0.99	137.01	0
137	Tyrosine (%)	0918	1.3485	0.11100	1.1882	0.09552	0.03459	17	1.68	137.00	0
138	Valine (%)	0171	0.48050	0.03700	1.4431	0.04672	0.02562	21	-20.60	138.00	0
138	Valine (%)	0008	1.2525	0.01100	1.4431	0.04672	0.02562	21	-4.08	138.05	0
138	Valine (%)	0941	1.2850	0.01000	1.4431	0.04672	0.02562	21	-3.38	138.00	0
138	Valine (%)	0684	1.3625	0.03700	1.4431	0.04672	0.02562	21	-1.72	138.00	0
138	Valine (%)	0652	1.3750	0.01000	1.4431	0.04672	0.02562	21	-1.46	138.00	0
138	Valine (%)	0872	1.4194	0.01100	1.4431	0.04672	0.02562	21	-0.51	138.00	0
138	Valine (%)	0910	1.4200	0.06000	1.4431	0.04672	0.02562	21	-0.49	138.00	0
138	Valine (%)	0968	1.4300	0.00000	1.4431	0.04672	0.02562	21	-0.28	138.00	0
138	Valine (%)	0675	1.4350	0.01000	1.4431	0.04672	0.02562	21	-0.17	138.00	0
138	Valine (%)	0571	1.4445	0.03100	1.4431	0.04672	0.02562	21	0.03	138.00	0
138	Valine (%)	0868	1.4447	0.00800	1.4431	0.04672	0.02562	21	0.03	138.00	0
138	Valine (%)	2022	1.4450	0.03000	1.4431	0.04672	0.02562	21	0.04	138.00	0
138	Valine (%)	0939	1.4450	0.01000	1.4431	0.04672	0.02562	21	0.04	138.05	0
138	Valine (%)	2059	1.4455	0.00500	1.4431	0.04672	0.02562	21	0.05	138.00	0
138	Valine (%)	0098	1.4635	0.03300	1.4431	0.04672	0.02562	21	0.44	138.02	0
138	Valine (%)	0504	1.4650	0.07000	1.4431	0.04672	0.02562	21	0.47	138.00	0
138	Valine (%)	0626	1.5210	0.01600	1.4431	0.04672	0.02562	21	1.67	138.05	0
138	Valine (%)	0676	1.5385	0.02900	1.4431	0.04672	0.02562	21	2.04	138.05	0
138	Valine (%)	0918	1.5690	0.06200	1.4431	0.04672	0.02562	21	2.70	138.00	0
138	Valine (%)	2023	1.6000	0.02000	1.4431	0.04672	0.02562	21	3.36	138.02	0
138	Valine (%)	0297	1.6870	0.03800	1.4431	0.04672	0.02562	21	5.22	138.01	0
139	Taurine (%)	0171	0.09100	0.01600	0.11281	0.01496	0.00904	7	-1.46	139.00	0
139	Taurine (%)	2023	0.10500	0.01000	0.11281	0.01496	0.00904	7	-0.52	139.02	0
139	Taurine (%)	2058	0.10850	0.00080	0.11281	0.01496	0.00904	7	-0.29	139.99	0
139	Taurine (%)	0941	0.11000	0.00000	0.11281	0.01496	0.00904	7	-0.19	139.00	0
139	Taurine (%)	0098	0.12065	0.00150	0.11281	0.01496	0.00904	7	0.52	139.02	0
139	Taurine (%)	0939	0.12600	0.01400	0.11281	0.01496	0.00904	7	0.88	139.00	0
139	Taurine (%)	0008	0.12850	0.02100	0.11281	0.01496	0.00904	7	1.05	139.05	0
139	Taurine (%)	0504	0.32500	0.15000	0.11281	0.01496	0.00904	7	14.18	139.00	1
160	Fructose (%)	0148	0.00000	0.00000	0.07461	0.07642	0.00413	4	-0.98	160.99	0
160	Fructose (%)	0297	0.05650	0.00300	0.07461	0.07642	0.00413	4	-0.24	160.99	0
160	Fructose (%)	2004	0.06045	0.00050	0.07461	0.07642	0.00413	4	-0.19	160.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
160	Fructose (%)	0227	0.18150	0.01300	0.07461	0.07642	0.00413	4	1.40	160.99	0
161	Galactose (%)	0297	0.00000	0.00000	0.00000	0.00000	0.00000	2	0.00	161.99	0
161	Galactose (%)	2004	0.00000	0.00000	0.00000	0.00000	0.00000	2	0.00	161.99	0
162	Glucose (%)	0148	0.00000	0.00000	0.01443	0.01253	0.00107	3	-1.15	162.99	0
162	Glucose (%)	2004	0.02080	0.00020	0.01443	0.01253	0.00107	3	0.51	162.99	0
162	Glucose (%)	0297	0.02250	0.00300	0.01443	0.01253	0.00107	3	0.64	162.99	0
163	Lactose (%)	0148	0.00000	0.00000	0.00000	0.00000	0.00000	3	0.00	163.99	0
163	Lactose (%)	0297	0.00000	0.00000	0.00000	0.00000	0.00000	3	0.00	163.99	0
163	Lactose (%)	2004	0.00000	0.00000	0.00000	0.00000	0.00000	3	0.00	163.99	0
164	Maltose (%)	0297	0.00000	0.00000	0.06333	0.10970	0.01333	3	-0.58	164.99	0
164	Maltose (%)	2004	0.00000	0.00000	0.06333	0.10970	0.01333	3	-0.58	164.99	0
164	Maltose (%)	0148	0.19000	0.04000	0.06333	0.10970	0.01333	3	1.15	164.99	0
165	Sucrose (%)	2004	1.6700	0.02000	2.0537	0.26087	0.04567	6	-1.47	165.99	0
165	Sucrose (%)	0629	1.9500	0.10000	2.0537	0.26087	0.04567	6	-0.40	165.99	0
165	Sucrose (%)	0148	2.0300	0.00000	2.0537	0.26087	0.04567	6	-0.09	165.99	0
165	Sucrose (%)	0227	2.0335	0.09500	2.0537	0.26087	0.04567	6	-0.08	165.99	0
165	Sucrose (%)	2058	2.2450	0.05000	2.0537	0.26087	0.04567	6	0.73	165.99	0
165	Sucrose (%)	0297	2.4255	0.00900	2.0537	0.26087	0.04567	6	1.43	165.99	0
166	Raffinose (%)	0297	0.25700	0.00600			0.00600	1			
167	Stachyose (%)	0297	1.1300	0.06000			0.06000	1			
200	Arachidonic Acid (%)	0008	0.03000	0.00000			0.00000	1			
210	Linoleic Acid (%)	0008	3.1950	0.09000			0.09000	1			
400	Water activity (Units)	0589	0.33000	0.00200	0.37787	0.07862	0.00527	3	-0.61	400.01	0
400	Water activity (Units)	0942	0.33500	0.01000	0.37787	0.07862	0.00527	3	-0.55	400.01	0
400	Water activity (Units)	0552	0.46860	0.00380	0.37787	0.07862	0.00527	3	1.15	400.01	0
516	Arsenic, total (mg / kg (ppm))	0638	0.00000	0.00000	0.09124	0.03316	0.00475	8	-2.75	516.53	0
516	Arsenic, total (mg / kg (ppm))	0939	0.06500	0.01000	0.09124	0.03316	0.00475	8	-0.79	516.00	0
516	Arsenic, total (mg / kg (ppm))	0168	0.08150	0.00500	0.09124	0.03316	0.00475	8	-0.29	516.53	0
516	Arsenic, total (mg / kg (ppm))	0563	0.08190	0.00100	0.09124	0.03316	0.00475	8	-0.28	516.00	0
516	Arsenic, total (mg / kg (ppm))	0171	0.10000	0.00000	0.09124	0.03316	0.00475	8	0.26	516.00	0
516	Arsenic, total (mg / kg (ppm))	0553	0.11300	0.00600	0.09124	0.03316	0.00475	8	0.66	516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	0.12150	0.01100	0.09124	0.03316	0.00475	8	0.91	516.53	0
516	Arsenic, total (mg / kg (ppm))	0227	0.12550	0.00500	0.09124	0.03316	0.00475	8	1.03	516.53	0
516	Arsenic, total (mg / kg (ppm))	0918	0.09175	0.03250	0.09124	0.03316	0.00475	8	0.02	516.53	1
518	Cadmium (mg / kg (ppm))	0425	0.00000	0.00000	0.02305	0.00675	0.00318	12	-3.41	518.43	0
518	Cadmium (mg / kg (ppm))	0939	0.00850	0.00100	0.02305	0.00675	0.00318	12	-2.15	518.34	0
518	Cadmium (mg / kg (ppm))	0227	0.01800	0.00200	0.02305	0.00675	0.00318	12	-0.75	518.53	0
518	Cadmium (mg / kg (ppm))	0171	0.02000	0.00000	0.02305	0.00675	0.00318	12	-0.45	518.41	0
518	Cadmium (mg / kg (ppm))	0098	0.02200	0.00600	0.02305	0.00675	0.00318	12	-0.16	518.53	0
518	Cadmium (mg / kg (ppm))	2055	0.02250	0.01500	0.02305	0.00675	0.00318	12	-0.08	518.53	0
518	Cadmium (mg / kg (ppm))	0918	0.02335	0.00370	0.02305	0.00675	0.00318	12	0.04	518.53	0
518	Cadmium (mg / kg (ppm))	0553	0.02435	0.00450	0.02305	0.00675	0.00318	12	0.19	518.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
518	Cadmium (mg / kg (ppm))	0638	0.02600	0.00000	0.02305	0.00675	0.00318	12	0.44	518.53	0
518	Cadmium (mg / kg (ppm))	0968	0.03000	0.00000	0.02305	0.00675	0.00318	12	1.03	518.41	0
518	Cadmium (mg / kg (ppm))	0011	0.03050	0.00600	0.02305	0.00675	0.00318	12	1.10	518.41	0
518	Cadmium (mg / kg (ppm))	0948	0.06000	0.00000	0.02305	0.00675	0.00318	12	5.47	518.33	0
518	Cadmium (mg / kg (ppm))	0563	0.12000	0.02000	0.02305	0.00675	0.00318	12	14.35	518.34	1
520	Chromium (mg / kg (ppm))	0555	0.66500	0.23000	1.6323	0.85401	0.23342	9	-1.13	520.52	0
520	Chromium (mg / kg (ppm))	2012	0.78500	0.21000	1.6323	0.85401	0.23342	9	-0.99	520.43	0
520	Chromium (mg / kg (ppm))	0918	1.0302	0.29680	1.6323	0.85401	0.23342	9	-0.71	520.53	0
520	Chromium (mg / kg (ppm))	0011	1.4395	0.17300	1.6323	0.85401	0.23342	9	-0.23	520.41	0
520	Chromium (mg / kg (ppm))	0171	1.5500	0.08000	1.6323	0.85401	0.23342	9	-0.10	520.41	0
520	Chromium (mg / kg (ppm))	2055	1.7985	0.26100	1.6323	0.85401	0.23342	9	0.19	520.53	0
520	Chromium (mg / kg (ppm))	2023	2.0100	0.26000	1.6323	0.85401	0.23342	9	0.44	520.53	0
520	Chromium (mg / kg (ppm))	0563	3.2150	0.01000	1.6323	0.85401	0.23342	9	1.85	520.31	0
520	Chromium (mg / kg (ppm))	0968	3.2440	0.58000	1.6323	0.85401	0.23342	9	1.89	520.99	0
520	Chromium (mg / kg (ppm))	0553	2.0550	1.2500	1.6323	0.85401	0.23342	9	0.49	520.53	1
526	Lead (mg / kg (ppm))	0563	0.37000	0.02000	1.3646	0.14046	0.08798	12	-7.08	526.34	0
526	Lead (mg / kg (ppm))	0227	1.0745	0.12300	1.3646	0.14046	0.08798	12	-2.07	526.53	0
526	Lead (mg / kg (ppm))	0939	1.2000	0.12000	1.3646	0.14046	0.08798	12	-1.17	526.34	0
526	Lead (mg / kg (ppm))	0098	1.2750	0.13000	1.3646	0.14046	0.08798	12	-0.64	526.53	0
526	Lead (mg / kg (ppm))	0553	1.3800	0.04000	1.3646	0.14046	0.08798	12	0.11	526.53	0
526	Lead (mg / kg (ppm))	0695	1.3805	0.25300	1.3646	0.14046	0.08798	12	0.11	526.41	0
526	Lead (mg / kg (ppm))	0425	1.4000	0.00000	1.3646	0.14046	0.08798	12	0.25	526.43	0
526	Lead (mg / kg (ppm))	0555	1.4000	0.00000	1.3646	0.14046	0.08798	12	0.25	526.52	0
526	Lead (mg / kg (ppm))	0918	1.4185	0.11570	1.3646	0.14046	0.08798	12	0.38	526.53	0
526	Lead (mg / kg (ppm))	0638	1.4700	0.00000	1.3646	0.14046	0.08798	12	0.75	526.53	0
526	Lead (mg / kg (ppm))	0168	1.4860	0.03400	1.3646	0.14046	0.08798	12	0.86	526.53	0
526	Lead (mg / kg (ppm))	0171	1.5900	0.22000	1.3646	0.14046	0.08798	12	1.60	526.41	0
526	Lead (mg / kg (ppm))	0921	2.2200	1.2800	1.3646	0.14046	0.08798	12	6.09	526.31	1
529	Mercury (µg / kg (ppb))	0425	0.00000	0.00000	6.9963	8.5671	2.5175	4	-0.82	529.00	0
529	Mercury (µg / kg (ppb))	0638	0.00000	0.00000	6.9963	8.5671	2.5175	4	-0.82	529.99	0
529	Mercury (µg / kg (ppb))	0171	10.500	5.0000	6.9963	8.5671	2.5175	4	0.41	529.99	0
529	Mercury (µg / kg (ppb))	0939	17.485	5.0700	6.9963	8.5671	2.5175	4	1.22	529.00	0
539	Nickel (mg / kg (ppm))	0171	2.0000	0.00000	2.5679	0.34133	0.15295	6	-1.66	539.41	0
539	Nickel (mg / kg (ppm))	0011	2.3765	0.04200	2.5679	0.34133	0.15295	6	-0.56	539.41	0
539	Nickel (mg / kg (ppm))	2023	2.4150	0.07000	2.5679	0.34133	0.15295	6	-0.45	539.53	0
539	Nickel (mg / kg (ppm))	0918	2.7280	0.23570	2.5679	0.34133	0.15295	6	0.47	539.53	0
539	Nickel (mg / kg (ppm))	0553	2.7450	0.27000	2.5679	0.34133	0.15295	6	0.52	539.53	0
539	Nickel (mg / kg (ppm))	0555	3.1500	0.30000	2.5679	0.34133	0.15295	6	1.71	539.52	0
600	Total Aflatoxin (µg / kg (ppb))	0042	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0723	1.9400	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0880	2.3500	0.50000							
600	Total Aflatoxin (µg / kg (ppb))	0589	3.5000	1.0000							

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
620	Total Fumonisin (µg / kg (ppb))	0589	100.00	0.00000							