



Milk Replacer, Medicated

Animal Feed Scheme

Labs Reporting: 198

Test Material Code # 201723

Analyte Proficiency Testing Report

Issue Date : 04/30/2017

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.70000	0.00000				1		000.02	0
001	Loss on Drying (%)	2062	1.8609	0.01730	3.8261	0.35139	0.09536	86	-5.59	001.03	0
001	Loss on Drying (%)	0618	2.3250	0.01000	3.8261	0.35139	0.09536	86	-4.27	001.99	0
001	Loss on Drying (%)	0619	2.6050	0.03000	3.8261	0.35139	0.09536	86	-3.47	001.03	0
001	Loss on Drying (%)	0618	2.6750	0.07000	3.8261	0.35139	0.09536	86	-3.28	001.07	0
001	Loss on Drying (%)	0169	2.9400	0.00000	3.8261	0.35139	0.09536	86	-2.52	001.00	0
001	Loss on Drying (%)	0038	3.2050	0.11000	3.8261	0.35139	0.09536	86	-1.77	001.07	0
001	Loss on Drying (%)	0017	3.3000	0.20000	3.8261	0.35139	0.09536	86	-1.50	001.00	0
001	Loss on Drying (%)	0629	3.3800	0.10000	3.8261	0.35139	0.09536	86	-1.27	001.99	0
001	Loss on Drying (%)	0630	3.3850	0.01000	3.8261	0.35139	0.09536	86	-1.26	001.99	0
001	Loss on Drying (%)	0918	3.3900	0.00000	3.8261	0.35139	0.09536	86	-1.24	001.99	0
001	Loss on Drying (%)	0016	3.4400	0.06000	3.8261	0.35139	0.09536	86	-1.10	001.00	0
001	Loss on Drying (%)	2149	3.5095	0.09900	3.8261	0.35139	0.09536	86	-0.90	001.99	0
001	Loss on Drying (%)	0034	3.5500	0.02000	3.8261	0.35139	0.09536	86	-0.79	001.00	0
001	Loss on Drying (%)	0609	3.5500	0.10000	3.8261	0.35139	0.09536	86	-0.79	001.07	0
001	Loss on Drying (%)	2012	3.5700	0.02000	3.8261	0.35139	0.09536	86	-0.73	001.07	0
001	Loss on Drying (%)	0904	3.5750	0.25000	3.8261	0.35139	0.09536	86	-0.71	001.99	0
001	Loss on Drying (%)	0297	3.5900	0.02000	3.8261	0.35139	0.09536	86	-0.67	001.07	0
001	Loss on Drying (%)	0510	3.6000	0.00000	3.8261	0.35139	0.09536	86	-0.64	001.99	0
001	Loss on Drying (%)	0098	3.6100	0.12000	3.8261	0.35139	0.09536	86	-0.61	001.07	0
001	Loss on Drying (%)	0656	3.6100	0.14000	3.8261	0.35139	0.09536	86	-0.61	001.99	0
001	Loss on Drying (%)	0353	3.6150	0.09000	3.8261	0.35139	0.09536	86	-0.60	001.07	0
001	Loss on Drying (%)	0893	3.6300	0.00000	3.8261	0.35139	0.09536	86	-0.56	001.03	0
001	Loss on Drying (%)	0309	3.6310	0.08400	3.8261	0.35139	0.09536	86	-0.56	001.00	0
001	Loss on Drying (%)	0675	3.6400	0.04000	3.8261	0.35139	0.09536	86	-0.53	001.07	0
001	Loss on Drying (%)	0940	3.6550	0.17000	3.8261	0.35139	0.09536	86	-0.49	001.99	0
001	Loss on Drying (%)	0074	3.6700	0.06000	3.8261	0.35139	0.09536	86	-0.44	001.07	0
001	Loss on Drying (%)	0861	3.6850	0.05000	3.8261	0.35139	0.09536	86	-0.40	001.00	0
001	Loss on Drying (%)	0903	3.6850	0.01000	3.8261	0.35139	0.09536	86	-0.40	001.03	0
001	Loss on Drying (%)	0895	3.6950	0.01000	3.8261	0.35139	0.09536	86	-0.37	001.03	0
001	Loss on Drying (%)	0653	3.6950	0.01000	3.8261	0.35139	0.09536	86	-0.37	001.07	0
001	Loss on Drying (%)	0265	3.7000	0.00000	3.8261	0.35139	0.09536	86	-0.36	001.07	0
001	Loss on Drying (%)	0413	3.7000	0.00000	3.8261	0.35139	0.09536	86	-0.36	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	2093	3.7043	0.00850	3.8261	0.35139	0.09536	86	-0.35	001.03	0
001	Loss on Drying (%)	0512	3.7160	0.04400	3.8261	0.35139	0.09536	86	-0.31	001.07	0
001	Loss on Drying (%)	0407	3.7186	0.15530	3.8261	0.35139	0.09536	86	-0.31	001.07	0
001	Loss on Drying (%)	0003	3.7550	0.01000	3.8261	0.35139	0.09536	86	-0.20	001.07	0
001	Loss on Drying (%)	0035	3.7550	0.03000	3.8261	0.35139	0.09536	86	-0.20	001.07	0
001	Loss on Drying (%)	2053	3.7550	0.03000	3.8261	0.35139	0.09536	86	-0.20	001.07	0
001	Loss on Drying (%)	0610	3.7650	0.01000	3.8261	0.35139	0.09536	86	-0.17	001.05	0
001	Loss on Drying (%)	0083	3.7650	0.17000	3.8261	0.35139	0.09536	86	-0.17	001.07	0
001	Loss on Drying (%)	0596	3.7800	0.08000	3.8261	0.35139	0.09536	86	-0.13	001.00	0
001	Loss on Drying (%)	0843	3.7850	0.17000	3.8261	0.35139	0.09536	86	-0.12	001.07	0
001	Loss on Drying (%)	0849	3.7935	0.04700	3.8261	0.35139	0.09536	86	-0.09	001.07	0
001	Loss on Drying (%)	0581	3.7950	0.09000	3.8261	0.35139	0.09536	86	-0.09	001.07	0
001	Loss on Drying (%)	0208	3.8000	0.16000	3.8261	0.35139	0.09536	86	-0.07	001.99	0
001	Loss on Drying (%)	0910	3.8000	0.20000	3.8261	0.35139	0.09536	86	-0.07	001.99	0
001	Loss on Drying (%)	0186	3.8050	0.37000	3.8261	0.35139	0.09536	86	-0.06	001.03	0
001	Loss on Drying (%)	0644	3.8100	0.00000	3.8261	0.35139	0.09536	86	-0.05	001.99	0
001	Loss on Drying (%)	2145	3.8250	0.01000	3.8261	0.35139	0.09536	86	0.00	001.07	0
001	Loss on Drying (%)	0948	3.8300	0.12000	3.8261	0.35139	0.09536	86	0.01	001.99	0
001	Loss on Drying (%)	0049	3.8400	0.26000	3.8261	0.35139	0.09536	86	0.04	001.07	0
001	Loss on Drying (%)	0354	3.8400	0.02000	3.8261	0.35139	0.09536	86	0.04	001.07	0
001	Loss on Drying (%)	0015	3.8500	0.02000	3.8261	0.35139	0.09536	86	0.07	001.07	0
001	Loss on Drying (%)	0693	3.8500	0.10000	3.8261	0.35139	0.09536	86	0.07	001.07	0
001	Loss on Drying (%)	2144	3.8500	0.12000	3.8261	0.35139	0.09536	86	0.07	001.07	0
001	Loss on Drying (%)	0872	3.8550	0.03000	3.8261	0.35139	0.09536	86	0.08	001.07	0
001	Loss on Drying (%)	0955	3.8800	0.02000	3.8261	0.35139	0.09536	86	0.15	001.99	0
001	Loss on Drying (%)	0689	3.9000	0.00000	3.8261	0.35139	0.09536	86	0.21	001.07	0
001	Loss on Drying (%)	0160	3.9350	0.23000	3.8261	0.35139	0.09536	86	0.31	001.00	0
001	Loss on Drying (%)	2009	3.9358	0.00350	3.8261	0.35139	0.09536	86	0.31	001.07	0
001	Loss on Drying (%)	0142	3.9600	0.00000	3.8261	0.35139	0.09536	86	0.38	001.07	0
001	Loss on Drying (%)	0539	3.9650	0.03000	3.8261	0.35139	0.09536	86	0.40	001.00	0
001	Loss on Drying (%)	2068	3.9750	0.01000	3.8261	0.35139	0.09536	86	0.42	001.07	0
001	Loss on Drying (%)	0027	3.9790	0.08200	3.8261	0.35139	0.09536	86	0.44	001.00	0
001	Loss on Drying (%)	0652	4.0000	0.00000	3.8261	0.35139	0.09536	86	0.50	001.08	0
001	Loss on Drying (%)	0571	4.0150	0.11000	3.8261	0.35139	0.09536	86	0.54	001.07	0
001	Loss on Drying (%)	0187	4.0500	0.00000	3.8261	0.35139	0.09536	86	0.64	001.07	0
001	Loss on Drying (%)	2109	4.0550	0.21000	3.8261	0.35139	0.09536	86	0.65	001.07	0
001	Loss on Drying (%)	0366	4.1000	0.60000	3.8261	0.35139	0.09536	86	0.78	001.07	0
001	Loss on Drying (%)	0278	4.1650	0.25000	3.8261	0.35139	0.09536	86	0.96	001.07	0
001	Loss on Drying (%)	0683	4.2050	0.23000	3.8261	0.35139	0.09536	86	1.08	001.07	0
001	Loss on Drying (%)	0089	4.2600	0.00000	3.8261	0.35139	0.09536	86	1.23	001.07	0
001	Loss on Drying (%)	0889	4.2850	0.33000	3.8261	0.35139	0.09536	86	1.31	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0505	4.2900	0.08000	3.8261	0.35139	0.09536	86	1.32	001.99	0
001	Loss on Drying (%)	0045	4.3050	0.17000	3.8261	0.35139	0.09536	86	1.36	001.07	0
001	Loss on Drying (%)	2146	4.3650	0.01000	3.8261	0.35139	0.09536	86	1.53	001.07	0
001	Loss on Drying (%)	0357	4.3682	0.21020	3.8261	0.35139	0.09536	86	1.54	001.99	0
001	Loss on Drying (%)	2059	4.4050	0.09000	3.8261	0.35139	0.09536	86	1.65	001.07	0
001	Loss on Drying (%)	0590	4.4350	0.13000	3.8261	0.35139	0.09536	86	1.73	001.08	0
001	Loss on Drying (%)	0019	4.4800	0.16000	3.8261	0.35139	0.09536	86	1.86	001.07	0
001	Loss on Drying (%)	0037	4.4950	0.23000	3.8261	0.35139	0.09536	86	1.90	001.99	0
001	Loss on Drying (%)	2161	4.5500	0.00000	3.8261	0.35139	0.09536	86	2.06	001.05	0
001	Loss on Drying (%)	0852	5.4750	0.17000	3.8261	0.35139	0.09536	86	4.69	001.99	0
001	Loss on Drying (%)	0615	6.4800	0.10000	3.8261	0.35139	0.09536	86	7.55	001.00	0
001	Loss on Drying (%)	0529	7.4600	0.48000	3.8261	0.35139	0.09536	86	10.34	001.07	0
001	Loss on Drying (%)	0139	8.3750	0.11000	3.8261	0.35139	0.09536	86	12.95	001.07	0
001	Loss on Drying (%)	0612	4.3150	1.2100	3.8261	0.35139	0.09536	86	1.39	001.99	1
001	Loss on Drying (%)	0845	4.8250	0.93000	3.8261	0.35139	0.09536	86	2.84	001.07	1
002	Protein (%)	0190	16.160	0.30000	23.062	0.42363	0.20640	190	-16.29	002.06	0
002	Protein (%)	0139	19.345	0.07000	23.062	0.42363	0.20640	190	-8.77	002.06	0
002	Protein (%)	0066	20.710	0.22000	23.062	0.42363	0.20640	190	-5.55	002.02	0
002	Protein (%)	0852	21.060	0.08000	23.062	0.42363	0.20640	190	-4.73	002.05	0
002	Protein (%)	0874	21.755	0.47000	23.062	0.42363	0.20640	190	-3.08	002.04	0
002	Protein (%)	0297	21.925	0.13000	23.062	0.42363	0.20640	190	-2.68	002.11	0
002	Protein (%)	2108	22.040	0.19300	23.062	0.42363	0.20640	190	-2.41	002.01	0
002	Protein (%)	0889	22.150	0.16000	23.062	0.42363	0.20640	190	-2.15	002.01	0
002	Protein (%)	0047	22.160	0.08000	23.062	0.42363	0.20640	190	-2.13	002.06	0
002	Protein (%)	2109	22.175	0.09000	23.062	0.42363	0.20640	190	-2.09	002.00	0
002	Protein (%)	0870	22.216	0.57600	23.062	0.42363	0.20640	190	-2.00	002.01	0
002	Protein (%)	0581	22.220	0.26000	23.062	0.42363	0.20640	190	-1.99	002.07	0
002	Protein (%)	1019	22.344	0.00000	23.062	0.42363	0.20640	190	-1.69	002.06	0
002	Protein (%)	0596	22.375	0.17000	23.062	0.42363	0.20640	190	-1.62	002.05	0
002	Protein (%)	0028	22.400	0.20000	23.062	0.42363	0.20640	190	-1.56	002.01	0
002	Protein (%)	0948	22.400	0.16000	23.062	0.42363	0.20640	190	-1.56	002.05	0
002	Protein (%)	2009	22.404	0.04550	23.062	0.42363	0.20640	190	-1.55	002.05	0
002	Protein (%)	2097	22.420	0.34830	23.062	0.42363	0.20640	190	-1.52	002.05	0
002	Protein (%)	0643	22.445	0.33000	23.062	0.42363	0.20640	190	-1.46	002.99	0
002	Protein (%)	0881	22.446	0.01600	23.062	0.42363	0.20640	190	-1.45	002.05	0
002	Protein (%)	0652	22.450	0.30000	23.062	0.42363	0.20640	190	-1.44	002.01	0
002	Protein (%)	0653	22.455	0.03000	23.062	0.42363	0.20640	190	-1.43	002.01	0
002	Protein (%)	0910	22.500	0.20000	23.062	0.42363	0.20640	190	-1.33	002.01	0
002	Protein (%)	0187	22.510	0.00000	23.062	0.42363	0.20640	190	-1.30	002.04	0
002	Protein (%)	0656	22.515	0.31000	23.062	0.42363	0.20640	190	-1.29	002.06	0
002	Protein (%)	0622	22.544	0.06490	23.062	0.42363	0.20640	190	-1.22	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0619	22.550	0.10000	23.062	0.42363	0.20640	190	-1.21	002.05	0
002	Protein (%)	2012	22.585	0.87000	23.062	0.42363	0.20640	190	-1.13	002.05	0
002	Protein (%)	0043	22.600	0.32000	23.062	0.42363	0.20640	190	-1.09	002.06	0
002	Protein (%)	0675	22.605	0.11000	23.062	0.42363	0.20640	190	-1.08	002.05	0
002	Protein (%)	0683	22.610	0.08000	23.062	0.42363	0.20640	190	-1.07	002.05	0
002	Protein (%)	0955	22.650	0.10000	23.062	0.42363	0.20640	190	-0.97	002.05	0
002	Protein (%)	0164	22.660	0.06000	23.062	0.42363	0.20640	190	-0.95	002.01	0
002	Protein (%)	0354	22.665	0.01000	23.062	0.42363	0.20640	190	-0.94	002.05	0
002	Protein (%)	2155	22.688	0.50400	23.062	0.42363	0.20640	190	-0.88	002.06	0
002	Protein (%)	0609	22.705	0.01000	23.062	0.42363	0.20640	190	-0.84	002.06	0
002	Protein (%)	0849	22.729	0.04300	23.062	0.42363	0.20640	190	-0.79	002.05	0
002	Protein (%)	0646	22.730	0.42000	23.062	0.42363	0.20640	190	-0.78	002.06	0
002	Protein (%)	0043	22.735	0.13000	23.062	0.42363	0.20640	190	-0.77	002.01	0
002	Protein (%)	2068	22.735	0.07000	23.062	0.42363	0.20640	190	-0.77	002.05	0
002	Protein (%)	0036	22.747	0.00790	23.062	0.42363	0.20640	190	-0.74	002.02	0
002	Protein (%)	0644	22.760	0.02000	23.062	0.42363	0.20640	190	-0.71	002.99	0
002	Protein (%)	0674	22.770	0.06000	23.062	0.42363	0.20640	190	-0.69	002.05	0
002	Protein (%)	0629	22.775	0.03000	23.062	0.42363	0.20640	190	-0.68	002.10	0
002	Protein (%)	0098	22.790	0.14000	23.062	0.42363	0.20640	190	-0.64	002.08	0
002	Protein (%)	0878	22.795	0.03000	23.062	0.42363	0.20640	190	-0.63	002.05	0
002	Protein (%)	0941	22.800	0.20000	23.062	0.42363	0.20640	190	-0.62	002.05	0
002	Protein (%)	0955	22.800	0.20000	23.062	0.42363	0.20640	190	-0.62	002.06	0
002	Protein (%)	0100	22.800	0.50000	23.062	0.42363	0.20640	190	-0.62	002.06	0
002	Protein (%)	0903	22.805	0.01000	23.062	0.42363	0.20640	190	-0.61	002.05	0
002	Protein (%)	0968	22.808	0.21600	23.062	0.42363	0.20640	190	-0.60	002.01	0
002	Protein (%)	0880	22.845	0.57000	23.062	0.42363	0.20640	190	-0.51	002.06	0
002	Protein (%)	0194	22.850	0.02000	23.062	0.42363	0.20640	190	-0.50	002.05	0
002	Protein (%)	0897	22.850	0.06000	23.062	0.42363	0.20640	190	-0.50	002.05	0
002	Protein (%)	0033	22.850	0.30000	23.062	0.42363	0.20640	190	-0.50	002.06	0
002	Protein (%)	0164	22.850	0.96000	23.062	0.42363	0.20640	190	-0.50	002.06	0
002	Protein (%)	0366	22.850	0.10000	23.062	0.42363	0.20640	190	-0.50	002.06	0
002	Protein (%)	0353	22.855	0.23000	23.062	0.42363	0.20640	190	-0.49	002.06	0
002	Protein (%)	0049	22.860	0.20000	23.062	0.42363	0.20640	190	-0.48	002.06	0
002	Protein (%)	0948	22.860	0.10000	23.062	0.42363	0.20640	190	-0.48	002.06	0
002	Protein (%)	0895	22.865	0.03000	23.062	0.42363	0.20640	190	-0.46	002.05	0
002	Protein (%)	0233	22.865	0.27000	23.062	0.42363	0.20640	190	-0.46	002.06	0
002	Protein (%)	2022	22.895	0.01000	23.062	0.42363	0.20640	190	-0.39	002.05	0
002	Protein (%)	0610	22.900	0.00000	23.062	0.42363	0.20640	190	-0.38	002.01	0
002	Protein (%)	0294	22.900	0.00000	23.062	0.42363	0.20640	190	-0.38	002.06	0
002	Protein (%)	0590	22.900	0.20000	23.062	0.42363	0.20640	190	-0.38	002.06	0
002	Protein (%)	0940	22.910	0.00000	23.062	0.42363	0.20640	190	-0.36	002.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0618	22.915	0.13000	23.062	0.42363	0.20640	190	-0.35	002.06	0
002	Protein (%)	2012	22.925	0.05000	23.062	0.42363	0.20640	190	-0.32	002.06	0
002	Protein (%)	0017	22.935	0.47000	23.062	0.42363	0.20640	190	-0.30	002.06	0
002	Protein (%)	0870	22.937	0.17380	23.062	0.42363	0.20640	190	-0.29	002.06	0
002	Protein (%)	0589	22.940	0.00000	23.062	0.42363	0.20640	190	-0.29	002.06	0
002	Protein (%)	0626	22.943	0.11100	23.062	0.42363	0.20640	190	-0.28	002.06	0
002	Protein (%)	0148	22.950	0.24000	23.062	0.42363	0.20640	190	-0.26	002.06	0
002	Protein (%)	0693	22.950	0.10000	23.062	0.42363	0.20640	190	-0.26	002.06	0
002	Protein (%)	0009	22.965	0.09000	23.062	0.42363	0.20640	190	-0.23	002.06	0
002	Protein (%)	0019	23.005	0.31000	23.062	0.42363	0.20640	190	-0.13	002.06	0
002	Protein (%)	0297	23.010	0.36000	23.062	0.42363	0.20640	190	-0.12	002.06	0
002	Protein (%)	0953	23.015	0.09000	23.062	0.42363	0.20640	190	-0.11	002.06	0
002	Protein (%)	0505	23.020	0.02000	23.062	0.42363	0.20640	190	-0.10	002.06	0
002	Protein (%)	0539	23.025	0.25000	23.062	0.42363	0.20640	190	-0.09	002.06	0
002	Protein (%)	0885	23.034	0.02990	23.062	0.42363	0.20640	190	-0.06	002.05	0
002	Protein (%)	0015	23.040	0.70000	23.062	0.42363	0.20640	190	-0.05	002.05	0
002	Protein (%)	0728	23.045	0.09000	23.062	0.42363	0.20640	190	-0.04	002.04	0
002	Protein (%)	2062	23.053	0.00940	23.062	0.42363	0.20640	190	-0.02	002.05	0
002	Protein (%)	0001	23.055	0.39000	23.062	0.42363	0.20640	190	-0.02	002.06	0
002	Protein (%)	0039	23.065	0.20900	23.062	0.42363	0.20640	190	0.01	002.06	0
002	Protein (%)	0169	23.065	0.15000	23.062	0.42363	0.20640	190	0.01	002.00	0
002	Protein (%)	0939	23.070	0.70000	23.062	0.42363	0.20640	190	0.02	002.05	0
002	Protein (%)	0144	23.075	0.01000	23.062	0.42363	0.20640	190	0.03	002.06	0
002	Protein (%)	2145	23.075	0.05000	23.062	0.42363	0.20640	190	0.03	002.05	0
002	Protein (%)	0083	23.085	0.33000	23.062	0.42363	0.20640	190	0.06	002.06	0
002	Protein (%)	0563	23.086	0.14670	23.062	0.42363	0.20640	190	0.06	002.08	0
002	Protein (%)	0016	23.100	0.00000	23.062	0.42363	0.20640	190	0.09	002.06	0
002	Protein (%)	0510	23.100	0.00000	23.062	0.42363	0.20640	190	0.09	002.06	0
002	Protein (%)	0610	23.100	0.00000	23.062	0.42363	0.20640	190	0.09	002.06	0
002	Protein (%)	0229	23.105	0.17000	23.062	0.42363	0.20640	190	0.10	002.06	0
002	Protein (%)	0354	23.105	0.01000	23.062	0.42363	0.20640	190	0.10	002.06	0
002	Protein (%)	0650	23.105	0.65000	23.062	0.42363	0.20640	190	0.10	002.06	0
002	Protein (%)	0685	23.110	0.00000	23.062	0.42363	0.20640	190	0.11	002.01	0
002	Protein (%)	2129	23.115	0.27000	23.062	0.42363	0.20640	190	0.13	002.06	0
002	Protein (%)	0108	23.125	0.09000	23.062	0.42363	0.20640	190	0.15	002.06	0
002	Protein (%)	0358	23.125	0.55000	23.062	0.42363	0.20640	190	0.15	002.06	0
002	Protein (%)	0571	23.127	0.12200	23.062	0.42363	0.20640	190	0.15	002.06	0
002	Protein (%)	0904	23.130	0.60000	23.062	0.42363	0.20640	190	0.16	002.06	0
002	Protein (%)	2144	23.145	0.07000	23.062	0.42363	0.20640	190	0.20	002.05	0
002	Protein (%)	0683	23.145	0.25000	23.062	0.42363	0.20640	190	0.20	002.06	0
002	Protein (%)	0208	23.150	0.90000	23.062	0.42363	0.20640	190	0.21	002.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0074	23.160	0.52000	23.062	0.42363	0.20640	190	0.23	002.06	0
002	Protein (%)	2089	23.170	0.16000	23.062	0.42363	0.20640	190	0.26	002.06	0
002	Protein (%)	0687	23.175	0.35000	23.062	0.42363	0.20640	190	0.27	002.06	0
002	Protein (%)	0623	23.183	0.08600	23.062	0.42363	0.20640	190	0.29	002.05	0
002	Protein (%)	0843	23.190	0.04000	23.062	0.42363	0.20640	190	0.30	002.06	0
002	Protein (%)	0205	23.195	0.27000	23.062	0.42363	0.20640	190	0.31	002.06	0
002	Protein (%)	0208	23.195	0.39000	23.062	0.42363	0.20640	190	0.31	002.06	0
002	Protein (%)	0598	23.195	0.29000	23.062	0.42363	0.20640	190	0.31	002.06	0
002	Protein (%)	0910	23.200	0.40000	23.062	0.42363	0.20640	190	0.33	002.06	0
002	Protein (%)	0152	23.200	0.20000	23.062	0.42363	0.20640	190	0.33	002.01	0
002	Protein (%)	0689	23.200	0.20000	23.062	0.42363	0.20640	190	0.33	002.05	0
002	Protein (%)	0952	23.205	0.01000	23.062	0.42363	0.20640	190	0.34	002.05	0
002	Protein (%)	0035	23.205	0.39000	23.062	0.42363	0.20640	190	0.34	002.06	0
002	Protein (%)	0893	23.210	0.00000	23.062	0.42363	0.20640	190	0.35	002.05	0
002	Protein (%)	0857	23.220	0.24000	23.062	0.42363	0.20640	190	0.37	002.06	0
002	Protein (%)	0038	23.222	0.13500	23.062	0.42363	0.20640	190	0.38	002.06	0
002	Protein (%)	0006	23.230	0.10000	23.062	0.42363	0.20640	190	0.40	002.06	0
002	Protein (%)	0026	23.239	0.00600	23.062	0.42363	0.20640	190	0.42	002.06	0
002	Protein (%)	0098	23.250	0.30000	23.062	0.42363	0.20640	190	0.44	002.06	0
002	Protein (%)	0142	23.250	0.06000	23.062	0.42363	0.20640	190	0.44	002.06	0
002	Protein (%)	0413	23.250	0.30000	23.062	0.42363	0.20640	190	0.44	002.06	0
002	Protein (%)	0956	23.250	0.10000	23.062	0.42363	0.20640	190	0.44	002.06	0
002	Protein (%)	2053	23.250	0.20000	23.062	0.42363	0.20640	190	0.44	002.06	0
002	Protein (%)	0003	23.253	0.17900	23.062	0.42363	0.20640	190	0.45	002.06	0
002	Protein (%)	0529	23.255	0.55000	23.062	0.42363	0.20640	190	0.46	002.06	0
002	Protein (%)	0089	23.260	0.00000	23.062	0.42363	0.20640	190	0.47	002.06	0
002	Protein (%)	0675	23.265	0.01000	23.062	0.42363	0.20640	190	0.48	002.06	0
002	Protein (%)	0004	23.275	0.01000	23.062	0.42363	0.20640	190	0.50	002.06	0
002	Protein (%)	0876	23.279	0.36800	23.062	0.42363	0.20640	190	0.51	002.06	0
002	Protein (%)	0541	23.280	0.16000	23.062	0.42363	0.20640	190	0.52	002.06	0
002	Protein (%)	2075	23.285	0.05000	23.062	0.42363	0.20640	190	0.53	002.06	0
002	Protein (%)	0175	23.300	0.20000	23.062	0.42363	0.20640	190	0.56	002.06	0
002	Protein (%)	0615	23.300	0.38000	23.062	0.42363	0.20640	190	0.56	002.06	0
002	Protein (%)	0682	23.300	0.00000	23.062	0.42363	0.20640	190	0.56	002.06	0
002	Protein (%)	2059	23.302	0.12810	23.062	0.42363	0.20640	190	0.57	002.06	0
002	Protein (%)	0968	23.313	0.03600	23.062	0.42363	0.20640	190	0.59	002.06	0
002	Protein (%)	0034	23.335	0.03000	23.062	0.42363	0.20640	190	0.65	002.06	0
002	Protein (%)	0520	23.340	0.40000	23.062	0.42363	0.20640	190	0.66	002.06	0
002	Protein (%)	0278	23.350	0.10000	23.062	0.42363	0.20640	190	0.68	002.06	0
002	Protein (%)	2004	23.350	0.10000	23.062	0.42363	0.20640	190	0.68	002.99	0
002	Protein (%)	2146	23.365	0.25000	23.062	0.42363	0.20640	190	0.72	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0511	23.370	0.36000	23.062	0.42363	0.20640	190	0.73	002.06	0
002	Protein (%)	0027	23.394	0.61500	23.062	0.42363	0.20640	190	0.78	002.06	0
002	Protein (%)	0872	23.400	0.26000	23.062	0.42363	0.20640	190	0.80	002.06	0
002	Protein (%)	0941	23.400	0.20000	23.062	0.42363	0.20640	190	0.80	002.06	0
002	Protein (%)	2150	23.421	0.02100	23.062	0.42363	0.20640	190	0.85	002.06	0
002	Protein (%)	0119	23.422	0.42000	23.062	0.42363	0.20640	190	0.85	002.06	0
002	Protein (%)	0037	23.425	0.37000	23.062	0.42363	0.20640	190	0.86	002.06	0
002	Protein (%)	0574	23.425	0.15000	23.062	0.42363	0.20640	190	0.86	002.06	0
002	Protein (%)	0425	23.435	0.15000	23.062	0.42363	0.20640	190	0.88	002.06	0
002	Protein (%)	0939	23.440	0.54000	23.062	0.42363	0.20640	190	0.89	002.06	0
002	Protein (%)	0300	23.443	0.67100	23.062	0.42363	0.20640	190	0.90	002.06	0
002	Protein (%)	0964	23.445	0.08800	23.062	0.42363	0.20640	190	0.90	002.06	0
002	Protein (%)	0014	23.450	0.10000	23.062	0.42363	0.20640	190	0.92	002.06	0
002	Protein (%)	0045	23.450	0.10000	23.062	0.42363	0.20640	190	0.92	002.06	0
002	Protein (%)	2081	23.455	0.01000	23.062	0.42363	0.20640	190	0.93	002.06	0
002	Protein (%)	0036	23.460	0.14000	23.062	0.42363	0.20640	190	0.94	002.06	0
002	Protein (%)	0859	23.495	0.68000	23.062	0.42363	0.20640	190	1.02	002.06	0
002	Protein (%)	2057	23.518	0.17400	23.062	0.42363	0.20640	190	1.08	002.06	0
002	Protein (%)	0726	23.520	0.02000	23.062	0.42363	0.20640	190	1.08	002.06	0
002	Protein (%)	2093	23.540	0.04000	23.062	0.42363	0.20640	190	1.13	002.05	0
002	Protein (%)	0265	23.555	0.01000	23.062	0.42363	0.20640	190	1.16	002.06	0
002	Protein (%)	0861	23.560	0.28000	23.062	0.42363	0.20640	190	1.18	002.06	0
002	Protein (%)	0619	23.600	0.20000	23.062	0.42363	0.20640	190	1.27	002.06	0
002	Protein (%)	0357	23.625	0.12500	23.062	0.42363	0.20640	190	1.33	002.06	0
002	Protein (%)	0407	23.663	0.46300	23.062	0.42363	0.20640	190	1.42	002.06	0
002	Protein (%)	0845	23.695	0.93000	23.062	0.42363	0.20640	190	1.50	002.00	0
002	Protein (%)	2161	23.700	0.60000	23.062	0.42363	0.20640	190	1.51	002.05	0
002	Protein (%)	0676	23.750	0.10000	23.062	0.42363	0.20640	190	1.62	002.06	0
002	Protein (%)	0512	23.765	0.91000	23.062	0.42363	0.20640	190	1.66	002.06	0
002	Protein (%)	2076	23.816	0.02800	23.062	0.42363	0.20640	190	1.78	002.06	0
002	Protein (%)	0918	23.970	0.30000	23.062	0.42363	0.20640	190	2.14	002.06	0
002	Protein (%)	0345	24.000	0.20000	23.062	0.42363	0.20640	190	2.21	002.06	0
002	Protein (%)	0160	24.050	0.10000	23.062	0.42363	0.20640	190	2.33	002.06	0
002	Protein (%)	0309	24.099	0.09500	23.062	0.42363	0.20640	190	2.45	002.06	0
002	Protein (%)	0612	24.247	0.13200	23.062	0.42363	0.20640	190	2.80	002.06	0
002	Protein (%)	0848	24.255	0.11000	23.062	0.42363	0.20640	190	2.82	002.06	0
002	Protein (%)	0563	24.365	0.24400	23.062	0.42363	0.20640	190	3.08	002.06	0
002	Protein (%)	0630	24.440	0.08000	23.062	0.42363	0.20640	190	3.25	002.06	0
002	Protein (%)	2128	25.277	0.09500	23.062	0.42363	0.20640	190	5.23	002.11	0
002	Protein (%)	0852	25.500	0.12000	23.062	0.42363	0.20640	190	5.76	002.11	0
002	Protein (%)	0405	29.850	0.30000	23.062	0.42363	0.20640	190	16.02	002.04	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0692	23.000	2.2000	23.062	0.42363	0.20640	190	-0.15	002.06	1
002	Protein (%)	2161	24.100	1.4000	23.062	0.42363	0.20640	190	2.45	002.06	1
002	Protein (%)	0202	3.7600	0.06000	23.062	0.42363	0.20640	190	-45.56	002.06	2
003	Fat (%)	0952	0.81500	0.01000	10.119	7.1478	0.23465	89	-1.30	003.10	0
003	Fat (%)	2022	3.3450	0.05000	10.119	7.1478	0.23465	89	-0.95	003.10	0
003	Fat (%)	0693	3.4450	0.09000	10.119	7.1478	0.23465	89	-0.93	003.10	0
003	Fat (%)	0366	3.5000	0.40000	10.119	7.1478	0.23465	89	-0.93	003.10	0
003	Fat (%)	0897	3.5750	0.05000	10.119	7.1478	0.23465	89	-0.92	003.10	0
003	Fat (%)	2068	3.5950	0.01000	10.119	7.1478	0.23465	89	-0.91	003.10	0
003	Fat (%)	0100	3.7350	0.15000	10.119	7.1478	0.23465	89	-0.89	003.10	0
003	Fat (%)	0889	3.7800	0.12000	10.119	7.1478	0.23465	89	-0.89	003.11	0
003	Fat (%)	2109	3.7900	0.02000	10.119	7.1478	0.23465	89	-0.89	003.00	0
003	Fat (%)	2012	3.9450	0.09000	10.119	7.1478	0.23465	89	-0.86	003.09	0
003	Fat (%)	0233	3.9650	0.07000	10.119	7.1478	0.23465	89	-0.86	003.10	0
003	Fat (%)	0644	3.9800	0.30000	10.119	7.1478	0.23465	89	-0.86	003.99	0
003	Fat (%)	0870	4.0859	0.34430	10.119	7.1478	0.23465	89	-0.84	003.10	0
003	Fat (%)	0541	4.1200	0.60000	10.119	7.1478	0.23465	89	-0.84	003.10	0
003	Fat (%)	0618	4.3150	0.13000	10.119	7.1478	0.23465	89	-0.81	003.10	0
003	Fat (%)	0294	4.3950	0.07000	10.119	7.1478	0.23465	89	-0.80	003.06	0
003	Fat (%)	0609	4.4050	0.55000	10.119	7.1478	0.23465	89	-0.80	003.10	0
003	Fat (%)	0948	4.4850	0.03000	10.119	7.1478	0.23465	89	-0.79	003.09	0
003	Fat (%)	0208	4.5550	0.39000	10.119	7.1478	0.23465	89	-0.78	003.13	0
003	Fat (%)	0687	4.6650	0.29000	10.119	7.1478	0.23465	89	-0.76	003.06	0
003	Fat (%)	0354	4.7700	0.04000	10.119	7.1478	0.23465	89	-0.75	003.09	0
003	Fat (%)	0083	4.7950	0.23000	10.119	7.1478	0.23465	89	-0.74	003.06	0
003	Fat (%)	0918	4.7950	0.07000	10.119	7.1478	0.23465	89	-0.74	003.06	0
003	Fat (%)	0164	4.8200	0.42000	10.119	7.1478	0.23465	89	-0.74	003.06	0
003	Fat (%)	0619	4.9150	0.03000	10.119	7.1478	0.23465	89	-0.73	003.10	0
003	Fat (%)	0345	5.0250	0.15000	10.119	7.1478	0.23465	89	-0.71	003.00	0
003	Fat (%)	0511	5.0500	0.08000	10.119	7.1478	0.23465	89	-0.71	003.06	0
003	Fat (%)	0885	5.1060	0.36200	10.119	7.1478	0.23465	89	-0.70	003.00	0
003	Fat (%)	0675	5.2000	0.08000	10.119	7.1478	0.23465	89	-0.69	003.09	0
003	Fat (%)	0893	5.2200	0.00000	10.119	7.1478	0.23465	89	-0.69	003.12	0
003	Fat (%)	0563	5.5629	0.22470	10.119	7.1478	0.23465	89	-0.64	003.06	0
003	Fat (%)	0849	5.6750	0.01000	10.119	7.1478	0.23465	89	-0.62	003.06	0
003	Fat (%)	0656	5.7000	0.00000	10.119	7.1478	0.23465	89	-0.62	003.09	0
003	Fat (%)	0187	6.1850	0.17000	10.119	7.1478	0.23465	89	-0.55	003.13	0
003	Fat (%)	0674	6.2950	0.09000	10.119	7.1478	0.23465	89	-0.53	003.09	0
003	Fat (%)	0852	6.4100	0.38000	10.119	7.1478	0.23465	89	-0.52	003.06	0
003	Fat (%)	0148	6.5450	0.23000	10.119	7.1478	0.23465	89	-0.50	003.06	0
003	Fat (%)	0685	6.6550	0.37000	10.119	7.1478	0.23465	89	-0.48	003.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	0202	7.0150	0.65000	10.119	7.1478	0.23465	89	-0.43	003.14	0
003	Fat (%)	0948	7.1150	0.03000	10.119	7.1478	0.23465	89	-0.42	003.14	0
003	Fat (%)	0036	7.1595	0.28280	10.119	7.1478	0.23465	89	-0.41	003.10	0
003	Fat (%)	0019	8.1150	0.45000	10.119	7.1478	0.23465	89	-0.28	003.14	0
003	Fat (%)	0692	8.1500	0.50000	10.119	7.1478	0.23465	89	-0.28	003.14	0
003	Fat (%)	0205	8.3905	0.14500	10.119	7.1478	0.23465	89	-0.24	003.13	0
003	Fat (%)	0895	8.5150	0.01000	10.119	7.1478	0.23465	89	-0.22	003.12	0
003	Fat (%)	0683	8.5400	0.18000	10.119	7.1478	0.23465	89	-0.22	003.14	0
003	Fat (%)	0108	8.6600	0.28000	10.119	7.1478	0.23465	89	-0.20	003.14	0
003	Fat (%)	0278	8.7000	0.00000	10.119	7.1478	0.23465	89	-0.20	003.14	0
003	Fat (%)	0956	8.8500	0.90000	10.119	7.1478	0.23465	89	-0.18	003.14	0
003	Fat (%)	0615	9.1500	0.80000	10.119	7.1478	0.23465	89	-0.14	003.00	0
003	Fat (%)	0144	9.1650	0.07000	10.119	7.1478	0.23465	89	-0.13	003.14	0
003	Fat (%)	0358	9.3450	0.05000	10.119	7.1478	0.23465	89	-0.11	003.14	0
003	Fat (%)	2075	9.9300	0.12000	10.119	7.1478	0.23465	89	-0.03	003.14	0
003	Fat (%)	0037	10.280	0.40000	10.119	7.1478	0.23465	89	0.02	003.14	0
003	Fat (%)	0574	10.355	0.19000	10.119	7.1478	0.23465	89	0.03	003.14	0
003	Fat (%)	0089	10.370	0.00000	10.119	7.1478	0.23465	89	0.04	003.14	0
003	Fat (%)	0066	10.545	0.29000	10.119	7.1478	0.23465	89	0.06	003.14	0
003	Fat (%)	0194	10.785	0.03000	10.119	7.1478	0.23465	89	0.09	003.00	0
003	Fat (%)	0529	10.795	0.75000	10.119	7.1478	0.23465	89	0.09	003.14	0
003	Fat (%)	0581	10.905	0.15000	10.119	7.1478	0.23465	89	0.11	003.14	0
003	Fat (%)	0049	10.965	0.49000	10.119	7.1478	0.23465	89	0.12	003.14	0
003	Fat (%)	2129	11.055	0.11000	10.119	7.1478	0.23465	89	0.13	003.14	0
003	Fat (%)	0265	11.225	0.45000	10.119	7.1478	0.23465	89	0.15	003.14	0
003	Fat (%)	0520	12.200	0.28000	10.119	7.1478	0.23465	89	0.29	003.14	0
003	Fat (%)	0598	12.310	0.68000	10.119	7.1478	0.23465	89	0.31	003.14	0
003	Fat (%)	0357	12.600	0.00000	10.119	7.1478	0.23465	89	0.35	003.14	0
003	Fat (%)	0968	12.748	0.29100	10.119	7.1478	0.23465	89	0.37	003.14	0
003	Fat (%)	0726	15.205	0.39000	10.119	7.1478	0.23465	89	0.71	003.14	0
003	Fat (%)	0955	17.400	0.00000	10.119	7.1478	0.23465	89	1.02	003.14	0
003	Fat (%)	0843	18.570	0.34000	10.119	7.1478	0.23465	89	1.18	003.14	0
003	Fat (%)	0413	19.150	0.30000	10.119	7.1478	0.23465	89	1.26	003.14	0
003	Fat (%)	1019	19.360	0.18000	10.119	7.1478	0.23465	89	1.29	003.99	0
003	Fat (%)	0876	19.370	0.28000	10.119	7.1478	0.23465	89	1.29	003.14	0
003	Fat (%)	0940	20.280	0.08000	10.119	7.1478	0.23465	89	1.42	003.12	0
003	Fat (%)	0848	20.575	0.19000	10.119	7.1478	0.23465	89	1.46	003.14	0
003	Fat (%)	2009	20.609	0.51720	10.119	7.1478	0.23465	89	1.47	003.10	0
003	Fat (%)	2161	20.800	0.40000	10.119	7.1478	0.23465	89	1.49	003.99	0
003	Fat (%)	0619	21.100	0.60000	10.119	7.1478	0.23465	89	1.54	003.14	0
003	Fat (%)	0309	21.617	0.17980	10.119	7.1478	0.23465	89	1.61	003.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	0297	21.860	0.12000	10.119	7.1478	0.23465	89	1.64	003.06	0
003	Fat (%)	0297	21.860	0.12000	10.119	7.1478	0.23465	89	1.64	003.11	0
003	Fat (%)	2062	22.673	0.00700	10.119	7.1478	0.23465	89	1.76	003.12	0
003	Fat (%)	0630	22.950	0.08000	10.119	7.1478	0.23465	89	1.80	003.99	0
003	Fat (%)	0941	23.000	0.40000	10.119	7.1478	0.23465	89	1.80	003.99	0
003	Fat (%)	0190	23.470	0.14000	10.119	7.1478	0.23465	89	1.87	003.14	0
003	Fat (%)	0353	23.475	0.05000	10.119	7.1478	0.23465	89	1.87	003.09	0
003	Fat (%)	0045	24.200	0.20000	10.119	7.1478	0.23465	89	1.97	003.10	0
003	Fat (%)	2155	25.597	0.96000	10.119	7.1478	0.23465	89	2.17	003.10	0
003	Fat (%)	0852	26.475	0.07000	10.119	7.1478	0.23465	89	2.29	003.11	0
003	Fat (%)	0880	5.4500	1.9000	10.119	7.1478	0.23465	89	-0.65	003.99	1
003	Fat (%)	0910	6.2050	1.5900	10.119	7.1478	0.23465	89	-0.55	003.06	1
003	Fat (%)	0098	21.900	1.9800	10.119	7.1478	0.23465	89	1.65	003.99	1
004	Fiber (%)	0895	0.02500	0.01000	0.98147	0.35542	0.12380	87	-2.69	004.06	0
004	Fiber (%)	0144	0.37000	0.02000	0.98147	0.35542	0.12380	87	-1.72	004.07	0
004	Fiber (%)	0265	0.37000	0.12000	0.98147	0.35542	0.12380	87	-1.72	004.07	0
004	Fiber (%)	2146	0.54000	0.04000	0.98147	0.35542	0.12380	87	-1.24	004.07	0
004	Fiber (%)	0941	0.58500	0.15000	0.98147	0.35542	0.12380	87	-1.12	004.06	0
004	Fiber (%)	0626	0.63000	0.00000	0.98147	0.35542	0.12380	87	-0.99	004.03	0
004	Fiber (%)	0066	0.63000	0.06000	0.98147	0.35542	0.12380	87	-0.99	004.07	0
004	Fiber (%)	0278	0.65000	0.10000	0.98147	0.35542	0.12380	87	-0.93	004.07	0
004	Fiber (%)	0897	0.67000	0.02000	0.98147	0.35542	0.12380	87	-0.88	004.06	0
004	Fiber (%)	0875	0.67500	0.03000	0.98147	0.35542	0.12380	87	-0.86	004.06	0
004	Fiber (%)	0918	0.68000	0.02000	0.98147	0.35542	0.12380	87	-0.85	004.06	0
004	Fiber (%)	0083	0.69000	0.08000	0.98147	0.35542	0.12380	87	-0.82	004.07	0
004	Fiber (%)	0164	0.70000	0.00000	0.98147	0.35542	0.12380	87	-0.79	004.00	0
004	Fiber (%)	0169	0.70000	0.06000	0.98147	0.35542	0.12380	87	-0.79	004.00	0
004	Fiber (%)	0675	0.70500	0.03000	0.98147	0.35542	0.12380	87	-0.78	004.06	0
004	Fiber (%)	0202	0.70500	0.17000	0.98147	0.35542	0.12380	87	-0.78	004.07	0
004	Fiber (%)	2053	0.74000	0.00000	0.98147	0.35542	0.12380	87	-0.68	004.07	0
004	Fiber (%)	0425	0.75000	0.10000	0.98147	0.35542	0.12380	87	-0.65	004.00	0
004	Fiber (%)	0596	0.75000	0.10000	0.98147	0.35542	0.12380	87	-0.65	004.00	0
004	Fiber (%)	0366	0.75000	0.50000	0.98147	0.35542	0.12380	87	-0.65	004.01	0
004	Fiber (%)	0026	0.75000	0.10000	0.98147	0.35542	0.12380	87	-0.65	004.07	0
004	Fiber (%)	0510	0.75000	0.10000	0.98147	0.35542	0.12380	87	-0.65	004.07	0
004	Fiber (%)	0881	0.75300	0.07200	0.98147	0.35542	0.12380	87	-0.64	004.06	0
004	Fiber (%)	0309	0.77185	0.00590	0.98147	0.35542	0.12380	87	-0.59	004.00	0
004	Fiber (%)	0656	0.77500	0.01000	0.98147	0.35542	0.12380	87	-0.58	004.06	0
004	Fiber (%)	2004	0.78350	0.03900	0.98147	0.35542	0.12380	87	-0.56	004.00	0
004	Fiber (%)	0208	0.78650	0.07900	0.98147	0.35542	0.12380	87	-0.55	004.00	0
004	Fiber (%)	0885	0.79080	0.02720	0.98147	0.35542	0.12380	87	-0.54	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	0353	0.79500	0.05000	0.98147	0.35542	0.12380	87	-0.52	004.03	0
004	Fiber (%)	0689	0.80000	0.00000	0.98147	0.35542	0.12380	87	-0.51	004.06	0
004	Fiber (%)	2022	0.80000	0.02000	0.98147	0.35542	0.12380	87	-0.51	004.06	0
004	Fiber (%)	0893	0.81400	0.00000	0.98147	0.35542	0.12380	87	-0.47	004.06	0
004	Fiber (%)	0194	0.81500	0.03000	0.98147	0.35542	0.12380	87	-0.47	004.00	0
004	Fiber (%)	0003	0.82000	0.10000	0.98147	0.35542	0.12380	87	-0.45	004.07	0
004	Fiber (%)	0529	0.82500	0.07000	0.98147	0.35542	0.12380	87	-0.44	004.07	0
004	Fiber (%)	0563	0.83085	0.01330	0.98147	0.35542	0.12380	87	-0.42	004.07	0
004	Fiber (%)	0619	0.83150	0.13100	0.98147	0.35542	0.12380	87	-0.42	004.07	0
004	Fiber (%)	0921	0.84000	0.28000	0.98147	0.35542	0.12380	87	-0.40	004.03	0
004	Fiber (%)	0354	0.84500	0.01000	0.98147	0.35542	0.12380	87	-0.38	004.00	0
004	Fiber (%)	0096	0.84500	0.03000	0.98147	0.35542	0.12380	87	-0.38	004.07	0
004	Fiber (%)	0948	0.85000	0.22000	0.98147	0.35542	0.12380	87	-0.37	004.06	0
004	Fiber (%)	0726	0.85000	0.10000	0.98147	0.35542	0.12380	87	-0.37	004.07	0
004	Fiber (%)	0038	0.85500	0.29000	0.98147	0.35542	0.12380	87	-0.36	004.07	0
004	Fiber (%)	2012	0.86000	0.08000	0.98147	0.35542	0.12380	87	-0.34	004.07	0
004	Fiber (%)	0948	0.88000	0.02000	0.98147	0.35542	0.12380	87	-0.29	004.07	0
004	Fiber (%)	0205	0.88100	0.00800	0.98147	0.35542	0.12380	87	-0.28	004.06	0
004	Fiber (%)	0100	0.89500	0.09000	0.98147	0.35542	0.12380	87	-0.24	004.07	0
004	Fiber (%)	0294	0.90000	0.00000	0.98147	0.35542	0.12380	87	-0.23	004.07	0
004	Fiber (%)	0345	0.90500	0.03000	0.98147	0.35542	0.12380	87	-0.22	004.00	0
004	Fiber (%)	0015	0.91000	0.06000	0.98147	0.35542	0.12380	87	-0.20	004.07	0
004	Fiber (%)	0074	0.93000	0.04000	0.98147	0.35542	0.12380	87	-0.14	004.07	0
004	Fiber (%)	0017	0.95000	0.10000	0.98147	0.35542	0.12380	87	-0.09	004.00	0
004	Fiber (%)	0190	0.95000	0.10000	0.98147	0.35542	0.12380	87	-0.09	004.07	0
004	Fiber (%)	0505	0.97500	0.05000	0.98147	0.35542	0.12380	87	-0.02	004.07	0
004	Fiber (%)	2108	0.99500	0.03000	0.98147	0.35542	0.12380	87	0.04	004.07	0
004	Fiber (%)	0674	1.0400	0.02000	0.98147	0.35542	0.12380	87	0.16	004.06	0
004	Fiber (%)	2089	1.0450	0.33000	0.98147	0.35542	0.12380	87	0.18	004.03	0
004	Fiber (%)	0845	1.0550	0.27000	0.98147	0.35542	0.12380	87	0.21	004.06	0
004	Fiber (%)	0042	1.0650	0.09000	0.98147	0.35542	0.12380	87	0.24	004.07	0
004	Fiber (%)	0512	1.0659	0.20030	0.98147	0.35542	0.12380	87	0.24	004.06	0
004	Fiber (%)	0968	1.0930	0.04000	0.98147	0.35542	0.12380	87	0.31	004.06	0
004	Fiber (%)	0413	1.1000	0.00000	0.98147	0.35542	0.12380	87	0.33	004.07	0
004	Fiber (%)	2109	1.1200	0.02000	0.98147	0.35542	0.12380	87	0.39	004.07	0
004	Fiber (%)	0175	1.1400	0.12000	0.98147	0.35542	0.12380	87	0.45	004.00	0
004	Fiber (%)	2075	1.2000	0.40000	0.98147	0.35542	0.12380	87	0.61	004.07	0
004	Fiber (%)	0910	1.2500	0.10000	0.98147	0.35542	0.12380	87	0.76	004.07	0
004	Fiber (%)	0598	1.3000	0.24000	0.98147	0.35542	0.12380	87	0.90	004.07	0
004	Fiber (%)	0849	1.3060	0.00800	0.98147	0.35542	0.12380	87	0.91	004.07	0
004	Fiber (%)	0511	1.3500	0.50000	0.98147	0.35542	0.12380	87	1.04	004.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	0520	1.3500	0.46000	0.98147	0.35542	0.12380	87	1.04	004.07	0
004	Fiber (%)	0354	1.3750	0.03000	0.98147	0.35542	0.12380	87	1.11	004.07	0
004	Fiber (%)	0089	1.3800	0.02000	0.98147	0.35542	0.12380	87	1.12	004.07	0
004	Fiber (%)	0870	1.4460	0.05150	0.98147	0.35542	0.12380	87	1.31	004.07	0
004	Fiber (%)	0016	1.5400	0.24000	0.98147	0.35542	0.12380	87	1.57	004.07	0
004	Fiber (%)	0968	1.5450	0.17000	0.98147	0.35542	0.12380	87	1.59	004.07	0
004	Fiber (%)	0229	1.5500	0.20000	0.98147	0.35542	0.12380	87	1.60	004.07	0
004	Fiber (%)	2161	1.6000	0.20000	0.98147	0.35542	0.12380	87	1.74	004.00	0
004	Fiber (%)	0581	1.7500	0.30000	0.98147	0.35542	0.12380	87	2.16	004.07	0
004	Fiber (%)	0683	1.8950	0.05000	0.98147	0.35542	0.12380	87	2.57	004.07	0
004	Fiber (%)	0692	2.0000	0.20000	0.98147	0.35542	0.12380	87	2.87	004.07	0
004	Fiber (%)	0876	2.4100	0.80000	0.98147	0.35542	0.12380	87	4.02	004.07	0
004	Fiber (%)	0609	4.1500	0.06000	0.98147	0.35542	0.12380	87	8.91	004.06	0
004	Fiber (%)	2062	4.4937	0.07360	0.98147	0.35542	0.12380	87	9.88	004.06	0
004	Fiber (%)	2076	4.8750	0.81000	0.98147	0.35542	0.12380	87	10.95	004.00	0
004	Fiber (%)	0297	10.455	0.45000	0.98147	0.35542	0.12380	87	26.65	004.07	0
004	Fiber (%)	0644	13.620	0.32000	0.98147	0.35542	0.12380	87	35.56	004.99	0
004	Fiber (%)	0952	23.204	0.00200	0.98147	0.35542	0.12380	87	62.52	004.06	0
004	Fiber (%)	0940	34.855	68.290	0.98147	0.35542	0.12380	87	95.31	004.99	2
005	Ash (%)	2128	6.4663	0.00640	10.150	0.17773	0.06754	142	-20.73	005.11	0
005	Ash (%)	0139	8.0950	0.09000	10.150	0.17773	0.06754	142	-11.56	005.00	0
005	Ash (%)	0874	9.5750	0.37000	10.150	0.17773	0.06754	142	-3.23	005.00	0
005	Ash (%)	1019	9.6650	0.13000	10.150	0.17773	0.06754	142	-2.73	005.00	0
005	Ash (%)	0278	9.7550	0.05000	10.150	0.17773	0.06754	142	-2.22	005.00	0
005	Ash (%)	2108	9.7550	0.01000	10.150	0.17773	0.06754	142	-2.22	005.00	0
005	Ash (%)	0169	9.7850	0.05000	10.150	0.17773	0.06754	142	-2.05	005.00	0
005	Ash (%)	0027	9.8340	0.04800	10.150	0.17773	0.06754	142	-1.78	005.00	0
005	Ash (%)	0160	9.8550	0.07000	10.150	0.17773	0.06754	142	-1.66	005.00	0
005	Ash (%)	0880	9.8550	0.37000	10.150	0.17773	0.06754	142	-1.66	005.00	0
005	Ash (%)	0208	9.8800	0.02000	10.150	0.17773	0.06754	142	-1.52	005.00	0
005	Ash (%)	0148	9.8900	0.18000	10.150	0.17773	0.06754	142	-1.46	005.00	0
005	Ash (%)	0229	9.9000	0.00000	10.150	0.17773	0.06754	142	-1.41	005.00	0
005	Ash (%)	0510	9.9050	0.03000	10.150	0.17773	0.06754	142	-1.38	005.00	0
005	Ash (%)	0623	9.9075	0.06300	10.150	0.17773	0.06754	142	-1.36	005.00	0
005	Ash (%)	0539	9.9200	0.00000	10.150	0.17773	0.06754	142	-1.29	005.00	0
005	Ash (%)	0089	9.9400	0.00000	10.150	0.17773	0.06754	142	-1.18	005.00	0
005	Ash (%)	0881	9.9405	0.04700	10.150	0.17773	0.06754	142	-1.18	005.00	0
005	Ash (%)	0026	9.9450	0.01000	10.150	0.17773	0.06754	142	-1.15	005.00	0
005	Ash (%)	0019	9.9500	0.10000	10.150	0.17773	0.06754	142	-1.12	005.00	0
005	Ash (%)	0164	9.9600	0.12000	10.150	0.17773	0.06754	142	-1.07	005.00	0
005	Ash (%)	0650	9.9650	0.03000	10.150	0.17773	0.06754	142	-1.04	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0541	9.9900	0.04000	10.150	0.17773	0.06754	142	-0.90	005.00	0
005	Ash (%)	0425	9.9950	0.13000	10.150	0.17773	0.06754	142	-0.87	005.00	0
005	Ash (%)	0175	10.000	0.00000	10.150	0.17773	0.06754	142	-0.84	005.00	0
005	Ash (%)	0015	10.005	0.05000	10.150	0.17773	0.06754	142	-0.81	005.00	0
005	Ash (%)	0511	10.010	0.08000	10.150	0.17773	0.06754	142	-0.79	005.00	0
005	Ash (%)	0205	10.020	0.00000	10.150	0.17773	0.06754	142	-0.73	005.00	0
005	Ash (%)	0004	10.035	0.03000	10.150	0.17773	0.06754	142	-0.65	005.00	0
005	Ash (%)	2012	10.035	0.05000	10.150	0.17773	0.06754	142	-0.65	005.00	0
005	Ash (%)	2068	10.040	0.04000	10.150	0.17773	0.06754	142	-0.62	005.00	0
005	Ash (%)	2097	10.044	0.05620	10.150	0.17773	0.06754	142	-0.60	005.00	0
005	Ash (%)	0049	10.045	0.29000	10.150	0.17773	0.06754	142	-0.59	005.00	0
005	Ash (%)	0622	10.049	0.03500	10.150	0.17773	0.06754	142	-0.57	005.00	0
005	Ash (%)	0047	10.050	0.30000	10.150	0.17773	0.06754	142	-0.56	005.00	0
005	Ash (%)	0693	10.050	0.10000	10.150	0.17773	0.06754	142	-0.56	005.00	0
005	Ash (%)	0001	10.059	0.07960	10.150	0.17773	0.06754	142	-0.51	005.00	0
005	Ash (%)	0142	10.060	0.10000	10.150	0.17773	0.06754	142	-0.51	005.00	0
005	Ash (%)	0297	10.060	0.12000	10.150	0.17773	0.06754	142	-0.51	005.00	0
005	Ash (%)	0682	10.060	0.00000	10.150	0.17773	0.06754	142	-0.51	005.00	0
005	Ash (%)	0042	10.065	0.05000	10.150	0.17773	0.06754	142	-0.48	005.00	0
005	Ash (%)	2022	10.065	0.07000	10.150	0.17773	0.06754	142	-0.48	005.00	0
005	Ash (%)	0066	10.065	0.03000	10.150	0.17773	0.06754	142	-0.48	005.00	0
005	Ash (%)	0358	10.065	0.17000	10.150	0.17773	0.06754	142	-0.48	005.00	0
005	Ash (%)	0194	10.070	0.02000	10.150	0.17773	0.06754	142	-0.45	005.00	0
005	Ash (%)	0845	10.070	0.02000	10.150	0.17773	0.06754	142	-0.45	005.00	0
005	Ash (%)	0845	10.070	0.02000	10.150	0.17773	0.06754	142	-0.45	005.05	0
005	Ash (%)	0083	10.075	0.05000	10.150	0.17773	0.06754	142	-0.42	005.00	0
005	Ash (%)	0596	10.075	0.05000	10.150	0.17773	0.06754	142	-0.42	005.00	0
005	Ash (%)	0520	10.080	0.02000	10.150	0.17773	0.06754	142	-0.39	005.00	0
005	Ash (%)	0904	10.080	0.00000	10.150	0.17773	0.06754	142	-0.39	005.05	0
005	Ash (%)	0726	10.085	0.01000	10.150	0.17773	0.06754	142	-0.36	005.05	0
005	Ash (%)	0574	10.085	0.07000	10.150	0.17773	0.06754	142	-0.36	005.99	0
005	Ash (%)	0609	10.090	0.04000	10.150	0.17773	0.06754	142	-0.34	005.00	0
005	Ash (%)	0861	10.095	0.05000	10.150	0.17773	0.06754	142	-0.31	005.00	0
005	Ash (%)	0108	10.095	0.25000	10.150	0.17773	0.06754	142	-0.31	005.00	0
005	Ash (%)	0017	10.100	0.20000	10.150	0.17773	0.06754	142	-0.28	005.00	0
005	Ash (%)	0956	10.100	0.00000	10.150	0.17773	0.06754	142	-0.28	005.00	0
005	Ash (%)	0849	10.103	0.00600	10.150	0.17773	0.06754	142	-0.26	005.05	0
005	Ash (%)	0144	10.105	0.15000	10.150	0.17773	0.06754	142	-0.25	005.00	0
005	Ash (%)	0653	10.105	0.07000	10.150	0.17773	0.06754	142	-0.25	005.00	0
005	Ash (%)	0940	10.105	0.01000	10.150	0.17773	0.06754	142	-0.25	005.05	0
005	Ash (%)	0618	10.113	0.02140	10.150	0.17773	0.06754	142	-0.21	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0674	10.115	0.01000	10.150	0.17773	0.06754	142	-0.20	005.00	0
005	Ash (%)	0643	10.120	0.02000	10.150	0.17773	0.06754	142	-0.17	005.00	0
005	Ash (%)	0038	10.120	0.10000	10.150	0.17773	0.06754	142	-0.17	005.05	0
005	Ash (%)	0918	10.125	0.17000	10.150	0.17773	0.06754	142	-0.14	005.00	0
005	Ash (%)	0728	10.125	0.01000	10.150	0.17773	0.06754	142	-0.14	005.99	0
005	Ash (%)	0186	10.130	0.04000	10.150	0.17773	0.06754	142	-0.11	005.00	0
005	Ash (%)	0187	10.130	0.02000	10.150	0.17773	0.06754	142	-0.11	005.00	0
005	Ash (%)	0646	10.145	0.17000	10.150	0.17773	0.06754	142	-0.03	005.00	0
005	Ash (%)	0035	10.150	0.08000	10.150	0.17773	0.06754	142	0.00	005.00	0
005	Ash (%)	0003	10.150	0.10000	10.150	0.17773	0.06754	142	0.00	005.05	0
005	Ash (%)	0692	10.150	0.10000	10.150	0.17773	0.06754	142	0.00	005.05	0
005	Ash (%)	2004	10.150	0.10000	10.150	0.17773	0.06754	142	0.00	005.99	0
005	Ash (%)	2150	10.155	0.03000	10.150	0.17773	0.06754	142	0.03	005.00	0
005	Ash (%)	0589	10.160	0.12000	10.150	0.17773	0.06754	142	0.06	005.00	0
005	Ash (%)	0598	10.160	0.00000	10.150	0.17773	0.06754	142	0.06	005.00	0
005	Ash (%)	0656	10.165	0.13000	10.150	0.17773	0.06754	142	0.09	005.00	0
005	Ash (%)	0953	10.165	0.11000	10.150	0.17773	0.06754	142	0.09	005.00	0
005	Ash (%)	2053	10.165	0.01000	10.150	0.17773	0.06754	142	0.09	005.00	0
005	Ash (%)	0675	10.170	0.06000	10.150	0.17773	0.06754	142	0.11	005.00	0
005	Ash (%)	0581	10.175	0.11000	10.150	0.17773	0.06754	142	0.14	005.00	0
005	Ash (%)	2093	10.179	0.00520	10.150	0.17773	0.06754	142	0.17	005.05	0
005	Ash (%)	2009	10.186	0.01700	10.150	0.17773	0.06754	142	0.20	005.05	0
005	Ash (%)	0893	10.190	0.00000	10.150	0.17773	0.06754	142	0.23	005.05	0
005	Ash (%)	0265	10.190	0.04000	10.150	0.17773	0.06754	142	0.23	005.00	0
005	Ash (%)	0563	10.194	0.02360	10.150	0.17773	0.06754	142	0.25	005.00	0
005	Ash (%)	0033	10.200	0.00000	10.150	0.17773	0.06754	142	0.28	005.00	0
005	Ash (%)	0152	10.200	0.20000	10.150	0.17773	0.06754	142	0.28	005.00	0
005	Ash (%)	0366	10.200	0.00000	10.150	0.17773	0.06754	142	0.28	005.00	0
005	Ash (%)	2075	10.200	0.04000	10.150	0.17773	0.06754	142	0.28	005.02	0
005	Ash (%)	0590	10.200	0.00000	10.150	0.17773	0.06754	142	0.28	005.05	0
005	Ash (%)	0407	10.202	0.05510	10.150	0.17773	0.06754	142	0.29	005.00	0
005	Ash (%)	0309	10.210	0.06000	10.150	0.17773	0.06754	142	0.34	005.00	0
005	Ash (%)	0683	10.210	0.02000	10.150	0.17773	0.06754	142	0.34	005.05	0
005	Ash (%)	0098	10.215	0.07000	10.150	0.17773	0.06754	142	0.37	005.00	0
005	Ash (%)	0505	10.220	0.04000	10.150	0.17773	0.06754	142	0.39	005.00	0
005	Ash (%)	2062	10.225	0.00190	10.150	0.17773	0.06754	142	0.42	005.05	0
005	Ash (%)	0870	10.225	0.02590	10.150	0.17773	0.06754	142	0.42	005.00	0
005	Ash (%)	2161	10.230	0.06000	10.150	0.17773	0.06754	142	0.45	005.02	0
005	Ash (%)	0948	10.235	0.03000	10.150	0.17773	0.06754	142	0.48	005.00	0
005	Ash (%)	0294	10.250	0.10000	10.150	0.17773	0.06754	142	0.56	005.05	0
005	Ash (%)	0413	10.250	0.10000	10.150	0.17773	0.06754	142	0.56	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0619	10.250	0.10000	10.150	0.17773	0.06754	142	0.56	005.05	0
005	Ash (%)	0652	10.250	0.10000	10.150	0.17773	0.06754	142	0.56	005.99	0
005	Ash (%)	0615	10.270	0.02000	10.150	0.17773	0.06754	142	0.68	005.00	0
005	Ash (%)	0354	10.275	0.01000	10.150	0.17773	0.06754	142	0.70	005.00	0
005	Ash (%)	0903	10.275	0.01000	10.150	0.17773	0.06754	142	0.70	005.05	0
005	Ash (%)	0512	10.280	0.20000	10.150	0.17773	0.06754	142	0.73	005.00	0
005	Ash (%)	0852	10.285	0.01000	10.150	0.17773	0.06754	142	0.76	005.00	0
005	Ash (%)	0885	10.295	0.06490	10.150	0.17773	0.06754	142	0.82	005.05	0
005	Ash (%)	0045	10.300	0.20000	10.150	0.17773	0.06754	142	0.84	005.00	0
005	Ash (%)	0955	10.300	0.00000	10.150	0.17773	0.06754	142	0.84	005.05	0
005	Ash (%)	2109	10.300	0.06000	10.150	0.17773	0.06754	142	0.84	005.05	0
005	Ash (%)	0910	10.300	0.00000	10.150	0.17773	0.06754	142	0.84	005.99	0
005	Ash (%)	0895	10.305	0.01000	10.150	0.17773	0.06754	142	0.87	005.05	0
005	Ash (%)	0190	10.330	0.10000	10.150	0.17773	0.06754	142	1.01	005.05	0
005	Ash (%)	0685	10.335	0.03000	10.150	0.17773	0.06754	142	1.04	005.05	0
005	Ash (%)	0848	10.340	0.02000	10.150	0.17773	0.06754	142	1.07	005.00	0
005	Ash (%)	0629	10.345	0.01000	10.150	0.17773	0.06754	142	1.10	005.99	0
005	Ash (%)	0968	10.349	0.01000	10.150	0.17773	0.06754	142	1.12	005.00	0
005	Ash (%)	0689	10.360	0.00000	10.150	0.17773	0.06754	142	1.18	005.05	0
005	Ash (%)	0100	10.370	0.20000	10.150	0.17773	0.06754	142	1.24	005.00	0
005	Ash (%)	2145	10.375	0.05000	10.150	0.17773	0.06754	142	1.27	005.05	0
005	Ash (%)	2146	10.375	0.11000	10.150	0.17773	0.06754	142	1.27	005.05	0
005	Ash (%)	0630	10.385	0.01000	10.150	0.17773	0.06754	142	1.32	005.00	0
005	Ash (%)	0345	10.400	0.20000	10.150	0.17773	0.06754	142	1.41	005.00	0
005	Ash (%)	0357	10.400	0.00000	10.150	0.17773	0.06754	142	1.41	005.00	0
005	Ash (%)	0610	10.400	0.02000	10.150	0.17773	0.06754	142	1.41	005.05	0
005	Ash (%)	2144	10.405	0.01000	10.150	0.17773	0.06754	142	1.44	005.05	0
005	Ash (%)	2089	10.420	0.08000	10.150	0.17773	0.06754	142	1.52	005.00	0
005	Ash (%)	0897	10.425	0.05000	10.150	0.17773	0.06754	142	1.55	005.05	0
005	Ash (%)	0875	10.425	0.05000	10.150	0.17773	0.06754	142	1.55	005.99	0
005	Ash (%)	0202	10.435	0.15000	10.150	0.17773	0.06754	142	1.60	005.99	0
005	Ash (%)	0921	10.440	0.08000	10.150	0.17773	0.06754	142	1.63	005.05	0
005	Ash (%)	0941	10.460	0.18000	10.150	0.17773	0.06754	142	1.75	005.05	0
005	Ash (%)	2149	10.467	0.02400	10.150	0.17773	0.06754	142	1.78	005.05	0
005	Ash (%)	2129	10.510	0.02000	10.150	0.17773	0.06754	142	2.03	005.05	0
005	Ash (%)	0644	10.580	0.02000	10.150	0.17773	0.06754	142	2.42	005.99	0
005	Ash (%)	0353	10.955	0.09000	10.150	0.17773	0.06754	142	4.53	005.00	0
005	Ash (%)	0297	12.870	0.24000	10.150	0.17773	0.06754	142	15.30	005.11	0
005	Ash (%)	0529	9.6100	0.86000	10.150	0.17773	0.06754	142	-3.04	005.00	1
005	Ash (%)	0889	10.445	0.47000	10.150	0.17773	0.06754	142	1.66	005.05	1
005	Ash (%)	0683	0.24000	0.00000	10.150	0.17773	0.06754	142	-55.76	005.04	2

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
006	Total sugars (%)	0910	19.205	1.7100	25.693	5.6352	0.71900	6	-1.15	006.00	0
006	Total sugars (%)	0689	22.250	0.30000	25.693	5.6352	0.71900	6	-0.61	006.01	0
006	Total sugars (%)	0956	23.700	1.4000	25.693	5.6352	0.71900	6	-0.35	006.99	0
006	Total sugars (%)	0407	26.745	0.45000	25.693	5.6352	0.71900	6	0.19	006.01	0
006	Total sugars (%)	0096	29.501	0.45400	25.693	5.6352	0.71900	6	0.68	006.99	0
006	Total sugars (%)	0921	32.760	0.00000	25.693	5.6352	0.71900	6	1.25	006.00	0
008	Fiber (%)	0619	0.13550	0.00300	1.1250	0.39779	0.16743	35	-2.49	008.08	0
008	Fiber (%)	0354	0.29000	0.02000	1.1250	0.39779	0.16743	35	-2.10	008.08	0
008	Fiber (%)	0910	0.48000	0.14000	1.1250	0.39779	0.16743	35	-1.62	008.08	0
008	Fiber (%)	0870	0.65040	0.23360	1.1250	0.39779	0.16743	35	-1.19	008.08	0
008	Fiber (%)	0083	0.73000	0.08000	1.1250	0.39779	0.16743	35	-0.99	008.08	0
008	Fiber (%)	0726	0.73500	0.09000	1.1250	0.39779	0.16743	35	-0.98	008.08	0
008	Fiber (%)	0309	0.74860	0.15820	1.1250	0.39779	0.16743	35	-0.95	008.02	0
008	Fiber (%)	0353	0.78000	0.36000	1.1250	0.39779	0.16743	35	-0.87	008.02	0
008	Fiber (%)	0413	0.80000	0.00000	1.1250	0.39779	0.16743	35	-0.82	008.08	0
008	Fiber (%)	0278	0.85000	0.10000	1.1250	0.39779	0.16743	35	-0.69	008.08	0
008	Fiber (%)	0948	0.88000	0.14000	1.1250	0.39779	0.16743	35	-0.62	008.02	0
008	Fiber (%)	0675	0.95000	0.06000	1.1250	0.39779	0.16743	35	-0.44	008.02	0
008	Fiber (%)	0581	1.0150	0.41000	1.1250	0.39779	0.16743	35	-0.28	008.08	0
008	Fiber (%)	0297	1.0600	0.08000	1.1250	0.39779	0.16743	35	-0.16	008.08	0
008	Fiber (%)	0294	1.1000	0.00000	1.1250	0.39779	0.16743	35	-0.06	008.08	0
008	Fiber (%)	0164	1.1500	0.10000	1.1250	0.39779	0.16743	35	0.06	008.08	0
008	Fiber (%)	2004	1.1550	0.11000	1.1250	0.39779	0.16743	35	0.08	008.08	0
008	Fiber (%)	0015	1.1600	0.22000	1.1250	0.39779	0.16743	35	0.09	008.08	0
008	Fiber (%)	0529	1.1800	0.02000	1.1250	0.39779	0.16743	35	0.14	008.08	0
008	Fiber (%)	0148	1.1950	0.01000	1.1250	0.39779	0.16743	35	0.18	008.08	0
008	Fiber (%)	0357	1.2000	0.00000	1.1250	0.39779	0.16743	35	0.19	008.08	0
008	Fiber (%)	2012	1.2400	0.04000	1.1250	0.39779	0.16743	35	0.29	008.08	0
008	Fiber (%)	0904	1.2600	0.04000	1.1250	0.39779	0.16743	35	0.34	008.08	0
008	Fiber (%)	0939	1.3150	0.05000	1.1250	0.39779	0.16743	35	0.48	008.02	0
008	Fiber (%)	0728	1.3200	0.22000	1.1250	0.39779	0.16743	35	0.49	008.02	0
008	Fiber (%)	0038	1.3300	0.24000	1.1250	0.39779	0.16743	35	0.52	008.02	0
008	Fiber (%)	0148	1.3400	0.02000	1.1250	0.39779	0.16743	35	0.54	008.02	0
008	Fiber (%)	0510	1.4000	0.20000	1.1250	0.39779	0.16743	35	0.69	008.08	0
008	Fiber (%)	0358	1.4100	0.24000	1.1250	0.39779	0.16743	35	0.72	008.08	0
008	Fiber (%)	0049	1.4200	0.56000	1.1250	0.39779	0.16743	35	0.74	008.08	0
008	Fiber (%)	0366	1.5500	0.50000	1.1250	0.39779	0.16743	35	1.07	008.08	0
008	Fiber (%)	0511	1.7000	0.60000	1.1250	0.39779	0.16743	35	1.45	008.99	0
008	Fiber (%)	0918	2.3709	0.19530	1.1250	0.39779	0.16743	35	3.13	008.08	0
008	Fiber (%)	0405	2.4800	0.12000	1.1250	0.39779	0.16743	35	3.41	008.02	0
008	Fiber (%)	0265	2.6500	0.50000	1.1250	0.39779	0.16743	35	3.83	008.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
008	Fiber (%)	0609	6.3600	0.20000	1.1250	0.39779	0.16743	35	13.16	008.02	2
009	Fiber (%)	0354	0.59500	0.01000	1.5267	0.43999	0.16744	29	-2.12	009.09	0
009	Fiber (%)	0581	1.0050	0.21000	1.5267	0.43999	0.16744	29	-1.19	009.09	0
009	Fiber (%)	0083	1.1200	0.06000	1.5267	0.43999	0.16744	29	-0.92	009.09	0
009	Fiber (%)	0619	1.1525	0.55500	1.5267	0.43999	0.16744	29	-0.85	009.09	0
009	Fiber (%)	0015	1.1800	0.04000	1.5267	0.43999	0.16744	29	-0.79	009.09	0
009	Fiber (%)	0278	1.2000	0.20000	1.5267	0.43999	0.16744	29	-0.74	009.09	0
009	Fiber (%)	0049	1.2400	0.18000	1.5267	0.43999	0.16744	29	-0.65	009.09	0
009	Fiber (%)	0910	1.2500	0.30000	1.5267	0.43999	0.16744	29	-0.63	009.07	0
009	Fiber (%)	0598	1.2800	0.12000	1.5267	0.43999	0.16744	29	-0.56	009.09	0
009	Fiber (%)	2004	1.2950	0.05000	1.5267	0.43999	0.16744	29	-0.53	009.09	0
009	Fiber (%)	0353	1.3000	0.06000	1.5267	0.43999	0.16744	29	-0.52	009.07	0
009	Fiber (%)	0358	1.3000	0.02000	1.5267	0.43999	0.16744	29	-0.52	009.09	0
009	Fiber (%)	0297	1.3400	0.08000	1.5267	0.43999	0.16744	29	-0.42	009.09	0
009	Fiber (%)	0148	1.3500	0.10000	1.5267	0.43999	0.16744	29	-0.40	009.09	0
009	Fiber (%)	0413	1.4000	0.00000	1.5267	0.43999	0.16744	29	-0.29	009.09	0
009	Fiber (%)	0357	1.4500	0.10000	1.5267	0.43999	0.16744	29	-0.17	009.09	0
009	Fiber (%)	0870	1.5267	0.42360	1.5267	0.43999	0.16744	29	0.00	009.09	0
009	Fiber (%)	0294	1.5500	0.10000	1.5267	0.43999	0.16744	29	0.05	009.09	0
009	Fiber (%)	0939	1.6550	0.15000	1.5267	0.43999	0.16744	29	0.29	009.09	0
009	Fiber (%)	0728	1.7300	0.40000	1.5267	0.43999	0.16744	29	0.46	009.99	0
009	Fiber (%)	0510	1.7500	0.10000	1.5267	0.43999	0.16744	29	0.51	009.09	0
009	Fiber (%)	0948	1.7800	0.28000	1.5267	0.43999	0.16744	29	0.58	009.09	0
009	Fiber (%)	0164	1.8000	0.20000	1.5267	0.43999	0.16744	29	0.62	009.09	0
009	Fiber (%)	0675	1.8200	0.16000	1.5267	0.43999	0.16744	29	0.67	009.07	0
009	Fiber (%)	0609	2.3250	0.01000	1.5267	0.43999	0.16744	29	1.81	009.07	0
009	Fiber (%)	2012	2.3700	0.10000	1.5267	0.43999	0.16744	29	1.92	009.09	0
009	Fiber (%)	0309	2.6863	0.24730	1.5267	0.43999	0.16744	29	2.64	009.07	0
009	Fiber (%)	0366	2.7000	0.20000	1.5267	0.43999	0.16744	29	2.67	009.09	0
009	Fiber (%)	0265	3.9000	0.40000	1.5267	0.43999	0.16744	29	5.39	009.07	0
009	Fiber (%)	0918	2.2106	0.80310	1.5267	0.43999	0.16744	29	1.55	009.09	1
009	Fiber (%)	0038	8.7350	0.35000	1.5267	0.43999	0.16744	29	16.38	009.07	2
010	Moisture (%)	2128	2.8311	0.02420	3.9689	0.75567	0.15721	20	-1.51	010.11	0
010	Moisture (%)	0843	3.0000	0.54000	3.9689	0.75567	0.15721	20	-1.28	010.03	0
010	Moisture (%)	2155	3.1450	0.01000	3.9689	0.75567	0.15721	20	-1.09	010.99	0
010	Moisture (%)	0692	3.5600	0.20000	3.9689	0.75567	0.15721	20	-0.54	010.99	0
010	Moisture (%)	2089	3.5700	0.06000	3.9689	0.75567	0.15721	20	-0.53	010.99	0
010	Moisture (%)	0208	3.6000	0.10000	3.9689	0.75567	0.15721	20	-0.49	010.03	0
010	Moisture (%)	0914	3.6100	0.12000	3.9689	0.75567	0.15721	20	-0.47	010.99	0
010	Moisture (%)	0952	3.6750	0.01000	3.9689	0.75567	0.15721	20	-0.39	010.99	0
010	Moisture (%)	2004	3.7550	0.11000	3.9689	0.75567	0.15721	20	-0.28	010.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
010	Moisture (%)	2150	3.8050	0.45000	3.9689	0.75567	0.15721	20	-0.22	010.99	0
010	Moisture (%)	0948	3.8300	0.12000	3.9689	0.75567	0.15721	20	-0.18	010.99	0
010	Moisture (%)	0875	3.9100	0.02000	3.9689	0.75567	0.15721	20	-0.08	010.99	0
010	Moisture (%)	0939	4.1350	0.43000	3.9689	0.75567	0.15721	20	0.22	010.99	0
010	Moisture (%)	2129	4.2600	0.08000	3.9689	0.75567	0.15721	20	0.39	010.99	0
010	Moisture (%)	0921	4.3200	0.20000	3.9689	0.75567	0.15721	20	0.46	010.99	0
010	Moisture (%)	0164	4.3850	0.11000	3.9689	0.75567	0.15721	20	0.55	010.03	0
010	Moisture (%)	0726	4.6750	0.01000	3.9689	0.75567	0.15721	20	0.93	010.99	0
010	Moisture (%)	0190	5.1800	0.20000	3.9689	0.75567	0.15721	20	1.60	010.99	0
010	Moisture (%)	0405	6.1950	0.01000	3.9689	0.75567	0.15721	20	2.95	010.99	0
010	Moisture (%)	2127	10.350	0.34000	3.9689	0.75567	0.15721	20	8.44	010.99	0
011	Loss on Drying (%)	1019	3.4000	0.04000	8.0789	2.3170	0.18955	60	-2.02	011.01	0
011	Loss on Drying (%)	0202	3.5900	0.02000	8.0789	2.3170	0.18955	60	-1.94	011.01	0
011	Loss on Drying (%)	0345	3.6200	0.12000	8.0789	2.3170	0.18955	60	-1.92	011.01	0
011	Loss on Drying (%)	2108	3.8150	0.03000	8.0789	2.3170	0.18955	60	-1.84	011.01	0
011	Loss on Drying (%)	0004	3.9350	0.07000	8.0789	2.3170	0.18955	60	-1.79	011.99	0
011	Loss on Drying (%)	2022	4.1400	0.04000	8.0789	2.3170	0.18955	60	-1.70	011.01	0
011	Loss on Drying (%)	0541	4.4800	0.02000	8.0789	2.3170	0.18955	60	-1.55	011.99	0
011	Loss on Drying (%)	0520	4.7000	0.40000	8.0789	2.3170	0.18955	60	-1.46	011.01	0
011	Loss on Drying (%)	0874	4.8200	0.14000	8.0789	2.3170	0.18955	60	-1.41	011.01	0
011	Loss on Drying (%)	0407	4.9305	0.30870	8.0789	2.3170	0.18955	60	-1.36	011.01	0
011	Loss on Drying (%)	2076	5.3700	0.86000	8.0789	2.3170	0.18955	60	-1.17	011.99	0
011	Loss on Drying (%)	0574	5.5300	0.16000	8.0789	2.3170	0.18955	60	-1.10	011.01	0
011	Loss on Drying (%)	0857	6.5000	0.60000	8.0789	2.3170	0.18955	60	-0.68	011.99	0
011	Loss on Drying (%)	0598	6.7500	0.26000	8.0789	2.3170	0.18955	60	-0.57	011.01	0
011	Loss on Drying (%)	0066	7.1315	0.06700	8.0789	2.3170	0.18955	60	-0.41	011.01	0
011	Loss on Drying (%)	0843	7.2550	0.05000	8.0789	2.3170	0.18955	60	-0.36	011.01	0
011	Loss on Drying (%)	0674	7.3650	0.27000	8.0789	2.3170	0.18955	60	-0.31	011.01	0
011	Loss on Drying (%)	0100	7.3900	0.24000	8.0789	2.3170	0.18955	60	-0.30	011.01	0
011	Loss on Drying (%)	0563	7.3988	0.04950	8.0789	2.3170	0.18955	60	-0.29	011.01	0
011	Loss on Drying (%)	0646	7.4450	0.21000	8.0789	2.3170	0.18955	60	-0.27	011.01	0
011	Loss on Drying (%)	0152	7.4500	0.10000	8.0789	2.3170	0.18955	60	-0.27	011.01	0
011	Loss on Drying (%)	0294	7.7500	0.10000	8.0789	2.3170	0.18955	60	-0.14	011.01	0
011	Loss on Drying (%)	0942	7.8450	0.05000	8.0789	2.3170	0.18955	60	-0.10	011.02	0
011	Loss on Drying (%)	2075	7.8550	0.05000	8.0789	2.3170	0.18955	60	-0.10	011.01	0
011	Loss on Drying (%)	0953	7.9300	0.24000	8.0789	2.3170	0.18955	60	-0.06	011.01	0
011	Loss on Drying (%)	0265	7.9500	0.30000	8.0789	2.3170	0.18955	60	-0.06	011.01	0
011	Loss on Drying (%)	0870	8.0287	0.15580	8.0789	2.3170	0.18955	60	-0.02	011.01	0
011	Loss on Drying (%)	0354	8.1200	0.02000	8.0789	2.3170	0.18955	60	0.02	011.01	0
011	Loss on Drying (%)	0144	8.2200	0.30000	8.0789	2.3170	0.18955	60	0.06	011.01	0
011	Loss on Drying (%)	0148	8.2300	0.02000	8.0789	2.3170	0.18955	60	0.07	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	0848	8.3550	0.07000	8.0789	2.3170	0.18955	60	0.12	011.01	0
011	Loss on Drying (%)	0859	8.3665	0.04700	8.0789	2.3170	0.18955	60	0.12	011.01	0
011	Loss on Drying (%)	0622	8.5390	0.23870	8.0789	2.3170	0.18955	60	0.20	011.01	0
011	Loss on Drying (%)	0852	8.5850	0.03000	8.0789	2.3170	0.18955	60	0.22	011.99	0
011	Loss on Drying (%)	2097	8.6044	0.17940	8.0789	2.3170	0.18955	60	0.23	011.01	0
011	Loss on Drying (%)	0229	8.7350	0.05000	8.0789	2.3170	0.18955	60	0.28	011.01	0
011	Loss on Drying (%)	0194	8.8750	0.03000	8.0789	2.3170	0.18955	60	0.34	011.01	0
011	Loss on Drying (%)	2031	8.8818	0.02080	8.0789	2.3170	0.18955	60	0.35	011.01	0
011	Loss on Drying (%)	0650	8.9950	0.13000	8.0789	2.3170	0.18955	60	0.40	011.01	0
011	Loss on Drying (%)	0589	9.0700	0.48000	8.0789	2.3170	0.18955	60	0.43	011.01	0
011	Loss on Drying (%)	0541	9.0850	0.11000	8.0789	2.3170	0.18955	60	0.43	011.01	0
011	Loss on Drying (%)	0205	9.1745	0.04100	8.0789	2.3170	0.18955	60	0.47	011.01	0
011	Loss on Drying (%)	0510	9.2000	0.20000	8.0789	2.3170	0.18955	60	0.48	011.01	0
011	Loss on Drying (%)	0728	9.3200	0.00000	8.0789	2.3170	0.18955	60	0.54	011.01	0
011	Loss on Drying (%)	0643	9.4000	0.00000	8.0789	2.3170	0.18955	60	0.57	011.01	0
011	Loss on Drying (%)	0682	9.5000	0.00000	8.0789	2.3170	0.18955	60	0.61	011.01	0
011	Loss on Drying (%)	0511	9.6300	0.36000	8.0789	2.3170	0.18955	60	0.67	011.01	0
011	Loss on Drying (%)	0876	9.6750	0.13000	8.0789	2.3170	0.18955	60	0.69	011.01	0
011	Loss on Drying (%)	0968	9.7340	0.07800	8.0789	2.3170	0.18955	60	0.71	011.01	0
011	Loss on Drying (%)	0026	9.7550	0.01000	8.0789	2.3170	0.18955	60	0.72	011.01	0
011	Loss on Drying (%)	0164	9.8450	0.01000	8.0789	2.3170	0.18955	60	0.76	011.01	0
011	Loss on Drying (%)	0047	10.170	1.0400	8.0789	2.3170	0.18955	60	0.90	011.01	0
011	Loss on Drying (%)	0685	10.235	0.37000	8.0789	2.3170	0.18955	60	0.93	011.01	0
011	Loss on Drying (%)	0309	10.595	0.05000	8.0789	2.3170	0.18955	60	1.09	011.01	0
011	Loss on Drying (%)	0881	10.954	0.05400	8.0789	2.3170	0.18955	60	1.24	011.01	0
011	Loss on Drying (%)	0623	11.051	0.64300	8.0789	2.3170	0.18955	60	1.28	011.01	0
011	Loss on Drying (%)	0233	11.555	0.19000	8.0789	2.3170	0.18955	60	1.50	011.01	0
011	Loss on Drying (%)	0358	12.470	0.38000	8.0789	2.3170	0.18955	60	1.90	011.01	0
011	Loss on Drying (%)	0675	12.865	0.15000	8.0789	2.3170	0.18955	60	2.07	011.01	0
011	Loss on Drying (%)	0108	13.325	0.99000	8.0789	2.3170	0.18955	60	2.26	011.01	0
011	Loss on Drying (%)	0880	7.5760	1.7280	8.0789	2.3170	0.18955	60	-0.22	011.01	1
012	Starch (%)	0297	0.01000	0.00000	0.85765	0.50742	0.15632	19	-1.67	012.11	0
012	Starch (%)	0353	0.34000	0.24000	0.85765	0.50742	0.15632	19	-1.02	012.04	0
012	Starch (%)	0160	0.50000	0.06000	0.85765	0.50742	0.15632	19	-0.70	012.04	0
012	Starch (%)	0510	0.50000	0.00000	0.85765	0.50742	0.15632	19	-0.70	012.04	0
012	Starch (%)	0956	0.55000	0.10000	0.85765	0.50742	0.15632	19	-0.61	012.01	0
012	Starch (%)	0407	0.57000	0.08000	0.85765	0.50742	0.15632	19	-0.57	012.03	0
012	Starch (%)	2004	0.59500	0.01000	0.85765	0.50742	0.15632	19	-0.52	012.01	0
012	Starch (%)	0164	0.60000	0.20000	0.85765	0.50742	0.15632	19	-0.51	012.01	0
012	Starch (%)	0676	0.65000	0.10000	0.85765	0.50742	0.15632	19	-0.41	012.01	0
012	Starch (%)	0045	0.70000	0.20000	0.85765	0.50742	0.15632	19	-0.31	012.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
012	Starch (%)	0948	0.80000	0.18000	0.85765	0.50742	0.15632	19	-0.11	012.04	0
012	Starch (%)	0278	0.95000	0.10000	0.85765	0.50742	0.15632	19	0.18	012.04	0
012	Starch (%)	0870	1.0625	0.00900	0.85765	0.50742	0.15632	19	0.40	012.01	0
012	Starch (%)	0297	1.0750	0.07000	0.85765	0.50742	0.15632	19	0.43	012.03	0
012	Starch (%)	0354	1.1500	0.30000	0.85765	0.50742	0.15632	19	0.58	012.00	0
012	Starch (%)	0265	1.3000	0.20000	0.85765	0.50742	0.15632	19	0.87	012.01	0
012	Starch (%)	0918	2.0495	0.86100	0.85765	0.50742	0.15632	19	2.35	012.01	0
012	Starch (%)	0693	2.5900	0.26000	0.85765	0.50742	0.15632	19	3.41	012.01	0
012	Starch (%)	0609	8.6800	0.00000	0.85765	0.50742	0.15632	19	15.42	012.00	0
012	Starch (%)	0910	5.4000	2.8000	0.85765	0.50742	0.15632	19	8.95	012.00	1
012	Starch (%)	2068	31.820	0.02000	0.85765	0.50742	0.15632	19	61.02	012.99	2
012	Starch (%)	0098	0.00000	0.00000	0.85765	0.50742	0.15632	19		012.03	4
013	Fat (%)	0083	17.670	0.44000	23.312	0.92040	0.24874	69	-6.13	013.00	0
013	Fat (%)	0004	19.530	0.20000	23.312	0.92040	0.24874	69	-4.11	013.02	0
013	Fat (%)	0845	21.480	0.02000	23.312	0.92040	0.24874	69	-1.99	013.10	0
013	Fat (%)	0297	21.795	0.01000	23.312	0.92040	0.24874	69	-1.65	013.00	0
013	Fat (%)	2146	22.095	0.17000	23.312	0.92040	0.24874	69	-1.32	013.00	0
013	Fat (%)	0541	22.115	0.85000	23.312	0.92040	0.24874	69	-1.30	013.00	0
013	Fat (%)	0875	22.125	0.29000	23.312	0.92040	0.24874	69	-1.29	013.10	0
013	Fat (%)	0036	22.130	0.04750	23.312	0.92040	0.24874	69	-1.28	013.10	0
013	Fat (%)	0505	22.180	1.1000	23.312	0.92040	0.24874	69	-1.23	013.03	0
013	Fat (%)	0019	22.230	0.00000	23.312	0.92040	0.24874	69	-1.18	013.13	0
013	Fat (%)	0016	22.300	0.20000	23.312	0.92040	0.24874	69	-1.10	013.03	0
013	Fat (%)	0047	22.310	0.02000	23.312	0.92040	0.24874	69	-1.09	013.08	0
013	Fat (%)	0353	22.360	0.58000	23.312	0.92040	0.24874	69	-1.03	013.10	0
013	Fat (%)	0629	22.430	0.00000	23.312	0.92040	0.24874	69	-0.96	013.10	0
013	Fat (%)	0581	22.460	0.54000	23.312	0.92040	0.24874	69	-0.93	013.13	0
013	Fat (%)	0511	22.515	0.35000	23.312	0.92040	0.24874	69	-0.87	013.03	0
013	Fat (%)	0955	22.600	0.20000	23.312	0.92040	0.24874	69	-0.77	013.13	0
013	Fat (%)	0843	22.630	0.38000	23.312	0.92040	0.24874	69	-0.74	013.02	0
013	Fat (%)	0675	22.655	0.17000	23.312	0.92040	0.24874	69	-0.71	013.02	0
013	Fat (%)	0265	22.750	0.30000	23.312	0.92040	0.24874	69	-0.61	013.13	0
013	Fat (%)	0610	22.765	0.03000	23.312	0.92040	0.24874	69	-0.59	013.10	0
013	Fat (%)	0175	22.800	0.00000	23.312	0.92040	0.24874	69	-0.56	013.03	0
013	Fat (%)	0968	23.013	0.11000	23.312	0.92040	0.24874	69	-0.32	013.13	0
013	Fat (%)	0653	23.020	0.26000	23.312	0.92040	0.24874	69	-0.32	013.13	0
013	Fat (%)	0910	23.025	0.09000	23.312	0.92040	0.24874	69	-0.31	013.00	0
013	Fat (%)	0652	23.100	0.40000	23.312	0.92040	0.24874	69	-0.23	013.00	0
013	Fat (%)	2004	23.100	0.00000	23.312	0.92040	0.24874	69	-0.23	013.00	0
013	Fat (%)	0003	23.145	0.67000	23.312	0.92040	0.24874	69	-0.18	013.13	0
013	Fat (%)	2145	23.175	0.03000	23.312	0.92040	0.24874	69	-0.15	013.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat (%)	0878	23.205	0.33000	23.312	0.92040	0.24874	69	-0.12	013.13	0
013	Fat (%)	0615	23.330	0.10000	23.312	0.92040	0.24874	69	0.02	013.00	0
013	Fat (%)	0407	23.345	0.07630	23.312	0.92040	0.24874	69	0.04	013.00	0
013	Fat (%)	0656	23.355	0.67000	23.312	0.92040	0.24874	69	0.05	013.02	0
013	Fat (%)	0353	23.380	0.02000	23.312	0.92040	0.24874	69	0.07	013.02	0
013	Fat (%)	0309	23.445	0.30710	23.312	0.92040	0.24874	69	0.14	013.00	0
013	Fat (%)	0618	23.445	0.35000	23.312	0.92040	0.24874	69	0.14	013.08	0
013	Fat (%)	0033	23.450	0.10000	23.312	0.92040	0.24874	69	0.15	013.08	0
013	Fat (%)	2144	23.450	0.12000	23.312	0.92040	0.24874	69	0.15	013.00	0
013	Fat (%)	2150	23.490	0.12000	23.312	0.92040	0.24874	69	0.19	013.03	0
013	Fat (%)	0948	23.505	0.11000	23.312	0.92040	0.24874	69	0.21	013.00	0
013	Fat (%)	0164	23.510	0.30000	23.312	0.92040	0.24874	69	0.22	013.02	0
013	Fat (%)	0015	23.530	0.38000	23.312	0.92040	0.24874	69	0.24	013.13	0
013	Fat (%)	0098	23.595	0.25000	23.312	0.92040	0.24874	69	0.31	013.00	0
013	Fat (%)	0861	23.595	0.13000	23.312	0.92040	0.24874	69	0.31	013.03	0
013	Fat (%)	0202	23.600	0.14000	23.312	0.92040	0.24874	69	0.31	013.00	0
013	Fat (%)	2053	23.675	0.03000	23.312	0.92040	0.24874	69	0.39	013.00	0
013	Fat (%)	0229	23.845	0.29000	23.312	0.92040	0.24874	69	0.58	013.00	0
013	Fat (%)	0160	23.850	0.10000	23.312	0.92040	0.24874	69	0.58	013.03	0
013	Fat (%)	0921	23.855	0.19000	23.312	0.92040	0.24874	69	0.59	013.02	0
013	Fat (%)	0870	23.868	0.28550	23.312	0.92040	0.24874	69	0.60	013.02	0
013	Fat (%)	0100	23.920	0.18000	23.312	0.92040	0.24874	69	0.66	013.02	0
013	Fat (%)	2128	23.923	0.03200	23.312	0.92040	0.24874	69	0.66	013.12	0
013	Fat (%)	0074	23.960	0.28000	23.312	0.92040	0.24874	69	0.70	013.02	0
013	Fat (%)	0964	24.025	0.37000	23.312	0.92040	0.24874	69	0.77	013.02	0
013	Fat (%)	0027	24.121	0.13390	23.312	0.92040	0.24874	69	0.88	013.08	0
013	Fat (%)	0650	24.125	0.17000	23.312	0.92040	0.24874	69	0.88	013.02	0
013	Fat (%)	0874	24.125	0.01000	23.312	0.92040	0.24874	69	0.88	013.02	0
013	Fat (%)	0148	24.150	0.06000	23.312	0.92040	0.24874	69	0.91	013.02	0
013	Fat (%)	0013	24.150	1.1200	23.312	0.92040	0.24874	69	0.91	013.03	0
013	Fat (%)	2057	24.180	0.22070	23.312	0.92040	0.24874	69	0.94	013.00	0
013	Fat (%)	0676	24.250	0.10000	23.312	0.92040	0.24874	69	1.02	013.02	0
013	Fat (%)	2076	24.335	1.0500	23.312	0.92040	0.24874	69	1.11	013.00	0
013	Fat (%)	0643	24.370	0.44000	23.312	0.92040	0.24874	69	1.15	013.02	0
013	Fat (%)	0510	24.400	0.20000	23.312	0.92040	0.24874	69	1.18	013.08	0
013	Fat (%)	0017	24.650	0.30000	23.312	0.92040	0.24874	69	1.45	013.03	0
013	Fat (%)	2089	24.700	0.06000	23.312	0.92040	0.24874	69	1.51	013.00	0
013	Fat (%)	0354	24.760	0.16000	23.312	0.92040	0.24874	69	1.57	013.02	0
013	Fat (%)	0596	27.545	0.21000	23.312	0.92040	0.24874	69	4.60	013.00	0
013	Fat (%)	0596	27.545	0.21000	23.312	0.92040	0.24874	69	4.60	013.02	0
013	Fat (%)	0035	22.445	2.4500	23.312	0.92040	0.24874	69	-0.94	013.08	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat (%)	0904	25.200	2.2200	23.312	0.92040	0.24874	69	2.05	013.13	1
013	Fat (%)	0208	25.450	3.5000	23.312	0.92040	0.24874	69	2.32	013.02	1
013	Fat (%)	0139	5.8950	0.01000	23.312	0.92040	0.24874	69	-18.92	013.00	2
015	Aluminum (mg / kg (ppm))	0049	100.39	0.47000	113.32	11.787	3.3820	10	-1.10	015.41	0
015	Aluminum (mg / kg (ppm))	0169	106.00	0.00000	113.32	11.787	3.3820	10	-0.62	015.43	0
015	Aluminum (mg / kg (ppm))	0560	106.25	0.50000	113.32	11.787	3.3820	10	-0.60	015.42	0
015	Aluminum (mg / kg (ppm))	0297	107.00	4.0000	113.32	11.787	3.3820	10	-0.54	015.43	0
015	Aluminum (mg / kg (ppm))	0918	107.55	4.8495	113.32	11.787	3.3820	10	-0.49	015.43	0
015	Aluminum (mg / kg (ppm))	0510	111.50	1.0000	113.32	11.787	3.3820	10	-0.15	015.43	0
015	Aluminum (mg / kg (ppm))	0345	113.50	3.0000	113.32	11.787	3.3820	10	0.02	015.43	0
015	Aluminum (mg / kg (ppm))	0353	120.50	13.000	113.32	11.787	3.3820	10	0.61	015.43	0
015	Aluminum (mg / kg (ppm))	0164	130.00	2.0000	113.32	11.787	3.3820	10	1.42	015.41	0
015	Aluminum (mg / kg (ppm))	0186	130.50	5.0000	113.32	11.787	3.3820	10	1.46	015.52	0
015	Aluminum (mg / kg (ppm))	0520	174.50	117.00	113.32	11.787	3.3820	10	5.19	015.41	1
017	Boron (mg / kg (ppm))	0358	1.7100	0.12000	2.8955	0.91670	0.48364	11	-1.29	017.41	0
017	Boron (mg / kg (ppm))	0560	1.9750	0.29000	2.8955	0.91670	0.48364	11	-1.00	017.42	0
017	Boron (mg / kg (ppm))	0049	2.1800	2.1200	2.8955	0.91670	0.48364	11	-0.78	017.41	0
017	Boron (mg / kg (ppm))	0045	2.5150	0.21000	2.8955	0.91670	0.48364	11	-0.42	017.42	0
017	Boron (mg / kg (ppm))	0693	2.6600	0.08000	2.8955	0.91670	0.48364	11	-0.26	017.42	0
017	Boron (mg / kg (ppm))	0510	2.9000	0.00000	2.8955	0.91670	0.48364	11	0.00	017.43	0
017	Boron (mg / kg (ppm))	0918	2.9750	0.25000	2.8955	0.91670	0.48364	11	0.09	017.43	0
017	Boron (mg / kg (ppm))	2053	3.2950	0.11000	2.8955	0.91670	0.48364	11	0.44	017.42	0
017	Boron (mg / kg (ppm))	0294	3.3200	0.04000	2.8955	0.91670	0.48364	11	0.46	017.42	0
017	Boron (mg / kg (ppm))	0345	4.0500	0.10000	2.8955	0.91670	0.48364	11	1.26	017.43	0
017	Boron (mg / kg (ppm))	0353	10.000	2.0000	2.8955	0.91670	0.48364	11	7.75	017.43	0
019	Calcium (%)	0026	1.1150	0.07000	1.7057	0.08448	0.03718	144	-6.99	019.42	0
019	Calcium (%)	0017	1.3750	0.05000	1.7057	0.08448	0.03718	144	-3.91	019.43	0
019	Calcium (%)	2066	1.4000	0.00000	1.7057	0.08448	0.03718	144	-3.62	019.53	0
019	Calcium (%)	0139	1.4500	0.00000	1.7057	0.08448	0.03718	144	-3.03	019.41	0
019	Calcium (%)	0047	1.4600	0.02000	1.7057	0.08448	0.03718	144	-2.91	019.52	0
019	Calcium (%)	0036	1.4821	0.03580	1.7057	0.08448	0.03718	144	-2.65	019.43	0
019	Calcium (%)	0610	1.4900	0.00000	1.7057	0.08448	0.03718	144	-2.55	019.43	0
019	Calcium (%)	0144	1.5300	0.00000	1.7057	0.08448	0.03718	144	-2.08	019.41	0
019	Calcium (%)	0623	1.5475	0.08310	1.7057	0.08448	0.03718	144	-1.87	019.00	0
019	Calcium (%)	0043	1.5500	0.02000	1.7057	0.08448	0.03718	144	-1.84	019.43	0
019	Calcium (%)	0152	1.5550	0.03000	1.7057	0.08448	0.03718	144	-1.78	019.31	0
019	Calcium (%)	0596	1.5550	0.01000	1.7057	0.08448	0.03718	144	-1.78	019.31	0
019	Calcium (%)	2161	1.5600	0.06000	1.7057	0.08448	0.03718	144	-1.72	019.31	0
019	Calcium (%)	0202	1.5650	0.09000	1.7057	0.08448	0.03718	144	-1.67	019.43	0
019	Calcium (%)	2062	1.5729	0.01390	1.7057	0.08448	0.03718	144	-1.57	019.00	0
019	Calcium (%)	0001	1.5750	0.04000	1.7057	0.08448	0.03718	144	-1.55	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0019	1.5900	0.06000	1.7057	0.08448	0.03718	144	-1.37	019.41	0
019	Calcium (%)	0848	1.6050	0.05000	1.7057	0.08448	0.03718	144	-1.19	019.41	0
019	Calcium (%)	2129	1.6100	0.08000	1.7057	0.08448	0.03718	144	-1.13	019.42	0
019	Calcium (%)	0510	1.6100	0.02000	1.7057	0.08448	0.03718	144	-1.13	019.43	0
019	Calcium (%)	0297	1.6150	0.15000	1.7057	0.08448	0.03718	144	-1.07	019.43	0
019	Calcium (%)	0186	1.6200	0.04000	1.7057	0.08448	0.03718	144	-1.01	019.52	0
019	Calcium (%)	0366	1.6250	0.05000	1.7057	0.08448	0.03718	144	-0.95	019.42	0
019	Calcium (%)	2109	1.6275	0.02500	1.7057	0.08448	0.03718	144	-0.93	019.00	0
019	Calcium (%)	0038	1.6300	0.00000	1.7057	0.08448	0.03718	144	-0.90	019.31	0
019	Calcium (%)	0629	1.6300	0.00000	1.7057	0.08448	0.03718	144	-0.90	019.43	0
019	Calcium (%)	0893	1.6400	0.00000	1.7057	0.08448	0.03718	144	-0.78	019.00	0
019	Calcium (%)	0186	1.6400	0.02000	1.7057	0.08448	0.03718	144	-0.78	019.42	0
019	Calcium (%)	0918	1.6405	0.00500	1.7057	0.08448	0.03718	144	-0.77	019.43	0
019	Calcium (%)	0629	1.6450	0.01000	1.7057	0.08448	0.03718	144	-0.72	019.08	0
019	Calcium (%)	0874	1.6450	0.07000	1.7057	0.08448	0.03718	144	-0.72	019.31	0
019	Calcium (%)	0675	1.6450	0.03000	1.7057	0.08448	0.03718	144	-0.72	019.43	0
019	Calcium (%)	0229	1.6470	0.01800	1.7057	0.08448	0.03718	144	-0.69	019.41	0
019	Calcium (%)	0940	1.6500	0.00000	1.7057	0.08448	0.03718	144	-0.66	019.08	0
019	Calcium (%)	0035	1.6500	0.00000	1.7057	0.08448	0.03718	144	-0.66	019.32	0
019	Calcium (%)	0358	1.6500	0.06000	1.7057	0.08448	0.03718	144	-0.66	019.41	0
019	Calcium (%)	0650	1.6510	0.01400	1.7057	0.08448	0.03718	144	-0.65	019.31	0
019	Calcium (%)	0948	1.6550	0.05000	1.7057	0.08448	0.03718	144	-0.60	019.31	0
019	Calcium (%)	0208	1.6550	0.01600	1.7057	0.08448	0.03718	144	-0.60	019.31	0
019	Calcium (%)	0612	1.6600	0.00000	1.7057	0.08448	0.03718	144	-0.54	019.32	0
019	Calcium (%)	0693	1.6600	0.00000	1.7057	0.08448	0.03718	144	-0.54	019.42	0
019	Calcium (%)	0668	1.6600	0.00000	1.7057	0.08448	0.03718	144	-0.54	019.43	0
019	Calcium (%)	0208	1.6610	0.10200	1.7057	0.08448	0.03718	144	-0.53	019.41	0
019	Calcium (%)	0653	1.6615	0.04700	1.7057	0.08448	0.03718	144	-0.52	019.31	0
019	Calcium (%)	0083	1.6650	0.05000	1.7057	0.08448	0.03718	144	-0.48	019.43	0
019	Calcium (%)	0885	1.6659	0.03320	1.7057	0.08448	0.03718	144	-0.47	019.08	0
019	Calcium (%)	0205	1.6700	0.04000	1.7057	0.08448	0.03718	144	-0.42	019.42	0
019	Calcium (%)	0560	1.6738	0.00750	1.7057	0.08448	0.03718	144	-0.38	019.42	0
019	Calcium (%)	2004	1.6750	0.09000	1.7057	0.08448	0.03718	144	-0.36	019.44	0
019	Calcium (%)	0849	1.6755	0.00900	1.7057	0.08448	0.03718	144	-0.36	019.08	0
019	Calcium (%)	2012	1.6800	0.02000	1.7057	0.08448	0.03718	144	-0.30	019.41	0
019	Calcium (%)	0682	1.6800	0.00000	1.7057	0.08448	0.03718	144	-0.30	019.43	0
019	Calcium (%)	0175	1.6850	0.05000	1.7057	0.08448	0.03718	144	-0.24	019.31	0
019	Calcium (%)	0148	1.6850	0.01000	1.7057	0.08448	0.03718	144	-0.24	019.41	0
019	Calcium (%)	0511	1.6850	0.05000	1.7057	0.08448	0.03718	144	-0.24	019.41	0
019	Calcium (%)	0861	1.6850	0.03000	1.7057	0.08448	0.03718	144	-0.24	019.43	0
019	Calcium (%)	0142	1.6855	0.02520	1.7057	0.08448	0.03718	144	-0.24	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0233	1.6900	0.00000	1.7057	0.08448	0.03718	144	-0.19	019.31	0
019	Calcium (%)	0622	1.6901	0.03100	1.7057	0.08448	0.03718	144	-0.18	019.00	0
019	Calcium (%)	2097	1.6923	0.04240	1.7057	0.08448	0.03718	144	-0.16	019.31	0
019	Calcium (%)	2009	1.6934	0.00150	1.7057	0.08448	0.03718	144	-0.15	019.08	0
019	Calcium (%)	0904	1.6950	0.13000	1.7057	0.08448	0.03718	144	-0.13	019.31	0
019	Calcium (%)	0035	1.6950	0.03000	1.7057	0.08448	0.03718	144	-0.13	019.33	0
019	Calcium (%)	0674	1.7000	0.00000	1.7057	0.08448	0.03718	144	-0.07	019.31	0
019	Calcium (%)	2022	1.7000	0.02000	1.7057	0.08448	0.03718	144	-0.07	019.31	0
019	Calcium (%)	0345	1.7035	0.01900	1.7057	0.08448	0.03718	144	-0.03	019.43	0
019	Calcium (%)	0563	1.7041	0.01560	1.7057	0.08448	0.03718	144	-0.02	019.31	0
019	Calcium (%)	0895	1.7050	0.01000	1.7057	0.08448	0.03718	144	-0.01	019.00	0
019	Calcium (%)	0590	1.7050	0.01000	1.7057	0.08448	0.03718	144	-0.01	019.08	0
019	Calcium (%)	0035	1.7050	0.01000	1.7057	0.08448	0.03718	144	-0.01	019.43	0
019	Calcium (%)	0425	1.7050	0.01000	1.7057	0.08448	0.03718	144	-0.01	019.43	0
019	Calcium (%)	0968	1.7060	0.00400	1.7057	0.08448	0.03718	144	0.00	019.43	0
019	Calcium (%)	0683	1.7100	0.06000	1.7057	0.08448	0.03718	144	0.05	019.00	0
019	Calcium (%)	0014	1.7100	0.06000	1.7057	0.08448	0.03718	144	0.05	019.31	0
019	Calcium (%)	0903	1.7150	0.01000	1.7057	0.08448	0.03718	144	0.11	019.00	0
019	Calcium (%)	0354	1.7150	0.01000	1.7057	0.08448	0.03718	144	0.11	019.31	0
019	Calcium (%)	0939	1.7150	0.03000	1.7057	0.08448	0.03718	144	0.11	019.31	0
019	Calcium (%)	0164	1.7150	0.01000	1.7057	0.08448	0.03718	144	0.11	019.41	0
019	Calcium (%)	0619	1.7150	0.01000	1.7057	0.08448	0.03718	144	0.11	019.41	0
019	Calcium (%)	0921	1.7160	0.05600	1.7057	0.08448	0.03718	144	0.12	019.31	0
019	Calcium (%)	0878	1.7200	0.02000	1.7057	0.08448	0.03718	144	0.17	019.00	0
019	Calcium (%)	0910	1.7200	0.10000	1.7057	0.08448	0.03718	144	0.17	019.41	0
019	Calcium (%)	0027	1.7210	0.04800	1.7057	0.08448	0.03718	144	0.18	019.43	0
019	Calcium (%)	0265	1.7250	0.01000	1.7057	0.08448	0.03718	144	0.23	019.42	0
019	Calcium (%)	0504	1.7255	0.00100	1.7057	0.08448	0.03718	144	0.23	019.33	0
019	Calcium (%)	0881	1.7290	0.05800	1.7057	0.08448	0.03718	144	0.28	019.00	0
019	Calcium (%)	0897	1.7300	0.02000	1.7057	0.08448	0.03718	144	0.29	019.00	0
019	Calcium (%)	0505	1.7300	0.02000	1.7057	0.08448	0.03718	144	0.29	019.31	0
019	Calcium (%)	0689	1.7300	0.02000	1.7057	0.08448	0.03718	144	0.29	019.31	0
019	Calcium (%)	2145	1.7300	0.00000	1.7057	0.08448	0.03718	144	0.29	019.41	0
019	Calcium (%)	0006	1.7340	0.00200	1.7057	0.08448	0.03718	144	0.34	019.43	0
019	Calcium (%)	0013	1.7350	0.05000	1.7057	0.08448	0.03718	144	0.35	019.43	0
019	Calcium (%)	0038	1.7350	0.13000	1.7057	0.08448	0.03718	144	0.35	019.43	0
019	Calcium (%)	0036	1.7393	0.00880	1.7057	0.08448	0.03718	144	0.40	019.03	0
019	Calcium (%)	0687	1.7400	0.12000	1.7057	0.08448	0.03718	144	0.41	019.31	0
019	Calcium (%)	0049	1.7400	0.00000	1.7057	0.08448	0.03718	144	0.41	019.41	0
019	Calcium (%)	0035	1.7400	0.02000	1.7057	0.08448	0.03718	144	0.41	019.42	0
019	Calcium (%)	0045	1.7400	0.04000	1.7057	0.08448	0.03718	144	0.41	019.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0028	1.7400	0.02000	1.7057	0.08448	0.03718	144	0.41	019.43	0
019	Calcium (%)	0512	1.7430	0.04800	1.7057	0.08448	0.03718	144	0.44	019.43	0
019	Calcium (%)	0098	1.7450	0.05000	1.7057	0.08448	0.03718	144	0.47	019.43	0
019	Calcium (%)	0154	1.7460	0.15720	1.7057	0.08448	0.03718	144	0.48	019.52	0
019	Calcium (%)	0689	1.7500	0.00000	1.7057	0.08448	0.03718	144	0.52	019.08	0
019	Calcium (%)	0074	1.7500	0.02000	1.7057	0.08448	0.03718	144	0.52	019.41	0
019	Calcium (%)	0878	1.7500	0.10000	1.7057	0.08448	0.03718	144	0.52	019.41	0
019	Calcium (%)	2144	1.7500	0.00000	1.7057	0.08448	0.03718	144	0.52	019.41	0
019	Calcium (%)	0278	1.7500	0.06000	1.7057	0.08448	0.03718	144	0.52	019.42	0
019	Calcium (%)	0964	1.7508	0.00880	1.7057	0.08448	0.03718	144	0.53	019.43	0
019	Calcium (%)	0066	1.7515	0.01300	1.7057	0.08448	0.03718	144	0.54	019.31	0
019	Calcium (%)	2146	1.7545	0.04500	1.7057	0.08448	0.03718	144	0.58	019.51	0
019	Calcium (%)	2144	1.7550	0.01000	1.7057	0.08448	0.03718	144	0.58	019.00	0
019	Calcium (%)	0357	1.7590	0.03780	1.7057	0.08448	0.03718	144	0.63	019.42	0
019	Calcium (%)	0300	1.7625	0.15500	1.7057	0.08448	0.03718	144	0.67	019.53	0
019	Calcium (%)	0043	1.7650	0.03000	1.7057	0.08448	0.03718	144	0.70	019.00	0
019	Calcium (%)	0003	1.7650	0.07000	1.7057	0.08448	0.03718	144	0.70	019.41	0
019	Calcium (%)	0089	1.7650	0.01000	1.7057	0.08448	0.03718	144	0.70	019.41	0
019	Calcium (%)	0520	1.7650	0.05000	1.7057	0.08448	0.03718	144	0.70	019.41	0
019	Calcium (%)	2068	1.7700	0.00000	1.7057	0.08448	0.03718	144	0.76	019.00	0
019	Calcium (%)	0870	1.7720	0.12400	1.7057	0.08448	0.03718	144	0.79	019.42	0
019	Calcium (%)	0504	1.7820	0.03200	1.7057	0.08448	0.03718	144	0.90	019.42	0
019	Calcium (%)	0504	1.7840	0.05600	1.7057	0.08448	0.03718	144	0.93	019.32	0
019	Calcium (%)	2089	1.7850	0.03000	1.7057	0.08448	0.03718	144	0.94	019.43	0
019	Calcium (%)	0656	1.7900	0.04000	1.7057	0.08448	0.03718	144	1.00	019.31	0
019	Calcium (%)	0572	1.7950	0.17000	1.7057	0.08448	0.03718	144	1.06	019.53	0
019	Calcium (%)	0034	1.7980	0.07000	1.7057	0.08448	0.03718	144	1.09	019.43	0
019	Calcium (%)	0407	1.8009	0.00680	1.7057	0.08448	0.03718	144	1.13	019.41	0
019	Calcium (%)	0194	1.8050	0.01000	1.7057	0.08448	0.03718	144	1.18	019.00	0
019	Calcium (%)	0108	1.8150	0.03000	1.7057	0.08448	0.03718	144	1.29	019.31	0
019	Calcium (%)	0037	1.8200	0.04000	1.7057	0.08448	0.03718	144	1.35	019.42	0
019	Calcium (%)	0042	1.8200	0.00000	1.7057	0.08448	0.03718	144	1.35	019.42	0
019	Calcium (%)	2053	1.8250	0.17000	1.7057	0.08448	0.03718	144	1.41	019.42	0
019	Calcium (%)	2108	1.8500	0.18000	1.7057	0.08448	0.03718	144	1.71	019.44	0
019	Calcium (%)	0190	1.8550	0.03000	1.7057	0.08448	0.03718	144	1.77	019.42	0
019	Calcium (%)	0294	1.8550	0.03000	1.7057	0.08448	0.03718	144	1.77	019.42	0
019	Calcium (%)	0726	1.8605	0.00900	1.7057	0.08448	0.03718	144	1.83	019.42	0
019	Calcium (%)	0169	1.8750	0.01000	1.7057	0.08448	0.03718	144	2.00	019.32	0
019	Calcium (%)	0187	1.8800	0.00000	1.7057	0.08448	0.03718	144	2.06	019.42	0
019	Calcium (%)	0353	1.8950	0.01000	1.7057	0.08448	0.03718	144	2.24	019.43	0
019	Calcium (%)	0598	1.9155	0.00900	1.7057	0.08448	0.03718	144	2.48	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0609	1.9200	0.02000	1.7057	0.08448	0.03718	144	2.54	019.32	0
019	Calcium (%)	0100	1.9350	0.05000	1.7057	0.08448	0.03718	144	2.71	019.99	0
019	Calcium (%)	0405	1.9500	0.10000	1.7057	0.08448	0.03718	144	2.89	019.41	0
019	Calcium (%)	0692	1.9900	0.12000	1.7057	0.08448	0.03718	144	3.37	019.42	0
019	Calcium (%)	0646	2.1300	0.02000	1.7057	0.08448	0.03718	144	5.02	019.31	0
019	Calcium (%)	0529	1.3600	0.20000	1.7057	0.08448	0.03718	144	-4.09	019.31	1
019	Calcium (%)	0160	1.8723	0.30470	1.7057	0.08448	0.03718	144	1.97	019.42	1
019	Calcium (%)	0852	3.9500	0.10000	1.7057	0.08448	0.03718	144	26.56	019.08	2
021	Cobalt (mg / kg (ppm))	2053	0.01000	0.00000	0.50378	0.22880	0.15445	17	-2.16	021.42	0
021	Cobalt (mg / kg (ppm))	0619	0.23550	0.02500	0.50378	0.22880	0.15445	17	-1.17	021.41	0
021	Cobalt (mg / kg (ppm))	0689	0.30000	0.00000	0.50378	0.22880	0.15445	17	-0.89	021.31	0
021	Cobalt (mg / kg (ppm))	0038	0.34000	0.06000	0.50378	0.22880	0.15445	17	-0.72	021.43	0
021	Cobalt (mg / kg (ppm))	0098	0.37500	0.00000	0.50378	0.22880	0.15445	17	-0.56	021.53	0
021	Cobalt (mg / kg (ppm))	0043	0.38800	0.06400	0.50378	0.22880	0.15445	17	-0.51	021.43	0
021	Cobalt (mg / kg (ppm))	0910	0.40000	0.04000	0.50378	0.22880	0.15445	17	-0.45	021.52	0
021	Cobalt (mg / kg (ppm))	0169	0.42000	0.02000	0.50378	0.22880	0.15445	17	-0.37	021.43	0
021	Cobalt (mg / kg (ppm))	0510	0.52500	0.01000	0.50378	0.22880	0.15445	17	0.09	021.43	0
021	Cobalt (mg / kg (ppm))	0939	0.55000	0.70000	0.50378	0.22880	0.15445	17	0.20	021.31	0
021	Cobalt (mg / kg (ppm))	0186	0.55000	0.30000	0.50378	0.22880	0.15445	17	0.20	021.42	0
021	Cobalt (mg / kg (ppm))	0964	0.57100	0.10000	0.50378	0.22880	0.15445	17	0.29	021.43	0
021	Cobalt (mg / kg (ppm))	0366	0.65000	0.30000	0.50378	0.22880	0.15445	17	0.64	021.32	0
021	Cobalt (mg / kg (ppm))	0918	0.68425	0.35270	0.50378	0.22880	0.15445	17	0.79	021.53	0
021	Cobalt (mg / kg (ppm))	0186	0.72300	0.57400	0.50378	0.22880	0.15445	17	0.96	021.52	0
021	Cobalt (mg / kg (ppm))	0675	0.84500	0.03000	0.50378	0.22880	0.15445	17	1.49	021.43	0
021	Cobalt (mg / kg (ppm))	0590	0.96500	0.05000	0.50378	0.22880	0.15445	17	2.02	021.99	0
022	Copper (mg / kg (ppm))	0294	1.4300	0.00000	9.0200	3.7347	1.5356	78	-2.03	022.42	0
022	Copper (mg / kg (ppm))	2089	1.8750	1.7300	9.0200	3.7347	1.5356	78	-1.91	022.43	0
022	Copper (mg / kg (ppm))	2129	2.8150	0.45000	9.0200	3.7347	1.5356	78	-1.66	022.99	0
022	Copper (mg / kg (ppm))	0610	3.0000	0.00000	9.0200	3.7347	1.5356	78	-1.61	022.43	0
022	Copper (mg / kg (ppm))	0043	4.3050	0.39000	9.0200	3.7347	1.5356	78	-1.26	022.43	0
022	Copper (mg / kg (ppm))	0208	4.4350	1.4500	9.0200	3.7347	1.5356	78	-1.23	022.31	0
022	Copper (mg / kg (ppm))	0265	4.5000	1.0000	9.0200	3.7347	1.5356	78	-1.21	022.42	0
022	Copper (mg / kg (ppm))	0572	4.6850	1.8700	9.0200	3.7347	1.5356	78	-1.16	022.53	0
022	Copper (mg / kg (ppm))	0278	4.7500	1.5000	9.0200	3.7347	1.5356	78	-1.14	022.42	0
022	Copper (mg / kg (ppm))	0366	5.0000	0.00000	9.0200	3.7347	1.5356	78	-1.08	022.42	0
022	Copper (mg / kg (ppm))	0045	5.1600	1.5200	9.0200	3.7347	1.5356	78	-1.03	022.42	0
022	Copper (mg / kg (ppm))	0027	5.3970	0.85600	9.0200	3.7347	1.5356	78	-0.97	022.43	0
022	Copper (mg / kg (ppm))	0520	5.5500	1.1000	9.0200	3.7347	1.5356	78	-0.93	022.41	0
022	Copper (mg / kg (ppm))	0169	5.5550	0.19000	9.0200	3.7347	1.5356	78	-0.93	022.43	0
022	Copper (mg / kg (ppm))	0726	5.7095	0.00100	9.0200	3.7347	1.5356	78	-0.89	022.42	0
022	Copper (mg / kg (ppm))	0190	5.7600	0.12000	9.0200	3.7347	1.5356	78	-0.87	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0208	5.9405	0.93900	9.0200	3.7347	1.5356	78	-0.82	022.41	0
022	Copper (mg / kg (ppm))	0353	6.0000	4.0000	9.0200	3.7347	1.5356	78	-0.81	022.43	0
022	Copper (mg / kg (ppm))	0407	6.1034	0.46160	9.0200	3.7347	1.5356	78	-0.78	022.41	0
022	Copper (mg / kg (ppm))	0100	6.1800	1.5400	9.0200	3.7347	1.5356	78	-0.76	022.99	0
022	Copper (mg / kg (ppm))	0035	6.5000	1.0000	9.0200	3.7347	1.5356	78	-0.67	022.32	0
022	Copper (mg / kg (ppm))	0035	6.5000	1.0000	9.0200	3.7347	1.5356	78	-0.67	022.33	0
022	Copper (mg / kg (ppm))	0035	6.5000	1.0000	9.0200	3.7347	1.5356	78	-0.67	022.42	0
022	Copper (mg / kg (ppm))	0035	6.5000	1.0000	9.0200	3.7347	1.5356	78	-0.67	022.43	0
022	Copper (mg / kg (ppm))	0083	6.5000	3.0000	9.0200	3.7347	1.5356	78	-0.67	022.43	0
022	Copper (mg / kg (ppm))	0187	7.2500	0.10000	9.0200	3.7347	1.5356	78	-0.47	022.42	0
022	Copper (mg / kg (ppm))	0047	7.3350	0.13000	9.0200	3.7347	1.5356	78	-0.45	022.52	0
022	Copper (mg / kg (ppm))	0358	7.4750	0.67000	9.0200	3.7347	1.5356	78	-0.41	022.41	0
022	Copper (mg / kg (ppm))	0038	7.5000	1.0000	9.0200	3.7347	1.5356	78	-0.41	022.32	0
022	Copper (mg / kg (ppm))	0098	7.7200	1.9600	9.0200	3.7347	1.5356	78	-0.35	022.43	0
022	Copper (mg / kg (ppm))	0425	7.7700	0.14000	9.0200	3.7347	1.5356	78	-0.33	022.43	0
022	Copper (mg / kg (ppm))	0049	7.7750	4.4700	9.0200	3.7347	1.5356	78	-0.33	022.41	0
022	Copper (mg / kg (ppm))	0505	8.0500	1.1000	9.0200	3.7347	1.5356	78	-0.26	022.31	0
022	Copper (mg / kg (ppm))	0590	8.1100	1.0200	9.0200	3.7347	1.5356	78	-0.24	022.99	0
022	Copper (mg / kg (ppm))	0619	8.2450	0.07000	9.0200	3.7347	1.5356	78	-0.21	022.41	0
022	Copper (mg / kg (ppm))	0357	8.7280	2.0040	9.0200	3.7347	1.5356	78	-0.08	022.42	0
022	Copper (mg / kg (ppm))	0692	8.8500	1.7000	9.0200	3.7347	1.5356	78	-0.05	022.42	0
022	Copper (mg / kg (ppm))	0164	8.9500	0.10000	9.0200	3.7347	1.5356	78	-0.02	022.41	0
022	Copper (mg / kg (ppm))	0297	9.0000	0.00000	9.0200	3.7347	1.5356	78	-0.01	022.43	0
022	Copper (mg / kg (ppm))	0019	9.1450	5.6100	9.0200	3.7347	1.5356	78	0.03	022.41	0
022	Copper (mg / kg (ppm))	2161	9.3700	0.30000	9.0200	3.7347	1.5356	78	0.09	022.31	0
022	Copper (mg / kg (ppm))	0878	9.4000	0.20000	9.0200	3.7347	1.5356	78	0.10	022.41	0
022	Copper (mg / kg (ppm))	0016	9.4700	10.260	9.0200	3.7347	1.5356	78	0.12	022.52	0
022	Copper (mg / kg (ppm))	0202	9.5000	3.0000	9.0200	3.7347	1.5356	78	0.13	022.43	0
022	Copper (mg / kg (ppm))	0345	9.7500	1.9000	9.0200	3.7347	1.5356	78	0.20	022.43	0
022	Copper (mg / kg (ppm))	0186	9.7850	5.8300	9.0200	3.7347	1.5356	78	0.20	022.52	0
022	Copper (mg / kg (ppm))	0074	10.000	2.0000	9.0200	3.7347	1.5356	78	0.26	022.41	0
022	Copper (mg / kg (ppm))	0910	10.000	0.00000	9.0200	3.7347	1.5356	78	0.26	022.41	0
022	Copper (mg / kg (ppm))	0510	10.000	0.00000	9.0200	3.7347	1.5356	78	0.26	022.43	0
022	Copper (mg / kg (ppm))	0968	10.000	2.0000	9.0200	3.7347	1.5356	78	0.26	022.43	0
022	Copper (mg / kg (ppm))	0229	10.445	0.61000	9.0200	3.7347	1.5356	78	0.38	022.41	0
022	Copper (mg / kg (ppm))	0689	10.800	0.60000	9.0200	3.7347	1.5356	78	0.48	022.31	0
022	Copper (mg / kg (ppm))	2004	10.800	0.80000	9.0200	3.7347	1.5356	78	0.48	022.44	0
022	Copper (mg / kg (ppm))	0042	10.835	3.3300	9.0200	3.7347	1.5356	78	0.49	022.42	0
022	Copper (mg / kg (ppm))	0675	10.980	0.78000	9.0200	3.7347	1.5356	78	0.52	022.43	0
022	Copper (mg / kg (ppm))	0405	11.000	2.0000	9.0200	3.7347	1.5356	78	0.53	022.41	0
022	Copper (mg / kg (ppm))	0066	11.056	0.75100	9.0200	3.7347	1.5356	78	0.55	022.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	2033	11.100	0.00000	9.0200	3.7347	1.5356	78	0.56	022.53	0
022	Copper (mg / kg (ppm))	0596	11.600	2.8000	9.0200	3.7347	1.5356	78	0.69	022.31	0
022	Copper (mg / kg (ppm))	0148	11.600	0.80000	9.0200	3.7347	1.5356	78	0.69	022.41	0
022	Copper (mg / kg (ppm))	0668	11.700	1.6000	9.0200	3.7347	1.5356	78	0.72	022.43	0
022	Copper (mg / kg (ppm))	0186	11.750	4.3000	9.0200	3.7347	1.5356	78	0.73	022.42	0
022	Copper (mg / kg (ppm))	0870	11.875	0.35000	9.0200	3.7347	1.5356	78	0.76	022.42	0
022	Copper (mg / kg (ppm))	2146	12.045	4.1900	9.0200	3.7347	1.5356	78	0.81	022.51	0
022	Copper (mg / kg (ppm))	0598	12.110	2.1200	9.0200	3.7347	1.5356	78	0.83	022.41	0
022	Copper (mg / kg (ppm))	0948	12.410	0.30000	9.0200	3.7347	1.5356	78	0.91	022.33	0
022	Copper (mg / kg (ppm))	0175	12.500	1.0000	9.0200	3.7347	1.5356	78	0.93	022.31	0
022	Copper (mg / kg (ppm))	2012	13.300	0.42000	9.0200	3.7347	1.5356	78	1.15	022.41	0
022	Copper (mg / kg (ppm))	0693	13.800	4.0000	9.0200	3.7347	1.5356	78	1.28	022.42	0
022	Copper (mg / kg (ppm))	0038	14.500	3.0000	9.0200	3.7347	1.5356	78	1.47	022.43	0
022	Copper (mg / kg (ppm))	0354	15.045	0.07000	9.0200	3.7347	1.5356	78	1.61	022.31	0
022	Copper (mg / kg (ppm))	0529	16.005	4.2500	9.0200	3.7347	1.5356	78	1.87	022.31	0
022	Copper (mg / kg (ppm))	0563	17.333	1.5830	9.0200	3.7347	1.5356	78	2.23	022.31	0
022	Copper (mg / kg (ppm))	0904	18.945	0.59000	9.0200	3.7347	1.5356	78	2.66	022.31	0
022	Copper (mg / kg (ppm))	0609	20.000	0.00000	9.0200	3.7347	1.5356	78	2.94	022.32	0
022	Copper (mg / kg (ppm))	0003	21.000	4.0000	9.0200	3.7347	1.5356	78	3.21	022.41	0
022	Copper (mg / kg (ppm))	0964	28.676	1.2201	9.0200	3.7347	1.5356	78	5.26	022.43	0
022	Copper (mg / kg (ppm))	0918	30.455	2.6300	9.0200	3.7347	1.5356	78	5.74	022.43	0
022	Copper (mg / kg (ppm))	0037	30.500	23.000	9.0200	3.7347	1.5356	78	5.75	022.42	1
024	Iodine (mg / kg (ppm))	0668	5.0050	0.43000				2		024.53	0
024	Iodine (mg / kg (ppm))	0160	5.6950	0.39000				2		024.52	0
025	Iron (mg / kg (ppm))	0405	3.8500	0.30000	176.13	39.704	17.859	81	-4.34	025.41	0
025	Iron (mg / kg (ppm))	0345	86.300	7.6000	176.13	39.704	17.859	81	-2.26	025.43	0
025	Iron (mg / kg (ppm))	0297	106.00	2.0000	176.13	39.704	17.859	81	-1.77	025.43	0
025	Iron (mg / kg (ppm))	2012	106.42	6.4200	176.13	39.704	17.859	81	-1.76	025.41	0
025	Iron (mg / kg (ppm))	0921	117.90	10.800	176.13	39.704	17.859	81	-1.47	025.31	0
025	Iron (mg / kg (ppm))	0598	118.10	4.8000	176.13	39.704	17.859	81	-1.46	025.41	0
025	Iron (mg / kg (ppm))	0353	119.00	4.0000	176.13	39.704	17.859	81	-1.44	025.43	0
025	Iron (mg / kg (ppm))	0169	119.50	7.0000	176.13	39.704	17.859	81	-1.43	025.43	0
025	Iron (mg / kg (ppm))	0668	120.50	11.000	176.13	39.704	17.859	81	-1.40	025.43	0
025	Iron (mg / kg (ppm))	0870	127.00	52.400	176.13	39.704	17.859	81	-1.24	025.42	0
025	Iron (mg / kg (ppm))	0190	128.45	6.9000	176.13	39.704	17.859	81	-1.20	025.42	0
025	Iron (mg / kg (ppm))	0186	131.50	45.000	176.13	39.704	17.859	81	-1.12	025.42	0
025	Iron (mg / kg (ppm))	0083	133.50	17.000	176.13	39.704	17.859	81	-1.07	025.43	0
025	Iron (mg / kg (ppm))	0154	133.72	11.590	176.13	39.704	17.859	81	-1.07	025.52	0
025	Iron (mg / kg (ppm))	0726	135.80	3.6000	176.13	39.704	17.859	81	-1.02	025.42	0
025	Iron (mg / kg (ppm))	0037	137.25	43.300	176.13	39.704	17.859	81	-0.98	025.42	0
025	Iron (mg / kg (ppm))	0265	141.00	28.000	176.13	39.704	17.859	81	-0.88	025.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0043	141.00	0.00000	176.13	39.704	17.859	81	-0.88	025.43	0
025	Iron (mg / kg (ppm))	0278	141.50	5.0000	176.13	39.704	17.859	81	-0.87	025.42	0
025	Iron (mg / kg (ppm))	0366	142.50	47.000	176.13	39.704	17.859	81	-0.85	025.42	0
025	Iron (mg / kg (ppm))	0160	146.00	48.000	176.13	39.704	17.859	81	-0.76	025.42	0
025	Iron (mg / kg (ppm))	2033	150.00	0.00000	176.13	39.704	17.859	81	-0.66	025.43	0
025	Iron (mg / kg (ppm))	2066	154.00	0.00000	176.13	39.704	17.859	81	-0.56	025.53	0
025	Iron (mg / kg (ppm))	0294	155.34	18.520	176.13	39.704	17.859	81	-0.52	025.42	0
025	Iron (mg / kg (ppm))	0035	156.50	11.000	176.13	39.704	17.859	81	-0.49	025.33	0
025	Iron (mg / kg (ppm))	0563	156.58	8.4390	176.13	39.704	17.859	81	-0.49	025.31	0
025	Iron (mg / kg (ppm))	0038	159.50	13.000	176.13	39.704	17.859	81	-0.42	025.31	0
025	Iron (mg / kg (ppm))	0425	162.35	0.70000	176.13	39.704	17.859	81	-0.35	025.43	0
025	Iron (mg / kg (ppm))	0878	164.50	7.0000	176.13	39.704	17.859	81	-0.29	025.41	0
025	Iron (mg / kg (ppm))	0354	167.36	1.2200	176.13	39.704	17.859	81	-0.22	025.31	0
025	Iron (mg / kg (ppm))	2108	167.91	5.4500	176.13	39.704	17.859	81	-0.21	025.41	0
025	Iron (mg / kg (ppm))	0675	168.18	8.6100	176.13	39.704	17.859	81	-0.20	025.43	0
025	Iron (mg / kg (ppm))	0968	168.50	9.0000	176.13	39.704	17.859	81	-0.19	025.43	0
025	Iron (mg / kg (ppm))	0619	170.50	3.0000	176.13	39.704	17.859	81	-0.14	025.41	0
025	Iron (mg / kg (ppm))	0003	171.50	11.000	176.13	39.704	17.859	81	-0.12	025.41	0
025	Iron (mg / kg (ppm))	0861	172.50	63.000	176.13	39.704	17.859	81	-0.09	025.43	0
025	Iron (mg / kg (ppm))	0042	176.50	59.000	176.13	39.704	17.859	81	0.01	025.42	0
025	Iron (mg / kg (ppm))	0208	180.00	34.000	176.13	39.704	17.859	81	0.10	025.31	0
025	Iron (mg / kg (ppm))	0019	180.15	31.300	176.13	39.704	17.859	81	0.10	025.41	0
025	Iron (mg / kg (ppm))	0164	180.50	5.0000	176.13	39.704	17.859	81	0.11	025.41	0
025	Iron (mg / kg (ppm))	0038	181.50	19.000	176.13	39.704	17.859	81	0.14	025.43	0
025	Iron (mg / kg (ppm))	0520	181.60	49.800	176.13	39.704	17.859	81	0.14	025.41	0
025	Iron (mg / kg (ppm))	0910	184.00	20.000	176.13	39.704	17.859	81	0.20	025.41	0
025	Iron (mg / kg (ppm))	0504	184.90	21.800	176.13	39.704	17.859	81	0.22	025.32	0
025	Iron (mg / kg (ppm))	0918	187.55	47.940	176.13	39.704	17.859	81	0.29	025.43	0
025	Iron (mg / kg (ppm))	0049	187.72	83.130	176.13	39.704	17.859	81	0.29	025.41	0
025	Iron (mg / kg (ppm))	0148	189.25	0.90000	176.13	39.704	17.859	81	0.33	025.41	0
025	Iron (mg / kg (ppm))	0035	189.50	1.0000	176.13	39.704	17.859	81	0.34	025.43	0
025	Iron (mg / kg (ppm))	0529	189.63	43.990	176.13	39.704	17.859	81	0.34	025.31	0
025	Iron (mg / kg (ppm))	0098	189.70	15.800	176.13	39.704	17.859	81	0.34	025.43	0
025	Iron (mg / kg (ppm))	0656	189.81	0.20000	176.13	39.704	17.859	81	0.34	025.32	0
025	Iron (mg / kg (ppm))	0034	191.30	29.200	176.13	39.704	17.859	81	0.38	025.43	0
025	Iron (mg / kg (ppm))	2004	193.50	13.000	176.13	39.704	17.859	81	0.44	025.41	0
025	Iron (mg / kg (ppm))	0512	194.60	62.400	176.13	39.704	17.859	81	0.47	025.43	0
025	Iron (mg / kg (ppm))	2146	196.90	18.800	176.13	39.704	17.859	81	0.52	025.51	0
025	Iron (mg / kg (ppm))	0035	197.00	12.000	176.13	39.704	17.859	81	0.53	025.32	0
025	Iron (mg / kg (ppm))	0511	197.50	9.0000	176.13	39.704	17.859	81	0.54	025.41	0
025	Iron (mg / kg (ppm))	0610	199.00	0.00000	176.13	39.704	17.859	81	0.58	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0208	199.80	6.8000	176.13	39.704	17.859	81	0.60	025.41	0
025	Iron (mg / kg (ppm))	2161	201.00	2.0000	176.13	39.704	17.859	81	0.63	025.31	0
025	Iron (mg / kg (ppm))	0407	203.95	4.0818	176.13	39.704	17.859	81	0.70	025.41	0
025	Iron (mg / kg (ppm))	0229	204.94	8.7900	176.13	39.704	17.859	81	0.73	025.41	0
025	Iron (mg / kg (ppm))	0035	205.50	27.000	176.13	39.704	17.859	81	0.74	025.42	0
025	Iron (mg / kg (ppm))	0074	206.00	12.000	176.13	39.704	17.859	81	0.75	025.41	0
025	Iron (mg / kg (ppm))	0358	206.01	16.940	176.13	39.704	17.859	81	0.75	025.41	0
025	Iron (mg / kg (ppm))	0948	207.45	2.4770	176.13	39.704	17.859	81	0.79	025.33	0
025	Iron (mg / kg (ppm))	0874	207.50	51.000	176.13	39.704	17.859	81	0.79	025.31	0
025	Iron (mg / kg (ppm))	0510	210.00	0.00000	176.13	39.704	17.859	81	0.85	025.43	0
025	Iron (mg / kg (ppm))	0505	212.50	25.000	176.13	39.704	17.859	81	0.92	025.31	0
025	Iron (mg / kg (ppm))	0964	212.65	23.670	176.13	39.704	17.859	81	0.92	025.43	0
025	Iron (mg / kg (ppm))	0689	213.05	2.3000	176.13	39.704	17.859	81	0.93	025.31	0
025	Iron (mg / kg (ppm))	2022	214.00	4.0000	176.13	39.704	17.859	81	0.95	025.31	0
025	Iron (mg / kg (ppm))	0904	217.29	16.230	176.13	39.704	17.859	81	1.04	025.31	0
025	Iron (mg / kg (ppm))	0187	222.72	7.3600	176.13	39.704	17.859	81	1.17	025.42	0
025	Iron (mg / kg (ppm))	0100	224.00	30.000	176.13	39.704	17.859	81	1.21	025.99	0
025	Iron (mg / kg (ppm))	0066	231.72	11.032	176.13	39.704	17.859	81	1.40	025.31	0
025	Iron (mg / kg (ppm))	0175	236.00	8.0000	176.13	39.704	17.859	81	1.51	025.31	0
025	Iron (mg / kg (ppm))	0692	257.50	53.000	176.13	39.704	17.859	81	2.05	025.42	0
025	Iron (mg / kg (ppm))	0693	273.50	23.000	176.13	39.704	17.859	81	2.45	025.42	0
025	Iron (mg / kg (ppm))	0045	302.50	13.000	176.13	39.704	17.859	81	3.18	025.42	0
025	Iron (mg / kg (ppm))	0609	350.00	0.00000	176.13	39.704	17.859	81	4.38	025.32	0
025	Iron (mg / kg (ppm))	0186	120.00	92.000	176.13	39.704	17.859	81	-1.41	025.52	1
027	Magnesium (%)	0405	0.01500	0.01000	0.12245	0.00912	0.00385	95	-11.78	027.41	0
027	Magnesium (%)	0017	0.09000	0.00000	0.12245	0.00912	0.00385	95	-3.56	027.43	0
027	Magnesium (%)	0202	0.10500	0.01000	0.12245	0.00912	0.00385	95	-1.91	027.43	0
027	Magnesium (%)	0038	0.10550	0.00300	0.12245	0.00912	0.00385	95	-1.86	027.43	0
027	Magnesium (%)	0229	0.10750	0.00500	0.12245	0.00912	0.00385	95	-1.64	027.41	0
027	Magnesium (%)	0345	0.10900	0.00200	0.12245	0.00912	0.00385	95	-1.47	027.43	0
027	Magnesium (%)	0019	0.11000	0.00000	0.12245	0.00912	0.00385	95	-1.36	027.41	0
027	Magnesium (%)	2012	0.11000	0.00000	0.12245	0.00912	0.00385	95	-1.36	027.41	0
027	Magnesium (%)	0366	0.11000	0.02000	0.12245	0.00912	0.00385	95	-1.36	027.42	0
027	Magnesium (%)	0510	0.11000	0.00000	0.12245	0.00912	0.00385	95	-1.36	027.43	0
027	Magnesium (%)	0066	0.11050	0.00500	0.12245	0.00912	0.00385	95	-1.31	027.31	0
027	Magnesium (%)	0504	0.11050	0.00300	0.12245	0.00912	0.00385	95	-1.31	027.33	0
027	Magnesium (%)	0407	0.11305	0.00090	0.12245	0.00912	0.00385	95	-1.03	027.41	0
027	Magnesium (%)	0186	0.11400	0.00800	0.12245	0.00912	0.00385	95	-0.93	027.52	0
027	Magnesium (%)	0870	0.11470	0.00200	0.12245	0.00912	0.00385	95	-0.85	027.42	0
027	Magnesium (%)	0294	0.11500	0.01000	0.12245	0.00912	0.00385	95	-0.82	027.42	0
027	Magnesium (%)	0675	0.11500	0.01000	0.12245	0.00912	0.00385	95	-0.82	027.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0043	0.11550	0.00500	0.12245	0.00912	0.00385	95	-0.76	027.43	0
027	Magnesium (%)	0512	0.11610	0.00240	0.12245	0.00912	0.00385	95	-0.70	027.43	0
027	Magnesium (%)	0034	0.11635	0.01490	0.12245	0.00912	0.00385	95	-0.67	027.43	0
027	Magnesium (%)	0955	0.11650	0.00300	0.12245	0.00912	0.00385	95	-0.65	027.44	0
027	Magnesium (%)	0148	0.11650	0.00100	0.12245	0.00912	0.00385	95	-0.65	027.41	0
027	Magnesium (%)	0921	0.11680	0.00000	0.12245	0.00912	0.00385	95	-0.62	027.31	0
027	Magnesium (%)	0154	0.11700	0.00480	0.12245	0.00912	0.00385	95	-0.60	027.52	0
027	Magnesium (%)	0142	0.11805	0.00330	0.12245	0.00912	0.00385	95	-0.48	027.31	0
027	Magnesium (%)	0357	0.11850	0.00040	0.12245	0.00912	0.00385	95	-0.43	027.42	0
027	Magnesium (%)	0560	0.11885	0.00090	0.12245	0.00912	0.00385	95	-0.39	027.42	0
027	Magnesium (%)	0650	0.11950	0.00320	0.12245	0.00912	0.00385	95	-0.32	027.31	0
027	Magnesium (%)	0169	0.11950	0.00100	0.12245	0.00912	0.00385	95	-0.32	027.32	0
027	Magnesium (%)	0520	0.11950	0.00100	0.12245	0.00912	0.00385	95	-0.32	027.41	0
027	Magnesium (%)	0175	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.31	0
027	Magnesium (%)	0354	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.31	0
027	Magnesium (%)	0689	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.31	0
027	Magnesium (%)	0939	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.31	0
027	Magnesium (%)	0035	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.32	0
027	Magnesium (%)	0035	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.33	0
027	Magnesium (%)	0049	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.41	0
027	Magnesium (%)	0074	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.41	0
027	Magnesium (%)	0878	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.41	0
027	Magnesium (%)	0910	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.41	0
027	Magnesium (%)	0035	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.42	0
027	Magnesium (%)	0265	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.42	0
027	Magnesium (%)	0685	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.42	0
027	Magnesium (%)	2053	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.42	0
027	Magnesium (%)	0035	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.43	0
027	Magnesium (%)	0098	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.43	0
027	Magnesium (%)	0297	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.43	0
027	Magnesium (%)	0425	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.43	0
027	Magnesium (%)	0590	0.12000	0.00000	0.12245	0.00912	0.00385	95	-0.27	027.99	0
027	Magnesium (%)	0164	0.12100	0.00000	0.12245	0.00912	0.00385	95	-0.16	027.41	0
027	Magnesium (%)	0563	0.12180	0.00340	0.12245	0.00912	0.00385	95	-0.07	027.31	0
027	Magnesium (%)	0504	0.12200	0.00800	0.12245	0.00912	0.00385	95	-0.05	027.32	0
027	Magnesium (%)	0668	0.12200	0.00600	0.12245	0.00912	0.00385	95	-0.05	027.43	0
027	Magnesium (%)	0208	0.12300	0.00400	0.12245	0.00912	0.00385	95	0.06	027.31	0
027	Magnesium (%)	0208	0.12350	0.00300	0.12245	0.00912	0.00385	95	0.12	027.41	0
027	Magnesium (%)	0045	0.12350	0.01100	0.12245	0.00912	0.00385	95	0.12	027.42	0
027	Magnesium (%)	0629	0.12400	0.00400	0.12245	0.00912	0.00385	95	0.17	027.43	0
027	Magnesium (%)	2004	0.12400	0.00000	0.12245	0.00912	0.00385	95	0.17	027.44	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0038	0.12500	0.00400	0.12245	0.00912	0.00385	95	0.28	027.31	0
027	Magnesium (%)	0505	0.12500	0.00200	0.12245	0.00912	0.00385	95	0.28	027.31	0
027	Magnesium (%)	0629	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.31	0
027	Magnesium (%)	0656	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.31	0
027	Magnesium (%)	0003	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.41	0
027	Magnesium (%)	0511	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.41	0
027	Magnesium (%)	0037	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.42	0
027	Magnesium (%)	0190	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.42	0
027	Magnesium (%)	0278	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.42	0
027	Magnesium (%)	2089	0.12500	0.01000	0.12245	0.00912	0.00385	95	0.28	027.43	0
027	Magnesium (%)	0572	0.12500	0.00400	0.12245	0.00912	0.00385	95	0.28	027.53	0
027	Magnesium (%)	0186	0.12550	0.00100	0.12245	0.00912	0.00385	95	0.33	027.42	0
027	Magnesium (%)	0726	0.12770	0.00020	0.12245	0.00912	0.00385	95	0.58	027.42	0
027	Magnesium (%)	0948	0.12800	0.00200	0.12245	0.00912	0.00385	95	0.61	027.33	0
027	Magnesium (%)	0874	0.12900	0.00000	0.12245	0.00912	0.00385	95	0.72	027.31	0
027	Magnesium (%)	2022	0.12950	0.00100	0.12245	0.00912	0.00385	95	0.77	027.31	0
027	Magnesium (%)	0529	0.13000	0.00000	0.12245	0.00912	0.00385	95	0.83	027.31	0
027	Magnesium (%)	0904	0.13000	0.00000	0.12245	0.00912	0.00385	95	0.83	027.31	0
027	Magnesium (%)	2161	0.13000	0.00000	0.12245	0.00912	0.00385	95	0.83	027.31	0
027	Magnesium (%)	0358	0.13000	0.00000	0.12245	0.00912	0.00385	95	0.83	027.41	0
027	Magnesium (%)	0861	0.13000	0.00400	0.12245	0.00912	0.00385	95	0.83	027.43	0
027	Magnesium (%)	0619	0.13450	0.00700	0.12245	0.00912	0.00385	95	1.32	027.41	0
027	Magnesium (%)	0609	0.13500	0.01000	0.12245	0.00912	0.00385	95	1.38	027.32	0
027	Magnesium (%)	0692	0.13500	0.01000	0.12245	0.00912	0.00385	95	1.38	027.42	0
027	Magnesium (%)	0083	0.13500	0.01000	0.12245	0.00912	0.00385	95	1.38	027.43	0
027	Magnesium (%)	0353	0.13500	0.01000	0.12245	0.00912	0.00385	95	1.38	027.43	0
027	Magnesium (%)	0610	0.13500	0.01000	0.12245	0.00912	0.00385	95	1.38	027.43	0
027	Magnesium (%)	2108	0.13500	0.01000	0.12245	0.00912	0.00385	95	1.38	027.44	0
027	Magnesium (%)	0964	0.13540	0.00680	0.12245	0.00912	0.00385	95	1.42	027.43	0
027	Magnesium (%)	0598	0.13740	0.01020	0.12245	0.00912	0.00385	95	1.64	027.41	0
027	Magnesium (%)	0682	0.14000	0.00000	0.12245	0.00912	0.00385	95	1.92	027.43	0
027	Magnesium (%)	2033	0.14000	0.00000	0.12245	0.00912	0.00385	95	1.92	027.43	0
027	Magnesium (%)	0100	0.14000	0.00000	0.12245	0.00912	0.00385	95	1.92	027.99	0
027	Magnesium (%)	0042	0.14500	0.01200	0.12245	0.00912	0.00385	95	2.47	027.42	0
027	Magnesium (%)	0693	0.15250	0.00100	0.12245	0.00912	0.00385	95	3.29	027.42	0
027	Magnesium (%)	0187	0.15455	0.00050	0.12245	0.00912	0.00385	95	3.52	027.42	0
027	Magnesium (%)	0968	0.15950	0.00100	0.12245	0.00912	0.00385	95	4.06	027.43	0
027	Magnesium (%)	0918	0.12300	0.03000	0.12245	0.00912	0.00385	95	0.06	027.43	1
027	Magnesium (%)	0160	0.13705	0.04910	0.12245	0.00912	0.00385	95	1.60	027.42	1
027	Magnesium (%)	0139	0.29175	0.00250	0.12245	0.00912	0.00385	95	18.56	027.41	2
028	Manganese (mg / kg (ppm))	0297	33.000	4.0000	47.671	6.0612	3.7318	81	-2.42	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	2012	36.370	2.6000	47.671	6.0612	3.7318	81	-1.86	028.41	0
028	Manganese (mg / kg (ppm))	0619	37.850	0.70000	47.671	6.0612	3.7318	81	-1.62	028.41	0
028	Manganese (mg / kg (ppm))	0037	38.150	11.300	47.671	6.0612	3.7318	81	-1.57	028.42	0
028	Manganese (mg / kg (ppm))	0175	38.500	5.0000	47.671	6.0612	3.7318	81	-1.51	028.31	0
028	Manganese (mg / kg (ppm))	0049	39.365	11.570	47.671	6.0612	3.7318	81	-1.37	028.41	0
028	Manganese (mg / kg (ppm))	0685	39.565	0.13000	47.671	6.0612	3.7318	81	-1.34	028.42	0
028	Manganese (mg / kg (ppm))	0208	39.990	1.0000	47.671	6.0612	3.7318	81	-1.27	028.41	0
028	Manganese (mg / kg (ppm))	0870	40.140	0.02000	47.671	6.0612	3.7318	81	-1.24	028.42	0
028	Manganese (mg / kg (ppm))	0202	40.500	3.0000	47.671	6.0612	3.7318	81	-1.18	028.43	0
028	Manganese (mg / kg (ppm))	0358	40.790	2.1200	47.671	6.0612	3.7318	81	-1.14	028.41	0
028	Manganese (mg / kg (ppm))	0689	41.050	3.7000	47.671	6.0612	3.7318	81	-1.09	028.31	0
028	Manganese (mg / kg (ppm))	0878	42.000	0.00000	47.671	6.0612	3.7318	81	-0.94	028.41	0
028	Manganese (mg / kg (ppm))	0366	42.000	2.0000	47.671	6.0612	3.7318	81	-0.94	028.42	0
028	Manganese (mg / kg (ppm))	2146	42.215	4.5500	47.671	6.0612	3.7318	81	-0.90	028.51	0
028	Manganese (mg / kg (ppm))	0357	42.421	5.7280	47.671	6.0612	3.7318	81	-0.87	028.42	0
028	Manganese (mg / kg (ppm))	0511	42.500	1.0000	47.671	6.0612	3.7318	81	-0.85	028.41	0
028	Manganese (mg / kg (ppm))	0512	42.675	2.8700	47.671	6.0612	3.7318	81	-0.82	028.43	0
028	Manganese (mg / kg (ppm))	0003	43.500	1.0000	47.671	6.0612	3.7318	81	-0.69	028.41	0
028	Manganese (mg / kg (ppm))	0042	43.700	2.4000	47.671	6.0612	3.7318	81	-0.66	028.42	0
028	Manganese (mg / kg (ppm))	2161	43.800	1.6000	47.671	6.0612	3.7318	81	-0.64	028.31	0
028	Manganese (mg / kg (ppm))	0169	44.150	0.90000	47.671	6.0612	3.7318	81	-0.58	028.43	0
028	Manganese (mg / kg (ppm))	0921	44.300	0.00000	47.671	6.0612	3.7318	81	-0.56	028.31	0
028	Manganese (mg / kg (ppm))	0208	44.600	3.6000	47.671	6.0612	3.7318	81	-0.51	028.31	0
028	Manganese (mg / kg (ppm))	0354	44.700	0.04000	47.671	6.0612	3.7318	81	-0.49	028.31	0
028	Manganese (mg / kg (ppm))	0038	45.000	4.0000	47.671	6.0612	3.7318	81	-0.44	028.32	0
028	Manganese (mg / kg (ppm))	0510	45.000	0.00000	47.671	6.0612	3.7318	81	-0.44	028.43	0
028	Manganese (mg / kg (ppm))	2089	45.275	3.6300	47.671	6.0612	3.7318	81	-0.40	028.43	0
028	Manganese (mg / kg (ppm))	0186	45.300	2.6000	47.671	6.0612	3.7318	81	-0.39	028.42	0
028	Manganese (mg / kg (ppm))	0910	45.500	7.0000	47.671	6.0612	3.7318	81	-0.36	028.41	0
028	Manganese (mg / kg (ppm))	0294	45.560	11.520	47.671	6.0612	3.7318	81	-0.35	028.42	0
028	Manganese (mg / kg (ppm))	0229	45.635	0.49000	47.671	6.0612	3.7318	81	-0.34	028.41	0
028	Manganese (mg / kg (ppm))	0520	45.870	6.1800	47.671	6.0612	3.7318	81	-0.30	028.41	0
028	Manganese (mg / kg (ppm))	0278	46.000	4.0000	47.671	6.0612	3.7318	81	-0.28	028.42	0
028	Manganese (mg / kg (ppm))	0560	46.200	0.60000	47.671	6.0612	3.7318	81	-0.24	028.42	0
028	Manganese (mg / kg (ppm))	0038	46.500	7.0000	47.671	6.0612	3.7318	81	-0.19	028.43	0
028	Manganese (mg / kg (ppm))	0529	46.690	0.38000	47.671	6.0612	3.7318	81	-0.16	028.31	0
028	Manganese (mg / kg (ppm))	0043	46.850	2.3000	47.671	6.0612	3.7318	81	-0.14	028.43	0
028	Manganese (mg / kg (ppm))	0407	46.996	2.4193	47.671	6.0612	3.7318	81	-0.11	028.41	0
028	Manganese (mg / kg (ppm))	0035	47.000	2.0000	47.671	6.0612	3.7318	81	-0.11	028.33	0
028	Manganese (mg / kg (ppm))	0726	47.120	0.22000	47.671	6.0612	3.7318	81	-0.09	028.42	0
028	Manganese (mg / kg (ppm))	0190	47.730	0.10000	47.671	6.0612	3.7318	81	0.01	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0656	47.731	4.1085	47.671	6.0612	3.7318	81	0.01	028.31	0
028	Manganese (mg / kg (ppm))	0066	47.885	1.5570	47.671	6.0612	3.7318	81	0.04	028.31	0
028	Manganese (mg / kg (ppm))	0083	48.500	5.0000	47.671	6.0612	3.7318	81	0.14	028.43	0
028	Manganese (mg / kg (ppm))	0968	48.500	1.0000	47.671	6.0612	3.7318	81	0.14	028.43	0
028	Manganese (mg / kg (ppm))	0019	48.555	3.4700	47.671	6.0612	3.7318	81	0.15	028.41	0
028	Manganese (mg / kg (ppm))	0160	49.100	13.600	47.671	6.0612	3.7318	81	0.24	028.42	0
028	Manganese (mg / kg (ppm))	0425	49.460	0.56000	47.671	6.0612	3.7318	81	0.30	028.43	0
028	Manganese (mg / kg (ppm))	0164	49.500	1.0000	47.671	6.0612	3.7318	81	0.30	028.41	0
028	Manganese (mg / kg (ppm))	0692	49.500	1.0000	47.671	6.0612	3.7318	81	0.30	028.42	0
028	Manganese (mg / kg (ppm))	0590	49.500	3.0000	47.671	6.0612	3.7318	81	0.30	028.99	0
028	Manganese (mg / kg (ppm))	0861	50.100	11.400	47.671	6.0612	3.7318	81	0.40	028.43	0
028	Manganese (mg / kg (ppm))	0918	50.145	9.0500	47.671	6.0612	3.7318	81	0.41	028.43	0
028	Manganese (mg / kg (ppm))	0504	50.420	2.0600	47.671	6.0612	3.7318	81	0.45	028.32	0
028	Manganese (mg / kg (ppm))	0035	50.500	1.0000	47.671	6.0612	3.7318	81	0.47	028.43	0
028	Manganese (mg / kg (ppm))	0098	50.695	2.9900	47.671	6.0612	3.7318	81	0.50	028.43	0
028	Manganese (mg / kg (ppm))	0148	50.700	2.0000	47.671	6.0612	3.7318	81	0.50	028.41	0
028	Manganese (mg / kg (ppm))	0948	50.992	0.73900	47.671	6.0612	3.7318	81	0.55	028.33	0
028	Manganese (mg / kg (ppm))	0265	51.000	4.0000	47.671	6.0612	3.7318	81	0.55	028.42	0
028	Manganese (mg / kg (ppm))	0964	51.621	8.5004	47.671	6.0612	3.7318	81	0.65	028.43	0
028	Manganese (mg / kg (ppm))	0904	52.240	2.6000	47.671	6.0612	3.7318	81	0.75	028.31	0
028	Manganese (mg / kg (ppm))	0939	52.400	2.7800	47.671	6.0612	3.7318	81	0.78	028.31	0
028	Manganese (mg / kg (ppm))	0668	52.550	12.100	47.671	6.0612	3.7318	81	0.80	028.43	0
028	Manganese (mg / kg (ppm))	0675	52.770	1.4000	47.671	6.0612	3.7318	81	0.84	028.43	0
028	Manganese (mg / kg (ppm))	0035	53.000	2.0000	47.671	6.0612	3.7318	81	0.88	028.32	0
028	Manganese (mg / kg (ppm))	0035	54.000	2.0000	47.671	6.0612	3.7318	81	1.04	028.42	0
028	Manganese (mg / kg (ppm))	0598	54.420	1.1200	47.671	6.0612	3.7318	81	1.11	028.41	0
028	Manganese (mg / kg (ppm))	0610	54.500	3.0000	47.671	6.0612	3.7318	81	1.13	028.43	0
028	Manganese (mg / kg (ppm))	0693	54.600	9.6000	47.671	6.0612	3.7318	81	1.14	028.42	0
028	Manganese (mg / kg (ppm))	0187	54.740	2.9200	47.671	6.0612	3.7318	81	1.17	028.42	0
028	Manganese (mg / kg (ppm))	0563	54.752	8.7539	47.671	6.0612	3.7318	81	1.17	028.31	0
028	Manganese (mg / kg (ppm))	0186	54.850	3.7000	47.671	6.0612	3.7318	81	1.18	028.52	0
028	Manganese (mg / kg (ppm))	2004	55.300	8.0000	47.671	6.0612	3.7318	81	1.26	028.44	0
028	Manganese (mg / kg (ppm))	0353	55.500	3.0000	47.671	6.0612	3.7318	81	1.29	028.43	0
028	Manganese (mg / kg (ppm))	0572	56.450	4.7000	47.671	6.0612	3.7318	81	1.45	028.53	0
028	Manganese (mg / kg (ppm))	0074	57.000	12.000	47.671	6.0612	3.7318	81	1.54	028.41	0
028	Manganese (mg / kg (ppm))	0100	57.000	8.0000	47.671	6.0612	3.7318	81	1.54	028.99	0
028	Manganese (mg / kg (ppm))	0609	57.500	5.0000	47.671	6.0612	3.7318	81	1.62	028.32	0
028	Manganese (mg / kg (ppm))	0345	66.350	4.3000	47.671	6.0612	3.7318	81	3.08	028.43	0
028	Manganese (mg / kg (ppm))	0045	67.000	4.0000	47.671	6.0612	3.7318	81	3.19	028.42	0
028	Manganese (mg / kg (ppm))	0405	2.3500	0.10000	47.671	6.0612	3.7318	81	-7.48	028.41	2
031	Phosphorus (%)	0026	0.61500	0.03000	0.76783	0.03571	0.01440	138	-4.28	031.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0139	0.63000	0.00000	0.76783	0.03571	0.01440	138	-3.86	031.41	0
031	Phosphorus (%)	0017	0.63500	0.05000	0.76783	0.03571	0.01440	138	-3.72	031.43	0
031	Phosphorus (%)	2129	0.65600	0.01200	0.76783	0.03571	0.01440	138	-3.13	031.42	0
031	Phosphorus (%)	0108	0.67000	0.02000	0.76783	0.03571	0.01440	138	-2.74	031.01	0
031	Phosphorus (%)	0622	0.67965	0.00430	0.76783	0.03571	0.01440	138	-2.47	031.01	0
031	Phosphorus (%)	0278	0.68500	0.03000	0.76783	0.03571	0.01440	138	-2.32	031.42	0
031	Phosphorus (%)	2108	0.69170	0.00340	0.76783	0.03571	0.01440	138	-2.13	031.44	0
031	Phosphorus (%)	0893	0.69800	0.00000	0.76783	0.03571	0.01440	138	-1.96	031.00	0
031	Phosphorus (%)	0689	0.70000	0.02000	0.76783	0.03571	0.01440	138	-1.90	031.01	0
031	Phosphorus (%)	0940	0.70000	0.00000	0.76783	0.03571	0.01440	138	-1.90	031.01	0
031	Phosphorus (%)	0874	0.70115	0.00090	0.76783	0.03571	0.01440	138	-1.87	031.01	0
031	Phosphorus (%)	0202	0.71000	0.04000	0.76783	0.03571	0.01440	138	-1.62	031.43	0
031	Phosphorus (%)	0144	0.71500	0.01000	0.76783	0.03571	0.01440	138	-1.48	031.41	0
031	Phosphorus (%)	0019	0.72000	0.02000	0.76783	0.03571	0.01440	138	-1.34	031.41	0
031	Phosphorus (%)	0955	0.72250	0.01100	0.76783	0.03571	0.01440	138	-1.27	031.44	0
031	Phosphorus (%)	0619	0.72350	0.00100	0.76783	0.03571	0.01440	138	-1.24	031.41	0
031	Phosphorus (%)	0100	0.72500	0.01000	0.76783	0.03571	0.01440	138	-1.20	031.99	0
031	Phosphorus (%)	0685	0.73500	0.01000	0.76783	0.03571	0.01440	138	-0.92	031.41	0
031	Phosphorus (%)	0366	0.73500	0.05000	0.76783	0.03571	0.01440	138	-0.92	031.42	0
031	Phosphorus (%)	0693	0.73500	0.01000	0.76783	0.03571	0.01440	138	-0.92	031.42	0
031	Phosphorus (%)	0297	0.73500	0.01000	0.76783	0.03571	0.01440	138	-0.92	031.43	0
031	Phosphorus (%)	0885	0.73995	0.00490	0.76783	0.03571	0.01440	138	-0.78	031.01	0
031	Phosphorus (%)	0848	0.74000	0.02000	0.76783	0.03571	0.01440	138	-0.78	031.41	0
031	Phosphorus (%)	0910	0.74000	0.08000	0.76783	0.03571	0.01440	138	-0.78	031.41	0
031	Phosphorus (%)	0265	0.74000	0.04000	0.76783	0.03571	0.01440	138	-0.78	031.42	0
031	Phosphorus (%)	0510	0.74000	0.00000	0.76783	0.03571	0.01440	138	-0.78	031.43	0
031	Phosphorus (%)	0229	0.74100	0.01400	0.76783	0.03571	0.01440	138	-0.75	031.41	0
031	Phosphorus (%)	0849	0.74150	0.00300	0.76783	0.03571	0.01440	138	-0.74	031.01	0
031	Phosphorus (%)	0870	0.74275	0.01110	0.76783	0.03571	0.01440	138	-0.70	031.42	0
031	Phosphorus (%)	0596	0.74500	0.01000	0.76783	0.03571	0.01440	138	-0.64	031.01	0
031	Phosphorus (%)	0683	0.74500	0.05000	0.76783	0.03571	0.01440	138	-0.64	031.01	0
031	Phosphorus (%)	0043	0.74500	0.01000	0.76783	0.03571	0.01440	138	-0.64	031.43	0
031	Phosphorus (%)	0918	0.74500	0.01800	0.76783	0.03571	0.01440	138	-0.64	031.43	0
031	Phosphorus (%)	2009	0.74540	0.00840	0.76783	0.03571	0.01440	138	-0.63	031.01	0
031	Phosphorus (%)	0208	0.74650	0.00500	0.76783	0.03571	0.01440	138	-0.60	031.01	0
031	Phosphorus (%)	0014	0.74650	0.04100	0.76783	0.03571	0.01440	138	-0.60	031.42	0
031	Phosphorus (%)	0142	0.74655	0.00270	0.76783	0.03571	0.01440	138	-0.60	031.01	0
031	Phosphorus (%)	0148	0.74950	0.00300	0.76783	0.03571	0.01440	138	-0.51	031.41	0
031	Phosphorus (%)	0674	0.75000	0.00000	0.76783	0.03571	0.01440	138	-0.50	031.01	0
031	Phosphorus (%)	2022	0.75000	0.00000	0.76783	0.03571	0.01440	138	-0.50	031.01	0
031	Phosphorus (%)	0169	0.75000	0.00000	0.76783	0.03571	0.01440	138	-0.50	031.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	2145	0.75000	0.00000	0.76783	0.03571	0.01440	138	-0.50	031.41	0
031	Phosphorus (%)	0038	0.75050	0.02100	0.76783	0.03571	0.01440	138	-0.49	031.01	0
031	Phosphorus (%)	0175	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	0354	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	0590	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	0656	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	0897	0.75500	0.03000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	0903	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	2144	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.01	0
031	Phosphorus (%)	2089	0.75500	0.01000	0.76783	0.03571	0.01440	138	-0.36	031.43	0
031	Phosphorus (%)	0560	0.75565	0.00470	0.76783	0.03571	0.01440	138	-0.34	031.42	0
031	Phosphorus (%)	0653	0.75800	0.00200	0.76783	0.03571	0.01440	138	-0.28	031.01	0
031	Phosphorus (%)	0563	0.75945	0.00410	0.76783	0.03571	0.01440	138	-0.23	031.01	0
031	Phosphorus (%)	2012	0.76000	0.00000	0.76783	0.03571	0.01440	138	-0.22	031.41	0
031	Phosphorus (%)	0035	0.76000	0.00000	0.76783	0.03571	0.01440	138	-0.22	031.43	0
031	Phosphorus (%)	0629	0.76000	0.00000	0.76783	0.03571	0.01440	138	-0.22	031.43	0
031	Phosphorus (%)	0626	0.76150	0.00100	0.76783	0.03571	0.01440	138	-0.18	031.01	0
031	Phosphorus (%)	2062	0.76405	0.00130	0.76783	0.03571	0.01440	138	-0.11	031.01	0
031	Phosphorus (%)	0233	0.76500	0.01000	0.76783	0.03571	0.01440	138	-0.08	031.01	0
031	Phosphorus (%)	0629	0.76500	0.01000	0.76783	0.03571	0.01440	138	-0.08	031.01	0
031	Phosphorus (%)	0049	0.76500	0.01000	0.76783	0.03571	0.01440	138	-0.08	031.41	0
031	Phosphorus (%)	0154	0.76525	0.02490	0.76783	0.03571	0.01440	138	-0.07	031.52	0
031	Phosphorus (%)	0001	0.76550	0.01900	0.76783	0.03571	0.01440	138	-0.07	031.03	0
031	Phosphorus (%)	0160	0.76580	0.00040	0.76783	0.03571	0.01440	138	-0.06	031.42	0
031	Phosphorus (%)	0623	0.76590	0.09200	0.76783	0.03571	0.01440	138	-0.05	031.01	0
031	Phosphorus (%)	2093	0.76625	0.00290	0.76783	0.03571	0.01440	138	-0.04	031.01	0
031	Phosphorus (%)	0186	0.76700	0.01800	0.76783	0.03571	0.01440	138	-0.02	031.52	0
031	Phosphorus (%)	0208	0.76850	0.06100	0.76783	0.03571	0.01440	138	0.02	031.41	0
031	Phosphorus (%)	0035	0.77000	0.02000	0.76783	0.03571	0.01440	138	0.06	031.01	0
031	Phosphorus (%)	0043	0.77000	0.00000	0.76783	0.03571	0.01440	138	0.06	031.02	0
031	Phosphorus (%)	0089	0.77000	0.00000	0.76783	0.03571	0.01440	138	0.06	031.41	0
031	Phosphorus (%)	0358	0.77000	0.02000	0.76783	0.03571	0.01440	138	0.06	031.41	0
031	Phosphorus (%)	0035	0.77000	0.02000	0.76783	0.03571	0.01440	138	0.06	031.42	0
031	Phosphorus (%)	0045	0.77000	0.01400	0.76783	0.03571	0.01440	138	0.06	031.42	0
031	Phosphorus (%)	0186	0.77000	0.00200	0.76783	0.03571	0.01440	138	0.06	031.42	0
031	Phosphorus (%)	0027	0.77050	0.00300	0.76783	0.03571	0.01440	138	0.07	031.43	0
031	Phosphorus (%)	0512	0.77175	0.02730	0.76783	0.03571	0.01440	138	0.11	031.43	0
031	Phosphorus (%)	0300	0.77280	0.02720	0.76783	0.03571	0.01440	138	0.14	031.53	0
031	Phosphorus (%)	2146	0.77400	0.01800	0.76783	0.03571	0.01440	138	0.17	031.51	0
031	Phosphorus (%)	0895	0.77500	0.01000	0.76783	0.03571	0.01440	138	0.20	031.00	0
031	Phosphorus (%)	0646	0.77500	0.01000	0.76783	0.03571	0.01440	138	0.20	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0650	0.77500	0.03000	0.76783	0.03571	0.01440	138	0.20	031.01	0
031	Phosphorus (%)	0687	0.77500	0.05000	0.76783	0.03571	0.01440	138	0.20	031.01	0
031	Phosphorus (%)	0878	0.77500	0.01000	0.76783	0.03571	0.01440	138	0.20	031.01	0
031	Phosphorus (%)	0948	0.77500	0.01000	0.76783	0.03571	0.01440	138	0.20	031.01	0
031	Phosphorus (%)	0504	0.77500	0.01000	0.76783	0.03571	0.01440	138	0.20	031.03	0
031	Phosphorus (%)	0042	0.77500	0.04000	0.76783	0.03571	0.01440	138	0.20	031.42	0
031	Phosphorus (%)	0083	0.77500	0.01000	0.76783	0.03571	0.01440	138	0.20	031.43	0
031	Phosphorus (%)	0034	0.77620	0.09200	0.76783	0.03571	0.01440	138	0.23	031.43	0
031	Phosphorus (%)	2109	0.77700	0.00200	0.76783	0.03571	0.01440	138	0.26	031.01	0
031	Phosphorus (%)	0968	0.77700	0.00200	0.76783	0.03571	0.01440	138	0.26	031.43	0
031	Phosphorus (%)	0066	0.77850	0.00900	0.76783	0.03571	0.01440	138	0.30	031.01	0
031	Phosphorus (%)	0037	0.78000	0.04000	0.76783	0.03571	0.01440	138	0.34	031.42	0
031	Phosphorus (%)	0675	0.78000	0.02000	0.76783	0.03571	0.01440	138	0.34	031.43	0
031	Phosphorus (%)	0036	0.78170	0.00080	0.76783	0.03571	0.01440	138	0.39	031.43	0
031	Phosphorus (%)	0205	0.78250	0.01900	0.76783	0.03571	0.01440	138	0.41	031.42	0
031	Phosphorus (%)	0036	0.78295	0.00170	0.76783	0.03571	0.01440	138	0.42	031.03	0
031	Phosphorus (%)	0881	0.78400	0.00400	0.76783	0.03571	0.01440	138	0.45	031.01	0
031	Phosphorus (%)	0425	0.78500	0.01000	0.76783	0.03571	0.01440	138	0.48	031.43	0
031	Phosphorus (%)	0529	0.79000	0.02000	0.76783	0.03571	0.01440	138	0.62	031.01	0
031	Phosphorus (%)	0164	0.79000	0.00000	0.76783	0.03571	0.01440	138	0.62	031.41	0
031	Phosphorus (%)	0682	0.79000	0.00000	0.76783	0.03571	0.01440	138	0.62	031.43	0
031	Phosphorus (%)	2004	0.79050	0.00500	0.76783	0.03571	0.01440	138	0.63	031.44	0
031	Phosphorus (%)	0504	0.79300	0.00600	0.76783	0.03571	0.01440	138	0.71	031.42	0
031	Phosphorus (%)	0505	0.79500	0.01000	0.76783	0.03571	0.01440	138	0.76	031.02	0
031	Phosphorus (%)	2053	0.79500	0.01000	0.76783	0.03571	0.01440	138	0.76	031.02	0
031	Phosphorus (%)	0861	0.79500	0.01200	0.76783	0.03571	0.01440	138	0.76	031.43	0
031	Phosphorus (%)	0668	0.79900	0.02000	0.76783	0.03571	0.01440	138	0.87	031.43	0
031	Phosphorus (%)	0572	0.79950	0.04500	0.76783	0.03571	0.01440	138	0.89	031.53	0
031	Phosphorus (%)	0003	0.80000	0.02000	0.76783	0.03571	0.01440	138	0.90	031.41	0
031	Phosphorus (%)	0074	0.80000	0.00000	0.76783	0.03571	0.01440	138	0.90	031.41	0
031	Phosphorus (%)	0294	0.80000	0.00000	0.76783	0.03571	0.01440	138	0.90	031.42	0
031	Phosphorus (%)	0028	0.80000	0.00000	0.76783	0.03571	0.01440	138	0.90	031.43	0
031	Phosphorus (%)	0520	0.80200	0.01800	0.76783	0.03571	0.01440	138	0.96	031.41	0
031	Phosphorus (%)	0187	0.80235	0.00330	0.76783	0.03571	0.01440	138	0.97	031.42	0
031	Phosphorus (%)	0006	0.80250	0.00100	0.76783	0.03571	0.01440	138	0.97	031.43	0
031	Phosphorus (%)	0016	0.80450	0.00500	0.76783	0.03571	0.01440	138	1.03	031.01	0
031	Phosphorus (%)	0357	0.80750	0.01620	0.76783	0.03571	0.01440	138	1.11	031.42	0
031	Phosphorus (%)	2161	0.81000	0.00000	0.76783	0.03571	0.01440	138	1.18	031.99	0
031	Phosphorus (%)	0852	0.81500	0.01000	0.76783	0.03571	0.01440	138	1.32	031.99	0
031	Phosphorus (%)	0609	0.82000	0.00000	0.76783	0.03571	0.01440	138	1.46	031.01	0
031	Phosphorus (%)	0345	0.82650	0.00500	0.76783	0.03571	0.01440	138	1.64	031.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0098	0.82695	0.03090	0.76783	0.03571	0.01440	138	1.66	031.43	0
031	Phosphorus (%)	0511	0.83000	0.00000	0.76783	0.03571	0.01440	138	1.74	031.01	0
031	Phosphorus (%)	0964	0.83140	0.01140	0.76783	0.03571	0.01440	138	1.78	031.43	0
031	Phosphorus (%)	0353	0.83500	0.01000	0.76783	0.03571	0.01440	138	1.88	031.43	0
031	Phosphorus (%)	0190	0.84000	0.02000	0.76783	0.03571	0.01440	138	2.02	031.42	0
031	Phosphorus (%)	0194	0.84500	0.01000	0.76783	0.03571	0.01440	138	2.16	031.01	0
031	Phosphorus (%)	0726	0.84965	0.00030	0.76783	0.03571	0.01440	138	2.29	031.42	0
031	Phosphorus (%)	0904	0.86500	0.05000	0.76783	0.03571	0.01440	138	2.72	031.01	0
031	Phosphorus (%)	0407	0.86595	0.01610	0.76783	0.03571	0.01440	138	2.75	031.41	0
031	Phosphorus (%)	0692	0.88000	0.00000	0.76783	0.03571	0.01440	138	3.14	031.42	0
031	Phosphorus (%)	0610	0.88500	0.01000	0.76783	0.03571	0.01440	138	3.28	031.41	0
031	Phosphorus (%)	0598	0.88680	0.00380	0.76783	0.03571	0.01440	138	3.33	031.41	0
031	Phosphorus (%)	2068	0.91000	0.02000	0.76783	0.03571	0.01440	138	3.98	031.01	0
031	Phosphorus (%)	0152	1.0000	0.02000	0.76783	0.03571	0.01440	138	6.50	031.01	0
031	Phosphorus (%)	0038	0.60595	0.25210	0.76783	0.03571	0.01440	138	-4.53	031.43	1
031	Phosphorus (%)	0405	7.5500	0.10000	0.76783	0.03571	0.01440	138	189.94	031.41	2
032	Potassium (%)	0139	1.3025	0.02500	2.0399	0.12254	0.05393	98	-6.02	032.41	0
032	Potassium (%)	0689	1.5700	0.00000	2.0399	0.12254	0.05393	98	-3.83	032.31	0
032	Potassium (%)	2108	1.5700	0.08000	2.0399	0.12254	0.05393	98	-3.83	032.44	0
032	Potassium (%)	2066	1.7000	0.00000	2.0399	0.12254	0.05393	98	-2.77	032.53	0
032	Potassium (%)	0921	1.7660	0.42800	2.0399	0.12254	0.05393	98	-2.24	032.31	0
032	Potassium (%)	0017	1.7700	0.06000	2.0399	0.12254	0.05393	98	-2.20	032.43	0
032	Potassium (%)	0142	1.8682	0.05950	2.0399	0.12254	0.05393	98	-1.40	032.31	0
032	Potassium (%)	2022	1.8865	0.00300	2.0399	0.12254	0.05393	98	-1.25	032.31	0
032	Potassium (%)	0874	1.9000	0.08000	2.0399	0.12254	0.05393	98	-1.14	032.31	0
032	Potassium (%)	0003	1.9000	0.14000	2.0399	0.12254	0.05393	98	-1.14	032.41	0
032	Potassium (%)	0019	1.9050	0.07000	2.0399	0.12254	0.05393	98	-1.10	032.41	0
032	Potassium (%)	0148	1.9225	0.00300	2.0399	0.12254	0.05393	98	-0.96	032.41	0
032	Potassium (%)	0939	1.9250	0.05000	2.0399	0.12254	0.05393	98	-0.94	032.31	0
032	Potassium (%)	0169	1.9250	0.03000	2.0399	0.12254	0.05393	98	-0.94	032.32	0
032	Potassium (%)	0358	1.9350	0.03000	2.0399	0.12254	0.05393	98	-0.86	032.41	0
032	Potassium (%)	0202	1.9350	0.11000	2.0399	0.12254	0.05393	98	-0.86	032.43	0
032	Potassium (%)	0345	1.9350	0.01000	2.0399	0.12254	0.05393	98	-0.86	032.43	0
032	Potassium (%)	0043	1.9400	0.02000	2.0399	0.12254	0.05393	98	-0.82	032.43	0
032	Potassium (%)	0297	1.9400	0.18000	2.0399	0.12254	0.05393	98	-0.82	032.43	0
032	Potassium (%)	0510	1.9400	0.00000	2.0399	0.12254	0.05393	98	-0.82	032.43	0
032	Potassium (%)	0512	1.9410	0.04200	2.0399	0.12254	0.05393	98	-0.81	032.43	0
032	Potassium (%)	0144	1.9500	0.02000	2.0399	0.12254	0.05393	98	-0.73	032.41	0
032	Potassium (%)	0861	1.9500	0.02000	2.0399	0.12254	0.05393	98	-0.73	032.43	0
032	Potassium (%)	0160	1.9545	0.09500	2.0399	0.12254	0.05393	98	-0.70	032.42	0
032	Potassium (%)	0035	1.9550	0.05000	2.0399	0.12254	0.05393	98	-0.69	032.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0529	1.9600	0.02000	2.0399	0.12254	0.05393	98	-0.65	032.31	0
032	Potassium (%)	0265	1.9700	0.12000	2.0399	0.12254	0.05393	98	-0.57	032.42	0
032	Potassium (%)	0656	1.9700	0.04000	2.0399	0.12254	0.05393	98	-0.57	032.31	0
032	Potassium (%)	0904	1.9700	0.06000	2.0399	0.12254	0.05393	98	-0.57	032.31	0
032	Potassium (%)	0964	1.9726	0.09510	2.0399	0.12254	0.05393	98	-0.55	032.43	0
032	Potassium (%)	0035	1.9800	0.02000	2.0399	0.12254	0.05393	98	-0.49	032.42	0
032	Potassium (%)	0083	1.9800	0.06000	2.0399	0.12254	0.05393	98	-0.49	032.43	0
032	Potassium (%)	0357	1.9824	0.00660	2.0399	0.12254	0.05393	98	-0.47	032.42	0
032	Potassium (%)	0682	1.9900	0.00000	2.0399	0.12254	0.05393	98	-0.41	032.43	0
032	Potassium (%)	2012	1.9950	0.01000	2.0399	0.12254	0.05393	98	-0.37	032.41	0
032	Potassium (%)	0366	2.0000	0.08000	2.0399	0.12254	0.05393	98	-0.33	032.42	0
032	Potassium (%)	0229	2.0035	0.02300	2.0399	0.12254	0.05393	98	-0.30	032.41	0
032	Potassium (%)	0013	2.0050	0.07000	2.0399	0.12254	0.05393	98	-0.28	032.43	0
032	Potassium (%)	0918	2.0080	0.09600	2.0399	0.12254	0.05393	98	-0.26	032.43	0
032	Potassium (%)	0675	2.0100	0.02000	2.0399	0.12254	0.05393	98	-0.24	032.43	0
032	Potassium (%)	0955	2.0100	0.14000	2.0399	0.12254	0.05393	98	-0.24	032.44	0
032	Potassium (%)	0034	2.0115	0.00500	2.0399	0.12254	0.05393	98	-0.23	032.43	0
032	Potassium (%)	0049	2.0150	0.07000	2.0399	0.12254	0.05393	98	-0.20	032.41	0
032	Potassium (%)	0098	2.0150	0.05000	2.0399	0.12254	0.05393	98	-0.20	032.43	0
032	Potassium (%)	0668	2.0150	0.05000	2.0399	0.12254	0.05393	98	-0.20	032.43	0
032	Potassium (%)	0629	2.0250	0.05000	2.0399	0.12254	0.05393	98	-0.12	032.31	0
032	Potassium (%)	0511	2.0250	0.05000	2.0399	0.12254	0.05393	98	-0.12	032.41	0
032	Potassium (%)	0186	2.0250	0.07000	2.0399	0.12254	0.05393	98	-0.12	032.52	0
032	Potassium (%)	0619	2.0300	0.04000	2.0399	0.12254	0.05393	98	-0.08	032.41	0
032	Potassium (%)	0560	2.0323	0.00770	2.0399	0.12254	0.05393	98	-0.06	032.42	0
032	Potassium (%)	0208	2.0350	0.01000	2.0399	0.12254	0.05393	98	-0.04	032.31	0
032	Potassium (%)	0037	2.0350	0.15000	2.0399	0.12254	0.05393	98	-0.04	032.42	0
032	Potassium (%)	0205	2.0350	0.03000	2.0399	0.12254	0.05393	98	-0.04	032.42	0
032	Potassium (%)	0208	2.0375	0.22100	2.0399	0.12254	0.05393	98	-0.02	032.41	0
032	Potassium (%)	0354	2.0400	0.00000	2.0399	0.12254	0.05393	98	0.00	032.31	0
032	Potassium (%)	0154	2.0489	0.07150	2.0399	0.12254	0.05393	98	0.07	032.52	0
032	Potassium (%)	0878	2.0500	0.10000	2.0399	0.12254	0.05393	98	0.08	032.41	0
032	Potassium (%)	0294	2.0500	0.00000	2.0399	0.12254	0.05393	98	0.08	032.42	0
032	Potassium (%)	0164	2.0550	0.01000	2.0399	0.12254	0.05393	98	0.12	032.41	0
032	Potassium (%)	0187	2.0550	0.01000	2.0399	0.12254	0.05393	98	0.12	032.42	0
032	Potassium (%)	0038	2.0550	0.01000	2.0399	0.12254	0.05393	98	0.12	032.43	0
032	Potassium (%)	0504	2.0600	0.00000	2.0399	0.12254	0.05393	98	0.16	032.02	0
032	Potassium (%)	0910	2.0650	0.21000	2.0399	0.12254	0.05393	98	0.21	032.41	0
032	Potassium (%)	0504	2.0695	0.00100	2.0399	0.12254	0.05393	98	0.24	032.42	0
032	Potassium (%)	0175	2.0700	0.06000	2.0399	0.12254	0.05393	98	0.25	032.31	0
032	Potassium (%)	2004	2.0700	0.10000	2.0399	0.12254	0.05393	98	0.25	032.44	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0100	2.0700	0.02000	2.0399	0.12254	0.05393	98	0.25	032.99	0
032	Potassium (%)	0881	2.0740	0.02600	2.0399	0.12254	0.05393	98	0.28	032.02	0
032	Potassium (%)	0038	2.0800	0.00000	2.0399	0.12254	0.05393	98	0.33	032.31	0
032	Potassium (%)	0693	2.0850	0.01000	2.0399	0.12254	0.05393	98	0.37	032.42	0
032	Potassium (%)	0425	2.0850	0.01000	2.0399	0.12254	0.05393	98	0.37	032.43	0
032	Potassium (%)	0035	2.1000	0.00000	2.0399	0.12254	0.05393	98	0.49	032.32	0
032	Potassium (%)	0074	2.1050	0.01000	2.0399	0.12254	0.05393	98	0.53	032.41	0
032	Potassium (%)	0870	2.1100	0.11400	2.0399	0.12254	0.05393	98	0.57	032.42	0
032	Potassium (%)	0186	2.1150	0.01000	2.0399	0.12254	0.05393	98	0.61	032.42	0
032	Potassium (%)	0650	2.1170	0.11800	2.0399	0.12254	0.05393	98	0.63	032.31	0
032	Potassium (%)	0278	2.1200	0.02000	2.0399	0.12254	0.05393	98	0.65	032.42	0
032	Potassium (%)	0045	2.1250	0.11000	2.0399	0.12254	0.05393	98	0.69	032.42	0
032	Potassium (%)	0035	2.1500	0.00000	2.0399	0.12254	0.05393	98	0.90	032.33	0
032	Potassium (%)	0948	2.1515	0.14100	2.0399	0.12254	0.05393	98	0.91	032.31	0
032	Potassium (%)	0968	2.1605	0.00100	2.0399	0.12254	0.05393	98	0.98	032.43	0
032	Potassium (%)	2053	2.1700	0.00000	2.0399	0.12254	0.05393	98	1.06	032.31	0
032	Potassium (%)	0610	2.1950	0.05000	2.0399	0.12254	0.05393	98	1.27	032.43	0
032	Potassium (%)	0520	2.2020	0.03400	2.0399	0.12254	0.05393	98	1.32	032.41	0
032	Potassium (%)	0353	2.2100	0.02000	2.0399	0.12254	0.05393	98	1.39	032.43	0
032	Potassium (%)	0572	2.2300	0.14000	2.0399	0.12254	0.05393	98	1.55	032.53	0
032	Potassium (%)	0407	2.2337	0.02900	2.0399	0.12254	0.05393	98	1.58	032.41	0
032	Potassium (%)	0683	2.2350	0.25000	2.0399	0.12254	0.05393	98	1.59	032.31	0
032	Potassium (%)	0598	2.2375	0.01500	2.0399	0.12254	0.05393	98	1.61	032.41	0
032	Potassium (%)	0042	2.2500	0.08000	2.0399	0.12254	0.05393	98	1.71	032.42	0
032	Potassium (%)	0726	2.2520	0.00800	2.0399	0.12254	0.05393	98	1.73	032.42	0
032	Potassium (%)	2089	2.2550	0.01000	2.0399	0.12254	0.05393	98	1.76	032.43	0
032	Potassium (%)	0190	2.3000	0.08000	2.0399	0.12254	0.05393	98	2.12	032.42	0
032	Potassium (%)	0066	2.3420	0.02000	2.0399	0.12254	0.05393	98	2.47	032.31	0
032	Potassium (%)	0609	2.4000	0.00000	2.0399	0.12254	0.05393	98	2.94	032.32	0
032	Potassium (%)	0692	2.4000	0.06000	2.0399	0.12254	0.05393	98	2.94	032.42	0
032	Potassium (%)	0563	2.5066	0.00630	2.0399	0.12254	0.05393	98	3.81	032.31	0
032	Potassium (%)	2161	3.6250	0.05000	2.0399	0.12254	0.05393	98	12.94	032.31	0
032	Potassium (%)	0629	1.0950	1.8100	2.0399	0.12254	0.05393	98	-7.71	032.43	1
032	Potassium (%)	0405	0.19500	0.01000	2.0399	0.12254	0.05393	98	-15.06	032.41	2
033	Salt as chloride (%)	0650	1.0650	0.01000	1.7916	0.06693	0.02518	48	-10.86	033.01	0
033	Salt as chloride (%)	0539	1.4250	0.11000	1.7916	0.06693	0.02518	48	-5.48	033.00	0
033	Salt as chloride (%)	0265	1.4950	0.13000	1.7916	0.06693	0.02518	48	-4.43	033.03	0
033	Salt as chloride (%)	0358	1.5900	0.00000	1.7916	0.06693	0.02518	48	-3.01	033.99	0
033	Salt as chloride (%)	0675	1.6400	0.02000	1.7916	0.06693	0.02518	48	-2.26	033.00	0
033	Salt as chloride (%)	0893	1.6600	0.00000	1.7916	0.06693	0.02518	48	-1.97	033.00	0
033	Salt as chloride (%)	0144	1.7200	0.00000	1.7916	0.06693	0.02518	48	-1.07	033.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	2009	1.7244	0.02940	1.7916	0.06693	0.02518	48	-1.00	033.00	0
033	Salt as chloride (%)	0194	1.7350	0.01000	1.7916	0.06693	0.02518	48	-0.85	033.01	0
033	Salt as chloride (%)	0897	1.7500	0.02000	1.7916	0.06693	0.02518	48	-0.62	033.00	0
033	Salt as chloride (%)	0885	1.7538	0.01970	1.7916	0.06693	0.02518	48	-0.57	033.00	0
033	Salt as chloride (%)	0504	1.7550	0.05000	1.7916	0.06693	0.02518	48	-0.55	033.00	0
033	Salt as chloride (%)	0878	1.7550	0.03000	1.7916	0.06693	0.02518	48	-0.55	033.00	0
033	Salt as chloride (%)	0045	1.7600	0.02000	1.7916	0.06693	0.02518	48	-0.47	033.00	0
033	Salt as chloride (%)	0229	1.7600	0.02000	1.7916	0.06693	0.02518	48	-0.47	033.01	0
033	Salt as chloride (%)	0689	1.7600	0.00000	1.7916	0.06693	0.02518	48	-0.47	033.05	0
033	Salt as chloride (%)	2109	1.7680	0.01000	1.7916	0.06693	0.02518	48	-0.35	033.01	0
033	Salt as chloride (%)	0903	1.7700	0.02000	1.7916	0.06693	0.02518	48	-0.32	033.00	0
033	Salt as chloride (%)	0425	1.7700	0.00000	1.7916	0.06693	0.02518	48	-0.32	033.01	0
033	Salt as chloride (%)	0895	1.7750	0.01000	1.7916	0.06693	0.02518	48	-0.25	033.00	0
033	Salt as chloride (%)	0861	1.7750	0.07000	1.7916	0.06693	0.02518	48	-0.25	033.01	0
033	Salt as chloride (%)	0083	1.7800	0.06000	1.7916	0.06693	0.02518	48	-0.17	033.01	0
033	Salt as chloride (%)	0175	1.7950	0.01000	1.7916	0.06693	0.02518	48	0.05	033.01	0
033	Salt as chloride (%)	2161	1.8000	0.08000	1.7916	0.06693	0.02518	48	0.13	033.01	0
033	Salt as chloride (%)	0682	1.8000	0.00000	1.7916	0.06693	0.02518	48	0.13	033.99	0
033	Salt as chloride (%)	0407	1.8045	0.02900	1.7916	0.06693	0.02518	48	0.19	033.01	0
033	Salt as chloride (%)	2145	1.8050	0.01000	1.7916	0.06693	0.02518	48	0.20	033.00	0
033	Salt as chloride (%)	0309	1.8062	0.04050	1.7916	0.06693	0.02518	48	0.22	033.00	0
033	Salt as chloride (%)	0644	1.8121	0.01750	1.7916	0.06693	0.02518	48	0.31	033.01	0
033	Salt as chloride (%)	0353	1.8150	0.01000	1.7916	0.06693	0.02518	48	0.35	033.00	0
033	Salt as chloride (%)	0683	1.8150	0.03000	1.7916	0.06693	0.02518	48	0.35	033.01	0
033	Salt as chloride (%)	0948	1.8150	0.01000	1.7916	0.06693	0.02518	48	0.35	033.01	0
033	Salt as chloride (%)	0354	1.8200	0.00000	1.7916	0.06693	0.02518	48	0.42	033.01	0
033	Salt as chloride (%)	0874	1.8225	0.01700	1.7916	0.06693	0.02518	48	0.46	033.01	0
033	Salt as chloride (%)	0148	1.8230	0.00600	1.7916	0.06693	0.02518	48	0.47	033.01	0
033	Salt as chloride (%)	0001	1.8250	0.03000	1.7916	0.06693	0.02518	48	0.50	033.01	0
033	Salt as chloride (%)	0098	1.8250	0.05000	1.7916	0.06693	0.02518	48	0.50	033.01	0
033	Salt as chloride (%)	0100	1.8250	0.05000	1.7916	0.06693	0.02518	48	0.50	033.01	0
033	Salt as chloride (%)	0205	1.8250	0.01000	1.7916	0.06693	0.02518	48	0.50	033.01	0
033	Salt as chloride (%)	0366	1.8550	0.01000	1.7916	0.06693	0.02518	48	0.95	033.00	0
033	Salt as chloride (%)	2062	1.8609	0.01730	1.7916	0.06693	0.02518	48	1.04	033.00	0
033	Salt as chloride (%)	0164	1.8650	0.01000	1.7916	0.06693	0.02518	48	1.10	033.01	0
033	Salt as chloride (%)	0278	1.8700	0.04000	1.7916	0.06693	0.02518	48	1.17	033.01	0
033	Salt as chloride (%)	0510	1.8850	0.01000	1.7916	0.06693	0.02518	48	1.40	033.01	0
033	Salt as chloride (%)	0693	1.9600	0.02000	1.7916	0.06693	0.02518	48	2.52	033.00	0
033	Salt as chloride (%)	2146	1.9850	0.01000	1.7916	0.06693	0.02518	48	2.89	033.00	0
033	Salt as chloride (%)	2146	2.0100	0.00000	1.7916	0.06693	0.02518	48	3.26	033.01	0
033	Salt as chloride (%)	0881	2.1860	0.05200	1.7916	0.06693	0.02518	48	5.89	033.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	0910	1.7850	0.17000	1.7916	0.06693	0.02518	48	-0.10	033.99	1
034	Selenium (mg / kg (ppm))	0169	0.44000	0.02000	0.61584	0.13176	0.07006	19	-1.33	034.04	0
034	Selenium (mg / kg (ppm))	0563	0.46980	0.01520	0.61584	0.13176	0.07006	19	-1.11	034.04	0
034	Selenium (mg / kg (ppm))	0016	0.49850	0.04900	0.61584	0.13176	0.07006	19	-0.89	034.52	0
034	Selenium (mg / kg (ppm))	0045	0.52000	0.18000	0.61584	0.13176	0.07006	19	-0.73	034.04	0
034	Selenium (mg / kg (ppm))	0910	0.52500	0.05000	0.61584	0.13176	0.07006	19	-0.69	034.52	0
034	Selenium (mg / kg (ppm))	0047	0.53500	0.03000	0.61584	0.13176	0.07006	19	-0.61	034.52	0
034	Selenium (mg / kg (ppm))	0038	0.54300	0.01200	0.61584	0.13176	0.07006	19	-0.55	034.01	0
034	Selenium (mg / kg (ppm))	0964	0.56045	0.01730	0.61584	0.13176	0.07006	19	-0.42	034.43	0
034	Selenium (mg / kg (ppm))	0619	0.56850	0.04700	0.61584	0.13176	0.07006	19	-0.36	034.41	0
034	Selenium (mg / kg (ppm))	0098	0.59950	0.00100	0.61584	0.13176	0.07006	19	-0.12	034.01	0
034	Selenium (mg / kg (ppm))	0918	0.61535	0.29270	0.61584	0.13176	0.07006	19	0.00	034.53	0
034	Selenium (mg / kg (ppm))	0164	0.63500	0.01000	0.61584	0.13176	0.07006	19	0.15	034.04	0
034	Selenium (mg / kg (ppm))	0208	0.64200	0.13000	0.61584	0.13176	0.07006	19	0.20	034.52	0
034	Selenium (mg / kg (ppm))	0610	0.67500	0.01000	0.61584	0.13176	0.07006	19	0.45	034.04	0
034	Selenium (mg / kg (ppm))	0186	0.71350	0.06300	0.61584	0.13176	0.07006	19	0.74	034.52	0
034	Selenium (mg / kg (ppm))	0098	0.72000	0.12400	0.61584	0.13176	0.07006	19	0.79	034.53	0
034	Selenium (mg / kg (ppm))	0939	0.87500	0.09000	0.61584	0.13176	0.07006	19	1.97	034.04	0
034	Selenium (mg / kg (ppm))	0692	1.0000	0.00000	0.61584	0.13176	0.07006	19	2.92	034.42	0
034	Selenium (mg / kg (ppm))	0675	1.0250	0.19000	0.61584	0.13176	0.07006	19	3.11	034.43	0
035	Sodium (%)	0139	0.42000	0.01000	0.65883	0.04472	0.01444	102	-5.34	035.41	0
035	Sodium (%)	0609	0.50000	0.02000	0.65883	0.04472	0.01444	102	-3.55	035.32	0
035	Sodium (%)	0017	0.54000	0.02000	0.65883	0.04472	0.01444	102	-2.66	035.43	0
035	Sodium (%)	2022	0.57950	0.00700	0.65883	0.04472	0.01444	102	-1.77	035.31	0
035	Sodium (%)	0366	0.58000	0.02000	0.65883	0.04472	0.01444	102	-1.76	035.42	0
035	Sodium (%)	0202	0.59000	0.02000	0.65883	0.04472	0.01444	102	-1.54	035.43	0
035	Sodium (%)	0510	0.59400	0.00400	0.65883	0.04472	0.01444	102	-1.45	035.43	0
035	Sodium (%)	0175	0.59500	0.05000	0.65883	0.04472	0.01444	102	-1.43	035.31	0
035	Sodium (%)	0035	0.59500	0.01000	0.65883	0.04472	0.01444	102	-1.43	035.43	0
035	Sodium (%)	0512	0.59875	0.02670	0.65883	0.04472	0.01444	102	-1.34	035.43	0
035	Sodium (%)	0505	0.60000	0.02000	0.65883	0.04472	0.01444	102	-1.32	035.31	0
035	Sodium (%)	0144	0.60500	0.01000	0.65883	0.04472	0.01444	102	-1.20	035.41	0
035	Sodium (%)	0035	0.61000	0.02000	0.65883	0.04472	0.01444	102	-1.09	035.42	0
035	Sodium (%)	0019	0.61500	0.03000	0.65883	0.04472	0.01444	102	-0.98	035.41	0
035	Sodium (%)	0160	0.61680	0.00260	0.65883	0.04472	0.01444	102	-0.94	035.42	0
035	Sodium (%)	0861	0.61750	0.00900	0.65883	0.04472	0.01444	102	-0.92	035.43	0
035	Sodium (%)	0142	0.61870	0.01000	0.65883	0.04472	0.01444	102	-0.90	035.31	0
035	Sodium (%)	0169	0.61900	0.00400	0.65883	0.04472	0.01444	102	-0.89	035.32	0
035	Sodium (%)	0034	0.61965	0.01250	0.65883	0.04472	0.01444	102	-0.88	035.43	0
035	Sodium (%)	0682	0.62000	0.00000	0.65883	0.04472	0.01444	102	-0.87	035.43	0
035	Sodium (%)	0229	0.62100	0.01600	0.65883	0.04472	0.01444	102	-0.85	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	2129	0.62400	0.00600	0.65883	0.04472	0.01444	102	-0.78	035.99	0
035	Sodium (%)	0358	0.62500	0.01000	0.65883	0.04472	0.01444	102	-0.76	035.41	0
035	Sodium (%)	0205	0.62900	0.01600	0.65883	0.04472	0.01444	102	-0.67	035.42	0
035	Sodium (%)	0148	0.62950	0.00100	0.65883	0.04472	0.01444	102	-0.66	035.41	0
035	Sodium (%)	2012	0.63000	0.00000	0.65883	0.04472	0.01444	102	-0.64	035.41	0
035	Sodium (%)	0955	0.63250	0.01100	0.65883	0.04472	0.01444	102	-0.59	035.41	0
035	Sodium (%)	0345	0.63250	0.00500	0.65883	0.04472	0.01444	102	-0.59	035.43	0
035	Sodium (%)	0560	0.63340	0.00640	0.65883	0.04472	0.01444	102	-0.57	035.42	0
035	Sodium (%)	0689	0.63500	0.01000	0.65883	0.04472	0.01444	102	-0.53	035.01	0
035	Sodium (%)	0354	0.63500	0.01000	0.65883	0.04472	0.01444	102	-0.53	035.31	0
035	Sodium (%)	0083	0.63500	0.01000	0.65883	0.04472	0.01444	102	-0.53	035.43	0
035	Sodium (%)	0918	0.63600	0.02200	0.65883	0.04472	0.01444	102	-0.51	035.43	0
035	Sodium (%)	0035	0.64000	0.00000	0.65883	0.04472	0.01444	102	-0.42	035.32	0
035	Sodium (%)	0629	0.64000	0.00000	0.65883	0.04472	0.01444	102	-0.42	035.43	0
035	Sodium (%)	0590	0.64000	0.00000	0.65883	0.04472	0.01444	102	-0.42	035.99	0
035	Sodium (%)	0164	0.64400	0.01200	0.65883	0.04472	0.01444	102	-0.33	035.41	0
035	Sodium (%)	0629	0.64500	0.01000	0.65883	0.04472	0.01444	102	-0.31	035.31	0
035	Sodium (%)	0098	0.64500	0.01000	0.65883	0.04472	0.01444	102	-0.31	035.43	0
035	Sodium (%)	0035	0.65000	0.00000	0.65883	0.04472	0.01444	102	-0.20	035.33	0
035	Sodium (%)	0265	0.65000	0.02000	0.65883	0.04472	0.01444	102	-0.20	035.42	0
035	Sodium (%)	0964	0.65075	0.00950	0.65883	0.04472	0.01444	102	-0.18	035.43	0
035	Sodium (%)	0038	0.65100	0.05600	0.65883	0.04472	0.01444	102	-0.18	035.43	0
035	Sodium (%)	0948	0.65150	0.02100	0.65883	0.04472	0.01444	102	-0.16	035.31	0
035	Sodium (%)	0043	0.65300	0.00200	0.65883	0.04472	0.01444	102	-0.13	035.43	0
035	Sodium (%)	0881	0.65300	0.00800	0.65883	0.04472	0.01444	102	-0.13	035.99	0
035	Sodium (%)	0563	0.65350	0.01500	0.65883	0.04472	0.01444	102	-0.12	035.31	0
035	Sodium (%)	0693	0.65450	0.00700	0.65883	0.04472	0.01444	102	-0.10	035.42	0
035	Sodium (%)	0656	0.65500	0.01000	0.65883	0.04472	0.01444	102	-0.09	035.31	0
035	Sodium (%)	0294	0.65500	0.01000	0.65883	0.04472	0.01444	102	-0.09	035.42	0
035	Sodium (%)	0006	0.65900	0.00200	0.65883	0.04472	0.01444	102	0.00	035.43	0
035	Sodium (%)	0049	0.66000	0.04000	0.65883	0.04472	0.01444	102	0.03	035.41	0
035	Sodium (%)	0278	0.66000	0.00000	0.65883	0.04472	0.01444	102	0.03	035.42	0
035	Sodium (%)	2053	0.66000	0.00000	0.65883	0.04472	0.01444	102	0.03	035.42	0
035	Sodium (%)	0297	0.66000	0.00000	0.65883	0.04472	0.01444	102	0.03	035.43	0
035	Sodium (%)	0425	0.66000	0.00000	0.65883	0.04472	0.01444	102	0.03	035.43	0
035	Sodium (%)	0027	0.66300	0.00400	0.65883	0.04472	0.01444	102	0.09	035.43	0
035	Sodium (%)	0870	0.66370	0.00360	0.65883	0.04472	0.01444	102	0.11	035.42	0
035	Sodium (%)	0668	0.66450	0.01100	0.65883	0.04472	0.01444	102	0.13	035.43	0
035	Sodium (%)	0233	0.66500	0.01000	0.65883	0.04472	0.01444	102	0.14	035.31	0
035	Sodium (%)	2108	0.66500	0.01000	0.65883	0.04472	0.01444	102	0.14	035.41	0
035	Sodium (%)	0504	0.66550	0.04900	0.65883	0.04472	0.01444	102	0.15	035.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0208	0.66900	0.06000	0.65883	0.04472	0.01444	102	0.23	035.41	0
035	Sodium (%)	0910	0.67000	0.04000	0.65883	0.04472	0.01444	102	0.25	035.41	0
035	Sodium (%)	0152	0.67000	0.00000	0.65883	0.04472	0.01444	102	0.25	035.05	0
035	Sodium (%)	0038	0.67350	0.00500	0.65883	0.04472	0.01444	102	0.33	035.31	0
035	Sodium (%)	0504	0.67500	0.01000	0.65883	0.04472	0.01444	102	0.36	035.05	0
035	Sodium (%)	0904	0.67500	0.03000	0.65883	0.04472	0.01444	102	0.36	035.31	0
035	Sodium (%)	2004	0.67550	0.00900	0.65883	0.04472	0.01444	102	0.37	035.41	0
035	Sodium (%)	0045	0.67750	0.01100	0.65883	0.04472	0.01444	102	0.42	035.42	0
035	Sodium (%)	0572	0.67850	0.02100	0.65883	0.04472	0.01444	102	0.44	035.53	0
035	Sodium (%)	0650	0.68000	0.04000	0.65883	0.04472	0.01444	102	0.47	035.31	0
035	Sodium (%)	0874	0.68050	0.00300	0.65883	0.04472	0.01444	102	0.48	035.31	0
035	Sodium (%)	0619	0.68100	0.00800	0.65883	0.04472	0.01444	102	0.50	035.41	0
035	Sodium (%)	0675	0.68500	0.01000	0.65883	0.04472	0.01444	102	0.59	035.43	0
035	Sodium (%)	0186	0.68500	0.03000	0.65883	0.04472	0.01444	102	0.59	035.52	0
035	Sodium (%)	0300	0.68600	0.05400	0.65883	0.04472	0.01444	102	0.61	035.53	0
035	Sodium (%)	0407	0.68660	0.01500	0.65883	0.04472	0.01444	102	0.62	035.41	0
035	Sodium (%)	0208	0.69000	0.00600	0.65883	0.04472	0.01444	102	0.70	035.31	0
035	Sodium (%)	0683	0.69000	0.06000	0.65883	0.04472	0.01444	102	0.70	035.31	0
035	Sodium (%)	2033	0.69000	0.00000	0.65883	0.04472	0.01444	102	0.70	035.43	0
035	Sodium (%)	0186	0.69050	0.00300	0.65883	0.04472	0.01444	102	0.71	035.42	0
035	Sodium (%)	0154	0.69190	0.01860	0.65883	0.04472	0.01444	102	0.74	035.52	0
035	Sodium (%)	0089	0.70000	0.00000	0.65883	0.04472	0.01444	102	0.92	035.41	0
035	Sodium (%)	0520	0.70000	0.01800	0.65883	0.04472	0.01444	102	0.92	035.41	0
035	Sodium (%)	2109	0.70200	0.02600	0.65883	0.04472	0.01444	102	0.97	035.01	0
035	Sodium (%)	2089	0.70500	0.01000	0.65883	0.04472	0.01444	102	1.03	035.43	0
035	Sodium (%)	0187	0.71435	0.00490	0.65883	0.04472	0.01444	102	1.24	035.42	0
035	Sodium (%)	0190	0.71500	0.01000	0.65883	0.04472	0.01444	102	1.26	035.42	0
035	Sodium (%)	0100	0.71500	0.01000	0.65883	0.04472	0.01444	102	1.26	035.99	0
035	Sodium (%)	0598	0.71590	0.00500	0.65883	0.04472	0.01444	102	1.28	035.41	0
035	Sodium (%)	0921	0.72445	0.01310	0.65883	0.04472	0.01444	102	1.47	035.31	0
035	Sodium (%)	0042	0.73200	0.02200	0.65883	0.04472	0.01444	102	1.64	035.42	0
035	Sodium (%)	0692	0.74000	0.00000	0.65883	0.04472	0.01444	102	1.82	035.42	0
035	Sodium (%)	0353	0.74000	0.02000	0.65883	0.04472	0.01444	102	1.82	035.43	0
035	Sodium (%)	0726	0.74315	0.00270	0.65883	0.04472	0.01444	102	1.89	035.42	0
035	Sodium (%)	0014	0.75150	0.06500	0.65883	0.04472	0.01444	102	2.07	035.31	0
035	Sodium (%)	0653	0.77100	0.01200	0.65883	0.04472	0.01444	102	2.51	035.31	0
035	Sodium (%)	0066	0.78700	0.02400	0.65883	0.04472	0.01444	102	2.87	035.05	0
035	Sodium (%)	0610	0.82000	0.02000	0.65883	0.04472	0.01444	102	3.60	035.43	0
035	Sodium (%)	0529	0.87250	0.01700	0.65883	0.04472	0.01444	102	4.78	035.31	0
035	Sodium (%)	2161	0.98500	0.01000	0.65883	0.04472	0.01444	102	7.29	035.31	0
035	Sodium (%)	0108	0.67000	0.08000	0.65883	0.04472	0.01444	102	0.25	035.05	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0405	0.95000	0.10000	0.65883	0.04472	0.01444	102	6.51	035.41	1
036	Sulfur (%)	0366	0.30500	0.01000	0.36510	0.02364	0.00995	38	-2.54	036.42	0
036	Sulfur (%)	0202	0.31500	0.01000	0.36510	0.02364	0.00995	38	-2.12	036.43	0
036	Sulfur (%)	0357	0.33085	0.00010	0.36510	0.02364	0.00995	38	-1.45	036.42	0
036	Sulfur (%)	0098	0.33500	0.01000	0.36510	0.02364	0.00995	38	-1.27	036.04	0
036	Sulfur (%)	0345	0.33950	0.00100	0.36510	0.02364	0.00995	38	-1.08	036.43	0
036	Sulfur (%)	0229	0.34500	0.01000	0.36510	0.02364	0.00995	38	-0.85	036.04	0
036	Sulfur (%)	0407	0.34845	0.00130	0.36510	0.02364	0.00995	38	-0.70	036.42	0
036	Sulfur (%)	0560	0.34845	0.00170	0.36510	0.02364	0.00995	38	-0.70	036.42	0
036	Sulfur (%)	0160	0.34885	0.00110	0.36510	0.02364	0.00995	38	-0.69	036.42	0
036	Sulfur (%)	0910	0.34950	0.00620	0.36510	0.02364	0.00995	38	-0.66	036.52	0
036	Sulfur (%)	0668	0.35000	0.00000	0.36510	0.02364	0.00995	38	-0.64	036.43	0
036	Sulfur (%)	0038	0.35050	0.02900	0.36510	0.02364	0.00995	38	-0.62	036.43	0
036	Sulfur (%)	0278	0.35500	0.01000	0.36510	0.02364	0.00995	38	-0.43	036.42	0
036	Sulfur (%)	0045	0.35550	0.00300	0.36510	0.02364	0.00995	38	-0.41	036.42	0
036	Sulfur (%)	0038	0.35800	0.01200	0.36510	0.02364	0.00995	38	-0.30	036.00	0
036	Sulfur (%)	0098	0.35865	0.04810	0.36510	0.02364	0.00995	38	-0.27	036.43	0
036	Sulfur (%)	0265	0.36000	0.00000	0.36510	0.02364	0.00995	38	-0.22	036.42	0
036	Sulfur (%)	0510	0.36000	0.00000	0.36510	0.02364	0.00995	38	-0.22	036.43	0
036	Sulfur (%)	0164	0.36500	0.01000	0.36510	0.02364	0.00995	38	0.00	036.42	0
036	Sulfur (%)	0353	0.36500	0.01000	0.36510	0.02364	0.00995	38	0.00	036.43	0
036	Sulfur (%)	0186	0.36550	0.03100	0.36510	0.02364	0.00995	38	0.02	036.52	0
036	Sulfur (%)	0918	0.36700	0.04800	0.36510	0.02364	0.00995	38	0.08	036.43	0
036	Sulfur (%)	0870	0.36860	0.02920	0.36510	0.02364	0.00995	38	0.15	036.42	0
036	Sulfur (%)	0169	0.37000	0.00000	0.36510	0.02364	0.00995	38	0.21	036.43	0
036	Sulfur (%)	0629	0.37000	0.00000	0.36510	0.02364	0.00995	38	0.21	036.43	0
036	Sulfur (%)	0294	0.37500	0.01000	0.36510	0.02364	0.00995	38	0.42	036.42	0
036	Sulfur (%)	0693	0.37500	0.01000	0.36510	0.02364	0.00995	38	0.42	036.42	0
036	Sulfur (%)	2089	0.37500	0.01000	0.36510	0.02364	0.00995	38	0.42	036.43	0
036	Sulfur (%)	0186	0.37800	0.00400	0.36510	0.02364	0.00995	38	0.55	036.42	0
036	Sulfur (%)	0034	0.38485	0.01990	0.36510	0.02364	0.00995	38	0.84	036.43	0
036	Sulfur (%)	0190	0.38500	0.01000	0.36510	0.02364	0.00995	38	0.84	036.42	0
036	Sulfur (%)	0726	0.38590	0.00080	0.36510	0.02364	0.00995	38	0.88	036.42	0
036	Sulfur (%)	0187	0.38860	0.00060	0.36510	0.02364	0.00995	38	0.99	036.42	0
036	Sulfur (%)	2033	0.41000	0.00000	0.36510	0.02364	0.00995	38	1.90	036.43	0
036	Sulfur (%)	0692	0.41000	0.02000	0.36510	0.02364	0.00995	38	1.90	036.42	0
036	Sulfur (%)	0037	0.41500	0.01000	0.36510	0.02364	0.00995	38	2.11	036.42	0
036	Sulfur (%)	0964	0.42000	0.00120	0.36510	0.02364	0.00995	38	2.32	036.43	0
036	Sulfur (%)	2066	0.53000	0.00000	0.36510	0.02364	0.00995	38	6.98	036.53	0
036	Sulfur (%)	0297	0.33500	0.09000	0.36510	0.02364	0.00995	38	-1.27	036.43	1
037	Zinc (mg / kg (ppm))	0405	7.6100	0.52000	81.877	13.352	6.0198	82	-5.56	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0870	50.715	4.2500	81.877	13.352	6.0198	82	-2.33	037.42	0
037	Zinc (mg / kg (ppm))	0037	63.000	31.000	81.877	13.352	6.0198	82	-1.41	037.42	0
037	Zinc (mg / kg (ppm))	2108	65.275	0.11000	81.877	13.352	6.0198	82	-1.24	037.44	0
037	Zinc (mg / kg (ppm))	0297	65.500	1.0000	81.877	13.352	6.0198	82	-1.23	037.43	0
037	Zinc (mg / kg (ppm))	0038	66.500	1.0000	81.877	13.352	6.0198	82	-1.15	037.32	0
037	Zinc (mg / kg (ppm))	0366	66.500	7.0000	81.877	13.352	6.0198	82	-1.15	037.42	0
037	Zinc (mg / kg (ppm))	0358	67.055	0.25000	81.877	13.352	6.0198	82	-1.11	037.41	0
037	Zinc (mg / kg (ppm))	0619	67.100	5.4000	81.877	13.352	6.0198	82	-1.11	037.41	0
037	Zinc (mg / kg (ppm))	0042	68.400	4.2000	81.877	13.352	6.0198	82	-1.01	037.42	0
037	Zinc (mg / kg (ppm))	0668	68.500	0.00000	81.877	13.352	6.0198	82	-1.00	037.43	0
037	Zinc (mg / kg (ppm))	0529	68.880	3.5000	81.877	13.352	6.0198	82	-0.97	037.31	0
037	Zinc (mg / kg (ppm))	0693	69.500	7.0000	81.877	13.352	6.0198	82	-0.93	037.42	0
037	Zinc (mg / kg (ppm))	0610	69.500	5.0000	81.877	13.352	6.0198	82	-0.93	037.43	0
037	Zinc (mg / kg (ppm))	0160	70.050	0.50000	81.877	13.352	6.0198	82	-0.89	037.42	0
037	Zinc (mg / kg (ppm))	0026	70.500	17.000	81.877	13.352	6.0198	82	-0.85	037.42	0
037	Zinc (mg / kg (ppm))	0357	71.350	7.1850	81.877	13.352	6.0198	82	-0.79	037.42	0
037	Zinc (mg / kg (ppm))	0049	71.470	30.640	81.877	13.352	6.0198	82	-0.78	037.41	0
037	Zinc (mg / kg (ppm))	0425	72.145	1.8500	81.877	13.352	6.0198	82	-0.73	037.43	0
037	Zinc (mg / kg (ppm))	0208	72.435	11.810	81.877	13.352	6.0198	82	-0.71	037.41	0
037	Zinc (mg / kg (ppm))	0001	72.570	2.6200	81.877	13.352	6.0198	82	-0.70	037.31	0
037	Zinc (mg / kg (ppm))	2146	72.655	2.0100	81.877	13.352	6.0198	82	-0.69	037.51	0
037	Zinc (mg / kg (ppm))	0083	73.000	6.0000	81.877	13.352	6.0198	82	-0.66	037.43	0
037	Zinc (mg / kg (ppm))	0560	73.050	3.5000	81.877	13.352	6.0198	82	-0.66	037.42	0
037	Zinc (mg / kg (ppm))	0505	74.000	10.000	81.877	13.352	6.0198	82	-0.59	037.31	0
037	Zinc (mg / kg (ppm))	0656	74.425	2.0700	81.877	13.352	6.0198	82	-0.56	037.31	0
037	Zinc (mg / kg (ppm))	0202	74.500	7.0000	81.877	13.352	6.0198	82	-0.55	037.43	0
037	Zinc (mg / kg (ppm))	0265	75.000	6.0000	81.877	13.352	6.0198	82	-0.52	037.42	0
037	Zinc (mg / kg (ppm))	0563	75.660	7.4103	81.877	13.352	6.0198	82	-0.47	037.31	0
037	Zinc (mg / kg (ppm))	0861	76.100	0.20000	81.877	13.352	6.0198	82	-0.43	037.43	0
037	Zinc (mg / kg (ppm))	0964	76.790	6.5131	81.877	13.352	6.0198	82	-0.38	037.43	0
037	Zinc (mg / kg (ppm))	0098	76.980	7.3400	81.877	13.352	6.0198	82	-0.37	037.43	0
037	Zinc (mg / kg (ppm))	0187	77.225	1.0500	81.877	13.352	6.0198	82	-0.35	037.42	0
037	Zinc (mg / kg (ppm))	2012	77.235	9.3100	81.877	13.352	6.0198	82	-0.35	037.41	0
037	Zinc (mg / kg (ppm))	0407	77.248	3.6941	81.877	13.352	6.0198	82	-0.35	037.41	0
037	Zinc (mg / kg (ppm))	0918	77.660	6.5400	81.877	13.352	6.0198	82	-0.32	037.43	0
037	Zinc (mg / kg (ppm))	2129	77.770	5.0600	81.877	13.352	6.0198	82	-0.31	037.99	0
037	Zinc (mg / kg (ppm))	0520	79.100	2.6800	81.877	13.352	6.0198	82	-0.21	037.41	0
037	Zinc (mg / kg (ppm))	0047	79.220	4.1600	81.877	13.352	6.0198	82	-0.20	037.52	0
037	Zinc (mg / kg (ppm))	0066	79.243	5.1860	81.877	13.352	6.0198	82	-0.20	037.31	0
037	Zinc (mg / kg (ppm))	0598	80.090	9.5400	81.877	13.352	6.0198	82	-0.13	037.41	0
037	Zinc (mg / kg (ppm))	0229	80.285	6.6700	81.877	13.352	6.0198	82	-0.12	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0028	81.000	12.000	81.877	13.352	6.0198	82	-0.07	037.43	0
037	Zinc (mg / kg (ppm))	0572	81.450	1.9000	81.877	13.352	6.0198	82	-0.03	037.53	0
037	Zinc (mg / kg (ppm))	0100	81.500	13.000	81.877	13.352	6.0198	82	-0.03	037.99	0
037	Zinc (mg / kg (ppm))	0045	81.550	8.7000	81.877	13.352	6.0198	82	-0.02	037.42	0
037	Zinc (mg / kg (ppm))	0169	81.650	1.1000	81.877	13.352	6.0198	82	-0.02	037.43	0
037	Zinc (mg / kg (ppm))	2089	81.720	4.9800	81.877	13.352	6.0198	82	-0.01	037.43	0
037	Zinc (mg / kg (ppm))	0345	82.300	2.4000	81.877	13.352	6.0198	82	0.03	037.43	0
037	Zinc (mg / kg (ppm))	0175	83.500	3.0000	81.877	13.352	6.0198	82	0.12	037.31	0
037	Zinc (mg / kg (ppm))	2004	83.957	9.4860	81.877	13.352	6.0198	82	0.16	037.44	0
037	Zinc (mg / kg (ppm))	0035	84.000	4.0000	81.877	13.352	6.0198	82	0.16	037.32	0
037	Zinc (mg / kg (ppm))	0726	85.990	0.30000	81.877	13.352	6.0198	82	0.31	037.42	0
037	Zinc (mg / kg (ppm))	0354	86.600	0.48000	81.877	13.352	6.0198	82	0.35	037.31	0
037	Zinc (mg / kg (ppm))	0190	86.805	0.27000	81.877	13.352	6.0198	82	0.37	037.42	0
037	Zinc (mg / kg (ppm))	0590	87.500	5.0000	81.877	13.352	6.0198	82	0.42	037.99	0
037	Zinc (mg / kg (ppm))	0682	88.210	0.00000	81.877	13.352	6.0198	82	0.47	037.43	0
037	Zinc (mg / kg (ppm))	0208	88.800	4.0000	81.877	13.352	6.0198	82	0.52	037.31	0
037	Zinc (mg / kg (ppm))	0027	89.121	3.5600	81.877	13.352	6.0198	82	0.54	037.43	0
037	Zinc (mg / kg (ppm))	2161	89.600	0.00000	81.877	13.352	6.0198	82	0.58	037.31	0
037	Zinc (mg / kg (ppm))	0074	91.000	18.000	81.877	13.352	6.0198	82	0.68	037.41	0
037	Zinc (mg / kg (ppm))	0511	91.000	4.0000	81.877	13.352	6.0198	82	0.68	037.41	0
037	Zinc (mg / kg (ppm))	0675	91.650	7.4400	81.877	13.352	6.0198	82	0.73	037.43	0
037	Zinc (mg / kg (ppm))	0294	91.900	1.8000	81.877	13.352	6.0198	82	0.75	037.42	0
037	Zinc (mg / kg (ppm))	0278	92.500	11.200	81.877	13.352	6.0198	82	0.80	037.42	0
037	Zinc (mg / kg (ppm))	0510	93.500	5.0000	81.877	13.352	6.0198	82	0.87	037.43	0
037	Zinc (mg / kg (ppm))	0019	93.550	20.700	81.877	13.352	6.0198	82	0.87	037.41	0
037	Zinc (mg / kg (ppm))	0035	94.000	6.0000	81.877	13.352	6.0198	82	0.91	037.42	0
037	Zinc (mg / kg (ppm))	0353	95.500	3.0000	81.877	13.352	6.0198	82	1.02	037.43	0
037	Zinc (mg / kg (ppm))	0148	97.850	0.70000	81.877	13.352	6.0198	82	1.20	037.41	0
037	Zinc (mg / kg (ppm))	0692	99.500	3.0000	81.877	13.352	6.0198	82	1.32	037.42	0
037	Zinc (mg / kg (ppm))	0035	100.50	1.0000	81.877	13.352	6.0198	82	1.39	037.43	0
037	Zinc (mg / kg (ppm))	0164	102.00	2.0000	81.877	13.352	6.0198	82	1.51	037.41	0
037	Zinc (mg / kg (ppm))	0186	102.20	27.600	81.877	13.352	6.0198	82	1.52	037.42	0
037	Zinc (mg / kg (ppm))	0512	103.31	9.1800	81.877	13.352	6.0198	82	1.61	037.43	0
037	Zinc (mg / kg (ppm))	0910	104.50	5.0000	81.877	13.352	6.0198	82	1.69	037.41	0
037	Zinc (mg / kg (ppm))	0968	110.50	15.000	81.877	13.352	6.0198	82	2.14	037.43	0
037	Zinc (mg / kg (ppm))	0689	111.60	9.8000	81.877	13.352	6.0198	82	2.23	037.31	0
037	Zinc (mg / kg (ppm))	0948	113.41	4.6090	81.877	13.352	6.0198	82	2.36	037.33	0
037	Zinc (mg / kg (ppm))	0609	113.43	3.6500	81.877	13.352	6.0198	82	2.36	037.32	0
037	Zinc (mg / kg (ppm))	0035	124.50	7.0000	81.877	13.352	6.0198	82	3.19	037.33	0
037	Zinc (mg / kg (ppm))	0043	150.00	0.00000	81.877	13.352	6.0198	82	5.10	037.43	0
037	Zinc (mg / kg (ppm))	0186	84.250	65.500	81.877	13.352	6.0198	82	0.18	037.52	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0874	121.50	77.000	81.877	13.352	6.0198	82	2.97	037.31	1
037	Zinc (mg / kg (ppm))	0003	280.00	84.000	81.877	13.352	6.0198	82	14.84	037.41	2
038	Molybdenum (mg / kg (ppm))	0345	0.53500	0.01000	0.72179	0.12856	0.03337	12	-1.45	038.43	0
038	Molybdenum (mg / kg (ppm))	0098	0.56500	0.10400	0.72179	0.12856	0.03337	12	-1.22	038.53	0
038	Molybdenum (mg / kg (ppm))	0910	0.63000	0.02000	0.72179	0.12856	0.03337	12	-0.71	038.52	0
038	Molybdenum (mg / kg (ppm))	0964	0.67570	0.03900	0.72179	0.12856	0.03337	12	-0.36	038.43	0
038	Molybdenum (mg / kg (ppm))	0510	0.70000	0.00000	0.72179	0.12856	0.03337	12	-0.17	038.43	0
038	Molybdenum (mg / kg (ppm))	0353	0.70755	0.05510	0.72179	0.12856	0.03337	12	-0.11	038.43	0
038	Molybdenum (mg / kg (ppm))	0278	0.73500	0.01000	0.72179	0.12856	0.03337	12	0.10	038.42	0
038	Molybdenum (mg / kg (ppm))	0186	0.76200	0.04200	0.72179	0.12856	0.03337	12	0.31	038.52	0
038	Molybdenum (mg / kg (ppm))	0918	0.76665	0.00030	0.72179	0.12856	0.03337	12	0.35	038.53	0
038	Molybdenum (mg / kg (ppm))	2053	0.79000	0.00000	0.72179	0.12856	0.03337	12	0.53	038.42	0
038	Molybdenum (mg / kg (ppm))	0045	0.88000	0.08000	0.72179	0.12856	0.03337	12	1.23	038.42	0
038	Molybdenum (mg / kg (ppm))	0297	1.2500	0.04000	0.72179	0.12856	0.03337	12	4.11	038.43	0
040	Barium (mg / kg (ppm))	0918	1.0250	0.01260				2		040.53	0
040	Barium (mg / kg (ppm))	0560	1.1300	0.04000				2		040.42	0
042	Chloride (%)	0948	1.1050	0.01000				2		042.00	0
042	Chloride (%)	0297	1.1105	0.00100				2		042.00	0
101	Choline Chloride (mg / kg (ppm))	0644	1,168.5	91.000	2,254.6	847.09	87.750	4	-1.28	101.02	0
101	Choline Chloride (mg / kg (ppm))	2004	1,995.0	10.000	2,254.6	847.09	87.750	4	-0.31	101.01	0
101	Choline Chloride (mg / kg (ppm))	0227	2,920.0	0.00000	2,254.6	847.09	87.750	4	0.79	101.00	0
101	Choline Chloride (mg / kg (ppm))	0160	2,935.0	250.00	2,254.6	847.09	87.750	4	0.80	101.02	0
102	Niacin (mg / kg (ppm))	2161	19.825	1.0500				3		102.02	0
102	Niacin (mg / kg (ppm))	0160	20.400	1.6000				3		102.99	0
102	Niacin (mg / kg (ppm))	0227	45.750	3.5000				3		102.01	0
103	Pantothenic Acid (mg / kg (ppm))	0227	66.400	0.20000				3		103.01	0
103	Pantothenic Acid (mg / kg (ppm))	0629	69.675	0.05000				3		103.02	0
103	Pantothenic Acid (mg / kg (ppm))	0160	78.450	6.7000				3		103.99	0
104	Riboflavin (mg / kg (ppm))	0910	8.7000	0.24000	9.8975	1.0934	1.3450	4	-1.10	104.03	0
104	Riboflavin (mg / kg (ppm))	0227	9.6300	0.52000	9.8975	1.0934	1.3450	4	-0.24	104.00	0
104	Riboflavin (mg / kg (ppm))	2161	9.9200	1.1000	9.8975	1.0934	1.3450	4	0.02	104.00	0
104	Riboflavin (mg / kg (ppm))	0160	11.340	3.5200	9.8975	1.0934	1.3450	4	1.32	104.99	0
105	Thiamine (mg / kg (ppm))	0904	5.6500	0.96000	9.2090	2.6460	0.57400	5	-1.35	105.00	0
105	Thiamine (mg / kg (ppm))	0160	7.8800	0.14000	9.2090	2.6460	0.57400	5	-0.50	105.00	0
105	Thiamine (mg / kg (ppm))	0227	9.7950	1.2100	9.2090	2.6460	0.57400	5	0.22	105.01	0
105	Thiamine (mg / kg (ppm))	0629	9.9500	0.10000	9.2090	2.6460	0.57400	5	0.28	105.00	0
105	Thiamine (mg / kg (ppm))	0910	12.770	0.46000	9.2090	2.6460	0.57400	5	1.35	105.00	0
106	Vitamin A (KU / kg)	0905	21.515	2.0190	41.291	8.4508	3.1708	25	-2.34	106.02	0
106	Vitamin A (KU / kg)	0004	21.625	1.4100	41.291	8.4508	3.1708	25	-2.33	106.02	0
106	Vitamin A (KU / kg)	0964	22.799	4.9979	41.291	8.4508	3.1708	25	-2.19	106.00	0
106	Vitamin A (KU / kg)	0910	35.000	3.6000	41.291	8.4508	3.1708	25	-0.74	106.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
106	Vitamin A (KU / kg)	0098	36.450	0.50000	41.291	8.4508	3.1708	25	-0.57	106.01	0
106	Vitamin A (KU / kg)	0875	36.500	1.0000	41.291	8.4508	3.1708	25	-0.57	106.02	0
106	Vitamin A (KU / kg)	2053	36.950	0.90000	41.291	8.4508	3.1708	25	-0.51	106.02	0
106	Vitamin A (KU / kg)	2103	37.495	5.8500	41.291	8.4508	3.1708	25	-0.45	106.02	0
106	Vitamin A (KU / kg)	0227	37.800	1.4000	41.291	8.4508	3.1708	25	-0.41	106.02	0
106	Vitamin A (KU / kg)	0610	38.500	5.8000	41.291	8.4508	3.1708	25	-0.33	106.02	0
106	Vitamin A (KU / kg)	0563	38.755	3.4300	41.291	8.4508	3.1708	25	-0.30	106.02	0
106	Vitamin A (KU / kg)	0676	39.050	4.5000	41.291	8.4508	3.1708	25	-0.27	106.02	0
106	Vitamin A (KU / kg)	2004	40.000	2.2000	41.291	8.4508	3.1708	25	-0.15	106.02	0
106	Vitamin A (KU / kg)	0675	40.460	6.5800	41.291	8.4508	3.1708	25	-0.10	106.02	0
106	Vitamin A (KU / kg)	0208	42.438	5.9520	41.291	8.4508	3.1708	25	0.14	106.02	0
106	Vitamin A (KU / kg)	0904	43.305	0.71000	41.291	8.4508	3.1708	25	0.24	106.02	0
106	Vitamin A (KU / kg)	2161	44.100	1.8000	41.291	8.4508	3.1708	25	0.33	106.01	0
106	Vitamin A (KU / kg)	0861	44.450	0.50000	41.291	8.4508	3.1708	25	0.37	106.02	0
106	Vitamin A (KU / kg)	0027	46.772	2.1650	41.291	8.4508	3.1708	25	0.65	106.00	0
106	Vitamin A (KU / kg)	0160	48.450	1.7000	41.291	8.4508	3.1708	25	0.85	106.02	0
106	Vitamin A (KU / kg)	0014	48.700	9.6000	41.291	8.4508	3.1708	25	0.88	106.02	0
106	Vitamin A (KU / kg)	0619	50.700	0.00000	41.291	8.4508	3.1708	25	1.11	106.02	0
106	Vitamin A (KU / kg)	0512	52.625	4.6100	41.291	8.4508	3.1708	25	1.34	106.02	0
106	Vitamin A (KU / kg)	0019	55.840	6.0450	41.291	8.4508	3.1708	25	1.72	106.00	0
106	Vitamin A (KU / kg)	2144	59.000	2.0000	41.291	8.4508	3.1708	25	2.10	106.02	0
106	Vitamin A (KU / kg)	0038	54.250	16.700	41.291	8.4508	3.1708	25	1.53	106.02	1
107	Vitamin B12 (µg / kg (ppb))	0227	96.200	2.2000				1		107.00	0
108	Vitamin D3 (KU / kg)	0861	0.71200	0.00000	9.3532	3.4732	0.75300	10	-2.49	108.02	0
108	Vitamin D3 (KU / kg)	0160	2.5000	0.26000	9.3532	3.4732	0.75300	10	-1.97	108.99	0
108	Vitamin D3 (KU / kg)	0610	8.7000	0.80000	9.3532	3.4732	0.75300	10	-0.19	108.02	0
108	Vitamin D3 (KU / kg)	0675	9.1750	0.39000	9.3532	3.4732	0.75300	10	-0.05	108.02	0
108	Vitamin D3 (KU / kg)	2103	9.8300	0.02000	9.3532	3.4732	0.75300	10	0.14	108.02	0
108	Vitamin D3 (KU / kg)	0904	10.120	1.9000	9.3532	3.4732	0.75300	10	0.22	108.02	0
108	Vitamin D3 (KU / kg)	2004	11.150	1.1000	9.3532	3.4732	0.75300	10	0.52	108.99	0
108	Vitamin D3 (KU / kg)	0227	11.150	0.30000	9.3532	3.4732	0.75300	10	0.52	108.02	0
108	Vitamin D3 (KU / kg)	0208	11.600	2.0000	9.3532	3.4732	0.75300	10	0.65	108.02	0
108	Vitamin D3 (KU / kg)	0676	13.520	0.76000	9.3532	3.4732	0.75300	10	1.20	108.02	0
109	Vitamin E (IU/kg)	0619	0.22900	0.00000	245.93	89.454	17.218	20	-2.75	109.02	0
109	Vitamin E (IU/kg)	0905	106.50	9.0000	245.93	89.454	17.218	20	-1.56	109.02	0
109	Vitamin E (IU/kg)	0027	157.40	36.200	245.93	89.454	17.218	20	-0.99	109.02	0
109	Vitamin E (IU/kg)	0098	178.50	49.000	245.93	89.454	17.218	20	-0.75	109.02	0
109	Vitamin E (IU/kg)	2053	186.50	27.000	245.93	89.454	17.218	20	-0.66	109.02	0
109	Vitamin E (IU/kg)	0208	188.59	0.00000	245.93	89.454	17.218	20	-0.64	109.02	0
109	Vitamin E (IU/kg)	0610	199.50	31.000	245.93	89.454	17.218	20	-0.52	109.02	0
109	Vitamin E (IU/kg)	0904	220.43	14.070	245.93	89.454	17.218	20	-0.29	109.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
109	Vitamin E (IU/kg)	0676	228.40	5.2000	245.93	89.454	17.218	20	-0.20	109.02	0
109	Vitamin E (IU/kg)	0910	232.20	5.2000	245.93	89.454	17.218	20	-0.15	109.02	0
109	Vitamin E (IU/kg)	0861	245.00	10.000	245.93	89.454	17.218	20	-0.01	109.02	0
109	Vitamin E (IU/kg)	0955	249.00	4.0000	245.93	89.454	17.218	20	0.03	109.02	0
109	Vitamin E (IU/kg)	0160	265.50	15.000	245.93	89.454	17.218	20	0.22	109.99	0
109	Vitamin E (IU/kg)	2103	299.50	3.0000	245.93	89.454	17.218	20	0.60	109.02	0
109	Vitamin E (IU/kg)	0675	305.08	18.700	245.93	89.454	17.218	20	0.66	109.02	0
109	Vitamin E (IU/kg)	2161	336.65	6.5000	245.93	89.454	17.218	20	1.01	109.02	0
109	Vitamin E (IU/kg)	2144	340.00	20.000	245.93	89.454	17.218	20	1.05	109.02	0
109	Vitamin E (IU/kg)	0563	342.50	19.000	245.93	89.454	17.218	20	1.08	109.02	0
109	Vitamin E (IU/kg)	0096	345.37	41.493	245.93	89.454	17.218	20	1.11	109.99	0
109	Vitamin E (IU/kg)	2022	375.00	30.000	245.93	89.454	17.218	20	1.44	109.02	0
109	Vitamin E (IU/kg)	0227	268.50	93.000	245.93	89.454	17.218	20	0.25	109.02	1
111	Vitamin C, phosphorylated (mg / kg (ppn	0227	49.150	3.5000				2		111.98	0
111	Vitamin C, phosphorylated (mg / kg (ppn	2161	75.945	0.23000				2		111.01	0
111	Vitamin C, phosphorylated (mg / kg (ppn	0160	0.00000	0.00000				2		111.01	4
112	Pyridoxine (µg / g)	0160	2.4330	1.0780				2		112.99	0
112	Pyridoxine (µg / g)	0227	59.050	4.3000				2		112.01	0
113	Folic Acid (mg / kg (ppm))	2161	0.64000	0.06000				3		113.02	0
113	Folic Acid (mg / kg (ppm))	0160	0.75000	0.34000				3		113.99	0
113	Folic Acid (mg / kg (ppm))	0227	1.3850	0.07000				3		113.01	0
114	Biotin (mg / kg (ppm))	0227	0.31850	0.00100				2		114.01	0
114	Biotin (mg / kg (ppm))	0160	0.52000	0.06000				2		114.99	0
120	Alanine (%)	0626	1.0160	0.00200	1.1026	0.03938	0.02185	25	-2.20	120.05	0
120	Alanine (%)	2161	1.0450	0.02000	1.1026	0.03938	0.02185	25	-1.46	120.99	0
120	Alanine (%)	0910	1.0500	0.08000	1.1026	0.03938	0.02185	25	-1.34	120.00	0
120	Alanine (%)	0610	1.0500	0.00000	1.1026	0.03938	0.02185	25	-1.34	120.05	0
120	Alanine (%)	0619	1.0650	0.01000	1.1026	0.03938	0.02185	25	-0.96	120.00	0
120	Alanine (%)	2146	1.0700	0.02000	1.1026	0.03938	0.02185	25	-0.83	120.99	0
120	Alanine (%)	0968	1.0855	0.00300	1.1026	0.03938	0.02185	25	-0.44	120.00	0
120	Alanine (%)	0676	1.0865	0.06700	1.1026	0.03938	0.02185	25	-0.41	120.05	0
120	Alanine (%)	0652	1.0900	0.02000	1.1026	0.03938	0.02185	25	-0.32	120.00	0
120	Alanine (%)	0354	1.0950	0.04200	1.1026	0.03938	0.02185	25	-0.19	120.00	0
120	Alanine (%)	0941	1.0950	0.01000	1.1026	0.03938	0.02185	25	-0.19	120.00	0
120	Alanine (%)	0684	1.1040	0.00000	1.1026	0.03938	0.02185	25	0.03	120.00	0
120	Alanine (%)	2059	1.1075	0.01500	1.1026	0.03938	0.02185	25	0.12	120.00	0
120	Alanine (%)	0571	1.1095	0.01900	1.1026	0.03938	0.02185	25	0.17	120.00	0
120	Alanine (%)	0859	1.1125	0.00500	1.1026	0.03938	0.02185	25	0.25	120.00	0
120	Alanine (%)	0148	1.1195	0.03900	1.1026	0.03938	0.02185	25	0.43	120.05	0
120	Alanine (%)	0955	1.1200	0.02000	1.1026	0.03938	0.02185	25	0.44	120.00	0
120	Alanine (%)	0872	1.1225	0.03100	1.1026	0.03938	0.02185	25	0.50	120.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
120	Alanine (%)	0878	1.1255	0.01100	1.1026	0.03938	0.02185	25	0.58	120.00	0
120	Alanine (%)	0644	1.1340	0.00600	1.1026	0.03938	0.02185	25	0.80	120.00	0
120	Alanine (%)	0227	1.1350	0.01000	1.1026	0.03938	0.02185	25	0.82	120.00	0
120	Alanine (%)	0675	1.1350	0.01000	1.1026	0.03938	0.02185	25	0.82	120.00	0
120	Alanine (%)	0098	1.1420	0.02400	1.1026	0.03938	0.02185	25	1.00	120.02	0
120	Alanine (%)	0870	1.1644	0.03590	1.1026	0.03938	0.02185	25	1.57	120.00	0
120	Alanine (%)	0918	1.1738	0.04630	1.1026	0.03938	0.02185	25	1.81	120.00	0
121	Arginine (%)	0918	0.56220	0.02660	0.60187	0.02483	0.01503	23	-1.60	121.00	0
121	Arginine (%)	0619	0.56550	0.01100	0.60187	0.02483	0.01503	23	-1.46	121.00	0
121	Arginine (%)	0870	0.57830	0.00320	0.60187	0.02483	0.01503	23	-0.95	121.00	0
121	Arginine (%)	0652	0.58000	0.00000	0.60187	0.02483	0.01503	23	-0.88	121.00	0
121	Arginine (%)	0354	0.58100	0.01200	0.60187	0.02483	0.01503	23	-0.84	121.00	0
121	Arginine (%)	0859	0.58200	0.01200	0.60187	0.02483	0.01503	23	-0.80	121.00	0
121	Arginine (%)	0878	0.58650	0.01700	0.60187	0.02483	0.01503	23	-0.62	121.00	0
121	Arginine (%)	0148	0.58800	0.03800	0.60187	0.02483	0.01503	23	-0.56	121.05	0
121	Arginine (%)	0872	0.58850	0.01700	0.60187	0.02483	0.01503	23	-0.54	121.00	0
121	Arginine (%)	0675	0.59500	0.01000	0.60187	0.02483	0.01503	23	-0.28	121.00	0
121	Arginine (%)	0684	0.59650	0.00700	0.60187	0.02483	0.01503	23	-0.22	121.00	0
121	Arginine (%)	0626	0.59700	0.01000	0.60187	0.02483	0.01503	23	-0.20	121.05	0
121	Arginine (%)	0227	0.61000	0.02000	0.60187	0.02483	0.01503	23	0.33	121.00	0
121	Arginine (%)	0941	0.61000	0.02000	0.60187	0.02483	0.01503	23	0.33	121.00	0
121	Arginine (%)	0955	0.61550	0.00100	0.60187	0.02483	0.01503	23	0.55	121.00	0
121	Arginine (%)	0571	0.61650	0.00900	0.60187	0.02483	0.01503	23	0.59	121.00	0
121	Arginine (%)	0968	0.61750	0.00100	0.60187	0.02483	0.01503	23	0.63	121.00	0
121	Arginine (%)	0610	0.62000	0.00000	0.60187	0.02483	0.01503	23	0.73	121.05	0
121	Arginine (%)	2059	0.62400	0.00400	0.60187	0.02483	0.01503	23	0.89	121.00	0
121	Arginine (%)	0098	0.62600	0.00800	0.60187	0.02483	0.01503	23	0.97	121.02	0
121	Arginine (%)	0644	0.62650	0.01100	0.60187	0.02483	0.01503	23	0.99	121.00	0
121	Arginine (%)	0910	0.63500	0.09000	0.60187	0.02483	0.01503	23	1.33	121.00	0
121	Arginine (%)	0676	0.65100	0.01800	0.60187	0.02483	0.01503	23	1.98	121.05	0
121	Arginine (%)	2161	0.46000	0.48000	0.60187	0.02483	0.01503	23	-5.71	121.99	1
122	Aspartic (%)	0626	2.2895	0.07300	2.4267	0.06755	0.04612	24	-2.03	122.05	0
122	Aspartic (%)	0859	2.3280	0.01600	2.4267	0.06755	0.04612	24	-1.46	122.00	0
122	Aspartic (%)	0941	2.3550	0.07000	2.4267	0.06755	0.04612	24	-1.06	122.00	0
122	Aspartic (%)	2146	2.3600	0.12000	2.4267	0.06755	0.04612	24	-0.99	122.99	0
122	Aspartic (%)	0354	2.3695	0.08500	2.4267	0.06755	0.04612	24	-0.85	122.00	0
122	Aspartic (%)	0955	2.3750	0.03000	2.4267	0.06755	0.04612	24	-0.77	122.00	0
122	Aspartic (%)	0684	2.3975	0.03700	2.4267	0.06755	0.04612	24	-0.43	122.00	0
122	Aspartic (%)	0610	2.4000	0.00000	2.4267	0.06755	0.04612	24	-0.40	122.05	0
122	Aspartic (%)	0910	2.4050	0.07000	2.4267	0.06755	0.04612	24	-0.32	122.00	0
122	Aspartic (%)	0968	2.4050	0.00200	2.4267	0.06755	0.04612	24	-0.32	122.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
122	Aspartic (%)	0872	2.4145	0.01100	2.4267	0.06755	0.04612	24	-0.18	122.00	0
122	Aspartic (%)	0571	2.4260	0.02000	2.4267	0.06755	0.04612	24	-0.01	122.00	0
122	Aspartic (%)	0644	2.4265	0.02900	2.4267	0.06755	0.04612	24	0.00	122.00	0
122	Aspartic (%)	0675	2.4300	0.02000	2.4267	0.06755	0.04612	24	0.05	122.00	0
122	Aspartic (%)	0098	2.4335	0.00300	2.4267	0.06755	0.04612	24	0.10	122.02	0
122	Aspartic (%)	0619	2.4400	0.06000	2.4267	0.06755	0.04612	24	0.20	122.00	0
122	Aspartic (%)	2059	2.4575	0.00900	2.4267	0.06755	0.04612	24	0.46	122.00	0
122	Aspartic (%)	0227	2.4600	0.04000	2.4267	0.06755	0.04612	24	0.49	122.00	0
122	Aspartic (%)	0652	2.4650	0.05000	2.4267	0.06755	0.04612	24	0.57	122.00	0
122	Aspartic (%)	0878	2.4795	0.01300	2.4267	0.06755	0.04612	24	0.78	122.00	0
122	Aspartic (%)	0148	2.5045	0.10100	2.4267	0.06755	0.04612	24	1.15	122.05	0
122	Aspartic (%)	0870	2.5412	0.06360	2.4267	0.06755	0.04612	24	1.69	122.00	0
122	Aspartic (%)	0676	2.5725	0.11500	2.4267	0.06755	0.04612	24	2.16	122.05	0
122	Aspartic (%)	0918	2.5837	0.06930	2.4267	0.06755	0.04612	24	2.32	122.00	0
122	Aspartic (%)	2161	2.4040	0.23800	2.4267	0.06755	0.04612	24	-0.34	122.99	1
124	Cysteine/Cystine (%)	0148	0.30350	0.01500	0.52077	0.03463	0.01204	23	-6.27	124.05	0
124	Cysteine/Cystine (%)	0227	0.43500	0.01000	0.52077	0.03463	0.01204	23	-2.48	124.00	0
124	Cysteine/Cystine (%)	0955	0.48350	0.00100	0.52077	0.03463	0.01204	23	-1.08	124.00	0
124	Cysteine/Cystine (%)	0644	0.48400	0.00200	0.52077	0.03463	0.01204	23	-1.06	124.00	0
124	Cysteine/Cystine (%)	0675	0.49500	0.03000	0.52077	0.03463	0.01204	23	-0.74	124.00	0
124	Cysteine/Cystine (%)	0859	0.50100	0.00600	0.52077	0.03463	0.01204	23	-0.57	124.00	0
124	Cysteine/Cystine (%)	0910	0.50500	0.01000	0.52077	0.03463	0.01204	23	-0.46	124.00	0
124	Cysteine/Cystine (%)	0870	0.50715	0.00190	0.52077	0.03463	0.01204	23	-0.39	124.00	0
124	Cysteine/Cystine (%)	0968	0.50850	0.00100	0.52077	0.03463	0.01204	23	-0.35	124.00	0
124	Cysteine/Cystine (%)	0652	0.51000	0.00000	0.52077	0.03463	0.01204	23	-0.31	124.00	0
124	Cysteine/Cystine (%)	0918	0.51800	0.02400	0.52077	0.03463	0.01204	23	-0.08	124.00	0
124	Cysteine/Cystine (%)	0571	0.52000	0.00000	0.52077	0.03463	0.01204	23	-0.02	124.00	0
124	Cysteine/Cystine (%)	0878	0.52300	0.00600	0.52077	0.03463	0.01204	23	0.06	124.00	0
124	Cysteine/Cystine (%)	0872	0.52450	0.05300	0.52077	0.03463	0.01204	23	0.11	124.00	0
124	Cysteine/Cystine (%)	0684	0.53050	0.01300	0.52077	0.03463	0.01204	23	0.28	124.00	0
124	Cysteine/Cystine (%)	0098	0.53150	0.00700	0.52077	0.03463	0.01204	23	0.31	124.02	0
124	Cysteine/Cystine (%)	0941	0.53800	0.00400	0.52077	0.03463	0.01204	23	0.50	124.00	0
124	Cysteine/Cystine (%)	2059	0.54350	0.00500	0.52077	0.03463	0.01204	23	0.66	124.00	0
124	Cysteine/Cystine (%)	0610	0.55000	0.00000	0.52077	0.03463	0.01204	23	0.84	124.05	0
124	Cysteine/Cystine (%)	0354	0.55200	0.03800	0.52077	0.03463	0.01204	23	0.90	124.00	0
124	Cysteine/Cystine (%)	0676	0.56950	0.02500	0.52077	0.03463	0.01204	23	1.41	124.05	0
124	Cysteine/Cystine (%)	0619	0.58850	0.01500	0.52077	0.03463	0.01204	23	1.96	124.00	0
124	Cysteine/Cystine (%)	2146	0.66500	0.01000	0.52077	0.03463	0.01204	23	4.16	124.99	0
125	Glutamic (%)	0859	3.8280	0.02000	4.0325	0.11331	0.07160	25	-1.80	125.00	0
125	Glutamic (%)	0354	3.8760	0.14800	4.0325	0.11331	0.07160	25	-1.38	125.00	0
125	Glutamic (%)	0684	3.8830	0.05200	4.0325	0.11331	0.07160	25	-1.32	125.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
125	Glutamic (%)	0941	3.8950	0.03000	4.0325	0.11331	0.07160	25	-1.21	125.00	0
125	Glutamic (%)	0610	3.9150	0.03000	4.0325	0.11331	0.07160	25	-1.04	125.05	0
125	Glutamic (%)	2059	3.9705	0.04100	4.0325	0.11331	0.07160	25	-0.55	125.00	0
125	Glutamic (%)	0968	3.9765	0.04700	4.0325	0.11331	0.07160	25	-0.49	125.00	0
125	Glutamic (%)	2161	3.9775	0.15900	4.0325	0.11331	0.07160	25	-0.49	125.99	0
125	Glutamic (%)	0571	3.9890	0.00400	4.0325	0.11331	0.07160	25	-0.38	125.00	0
125	Glutamic (%)	0626	4.0150	0.03000	4.0325	0.11331	0.07160	25	-0.15	125.05	0
125	Glutamic (%)	0675	4.0200	0.08000	4.0325	0.11331	0.07160	25	-0.11	125.00	0
125	Glutamic (%)	0619	4.0350	0.09000	4.0325	0.11331	0.07160	25	0.02	125.00	0
125	Glutamic (%)	0644	4.0405	0.01500	4.0325	0.11331	0.07160	25	0.07	125.00	0
125	Glutamic (%)	0098	4.0445	0.07700	4.0325	0.11331	0.07160	25	0.11	125.02	0
125	Glutamic (%)	0872	4.0465	0.02300	4.0325	0.11331	0.07160	25	0.12	125.00	0
125	Glutamic (%)	0910	4.0550	0.13000	4.0325	0.11331	0.07160	25	0.20	125.00	0
125	Glutamic (%)	0878	4.0590	0.06000	4.0325	0.11331	0.07160	25	0.23	125.00	0
125	Glutamic (%)	0227	4.0600	0.02000	4.0325	0.11331	0.07160	25	0.24	125.00	0
125	Glutamic (%)	0652	4.1050	0.01000	4.0325	0.11331	0.07160	25	0.64	125.00	0
125	Glutamic (%)	2146	4.1200	0.06000	4.0325	0.11331	0.07160	25	0.77	125.99	0
125	Glutamic (%)	0676	4.1275	0.17900	4.0325	0.11331	0.07160	25	0.84	125.05	0
125	Glutamic (%)	0918	4.1500	0.15350	4.0325	0.11331	0.07160	25	1.04	125.00	0
125	Glutamic (%)	0148	4.1840	0.15800	4.0325	0.11331	0.07160	25	1.34	125.05	0
125	Glutamic (%)	0870	4.2049	0.13360	4.0325	0.11331	0.07160	25	1.52	125.00	0
125	Glutamic (%)	0955	4.2500	0.04000	4.0325	0.11331	0.07160	25	1.92	125.00	0
126	Glycine (%)	2146	0.41500	0.03000	0.46078	0.01476	0.00930	25	-3.10	126.99	0
126	Glycine (%)	0910	0.42500	0.03000	0.46078	0.01476	0.00930	25	-2.42	126.00	0
126	Glycine (%)	0619	0.43350	0.00900	0.46078	0.01476	0.00930	25	-1.85	126.00	0
126	Glycine (%)	0098	0.44700	0.00200	0.46078	0.01476	0.00930	25	-0.93	126.02	0
126	Glycine (%)	0652	0.45000	0.00000	0.46078	0.01476	0.00930	25	-0.73	126.00	0
126	Glycine (%)	0684	0.45200	0.00600	0.46078	0.01476	0.00930	25	-0.59	126.00	0
126	Glycine (%)	0354	0.45250	0.01900	0.46078	0.01476	0.00930	25	-0.56	126.00	0
126	Glycine (%)	0859	0.45300	0.00200	0.46078	0.01476	0.00930	25	-0.53	126.00	0
126	Glycine (%)	0968	0.45750	0.00700	0.46078	0.01476	0.00930	25	-0.22	126.00	0
126	Glycine (%)	0675	0.46000	0.00000	0.46078	0.01476	0.00930	25	-0.05	126.00	0
126	Glycine (%)	0941	0.46000	0.00000	0.46078	0.01476	0.00930	25	-0.05	126.00	0
126	Glycine (%)	0955	0.46000	0.00800	0.46078	0.01476	0.00930	25	-0.05	126.00	0
126	Glycine (%)	0610	0.46000	0.00000	0.46078	0.01476	0.00930	25	-0.05	126.05	0
126	Glycine (%)	0626	0.46050	0.00300	0.46078	0.01476	0.00930	25	-0.02	126.05	0
126	Glycine (%)	0571	0.46150	0.00900	0.46078	0.01476	0.00930	25	0.05	126.00	0
126	Glycine (%)	0918	0.46440	0.02120	0.46078	0.01476	0.00930	25	0.25	126.00	0
126	Glycine (%)	0878	0.46500	0.00400	0.46078	0.01476	0.00930	25	0.29	126.00	0
126	Glycine (%)	2161	0.46550	0.02100	0.46078	0.01476	0.00930	25	0.32	126.99	0
126	Glycine (%)	2059	0.46650	0.00500	0.46078	0.01476	0.00930	25	0.39	126.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
126	Glycine (%)	0872	0.46850	0.00100	0.46078	0.01476	0.00930	25	0.52	126.00	0
126	Glycine (%)	0227	0.47000	0.00000	0.46078	0.01476	0.00930	25	0.62	126.00	0
126	Glycine (%)	0870	0.48090	0.01640	0.46078	0.01476	0.00930	25	1.36	126.00	0
126	Glycine (%)	0644	0.48450	0.00700	0.46078	0.01476	0.00930	25	1.61	126.00	0
126	Glycine (%)	0676	0.49150	0.02700	0.46078	0.01476	0.00930	25	2.08	126.05	0
126	Glycine (%)	0148	0.53750	0.00500	0.46078	0.01476	0.00930	25	5.20	126.05	0
127	Histidine (%)	2146	0.40000	0.02000	0.44311	0.02194	0.01274	24	-1.96	127.99	0
127	Histidine (%)	0859	0.41000	0.01000	0.44311	0.02194	0.01274	24	-1.51	127.00	0
127	Histidine (%)	0968	0.41950	0.02700	0.44311	0.02194	0.01274	24	-1.08	127.00	0
127	Histidine (%)	0870	0.42005	0.02370	0.44311	0.02194	0.01274	24	-1.05	127.00	0
127	Histidine (%)	0626	0.42850	0.00700	0.44311	0.02194	0.01274	24	-0.67	127.05	0
127	Histidine (%)	0610	0.43000	0.00000	0.44311	0.02194	0.01274	24	-0.60	127.05	0
127	Histidine (%)	2059	0.43200	0.00200	0.44311	0.02194	0.01274	24	-0.51	127.00	0
127	Histidine (%)	0684	0.43450	0.00700	0.44311	0.02194	0.01274	24	-0.39	127.00	0
127	Histidine (%)	0910	0.43500	0.01000	0.44311	0.02194	0.01274	24	-0.37	127.00	0
127	Histidine (%)	0872	0.43700	0.00200	0.44311	0.02194	0.01274	24	-0.28	127.00	0
127	Histidine (%)	0354	0.43800	0.01400	0.44311	0.02194	0.01274	24	-0.23	127.00	0
127	Histidine (%)	0918	0.43810	0.01800	0.44311	0.02194	0.01274	24	-0.23	127.00	0
127	Histidine (%)	0098	0.43850	0.00700	0.44311	0.02194	0.01274	24	-0.21	127.02	0
127	Histidine (%)	0675	0.44000	0.02000	0.44311	0.02194	0.01274	24	-0.14	127.00	0
127	Histidine (%)	0571	0.44650	0.01700	0.44311	0.02194	0.01274	24	0.15	127.00	0
127	Histidine (%)	0652	0.45000	0.02000	0.44311	0.02194	0.01274	24	0.31	127.00	0
127	Histidine (%)	0227	0.45500	0.01000	0.44311	0.02194	0.01274	24	0.54	127.00	0
127	Histidine (%)	0644	0.45850	0.00300	0.44311	0.02194	0.01274	24	0.70	127.00	0
127	Histidine (%)	0148	0.46300	0.01400	0.44311	0.02194	0.01274	24	0.91	127.05	0
127	Histidine (%)	0878	0.46350	0.00700	0.44311	0.02194	0.01274	24	0.93	127.00	0
127	Histidine (%)	0941	0.46500	0.01000	0.44311	0.02194	0.01274	24	1.00	127.00	0
127	Histidine (%)	0676	0.46950	0.01700	0.44311	0.02194	0.01274	24	1.20	127.05	0
127	Histidine (%)	0619	0.49850	0.00300	0.44311	0.02194	0.01274	24	2.52	127.00	0
127	Histidine (%)	2161	0.57050	0.03700	0.44311	0.02194	0.01274	24	5.81	127.99	0
128	Isoleucine (%)	0148	1.2045	0.04100	1.3689	0.03798	0.02524	25	-4.33	128.05	0
128	Isoleucine (%)	2146	1.2050	0.01000	1.3689	0.03798	0.02524	25	-4.32	128.99	0
128	Isoleucine (%)	0684	1.2910	0.01400	1.3689	0.03798	0.02524	25	-2.05	128.00	0
128	Isoleucine (%)	0619	1.3100	0.04000	1.3689	0.03798	0.02524	25	-1.55	128.00	0
128	Isoleucine (%)	0652	1.3350	0.01000	1.3689	0.03798	0.02524	25	-0.89	128.00	0
128	Isoleucine (%)	0968	1.3540	0.00200	1.3689	0.03798	0.02524	25	-0.39	128.00	0
128	Isoleucine (%)	2161	1.3600	0.05400	1.3689	0.03798	0.02524	25	-0.23	128.99	0
128	Isoleucine (%)	0675	1.3600	0.02000	1.3689	0.03798	0.02524	25	-0.23	128.00	0
128	Isoleucine (%)	0941	1.3600	0.00000	1.3689	0.03798	0.02524	25	-0.23	128.00	0
128	Isoleucine (%)	0918	1.3641	0.07450	1.3689	0.03798	0.02524	25	-0.13	128.00	0
128	Isoleucine (%)	0910	1.3650	0.01000	1.3689	0.03798	0.02524	25	-0.10	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
128	Isoleucine (%)	0626	1.3655	0.01500	1.3689	0.03798	0.02524	25	-0.09	128.05	0
128	Isoleucine (%)	0955	1.3700	0.04000	1.3689	0.03798	0.02524	25	0.03	128.00	0
128	Isoleucine (%)	0610	1.3700	0.00000	1.3689	0.03798	0.02524	25	0.03	128.05	0
128	Isoleucine (%)	2059	1.3750	0.01400	1.3689	0.03798	0.02524	25	0.16	128.00	0
128	Isoleucine (%)	0354	1.3770	0.04000	1.3689	0.03798	0.02524	25	0.21	128.00	0
128	Isoleucine (%)	0878	1.3790	0.02000	1.3689	0.03798	0.02524	25	0.27	128.00	0
128	Isoleucine (%)	0571	1.3810	0.01800	1.3689	0.03798	0.02524	25	0.32	128.00	0
128	Isoleucine (%)	0870	1.3866	0.08160	1.3689	0.03798	0.02524	25	0.47	128.00	0
128	Isoleucine (%)	0872	1.3970	0.01400	1.3689	0.03798	0.02524	25	0.74	128.00	0
128	Isoleucine (%)	0227	1.4100	0.02000	1.3689	0.03798	0.02524	25	1.08	128.00	0
128	Isoleucine (%)	0644	1.4115	0.01100	1.3689	0.03798	0.02524	25	1.12	128.00	0
128	Isoleucine (%)	0098	1.4135	0.00900	1.3689	0.03798	0.02524	25	1.17	128.02	0
128	Isoleucine (%)	0859	1.4145	0.01700	1.3689	0.03798	0.02524	25	1.20	128.00	0
128	Isoleucine (%)	0676	1.4640	0.05600	1.3689	0.03798	0.02524	25	2.50	128.05	0
129	Leucine (%)	2146	2.0900	0.12000	2.3600	0.06320	0.03820	24	-4.27	129.99	0
129	Leucine (%)	0684	2.2525	0.05100	2.3600	0.06320	0.03820	24	-1.70	129.00	0
129	Leucine (%)	0619	2.2800	0.06000	2.3600	0.06320	0.03820	24	-1.27	129.00	0
129	Leucine (%)	0955	2.2850	0.03000	2.3600	0.06320	0.03820	24	-1.19	129.00	0
129	Leucine (%)	0941	2.3050	0.03000	2.3600	0.06320	0.03820	24	-0.87	129.00	0
129	Leucine (%)	0910	2.3100	0.04000	2.3600	0.06320	0.03820	24	-0.79	129.00	0
129	Leucine (%)	0652	2.3200	0.00000	2.3600	0.06320	0.03820	24	-0.63	129.00	0
129	Leucine (%)	0872	2.3435	0.00500	2.3600	0.06320	0.03820	24	-0.26	129.00	0
129	Leucine (%)	0354	2.3440	0.09400	2.3600	0.06320	0.03820	24	-0.25	129.00	0
129	Leucine (%)	0675	2.3450	0.01000	2.3600	0.06320	0.03820	24	-0.24	129.00	0
129	Leucine (%)	2059	2.3550	0.00200	2.3600	0.06320	0.03820	24	-0.08	129.00	0
129	Leucine (%)	0878	2.3585	0.03100	2.3600	0.06320	0.03820	24	-0.02	129.00	0
129	Leucine (%)	0227	2.3700	0.04000	2.3600	0.06320	0.03820	24	0.16	129.00	0
129	Leucine (%)	0644	2.3755	0.01100	2.3600	0.06320	0.03820	24	0.24	129.00	0
129	Leucine (%)	0626	2.3755	0.01500	2.3600	0.06320	0.03820	24	0.24	129.05	0
129	Leucine (%)	0859	2.3830	0.02200	2.3600	0.06320	0.03820	24	0.36	129.00	0
129	Leucine (%)	0571	2.3865	0.00700	2.3600	0.06320	0.03820	24	0.42	129.00	0
129	Leucine (%)	0098	2.4035	0.02100	2.3600	0.06320	0.03820	24	0.69	129.02	0
129	Leucine (%)	0918	2.4119	0.02730	2.3600	0.06320	0.03820	24	0.82	129.00	0
129	Leucine (%)	0968	2.4125	0.02500	2.3600	0.06320	0.03820	24	0.83	129.00	0
129	Leucine (%)	2161	2.4130	0.07400	2.3600	0.06320	0.03820	24	0.84	129.99	0
129	Leucine (%)	0870	2.4315	0.00760	2.3600	0.06320	0.03820	24	1.13	129.00	0
129	Leucine (%)	0148	2.4465	0.10500	2.3600	0.06320	0.03820	24	1.37	129.05	0
129	Leucine (%)	0676	2.4625	0.08900	2.3600	0.06320	0.03820	24	1.62	129.05	0
129	Leucine (%)	0610	2.6350	0.49000	2.3600	0.06320	0.03820	24	4.35	129.05	1
130	L-Lysine (%)	0160	1.9126	0.15110	2.1809	0.15155	0.10332	32	-1.77	130.99	0
130	L-Lysine (%)	2146	1.9650	0.01000	2.1809	0.15155	0.10332	32	-1.42	130.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
130	L-Lysine (%)	0626	1.9770	0.10200	2.1809	0.15155	0.10332	32	-1.35	130.05	0
130	L-Lysine (%)	0684	1.9840	0.04400	2.1809	0.15155	0.10332	32	-1.30	130.00	0
130	L-Lysine (%)	2145	2.0050	0.09000	2.1809	0.15155	0.10332	32	-1.16	130.01	0
130	L-Lysine (%)	0910	2.0400	0.04000	2.1809	0.15155	0.10332	32	-0.93	130.00	0
130	L-Lysine (%)	0619	2.0700	0.02000	2.1809	0.15155	0.10332	32	-0.73	130.00	0
130	L-Lysine (%)	0652	2.0700	0.02000	2.1809	0.15155	0.10332	32	-0.73	130.00	0
130	L-Lysine (%)	0676	2.1015	0.06300	2.1809	0.15155	0.10332	32	-0.52	130.05	0
130	L-Lysine (%)	0848	2.1150	0.11000	2.1809	0.15155	0.10332	32	-0.43	130.00	0
130	L-Lysine (%)	2161	2.1220	0.16000	2.1809	0.15155	0.10332	32	-0.39	130.99	0
130	L-Lysine (%)	0941	2.1250	0.03000	2.1809	0.15155	0.10332	32	-0.37	130.00	0
130	L-Lysine (%)	0098	2.1330	0.10000	2.1809	0.15155	0.10332	32	-0.32	130.02	0
130	L-Lysine (%)	0968	2.1630	0.01400	2.1809	0.15155	0.10332	32	-0.12	130.00	0
130	L-Lysine (%)	0014	2.1750	0.21000	2.1809	0.15155	0.10332	32	-0.04	130.05	0
130	L-Lysine (%)	0675	2.1800	0.10000	2.1809	0.15155	0.10332	32	-0.01	130.00	0
130	L-Lysine (%)	0955	2.1950	0.01000	2.1809	0.15155	0.10332	32	0.09	130.00	0
130	L-Lysine (%)	0878	2.2020	0.03200	2.1809	0.15155	0.10332	32	0.14	130.00	0
130	L-Lysine (%)	0148	2.2060	0.26800	2.1809	0.15155	0.10332	32	0.17	130.05	0
130	L-Lysine (%)	0918	2.2233	0.03760	2.1809	0.15155	0.10332	32	0.28	130.00	0
130	L-Lysine (%)	0354	2.2235	0.09700	2.1809	0.15155	0.10332	32	0.28	130.00	0
130	L-Lysine (%)	0016	2.2250	0.13000	2.1809	0.15155	0.10332	32	0.29	130.05	0
130	L-Lysine (%)	0571	2.2405	0.04900	2.1809	0.15155	0.10332	32	0.39	130.00	0
130	L-Lysine (%)	0610	2.2450	0.01000	2.1809	0.15155	0.10332	32	0.42	130.05	0
130	L-Lysine (%)	0870	2.2638	0.09760	2.1809	0.15155	0.10332	32	0.55	130.00	0
130	L-Lysine (%)	0872	2.2965	0.12300	2.1809	0.15155	0.10332	32	0.76	130.00	0
130	L-Lysine (%)	0227	2.3350	0.09000	2.1809	0.15155	0.10332	32	1.02	130.00	0
130	L-Lysine (%)	0644	2.3770	0.32800	2.1809	0.15155	0.10332	32	1.29	130.00	0
130	L-Lysine (%)	2059	2.3800	0.03600	2.1809	0.15155	0.10332	32	1.31	130.00	0
130	L-Lysine (%)	0859	2.3805	0.04100	2.1809	0.15155	0.10332	32	1.32	130.00	0
130	L-Lysine (%)	0027	2.4280	0.45000	2.1809	0.15155	0.10332	32	1.63	130.05	0
130	L-Lysine (%)	0512	2.5055	0.24300	2.1809	0.15155	0.10332	32	2.14	130.00	0
130	L-Lysine (%)	2053	2.3900	0.56000	2.1809	0.15155	0.10332	32	1.38	130.99	1
131	Methionine (%)	2053	0.39450	0.09500	0.47708	0.04516	0.02238	24	-1.83	131.99	0
131	Methionine (%)	0955	0.40500	0.00200	0.47708	0.04516	0.02238	24	-1.60	131.00	0
131	Methionine (%)	0918	0.41400	0.00800	0.47708	0.04516	0.02238	24	-1.40	131.00	0
131	Methionine (%)	0098	0.43150	0.00100	0.47708	0.04516	0.02238	24	-1.01	131.02	0
131	Methionine (%)	0941	0.44350	0.00500	0.47708	0.04516	0.02238	24	-0.74	131.00	0
131	Methionine (%)	0610	0.44500	0.03000	0.47708	0.04516	0.02238	24	-0.71	131.05	0
131	Methionine (%)	0878	0.44950	0.01900	0.47708	0.04516	0.02238	24	-0.61	131.00	0
131	Methionine (%)	0675	0.46500	0.01000	0.47708	0.04516	0.02238	24	-0.27	131.00	0
131	Methionine (%)	0619	0.47450	0.00700	0.47708	0.04516	0.02238	24	-0.06	131.00	0
131	Methionine (%)	0872	0.47450	0.00700	0.47708	0.04516	0.02238	24	-0.06	131.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
131	Methionine (%)	0227	0.47500	0.01000	0.47708	0.04516	0.02238	24	-0.05	131.00	0
131	Methionine (%)	0354	0.47800	0.04800	0.47708	0.04516	0.02238	24	0.02	131.00	0
131	Methionine (%)	2059	0.47900	0.01400	0.47708	0.04516	0.02238	24	0.04	131.00	0
131	Methionine (%)	0571	0.48250	0.00500	0.47708	0.04516	0.02238	24	0.12	131.00	0
131	Methionine (%)	0968	0.48250	0.01700	0.47708	0.04516	0.02238	24	0.12	131.00	0
131	Methionine (%)	0910	0.48500	0.05000	0.47708	0.04516	0.02238	24	0.18	131.00	0
131	Methionine (%)	0652	0.49000	0.04000	0.47708	0.04516	0.02238	24	0.29	131.00	0
131	Methionine (%)	0859	0.49350	0.01100	0.47708	0.04516	0.02238	24	0.36	131.00	0
131	Methionine (%)	0644	0.49850	0.00300	0.47708	0.04516	0.02238	24	0.47	131.00	0
131	Methionine (%)	2161	0.50600	0.04400	0.47708	0.04516	0.02238	24	0.64	131.99	0
131	Methionine (%)	0148	0.53700	0.04400	0.47708	0.04516	0.02238	24	1.33	131.05	0
131	Methionine (%)	0626	0.53700	0.01000	0.47708	0.04516	0.02238	24	1.33	131.05	0
131	Methionine (%)	0870	0.55295	0.01710	0.47708	0.04516	0.02238	24	1.68	131.00	0
131	Methionine (%)	2146	0.91000	0.04000	0.47708	0.04516	0.02238	24	9.59	131.99	0
131	Methionine (%)	0684	0.62200	0.23600	0.47708	0.04516	0.02238	24	3.21	131.00	1
132	Phenylalanine (%)	2146	0.66000	0.08000	0.77215	0.03454	0.01890	24	-3.25	132.99	0
132	Phenylalanine (%)	0684	0.72650	0.00900	0.77215	0.03454	0.01890	24	-1.32	132.00	0
132	Phenylalanine (%)	0354	0.73600	0.02800	0.77215	0.03454	0.01890	24	-1.05	132.00	0
132	Phenylalanine (%)	0955	0.74500	0.01600	0.77215	0.03454	0.01890	24	-0.79	132.00	0
132	Phenylalanine (%)	2161	0.74500	0.02400	0.77215	0.03454	0.01890	24	-0.79	132.99	0
132	Phenylalanine (%)	0644	0.75250	0.00100	0.77215	0.03454	0.01890	24	-0.57	132.00	0
132	Phenylalanine (%)	0619	0.75350	0.01900	0.77215	0.03454	0.01890	24	-0.54	132.00	0
132	Phenylalanine (%)	0652	0.75500	0.01000	0.77215	0.03454	0.01890	24	-0.50	132.00	0
132	Phenylalanine (%)	0941	0.75500	0.01000	0.77215	0.03454	0.01890	24	-0.50	132.00	0
132	Phenylalanine (%)	0675	0.76000	0.00000	0.77215	0.03454	0.01890	24	-0.35	132.00	0
132	Phenylalanine (%)	0872	0.76100	0.00200	0.77215	0.03454	0.01890	24	-0.32	132.00	0
132	Phenylalanine (%)	0098	0.76900	0.01800	0.77215	0.03454	0.01890	24	-0.09	132.02	0
132	Phenylalanine (%)	0626	0.76950	0.01300	0.77215	0.03454	0.01890	24	-0.08	132.05	0
132	Phenylalanine (%)	0878	0.77350	0.01300	0.77215	0.03454	0.01890	24	0.04	132.00	0
132	Phenylalanine (%)	0968	0.77650	0.00300	0.77215	0.03454	0.01890	24	0.13	132.00	0
132	Phenylalanine (%)	2059	0.77950	0.00500	0.77215	0.03454	0.01890	24	0.21	132.00	0
132	Phenylalanine (%)	0870	0.77995	0.00430	0.77215	0.03454	0.01890	24	0.23	132.00	0
132	Phenylalanine (%)	0227	0.78000	0.02000	0.77215	0.03454	0.01890	24	0.23	132.00	0
132	Phenylalanine (%)	0859	0.79550	0.00500	0.77215	0.03454	0.01890	24	0.68	132.00	0
132	Phenylalanine (%)	0918	0.81145	0.03930	0.77215	0.03454	0.01890	24	1.14	132.00	0
132	Phenylalanine (%)	0610	0.81500	0.03000	0.77215	0.03454	0.01890	24	1.24	132.05	0
132	Phenylalanine (%)	0148	0.82750	0.04900	0.77215	0.03454	0.01890	24	1.60	132.05	0
132	Phenylalanine (%)	0676	0.82950	0.03300	0.77215	0.03454	0.01890	24	1.66	132.05	0
132	Phenylalanine (%)	0571	0.83900	0.02200	0.77215	0.03454	0.01890	24	1.94	132.00	0
132	Phenylalanine (%)	0910	0.86000	0.18000	0.77215	0.03454	0.01890	24	2.54	132.00	1
133	Proline (%)	2146	1.2450	0.09000	1.3803	0.05873	0.03098	24	-2.30	133.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
133	Proline (%)	0354	1.2650	0.07400	1.3803	0.05873	0.03098	24	-1.96	133.00	0
133	Proline (%)	2161	1.3060	0.04200	1.3803	0.05873	0.03098	24	-1.26	133.99	0
133	Proline (%)	0910	1.3150	0.01000	1.3803	0.05873	0.03098	24	-1.11	133.00	0
133	Proline (%)	0684	1.3325	0.00100	1.3803	0.05873	0.03098	24	-0.81	133.00	0
133	Proline (%)	0859	1.3330	0.01800	1.3803	0.05873	0.03098	24	-0.80	133.00	0
133	Proline (%)	0652	1.3450	0.03000	1.3803	0.05873	0.03098	24	-0.60	133.00	0
133	Proline (%)	0571	1.3485	0.03900	1.3803	0.05873	0.03098	24	-0.54	133.00	0
133	Proline (%)	0872	1.3600	0.05800	1.3803	0.05873	0.03098	24	-0.35	133.00	0
133	Proline (%)	0619	1.3650	0.03000	1.3803	0.05873	0.03098	24	-0.26	133.00	0
133	Proline (%)	0675	1.3700	0.06000	1.3803	0.05873	0.03098	24	-0.17	133.00	0
133	Proline (%)	0610	1.3800	0.00000	1.3803	0.05873	0.03098	24	0.00	133.05	0
133	Proline (%)	0941	1.3950	0.01000	1.3803	0.05873	0.03098	24	0.25	133.00	0
133	Proline (%)	0870	1.4004	0.03950	1.3803	0.05873	0.03098	24	0.34	133.00	0
133	Proline (%)	0227	1.4050	0.05000	1.3803	0.05873	0.03098	24	0.42	133.00	0
133	Proline (%)	0968	1.4065	0.00300	1.3803	0.05873	0.03098	24	0.45	133.00	0
133	Proline (%)	0644	1.4090	0.00400	1.3803	0.05873	0.03098	24	0.49	133.00	0
133	Proline (%)	0878	1.4195	0.00500	1.3803	0.05873	0.03098	24	0.67	133.00	0
133	Proline (%)	0955	1.4200	0.02000	1.3803	0.05873	0.03098	24	0.68	133.00	0
133	Proline (%)	0918	1.4324	0.03510	1.3803	0.05873	0.03098	24	0.89	133.00	0
133	Proline (%)	0626	1.4330	0.01200	1.3803	0.05873	0.03098	24	0.90	133.05	0
133	Proline (%)	2059	1.4365	0.00100	1.3803	0.05873	0.03098	24	0.96	133.00	0
133	Proline (%)	0676	1.4615	0.04900	1.3803	0.05873	0.03098	24	1.38	133.05	0
133	Proline (%)	0148	1.4845	0.06300	1.3803	0.05873	0.03098	24	1.77	133.05	0
134	Serine (%)	0955	1.0700	0.00000	1.1760	0.04641	0.02140	24	-2.28	134.00	0
134	Serine (%)	0644	1.1230	0.00400	1.1760	0.04641	0.02140	24	-1.14	134.00	0
134	Serine (%)	0610	1.1250	0.01000	1.1760	0.04641	0.02140	24	-1.10	134.05	0
134	Serine (%)	0619	1.1350	0.03000	1.1760	0.04641	0.02140	24	-0.88	134.00	0
134	Serine (%)	0098	1.1350	0.04200	1.1760	0.04641	0.02140	24	-0.88	134.02	0
134	Serine (%)	0859	1.1385	0.00700	1.1760	0.04641	0.02140	24	-0.81	134.00	0
134	Serine (%)	0910	1.1500	0.04000	1.1760	0.04641	0.02140	24	-0.56	134.00	0
134	Serine (%)	0872	1.1570	0.00400	1.1760	0.04641	0.02140	24	-0.41	134.00	0
134	Serine (%)	0878	1.1590	0.01000	1.1760	0.04641	0.02140	24	-0.37	134.00	0
134	Serine (%)	0941	1.1600	0.02000	1.1760	0.04641	0.02140	24	-0.34	134.00	0
134	Serine (%)	0571	1.1625	0.00300	1.1760	0.04641	0.02140	24	-0.29	134.00	0
134	Serine (%)	0227	1.1750	0.03000	1.1760	0.04641	0.02140	24	-0.02	134.00	0
134	Serine (%)	0652	1.1750	0.01000	1.1760	0.04641	0.02140	24	-0.02	134.00	0
134	Serine (%)	0354	1.1800	0.04600	1.1760	0.04641	0.02140	24	0.09	134.00	0
134	Serine (%)	0968	1.1810	0.00800	1.1760	0.04641	0.02140	24	0.11	134.00	0
134	Serine (%)	0626	1.1825	0.02100	1.1760	0.04641	0.02140	24	0.14	134.05	0
134	Serine (%)	0675	1.1900	0.02000	1.1760	0.04641	0.02140	24	0.30	134.00	0
134	Serine (%)	2059	1.1965	0.01300	1.1760	0.04641	0.02140	24	0.44	134.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
134	Serine (%)	0684	1.2025	0.03500	1.1760	0.04641	0.02140	24	0.57	134.00	0
134	Serine (%)	0676	1.2070	0.05000	1.1760	0.04641	0.02140	24	0.67	134.05	0
134	Serine (%)	2161	1.2505	0.03700	1.1760	0.04641	0.02140	24	1.61	134.99	0
134	Serine (%)	0870	1.2536	0.03870	1.1760	0.04641	0.02140	24	1.67	134.00	0
134	Serine (%)	0148	1.2675	0.02500	1.1760	0.04641	0.02140	24	1.97	134.05	0
134	Serine (%)	2146	1.3250	0.01000	1.1760	0.04641	0.02140	24	3.21	134.99	0
134	Serine (%)	0918	1.2324	0.16460	1.1760	0.04641	0.02140	24	1.22	134.00	1
135	Threonine (%)	0955	1.3800	0.00000	1.5225	0.04380	0.02603	25	-3.25	135.00	0
135	Threonine (%)	0859	1.4470	0.01400	1.5225	0.04380	0.02603	25	-1.72	135.00	0
135	Threonine (%)	0626	1.4525	0.00700	1.5225	0.04380	0.02603	25	-1.60	135.05	0
135	Threonine (%)	0619	1.4850	0.03000	1.5225	0.04380	0.02603	25	-0.86	135.00	0
135	Threonine (%)	0910	1.4950	0.07000	1.5225	0.04380	0.02603	25	-0.63	135.00	0
135	Threonine (%)	0610	1.4950	0.01000	1.5225	0.04380	0.02603	25	-0.63	135.05	0
135	Threonine (%)	0941	1.5000	0.02000	1.5225	0.04380	0.02603	25	-0.51	135.00	0
135	Threonine (%)	0968	1.5000	0.00000	1.5225	0.04380	0.02603	25	-0.51	135.00	0
135	Threonine (%)	2146	1.5050	0.01000	1.5225	0.04380	0.02603	25	-0.40	135.99	0
135	Threonine (%)	0644	1.5080	0.00200	1.5225	0.04380	0.02603	25	-0.33	135.00	0
135	Threonine (%)	0652	1.5200	0.02000	1.5225	0.04380	0.02603	25	-0.06	135.00	0
135	Threonine (%)	0872	1.5205	0.00100	1.5225	0.04380	0.02603	25	-0.05	135.00	0
135	Threonine (%)	0354	1.5225	0.06100	1.5225	0.04380	0.02603	25	0.00	135.00	0
135	Threonine (%)	0098	1.5230	0.03000	1.5225	0.04380	0.02603	25	0.01	135.02	0
135	Threonine (%)	2161	1.5275	0.00300	1.5225	0.04380	0.02603	25	0.11	135.99	0
135	Threonine (%)	0878	1.5315	0.01300	1.5225	0.04380	0.02603	25	0.20	135.00	0
135	Threonine (%)	0571	1.5370	0.04400	1.5225	0.04380	0.02603	25	0.33	135.00	0
135	Threonine (%)	0684	1.5395	0.05300	1.5225	0.04380	0.02603	25	0.39	135.00	0
135	Threonine (%)	2059	1.5420	0.00200	1.5225	0.04380	0.02603	25	0.44	135.00	0
135	Threonine (%)	0675	1.5450	0.01000	1.5225	0.04380	0.02603	25	0.51	135.00	0
135	Threonine (%)	0227	1.5550	0.01000	1.5225	0.04380	0.02603	25	0.74	135.00	0
135	Threonine (%)	0148	1.5790	0.05800	1.5225	0.04380	0.02603	25	1.29	135.05	0
135	Threonine (%)	0676	1.5860	0.07800	1.5225	0.04380	0.02603	25	1.45	135.05	0
135	Threonine (%)	0870	1.6152	0.04490	1.5225	0.04380	0.02603	25	2.11	135.00	0
135	Threonine (%)	0918	1.6512	0.05980	1.5225	0.04380	0.02603	25	2.94	135.00	0
136	Tryptophan (%)	0870	0.31580	0.00740	0.39765	0.02151	0.00672	13	-3.80	136.00	0
136	Tryptophan (%)	0878	0.37800	0.00400	0.39765	0.02151	0.00672	13	-0.91	136.01	0
136	Tryptophan (%)	0619	0.38100	0.01000	0.39765	0.02151	0.00672	13	-0.77	136.00	0
136	Tryptophan (%)	0918	0.38510	0.00000	0.39765	0.02151	0.00672	13	-0.58	136.00	0
136	Tryptophan (%)	0955	0.38750	0.00300	0.39765	0.02151	0.00672	13	-0.47	136.03	0
136	Tryptophan (%)	0098	0.39250	0.02300	0.39765	0.02151	0.00672	13	-0.24	136.02	0
136	Tryptophan (%)	2059	0.39500	0.00400	0.39765	0.02151	0.00672	13	-0.12	136.03	0
136	Tryptophan (%)	0859	0.40300	0.00000	0.39765	0.02151	0.00672	13	0.25	136.03	0
136	Tryptophan (%)	0684	0.40350	0.00300	0.39765	0.02151	0.00672	13	0.27	136.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
136	Tryptophan (%)	0872	0.40800	0.00200	0.39765	0.02151	0.00672	13	0.48	136.03	0
136	Tryptophan (%)	0571	0.41350	0.00100	0.39765	0.02151	0.00672	13	0.74	136.03	0
136	Tryptophan (%)	0644	0.42700	0.01000	0.39765	0.02151	0.00672	13	1.36	136.01	0
136	Tryptophan (%)	0227	0.43000	0.02000	0.39765	0.02151	0.00672	13	1.50	136.00	0
137	Tyrosine (%)	0870	0.35305	0.03830	0.62519	0.07301	0.01971	18	-3.73	137.00	0
137	Tyrosine (%)	2146	0.53000	0.06000	0.62519	0.07301	0.01971	18	-1.30	137.99	0
137	Tyrosine (%)	0675	0.54000	0.02000	0.62519	0.07301	0.01971	18	-1.17	137.00	0
137	Tyrosine (%)	0354	0.54200	0.00800	0.62519	0.07301	0.01971	18	-1.14	137.00	0
137	Tyrosine (%)	0910	0.58500	0.03000	0.62519	0.07301	0.01971	18	-0.55	137.00	0
137	Tyrosine (%)	0626	0.59700	0.01200	0.62519	0.07301	0.01971	18	-0.39	137.05	0
137	Tyrosine (%)	0684	0.61350	0.00100	0.62519	0.07301	0.01971	18	-0.16	137.00	0
137	Tyrosine (%)	0227	0.61500	0.01000	0.62519	0.07301	0.01971	18	-0.14	137.00	0
137	Tyrosine (%)	2161	0.62900	0.02600	0.62519	0.07301	0.01971	18	0.05	137.99	0
137	Tyrosine (%)	0968	0.63800	0.00000	0.62519	0.07301	0.01971	18	0.18	137.00	0
137	Tyrosine (%)	0098	0.64200	0.00200	0.62519	0.07301	0.01971	18	0.23	137.02	0
137	Tyrosine (%)	0644	0.65300	0.01600	0.62519	0.07301	0.01971	18	0.38	137.00	0
137	Tyrosine (%)	0872	0.65400	0.00800	0.62519	0.07301	0.01971	18	0.39	137.00	0
137	Tyrosine (%)	2059	0.67450	0.00700	0.62519	0.07301	0.01971	18	0.68	137.00	0
137	Tyrosine (%)	0918	0.67550	0.02740	0.62519	0.07301	0.01971	18	0.69	137.00	0
137	Tyrosine (%)	0676	0.70000	0.02400	0.62519	0.07301	0.01971	18	1.02	137.05	0
137	Tyrosine (%)	0148	0.71450	0.02500	0.62519	0.07301	0.01971	18	1.22	137.05	0
137	Tyrosine (%)	0610	0.76000	0.04000	0.62519	0.07301	0.01971	18	1.85	137.05	0
137	Tyrosine (%)	0941	0.59000	0.10000	0.62519	0.07301	0.01971	18	-0.48	137.00	1
138	Valine (%)	0619	1.2000	0.02000	1.3111	0.05096	0.02514	25	-2.18	138.00	0
138	Valine (%)	2146	1.2200	0.04000	1.3111	0.05096	0.02514	25	-1.79	138.99	0
138	Valine (%)	0148	1.2490	0.05600	1.3111	0.05096	0.02514	25	-1.22	138.05	0
138	Valine (%)	2161	1.2540	0.01600	1.3111	0.05096	0.02514	25	-1.12	138.99	0
138	Valine (%)	0652	1.2550	0.01000	1.3111	0.05096	0.02514	25	-1.10	138.00	0
138	Valine (%)	0968	1.2650	0.01000	1.3111	0.05096	0.02514	25	-0.91	138.00	0
138	Valine (%)	0941	1.2850	0.01000	1.3111	0.05096	0.02514	25	-0.51	138.00	0
138	Valine (%)	0626	1.2940	0.01200	1.3111	0.05096	0.02514	25	-0.34	138.05	0
138	Valine (%)	0859	1.2975	0.01700	1.3111	0.05096	0.02514	25	-0.27	138.00	0
138	Valine (%)	0918	1.3030	0.05360	1.3111	0.05096	0.02514	25	-0.16	138.00	0
138	Valine (%)	0910	1.3050	0.05000	1.3111	0.05096	0.02514	25	-0.12	138.00	0
138	Valine (%)	0610	1.3050	0.01000	1.3111	0.05096	0.02514	25	-0.12	138.05	0
138	Valine (%)	0354	1.3185	0.04300	1.3111	0.05096	0.02514	25	0.14	138.00	0
138	Valine (%)	0872	1.3210	0.02000	1.3111	0.05096	0.02514	25	0.19	138.00	0
138	Valine (%)	2059	1.3255	0.00500	1.3111	0.05096	0.02514	25	0.28	138.00	0
138	Valine (%)	0571	1.3265	0.00300	1.3111	0.05096	0.02514	25	0.30	138.00	0
138	Valine (%)	0878	1.3350	0.00800	1.3111	0.05096	0.02514	25	0.47	138.00	0
138	Valine (%)	0098	1.3380	0.01400	1.3111	0.05096	0.02514	25	0.53	138.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
138	Valine (%)	0955	1.3400	0.00000	1.3111	0.05096	0.02514	25	0.57	138.00	0
138	Valine (%)	0684	1.3420	0.03400	1.3111	0.05096	0.02514	25	0.61	138.00	0
138	Valine (%)	0644	1.3450	0.00200	1.3111	0.05096	0.02514	25	0.66	138.00	0
138	Valine (%)	0870	1.3451	0.08290	1.3111	0.05096	0.02514	25	0.67	138.00	0
138	Valine (%)	0675	1.3850	0.01000	1.3111	0.05096	0.02514	25	1.45	138.00	0
138	Valine (%)	0227	1.4050	0.05000	1.3111	0.05096	0.02514	25	1.84	138.00	0
138	Valine (%)	0676	1.5010	0.05200	1.3111	0.05096	0.02514	25	3.73	138.05	0
139	Taurine (%)	2161	0.02350	0.00300	0.06360	0.04999	0.01680	5	-1.24	139.99	0
139	Taurine (%)	0148	0.03800	0.02600	0.06360	0.04999	0.01680	5	-0.27	139.05	0
139	Taurine (%)	0098	0.04800	0.01400	0.06360	0.04999	0.01680	5	0.40	139.02	0
139	Taurine (%)	0160	0.05850	0.00100	0.06360	0.04999	0.01680	5	1.11	139.99	0
139	Taurine (%)	0941	0.15000	0.04000	0.06360	0.04999	0.01680	5	7.25	139.00	0
160	Fructose (%)	0160	0.00000	0.00000				0		160.99	4
160	Fructose (%)	0619	0.00000	0.00000				0		160.99	4
160	Fructose (%)	0861	0.00000	0.00000				0		160.99	4
161	Galactose (%)	0160	0.00000	0.00000				0		161.99	4
162	Glucose (%)	0227	0.29500	0.11000				3		162.99	0
162	Glucose (%)	0861	0.35000	0.10000				3		162.99	0
162	Glucose (%)	2161	0.48000	0.00000				3		162.99	0
162	Glucose (%)	0160	0.00000	0.00000				3		162.99	4
162	Glucose (%)	0619	0.00000	0.00000				3		162.99	4
163	Lactose (%)	2012	24.955	0.71000	30.372	2.2856	0.25867	9	-2.37	163.99	0
163	Lactose (%)	2161	29.130	0.00000	30.372	2.2856	0.25867	9	-0.54	163.99	0
163	Lactose (%)	0629	29.150	0.50000	30.372	2.2856	0.25867	9	-0.53	163.99	0
163	Lactose (%)	2128	29.726	0.09800	30.372	2.2856	0.25867	9	-0.28	163.99	0
163	Lactose (%)	0861	29.850	0.10000	30.372	2.2856	0.25867	9	-0.23	163.99	0
163	Lactose (%)	0160	30.800	0.80000	30.372	2.2856	0.25867	9	0.19	163.99	0
163	Lactose (%)	0689	31.800	0.00000	30.372	2.2856	0.25867	9	0.62	163.99	0
163	Lactose (%)	0619	32.150	0.10000	30.372	2.2856	0.25867	9	0.78	163.99	0
163	Lactose (%)	0904	33.800	0.02000	30.372	2.2856	0.25867	9	1.50	163.99	0
163	Lactose (%)	0227	31.975	3.6100	30.372	2.2856	0.25867	9	0.70	163.99	1
164	Maltose (%)	0160	0.00000	0.00000				0		164.99	4
164	Maltose (%)	0861	0.00000	0.00000				0		164.99	4
165	Sucrose (%)	0227	0.21000	0.02000				2		165.99	0
165	Sucrose (%)	2161	0.30000	0.00000				2		165.99	0
165	Sucrose (%)	0160	0.00000	0.00000				2		165.99	4
165	Sucrose (%)	0619	0.00000	0.00000				2		165.99	4
165	Sucrose (%)	0861	0.05000	0.10000				2		165.99	4
166	Raffinose (%)	0619	0.00000	0.00000				0		166.99	4
167	Stachyose (%)	0619	0.00000	0.00000				0		167.99	4
351	Chlortetracycline (mg/kg (ppm))	0016	41.650	1.7000	102.73	22.949	5.0968	21	-2.66	351.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
351	Chlortetracycline (mg/kg (ppm))	0910	44.500	9.0000	102.73	22.949	5.0968	21	-2.54	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0917	57.150	6.9000	102.73	22.949	5.0968	21	-1.99	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0160	76.600	8.0000	102.73	22.949	5.0968	21	-1.14	351.05	0
351	Chlortetracycline (mg/kg (ppm))	0964	90.421	14.119	102.73	22.949	5.0968	21	-0.54	351.00	0
351	Chlortetracycline (mg/kg (ppm))	2055	92.300	1.6000	102.73	22.949	5.0968	21	-0.45	351.05	0
351	Chlortetracycline (mg/kg (ppm))	2135	98.843	4.7470	102.73	22.949	5.0968	21	-0.17	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0028	98.900	18.400	102.73	22.949	5.0968	21	-0.17	351.05	0
351	Chlortetracycline (mg/kg (ppm))	0511	99.500	1.0000	102.73	22.949	5.0968	21	-0.14	351.00	0
351	Chlortetracycline (mg/kg (ppm))	0875	100.60	0.0000	102.73	22.949	5.0968	21	-0.09	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0043	100.75	0.5000	102.73	22.949	5.0968	21	-0.09	351.00	0
351	Chlortetracycline (mg/kg (ppm))	0148	107.50	3.2000	102.73	22.949	5.0968	21	0.21	351.00	0
351	Chlortetracycline (mg/kg (ppm))	0032	107.50	1.0000	102.73	22.949	5.0968	21	0.21	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0033	111.50	3.0000	102.73	22.949	5.0968	21	0.38	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0038	114.11	2.9600	102.73	22.949	5.0968	21	0.50	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0218	119.82	5.6464	102.73	22.949	5.0968	21	0.74	351.00	0
351	Chlortetracycline (mg/kg (ppm))	0036	120.50	2.6000	102.73	22.949	5.0968	21	0.77	351.03	0
351	Chlortetracycline (mg/kg (ppm))	2145	121.00	0.0000	102.73	22.949	5.0968	21	0.80	351.05	0
351	Chlortetracycline (mg/kg (ppm))	0027	124.98	5.5400	102.73	22.949	5.0968	21	0.97	351.00	0
351	Chlortetracycline (mg/kg (ppm))	0001	130.50	3.0000	102.73	22.949	5.0968	21	1.21	351.03	0
351	Chlortetracycline (mg/kg (ppm))	2127	149.89	14.120	102.73	22.949	5.0968	21	2.05	351.05	0
351	Chlortetracycline (mg/kg (ppm))	2053	168.00	54.000	102.73	22.949	5.0968	21	2.84	351.04	1
354	Decoquinat e (mg/kg (ppm))	0964	107.37	1.1050	137.46	8.6544	3.7901	13	-3.48	354.02	0
354	Decoquinat e (mg/kg (ppm))	0028	110.50	12.400	137.46	8.6544	3.7901	13	-3.12	354.01	0
354	Decoquinat e (mg/kg (ppm))	2053	131.00	4.0000	137.46	8.6544	3.7901	13	-0.75	354.01	0
354	Decoquinat e (mg/kg (ppm))	0032	133.50	3.0000	137.46	8.6544	3.7901	13	-0.46	354.02	0
354	Decoquinat e (mg/kg (ppm))	0014	135.50	7.0000	137.46	8.6544	3.7901	13	-0.23	354.02	0
354	Decoquinat e (mg/kg (ppm))	0027	136.57	0.22920	137.46	8.6544	3.7901	13	-0.10	354.02	0
354	Decoquinat e (mg/kg (ppm))	0016	139.00	2.0000	137.46	8.6544	3.7901	13	0.18	354.01	0
354	Decoquinat e (mg/kg (ppm))	0910	139.40	10.000	137.46	8.6544	3.7901	13	0.22	354.01	0
354	Decoquinat e (mg/kg (ppm))	0036	140.30	0.60000	137.46	8.6544	3.7901	13	0.33	354.02	0
354	Decoquinat e (mg/kg (ppm))	0038	142.65	1.8370	137.46	8.6544	3.7901	13	0.60	354.02	0
354	Decoquinat e (mg/kg (ppm))	0218	145.65	4.1000	137.46	8.6544	3.7901	13	0.95	354.01	0
354	Decoquinat e (mg/kg (ppm))	0001	147.00	2.0000	137.46	8.6544	3.7901	13	1.10	354.02	0
354	Decoquinat e (mg/kg (ppm))	0033	147.50	1.0000	137.46	8.6544	3.7901	13	1.16	354.02	0
361	Lasalocid sodium (mg/kg (ppm))	0043	40.200	4.2000	59.752	9.8908	3.0303	18	-1.98	361.00	0
361	Lasalocid sodium (mg/kg (ppm))	0032	46.950	0.70000	59.752	9.8908	3.0303	18	-1.29	361.03	0
361	Lasalocid sodium (mg/kg (ppm))	0039	51.196	0.39410	59.752	9.8908	3.0303	18	-0.86	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	2053	52.200	1.6000	59.752	9.8908	3.0303	18	-0.76	361.04	0
361	Lasalocid sodium (mg/kg (ppm))	0910	52.500	1.0000	59.752	9.8908	3.0303	18	-0.73	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	0218	53.700	2.2000	59.752	9.8908	3.0303	18	-0.61	361.03	0
361	Lasalocid sodium (mg/kg (ppm))	0964	54.507	7.3892	59.752	9.8908	3.0303	18	-0.53	361.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
361	Lasalocid sodium (mg/kg (ppm))	0028	57.460	7.6400	59.752	9.8908	3.0303	18	-0.23	361.03	0
361	Lasalocid sodium (mg/kg (ppm))	0036	59.350	1.1000	59.752	9.8908	3.0303	18	-0.04	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	0009	61.378	0.61930	59.752	9.8908	3.0303	18	0.16	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	0043	63.295	1.8900	59.752	9.8908	3.0303	18	0.36	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	0016	63.550	1.9000	59.752	9.8908	3.0303	18	0.38	361.03	0
361	Lasalocid sodium (mg/kg (ppm))	0001	63.850	3.3000	59.752	9.8908	3.0303	18	0.41	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	0033	64.850	0.90000	59.752	9.8908	3.0303	18	0.52	361.03	0
361	Lasalocid sodium (mg/kg (ppm))	0027	66.741	8.1130	59.752	9.8908	3.0303	18	0.71	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	0038	71.000	10.000	59.752	9.8908	3.0303	18	1.14	361.02	0
361	Lasalocid sodium (mg/kg (ppm))	2055	73.500	1.0000	59.752	9.8908	3.0303	18	1.39	361.05	0
361	Lasalocid sodium (mg/kg (ppm))	0014	75.200	0.60000	59.752	9.8908	3.0303	18	1.56	361.03	0
400	Water activity (Units)	0407	0.22670	0.00100	0.25888	0.02582	0.00933	6	-1.25	400.01	0
400	Water activity (Units)	0589	0.24400	0.02200	0.25888	0.02582	0.00933	6	-0.58	400.01	0
400	Water activity (Units)	0942	0.25000	0.01600	0.25888	0.02582	0.00933	6	-0.34	400.01	0
400	Water activity (Units)	0843	0.26800	0.00000	0.25888	0.02582	0.00933	6	0.35	400.99	0
400	Water activity (Units)	0843	0.27610	0.01660	0.25888	0.02582	0.00933	6	0.67	400.01	0
400	Water activity (Units)	2109	0.28850	0.00040	0.25888	0.02582	0.00933	6	1.15	400.01	0
516	Arsenic, total (mg / kg (ppm))	0918	0.03020	0.00040				3		516.53	0
516	Arsenic, total (mg / kg (ppm))	0227	0.03200	0.00600				3		516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	0.06050	0.00900				3		516.53	0
518	Cadmium (mg / kg (ppm))	0227	0.01150	0.00300				3		518.53	0
518	Cadmium (mg / kg (ppm))	0918	0.01345	0.00110				3		518.53	0
518	Cadmium (mg / kg (ppm))	0098	0.01450	0.00100				3		518.53	0
518	Cadmium (mg / kg (ppm))	0968	0.00000	0.00000				3		518.43	4
520	Chromium (mg / kg (ppm))	0186	0.56450	0.05300	6.1751	4.5699	0.63050	6	-1.23	520.52	0
520	Chromium (mg / kg (ppm))	0968	3.4950	2.3300	6.1751	4.5699	0.63050	6	-0.59	520.43	0
520	Chromium (mg / kg (ppm))	0918	4.2713	0.00000	6.1751	4.5699	0.63050	6	-0.42	520.53	0
520	Chromium (mg / kg (ppm))	0045	8.2650	0.43000	6.1751	4.5699	0.63050	6	0.46	520.42	0
520	Chromium (mg / kg (ppm))	2053	9.3050	0.27000	6.1751	4.5699	0.63050	6	0.68	520.42	0
520	Chromium (mg / kg (ppm))	0693	11.150	0.70000	6.1751	4.5699	0.63050	6	1.09	520.42	0
526	Lead (mg / kg (ppm))	0227	0.09650	0.00100	0.10794	0.00920	0.00463	4	-1.24	526.53	0
526	Lead (mg / kg (ppm))	0098	0.10650	0.01100	0.10794	0.00920	0.00463	4	-0.16	526.53	0
526	Lead (mg / kg (ppm))	0910	0.11000	0.00000	0.10794	0.00920	0.00463	4	0.22	526.52	0
526	Lead (mg / kg (ppm))	0918	0.11875	0.00650	0.10794	0.00920	0.00463	4	1.17	526.53	0
529	Mercury (µg / kg (ppb))	0186	5.1950	2.3900				1		529.99	0
539	Nickel (mg / kg (ppm))	0918	2.2036	0.11020				3		539.53	0
539	Nickel (mg / kg (ppm))	0186	2.2200	0.58000				3		539.52	0
539	Nickel (mg / kg (ppm))	2053	2.9150	0.15000				3		539.42	0
710	Lauric Acid (12:0) (% (w/w))	0676	0.91250	0.02500				1		710.99	0
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0676	0.36750	0.00500				1		718.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0676	3.8650	0.00600				1		726.99	0

Test Material Code # 201723

Analyte Proficiency Testing Report

Issue Date : 04/30/2017

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%)	0676	0.23150	0.00500				1	728.99	0	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (%)	0676	0.07900	0.00600				1	736.99	0	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-22:5) (%)	0676	0.18700	0.06200				1	740.99	0	
746	Docosapentaenoic Acid n-3 DPA (DHA) (%)	0676	0.01700	0.00200				1	746.99	0	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%)	0676	0.00000	0.00000				0	750.99	4	
754	Total n-3 Polyunsaturated (Omega-3) Fä	0676	0.45500	0.07000				1	754.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fä	0676	4.1350	0.01000				1	756.99	0	

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 8 = Analyst data exempt and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in this case the Z Scores may be included for information only (Grey, No Action!). Flag 3 indicates not used in statistics.