



Fish Meal

Animal Feed Scheme

Labs Reporting: 195

Test Material Code # 201726

Analyte Proficiency Testing Report

Issue Date : 07/31/2017

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.75000	0.10000				1		000.02	0
001	Loss on Drying (%)	0536	4.4450	0.09000	6.6664	0.28768	0.08888	83	-7.72	001.99	0
001	Loss on Drying (%)	0618	4.5470	0.00600	6.6664	0.28768	0.08888	83	-7.37	001.07	0
001	Loss on Drying (%)	0618	4.7750	0.01000	6.6664	0.28768	0.08888	83	-6.57	001.99	0
001	Loss on Drying (%)	0905	5.1000	0.20000	6.6664	0.28768	0.08888	83	-5.45	001.02	0
001	Loss on Drying (%)	0019	5.2300	0.08000	6.6664	0.28768	0.08888	83	-4.99	001.99	0
001	Loss on Drying (%)	2155	5.4900	0.12000	6.6664	0.28768	0.08888	83	-4.09	001.99	0
001	Loss on Drying (%)	0609	6.1000	0.20000	6.6664	0.28768	0.08888	83	-1.97	001.07	0
001	Loss on Drying (%)	0620	6.1065	0.13010	6.6664	0.28768	0.08888	83	-1.95	001.00	0
001	Loss on Drying (%)	0675	6.1550	0.01000	6.6664	0.28768	0.08888	83	-1.78	001.07	0
001	Loss on Drying (%)	0034	6.2050	0.03000	6.6664	0.28768	0.08888	83	-1.60	001.00	0
001	Loss on Drying (%)	0630	6.2200	0.02000	6.6664	0.28768	0.08888	83	-1.55	001.99	0
001	Loss on Drying (%)	0413	6.3000	0.20000	6.6664	0.28768	0.08888	83	-1.27	001.07	0
001	Loss on Drying (%)	2149	6.3640	0.12800	6.6664	0.28768	0.08888	83	-1.05	001.99	0
001	Loss on Drying (%)	0893	6.3800	0.00000	6.6664	0.28768	0.08888	83	-1.00	001.03	0
001	Loss on Drying (%)	0074	6.3800	0.08000	6.6664	0.28768	0.08888	83	-1.00	001.07	0
001	Loss on Drying (%)	2012	6.3950	0.13000	6.6664	0.28768	0.08888	83	-0.94	001.07	0
001	Loss on Drying (%)	0510	6.4000	0.20000	6.6664	0.28768	0.08888	83	-0.93	001.99	0
001	Loss on Drying (%)	0297	6.4600	0.00000	6.6664	0.28768	0.08888	83	-0.72	001.07	0
001	Loss on Drying (%)	0676	6.4600	0.28000	6.6664	0.28768	0.08888	83	-0.72	001.99	0
001	Loss on Drying (%)	0045	6.4850	0.53000	6.6664	0.28768	0.08888	83	-0.63	001.07	0
001	Loss on Drying (%)	2093	6.4900	0.00000	6.6664	0.28768	0.08888	83	-0.61	001.03	0
001	Loss on Drying (%)	0187	6.5150	0.03000	6.6664	0.28768	0.08888	83	-0.53	001.07	0
001	Loss on Drying (%)	0186	6.5400	0.22000	6.6664	0.28768	0.08888	83	-0.44	001.03	0
001	Loss on Drying (%)	0918	6.5400	0.12000	6.6664	0.28768	0.08888	83	-0.44	001.99	0
001	Loss on Drying (%)	0612	6.5550	0.27000	6.6664	0.28768	0.08888	83	-0.39	001.99	0
001	Loss on Drying (%)	0895	6.5650	0.01000	6.6664	0.28768	0.08888	83	-0.35	001.03	0
001	Loss on Drying (%)	0897	6.5650	0.05000	6.6664	0.28768	0.08888	83	-0.35	001.03	0
001	Loss on Drying (%)	0610	6.5700	0.00000	6.6664	0.28768	0.08888	83	-0.34	001.05	0
001	Loss on Drying (%)	0878	6.6000	0.00000	6.6664	0.28768	0.08888	83	-0.23	001.03	0
001	Loss on Drying (%)	0689	6.6000	0.00000	6.6664	0.28768	0.08888	83	-0.23	001.07	0
001	Loss on Drying (%)	2144	6.6100	0.04000	6.6664	0.28768	0.08888	83	-0.20	001.07	0
001	Loss on Drying (%)	0843	6.6150	0.05000	6.6664	0.28768	0.08888	83	-0.18	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0903	6.6350	0.01000	6.6664	0.28768	0.08888	83	-0.11	001.03	0
001	Loss on Drying (%)	0872	6.6450	0.03000	6.6664	0.28768	0.08888	83	-0.07	001.07	0
001	Loss on Drying (%)	0089	6.6500	0.00000	6.6664	0.28768	0.08888	83	-0.06	001.07	0
001	Loss on Drying (%)	0683	6.6600	0.08000	6.6664	0.28768	0.08888	83	-0.02	001.07	0
001	Loss on Drying (%)	0171	6.6750	0.01000	6.6664	0.28768	0.08888	83	0.03	001.07	0
001	Loss on Drying (%)	2146	6.6850	0.03000	6.6664	0.28768	0.08888	83	0.06	001.07	0
001	Loss on Drying (%)	0889	6.6850	0.05000	6.6664	0.28768	0.08888	83	0.06	001.99	0
001	Loss on Drying (%)	0049	6.6900	0.28000	6.6664	0.28768	0.08888	83	0.08	001.07	0
001	Loss on Drying (%)	0955	6.6900	0.04000	6.6664	0.28768	0.08888	83	0.08	001.99	0
001	Loss on Drying (%)	0142	6.6900	0.00000	6.6664	0.28768	0.08888	83	0.08	001.07	0
001	Loss on Drying (%)	0940	6.6950	0.39000	6.6664	0.28768	0.08888	83	0.10	001.99	0
001	Loss on Drying (%)	0644	6.7000	0.10000	6.6664	0.28768	0.08888	83	0.12	001.05	0
001	Loss on Drying (%)	0590	6.7000	0.00000	6.6664	0.28768	0.08888	83	0.12	001.08	0
001	Loss on Drying (%)	0849	6.7040	0.00800	6.6664	0.28768	0.08888	83	0.13	001.07	0
001	Loss on Drying (%)	2161	6.7050	0.03000	6.6664	0.28768	0.08888	83	0.13	001.05	0
001	Loss on Drying (%)	0309	6.7200	0.08000	6.6664	0.28768	0.08888	83	0.19	001.00	0
001	Loss on Drying (%)	2053	6.7200	0.00000	6.6664	0.28768	0.08888	83	0.19	001.99	0
001	Loss on Drying (%)	0083	6.7400	0.08000	6.6664	0.28768	0.08888	83	0.26	001.07	0
001	Loss on Drying (%)	2062	6.7445	0.00540	6.6664	0.28768	0.08888	83	0.27	001.03	0
001	Loss on Drying (%)	0003	6.7450	0.05000	6.6664	0.28768	0.08888	83	0.27	001.07	0
001	Loss on Drying (%)	0845	6.7700	0.42000	6.6664	0.28768	0.08888	83	0.36	001.07	0
001	Loss on Drying (%)	0571	6.7750	0.01000	6.6664	0.28768	0.08888	83	0.38	001.07	0
001	Loss on Drying (%)	0027	6.7970	0.08400	6.6664	0.28768	0.08888	83	0.45	001.00	0
001	Loss on Drying (%)	2145	6.8000	0.06000	6.6664	0.28768	0.08888	83	0.46	001.07	0
001	Loss on Drying (%)	0652	6.8000	0.00000	6.6664	0.28768	0.08888	83	0.46	001.08	0
001	Loss on Drying (%)	0852	6.8050	0.11000	6.6664	0.28768	0.08888	83	0.48	001.99	0
001	Loss on Drying (%)	0662	6.8107	0.02730	6.6664	0.28768	0.08888	83	0.50	001.99	0
001	Loss on Drying (%)	2068	6.8150	0.03000	6.6664	0.28768	0.08888	83	0.52	001.02	0
001	Loss on Drying (%)	0948	6.8150	0.09000	6.6664	0.28768	0.08888	83	0.52	001.99	0
001	Loss on Drying (%)	2022	6.8200	0.02000	6.6664	0.28768	0.08888	83	0.53	001.99	0
001	Loss on Drying (%)	0066	6.8300	0.12000	6.6664	0.28768	0.08888	83	0.57	001.07	0
001	Loss on Drying (%)	0353	6.8350	0.03000	6.6664	0.28768	0.08888	83	0.59	001.07	0
001	Loss on Drying (%)	0098	6.8400	0.14000	6.6664	0.28768	0.08888	83	0.60	001.07	0
001	Loss on Drying (%)	0910	6.8500	0.30000	6.6664	0.28768	0.08888	83	0.64	001.99	0
001	Loss on Drying (%)	2009	6.8525	0.03540	6.6664	0.28768	0.08888	83	0.65	001.07	0
001	Loss on Drying (%)	2059	6.8700	0.02000	6.6664	0.28768	0.08888	83	0.71	001.07	0
001	Loss on Drying (%)	0199	6.8850	0.01000	6.6664	0.28768	0.08888	83	0.76	001.07	0
001	Loss on Drying (%)	0720	6.9100	0.44000	6.6664	0.28768	0.08888	83	0.85	001.99	0
001	Loss on Drying (%)	0693	6.9321	0.12190	6.6664	0.28768	0.08888	83	0.92	001.07	0
001	Loss on Drying (%)	2109	6.9450	0.13000	6.6664	0.28768	0.08888	83	0.97	001.07	0
001	Loss on Drying (%)	0357	6.9779	0.07060	6.6664	0.28768	0.08888	83	1.08	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0504	6.9800	0.06000	6.6664	0.28768	0.08888	83	1.09	001.00	0
001	Loss on Drying (%)	0619	6.9900	0.00000	6.6664	0.28768	0.08888	83	1.12	001.03	0
001	Loss on Drying (%)	0629	7.0700	0.12000	6.6664	0.28768	0.08888	83	1.40	001.99	0
001	Loss on Drying (%)	0169	7.1100	0.02000	6.6664	0.28768	0.08888	83	1.54	001.00	0
001	Loss on Drying (%)	0581	7.1950	0.11000	6.6664	0.28768	0.08888	83	1.84	001.07	0
001	Loss on Drying (%)	0505	7.2400	0.00000	6.6664	0.28768	0.08888	83	1.99	001.99	0
001	Loss on Drying (%)	0037	7.3000	0.08000	6.6664	0.28768	0.08888	83	2.20	001.99	0
001	Loss on Drying (%)	0004	7.3250	0.15000	6.6664	0.28768	0.08888	83	2.29	001.99	0
001	Loss on Drying (%)	0278	7.7400	0.04000	6.6664	0.28768	0.08888	83	3.73	001.07	0
001	Loss on Drying (%)	0529	8.1400	0.02000	6.6664	0.28768	0.08888	83	5.12	001.07	0
001	Loss on Drying (%)	0615	6.6200	0.60000	6.6664	0.28768	0.08888	83	-0.16	001.00	1
001	Loss on Drying (%)	0366	7.1500	0.90000	6.6664	0.28768	0.08888	83	1.68	001.07	1
002	Protein (%)	0889	54.485	0.01000	61.199	0.96537	0.44628	191	-6.95	002.11	0
002	Protein (%)	0852	54.740	0.10000	61.199	0.96537	0.44628	191	-6.69	002.11	0
002	Protein (%)	0405	55.110	0.22000	61.199	0.96537	0.44628	191	-6.31	002.04	0
002	Protein (%)	0297	58.370	0.00000	61.199	0.96537	0.44628	191	-2.93	002.11	0
002	Protein (%)	0675	58.470	0.24000	61.199	0.96537	0.44628	191	-2.83	002.05	0
002	Protein (%)	0905	58.510	0.56000	61.199	0.96537	0.44628	191	-2.79	002.01	0
002	Protein (%)	0028	58.655	0.31000	61.199	0.96537	0.44628	191	-2.63	002.01	0
002	Protein (%)	0629	58.830	1.1000	61.199	0.96537	0.44628	191	-2.45	002.10	0
002	Protein (%)	0874	59.180	0.28000	61.199	0.96537	0.44628	191	-2.09	002.04	0
002	Protein (%)	0675	59.210	0.02000	61.199	0.96537	0.44628	191	-2.06	002.06	0
002	Protein (%)	2120	59.315	0.41000	61.199	0.96537	0.44628	191	-1.95	002.11	0
002	Protein (%)	0652	59.450	0.70000	61.199	0.96537	0.44628	191	-1.81	002.01	0
002	Protein (%)	0918	59.600	0.00000	61.199	0.96537	0.44628	191	-1.66	002.06	0
002	Protein (%)	0622	59.681	0.18950	61.199	0.96537	0.44628	191	-1.57	002.05	0
002	Protein (%)	0187	59.695	0.45000	61.199	0.96537	0.44628	191	-1.56	002.04	0
002	Protein (%)	0620	59.703	0.39070	61.199	0.96537	0.44628	191	-1.55	002.05	0
002	Protein (%)	2006	59.720	0.22000	61.199	0.96537	0.44628	191	-1.53	002.05	0
002	Protein (%)	0042	59.775	0.17000	61.199	0.96537	0.44628	191	-1.47	002.02	0
002	Protein (%)	2121	59.775	0.01000	61.199	0.96537	0.44628	191	-1.47	002.11	0
002	Protein (%)	0885	59.778	0.07790	61.199	0.96537	0.44628	191	-1.47	002.05	0
002	Protein (%)	0921	59.860	0.00000	61.199	0.96537	0.44628	191	-1.39	002.05	0
002	Protein (%)	0520	59.910	0.10000	61.199	0.96537	0.44628	191	-1.33	002.06	0
002	Protein (%)	0940	59.940	0.42000	61.199	0.96537	0.44628	191	-1.30	002.00	0
002	Protein (%)	0552	60.055	0.01000	61.199	0.96537	0.44628	191	-1.18	002.05	0
002	Protein (%)	0953	60.055	0.41000	61.199	0.96537	0.44628	191	-1.18	002.06	0
002	Protein (%)	0042	60.070	0.22000	61.199	0.96537	0.44628	191	-1.17	002.06	0
002	Protein (%)	0589	60.105	1.2900	61.199	0.96537	0.44628	191	-1.13	002.06	0
002	Protein (%)	2129	60.160	1.6800	61.199	0.96537	0.44628	191	-1.08	002.06	0
002	Protein (%)	2161	60.185	0.63000	61.199	0.96537	0.44628	191	-1.05	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	2145	60.260	0.04000	61.199	0.96537	0.44628	191	-0.97	002.05	0
002	Protein (%)	0563	60.268	0.49570	61.199	0.96537	0.44628	191	-0.96	002.08	0
002	Protein (%)	0683	60.280	0.88000	61.199	0.96537	0.44628	191	-0.95	002.05	0
002	Protein (%)	0043	60.310	0.88000	61.199	0.96537	0.44628	191	-0.92	002.06	0
002	Protein (%)	0872	60.347	0.15600	61.199	0.96537	0.44628	191	-0.88	002.06	0
002	Protein (%)	0043	60.355	1.7500	61.199	0.96537	0.44628	191	-0.87	002.01	0
002	Protein (%)	0653	60.360	0.14000	61.199	0.96537	0.44628	191	-0.87	002.01	0
002	Protein (%)	2073	60.370	0.02000	61.199	0.96537	0.44628	191	-0.86	002.05	0
002	Protein (%)	2009	60.371	0.08710	61.199	0.96537	0.44628	191	-0.86	002.05	0
002	Protein (%)	0619	60.400	0.80000	61.199	0.96537	0.44628	191	-0.83	002.05	0
002	Protein (%)	0643	60.430	0.46000	61.199	0.96537	0.44628	191	-0.80	002.99	0
002	Protein (%)	0968	60.434	0.32600	61.199	0.96537	0.44628	191	-0.79	002.01	0
002	Protein (%)	2066	60.445	0.55000	61.199	0.96537	0.44628	191	-0.78	002.05	0
002	Protein (%)	0955	60.450	0.10000	61.199	0.96537	0.44628	191	-0.78	002.05	0
002	Protein (%)	2062	60.459	0.01750	61.199	0.96537	0.44628	191	-0.77	002.05	0
002	Protein (%)	0884	60.500	0.40000	61.199	0.96537	0.44628	191	-0.72	002.06	0
002	Protein (%)	0845	60.520	0.66000	61.199	0.96537	0.44628	191	-0.70	002.00	0
002	Protein (%)	2081	60.530	1.7800	61.199	0.96537	0.44628	191	-0.69	002.06	0
002	Protein (%)	0536	60.535	0.25000	61.199	0.96537	0.44628	191	-0.69	002.05	0
002	Protein (%)	2053	60.565	0.03000	61.199	0.96537	0.44628	191	-0.66	002.06	0
002	Protein (%)	0651	60.570	0.20500	61.199	0.96537	0.44628	191	-0.65	002.05	0
002	Protein (%)	0650	60.575	1.1300	61.199	0.96537	0.44628	191	-0.65	002.06	0
002	Protein (%)	0508	60.607	2.2850	61.199	0.96537	0.44628	191	-0.61	002.06	0
002	Protein (%)	0009	60.630	0.26000	61.199	0.96537	0.44628	191	-0.59	002.06	0
002	Protein (%)	0199	60.665	0.03000	61.199	0.96537	0.44628	191	-0.55	002.01	0
002	Protein (%)	0941	60.665	1.3700	61.199	0.96537	0.44628	191	-0.55	002.05	0
002	Protein (%)	2093	60.670	0.02000	61.199	0.96537	0.44628	191	-0.55	002.05	0
002	Protein (%)	0354	60.675	0.01000	61.199	0.96537	0.44628	191	-0.54	002.05	0
002	Protein (%)	2109	60.700	0.06000	61.199	0.96537	0.44628	191	-0.52	002.05	0
002	Protein (%)	0510	60.700	0.00000	61.199	0.96537	0.44628	191	-0.52	002.06	0
002	Protein (%)	0242	60.725	0.25000	61.199	0.96537	0.44628	191	-0.49	002.06	0
002	Protein (%)	0010	60.800	0.20000	61.199	0.96537	0.44628	191	-0.41	002.06	0
002	Protein (%)	0676	60.815	0.25000	61.199	0.96537	0.44628	191	-0.40	002.06	0
002	Protein (%)	0857	60.830	0.00000	61.199	0.96537	0.44628	191	-0.38	002.06	0
002	Protein (%)	0644	60.834	0.14500	61.199	0.96537	0.44628	191	-0.38	002.06	0
002	Protein (%)	0878	60.835	0.39000	61.199	0.96537	0.44628	191	-0.38	002.06	0
002	Protein (%)	0074	60.870	0.06000	61.199	0.96537	0.44628	191	-0.34	002.06	0
002	Protein (%)	0662	60.875	0.50000	61.199	0.96537	0.44628	191	-0.34	002.01	0
002	Protein (%)	2146	60.880	1.6800	61.199	0.96537	0.44628	191	-0.33	002.05	0
002	Protein (%)	2144	60.885	0.13000	61.199	0.96537	0.44628	191	-0.32	002.05	0
002	Protein (%)	0098	60.900	0.20000	61.199	0.96537	0.44628	191	-0.31	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0598	60.905	1.2500	61.199	0.96537	0.44628	191	-0.30	002.06	0
002	Protein (%)	0878	60.910	0.14000	61.199	0.96537	0.44628	191	-0.30	002.05	0
002	Protein (%)	0646	60.910	0.34000	61.199	0.96537	0.44628	191	-0.30	002.06	0
002	Protein (%)	2006	60.910	0.56000	61.199	0.96537	0.44628	191	-0.30	002.06	0
002	Protein (%)	0164	60.970	0.32000	61.199	0.96537	0.44628	191	-0.24	002.06	0
002	Protein (%)	0849	60.980	0.14100	61.199	0.96537	0.44628	191	-0.23	002.05	0
002	Protein (%)	0100	60.985	1.2300	61.199	0.96537	0.44628	191	-0.22	002.06	0
002	Protein (%)	0098	60.990	0.26000	61.199	0.96537	0.44628	191	-0.22	002.08	0
002	Protein (%)	2150	61.005	0.73000	61.199	0.96537	0.44628	191	-0.20	002.06	0
002	Protein (%)	0034	61.015	1.2630	61.199	0.96537	0.44628	191	-0.19	002.06	0
002	Protein (%)	2012	61.015	0.79000	61.199	0.96537	0.44628	191	-0.19	002.05	0
002	Protein (%)	0019	61.040	1.2200	61.199	0.96537	0.44628	191	-0.16	002.06	0
002	Protein (%)	0609	61.050	0.06000	61.199	0.96537	0.44628	191	-0.15	002.06	0
002	Protein (%)	0045	61.100	0.20000	61.199	0.96537	0.44628	191	-0.10	002.06	0
002	Protein (%)	0948	61.105	0.15000	61.199	0.96537	0.44628	191	-0.10	002.05	0
002	Protein (%)	0539	61.115	0.23000	61.199	0.96537	0.44628	191	-0.09	002.06	0
002	Protein (%)	0298	61.120	0.02000	61.199	0.96537	0.44628	191	-0.08	002.06	0
002	Protein (%)	0505	61.135	0.05000	61.199	0.96537	0.44628	191	-0.07	002.06	0
002	Protein (%)	0297	61.140	0.00000	61.199	0.96537	0.44628	191	-0.06	002.06	0
002	Protein (%)	0955	61.150	0.70000	61.199	0.96537	0.44628	191	-0.05	002.06	0
002	Protein (%)	0027	61.175	0.77000	61.199	0.96537	0.44628	191	-0.02	002.06	0
002	Protein (%)	0687	61.185	0.37000	61.199	0.96537	0.44628	191	-0.01	002.06	0
002	Protein (%)	0309	61.199	0.00650	61.199	0.96537	0.44628	191	0.00	002.06	0
002	Protein (%)	0852	61.205	0.17000	61.199	0.96537	0.44628	191	0.01	002.05	0
002	Protein (%)	0144	61.205	0.27000	61.199	0.96537	0.44628	191	0.01	002.06	0
002	Protein (%)	0895	61.235	0.01000	61.199	0.96537	0.44628	191	0.04	002.05	0
002	Protein (%)	0728	61.255	0.29000	61.199	0.96537	0.44628	191	0.06	002.04	0
002	Protein (%)	0148	61.265	1.1100	61.199	0.96537	0.44628	191	0.07	002.06	0
002	Protein (%)	2171	61.310	1.1600	61.199	0.96537	0.44628	191	0.12	002.06	0
002	Protein (%)	0903	61.315	0.01000	61.199	0.96537	0.44628	191	0.12	002.05	0
002	Protein (%)	2059	61.327	0.32810	61.199	0.96537	0.44628	191	0.13	002.06	0
002	Protein (%)	0354	61.330	0.02000	61.199	0.96537	0.44628	191	0.14	002.06	0
002	Protein (%)	0006	61.380	1.5400	61.199	0.96537	0.44628	191	0.19	002.06	0
002	Protein (%)	0693	61.383	0.37190	61.199	0.96537	0.44628	191	0.19	002.06	0
002	Protein (%)	2068	61.385	0.03000	61.199	0.96537	0.44628	191	0.19	002.05	0
002	Protein (%)	0413	61.400	0.00000	61.199	0.96537	0.44628	191	0.21	002.06	0
002	Protein (%)	0425	61.400	0.06000	61.199	0.96537	0.44628	191	0.21	002.06	0
002	Protein (%)	0026	61.420	0.14000	61.199	0.96537	0.44628	191	0.23	002.06	0
002	Protein (%)	0300	61.424	0.14700	61.199	0.96537	0.44628	191	0.23	002.06	0
002	Protein (%)	0504	61.435	0.67000	61.199	0.96537	0.44628	191	0.24	002.04	0
002	Protein (%)	0626	61.437	0.27400	61.199	0.96537	0.44628	191	0.25	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0630	61.460	0.26000	61.199	0.96537	0.44628	191	0.27	002.06	0
002	Protein (%)	0529	61.485	0.23000	61.199	0.96537	0.44628	191	0.30	002.06	0
002	Protein (%)	0205	61.495	0.23000	61.199	0.96537	0.44628	191	0.31	002.06	0
002	Protein (%)	0610	61.500	0.00000	61.199	0.96537	0.44628	191	0.31	002.01	0
002	Protein (%)	0407	61.520	0.01600	61.199	0.96537	0.44628	191	0.33	002.06	0
002	Protein (%)	0164	61.535	0.07000	61.199	0.96537	0.44628	191	0.35	002.01	0
002	Protein (%)	0169	61.540	0.98000	61.199	0.96537	0.44628	191	0.35	002.00	0
002	Protein (%)	0278	61.550	0.10000	61.199	0.96537	0.44628	191	0.36	002.06	0
002	Protein (%)	2076	61.555	1.2100	61.199	0.96537	0.44628	191	0.37	002.06	0
002	Protein (%)	0358	61.560	2.1600	61.199	0.96537	0.44628	191	0.37	002.06	0
002	Protein (%)	0571	61.560	0.04000	61.199	0.96537	0.44628	191	0.37	002.06	0
002	Protein (%)	0720	61.580	1.1400	61.199	0.96537	0.44628	191	0.40	002.06	0
002	Protein (%)	2022	61.595	0.05000	61.199	0.96537	0.44628	191	0.41	002.05	0
002	Protein (%)	0689	61.600	0.40000	61.199	0.96537	0.44628	191	0.42	002.05	0
002	Protein (%)	0683	61.635	0.13000	61.199	0.96537	0.44628	191	0.45	002.06	0
002	Protein (%)	2097	61.647	0.10460	61.199	0.96537	0.44628	191	0.46	002.05	0
002	Protein (%)	0160	61.650	1.7000	61.199	0.96537	0.44628	191	0.47	002.06	0
002	Protein (%)	0610	61.650	0.30000	61.199	0.96537	0.44628	191	0.47	002.06	0
002	Protein (%)	0226	61.650	0.10000	61.199	0.96537	0.44628	191	0.47	002.06	0
002	Protein (%)	0861	61.660	0.96000	61.199	0.96537	0.44628	191	0.48	002.06	0
002	Protein (%)	0897	61.665	0.13000	61.199	0.96537	0.44628	191	0.48	002.05	0
002	Protein (%)	0939	61.670	0.18000	61.199	0.96537	0.44628	191	0.49	002.05	0
002	Protein (%)	0893	61.700	0.00000	61.199	0.96537	0.44628	191	0.52	002.05	0
002	Protein (%)	0619	61.700	0.20000	61.199	0.96537	0.44628	191	0.52	002.06	0
002	Protein (%)	0848	61.735	0.11000	61.199	0.96537	0.44628	191	0.56	002.06	0
002	Protein (%)	0229	61.750	0.46000	61.199	0.96537	0.44628	191	0.57	002.06	0
002	Protein (%)	0910	61.750	0.10000	61.199	0.96537	0.44628	191	0.57	002.06	0
002	Protein (%)	0171	61.770	0.04000	61.199	0.96537	0.44628	191	0.59	002.06	0
002	Protein (%)	0037	61.785	1.3700	61.199	0.96537	0.44628	191	0.61	002.06	0
002	Protein (%)	0049	61.790	1.5200	61.199	0.96537	0.44628	191	0.61	002.06	0
002	Protein (%)	0047	61.800	0.20000	61.199	0.96537	0.44628	191	0.62	002.06	0
002	Protein (%)	0511	61.810	0.30000	61.199	0.96537	0.44628	191	0.63	002.06	0
002	Protein (%)	0208	61.830	0.48000	61.199	0.96537	0.44628	191	0.65	002.06	0
002	Protein (%)	0353	61.830	0.28000	61.199	0.96537	0.44628	191	0.65	002.06	0
002	Protein (%)	0108	61.835	0.39000	61.199	0.96537	0.44628	191	0.66	002.06	0
002	Protein (%)	0590	61.875	0.35000	61.199	0.96537	0.44628	191	0.70	002.06	0
002	Protein (%)	0948	61.890	0.00000	61.199	0.96537	0.44628	191	0.72	002.06	0
002	Protein (%)	0843	61.940	1.3200	61.199	0.96537	0.44628	191	0.77	002.06	0
002	Protein (%)	0066	61.965	0.17000	61.199	0.96537	0.44628	191	0.79	002.02	0
002	Protein (%)	0722	61.987	0.44360	61.199	0.96537	0.44628	191	0.82	002.05	0
002	Protein (%)	0682	62.000	0.00000	61.199	0.96537	0.44628	191	0.83	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0941	62.005	0.35000	61.199	0.96537	0.44628	191	0.84	002.06	0
002	Protein (%)	0142	62.025	0.85000	61.199	0.96537	0.44628	191	0.86	002.06	0
002	Protein (%)	0199	62.030	0.08000	61.199	0.96537	0.44628	191	0.86	002.06	0
002	Protein (%)	0726	62.035	0.07000	61.199	0.96537	0.44628	191	0.87	002.06	0
002	Protein (%)	0294	62.050	0.10000	61.199	0.96537	0.44628	191	0.88	002.06	0
002	Protein (%)	0345	62.050	0.30000	61.199	0.96537	0.44628	191	0.88	002.06	0
002	Protein (%)	0265	62.055	0.49000	61.199	0.96537	0.44628	191	0.89	002.06	0
002	Protein (%)	0541	62.075	0.35000	61.199	0.96537	0.44628	191	0.91	002.06	0
002	Protein (%)	0964	62.088	0.55400	61.199	0.96537	0.44628	191	0.92	002.06	0
002	Protein (%)	2004	62.100	0.20000	61.199	0.96537	0.44628	191	0.93	002.99	0
002	Protein (%)	0623	62.202	2.2800	61.199	0.96537	0.44628	191	1.04	002.05	0
002	Protein (%)	0001	62.210	0.16000	61.199	0.96537	0.44628	191	1.05	002.06	0
002	Protein (%)	0263	62.220	0.20650	61.199	0.96537	0.44628	191	1.06	002.06	0
002	Protein (%)	0615	62.230	0.14000	61.199	0.96537	0.44628	191	1.07	002.06	0
002	Protein (%)	0202	62.234	0.95600	61.199	0.96537	0.44628	191	1.07	002.06	0
002	Protein (%)	0083	62.260	0.42000	61.199	0.96537	0.44628	191	1.10	002.06	0
002	Protein (%)	2161	62.260	0.84000	61.199	0.96537	0.44628	191	1.10	002.06	0
002	Protein (%)	0190	62.265	0.33000	61.199	0.96537	0.44628	191	1.10	002.06	0
002	Protein (%)	0574	62.295	0.05000	61.199	0.96537	0.44628	191	1.14	002.06	0
002	Protein (%)	0880	62.296	1.2080	61.199	0.96537	0.44628	191	1.14	002.06	0
002	Protein (%)	0175	62.300	0.20000	61.199	0.96537	0.44628	191	1.14	002.06	0
002	Protein (%)	0685	62.370	0.02000	61.199	0.96537	0.44628	191	1.21	002.01	0
002	Protein (%)	0186	62.400	0.60000	61.199	0.96537	0.44628	191	1.24	002.06	0
002	Protein (%)	0014	62.500	1.0000	61.199	0.96537	0.44628	191	1.35	002.06	0
002	Protein (%)	0357	62.531	0.81250	61.199	0.96537	0.44628	191	1.38	002.06	0
002	Protein (%)	0939	62.540	0.40000	61.199	0.96537	0.44628	191	1.39	002.06	0
002	Protein (%)	0366	62.550	1.5000	61.199	0.96537	0.44628	191	1.40	002.06	0
002	Protein (%)	0504	62.605	0.01000	61.199	0.96537	0.44628	191	1.46	002.06	0
002	Protein (%)	0089	62.675	0.01000	61.199	0.96537	0.44628	191	1.53	002.06	0
002	Protein (%)	2075	62.785	0.57000	61.199	0.96537	0.44628	191	1.64	002.06	0
002	Protein (%)	2155	62.790	0.56000	61.199	0.96537	0.44628	191	1.65	002.06	0
002	Protein (%)	0876	62.825	0.15000	61.199	0.96537	0.44628	191	1.68	002.06	0
002	Protein (%)	0004	62.855	0.79000	61.199	0.96537	0.44628	191	1.72	002.06	0
002	Protein (%)	0859	62.875	0.10100	61.199	0.96537	0.44628	191	1.74	002.06	0
002	Protein (%)	0051	63.050	2.3000	61.199	0.96537	0.44628	191	1.92	002.06	0
002	Protein (%)	0720	63.480	0.08000	61.199	0.96537	0.44628	191	2.36	002.11	0
002	Protein (%)	2089	63.790	0.60000	61.199	0.96537	0.44628	191	2.68	002.06	0
002	Protein (%)	2105	63.890	0.00000	61.199	0.96537	0.44628	191	2.79	002.99	0
002	Protein (%)	2012	65.450	0.76000	61.199	0.96537	0.44628	191	4.40	002.06	0
002	Protein (%)	0692	60.225	3.8900	61.199	0.96537	0.44628	191	-1.01	002.06	1
002	Protein (%)	0003	61.436	3.0110	61.199	0.96537	0.44628	191	0.25	002.06	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0612	64.030	2.5600	61.199	0.96537	0.44628	191	2.93	002.06	1
002	Protein (%)	0618	9.6853	0.11570	61.199	0.96537	0.44628	191	-53.36	002.06	2
002	Protein (%)	0889	14.875	0.03000	61.199	0.96537	0.44628	191	-47.99	002.01	2
002	Protein (%)	2006	94.660	0.00000	61.199	0.96537	0.44628	191	34.66	002.12	2
003	Fat (%)	0889	6.4150	0.19000	9.3227	0.38511	0.15136	132	-7.55	003.10	0
003	Fat (%)	0226	7.3000	0.20000	9.3227	0.38511	0.15136	132	-5.25	003.09	0
003	Fat (%)	0574	7.9300	0.08000	9.3227	0.38511	0.15136	132	-3.62	003.14	0
003	Fat (%)	0357	8.3500	0.10000	9.3227	0.38511	0.15136	132	-2.53	003.14	0
003	Fat (%)	2068	8.3800	0.02000	9.3227	0.38511	0.15136	132	-2.45	003.09	0
003	Fat (%)	0609	8.5800	0.16000	9.3227	0.38511	0.15136	132	-1.93	003.10	0
003	Fat (%)	0682	8.6600	0.00000	9.3227	0.38511	0.15136	132	-1.72	003.14	0
003	Fat (%)	0630	8.6750	0.29000	9.3227	0.38511	0.15136	132	-1.68	003.09	0
003	Fat (%)	0100	8.7000	0.18000	9.3227	0.38511	0.15136	132	-1.62	003.10	0
003	Fat (%)	0848	8.7250	0.29000	9.3227	0.38511	0.15136	132	-1.55	003.14	0
003	Fat (%)	2073	8.7900	0.08000	9.3227	0.38511	0.15136	132	-1.38	003.10	0
003	Fat (%)	0541	8.8350	0.57000	9.3227	0.38511	0.15136	132	-1.27	003.10	0
003	Fat (%)	2022	8.8700	0.12000	9.3227	0.38511	0.15136	132	-1.18	003.10	0
003	Fat (%)	0693	8.8735	0.21280	9.3227	0.38511	0.15136	132	-1.17	003.10	0
003	Fat (%)	0581	8.8750	0.11000	9.3227	0.38511	0.15136	132	-1.16	003.14	0
003	Fat (%)	0720	8.9000	0.12000	9.3227	0.38511	0.15136	132	-1.10	003.10	0
003	Fat (%)	2093	8.9050	0.11000	9.3227	0.38511	0.15136	132	-1.08	003.10	0
003	Fat (%)	0019	8.9350	0.01000	9.3227	0.38511	0.15136	132	-1.01	003.14	0
003	Fat (%)	0051	8.9500	0.10000	9.3227	0.38511	0.15136	132	-0.97	003.10	0
003	Fat (%)	0278	8.9500	0.30000	9.3227	0.38511	0.15136	132	-0.97	003.14	0
003	Fat (%)	0843	8.9500	0.06000	9.3227	0.38511	0.15136	132	-0.97	003.14	0
003	Fat (%)	0619	8.9600	0.14000	9.3227	0.38511	0.15136	132	-0.94	003.10	0
003	Fat (%)	0027	8.9650	0.09000	9.3227	0.38511	0.15136	132	-0.93	003.09	0
003	Fat (%)	0675	8.9650	0.49000	9.3227	0.38511	0.15136	132	-0.93	003.09	0
003	Fat (%)	0861	8.9650	0.07000	9.3227	0.38511	0.15136	132	-0.93	003.10	0
003	Fat (%)	0662	8.9797	0.14570	9.3227	0.38511	0.15136	132	-0.89	003.10	0
003	Fat (%)	0940	9.0000	0.34000	9.3227	0.38511	0.15136	132	-0.84	003.12	0
003	Fat (%)	0242	9.0300	0.00000	9.3227	0.38511	0.15136	132	-0.76	003.10	0
003	Fat (%)	0083	9.0350	0.21000	9.3227	0.38511	0.15136	132	-0.75	003.06	0
003	Fat (%)	0722	9.0355	0.06230	9.3227	0.38511	0.15136	132	-0.75	003.09	0
003	Fat (%)	0265	9.0500	0.12000	9.3227	0.38511	0.15136	132	-0.71	003.14	0
003	Fat (%)	0615	9.0550	0.39000	9.3227	0.38511	0.15136	132	-0.70	003.00	0
003	Fat (%)	0263	9.0583	0.01660	9.3227	0.38511	0.15136	132	-0.69	003.09	0
003	Fat (%)	0520	9.0600	0.34000	9.3227	0.38511	0.15136	132	-0.68	003.14	0
003	Fat (%)	0037	9.0850	0.11000	9.3227	0.38511	0.15136	132	-0.62	003.14	0
003	Fat (%)	0186	9.0950	0.17000	9.3227	0.38511	0.15136	132	-0.59	003.14	0
003	Fat (%)	2012	9.1000	0.12000	9.3227	0.38511	0.15136	132	-0.58	003.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	0358	9.1150	0.03000	9.3227	0.38511	0.15136	132	-0.54	003.14	0
003	Fat (%)	0508	9.1157	0.51930	9.3227	0.38511	0.15136	132	-0.54	003.09	0
003	Fat (%)	0309	9.1165	0.04970	9.3227	0.38511	0.15136	132	-0.54	003.00	0
003	Fat (%)	0108	9.1200	0.22000	9.3227	0.38511	0.15136	132	-0.53	003.14	0
003	Fat (%)	0529	9.1250	0.59000	9.3227	0.38511	0.15136	132	-0.51	003.14	0
003	Fat (%)	0955	9.1350	0.21000	9.3227	0.38511	0.15136	132	-0.49	003.14	0
003	Fat (%)	0297	9.1400	0.00000	9.3227	0.38511	0.15136	132	-0.47	003.06	0
003	Fat (%)	0026	9.1450	0.07000	9.3227	0.38511	0.15136	132	-0.46	003.00	0
003	Fat (%)	0889	9.1500	0.10000	9.3227	0.38511	0.15136	132	-0.45	003.11	0
003	Fat (%)	2089	9.1550	0.07000	9.3227	0.38511	0.15136	132	-0.44	003.10	0
003	Fat (%)	0187	9.1650	0.01000	9.3227	0.38511	0.15136	132	-0.41	003.13	0
003	Fat (%)	0202	9.1760	0.10600	9.3227	0.38511	0.15136	132	-0.38	003.14	0
003	Fat (%)	0144	9.1800	0.28000	9.3227	0.38511	0.15136	132	-0.37	003.14	0
003	Fat (%)	0504	9.1900	0.24000	9.3227	0.38511	0.15136	132	-0.34	003.01	0
003	Fat (%)	0618	9.2080	0.19600	9.3227	0.38511	0.15136	132	-0.30	003.10	0
003	Fat (%)	0598	9.2100	0.12000	9.3227	0.38511	0.15136	132	-0.29	003.14	0
003	Fat (%)	0066	9.2225	0.05500	9.3227	0.38511	0.15136	132	-0.26	003.14	0
003	Fat (%)	0563	9.2228	0.04240	9.3227	0.38511	0.15136	132	-0.26	003.06	0
003	Fat (%)	0089	9.2300	0.00000	9.3227	0.38511	0.15136	132	-0.24	003.14	0
003	Fat (%)	0028	9.2350	0.15000	9.3227	0.38511	0.15136	132	-0.23	003.13	0
003	Fat (%)	2109	9.2400	0.04000	9.3227	0.38511	0.15136	132	-0.21	003.00	0
003	Fat (%)	0895	9.2550	0.01000	9.3227	0.38511	0.15136	132	-0.18	003.12	0
003	Fat (%)	0098	9.2700	0.16000	9.3227	0.38511	0.15136	132	-0.14	003.13	0
003	Fat (%)	0205	9.2780	0.12000	9.3227	0.38511	0.15136	132	-0.12	003.13	0
003	Fat (%)	0903	9.2850	0.01000	9.3227	0.38511	0.15136	132	-0.10	003.12	0
003	Fat (%)	0049	9.2850	0.19000	9.3227	0.38511	0.15136	132	-0.10	003.14	0
003	Fat (%)	0552	9.2950	0.27000	9.3227	0.38511	0.15136	132	-0.07	003.06	0
003	Fat (%)	0692	9.3000	0.20000	9.3227	0.38511	0.15136	132	-0.06	003.14	0
003	Fat (%)	0294	9.3050	0.01000	9.3227	0.38511	0.15136	132	-0.05	003.06	0
003	Fat (%)	0653	9.3100	0.16000	9.3227	0.38511	0.15136	132	-0.03	003.00	0
003	Fat (%)	0298	9.3100	0.02000	9.3227	0.38511	0.15136	132	-0.03	003.10	0
003	Fat (%)	0968	9.3170	0.00400	9.3227	0.38511	0.15136	132	-0.01	003.14	0
003	Fat (%)	0175	9.3400	0.28000	9.3227	0.38511	0.15136	132	0.04	003.14	0
003	Fat (%)	0536	9.3450	0.17000	9.3227	0.38511	0.15136	132	0.06	003.99	0
003	Fat (%)	2155	9.3465	0.23100	9.3227	0.38511	0.15136	132	0.06	003.10	0
003	Fat (%)	0098	9.3500	0.08000	9.3227	0.38511	0.15136	132	0.07	003.09	0
003	Fat (%)	0897	9.3550	0.01000	9.3227	0.38511	0.15136	132	0.08	003.10	0
003	Fat (%)	0345	9.3750	0.25000	9.3227	0.38511	0.15136	132	0.14	003.00	0
003	Fat (%)	0034	9.3750	0.37000	9.3227	0.38511	0.15136	132	0.14	003.14	0
003	Fat (%)	0948	9.3850	0.15000	9.3227	0.38511	0.15136	132	0.16	003.14	0
003	Fat (%)	0098	9.3950	0.19000	9.3227	0.38511	0.15136	132	0.19	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	2062	9.3978	0.09090	9.3227	0.38511	0.15136	132	0.19	003.12	0
003	Fat (%)	0646	9.4000	0.16000	9.3227	0.38511	0.15136	132	0.20	003.13	0
003	Fat (%)	0045	9.4050	0.29000	9.3227	0.38511	0.15136	132	0.21	003.10	0
003	Fat (%)	0683	9.4050	0.21000	9.3227	0.38511	0.15136	132	0.21	003.14	0
003	Fat (%)	0644	9.4100	0.10000	9.3227	0.38511	0.15136	132	0.23	003.06	0
003	Fat (%)	0009	9.4550	0.05000	9.3227	0.38511	0.15136	132	0.34	003.14	0
003	Fat (%)	0651	9.4567	0.00530	9.3227	0.38511	0.15136	132	0.35	003.10	0
003	Fat (%)	0948	9.4600	0.06000	9.3227	0.38511	0.15136	132	0.36	003.09	0
003	Fat (%)	0918	9.4900	0.40000	9.3227	0.38511	0.15136	132	0.43	003.06	0
003	Fat (%)	0353	9.5000	0.52000	9.3227	0.38511	0.15136	132	0.46	003.09	0
003	Fat (%)	0689	9.5000	0.20000	9.3227	0.38511	0.15136	132	0.46	003.10	0
003	Fat (%)	0685	9.5150	0.09000	9.3227	0.38511	0.15136	132	0.50	003.09	0
003	Fat (%)	0878	9.5200	0.10000	9.3227	0.38511	0.15136	132	0.51	003.10	0
003	Fat (%)	0229	9.5250	0.03000	9.3227	0.38511	0.15136	132	0.53	003.14	0
003	Fat (%)	0229	9.5250	0.07000	9.3227	0.38511	0.15136	132	0.53	003.06	0
003	Fat (%)	0354	9.5300	0.04000	9.3227	0.38511	0.15136	132	0.54	003.09	0
003	Fat (%)	0629	9.5300	0.06000	9.3227	0.38511	0.15136	132	0.54	003.10	0
003	Fat (%)	0849	9.5310	0.04200	9.3227	0.38511	0.15136	132	0.54	003.09	0
003	Fat (%)	0142	9.5350	0.39000	9.3227	0.38511	0.15136	132	0.55	003.00	0
003	Fat (%)	0893	9.5400	0.00000	9.3227	0.38511	0.15136	132	0.56	003.12	0
003	Fat (%)	2120	9.5550	0.01000	9.3227	0.38511	0.15136	132	0.60	003.11	0
003	Fat (%)	0171	9.5850	0.05000	9.3227	0.38511	0.15136	132	0.68	003.12	0
003	Fat (%)	2129	9.6400	0.00000	9.3227	0.38511	0.15136	132	0.82	003.14	0
003	Fat (%)	0175	9.6450	0.07000	9.3227	0.38511	0.15136	132	0.84	003.00	0
003	Fat (%)	0407	9.6470	0.02880	9.3227	0.38511	0.15136	132	0.84	003.14	0
003	Fat (%)	0689	9.6500	0.10000	9.3227	0.38511	0.15136	132	0.85	003.06	0
003	Fat (%)	0682	9.6500	0.00000	9.3227	0.38511	0.15136	132	0.85	003.06	0
003	Fat (%)	0425	9.6700	0.04000	9.3227	0.38511	0.15136	132	0.90	003.06	0
003	Fat (%)	0910	9.6700	0.26000	9.3227	0.38511	0.15136	132	0.90	003.06	0
003	Fat (%)	0590	9.6750	0.05000	9.3227	0.38511	0.15136	132	0.91	003.09	0
003	Fat (%)	0511	9.6850	0.05000	9.3227	0.38511	0.15136	132	0.94	003.06	0
003	Fat (%)	0885	9.6943	0.04220	9.3227	0.38511	0.15136	132	0.96	003.00	0
003	Fat (%)	0190	9.7000	0.04000	9.3227	0.38511	0.15136	132	0.98	003.14	0
003	Fat (%)	0687	9.7250	0.15000	9.3227	0.38511	0.15136	132	1.04	003.06	0
003	Fat (%)	2121	9.7300	0.26000	9.3227	0.38511	0.15136	132	1.06	003.11	0
003	Fat (%)	0148	9.7750	0.05000	9.3227	0.38511	0.15136	132	1.17	003.06	0
003	Fat (%)	2171	9.7750	0.11000	9.3227	0.38511	0.15136	132	1.17	003.06	0
003	Fat (%)	0208	9.7850	0.43000	9.3227	0.38511	0.15136	132	1.20	003.13	0
003	Fat (%)	0884	9.8000	0.20000	9.3227	0.38511	0.15136	132	1.24	003.06	0
003	Fat (%)	0164	9.8050	0.05000	9.3227	0.38511	0.15136	132	1.25	003.06	0
003	Fat (%)	0619	9.8200	0.02000	9.3227	0.38511	0.15136	132	1.29	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	0300	9.8400	0.18000	9.3227	0.38511	0.15136	132	1.34	003.06	0
003	Fat (%)	0199	9.8450	0.17000	9.3227	0.38511	0.15136	132	1.36	003.06	0
003	Fat (%)	0413	9.8500	0.70000	9.3227	0.38511	0.15136	132	1.37	003.14	0
003	Fat (%)	0047	9.8500	0.00000	9.3227	0.38511	0.15136	132	1.37	003.99	0
003	Fat (%)	0676	9.9450	0.43000	9.3227	0.38511	0.15136	132	1.62	003.10	0
003	Fat (%)	0726	9.9600	0.02000	9.3227	0.38511	0.15136	132	1.65	003.14	0
003	Fat (%)	2075	10.145	0.17000	9.3227	0.38511	0.15136	132	2.14	003.14	0
003	Fat (%)	2006	10.260	0.08000	9.3227	0.38511	0.15136	132	2.43	003.13	0
003	Fat (%)	0720	10.535	0.15000	9.3227	0.38511	0.15136	132	3.15	003.11	0
003	Fat (%)	0941	10.635	0.39000	9.3227	0.38511	0.15136	132	3.41	003.99	0
003	Fat (%)	0852	10.650	0.06000	9.3227	0.38511	0.15136	132	3.45	003.11	0
003	Fat (%)	0297	11.170	0.00000	9.3227	0.38511	0.15136	132	4.80	003.11	0
003	Fat (%)	2161	11.935	0.61000	9.3227	0.38511	0.15136	132	6.78	003.99	0
003	Fat (%)	0003	8.6000	2.0000	9.3227	0.38511	0.15136	132	-1.88	003.14	1
003	Fat (%)	0366	8.8000	1.4000	9.3227	0.38511	0.15136	132	-1.36	003.10	1
003	Fat (%)	2009	0.92970	0.00180	9.3227	0.38511	0.15136	132	-21.79	003.10	2
003	Fat (%)	0880	2.8500	1.5000	9.3227	0.38511	0.15136	132	-16.81	003.99	2
004	Fiber (%)	2066	0.07000	0.02000	0.58918	0.40415	0.10709	93	-1.28	004.00	0
004	Fiber (%)	0720	0.07500	0.05000	0.58918	0.40415	0.10709	93	-1.27	004.06	0
004	Fiber (%)	0720	0.10000	0.00000	0.58918	0.40415	0.10709	93	-1.21	004.11	0
004	Fiber (%)	0353	0.15000	0.28000	0.58918	0.40415	0.10709	93	-1.09	004.03	0
004	Fiber (%)	0100	0.16500	0.01000	0.58918	0.40415	0.10709	93	-1.05	004.07	0
004	Fiber (%)	0921	0.17000	0.04000	0.58918	0.40415	0.10709	93	-1.04	004.03	0
004	Fiber (%)	0676	0.18000	0.08000	0.58918	0.40415	0.10709	93	-1.01	004.06	0
004	Fiber (%)	2146	0.19000	0.04000	0.58918	0.40415	0.10709	93	-0.99	004.07	0
004	Fiber (%)	0941	0.20000	0.00000	0.58918	0.40415	0.10709	93	-0.96	004.06	0
004	Fiber (%)	0413	0.20000	0.00000	0.58918	0.40415	0.10709	93	-0.96	004.07	0
004	Fiber (%)	0098	0.21000	0.04000	0.58918	0.40415	0.10709	93	-0.94	004.06	0
004	Fiber (%)	2171	0.21500	0.03000	0.58918	0.40415	0.10709	93	-0.93	004.00	0
004	Fiber (%)	2004	0.22350	0.01900	0.58918	0.40415	0.10709	93	-0.90	004.00	0
004	Fiber (%)	0265	0.22500	0.01000	0.58918	0.40415	0.10709	93	-0.90	004.07	0
004	Fiber (%)	2006	0.23500	0.05000	0.58918	0.40415	0.10709	93	-0.88	004.06	0
004	Fiber (%)	2145	0.23500	0.01000	0.58918	0.40415	0.10709	93	-0.88	004.06	0
004	Fiber (%)	0309	0.25460	0.00000	0.58918	0.40415	0.10709	93	-0.83	004.00	0
004	Fiber (%)	0675	0.25500	0.03000	0.58918	0.40415	0.10709	93	-0.83	004.06	0
004	Fiber (%)	0948	0.26000	0.12000	0.58918	0.40415	0.10709	93	-0.81	004.06	0
004	Fiber (%)	0878	0.27000	0.06000	0.58918	0.40415	0.10709	93	-0.79	004.06	0
004	Fiber (%)	0653	0.28000	0.02000	0.58918	0.40415	0.10709	93	-0.77	004.07	0
004	Fiber (%)	0940	0.28000	0.20000	0.58918	0.40415	0.10709	93	-0.77	004.99	0
004	Fiber (%)	2149	0.29500	0.05000	0.58918	0.40415	0.10709	93	-0.73	004.06	0
004	Fiber (%)	0689	0.30000	0.20000	0.58918	0.40415	0.10709	93	-0.72	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	2161	0.30000	0.20000	0.58918	0.40415	0.10709	93	-0.72	004.99	0
004	Fiber (%)	0505	0.30500	0.15000	0.58918	0.40415	0.10709	93	-0.70	004.07	0
004	Fiber (%)	0693	0.33135	0.06790	0.58918	0.40415	0.10709	93	-0.64	004.03	0
004	Fiber (%)	2073	0.34500	0.01000	0.58918	0.40415	0.10709	93	-0.60	004.00	0
004	Fiber (%)	0683	0.34500	0.07000	0.58918	0.40415	0.10709	93	-0.60	004.07	0
004	Fiber (%)	0425	0.35000	0.10000	0.58918	0.40415	0.10709	93	-0.59	004.00	0
004	Fiber (%)	0511	0.35000	0.10000	0.58918	0.40415	0.10709	93	-0.59	004.00	0
004	Fiber (%)	0294	0.35000	0.10000	0.58918	0.40415	0.10709	93	-0.59	004.07	0
004	Fiber (%)	0199	0.35500	0.03000	0.58918	0.40415	0.10709	93	-0.58	004.06	0
004	Fiber (%)	0354	0.36000	0.04000	0.58918	0.40415	0.10709	93	-0.57	004.00	0
004	Fiber (%)	2062	0.36580	0.07400	0.58918	0.40415	0.10709	93	-0.55	004.06	0
004	Fiber (%)	0968	0.37450	0.01500	0.58918	0.40415	0.10709	93	-0.53	004.06	0
004	Fiber (%)	0354	0.40000	0.02000	0.58918	0.40415	0.10709	93	-0.47	004.07	0
004	Fiber (%)	0726	0.40000	0.00000	0.58918	0.40415	0.10709	93	-0.47	004.07	0
004	Fiber (%)	0083	0.41500	0.05000	0.58918	0.40415	0.10709	93	-0.43	004.07	0
004	Fiber (%)	0345	0.42500	0.05000	0.58918	0.40415	0.10709	93	-0.41	004.00	0
004	Fiber (%)	2076	0.42500	0.06000	0.58918	0.40415	0.10709	93	-0.41	004.00	0
004	Fiber (%)	2053	0.43500	0.01000	0.58918	0.40415	0.10709	93	-0.38	004.07	0
004	Fiber (%)	0208	0.44000	0.04800	0.58918	0.40415	0.10709	93	-0.37	004.00	0
004	Fiber (%)	0009	0.44500	0.05000	0.58918	0.40415	0.10709	93	-0.36	004.07	0
004	Fiber (%)	0876	0.45000	0.10000	0.58918	0.40415	0.10709	93	-0.34	004.07	0
004	Fiber (%)	0144	0.45500	0.01000	0.58918	0.40415	0.10709	93	-0.33	004.07	0
004	Fiber (%)	0948	0.49500	0.09000	0.58918	0.40415	0.10709	93	-0.23	004.07	0
004	Fiber (%)	2075	0.50000	0.20000	0.58918	0.40415	0.10709	93	-0.22	004.07	0
004	Fiber (%)	0171	0.52000	0.10000	0.58918	0.40415	0.10709	93	-0.17	004.00	0
004	Fiber (%)	0205	0.55500	0.09000	0.58918	0.40415	0.10709	93	-0.08	004.06	0
004	Fiber (%)	0845	0.56500	0.11000	0.58918	0.40415	0.10709	93	-0.06	004.06	0
004	Fiber (%)	0175	0.59000	0.02000	0.58918	0.40415	0.10709	93	0.00	004.00	0
004	Fiber (%)	0045	0.59000	0.16000	0.58918	0.40415	0.10709	93	0.00	004.03	0
004	Fiber (%)	0964	0.59000	0.14000	0.58918	0.40415	0.10709	93	0.00	004.06	0
004	Fiber (%)	0366	0.60000	0.00000	0.58918	0.40415	0.10709	93	0.03	004.01	0
004	Fiber (%)	0682	0.60000	0.00000	0.58918	0.40415	0.10709	93	0.03	004.07	0
004	Fiber (%)	0692	0.60000	0.20000	0.58918	0.40415	0.10709	93	0.03	004.07	0
004	Fiber (%)	2121	0.60500	0.07000	0.58918	0.40415	0.10709	93	0.04	004.11	0
004	Fiber (%)	0003	0.61000	0.18000	0.58918	0.40415	0.10709	93	0.05	004.07	0
004	Fiber (%)	0918	0.62000	0.02000	0.58918	0.40415	0.10709	93	0.08	004.06	0
004	Fiber (%)	0190	0.65000	0.10000	0.58918	0.40415	0.10709	93	0.15	004.07	0
004	Fiber (%)	0643	0.65000	0.12000	0.58918	0.40415	0.10709	93	0.15	004.07	0
004	Fiber (%)	0722	0.67765	0.00270	0.58918	0.40415	0.10709	93	0.22	004.06	0
004	Fiber (%)	2120	0.68000	0.00000	0.58918	0.40415	0.10709	93	0.22	004.11	0
004	Fiber (%)	0504	0.70500	0.23000	0.58918	0.40415	0.10709	93	0.29	004.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	0026	0.75000	0.10000	0.58918	0.40415	0.10709	93	0.40	004.07	0
004	Fiber (%)	0849	0.75500	0.21000	0.58918	0.40415	0.10709	93	0.41	004.07	0
004	Fiber (%)	0861	0.78500	0.43000	0.58918	0.40415	0.10709	93	0.48	004.07	0
004	Fiber (%)	0520	0.80000	0.20000	0.58918	0.40415	0.10709	93	0.52	004.07	0
004	Fiber (%)	0581	0.90000	0.20000	0.58918	0.40415	0.10709	93	0.77	004.07	0
004	Fiber (%)	0034	0.94500	0.09000	0.58918	0.40415	0.10709	93	0.88	004.07	0
004	Fiber (%)	0884	0.95000	0.30000	0.58918	0.40415	0.10709	93	0.89	004.00	0
004	Fiber (%)	0536	0.98000	0.42000	0.58918	0.40415	0.10709	93	0.97	004.07	0
004	Fiber (%)	0563	1.0016	0.01490	0.58918	0.40415	0.10709	93	1.02	004.07	0
004	Fiber (%)	2089	1.0250	0.41000	0.58918	0.40415	0.10709	93	1.08	004.03	0
004	Fiber (%)	0066	1.0250	0.17000	0.58918	0.40415	0.10709	93	1.08	004.07	0
004	Fiber (%)	0905	1.0900	0.02000	0.58918	0.40415	0.10709	93	1.24	004.06	0
004	Fiber (%)	0708	1.1150	0.09000	0.58918	0.40415	0.10709	93	1.30	004.07	0
004	Fiber (%)	0955	1.1400	0.00000	0.58918	0.40415	0.10709	93	1.36	004.07	0
004	Fiber (%)	2109	1.1600	0.22000	0.58918	0.40415	0.10709	93	1.41	004.07	0
004	Fiber (%)	0015	1.1650	0.11000	0.58918	0.40415	0.10709	93	1.42	004.07	0
004	Fiber (%)	0263	1.2166	0.04000	0.58918	0.40415	0.10709	93	1.55	004.07	0
004	Fiber (%)	0074	1.3050	0.21000	0.58918	0.40415	0.10709	93	1.77	004.07	0
004	Fiber (%)	0553	1.3150	0.41000	0.58918	0.40415	0.10709	93	1.80	004.07	0
004	Fiber (%)	0089	1.3700	0.04000	0.58918	0.40415	0.10709	93	1.93	004.07	0
004	Fiber (%)	0644	1.3770	0.47800	0.58918	0.40415	0.10709	93	1.95	004.07	0
004	Fiber (%)	2012	1.4750	0.31000	0.58918	0.40415	0.10709	93	2.19	004.07	0
004	Fiber (%)	0848	1.5350	0.03000	0.58918	0.40415	0.10709	93	2.34	004.07	0
004	Fiber (%)	0229	1.6000	0.20000	0.58918	0.40415	0.10709	93	2.50	004.07	0
004	Fiber (%)	0598	1.6000	0.48000	0.58918	0.40415	0.10709	93	2.50	004.07	0
004	Fiber (%)	0019	1.7250	0.01000	0.58918	0.40415	0.10709	93	2.81	004.07	0
004	Fiber (%)	0278	2.0500	0.10000	0.58918	0.40415	0.10709	93	3.61	004.07	0
004	Fiber (%)	0407	2.0750	0.11980	0.58918	0.40415	0.10709	93	3.68	004.07	0
004	Fiber (%)	0202	1.2755	0.65500	0.58918	0.40415	0.10709	93	1.70	004.07	1
004	Fiber (%)	0626	1.6300	0.66000	0.58918	0.40415	0.10709	93	2.58	004.07	1
004	Fiber (%)	0169	0.00000	0.00000	0.58918	0.40415	0.10709	93		004.00	4
004	Fiber (%)	0609	0.00000	0.00000	0.58918	0.40415	0.10709	93		004.06	4
004	Fiber (%)	0552	0.00000	0.00000	0.58918	0.40415	0.10709	93		004.07	4
004	Fiber (%)	0242	0.04500	0.09000	0.58918	0.40415	0.10709	93		004.07	4
005	Ash (%)	0169	20.215	0.09000	21.538	0.28264	0.22226	147	-4.68	005.00	0
005	Ash (%)	0646	20.690	0.50000	21.538	0.28264	0.22226	147	-3.00	005.00	0
005	Ash (%)	0914	20.715	0.21000	21.538	0.28264	0.22226	147	-2.91	005.99	0
005	Ash (%)	0874	20.760	0.66000	21.538	0.28264	0.22226	147	-2.75	005.00	0
005	Ash (%)	0278	20.795	0.21000	21.538	0.28264	0.22226	147	-2.63	005.00	0
005	Ash (%)	0529	20.910	0.00000	21.538	0.28264	0.22226	147	-2.22	005.00	0
005	Ash (%)	2097	21.024	0.10740	21.538	0.28264	0.22226	147	-1.82	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0968	21.061	0.52800	21.538	0.28264	0.22226	147	-1.69	005.00	0
005	Ash (%)	2171	21.115	0.61000	21.538	0.28264	0.22226	147	-1.49	005.00	0
005	Ash (%)	0662	21.135	0.32450	21.538	0.28264	0.22226	147	-1.42	005.99	0
005	Ash (%)	0226	21.150	0.10000	21.538	0.28264	0.22226	147	-1.37	005.00	0
005	Ash (%)	0003	21.150	0.30000	21.538	0.28264	0.22226	147	-1.37	005.05	0
005	Ash (%)	0520	21.155	0.43000	21.538	0.28264	0.22226	147	-1.35	005.00	0
005	Ash (%)	0229	21.165	0.39000	21.538	0.28264	0.22226	147	-1.32	005.00	0
005	Ash (%)	0618	21.173	0.25180	21.538	0.28264	0.22226	147	-1.29	005.00	0
005	Ash (%)	0297	21.200	0.00000	21.538	0.28264	0.22226	147	-1.19	005.00	0
005	Ash (%)	0186	21.200	0.20000	21.538	0.28264	0.22226	147	-1.19	005.00	0
005	Ash (%)	2053	21.235	0.03000	21.538	0.28264	0.22226	147	-1.07	005.00	0
005	Ash (%)	0051	21.250	0.30000	21.538	0.28264	0.22226	147	-1.02	005.00	0
005	Ash (%)	0309	21.255	0.27000	21.538	0.28264	0.22226	147	-1.00	005.00	0
005	Ash (%)	0682	21.260	0.00000	21.538	0.28264	0.22226	147	-0.98	005.00	0
005	Ash (%)	2073	21.260	0.82000	21.538	0.28264	0.22226	147	-0.98	005.00	0
005	Ash (%)	0623	21.261	0.23500	21.538	0.28264	0.22226	147	-0.98	005.00	0
005	Ash (%)	0574	21.265	0.01000	21.538	0.28264	0.22226	147	-0.96	005.99	0
005	Ash (%)	0861	21.280	0.18000	21.538	0.28264	0.22226	147	-0.91	005.00	0
005	Ash (%)	0552	21.290	0.12000	21.538	0.28264	0.22226	147	-0.88	005.00	0
005	Ash (%)	0033	21.300	0.40000	21.538	0.28264	0.22226	147	-0.84	005.00	0
005	Ash (%)	0651	21.306	0.09300	21.538	0.28264	0.22226	147	-0.82	005.00	0
005	Ash (%)	0004	21.310	0.06000	21.538	0.28264	0.22226	147	-0.81	005.00	0
005	Ash (%)	0953	21.310	0.76000	21.538	0.28264	0.22226	147	-0.81	005.00	0
005	Ash (%)	0108	21.320	0.30000	21.538	0.28264	0.22226	147	-0.77	005.00	0
005	Ash (%)	0142	21.320	0.24000	21.538	0.28264	0.22226	147	-0.77	005.00	0
005	Ash (%)	0353	21.330	0.08000	21.538	0.28264	0.22226	147	-0.73	005.00	0
005	Ash (%)	0650	21.330	0.66000	21.538	0.28264	0.22226	147	-0.73	005.00	0
005	Ash (%)	0921	21.340	0.00000	21.538	0.28264	0.22226	147	-0.70	005.05	0
005	Ash (%)	0726	21.345	0.07000	21.538	0.28264	0.22226	147	-0.68	005.05	0
005	Ash (%)	0940	21.345	0.15000	21.538	0.28264	0.22226	147	-0.68	005.05	0
005	Ash (%)	0413	21.350	0.70000	21.538	0.28264	0.22226	147	-0.66	005.05	0
005	Ash (%)	0652	21.350	0.30000	21.538	0.28264	0.22226	147	-0.66	005.99	0
005	Ash (%)	2004	21.350	0.10000	21.538	0.28264	0.22226	147	-0.66	005.99	0
005	Ash (%)	2075	21.360	0.06000	21.538	0.28264	0.22226	147	-0.63	005.02	0
005	Ash (%)	0263	21.377	0.01300	21.538	0.28264	0.22226	147	-0.57	005.05	0
005	Ash (%)	0722	21.389	0.20460	21.538	0.28264	0.22226	147	-0.53	005.00	0
005	Ash (%)	0019	21.400	0.80000	21.538	0.28264	0.22226	147	-0.49	005.00	0
005	Ash (%)	0164	21.400	0.16000	21.538	0.28264	0.22226	147	-0.49	005.00	0
005	Ash (%)	0202	21.401	0.54100	21.538	0.28264	0.22226	147	-0.48	005.99	0
005	Ash (%)	0171	21.405	0.09000	21.538	0.28264	0.22226	147	-0.47	005.00	0
005	Ash (%)	0918	21.410	0.58000	21.538	0.28264	0.22226	147	-0.45	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0948	21.410	0.08000	21.538	0.28264	0.22226	147	-0.45	005.00	0
005	Ash (%)	2068	21.415	0.01000	21.538	0.28264	0.22226	147	-0.43	005.00	0
005	Ash (%)	0539	21.430	0.14000	21.538	0.28264	0.22226	147	-0.38	005.00	0
005	Ash (%)	0589	21.435	0.57000	21.538	0.28264	0.22226	147	-0.36	005.00	0
005	Ash (%)	0895	21.435	0.01000	21.538	0.28264	0.22226	147	-0.36	005.05	0
005	Ash (%)	0425	21.445	0.15000	21.538	0.28264	0.22226	147	-0.33	005.00	0
005	Ash (%)	0622	21.448	0.21600	21.538	0.28264	0.22226	147	-0.32	005.00	0
005	Ash (%)	0620	21.450	0.39010	21.538	0.28264	0.22226	147	-0.31	005.00	0
005	Ash (%)	0693	21.450	0.12150	21.538	0.28264	0.22226	147	-0.31	005.00	0
005	Ash (%)	0590	21.450	0.10000	21.538	0.28264	0.22226	147	-0.31	005.05	0
005	Ash (%)	0366	21.450	0.30000	21.538	0.28264	0.22226	147	-0.31	005.00	0
005	Ash (%)	2006	21.460	0.00000	21.538	0.28264	0.22226	147	-0.27	005.00	0
005	Ash (%)	0720	21.460	0.02000	21.538	0.28264	0.22226	147	-0.27	005.11	0
005	Ash (%)	0689	21.470	0.22000	21.538	0.28264	0.22226	147	-0.24	005.05	0
005	Ash (%)	0144	21.475	0.31000	21.538	0.28264	0.22226	147	-0.22	005.00	0
005	Ash (%)	0675	21.475	0.27000	21.538	0.28264	0.22226	147	-0.22	005.00	0
005	Ash (%)	0848	21.475	0.01000	21.538	0.28264	0.22226	147	-0.22	005.00	0
005	Ash (%)	0939	21.475	0.15000	21.538	0.28264	0.22226	147	-0.22	005.05	0
005	Ash (%)	0027	21.484	0.23500	21.538	0.28264	0.22226	147	-0.19	005.00	0
005	Ash (%)	0001	21.485	0.27980	21.538	0.28264	0.22226	147	-0.19	005.00	0
005	Ash (%)	0345	21.500	0.40000	21.538	0.28264	0.22226	147	-0.13	005.00	0
005	Ash (%)	0294	21.500	0.00000	21.538	0.28264	0.22226	147	-0.13	005.05	0
005	Ash (%)	0885	21.509	0.14120	21.538	0.28264	0.22226	147	-0.10	005.05	0
005	Ash (%)	0066	21.510	0.24000	21.538	0.28264	0.22226	147	-0.10	005.00	0
005	Ash (%)	0903	21.515	0.01000	21.538	0.28264	0.22226	147	-0.08	005.05	0
005	Ash (%)	0610	21.520	0.02000	21.538	0.28264	0.22226	147	-0.06	005.05	0
005	Ash (%)	0187	21.525	0.01000	21.538	0.28264	0.22226	147	-0.04	005.00	0
005	Ash (%)	0511	21.530	0.16000	21.538	0.28264	0.22226	147	-0.03	005.00	0
005	Ash (%)	0852	21.530	0.06000	21.538	0.28264	0.22226	147	-0.03	005.00	0
005	Ash (%)	0849	21.535	0.03000	21.538	0.28264	0.22226	147	-0.01	005.05	0
005	Ash (%)	0045	21.550	0.30000	21.538	0.28264	0.22226	147	0.04	005.00	0
005	Ash (%)	0298	21.550	0.02000	21.538	0.28264	0.22226	147	0.04	005.00	0
005	Ash (%)	0049	21.555	0.19000	21.538	0.28264	0.22226	147	0.06	005.00	0
005	Ash (%)	2093	21.555	0.21000	21.538	0.28264	0.22226	147	0.06	005.05	0
005	Ash (%)	0541	21.560	0.14000	21.538	0.28264	0.22226	147	0.08	005.00	0
005	Ash (%)	0897	21.560	0.02000	21.538	0.28264	0.22226	147	0.08	005.05	0
005	Ash (%)	0175	21.570	0.16000	21.538	0.28264	0.22226	147	0.11	005.00	0
005	Ash (%)	0553	21.570	1.1200	21.538	0.28264	0.22226	147	0.11	005.00	0
005	Ash (%)	0199	21.575	0.31000	21.538	0.28264	0.22226	147	0.13	005.00	0
005	Ash (%)	0536	21.585	0.19000	21.538	0.28264	0.22226	147	0.17	005.99	0
005	Ash (%)	0047	21.600	0.20000	21.538	0.28264	0.22226	147	0.22	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0893	21.600	0.00000	21.538	0.28264	0.22226	147	0.22	005.05	0
005	Ash (%)	0845	21.615	0.05000	21.538	0.28264	0.22226	147	0.27	005.00	0
005	Ash (%)	0845	21.615	0.05000	21.538	0.28264	0.22226	147	0.27	005.05	0
005	Ash (%)	0504	21.620	0.04000	21.538	0.28264	0.22226	147	0.29	005.00	0
005	Ash (%)	0407	21.626	0.01750	21.538	0.28264	0.22226	147	0.31	005.00	0
005	Ash (%)	2150	21.635	0.31000	21.538	0.28264	0.22226	147	0.34	005.00	0
005	Ash (%)	0265	21.645	0.07000	21.538	0.28264	0.22226	147	0.38	005.00	0
005	Ash (%)	0598	21.645	0.13000	21.538	0.28264	0.22226	147	0.38	005.00	0
005	Ash (%)	0510	21.650	0.02000	21.538	0.28264	0.22226	147	0.40	005.00	0
005	Ash (%)	0205	21.660	0.38000	21.538	0.28264	0.22226	147	0.43	005.00	0
005	Ash (%)	0083	21.670	0.40000	21.538	0.28264	0.22226	147	0.47	005.00	0
005	Ash (%)	0148	21.670	0.10000	21.538	0.28264	0.22226	147	0.47	005.00	0
005	Ash (%)	0653	21.675	0.15000	21.538	0.28264	0.22226	147	0.49	005.00	0
005	Ash (%)	0563	21.677	0.26830	21.538	0.28264	0.22226	147	0.49	005.00	0
005	Ash (%)	0941	21.680	0.02000	21.538	0.28264	0.22226	147	0.50	005.05	0
005	Ash (%)	0878	21.685	0.03000	21.538	0.28264	0.22226	147	0.52	005.05	0
005	Ash (%)	0208	21.700	0.40000	21.538	0.28264	0.22226	147	0.57	005.00	0
005	Ash (%)	2161	21.700	0.72000	21.538	0.28264	0.22226	147	0.57	005.02	0
005	Ash (%)	0884	21.700	0.20000	21.538	0.28264	0.22226	147	0.57	005.99	0
005	Ash (%)	2009	21.705	0.00080	21.538	0.28264	0.22226	147	0.59	005.05	0
005	Ash (%)	0683	21.710	0.06000	21.538	0.28264	0.22226	147	0.61	005.05	0
005	Ash (%)	0629	21.735	0.27000	21.538	0.28264	0.22226	147	0.70	005.99	0
005	Ash (%)	2062	21.745	0.03420	21.538	0.28264	0.22226	147	0.73	005.05	0
005	Ash (%)	2146	21.750	0.22000	21.538	0.28264	0.22226	147	0.75	005.05	0
005	Ash (%)	0910	21.750	0.30000	21.538	0.28264	0.22226	147	0.75	005.99	0
005	Ash (%)	2144	21.760	0.02000	21.538	0.28264	0.22226	147	0.79	005.05	0
005	Ash (%)	0098	21.765	0.37000	21.538	0.28264	0.22226	147	0.80	005.00	0
005	Ash (%)	0358	21.770	0.36000	21.538	0.28264	0.22226	147	0.82	005.00	0
005	Ash (%)	2109	21.770	0.22000	21.538	0.28264	0.22226	147	0.82	005.05	0
005	Ash (%)	0354	21.780	0.04000	21.538	0.28264	0.22226	147	0.86	005.00	0
005	Ash (%)	0190	21.780	0.36000	21.538	0.28264	0.22226	147	0.86	005.05	0
005	Ash (%)	0505	21.790	0.18000	21.538	0.28264	0.22226	147	0.89	005.00	0
005	Ash (%)	0685	21.790	0.14000	21.538	0.28264	0.22226	147	0.89	005.05	0
005	Ash (%)	0619	21.800	0.40000	21.538	0.28264	0.22226	147	0.93	005.05	0
005	Ash (%)	2012	21.815	0.07000	21.538	0.28264	0.22226	147	0.98	005.00	0
005	Ash (%)	0692	21.815	0.57000	21.538	0.28264	0.22226	147	0.98	005.05	0
005	Ash (%)	0728	21.850	0.14000	21.538	0.28264	0.22226	147	1.11	005.99	0
005	Ash (%)	0581	21.865	0.07000	21.538	0.28264	0.22226	147	1.16	005.00	0
005	Ash (%)	2145	21.885	0.01000	21.538	0.28264	0.22226	147	1.23	005.05	0
005	Ash (%)	2149	21.898	0.04000	21.538	0.28264	0.22226	147	1.28	005.05	0
005	Ash (%)	0964	21.900	0.10000	21.538	0.28264	0.22226	147	1.28	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0955	21.900	0.00000	21.538	0.28264	0.22226	147	1.28	005.05	0
005	Ash (%)	2089	21.910	0.06000	21.538	0.28264	0.22226	147	1.32	005.00	0
005	Ash (%)	0720	21.915	0.51000	21.538	0.28264	0.22226	147	1.34	005.05	0
005	Ash (%)	0889	21.965	0.05000	21.538	0.28264	0.22226	147	1.51	005.05	0
005	Ash (%)	0609	21.995	0.55000	21.538	0.28264	0.22226	147	1.62	005.00	0
005	Ash (%)	0676	22.035	0.05000	21.538	0.28264	0.22226	147	1.76	005.99	0
005	Ash (%)	0242	22.040	0.30000	21.538	0.28264	0.22226	147	1.78	005.00	0
005	Ash (%)	2022	22.060	0.00000	21.538	0.28264	0.22226	147	1.85	005.00	0
005	Ash (%)	0615	22.060	0.12000	21.538	0.28264	0.22226	147	1.85	005.00	0
005	Ash (%)	0630	22.105	0.15000	21.538	0.28264	0.22226	147	2.01	005.00	0
005	Ash (%)	0100	22.155	1.0900	21.538	0.28264	0.22226	147	2.18	005.00	0
005	Ash (%)	0644	22.320	0.12000	21.538	0.28264	0.22226	147	2.77	005.02	0
005	Ash (%)	0357	22.350	0.50000	21.538	0.28264	0.22226	147	2.87	005.00	0
005	Ash (%)	2129	22.350	0.10000	21.538	0.28264	0.22226	147	2.87	005.05	0
005	Ash (%)	2121	22.570	0.74000	21.538	0.28264	0.22226	147	3.65	005.11	0
005	Ash (%)	2120	23.450	0.24000	21.538	0.28264	0.22226	147	6.77	005.11	0
005	Ash (%)	0852	25.465	0.01000	21.538	0.28264	0.22226	147	13.90	005.11	0
005	Ash (%)	0889	14.415	0.01000	21.538	0.28264	0.22226	147	-25.20	005.11	2
005	Ash (%)	0880	15.078	12.536	21.538	0.28264	0.22226	147	-22.85	005.00	2
006	Total sugars (%)	0407	2.2865	0.01100				1		006.01	0
006	Total sugars (%)	0720	0.00000	0.00000				1		006.99	4
008	Fiber (%)	0889	0.27500	0.01000	2.0188	1.3139	0.25036	27	-1.33	008.08	0
008	Fiber (%)	0297	0.84000	0.00000	2.0188	1.3139	0.25036	27	-0.90	008.08	0
008	Fiber (%)	0675	0.85500	0.05000	2.0188	1.3139	0.25036	27	-0.89	008.02	0
008	Fiber (%)	0948	0.93500	0.29000	2.0188	1.3139	0.25036	27	-0.82	008.02	0
008	Fiber (%)	0164	1.0000	0.20000	2.0188	1.3139	0.25036	27	-0.78	008.08	0
008	Fiber (%)	0353	1.0150	0.11000	2.0188	1.3139	0.25036	27	-0.76	008.02	0
008	Fiber (%)	0148	1.1150	0.03000	2.0188	1.3139	0.25036	27	-0.69	008.02	0
008	Fiber (%)	0358	1.1150	0.29000	2.0188	1.3139	0.25036	27	-0.69	008.08	0
008	Fiber (%)	0413	1.2000	0.00000	2.0188	1.3139	0.25036	27	-0.62	008.08	0
008	Fiber (%)	0309	1.2446	0.11940	2.0188	1.3139	0.25036	27	-0.59	008.02	0
008	Fiber (%)	0861	1.3350	0.49000	2.0188	1.3139	0.25036	27	-0.52	008.08	0
008	Fiber (%)	0357	1.3500	0.30000	2.0188	1.3139	0.25036	27	-0.51	008.08	0
008	Fiber (%)	0504	1.3750	0.75000	2.0188	1.3139	0.25036	27	-0.49	008.02	0
008	Fiber (%)	0187	1.5950	0.01000	2.0188	1.3139	0.25036	27	-0.32	008.02	0
008	Fiber (%)	0263	1.9315	0.12300	2.0188	1.3139	0.25036	27	-0.07	008.08	0
008	Fiber (%)	0001	1.9400	0.14000	2.0188	1.3139	0.25036	27	-0.06	008.08	0
008	Fiber (%)	0049	2.0250	0.09000	2.0188	1.3139	0.25036	27	0.00	008.08	0
008	Fiber (%)	2004	2.3150	0.67000	2.0188	1.3139	0.25036	27	0.23	008.08	0
008	Fiber (%)	0354	2.5000	0.52000	2.0188	1.3139	0.25036	27	0.37	008.08	0
008	Fiber (%)	0693	2.5569	0.10660	2.0188	1.3139	0.25036	27	0.41	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
008	Fiber (%)	0037	2.9500	0.54000	2.0188	1.3139	0.25036	27	0.71	008.08	0
008	Fiber (%)	0045	3.6750	0.17000	2.0188	1.3139	0.25036	27	1.26	008.08	0
008	Fiber (%)	0265	3.7000	0.00000	2.0188	1.3139	0.25036	27	1.28	008.05	0
008	Fiber (%)	0148	3.8350	0.69000	2.0188	1.3139	0.25036	27	1.38	008.08	0
008	Fiber (%)	0918	3.8514	0.02070	2.0188	1.3139	0.25036	27	1.39	008.08	0
008	Fiber (%)	2012	6.3600	0.84000	2.0188	1.3139	0.25036	27	3.30	008.08	0
008	Fiber (%)	0278	6.8000	0.20000	2.0188	1.3139	0.25036	27	3.64	008.08	0
008	Fiber (%)	0609	0.00000	0.00000	2.0188	1.3139	0.25036	27		008.02	4
008	Fiber (%)	0720	0.00000	0.00000	2.0188	1.3139	0.25036	27		008.99	4
009	Fiber (%)	0675	1.0400	0.02000	15.497	6.7604	0.57799	27	-2.14	009.07	0
009	Fiber (%)	0889	2.0250	0.01000	15.497	6.7604	0.57799	27	-1.99	009.09	0
009	Fiber (%)	0889	6.5100	0.14000	15.497	6.7604	0.57799	27	-1.33	009.99	0
009	Fiber (%)	0297	7.6000	0.00000	15.497	6.7604	0.57799	27	-1.17	009.09	0
009	Fiber (%)	0353	10.690	0.60000	15.497	6.7604	0.57799	27	-0.71	009.07	0
009	Fiber (%)	0948	11.920	0.24000	15.497	6.7604	0.57799	27	-0.53	009.09	0
009	Fiber (%)	2004	12.050	1.9000	15.497	6.7604	0.57799	27	-0.51	009.09	0
009	Fiber (%)	0309	12.156	0.21360	15.497	6.7604	0.57799	27	-0.49	009.07	0
009	Fiber (%)	0598	12.965	0.23000	15.497	6.7604	0.57799	27	-0.37	009.09	0
009	Fiber (%)	0263	13.360	0.05000	15.497	6.7604	0.57799	27	-0.32	009.09	0
009	Fiber (%)	0148	13.600	0.36000	15.497	6.7604	0.57799	27	-0.28	009.09	0
009	Fiber (%)	0693	13.660	1.0733	15.497	6.7604	0.57799	27	-0.27	009.09	0
009	Fiber (%)	0413	14.150	0.50000	15.497	6.7604	0.57799	27	-0.20	009.09	0
009	Fiber (%)	0164	14.400	0.80000	15.497	6.7604	0.57799	27	-0.16	009.09	0
009	Fiber (%)	0049	14.690	0.54000	15.497	6.7604	0.57799	27	-0.12	009.09	0
009	Fiber (%)	0357	15.800	0.20000	15.497	6.7604	0.57799	27	0.04	009.09	0
009	Fiber (%)	0187	16.415	0.07000	15.497	6.7604	0.57799	27	0.14	009.07	0
009	Fiber (%)	0581	16.645	0.57000	15.497	6.7604	0.57799	27	0.17	009.09	0
009	Fiber (%)	0861	17.925	0.19000	15.497	6.7604	0.57799	27	0.36	009.09	0
009	Fiber (%)	0358	19.235	1.4300	15.497	6.7604	0.57799	27	0.55	009.09	0
009	Fiber (%)	0918	19.920	1.3389	15.497	6.7604	0.57799	27	0.65	009.09	0
009	Fiber (%)	0037	20.845	2.8500	15.497	6.7604	0.57799	27	0.79	009.09	0
009	Fiber (%)	0354	22.445	0.27000	15.497	6.7604	0.57799	27	1.03	009.09	0
009	Fiber (%)	0278	24.400	0.80000	15.497	6.7604	0.57799	27	1.32	009.09	0
009	Fiber (%)	0045	25.050	0.10000	15.497	6.7604	0.57799	27	1.41	009.09	0
009	Fiber (%)	2012	28.215	0.41000	15.497	6.7604	0.57799	27	1.88	009.09	0
009	Fiber (%)	0265	34.050	0.70000	15.497	6.7604	0.57799	27	2.74	009.09	0
009	Fiber (%)	0504	19.170	3.4800	15.497	6.7604	0.57799	27	0.54	009.04	1
009	Fiber (%)	0609	0.00000	0.00000	15.497	6.7604	0.57799	27		009.07	4
009	Fiber (%)	0720	0.00000	0.00000	15.497	6.7604	0.57799	27		009.99	4
010	Moisture (%)	0651	5.9815	0.02500	6.7853	0.35504	0.06359	28	-2.26	010.99	0
010	Moisture (%)	0852	6.3450	0.05000	6.7853	0.35504	0.06359	28	-1.24	010.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
010	Moisture (%)	0964	6.3830	0.02200	6.7853	0.35504	0.06359	28	-1.13	010.99	0
010	Moisture (%)	0843	6.4800	0.14000	6.7853	0.35504	0.06359	28	-0.86	010.03	0
010	Moisture (%)	2120	6.5450	0.03000	6.7853	0.35504	0.06359	28	-0.68	010.11	0
010	Moisture (%)	0889	6.5500	0.02000	6.7853	0.35504	0.06359	28	-0.66	010.11	0
010	Moisture (%)	0720	6.5600	0.02000	6.7853	0.35504	0.06359	28	-0.63	010.11	0
010	Moisture (%)	0028	6.5700	0.00000	6.7853	0.35504	0.06359	28	-0.61	010.99	0
010	Moisture (%)	0884	6.6000	0.00000	6.7853	0.35504	0.06359	28	-0.52	010.99	0
010	Moisture (%)	0722	6.6033	0.15340	6.7853	0.35504	0.06359	28	-0.51	010.99	0
010	Moisture (%)	0692	6.6350	0.19000	6.7853	0.35504	0.06359	28	-0.42	010.99	0
010	Moisture (%)	2121	6.6450	0.01000	6.7853	0.35504	0.06359	28	-0.40	010.11	0
010	Moisture (%)	0917	6.6500	0.10000	6.7853	0.35504	0.06359	28	-0.38	010.99	0
010	Moisture (%)	2105	6.6600	0.00000	6.7853	0.35504	0.06359	28	-0.35	010.99	0
010	Moisture (%)	2043	6.6800	0.12000	6.7853	0.35504	0.06359	28	-0.30	010.99	0
010	Moisture (%)	2089	6.7350	0.01000	6.7853	0.35504	0.06359	28	-0.14	010.99	0
010	Moisture (%)	0948	6.8150	0.09000	6.7853	0.35504	0.06359	28	0.08	010.99	0
010	Moisture (%)	0208	6.8350	0.19000	6.7853	0.35504	0.06359	28	0.14	010.03	0
010	Moisture (%)	2004	6.8350	0.03000	6.7853	0.35504	0.06359	28	0.14	010.99	0
010	Moisture (%)	0921	6.9700	0.14000	6.7853	0.35504	0.06359	28	0.52	010.99	0
010	Moisture (%)	2055	7.0000	0.00000	6.7853	0.35504	0.06359	28	0.60	010.99	0
010	Moisture (%)	2150	7.0750	0.07000	6.7853	0.35504	0.06359	28	0.82	010.99	0
010	Moisture (%)	0726	7.1850	0.07000	6.7853	0.35504	0.06359	28	1.13	010.99	0
010	Moisture (%)	0164	7.1900	0.02000	6.7853	0.35504	0.06359	28	1.14	010.03	0
010	Moisture (%)	0190	7.2350	0.03000	6.7853	0.35504	0.06359	28	1.27	010.99	0
010	Moisture (%)	2127	7.5950	0.11000	6.7853	0.35504	0.06359	28	2.28	010.99	0
010	Moisture (%)	2076	7.6800	0.04000	6.7853	0.35504	0.06359	28	2.52	010.99	0
010	Moisture (%)	0405	7.9500	0.10000	6.7853	0.35504	0.06359	28	3.28	010.99	0
010	Moisture (%)	0939	6.6450	0.51000	6.7853	0.35504	0.06359	28	-0.40	010.99	1
010	Moisture (%)	2129	6.9500	0.48000	6.7853	0.35504	0.06359	28	0.46	010.99	1
011	Loss on Drying (%)	0563	6.1167	0.02240	7.4848	0.41620	0.12060	68	-3.29	011.01	0
011	Loss on Drying (%)	0345	6.1250	0.05000	7.4848	0.41620	0.12060	68	-3.27	011.01	0
011	Loss on Drying (%)	0263	6.4750	0.05000	7.4848	0.41620	0.12060	68	-2.43	011.01	0
011	Loss on Drying (%)	0643	6.6000	0.00000	7.4848	0.41620	0.12060	68	-2.13	011.01	0
011	Loss on Drying (%)	0536	6.6450	0.03000	7.4848	0.41620	0.12060	68	-2.02	011.01	0
011	Loss on Drying (%)	0874	6.6450	0.05000	7.4848	0.41620	0.12060	68	-2.02	011.01	0
011	Loss on Drying (%)	0541	6.8000	0.14000	7.4848	0.41620	0.12060	68	-1.65	011.99	0
011	Loss on Drying (%)	0857	6.8500	0.50000	7.4848	0.41620	0.12060	68	-1.53	011.99	0
011	Loss on Drying (%)	0407	6.9164	0.04650	7.4848	0.41620	0.12060	68	-1.37	011.01	0
011	Loss on Drying (%)	0620	7.0403	0.04270	7.4848	0.41620	0.12060	68	-1.07	011.01	0
011	Loss on Drying (%)	0685	7.0500	0.00000	7.4848	0.41620	0.12060	68	-1.04	011.01	0
011	Loss on Drying (%)	0722	7.0920	0.05210	7.4848	0.41620	0.12060	68	-0.94	011.01	0
011	Loss on Drying (%)	0675	7.1250	0.05000	7.4848	0.41620	0.12060	68	-0.86	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	0942	7.1350	0.13000	7.4848	0.41620	0.12060	68	-0.84	011.02	0
011	Loss on Drying (%)	0226	7.1500	0.30000	7.4848	0.41620	0.12060	68	-0.80	011.01	0
011	Loss on Drying (%)	0574	7.1850	0.01000	7.4848	0.41620	0.12060	68	-0.72	011.01	0
011	Loss on Drying (%)	0047	7.2500	0.10000	7.4848	0.41620	0.12060	68	-0.56	011.01	0
011	Loss on Drying (%)	0859	7.2885	0.02100	7.4848	0.41620	0.12060	68	-0.47	011.01	0
011	Loss on Drying (%)	0598	7.2900	0.00000	7.4848	0.41620	0.12060	68	-0.47	011.01	0
011	Loss on Drying (%)	2075	7.3300	0.12000	7.4848	0.41620	0.12060	68	-0.37	011.01	0
011	Loss on Drying (%)	0171	7.3450	0.11000	7.4848	0.41620	0.12060	68	-0.34	011.01	0
011	Loss on Drying (%)	0510	7.3500	0.30000	7.4848	0.41620	0.12060	68	-0.32	011.01	0
011	Loss on Drying (%)	0953	7.3500	0.56000	7.4848	0.41620	0.12060	68	-0.32	011.01	0
011	Loss on Drying (%)	0354	7.3700	0.02000	7.4848	0.41620	0.12060	68	-0.28	011.01	0
011	Loss on Drying (%)	0425	7.3700	0.10000	7.4848	0.41620	0.12060	68	-0.28	011.02	0
011	Loss on Drying (%)	0622	7.3791	0.09180	7.4848	0.41620	0.12060	68	-0.25	011.01	0
011	Loss on Drying (%)	0294	7.4000	0.00000	7.4848	0.41620	0.12060	68	-0.20	011.01	0
011	Loss on Drying (%)	0552	7.4250	0.29000	7.4848	0.41620	0.12060	68	-0.14	011.01	0
011	Loss on Drying (%)	0843	7.4400	0.08000	7.4848	0.41620	0.12060	68	-0.11	011.02	0
011	Loss on Drying (%)	0358	7.4450	0.05000	7.4848	0.41620	0.12060	68	-0.10	011.01	0
011	Loss on Drying (%)	0520	7.4500	0.10000	7.4848	0.41620	0.12060	68	-0.08	011.01	0
011	Loss on Drying (%)	0682	7.4600	0.00000	7.4848	0.41620	0.12060	68	-0.06	011.01	0
011	Loss on Drying (%)	0208	7.4900	0.30000	7.4848	0.41620	0.12060	68	0.01	011.01	0
011	Loss on Drying (%)	0646	7.5000	0.00000	7.4848	0.41620	0.12060	68	0.04	011.01	0
011	Loss on Drying (%)	0861	7.5150	0.17000	7.4848	0.41620	0.12060	68	0.07	011.01	0
011	Loss on Drying (%)	2006	7.5450	0.47000	7.4848	0.41620	0.12060	68	0.14	011.01	0
011	Loss on Drying (%)	0653	7.5500	0.20000	7.4848	0.41620	0.12060	68	0.16	011.01	0
011	Loss on Drying (%)	0100	7.5650	0.11000	7.4848	0.41620	0.12060	68	0.19	011.01	0
011	Loss on Drying (%)	0144	7.5750	0.09000	7.4848	0.41620	0.12060	68	0.22	011.01	0
011	Loss on Drying (%)	0033	7.5850	0.07000	7.4848	0.41620	0.12060	68	0.24	011.01	0
011	Loss on Drying (%)	0242	7.5850	0.01000	7.4848	0.41620	0.12060	68	0.24	011.01	0
011	Loss on Drying (%)	0968	7.6020	0.08600	7.4848	0.41620	0.12060	68	0.28	011.01	0
011	Loss on Drying (%)	0066	7.6050	0.13000	7.4848	0.41620	0.12060	68	0.29	011.01	0
011	Loss on Drying (%)	0511	7.6100	0.00000	7.4848	0.41620	0.12060	68	0.30	011.01	0
011	Loss on Drying (%)	0202	7.6115	0.06100	7.4848	0.41620	0.12060	68	0.30	011.01	0
011	Loss on Drying (%)	0553	7.6150	0.13000	7.4848	0.41620	0.12060	68	0.31	011.01	0
011	Loss on Drying (%)	0108	7.6250	0.59000	7.4848	0.41620	0.12060	68	0.34	011.01	0
011	Loss on Drying (%)	0175	7.6500	0.10000	7.4848	0.41620	0.12060	68	0.40	011.01	0
011	Loss on Drying (%)	0650	7.7100	0.30000	7.4848	0.41620	0.12060	68	0.54	011.01	0
011	Loss on Drying (%)	0229	7.7150	0.05000	7.4848	0.41620	0.12060	68	0.55	011.01	0
011	Loss on Drying (%)	0880	7.7195	0.06700	7.4848	0.41620	0.12060	68	0.56	011.01	0
011	Loss on Drying (%)	0541	7.7350	0.05000	7.4848	0.41620	0.12060	68	0.60	011.01	0
011	Loss on Drying (%)	0298	7.7500	0.02000	7.4848	0.41620	0.12060	68	0.64	011.01	0
011	Loss on Drying (%)	2073	7.7500	0.20000	7.4848	0.41620	0.12060	68	0.64	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	2171	7.7600	0.12000	7.4848	0.41620	0.12060	68	0.66	011.01	0
011	Loss on Drying (%)	0265	7.8000	0.20000	7.4848	0.41620	0.12060	68	0.76	011.01	0
011	Loss on Drying (%)	2031	7.8298	0.02040	7.4848	0.41620	0.12060	68	0.83	011.01	0
011	Loss on Drying (%)	0148	7.8700	0.06000	7.4848	0.41620	0.12060	68	0.93	011.01	0
011	Loss on Drying (%)	0164	7.8900	0.38000	7.4848	0.41620	0.12060	68	0.97	011.01	0
011	Loss on Drying (%)	0205	7.9255	0.11500	7.4848	0.41620	0.12060	68	1.06	011.01	0
011	Loss on Drying (%)	0098	8.0000	0.04000	7.4848	0.41620	0.12060	68	1.24	011.01	0
011	Loss on Drying (%)	0539	8.1100	0.12000	7.4848	0.41620	0.12060	68	1.50	011.01	0
011	Loss on Drying (%)	0623	8.1835	0.13500	7.4848	0.41620	0.12060	68	1.68	011.01	0
011	Loss on Drying (%)	0309	8.2800	0.00000	7.4848	0.41620	0.12060	68	1.91	011.01	0
011	Loss on Drying (%)	0051	8.3700	0.18000	7.4848	0.41620	0.12060	68	2.13	011.01	0
011	Loss on Drying (%)	0876	8.4950	0.05000	7.4848	0.41620	0.12060	68	2.43	011.01	0
011	Loss on Drying (%)	0852	8.7000	0.04000	7.4848	0.41620	0.12060	68	2.92	011.99	0
011	Loss on Drying (%)	0589	8.7800	0.12000	7.4848	0.41620	0.12060	68	3.11	011.01	0
011	Loss on Drying (%)	0848	6.6450	1.9900	7.4848	0.41620	0.12060	68	-2.02	011.01	1
012	Starch (%)	0693	0.10000	0.00000	0.26231	0.19592	0.06000	7	-0.83	012.01	0
012	Starch (%)	2004	0.10000	0.02000	0.26231	0.19592	0.06000	7	-0.83	012.01	0
012	Starch (%)	0045	0.15000	0.10000	0.26231	0.19592	0.06000	7	-0.57	012.01	0
012	Starch (%)	0297	0.20000	0.00000	0.26231	0.19592	0.06000	7	-0.32	012.03	0
012	Starch (%)	0683	0.33000	0.00000	0.26231	0.19592	0.06000	7	0.35	012.00	0
012	Starch (%)	0278	0.40000	0.00000	0.26231	0.19592	0.06000	7	0.70	012.04	0
012	Starch (%)	0265	2.0500	0.30000	0.26231	0.19592	0.06000	7	9.12	012.01	0
012	Starch (%)	0164	1.5500	0.90000	0.26231	0.19592	0.06000	7	6.57	012.01	1
012	Starch (%)	0609	0.00000	0.00000	0.26231	0.19592	0.06000	7		012.00	4
012	Starch (%)	0889	0.00000	0.00000	0.26231	0.19592	0.06000	7		012.03	4
012	Starch (%)	0297	0.00000	0.00000	0.26231	0.19592	0.06000	7		012.11	4
012	Starch (%)	0720	0.00000	0.00000	0.26231	0.19592	0.06000	7		012.11	4
012	Starch (%)	0918	0.28650	0.57300	0.26231	0.19592	0.06000	7		012.01	4
013	Fat (%)	0618	7.4750	0.01000	10.925	0.93144	0.30515	59	-3.70	013.08	0
013	Fat (%)	0615	7.9750	0.99000	10.925	0.93144	0.30515	59	-3.17	013.00	0
013	Fat (%)	0845	8.3100	0.62000	10.925	0.93144	0.30515	59	-2.81	013.10	0
013	Fat (%)	0874	8.4950	0.81000	10.925	0.93144	0.30515	59	-2.61	013.02	0
013	Fat (%)	0581	8.5750	0.25000	10.925	0.93144	0.30515	59	-2.52	013.13	0
013	Fat (%)	0019	8.8050	1.1500	10.925	0.93144	0.30515	59	-2.28	013.13	0
013	Fat (%)	0074	9.1400	0.00000	10.925	0.93144	0.30515	59	-1.92	013.13	0
013	Fat (%)	0353	9.6350	0.89000	10.925	0.93144	0.30515	59	-1.38	013.10	0
013	Fat (%)	0939	9.7800	0.10000	10.925	0.93144	0.30515	59	-1.23	013.00	0
013	Fat (%)	0955	9.8050	0.03000	10.925	0.93144	0.30515	59	-1.20	013.13	0
013	Fat (%)	0083	9.8500	0.24000	10.925	0.93144	0.30515	59	-1.15	013.00	0
013	Fat (%)	0905	9.8550	0.35000	10.925	0.93144	0.30515	59	-1.15	013.10	0
013	Fat (%)	0618	10.026	0.07380	10.925	0.93144	0.30515	59	-0.97	013.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat (%)	0968	10.078	0.15000	10.925	0.93144	0.30515	59	-0.91	013.13	0
013	Fat (%)	0504	10.250	0.28000	10.925	0.93144	0.30515	59	-0.72	013.00	0
013	Fat (%)	2073	10.275	0.59000	10.925	0.93144	0.30515	59	-0.70	013.02	0
013	Fat (%)	0610	10.330	0.16000	10.925	0.93144	0.30515	59	-0.64	013.10	0
013	Fat (%)	0643	10.365	0.53000	10.925	0.93144	0.30515	59	-0.60	013.02	0
013	Fat (%)	0689	10.650	0.10000	10.925	0.93144	0.30515	59	-0.30	013.00	0
013	Fat (%)	0505	10.715	0.01000	10.925	0.93144	0.30515	59	-0.23	013.02	0
013	Fat (%)	2146	10.750	0.24000	10.925	0.93144	0.30515	59	-0.19	013.00	0
013	Fat (%)	0242	10.790	0.22000	10.925	0.93144	0.30515	59	-0.14	013.00	0
013	Fat (%)	0510	10.800	0.00000	10.925	0.93144	0.30515	59	-0.13	013.02	0
013	Fat (%)	0652	10.850	0.70000	10.925	0.93144	0.30515	59	-0.08	013.00	0
013	Fat (%)	0629	10.980	0.26000	10.925	0.93144	0.30515	59	0.06	013.10	0
013	Fat (%)	0541	11.030	1.0800	10.925	0.93144	0.30515	59	0.11	013.00	0
013	Fat (%)	2145	11.070	0.20000	10.925	0.93144	0.30515	59	0.16	013.00	0
013	Fat (%)	0948	11.120	0.00000	10.925	0.93144	0.30515	59	0.21	013.00	0
013	Fat (%)	0675	11.170	0.06000	10.925	0.93144	0.30515	59	0.26	013.02	0
013	Fat (%)	0100	11.190	0.02000	10.925	0.93144	0.30515	59	0.28	013.02	0
013	Fat (%)	2053	11.210	0.02000	10.925	0.93144	0.30515	59	0.31	013.00	0
013	Fat (%)	2144	11.210	0.12000	10.925	0.93144	0.30515	59	0.31	013.00	0
013	Fat (%)	0843	11.240	0.96000	10.925	0.93144	0.30515	59	0.34	013.13	0
013	Fat (%)	0208	11.250	0.30000	10.925	0.93144	0.30515	59	0.35	013.02	0
013	Fat (%)	0682	11.340	0.00000	10.925	0.93144	0.30515	59	0.45	013.02	0
013	Fat (%)	0910	11.370	0.56000	10.925	0.93144	0.30515	59	0.48	013.00	0
013	Fat (%)	2004	11.400	0.00000	10.925	0.93144	0.30515	59	0.51	013.00	0
013	Fat (%)	0265	11.400	0.80000	10.925	0.93144	0.30515	59	0.51	013.13	0
013	Fat (%)	0861	11.430	0.44000	10.925	0.93144	0.30515	59	0.54	013.02	0
013	Fat (%)	2150	11.455	0.05000	10.925	0.93144	0.30515	59	0.57	013.02	0
013	Fat (%)	0229	11.475	0.29000	10.925	0.93144	0.30515	59	0.59	013.00	0
013	Fat (%)	0309	11.487	0.27230	10.925	0.93144	0.30515	59	0.60	013.00	0
013	Fat (%)	0004	11.525	0.13000	10.925	0.93144	0.30515	59	0.64	013.02	0
013	Fat (%)	0964	11.530	0.20000	10.925	0.93144	0.30515	59	0.65	013.02	0
013	Fat (%)	0148	11.590	0.36000	10.925	0.93144	0.30515	59	0.71	013.02	0
013	Fat (%)	0884	11.600	0.20000	10.925	0.93144	0.30515	59	0.72	013.00	0
013	Fat (%)	0650	11.605	0.35000	10.925	0.93144	0.30515	59	0.73	013.02	0
013	Fat (%)	0164	11.625	0.07000	10.925	0.93144	0.30515	59	0.75	013.02	0
013	Fat (%)	0202	11.645	0.02200	10.925	0.93144	0.30515	59	0.77	013.00	0
013	Fat (%)	0171	11.710	0.16000	10.925	0.93144	0.30515	59	0.84	013.02	0
013	Fat (%)	0010	11.750	0.10000	10.925	0.93144	0.30515	59	0.89	013.02	0
013	Fat (%)	0553	11.770	0.54000	10.925	0.93144	0.30515	59	0.91	013.02	0
013	Fat (%)	0354	11.775	0.79000	10.925	0.93144	0.30515	59	0.91	013.02	0
013	Fat (%)	0001	11.872	0.15580	10.925	0.93144	0.30515	59	1.02	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat (%)	0051	11.900	0.20000	10.925	0.93144	0.30515	59	1.05	013.02	0
013	Fat (%)	0676	11.995	0.19000	10.925	0.93144	0.30515	59	1.15	013.02	0
013	Fat (%)	2006	12.000	0.22000	10.925	0.93144	0.30515	59	1.15	013.10	0
013	Fat (%)	2076	12.095	0.13000	10.925	0.93144	0.30515	59	1.26	013.00	0
013	Fat (%)	0511	12.260	0.26000	10.925	0.93144	0.30515	59	1.43	013.02	0
015	Aluminum (mg / kg (ppm))	0169	110.50	11.000	477.42	132.59	24.257	13	-2.77	015.43	0
015	Aluminum (mg / kg (ppm))	0186	296.50	35.000	477.42	132.59	24.257	13	-1.36	015.52	0
015	Aluminum (mg / kg (ppm))	0049	389.86	33.820	477.42	132.59	24.257	13	-0.66	015.41	0
015	Aluminum (mg / kg (ppm))	0918	410.56	9.3232	477.42	132.59	24.257	13	-0.50	015.43	0
015	Aluminum (mg / kg (ppm))	0297	426.00	0.00000	477.42	132.59	24.257	13	-0.39	015.43	0
015	Aluminum (mg / kg (ppm))	0560	457.00	62.200	477.42	132.59	24.257	13	-0.15	015.42	0
015	Aluminum (mg / kg (ppm))	0520	485.00	8.0000	477.42	132.59	24.257	13	0.06	015.41	0
015	Aluminum (mg / kg (ppm))	0510	501.00	28.000	477.42	132.59	24.257	13	0.18	015.43	0
015	Aluminum (mg / kg (ppm))	0171	550.00	2.0000	477.42	132.59	24.257	13	0.55	015.41	0
015	Aluminum (mg / kg (ppm))	0164	558.00	0.00000	477.42	132.59	24.257	13	0.61	015.41	0
015	Aluminum (mg / kg (ppm))	0345	562.00	24.000	477.42	132.59	24.257	13	0.64	015.43	0
015	Aluminum (mg / kg (ppm))	0353	636.00	28.000	477.42	132.59	24.257	13	1.20	015.43	0
015	Aluminum (mg / kg (ppm))	0553	656.00	74.000	477.42	132.59	24.257	13	1.35	015.53	0
017	Boron (mg / kg (ppm))	0045	1.0750	0.09000	2.4668	0.91929	0.18400	11	-1.51	017.42	0
017	Boron (mg / kg (ppm))	0096	1.8064	0.30920	2.4668	0.91929	0.18400	11	-0.72	017.52	0
017	Boron (mg / kg (ppm))	0560	1.8150	0.03000	2.4668	0.91929	0.18400	11	-0.71	017.42	0
017	Boron (mg / kg (ppm))	0693	1.8252	0.26480	2.4668	0.91929	0.18400	11	-0.70	017.42	0
017	Boron (mg / kg (ppm))	0358	2.3700	0.18000	2.4668	0.91929	0.18400	11	-0.11	017.41	0
017	Boron (mg / kg (ppm))	0345	2.5500	0.10000	2.4668	0.91929	0.18400	11	0.09	017.43	0
017	Boron (mg / kg (ppm))	0918	2.6100	0.06000	2.4668	0.91929	0.18400	11	0.16	017.43	0
017	Boron (mg / kg (ppm))	0229	2.7000	0.28000	2.4668	0.91929	0.18400	11	0.25	017.41	0
017	Boron (mg / kg (ppm))	0510	3.0000	0.00000	2.4668	0.91929	0.18400	11	0.58	017.43	0
017	Boron (mg / kg (ppm))	0049	3.5250	0.63000	2.4668	0.91929	0.18400	11	1.15	017.41	0
017	Boron (mg / kg (ppm))	0294	4.7400	0.08000	2.4668	0.91929	0.18400	11	2.47	017.42	0
017	Boron (mg / kg (ppm))	0353	4.0000	2.0000	2.4668	0.91929	0.18400	11	1.67	017.43	1
017	Boron (mg / kg (ppm))	0297	0.00000	0.00000	2.4668	0.91929	0.18400	11		017.43	4
019	Calcium (%)	0609	3.4600	0.02000	6.3749	0.37284	0.16186	141	-7.82	019.32	0
019	Calcium (%)	0889	3.6595	0.13700	6.3749	0.37284	0.16186	141	-7.28	019.99	0
019	Calcium (%)	0089	4.3250	0.03000	6.3749	0.37284	0.16186	141	-5.50	019.41	0
019	Calcium (%)	0405	4.7650	0.01000	6.3749	0.37284	0.16186	141	-4.32	019.41	0
019	Calcium (%)	0529	5.0550	0.03000	6.3749	0.37284	0.16186	141	-3.54	019.31	0
019	Calcium (%)	0026	5.1750	0.77000	6.3749	0.37284	0.16186	141	-3.22	019.42	0
019	Calcium (%)	0948	5.2605	0.08700	6.3749	0.37284	0.16186	141	-2.99	019.31	0
019	Calcium (%)	0154	5.3822	0.57620	6.3749	0.37284	0.16186	141	-2.66	019.52	0
019	Calcium (%)	0563	5.4796	0.06040	6.3749	0.37284	0.16186	141	-2.40	019.31	0
019	Calcium (%)	0300	5.5250	0.23000	6.3749	0.37284	0.16186	141	-2.28	019.33	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0205	5.5900	0.46000	6.3749	0.37284	0.16186	141	-2.11	019.42	0
019	Calcium (%)	0552	5.6900	0.04000	6.3749	0.37284	0.16186	141	-1.84	019.00	0
019	Calcium (%)	0366	5.7350	0.47000	6.3749	0.37284	0.16186	141	-1.72	019.42	0
019	Calcium (%)	0300	5.7710	0.10000	6.3749	0.37284	0.16186	141	-1.62	019.53	0
019	Calcium (%)	0202	5.7930	0.03200	6.3749	0.37284	0.16186	141	-1.56	019.43	0
019	Calcium (%)	0536	5.9400	0.20000	6.3749	0.37284	0.16186	141	-1.17	019.31	0
019	Calcium (%)	0001	5.9455	0.05500	6.3749	0.37284	0.16186	141	-1.15	019.31	0
019	Calcium (%)	0629	5.9750	0.03000	6.3749	0.37284	0.16186	141	-1.07	019.08	0
019	Calcium (%)	0590	5.9800	0.00000	6.3749	0.37284	0.16186	141	-1.06	019.08	0
019	Calcium (%)	0357	5.9899	0.32900	6.3749	0.37284	0.16186	141	-1.03	019.42	0
019	Calcium (%)	0675	5.9950	0.13000	6.3749	0.37284	0.16186	141	-1.02	019.43	0
019	Calcium (%)	0610	6.0050	0.17000	6.3749	0.37284	0.16186	141	-0.99	019.43	0
019	Calcium (%)	0175	6.0150	0.13000	6.3749	0.37284	0.16186	141	-0.97	019.31	0
019	Calcium (%)	0098	6.0300	0.10000	6.3749	0.37284	0.16186	141	-0.93	019.41	0
019	Calcium (%)	2097	6.0334	0.17740	6.3749	0.37284	0.16186	141	-0.92	019.31	0
019	Calcium (%)	0964	6.0405	0.01540	6.3749	0.37284	0.16186	141	-0.90	019.43	0
019	Calcium (%)	0142	6.0616	0.04040	6.3749	0.37284	0.16186	141	-0.84	019.31	0
019	Calcium (%)	0510	6.0750	0.03000	6.3749	0.37284	0.16186	141	-0.80	019.43	0
019	Calcium (%)	0629	6.0800	0.00000	6.3749	0.37284	0.16186	141	-0.79	019.43	0
019	Calcium (%)	2109	6.0920	0.09000	6.3749	0.37284	0.16186	141	-0.76	019.00	0
019	Calcium (%)	0014	6.1250	0.07000	6.3749	0.37284	0.16186	141	-0.67	019.31	0
019	Calcium (%)	0964	6.1262	0.08310	6.3749	0.37284	0.16186	141	-0.67	019.41	0
019	Calcium (%)	0722	6.1349	0.06170	6.3749	0.37284	0.16186	141	-0.64	019.31	0
019	Calcium (%)	0027	6.1445	0.15300	6.3749	0.37284	0.16186	141	-0.62	019.43	0
019	Calcium (%)	0208	6.1505	0.15100	6.3749	0.37284	0.16186	141	-0.60	019.31	0
019	Calcium (%)	0096	6.1520	0.04480	6.3749	0.37284	0.16186	141	-0.60	019.52	0
019	Calcium (%)	0208	6.1525	0.12100	6.3749	0.37284	0.16186	141	-0.60	019.41	0
019	Calcium (%)	2006	6.1590	0.00200	6.3749	0.37284	0.16186	141	-0.58	019.00	0
019	Calcium (%)	2161	6.1600	0.16000	6.3749	0.37284	0.16186	141	-0.58	019.31	0
019	Calcium (%)	0619	6.1750	0.31000	6.3749	0.37284	0.16186	141	-0.54	019.41	0
019	Calcium (%)	0187	6.1750	0.03000	6.3749	0.37284	0.16186	141	-0.54	019.42	0
019	Calcium (%)	0940	6.1850	0.17000	6.3749	0.37284	0.16186	141	-0.51	019.08	0
019	Calcium (%)	0623	6.1915	0.16500	6.3749	0.37284	0.16186	141	-0.49	019.00	0
019	Calcium (%)	0520	6.1950	0.53000	6.3749	0.37284	0.16186	141	-0.48	019.41	0
019	Calcium (%)	0650	6.2200	0.24000	6.3749	0.37284	0.16186	141	-0.42	019.31	0
019	Calcium (%)	0298	6.2200	0.02000	6.3749	0.37284	0.16186	141	-0.42	019.41	0
019	Calcium (%)	0560	6.2258	0.13590	6.3749	0.37284	0.16186	141	-0.40	019.42	0
019	Calcium (%)	0849	6.2350	0.03000	6.3749	0.37284	0.16186	141	-0.38	019.08	0
019	Calcium (%)	0345	6.2400	0.04000	6.3749	0.37284	0.16186	141	-0.36	019.43	0
019	Calcium (%)	0918	6.2530	0.03400	6.3749	0.37284	0.16186	141	-0.33	019.43	0
019	Calcium (%)	0893	6.2600	0.00000	6.3749	0.37284	0.16186	141	-0.31	019.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0019	6.2650	0.53000	6.3749	0.37284	0.16186	141	-0.29	019.41	0
019	Calcium (%)	0653	6.2730	0.07000	6.3749	0.37284	0.16186	141	-0.27	019.31	0
019	Calcium (%)	0689	6.2750	0.07000	6.3749	0.37284	0.16186	141	-0.27	019.08	0
019	Calcium (%)	0910	6.2750	0.63000	6.3749	0.37284	0.16186	141	-0.27	019.41	0
019	Calcium (%)	0051	6.3000	0.12000	6.3749	0.37284	0.16186	141	-0.20	019.41	0
019	Calcium (%)	0878	6.3100	0.08000	6.3749	0.37284	0.16186	141	-0.17	019.31	0
019	Calcium (%)	0042	6.3150	0.41000	6.3749	0.37284	0.16186	141	-0.16	019.42	0
019	Calcium (%)	0144	6.3250	0.11000	6.3749	0.37284	0.16186	141	-0.13	019.41	0
019	Calcium (%)	0720	6.3250	0.15000	6.3749	0.37284	0.16186	141	-0.13	019.41	0
019	Calcium (%)	0620	6.3259	0.11110	6.3749	0.37284	0.16186	141	-0.13	019.00	0
019	Calcium (%)	0897	6.3300	0.04000	6.3749	0.37284	0.16186	141	-0.12	019.00	0
019	Calcium (%)	2093	6.3300	0.02000	6.3749	0.37284	0.16186	141	-0.12	019.00	0
019	Calcium (%)	0598	6.3320	0.16800	6.3749	0.37284	0.16186	141	-0.12	019.41	0
019	Calcium (%)	0895	6.3350	0.01000	6.3749	0.37284	0.16186	141	-0.11	019.00	0
019	Calcium (%)	0903	6.3450	0.01000	6.3749	0.37284	0.16186	141	-0.08	019.00	0
019	Calcium (%)	0939	6.3500	0.36000	6.3749	0.37284	0.16186	141	-0.07	019.31	0
019	Calcium (%)	2105	6.3500	0.34000	6.3749	0.37284	0.16186	141	-0.07	019.99	0
019	Calcium (%)	0848	6.3550	0.01000	6.3749	0.37284	0.16186	141	-0.05	019.41	0
019	Calcium (%)	0278	6.3550	0.35000	6.3749	0.37284	0.16186	141	-0.05	019.42	0
019	Calcium (%)	0651	6.3575	0.17500	6.3749	0.37284	0.16186	141	-0.05	019.00	0
019	Calcium (%)	0028	6.3600	0.68000	6.3749	0.37284	0.16186	141	-0.04	019.43	0
019	Calcium (%)	0074	6.3800	0.08000	6.3749	0.37284	0.16186	141	0.01	019.41	0
019	Calcium (%)	0171	6.3800	0.00000	6.3749	0.37284	0.16186	141	0.01	019.41	0
019	Calcium (%)	2012	6.3800	0.00000	6.3749	0.37284	0.16186	141	0.01	019.41	0
019	Calcium (%)	0100	6.3800	0.10000	6.3749	0.37284	0.16186	141	0.01	019.99	0
019	Calcium (%)	0043	6.3800	0.38000	6.3749	0.37284	0.16186	141	0.01	019.43	0
019	Calcium (%)	0043	6.4000	0.40000	6.3749	0.37284	0.16186	141	0.07	019.00	0
019	Calcium (%)	0164	6.4050	0.07000	6.3749	0.37284	0.16186	141	0.08	019.41	0
019	Calcium (%)	0354	6.4150	0.01000	6.3749	0.37284	0.16186	141	0.11	019.31	0
019	Calcium (%)	2068	6.4200	0.00000	6.3749	0.37284	0.16186	141	0.12	019.00	0
019	Calcium (%)	0505	6.4300	0.20000	6.3749	0.37284	0.16186	141	0.15	019.31	0
019	Calcium (%)	0884	6.4300	0.22000	6.3749	0.37284	0.16186	141	0.15	019.31	0
019	Calcium (%)	0622	6.4354	0.18620	6.3749	0.37284	0.16186	141	0.16	019.00	0
019	Calcium (%)	0358	6.4450	0.17000	6.3749	0.37284	0.16186	141	0.19	019.41	0
019	Calcium (%)	0885	6.4681	0.21120	6.3749	0.37284	0.16186	141	0.25	019.08	0
019	Calcium (%)	2062	6.4690	0.03370	6.3749	0.37284	0.16186	141	0.25	019.00	0
019	Calcium (%)	2144	6.4700	0.00000	6.3749	0.37284	0.16186	141	0.26	019.31	0
019	Calcium (%)	2004	6.4750	0.35000	6.3749	0.37284	0.16186	141	0.27	019.44	0
019	Calcium (%)	0169	6.4800	0.10000	6.3749	0.37284	0.16186	141	0.28	019.32	0
019	Calcium (%)	0297	6.4800	0.00000	6.3749	0.37284	0.16186	141	0.28	019.43	0
019	Calcium (%)	0148	6.4850	0.03000	6.3749	0.37284	0.16186	141	0.30	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	2089	6.4950	0.09000	6.3749	0.37284	0.16186	141	0.32	019.43	0
019	Calcium (%)	0242	6.4950	0.03000	6.3749	0.37284	0.16186	141	0.32	019.99	0
019	Calcium (%)	0968	6.4960	0.01600	6.3749	0.37284	0.16186	141	0.32	019.43	0
019	Calcium (%)	0687	6.5250	0.25000	6.3749	0.37284	0.16186	141	0.40	019.31	0
019	Calcium (%)	0955	6.5250	0.05000	6.3749	0.37284	0.16186	141	0.40	019.44	0
019	Calcium (%)	2009	6.5391	0.02000	6.3749	0.37284	0.16186	141	0.44	019.08	0
019	Calcium (%)	0098	6.5500	0.08000	6.3749	0.37284	0.16186	141	0.47	019.43	0
019	Calcium (%)	0874	6.5550	0.29000	6.3749	0.37284	0.16186	141	0.48	019.31	0
019	Calcium (%)	0265	6.5700	0.08000	6.3749	0.37284	0.16186	141	0.52	019.42	0
019	Calcium (%)	0425	6.5750	0.13000	6.3749	0.37284	0.16186	141	0.54	019.43	0
019	Calcium (%)	0263	6.5781	0.02390	6.3749	0.37284	0.16186	141	0.54	019.32	0
019	Calcium (%)	0572	6.5800	0.54000	6.3749	0.37284	0.16186	141	0.55	019.53	0
019	Calcium (%)	2006	6.5995	0.13100	6.3749	0.37284	0.16186	141	0.60	019.09	0
019	Calcium (%)	2129	6.6150	0.11000	6.3749	0.37284	0.16186	141	0.64	019.42	0
019	Calcium (%)	2022	6.6300	0.06000	6.3749	0.37284	0.16186	141	0.68	019.31	0
019	Calcium (%)	0683	6.6400	0.10000	6.3749	0.37284	0.16186	141	0.71	019.00	0
019	Calcium (%)	0294	6.6400	0.02000	6.3749	0.37284	0.16186	141	0.71	019.42	0
019	Calcium (%)	0045	6.6550	0.31000	6.3749	0.37284	0.16186	141	0.75	019.42	0
019	Calcium (%)	0003	6.6800	0.20000	6.3749	0.37284	0.16186	141	0.82	019.41	0
019	Calcium (%)	0034	6.6873	0.07640	6.3749	0.37284	0.16186	141	0.84	019.43	0
019	Calcium (%)	0199	6.6900	0.24000	6.3749	0.37284	0.16186	141	0.85	019.53	0
019	Calcium (%)	0049	6.7000	0.02000	6.3749	0.37284	0.16186	141	0.87	019.41	0
019	Calcium (%)	2145	6.7000	0.00000	6.3749	0.37284	0.16186	141	0.87	019.41	0
019	Calcium (%)	0682	6.7000	0.00000	6.3749	0.37284	0.16186	141	0.87	019.43	0
019	Calcium (%)	0852	6.7500	0.50000	6.3749	0.37284	0.16186	141	1.01	019.08	0
019	Calcium (%)	0693	6.7533	0.24350	6.3749	0.37284	0.16186	141	1.01	019.42	0
019	Calcium (%)	0096	6.7577	0.57940	6.3749	0.37284	0.16186	141	1.03	019.42	0
019	Calcium (%)	2171	6.7675	0.23700	6.3749	0.37284	0.16186	141	1.05	019.41	0
019	Calcium (%)	0186	6.7850	0.41000	6.3749	0.37284	0.16186	141	1.10	019.42	0
019	Calcium (%)	0504	6.7900	0.13800	6.3749	0.37284	0.16186	141	1.11	019.32	0
019	Calcium (%)	0190	6.7950	0.17000	6.3749	0.37284	0.16186	141	1.13	019.42	0
019	Calcium (%)	0010	6.8050	0.07000	6.3749	0.37284	0.16186	141	1.15	019.33	0
019	Calcium (%)	0861	6.8050	0.21000	6.3749	0.37284	0.16186	141	1.15	019.43	0
019	Calcium (%)	0108	6.8100	0.08000	6.3749	0.37284	0.16186	141	1.17	019.31	0
019	Calcium (%)	0229	6.8100	0.10000	6.3749	0.37284	0.16186	141	1.17	019.41	0
019	Calcium (%)	0413	6.9000	0.20000	6.3749	0.37284	0.16186	141	1.41	019.41	0
019	Calcium (%)	0921	6.9430	0.75400	6.3749	0.37284	0.16186	141	1.52	019.31	0
019	Calcium (%)	0511	6.9550	0.27000	6.3749	0.37284	0.16186	141	1.56	019.41	0
019	Calcium (%)	0083	6.9800	0.18000	6.3749	0.37284	0.16186	141	1.62	019.43	0
019	Calcium (%)	0047	6.9900	0.32000	6.3749	0.37284	0.16186	141	1.65	019.52	0
019	Calcium (%)	0504	7.0325	0.30100	6.3749	0.37284	0.16186	141	1.76	019.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0692	7.1600	0.00000	6.3749	0.37284	0.16186	141	2.11	019.42	0
019	Calcium (%)	0612	7.1900	0.30000	6.3749	0.37284	0.16186	141	2.19	019.32	0
019	Calcium (%)	0553	7.2700	0.44000	6.3749	0.37284	0.16186	141	2.40	019.53	0
019	Calcium (%)	0726	7.4095	0.13500	6.3749	0.37284	0.16186	141	2.77	019.42	0
019	Calcium (%)	0226	7.4150	0.07000	6.3749	0.37284	0.16186	141	2.79	019.41	0
019	Calcium (%)	0353	7.4150	0.05000	6.3749	0.37284	0.16186	141	2.79	019.43	0
019	Calcium (%)	0407	7.9096	0.03110	6.3749	0.37284	0.16186	141	4.12	019.41	0
019	Calcium (%)	0536	8.3900	0.08000	6.3749	0.37284	0.16186	141	5.40	019.02	0
019	Calcium (%)	0033	6.2250	0.93000	6.3749	0.37284	0.16186	141	-0.40	019.43	1
019	Calcium (%)	0668	6.5300	0.86000	6.3749	0.37284	0.16186	141	0.42	019.43	1
019	Calcium (%)	0037	6.6000	0.90000	6.3749	0.37284	0.16186	141	0.60	019.42	1
021	Cobalt (mg / kg (ppm))	0560	0.10500	0.01000	0.26535	0.17013	0.03146	18	-0.94	021.42	0
021	Cobalt (mg / kg (ppm))	0693	0.10625	0.09790	0.26535	0.17013	0.03146	18	-0.94	021.42	0
021	Cobalt (mg / kg (ppm))	0619	0.10950	0.00900	0.26535	0.17013	0.03146	18	-0.92	021.41	0
021	Cobalt (mg / kg (ppm))	0171	0.11500	0.01000	0.26535	0.17013	0.03146	18	-0.88	021.41	0
021	Cobalt (mg / kg (ppm))	0045	0.15500	0.01000	0.26535	0.17013	0.03146	18	-0.65	021.42	0
021	Cobalt (mg / kg (ppm))	0096	0.17340	0.00160	0.26535	0.17013	0.03146	18	-0.54	021.52	0
021	Cobalt (mg / kg (ppm))	0918	0.18605	0.00210	0.26535	0.17013	0.03146	18	-0.47	021.53	0
021	Cobalt (mg / kg (ppm))	0910	0.20000	0.00000	0.26535	0.17013	0.03146	18	-0.38	021.52	0
021	Cobalt (mg / kg (ppm))	0553	0.21200	0.00400	0.26535	0.17013	0.03146	18	-0.31	021.53	0
021	Cobalt (mg / kg (ppm))	0964	0.21780	0.01000	0.26535	0.17013	0.03146	18	-0.28	021.41	0
021	Cobalt (mg / kg (ppm))	0964	0.23910	0.03260	0.26535	0.17013	0.03146	18	-0.15	021.43	0
021	Cobalt (mg / kg (ppm))	0169	0.24000	0.00000	0.26535	0.17013	0.03146	18	-0.15	021.43	0
021	Cobalt (mg / kg (ppm))	0510	0.32000	0.04000	0.26535	0.17013	0.03146	18	0.32	021.43	0
021	Cobalt (mg / kg (ppm))	0186	0.38400	0.05600	0.26535	0.17013	0.03146	18	0.70	021.52	0
021	Cobalt (mg / kg (ppm))	0098	0.45150	0.00300	0.26535	0.17013	0.03146	18	1.09	021.53	0
021	Cobalt (mg / kg (ppm))	0675	0.66000	0.08000	0.26535	0.17013	0.03146	18	2.32	021.43	0
021	Cobalt (mg / kg (ppm))	0199	0.69000	0.00000	0.26535	0.17013	0.03146	18	2.50	021.53	0
021	Cobalt (mg / kg (ppm))	0164	1.4000	0.20000	0.26535	0.17013	0.03146	18	6.67	021.31	0
021	Cobalt (mg / kg (ppm))	0208	3.3500	0.54000	0.26535	0.17013	0.03146	18	18.13	021.31	1
022	Copper (mg / kg (ppm))	0098	2.7450	0.17000	5.0011	1.2045	0.39018	82	-1.87	022.43	0
022	Copper (mg / kg (ppm))	0619	3.5000	0.34000	5.0011	1.2045	0.39018	82	-1.25	022.41	0
022	Copper (mg / kg (ppm))	0265	3.5000	1.0000	5.0011	1.2045	0.39018	82	-1.25	022.42	0
022	Copper (mg / kg (ppm))	2055	3.5000	1.0000	5.0011	1.2045	0.39018	82	-1.25	022.53	0
022	Copper (mg / kg (ppm))	0100	3.5000	1.0000	5.0011	1.2045	0.39018	82	-1.25	022.99	0
022	Copper (mg / kg (ppm))	0242	3.5000	1.0000	5.0011	1.2045	0.39018	82	-1.25	022.99	0
022	Copper (mg / kg (ppm))	0051	3.5400	0.44000	5.0011	1.2045	0.39018	82	-1.21	022.41	0
022	Copper (mg / kg (ppm))	0043	3.5650	0.93000	5.0011	1.2045	0.39018	82	-1.19	022.43	0
022	Copper (mg / kg (ppm))	2129	3.6250	0.17000	5.0011	1.2045	0.39018	82	-1.14	022.99	0
022	Copper (mg / kg (ppm))	0199	3.6950	0.21000	5.0011	1.2045	0.39018	82	-1.08	022.53	0
022	Copper (mg / kg (ppm))	0294	3.7000	0.00000	5.0011	1.2045	0.39018	82	-1.08	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0511	3.9200	0.06000	5.0011	1.2045	0.39018	82	-0.90	022.41	0
022	Copper (mg / kg (ppm))	0939	4.0000	0.20000	5.0011	1.2045	0.39018	82	-0.83	022.31	0
022	Copper (mg / kg (ppm))	0297	4.0000	0.00000	5.0011	1.2045	0.39018	82	-0.83	022.43	0
022	Copper (mg / kg (ppm))	0345	4.0000	0.20000	5.0011	1.2045	0.39018	82	-0.83	022.43	0
022	Copper (mg / kg (ppm))	0968	4.0000	0.00000	5.0011	1.2045	0.39018	82	-0.83	022.43	0
022	Copper (mg / kg (ppm))	0229	4.0050	0.25000	5.0011	1.2045	0.39018	82	-0.83	022.41	0
022	Copper (mg / kg (ppm))	0918	4.0750	0.09000	5.0011	1.2045	0.39018	82	-0.77	022.43	0
022	Copper (mg / kg (ppm))	0955	4.1150	0.19000	5.0011	1.2045	0.39018	82	-0.74	022.41	0
022	Copper (mg / kg (ppm))	0208	4.2745	0.28700	5.0011	1.2045	0.39018	82	-0.60	022.41	0
022	Copper (mg / kg (ppm))	0169	4.3200	0.04000	5.0011	1.2045	0.39018	82	-0.57	022.43	0
022	Copper (mg / kg (ppm))	0560	4.3500	0.10000	5.0011	1.2045	0.39018	82	-0.54	022.42	0
022	Copper (mg / kg (ppm))	0668	4.3800	0.18000	5.0011	1.2045	0.39018	82	-0.52	022.43	0
022	Copper (mg / kg (ppm))	0096	4.4340	0.01370	5.0011	1.2045	0.39018	82	-0.47	022.42	0
022	Copper (mg / kg (ppm))	0685	4.4350	0.23000	5.0011	1.2045	0.39018	82	-0.47	022.42	0
022	Copper (mg / kg (ppm))	0096	4.4353	0.21590	5.0011	1.2045	0.39018	82	-0.47	022.52	0
022	Copper (mg / kg (ppm))	0413	4.4400	0.04000	5.0011	1.2045	0.39018	82	-0.47	022.42	0
022	Copper (mg / kg (ppm))	0278	4.4500	0.70000	5.0011	1.2045	0.39018	82	-0.46	022.42	0
022	Copper (mg / kg (ppm))	0366	4.5000	1.0000	5.0011	1.2045	0.39018	82	-0.42	022.42	0
022	Copper (mg / kg (ppm))	0083	4.5000	1.0000	5.0011	1.2045	0.39018	82	-0.42	022.43	0
022	Copper (mg / kg (ppm))	0510	4.5000	1.0000	5.0011	1.2045	0.39018	82	-0.42	022.43	0
022	Copper (mg / kg (ppm))	0861	4.5000	0.00000	5.0011	1.2045	0.39018	82	-0.42	022.43	0
022	Copper (mg / kg (ppm))	2161	4.5050	0.27000	5.0011	1.2045	0.39018	82	-0.41	022.31	0
022	Copper (mg / kg (ppm))	0357	4.5245	0.40900	5.0011	1.2045	0.39018	82	-0.40	022.42	0
022	Copper (mg / kg (ppm))	0033	4.5250	0.09000	5.0011	1.2045	0.39018	82	-0.40	022.43	0
022	Copper (mg / kg (ppm))	0407	4.5577	0.21080	5.0011	1.2045	0.39018	82	-0.37	022.41	0
022	Copper (mg / kg (ppm))	0572	4.5650	0.37000	5.0011	1.2045	0.39018	82	-0.36	022.53	0
022	Copper (mg / kg (ppm))	0964	4.6091	0.51030	5.0011	1.2045	0.39018	82	-0.33	022.43	0
022	Copper (mg / kg (ppm))	0720	4.6800	1.1000	5.0011	1.2045	0.39018	82	-0.27	022.41	0
022	Copper (mg / kg (ppm))	0049	4.6850	0.83000	5.0011	1.2045	0.39018	82	-0.26	022.41	0
022	Copper (mg / kg (ppm))	2146	4.7000	0.20000	5.0011	1.2045	0.39018	82	-0.25	022.51	0
022	Copper (mg / kg (ppm))	0875	4.7500	0.30000	5.0011	1.2045	0.39018	82	-0.21	022.43	0
022	Copper (mg / kg (ppm))	0045	4.8750	0.69000	5.0011	1.2045	0.39018	82	-0.10	022.42	0
022	Copper (mg / kg (ppm))	0590	4.9050	0.05000	5.0011	1.2045	0.39018	82	-0.08	022.99	0
022	Copper (mg / kg (ppm))	0693	4.9450	0.68280	5.0011	1.2045	0.39018	82	-0.05	022.42	0
022	Copper (mg / kg (ppm))	0629	5.0000	0.00000	5.0011	1.2045	0.39018	82	0.00	022.31	0
022	Copper (mg / kg (ppm))	0520	5.0000	0.00000	5.0011	1.2045	0.39018	82	0.00	022.41	0
022	Copper (mg / kg (ppm))	0692	5.0000	0.00000	5.0011	1.2045	0.39018	82	0.00	022.42	0
022	Copper (mg / kg (ppm))	0610	5.0000	0.00000	5.0011	1.2045	0.39018	82	0.00	022.43	0
022	Copper (mg / kg (ppm))	2004	5.0105	0.05900	5.0011	1.2045	0.39018	82	0.01	022.44	0
022	Copper (mg / kg (ppm))	0190	5.0200	0.36000	5.0011	1.2045	0.39018	82	0.02	022.42	0
022	Copper (mg / kg (ppm))	0186	5.0600	0.28000	5.0011	1.2045	0.39018	82	0.05	022.52	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0629	5.0750	0.01000	5.0011	1.2045	0.39018	82	0.06	022.43	0
022	Copper (mg / kg (ppm))	0964	5.1169	0.69100	5.0011	1.2045	0.39018	82	0.10	022.41	0
022	Copper (mg / kg (ppm))	0675	5.1750	0.21000	5.0011	1.2045	0.39018	82	0.14	022.43	0
022	Copper (mg / kg (ppm))	0098	5.3100	0.20000	5.0011	1.2045	0.39018	82	0.26	022.41	0
022	Copper (mg / kg (ppm))	0164	5.3500	0.10000	5.0011	1.2045	0.39018	82	0.29	022.41	0
022	Copper (mg / kg (ppm))	0553	5.4400	1.4600	5.0011	1.2045	0.39018	82	0.36	022.53	0
022	Copper (mg / kg (ppm))	0504	5.4715	1.1710	5.0011	1.2045	0.39018	82	0.39	022.32	0
022	Copper (mg / kg (ppm))	0726	5.6605	0.06300	5.0011	1.2045	0.39018	82	0.55	022.42	0
022	Copper (mg / kg (ppm))	0171	5.7500	0.30000	5.0011	1.2045	0.39018	82	0.62	022.41	0
022	Copper (mg / kg (ppm))	0682	5.8500	0.00000	5.0011	1.2045	0.39018	82	0.70	022.43	0
022	Copper (mg / kg (ppm))	0074	6.0000	0.00000	5.0011	1.2045	0.39018	82	0.83	022.41	0
022	Copper (mg / kg (ppm))	0047	6.1500	0.02000	5.0011	1.2045	0.39018	82	0.95	022.52	0
022	Copper (mg / kg (ppm))	0202	6.2430	0.10400	5.0011	1.2045	0.39018	82	1.03	022.43	0
022	Copper (mg / kg (ppm))	0425	6.2550	0.07000	5.0011	1.2045	0.39018	82	1.04	022.43	0
022	Copper (mg / kg (ppm))	0905	6.2700	0.40000	5.0011	1.2045	0.39018	82	1.05	022.31	0
022	Copper (mg / kg (ppm))	0405	6.3200	0.04000	5.0011	1.2045	0.39018	82	1.10	022.41	0
022	Copper (mg / kg (ppm))	0042	6.3800	0.94000	5.0011	1.2045	0.39018	82	1.14	022.42	0
022	Copper (mg / kg (ppm))	0598	6.4150	1.2500	5.0011	1.2045	0.39018	82	1.17	022.41	0
022	Copper (mg / kg (ppm))	2089	6.6150	0.41000	5.0011	1.2045	0.39018	82	1.34	022.43	0
022	Copper (mg / kg (ppm))	0226	6.8000	0.40000	5.0011	1.2045	0.39018	82	1.49	022.41	0
022	Copper (mg / kg (ppm))	0010	6.8000	0.80000	5.0011	1.2045	0.39018	82	1.49	022.33	0
022	Copper (mg / kg (ppm))	0354	6.9850	1.5500	5.0011	1.2045	0.39018	82	1.65	022.31	0
022	Copper (mg / kg (ppm))	0358	7.0500	1.1800	5.0011	1.2045	0.39018	82	1.70	022.41	0
022	Copper (mg / kg (ppm))	2012	7.2650	0.27000	5.0011	1.2045	0.39018	82	1.88	022.41	0
022	Copper (mg / kg (ppm))	0187	7.5650	0.73000	5.0011	1.2045	0.39018	82	2.13	022.42	0
022	Copper (mg / kg (ppm))	0921	8.1900	0.00000	5.0011	1.2045	0.39018	82	2.65	022.31	0
022	Copper (mg / kg (ppm))	0563	9.1090	0.05700	5.0011	1.2045	0.39018	82	3.41	022.31	0
022	Copper (mg / kg (ppm))	0529	9.6000	0.00000	5.0011	1.2045	0.39018	82	3.82	022.31	0
022	Copper (mg / kg (ppm))	0505	10.000	1.0000	5.0011	1.2045	0.39018	82	4.15	022.31	0
022	Copper (mg / kg (ppm))	0148	10.750	0.10000	5.0011	1.2045	0.39018	82	4.77	022.41	0
022	Copper (mg / kg (ppm))	0019	6.9500	5.9000	5.0011	1.2045	0.39018	82	1.62	022.41	1
022	Copper (mg / kg (ppm))	0910	7.0000	6.0000	5.0011	1.2045	0.39018	82	1.66	022.41	1
022	Copper (mg / kg (ppm))	0609	10.000	4.0000	5.0011	1.2045	0.39018	82	4.15	022.32	1
022	Copper (mg / kg (ppm))	0353	34.500	5.0000	5.0011	1.2045	0.39018	82	24.49	022.43	2
023	Fluorine (mg / kg (ppm))	0619	61.400	2.4000				2		023.01	0
023	Fluorine (mg / kg (ppm))	0910	116.75	12.900				2		023.01	0
024	Iodine (mg / kg (ppm))	0171	0.65000	0.10000				2		024.03	0
024	Iodine (mg / kg (ppm))	0186	9.5000	1.0000				2		024.01	0
025	Iron (mg / kg (ppm))	0609	242.00	4.0000	498.06	52.081	21.144	92	-4.92	025.32	0
025	Iron (mg / kg (ppm))	0096	362.33	31.762	498.06	52.081	21.144	92	-2.61	025.42	0
025	Iron (mg / kg (ppm))	0278	366.50	33.000	498.06	52.081	21.144	92	-2.53	025.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0598	385.35	16.500	498.06	52.081	21.144	92	-2.16	025.41	0
025	Iron (mg / kg (ppm))	0353	399.50	17.000	498.06	52.081	21.144	92	-1.89	025.43	0
025	Iron (mg / kg (ppm))	0619	401.50	31.000	498.06	52.081	21.144	92	-1.85	025.41	0
025	Iron (mg / kg (ppm))	0692	401.50	21.000	498.06	52.081	21.144	92	-1.85	025.42	0
025	Iron (mg / kg (ppm))	0047	405.21	0.06000	498.06	52.081	21.144	92	-1.78	025.52	0
025	Iron (mg / kg (ppm))	2161	426.50	39.000	498.06	52.081	21.144	92	-1.37	025.34	0
025	Iron (mg / kg (ppm))	0726	433.45	0.10000	498.06	52.081	21.144	92	-1.24	025.42	0
025	Iron (mg / kg (ppm))	0536	438.55	4.0000	498.06	52.081	21.144	92	-1.14	025.31	0
025	Iron (mg / kg (ppm))	0186	440.50	7.0000	498.06	52.081	21.144	92	-1.11	025.42	0
025	Iron (mg / kg (ppm))	0921	450.60	7.8000	498.06	52.081	21.144	92	-0.91	025.31	0
025	Iron (mg / kg (ppm))	0014	451.50	31.000	498.06	52.081	21.144	92	-0.89	025.31	0
025	Iron (mg / kg (ppm))	0413	453.00	40.000	498.06	52.081	21.144	92	-0.87	025.42	0
025	Iron (mg / kg (ppm))	0242	455.50	5.0000	498.06	52.081	21.144	92	-0.82	025.99	0
025	Iron (mg / kg (ppm))	0187	457.84	3.3200	498.06	52.081	21.144	92	-0.77	025.42	0
025	Iron (mg / kg (ppm))	0190	458.55	25.300	498.06	52.081	21.144	92	-0.76	025.42	0
025	Iron (mg / kg (ppm))	0096	459.81	62.048	498.06	52.081	21.144	92	-0.73	025.52	0
025	Iron (mg / kg (ppm))	0100	461.00	50.000	498.06	52.081	21.144	92	-0.71	025.99	0
025	Iron (mg / kg (ppm))	2012	461.53	16.050	498.06	52.081	21.144	92	-0.70	025.41	0
025	Iron (mg / kg (ppm))	0026	464.00	28.000	498.06	52.081	21.144	92	-0.65	025.42	0
025	Iron (mg / kg (ppm))	0629	467.50	9.0000	498.06	52.081	21.144	92	-0.59	025.31	0
025	Iron (mg / kg (ppm))	0510	468.50	11.000	498.06	52.081	21.144	92	-0.57	025.43	0
025	Iron (mg / kg (ppm))	0003	472.00	32.000	498.06	52.081	21.144	92	-0.50	025.41	0
025	Iron (mg / kg (ppm))	0366	472.50	7.0000	498.06	52.081	21.144	92	-0.49	025.42	0
025	Iron (mg / kg (ppm))	0037	472.75	58.700	498.06	52.081	21.144	92	-0.49	025.42	0
025	Iron (mg / kg (ppm))	0520	474.00	36.000	498.06	52.081	21.144	92	-0.46	025.41	0
025	Iron (mg / kg (ppm))	0505	475.00	20.000	498.06	52.081	21.144	92	-0.44	025.31	0
025	Iron (mg / kg (ppm))	0918	475.79	46.190	498.06	52.081	21.144	92	-0.43	025.43	0
025	Iron (mg / kg (ppm))	0034	475.81	32.760	498.06	52.081	21.144	92	-0.43	025.43	0
025	Iron (mg / kg (ppm))	0878	477.00	18.000	498.06	52.081	21.144	92	-0.40	025.31	0
025	Iron (mg / kg (ppm))	0407	477.01	12.599	498.06	52.081	21.144	92	-0.40	025.41	0
025	Iron (mg / kg (ppm))	0720	477.30	25.400	498.06	52.081	21.144	92	-0.40	025.41	0
025	Iron (mg / kg (ppm))	0668	480.50	1.0000	498.06	52.081	21.144	92	-0.34	025.43	0
025	Iron (mg / kg (ppm))	2055	481.00	20.000	498.06	52.081	21.144	92	-0.33	025.53	0
025	Iron (mg / kg (ppm))	0265	482.00	18.000	498.06	52.081	21.144	92	-0.31	025.42	0
025	Iron (mg / kg (ppm))	2171	486.25	3.9000	498.06	52.081	21.144	92	-0.23	025.41	0
025	Iron (mg / kg (ppm))	2089	486.42	66.120	498.06	52.081	21.144	92	-0.22	025.43	0
025	Iron (mg / kg (ppm))	0175	487.00	10.000	498.06	52.081	21.144	92	-0.21	025.31	0
025	Iron (mg / kg (ppm))	0345	487.00	14.000	498.06	52.081	21.144	92	-0.21	025.43	0
025	Iron (mg / kg (ppm))	0939	488.03	15.450	498.06	52.081	21.144	92	-0.19	025.31	0
025	Iron (mg / kg (ppm))	0154	488.51	2.0500	498.06	52.081	21.144	92	-0.18	025.52	0
025	Iron (mg / kg (ppm))	0529	489.15	10.100	498.06	52.081	21.144	92	-0.17	025.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0875	490.00	20.000	498.06	52.081	21.144	92	-0.15	025.43	0
025	Iron (mg / kg (ppm))	0511	491.00	10.000	498.06	52.081	21.144	92	-0.14	025.41	0
025	Iron (mg / kg (ppm))	0910	491.50	39.000	498.06	52.081	21.144	92	-0.13	025.41	0
025	Iron (mg / kg (ppm))	0051	493.50	9.0000	498.06	52.081	21.144	92	-0.09	025.41	0
025	Iron (mg / kg (ppm))	0199	495.11	7.2000	498.06	52.081	21.144	92	-0.06	025.53	0
025	Iron (mg / kg (ppm))	0968	497.00	4.0000	498.06	52.081	21.144	92	-0.02	025.43	0
025	Iron (mg / kg (ppm))	0186	497.50	1.0000	498.06	52.081	21.144	92	-0.01	025.52	0
025	Iron (mg / kg (ppm))	0297	498.00	0.00000	498.06	52.081	21.144	92	0.00	025.43	0
025	Iron (mg / kg (ppm))	0354	498.50	11.990	498.06	52.081	21.144	92	0.01	025.31	0
025	Iron (mg / kg (ppm))	0629	500.00	8.0000	498.06	52.081	21.144	92	0.04	025.43	0
025	Iron (mg / kg (ppm))	0563	502.30	13.610	498.06	52.081	21.144	92	0.08	025.31	0
025	Iron (mg / kg (ppm))	0425	502.80	32.000	498.06	52.081	21.144	92	0.09	025.43	0
025	Iron (mg / kg (ppm))	0675	503.07	4.8500	498.06	52.081	21.144	92	0.10	025.43	0
025	Iron (mg / kg (ppm))	0955	503.50	5.0000	498.06	52.081	21.144	92	0.10	025.41	0
025	Iron (mg / kg (ppm))	0171	511.50	1.0000	498.06	52.081	21.144	92	0.26	025.41	0
025	Iron (mg / kg (ppm))	0861	512.00	8.0000	498.06	52.081	21.144	92	0.27	025.43	0
025	Iron (mg / kg (ppm))	0208	516.90	9.2000	498.06	52.081	21.144	92	0.36	025.41	0
025	Iron (mg / kg (ppm))	0049	519.43	4.5700	498.06	52.081	21.144	92	0.41	025.41	0
025	Iron (mg / kg (ppm))	0019	520.65	49.300	498.06	52.081	21.144	92	0.43	025.41	0
025	Iron (mg / kg (ppm))	0164	524.00	14.000	498.06	52.081	21.144	92	0.50	025.41	0
025	Iron (mg / kg (ppm))	0560	524.65	34.300	498.06	52.081	21.144	92	0.51	025.42	0
025	Iron (mg / kg (ppm))	0169	528.00	22.000	498.06	52.081	21.144	92	0.57	025.43	0
025	Iron (mg / kg (ppm))	0405	529.56	1.0900	498.06	52.081	21.144	92	0.60	025.41	0
025	Iron (mg / kg (ppm))	0045	531.00	14.000	498.06	52.081	21.144	92	0.63	025.42	0
025	Iron (mg / kg (ppm))	0610	532.00	34.000	498.06	52.081	21.144	92	0.65	025.43	0
025	Iron (mg / kg (ppm))	0964	533.97	26.438	498.06	52.081	21.144	92	0.69	025.41	0
025	Iron (mg / kg (ppm))	0294	538.47	7.3400	498.06	52.081	21.144	92	0.78	025.42	0
025	Iron (mg / kg (ppm))	0358	543.05	7.4900	498.06	52.081	21.144	92	0.86	025.41	0
025	Iron (mg / kg (ppm))	0028	546.00	44.000	498.06	52.081	21.144	92	0.92	025.43	0
025	Iron (mg / kg (ppm))	0229	548.55	31.900	498.06	52.081	21.144	92	0.97	025.41	0
025	Iron (mg / kg (ppm))	0001	549.30	1.2000	498.06	52.081	21.144	92	0.98	025.31	0
025	Iron (mg / kg (ppm))	0083	554.50	13.000	498.06	52.081	21.144	92	1.08	025.43	0
025	Iron (mg / kg (ppm))	0098	555.30	26.400	498.06	52.081	21.144	92	1.10	025.41	0
025	Iron (mg / kg (ppm))	0964	558.84	84.130	498.06	52.081	21.144	92	1.17	025.43	0
025	Iron (mg / kg (ppm))	0693	559.61	39.859	498.06	52.081	21.144	92	1.18	025.42	0
025	Iron (mg / kg (ppm))	0074	560.00	12.000	498.06	52.081	21.144	92	1.19	025.41	0
025	Iron (mg / kg (ppm))	0098	560.20	55.400	498.06	52.081	21.144	92	1.19	025.43	0
025	Iron (mg / kg (ppm))	0148	561.65	27.500	498.06	52.081	21.144	92	1.22	025.41	0
025	Iron (mg / kg (ppm))	0504	563.90	23.400	498.06	52.081	21.144	92	1.26	025.32	0
025	Iron (mg / kg (ppm))	2004	565.42	58.830	498.06	52.081	21.144	92	1.29	025.41	0
025	Iron (mg / kg (ppm))	0682	566.25	0.00000	498.06	52.081	21.144	92	1.31	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0208	573.00	84.000	498.06	52.081	21.144	92	1.44	025.31	0
025	Iron (mg / kg (ppm))	0874	586.00	32.000	498.06	52.081	21.144	92	1.69	025.31	0
025	Iron (mg / kg (ppm))	0553	598.00	24.000	498.06	52.081	21.144	92	1.92	025.53	0
025	Iron (mg / kg (ppm))	0042	607.00	18.000	498.06	52.081	21.144	92	2.09	025.42	0
025	Iron (mg / kg (ppm))	0226	615.50	11.000	498.06	52.081	21.144	92	2.25	025.41	0
025	Iron (mg / kg (ppm))	0948	676.52	0.00000	498.06	52.081	21.144	92	3.43	025.33	0
025	Iron (mg / kg (ppm))	0033	737.00	18.000	498.06	52.081	21.144	92	4.59	025.43	0
027	Magnesium (%)	0609	0.09500	0.01000	0.19201	0.01317	0.00613	103	-7.37	027.32	0
027	Magnesium (%)	0536	0.14500	0.01000	0.19201	0.01317	0.00613	103	-3.57	027.31	0
027	Magnesium (%)	0510	0.16000	0.00000	0.19201	0.01317	0.00613	103	-2.43	027.43	0
027	Magnesium (%)	0407	0.16805	0.00530	0.19201	0.01317	0.00613	103	-1.82	027.41	0
027	Magnesium (%)	0939	0.17000	0.00000	0.19201	0.01317	0.00613	103	-1.67	027.31	0
027	Magnesium (%)	0154	0.17280	0.00060	0.19201	0.01317	0.00613	103	-1.46	027.52	0
027	Magnesium (%)	0563	0.17300	0.01420	0.19201	0.01317	0.00613	103	-1.44	027.31	0
027	Magnesium (%)	0001	0.17335	0.00230	0.19201	0.01317	0.00613	103	-1.42	027.31	0
027	Magnesium (%)	0014	0.17350	0.01100	0.19201	0.01317	0.00613	103	-1.41	027.31	0
027	Magnesium (%)	0520	0.17500	0.01000	0.19201	0.01317	0.00613	103	-1.29	027.41	0
027	Magnesium (%)	0026	0.17500	0.01000	0.19201	0.01317	0.00613	103	-1.29	027.42	0
027	Magnesium (%)	0047	0.17500	0.01000	0.19201	0.01317	0.00613	103	-1.29	027.52	0
027	Magnesium (%)	0345	0.17650	0.00300	0.19201	0.01317	0.00613	103	-1.18	027.43	0
027	Magnesium (%)	0668	0.17650	0.00300	0.19201	0.01317	0.00613	103	-1.18	027.43	0
027	Magnesium (%)	0045	0.17800	0.00600	0.19201	0.01317	0.00613	103	-1.06	027.42	0
027	Magnesium (%)	2145	0.17935	0.00030	0.19201	0.01317	0.00613	103	-0.96	027.41	0
027	Magnesium (%)	0720	0.18000	0.00000	0.19201	0.01317	0.00613	103	-0.91	027.41	0
027	Magnesium (%)	0910	0.18000	0.02000	0.19201	0.01317	0.00613	103	-0.91	027.41	0
027	Magnesium (%)	0889	0.18000	0.00000	0.19201	0.01317	0.00613	103	-0.91	027.99	0
027	Magnesium (%)	0096	0.18040	0.02620	0.19201	0.01317	0.00613	103	-0.88	027.42	0
027	Magnesium (%)	0202	0.18100	0.00200	0.19201	0.01317	0.00613	103	-0.84	027.43	0
027	Magnesium (%)	0043	0.18150	0.00500	0.19201	0.01317	0.00613	103	-0.80	027.43	0
027	Magnesium (%)	0918	0.18150	0.00300	0.19201	0.01317	0.00613	103	-0.80	027.43	0
027	Magnesium (%)	0629	0.18250	0.00500	0.19201	0.01317	0.00613	103	-0.72	027.31	0
027	Magnesium (%)	2004	0.18300	0.00600	0.19201	0.01317	0.00613	103	-0.68	027.44	0
027	Magnesium (%)	0948	0.18450	0.00700	0.19201	0.01317	0.00613	103	-0.57	027.33	0
027	Magnesium (%)	0955	0.18450	0.00300	0.19201	0.01317	0.00613	103	-0.57	027.44	0
027	Magnesium (%)	0096	0.18460	0.01320	0.19201	0.01317	0.00613	103	-0.56	027.52	0
027	Magnesium (%)	0003	0.18500	0.01000	0.19201	0.01317	0.00613	103	-0.53	027.41	0
027	Magnesium (%)	0049	0.18500	0.01000	0.19201	0.01317	0.00613	103	-0.53	027.41	0
027	Magnesium (%)	0083	0.18500	0.01000	0.19201	0.01317	0.00613	103	-0.53	027.43	0
027	Magnesium (%)	0629	0.18500	0.01000	0.19201	0.01317	0.00613	103	-0.53	027.43	0
027	Magnesium (%)	0171	0.18550	0.00100	0.19201	0.01317	0.00613	103	-0.49	027.41	0
027	Magnesium (%)	0964	0.18575	0.00090	0.19201	0.01317	0.00613	103	-0.48	027.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0357	0.18575	0.00310	0.19201	0.01317	0.00613	103	-0.48	027.42	0
027	Magnesium (%)	0560	0.18725	0.00250	0.19201	0.01317	0.00613	103	-0.36	027.42	0
027	Magnesium (%)	0921	0.18800	0.00000	0.19201	0.01317	0.00613	103	-0.30	027.31	0
027	Magnesium (%)	0504	0.18800	0.01360	0.19201	0.01317	0.00613	103	-0.30	027.32	0
027	Magnesium (%)	2146	0.18800	0.00400	0.19201	0.01317	0.00613	103	-0.30	027.41	0
027	Magnesium (%)	0164	0.18850	0.00500	0.19201	0.01317	0.00613	103	-0.27	027.41	0
027	Magnesium (%)	0142	0.18860	0.00300	0.19201	0.01317	0.00613	103	-0.26	027.31	0
027	Magnesium (%)	0354	0.19000	0.02000	0.19201	0.01317	0.00613	103	-0.15	027.31	0
027	Magnesium (%)	0505	0.19000	0.01000	0.19201	0.01317	0.00613	103	-0.15	027.31	0
027	Magnesium (%)	0148	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.41	0
027	Magnesium (%)	0229	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.41	0
027	Magnesium (%)	0413	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.41	0
027	Magnesium (%)	0366	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.42	0
027	Magnesium (%)	2129	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.42	0
027	Magnesium (%)	0425	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.43	0
027	Magnesium (%)	0610	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.43	0
027	Magnesium (%)	2089	0.19000	0.00000	0.19201	0.01317	0.00613	103	-0.15	027.43	0
027	Magnesium (%)	0598	0.19180	0.00560	0.19201	0.01317	0.00613	103	-0.02	027.41	0
027	Magnesium (%)	0027	0.19250	0.00100	0.19201	0.01317	0.00613	103	0.04	027.43	0
027	Magnesium (%)	0529	0.19300	0.00400	0.19201	0.01317	0.00613	103	0.08	027.31	0
027	Magnesium (%)	0051	0.19325	0.01170	0.19201	0.01317	0.00613	103	0.09	027.41	0
027	Magnesium (%)	0208	0.19350	0.00500	0.19201	0.01317	0.00613	103	0.11	027.41	0
027	Magnesium (%)	0263	0.19475	0.00210	0.19201	0.01317	0.00613	103	0.21	027.32	0
027	Magnesium (%)	0175	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.31	0
027	Magnesium (%)	2161	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.34	0
027	Magnesium (%)	0019	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.41	0
027	Magnesium (%)	2012	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.41	0
027	Magnesium (%)	0190	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.42	0
027	Magnesium (%)	0265	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.42	0
027	Magnesium (%)	0028	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.43	0
027	Magnesium (%)	0033	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.43	0
027	Magnesium (%)	0242	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.99	0
027	Magnesium (%)	0590	0.19500	0.01000	0.19201	0.01317	0.00613	103	0.23	027.99	0
027	Magnesium (%)	0034	0.19585	0.00070	0.19201	0.01317	0.00613	103	0.29	027.43	0
027	Magnesium (%)	0619	0.19650	0.00300	0.19201	0.01317	0.00613	103	0.34	027.41	0
027	Magnesium (%)	0874	0.19700	0.00200	0.19201	0.01317	0.00613	103	0.38	027.31	0
027	Magnesium (%)	0042	0.19700	0.00200	0.19201	0.01317	0.00613	103	0.38	027.42	0
027	Magnesium (%)	0726	0.19895	0.00150	0.19201	0.01317	0.00613	103	0.53	027.42	0
027	Magnesium (%)	0878	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.31	0
027	Magnesium (%)	0074	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.41	0
027	Magnesium (%)	0098	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0685	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.42	0
027	Magnesium (%)	0098	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.43	0
027	Magnesium (%)	0297	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.43	0
027	Magnesium (%)	0100	0.20000	0.00000	0.19201	0.01317	0.00613	103	0.61	027.99	0
027	Magnesium (%)	0208	0.20100	0.01000	0.19201	0.01317	0.00613	103	0.68	027.31	0
027	Magnesium (%)	0511	0.20100	0.01000	0.19201	0.01317	0.00613	103	0.68	027.41	0
027	Magnesium (%)	0553	0.20200	0.01800	0.19201	0.01317	0.00613	103	0.76	027.53	0
027	Magnesium (%)	0186	0.20300	0.00000	0.19201	0.01317	0.00613	103	0.83	027.42	0
027	Magnesium (%)	0964	0.20305	0.00730	0.19201	0.01317	0.00613	103	0.84	027.43	0
027	Magnesium (%)	0572	0.20400	0.02600	0.19201	0.01317	0.00613	103	0.91	027.53	0
027	Magnesium (%)	0037	0.20500	0.01000	0.19201	0.01317	0.00613	103	0.99	027.42	0
027	Magnesium (%)	0278	0.20500	0.01000	0.19201	0.01317	0.00613	103	0.99	027.42	0
027	Magnesium (%)	0294	0.20500	0.01000	0.19201	0.01317	0.00613	103	0.99	027.42	0
027	Magnesium (%)	0675	0.20500	0.01000	0.19201	0.01317	0.00613	103	0.99	027.43	0
027	Magnesium (%)	0968	0.20600	0.00200	0.19201	0.01317	0.00613	103	1.06	027.43	0
027	Magnesium (%)	0650	0.20870	0.00780	0.19201	0.01317	0.00613	103	1.27	027.31	0
027	Magnesium (%)	2022	0.20900	0.00000	0.19201	0.01317	0.00613	103	1.29	027.31	0
027	Magnesium (%)	0692	0.21000	0.02000	0.19201	0.01317	0.00613	103	1.37	027.42	0
027	Magnesium (%)	0693	0.21130	0.00980	0.19201	0.01317	0.00613	103	1.46	027.42	0
027	Magnesium (%)	0612	0.21250	0.00300	0.19201	0.01317	0.00613	103	1.56	027.32	0
027	Magnesium (%)	0861	0.21350	0.01100	0.19201	0.01317	0.00613	103	1.63	027.43	0
027	Magnesium (%)	0169	0.22000	0.00000	0.19201	0.01317	0.00613	103	2.13	027.32	0
027	Magnesium (%)	0682	0.22000	0.00000	0.19201	0.01317	0.00613	103	2.13	027.43	0
027	Magnesium (%)	0186	0.22250	0.00700	0.19201	0.01317	0.00613	103	2.32	027.52	0
027	Magnesium (%)	0226	0.22250	0.01000	0.19201	0.01317	0.00613	103	2.51	027.41	0
027	Magnesium (%)	0358	0.22250	0.01000	0.19201	0.01317	0.00613	103	2.51	027.41	0
027	Magnesium (%)	0187	0.23095	0.00190	0.19201	0.01317	0.00613	103	2.96	027.42	0
027	Magnesium (%)	0353	0.25500	0.01000	0.19201	0.01317	0.00613	103	4.78	027.43	0
027	Magnesium (%)	0405	1.7100	0.02000	0.19201	0.01317	0.00613	103	115.28	027.41	2
027	Magnesium (%)	0199	0.00000	0.00000	0.19201	0.01317	0.00613	103		027.53	4
028	Manganese (mg / kg (ppm))	0536	26.950	2.0000	37.950	3.4463	1.2548	91	-3.19	028.31	0
028	Manganese (mg / kg (ppm))	0037	26.950	3.7000	37.950	3.4463	1.2548	91	-3.19	028.42	0
028	Manganese (mg / kg (ppm))	2012	27.615	0.89000	37.950	3.4463	1.2548	91	-3.00	028.41	0
028	Manganese (mg / kg (ppm))	2161	28.450	3.5000	37.950	3.4463	1.2548	91	-2.76	028.31	0
028	Manganese (mg / kg (ppm))	0720	28.475	0.49000	37.950	3.4463	1.2548	91	-2.75	028.41	0
028	Manganese (mg / kg (ppm))	0955	30.550	0.70000	37.950	3.4463	1.2548	91	-2.15	028.44	0
028	Manganese (mg / kg (ppm))	0405	31.550	0.68000	37.950	3.4463	1.2548	91	-1.86	028.41	0
028	Manganese (mg / kg (ppm))	0169	32.700	0.00000	37.950	3.4463	1.2548	91	-1.52	028.43	0
028	Manganese (mg / kg (ppm))	0685	32.750	0.46000	37.950	3.4463	1.2548	91	-1.51	028.42	0
028	Manganese (mg / kg (ppm))	0520	33.000	2.0000	37.950	3.4463	1.2548	91	-1.44	028.41	0
028	Manganese (mg / kg (ppm))	0511	33.290	1.3000	37.950	3.4463	1.2548	91	-1.35	028.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0407	33.704	0.90820	37.950	3.4463	1.2548	91	-1.23	028.41	0
028	Manganese (mg / kg (ppm))	0033	33.800	2.4000	37.950	3.4463	1.2548	91	-1.20	028.43	0
028	Manganese (mg / kg (ppm))	0034	33.930	0.12900	37.950	3.4463	1.2548	91	-1.17	028.43	0
028	Manganese (mg / kg (ppm))	0510	34.000	0.00000	37.950	3.4463	1.2548	91	-1.15	028.43	0
028	Manganese (mg / kg (ppm))	0675	34.815	2.9900	37.950	3.4463	1.2548	91	-0.91	028.43	0
028	Manganese (mg / kg (ppm))	0629	34.850	0.70000	37.950	3.4463	1.2548	91	-0.90	028.43	0
028	Manganese (mg / kg (ppm))	0668	35.050	0.30000	37.950	3.4463	1.2548	91	-0.84	028.43	0
028	Manganese (mg / kg (ppm))	0171	35.350	0.10000	37.950	3.4463	1.2548	91	-0.75	028.41	0
028	Manganese (mg / kg (ppm))	0353	35.500	1.0000	37.950	3.4463	1.2548	91	-0.71	028.43	0
028	Manganese (mg / kg (ppm))	0619	35.650	2.1000	37.950	3.4463	1.2548	91	-0.67	028.41	0
028	Manganese (mg / kg (ppm))	0049	35.690	0.26000	37.950	3.4463	1.2548	91	-0.66	028.41	0
028	Manganese (mg / kg (ppm))	0921	35.760	0.00000	37.950	3.4463	1.2548	91	-0.64	028.31	0
028	Manganese (mg / kg (ppm))	0629	36.000	0.00000	37.950	3.4463	1.2548	91	-0.57	028.31	0
028	Manganese (mg / kg (ppm))	0948	36.037	0.57200	37.950	3.4463	1.2548	91	-0.56	028.33	0
028	Manganese (mg / kg (ppm))	0199	36.395	1.2100	37.950	3.4463	1.2548	91	-0.45	028.53	0
028	Manganese (mg / kg (ppm))	0001	36.470	3.8000	37.950	3.4463	1.2548	91	-0.43	028.31	0
028	Manganese (mg / kg (ppm))	0003	36.500	1.0000	37.950	3.4463	1.2548	91	-0.42	028.41	0
028	Manganese (mg / kg (ppm))	0164	36.500	1.0000	37.950	3.4463	1.2548	91	-0.42	028.41	0
028	Manganese (mg / kg (ppm))	0968	36.500	1.0000	37.950	3.4463	1.2548	91	-0.42	028.43	0
028	Manganese (mg / kg (ppm))	0918	36.760	0.20000	37.950	3.4463	1.2548	91	-0.35	028.43	0
028	Manganese (mg / kg (ppm))	0939	37.110	0.26000	37.950	3.4463	1.2548	91	-0.24	028.31	0
028	Manganese (mg / kg (ppm))	0045	37.200	0.40000	37.950	3.4463	1.2548	91	-0.22	028.42	0
028	Manganese (mg / kg (ppm))	0861	37.250	1.1000	37.950	3.4463	1.2548	91	-0.20	028.43	0
028	Manganese (mg / kg (ppm))	0096	37.261	3.8820	37.950	3.4463	1.2548	91	-0.20	028.42	0
028	Manganese (mg / kg (ppm))	0425	37.395	0.43000	37.950	3.4463	1.2548	91	-0.16	028.43	0
028	Manganese (mg / kg (ppm))	0610	37.500	1.0000	37.950	3.4463	1.2548	91	-0.13	028.43	0
028	Manganese (mg / kg (ppm))	0878	37.600	0.00000	37.950	3.4463	1.2548	91	-0.10	028.31	0
028	Manganese (mg / kg (ppm))	0345	37.650	1.1000	37.950	3.4463	1.2548	91	-0.09	028.43	0
028	Manganese (mg / kg (ppm))	0096	37.699	1.3538	37.950	3.4463	1.2548	91	-0.07	028.52	0
028	Manganese (mg / kg (ppm))	0964	37.737	0.90600	37.950	3.4463	1.2548	91	-0.06	028.41	0
028	Manganese (mg / kg (ppm))	0208	37.780	2.9600	37.950	3.4463	1.2548	91	-0.05	028.41	0
028	Manganese (mg / kg (ppm))	0598	37.880	1.1800	37.950	3.4463	1.2548	91	-0.02	028.41	0
028	Manganese (mg / kg (ppm))	0354	37.920	0.66000	37.950	3.4463	1.2548	91	-0.01	028.31	0
028	Manganese (mg / kg (ppm))	0609	38.000	4.0000	37.950	3.4463	1.2548	91	0.01	028.32	0
028	Manganese (mg / kg (ppm))	0910	38.000	0.00000	37.950	3.4463	1.2548	91	0.01	028.41	0
028	Manganese (mg / kg (ppm))	0229	38.205	0.53000	37.950	3.4463	1.2548	91	0.07	028.41	0
028	Manganese (mg / kg (ppm))	0051	38.245	0.17000	37.950	3.4463	1.2548	91	0.09	028.41	0
028	Manganese (mg / kg (ppm))	0208	38.300	0.80000	37.950	3.4463	1.2548	91	0.10	028.31	0
028	Manganese (mg / kg (ppm))	0413	38.400	2.2000	37.950	3.4463	1.2548	91	0.13	028.42	0
028	Manganese (mg / kg (ppm))	0505	38.500	1.0000	37.950	3.4463	1.2548	91	0.16	028.31	0
028	Manganese (mg / kg (ppm))	0366	38.500	1.0000	37.950	3.4463	1.2548	91	0.16	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0875	38.500	1.0000	37.950	3.4463	1.2548	91	0.16	028.43	0
028	Manganese (mg / kg (ppm))	0560	38.550	0.10000	37.950	3.4463	1.2548	91	0.17	028.42	0
028	Manganese (mg / kg (ppm))	2146	38.600	1.6000	37.950	3.4463	1.2548	91	0.19	028.51	0
028	Manganese (mg / kg (ppm))	0572	38.800	0.00000	37.950	3.4463	1.2548	91	0.25	028.53	0
028	Manganese (mg / kg (ppm))	0693	38.906	0.03910	37.950	3.4463	1.2548	91	0.28	028.42	0
028	Manganese (mg / kg (ppm))	0175	39.000	2.0000	37.950	3.4463	1.2548	91	0.30	028.31	0
028	Manganese (mg / kg (ppm))	0265	39.000	4.0000	37.950	3.4463	1.2548	91	0.30	028.42	0
028	Manganese (mg / kg (ppm))	0563	39.038	1.0868	37.950	3.4463	1.2548	91	0.32	028.31	0
028	Manganese (mg / kg (ppm))	0019	39.085	0.17000	37.950	3.4463	1.2548	91	0.33	028.41	0
028	Manganese (mg / kg (ppm))	0964	39.127	3.8322	37.950	3.4463	1.2548	91	0.34	028.43	0
028	Manganese (mg / kg (ppm))	0278	39.500	1.0000	37.950	3.4463	1.2548	91	0.45	028.42	0
028	Manganese (mg / kg (ppm))	0202	39.543	0.68700	37.950	3.4463	1.2548	91	0.46	028.43	0
028	Manganese (mg / kg (ppm))	0098	39.775	1.2900	37.950	3.4463	1.2548	91	0.53	028.41	0
028	Manganese (mg / kg (ppm))	0098	39.940	0.66000	37.950	3.4463	1.2548	91	0.58	028.43	0
028	Manganese (mg / kg (ppm))	0529	40.000	1.0000	37.950	3.4463	1.2548	91	0.59	028.31	0
028	Manganese (mg / kg (ppm))	0297	40.000	0.00000	37.950	3.4463	1.2548	91	0.59	028.43	0
028	Manganese (mg / kg (ppm))	2089	40.040	0.26000	37.950	3.4463	1.2548	91	0.61	028.43	0
028	Manganese (mg / kg (ppm))	0590	40.150	2.1000	37.950	3.4463	1.2548	91	0.64	028.99	0
028	Manganese (mg / kg (ppm))	0074	40.500	3.0000	37.950	3.4463	1.2548	91	0.74	028.41	0
028	Manganese (mg / kg (ppm))	0083	40.500	3.0000	37.950	3.4463	1.2548	91	0.74	028.43	0
028	Manganese (mg / kg (ppm))	0242	40.500	3.0000	37.950	3.4463	1.2548	91	0.74	028.99	0
028	Manganese (mg / kg (ppm))	0682	40.680	0.00000	37.950	3.4463	1.2548	91	0.79	028.43	0
028	Manganese (mg / kg (ppm))	2004	40.796	0.80800	37.950	3.4463	1.2548	91	0.83	028.44	0
028	Manganese (mg / kg (ppm))	0186	40.900	2.4000	37.950	3.4463	1.2548	91	0.86	028.42	0
028	Manganese (mg / kg (ppm))	0100	41.500	5.0000	37.950	3.4463	1.2548	91	1.03	028.99	0
028	Manganese (mg / kg (ppm))	0357	41.566	0.60000	37.950	3.4463	1.2548	91	1.05	028.42	0
028	Manganese (mg / kg (ppm))	0190	41.605	0.55000	37.950	3.4463	1.2548	91	1.06	028.42	0
028	Manganese (mg / kg (ppm))	0187	41.625	0.15000	37.950	3.4463	1.2548	91	1.07	028.42	0
028	Manganese (mg / kg (ppm))	0504	41.990	3.8200	37.950	3.4463	1.2548	91	1.17	028.32	0
028	Manganese (mg / kg (ppm))	0726	42.160	0.14000	37.950	3.4463	1.2548	91	1.22	028.42	0
028	Manganese (mg / kg (ppm))	0047	42.425	0.77000	37.950	3.4463	1.2548	91	1.30	028.52	0
028	Manganese (mg / kg (ppm))	0553	42.600	0.60000	37.950	3.4463	1.2548	91	1.35	028.53	0
028	Manganese (mg / kg (ppm))	0148	43.650	0.30000	37.950	3.4463	1.2548	91	1.65	028.41	0
028	Manganese (mg / kg (ppm))	0358	44.590	1.0800	37.950	3.4463	1.2548	91	1.93	028.41	0
028	Manganese (mg / kg (ppm))	0042	46.100	4.4000	37.950	3.4463	1.2548	91	2.36	028.42	0
028	Manganese (mg / kg (ppm))	0294	46.860	0.52000	37.950	3.4463	1.2548	91	2.59	028.42	0
028	Manganese (mg / kg (ppm))	0186	47.800	1.6000	37.950	3.4463	1.2548	91	2.86	028.52	0
028	Manganese (mg / kg (ppm))	0226	48.500	1.0000	37.950	3.4463	1.2548	91	3.06	028.41	0
028	Manganese (mg / kg (ppm))	0043	57.450	0.30000	37.950	3.4463	1.2548	91	5.66	028.43	0
028	Manganese (mg / kg (ppm))	0026	27.000	10.000	37.950	3.4463	1.2548	91	-3.18	028.42	1
028	Manganese (mg / kg (ppm))	0692	40.500	9.4000	37.950	3.4463	1.2548	91	0.74	028.42	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0889	2.2505	0.01900	3.5738	0.20198	0.08434	135	-6.55	031.99	0
031	Phosphorus (%)	0089	2.4300	0.00000	3.5738	0.20198	0.08434	135	-5.66	031.41	0
031	Phosphorus (%)	0852	2.5700	0.26000	3.5738	0.20198	0.08434	135	-4.97	031.99	0
031	Phosphorus (%)	0108	2.8650	0.33000	3.5738	0.20198	0.08434	135	-3.51	031.01	0
031	Phosphorus (%)	0003	2.9350	0.01000	3.5738	0.20198	0.08434	135	-3.16	031.41	0
031	Phosphorus (%)	0026	2.9500	0.10000	3.5738	0.20198	0.08434	135	-3.09	031.42	0
031	Phosphorus (%)	0921	3.0275	0.04900	3.5738	0.20198	0.08434	135	-2.70	031.01	0
031	Phosphorus (%)	0154	3.0388	0.25550	3.5738	0.20198	0.08434	135	-2.65	031.52	0
031	Phosphorus (%)	0100	3.1000	0.24000	3.5738	0.20198	0.08434	135	-2.35	031.99	0
031	Phosphorus (%)	0300	3.1140	0.10600	3.5738	0.20198	0.08434	135	-2.28	031.53	0
031	Phosphorus (%)	0405	3.1300	0.02000	3.5738	0.20198	0.08434	135	-2.20	031.41	0
031	Phosphorus (%)	0043	3.1450	0.01000	3.5738	0.20198	0.08434	135	-2.12	031.43	0
031	Phosphorus (%)	0357	3.1953	0.09550	3.5738	0.20198	0.08434	135	-1.87	031.42	0
031	Phosphorus (%)	0940	3.2100	0.20000	3.5738	0.20198	0.08434	135	-1.80	031.01	0
031	Phosphorus (%)	0520	3.2350	0.11000	3.5738	0.20198	0.08434	135	-1.68	031.41	0
031	Phosphorus (%)	0623	3.2468	0.06170	3.5738	0.20198	0.08434	135	-1.62	031.01	0
031	Phosphorus (%)	0345	3.2500	0.10000	3.5738	0.20198	0.08434	135	-1.60	031.43	0
031	Phosphorus (%)	0202	3.2630	0.02400	3.5738	0.20198	0.08434	135	-1.54	031.43	0
031	Phosphorus (%)	0620	3.2819	0.07790	3.5738	0.20198	0.08434	135	-1.45	031.01	0
031	Phosphorus (%)	0169	3.2950	0.01000	3.5738	0.20198	0.08434	135	-1.38	031.03	0
031	Phosphorus (%)	0874	3.3140	0.05000	3.5738	0.20198	0.08434	135	-1.29	031.01	0
031	Phosphorus (%)	0510	3.3200	0.02000	3.5738	0.20198	0.08434	135	-1.26	031.43	0
031	Phosphorus (%)	0511	3.3250	0.23000	3.5738	0.20198	0.08434	135	-1.23	031.01	0
031	Phosphorus (%)	0366	3.3300	0.00000	3.5738	0.20198	0.08434	135	-1.21	031.42	0
031	Phosphorus (%)	0019	3.3350	0.27000	3.5738	0.20198	0.08434	135	-1.18	031.41	0
031	Phosphorus (%)	0142	3.3685	0.02250	3.5738	0.20198	0.08434	135	-1.02	031.01	0
031	Phosphorus (%)	0619	3.3850	0.13000	3.5738	0.20198	0.08434	135	-0.93	031.41	0
031	Phosphorus (%)	0278	3.3900	0.06000	3.5738	0.20198	0.08434	135	-0.91	031.42	0
031	Phosphorus (%)	0074	3.4100	0.02000	3.5738	0.20198	0.08434	135	-0.81	031.41	0
031	Phosphorus (%)	2089	3.4150	0.41000	3.5738	0.20198	0.08434	135	-0.79	031.43	0
031	Phosphorus (%)	0098	3.4220	0.10000	3.5738	0.20198	0.08434	135	-0.75	031.41	0
031	Phosphorus (%)	2109	3.4285	0.03900	3.5738	0.20198	0.08434	135	-0.72	031.01	0
031	Phosphorus (%)	0298	3.4300	0.02000	3.5738	0.20198	0.08434	135	-0.71	031.41	0
031	Phosphorus (%)	0208	3.4420	0.00400	3.5738	0.20198	0.08434	135	-0.65	031.01	0
031	Phosphorus (%)	0622	3.4538	0.00440	3.5738	0.20198	0.08434	135	-0.59	031.01	0
031	Phosphorus (%)	0964	3.4613	0.05210	3.5738	0.20198	0.08434	135	-0.56	031.41	0
031	Phosphorus (%)	0653	3.4615	0.03900	3.5738	0.20198	0.08434	135	-0.56	031.01	0
031	Phosphorus (%)	0689	3.4700	0.00000	3.5738	0.20198	0.08434	135	-0.51	031.01	0
031	Phosphorus (%)	0560	3.4876	0.02100	3.5738	0.20198	0.08434	135	-0.43	031.42	0
031	Phosphorus (%)	2012	3.5000	0.02000	3.5738	0.20198	0.08434	135	-0.37	031.41	0
031	Phosphorus (%)	0651	3.5105	0.01500	3.5738	0.20198	0.08434	135	-0.31	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0027	3.5135	0.01900	3.5738	0.20198	0.08434	135	-0.30	031.43	0
031	Phosphorus (%)	0175	3.5150	0.07000	3.5738	0.20198	0.08434	135	-0.29	031.01	0
031	Phosphorus (%)	0033	3.5250	0.35000	3.5738	0.20198	0.08434	135	-0.24	031.43	0
031	Phosphorus (%)	0208	3.5345	0.04100	3.5738	0.20198	0.08434	135	-0.19	031.41	0
031	Phosphorus (%)	0722	3.5418	0.01870	3.5738	0.20198	0.08434	135	-0.16	031.01	0
031	Phosphorus (%)	0895	3.5450	0.01000	3.5738	0.20198	0.08434	135	-0.14	031.00	0
031	Phosphorus (%)	0948	3.5455	0.03300	3.5738	0.20198	0.08434	135	-0.14	031.01	0
031	Phosphorus (%)	0552	3.5500	0.06000	3.5738	0.20198	0.08434	135	-0.12	031.01	0
031	Phosphorus (%)	2146	3.5575	0.06100	3.5738	0.20198	0.08434	135	-0.08	031.51	0
031	Phosphorus (%)	2022	3.5600	0.00000	3.5738	0.20198	0.08434	135	-0.07	031.01	0
031	Phosphorus (%)	0034	3.5681	0.11300	3.5738	0.20198	0.08434	135	-0.03	031.43	0
031	Phosphorus (%)	0045	3.5700	0.02000	3.5738	0.20198	0.08434	135	-0.02	031.42	0
031	Phosphorus (%)	0685	3.5750	0.01000	3.5738	0.20198	0.08434	135	0.01	031.41	0
031	Phosphorus (%)	0626	3.5800	0.05200	3.5738	0.20198	0.08434	135	0.03	031.01	0
031	Phosphorus (%)	2068	3.5800	0.00000	3.5738	0.20198	0.08434	135	0.03	031.01	0
031	Phosphorus (%)	0171	3.5800	0.00000	3.5738	0.20198	0.08434	135	0.03	031.41	0
031	Phosphorus (%)	0413	3.5800	0.06000	3.5738	0.20198	0.08434	135	0.03	031.41	0
031	Phosphorus (%)	0148	3.5850	0.03000	3.5738	0.20198	0.08434	135	0.06	031.41	0
031	Phosphorus (%)	2006	3.5860	0.03600	3.5738	0.20198	0.08434	135	0.06	031.01	0
031	Phosphorus (%)	0297	3.5900	0.00000	3.5738	0.20198	0.08434	135	0.08	031.43	0
031	Phosphorus (%)	0884	3.5950	0.15000	3.5738	0.20198	0.08434	135	0.11	031.01	0
031	Phosphorus (%)	0144	3.5950	0.01000	3.5738	0.20198	0.08434	135	0.11	031.41	0
031	Phosphorus (%)	2145	3.5950	0.01000	3.5738	0.20198	0.08434	135	0.11	031.41	0
031	Phosphorus (%)	2062	3.6029	0.00570	3.5738	0.20198	0.08434	135	0.14	031.01	0
031	Phosphorus (%)	0693	3.6035	0.33350	3.5738	0.20198	0.08434	135	0.15	031.42	0
031	Phosphorus (%)	0939	3.6050	0.09000	3.5738	0.20198	0.08434	135	0.15	031.01	0
031	Phosphorus (%)	0425	3.6050	0.05000	3.5738	0.20198	0.08434	135	0.15	031.43	0
031	Phosphorus (%)	0043	3.6100	0.10000	3.5738	0.20198	0.08434	135	0.18	031.02	0
031	Phosphorus (%)	0563	3.6146	0.02610	3.5738	0.20198	0.08434	135	0.20	031.01	0
031	Phosphorus (%)	0504	3.6150	0.03000	3.5738	0.20198	0.08434	135	0.20	031.03	0
031	Phosphorus (%)	0049	3.6150	0.03000	3.5738	0.20198	0.08434	135	0.20	031.41	0
031	Phosphorus (%)	0848	3.6150	0.01000	3.5738	0.20198	0.08434	135	0.20	031.41	0
031	Phosphorus (%)	0629	3.6200	0.04000	3.5738	0.20198	0.08434	135	0.23	031.01	0
031	Phosphorus (%)	0650	3.6250	0.09000	3.5738	0.20198	0.08434	135	0.25	031.01	0
031	Phosphorus (%)	0897	3.6250	0.01000	3.5738	0.20198	0.08434	135	0.25	031.01	0
031	Phosphorus (%)	0903	3.6250	0.01000	3.5738	0.20198	0.08434	135	0.25	031.01	0
031	Phosphorus (%)	0505	3.6250	0.01000	3.5738	0.20198	0.08434	135	0.25	031.02	0
031	Phosphorus (%)	0187	3.6300	0.06000	3.5738	0.20198	0.08434	135	0.28	031.42	0
031	Phosphorus (%)	0294	3.6300	0.12000	3.5738	0.20198	0.08434	135	0.28	031.42	0
031	Phosphorus (%)	0629	3.6350	0.01000	3.5738	0.20198	0.08434	135	0.30	031.43	0
031	Phosphorus (%)	0683	3.6400	0.02000	3.5738	0.20198	0.08434	135	0.33	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0849	3.6400	0.02000	3.5738	0.20198	0.08434	135	0.33	031.01	0
031	Phosphorus (%)	0668	3.6400	0.40000	3.5738	0.20198	0.08434	135	0.33	031.43	0
031	Phosphorus (%)	0885	3.6490	0.01920	3.5738	0.20198	0.08434	135	0.37	031.01	0
031	Phosphorus (%)	0918	3.6490	0.05000	3.5738	0.20198	0.08434	135	0.37	031.43	0
031	Phosphorus (%)	0028	3.6550	0.35000	3.5738	0.20198	0.08434	135	0.40	031.43	0
031	Phosphorus (%)	0529	3.6600	0.04000	3.5738	0.20198	0.08434	135	0.43	031.01	0
031	Phosphorus (%)	0590	3.6600	0.06000	3.5738	0.20198	0.08434	135	0.43	031.01	0
031	Phosphorus (%)	2093	3.6600	0.02000	3.5738	0.20198	0.08434	135	0.43	031.01	0
031	Phosphorus (%)	2144	3.6600	0.02000	3.5738	0.20198	0.08434	135	0.43	031.01	0
031	Phosphorus (%)	0098	3.6715	0.11100	3.5738	0.20198	0.08434	135	0.48	031.43	0
031	Phosphorus (%)	0504	3.6735	0.01900	3.5738	0.20198	0.08434	135	0.49	031.42	0
031	Phosphorus (%)	0354	3.6750	0.03000	3.5738	0.20198	0.08434	135	0.50	031.01	0
031	Phosphorus (%)	0687	3.6750	0.15000	3.5738	0.20198	0.08434	135	0.50	031.01	0
031	Phosphorus (%)	0265	3.6800	0.06000	3.5738	0.20198	0.08434	135	0.53	031.42	0
031	Phosphorus (%)	2053	3.6850	0.07000	3.5738	0.20198	0.08434	135	0.55	031.02	0
031	Phosphorus (%)	0553	3.6850	0.25000	3.5738	0.20198	0.08434	135	0.55	031.53	0
031	Phosphorus (%)	2009	3.6891	0.00090	3.5738	0.20198	0.08434	135	0.57	031.01	0
031	Phosphorus (%)	0955	3.6900	0.04000	3.5738	0.20198	0.08434	135	0.58	031.44	0
031	Phosphorus (%)	0610	3.6950	0.39000	3.5738	0.20198	0.08434	135	0.60	031.43	0
031	Phosphorus (%)	0001	3.6970	0.07600	3.5738	0.20198	0.08434	135	0.61	031.03	0
031	Phosphorus (%)	0893	3.7000	0.00000	3.5738	0.20198	0.08434	135	0.62	031.00	0
031	Phosphorus (%)	0910	3.7000	0.30000	3.5738	0.20198	0.08434	135	0.62	031.41	0
031	Phosphorus (%)	0861	3.7000	0.08000	3.5738	0.20198	0.08434	135	0.62	031.43	0
031	Phosphorus (%)	0572	3.7000	0.14000	3.5738	0.20198	0.08434	135	0.62	031.53	0
031	Phosphorus (%)	0042	3.7050	0.47000	3.5738	0.20198	0.08434	135	0.65	031.42	0
031	Phosphorus (%)	0242	3.7250	0.03000	3.5738	0.20198	0.08434	135	0.75	031.99	0
031	Phosphorus (%)	0051	3.7330	0.00260	3.5738	0.20198	0.08434	135	0.79	031.41	0
031	Phosphorus (%)	0598	3.7345	0.09700	3.5738	0.20198	0.08434	135	0.80	031.41	0
031	Phosphorus (%)	0536	3.7350	0.33000	3.5738	0.20198	0.08434	135	0.80	031.06	0
031	Phosphorus (%)	0682	3.7400	0.00000	3.5738	0.20198	0.08434	135	0.82	031.43	0
031	Phosphorus (%)	2004	3.7450	0.13000	3.5738	0.20198	0.08434	135	0.85	031.44	0
031	Phosphorus (%)	0164	3.7500	0.00000	3.5738	0.20198	0.08434	135	0.87	031.41	0
031	Phosphorus (%)	0186	3.7500	0.20000	3.5738	0.20198	0.08434	135	0.87	031.42	0
031	Phosphorus (%)	0199	3.7600	0.20000	3.5738	0.20198	0.08434	135	0.92	031.53	0
031	Phosphorus (%)	0964	3.7693	0.11600	3.5738	0.20198	0.08434	135	0.97	031.43	0
031	Phosphorus (%)	0358	3.7750	0.15000	3.5738	0.20198	0.08434	135	1.00	031.41	0
031	Phosphorus (%)	0190	3.7750	0.11000	3.5738	0.20198	0.08434	135	1.00	031.42	0
031	Phosphorus (%)	0720	3.7800	0.10000	3.5738	0.20198	0.08434	135	1.02	031.41	0
031	Phosphorus (%)	0675	3.7800	0.18000	3.5738	0.20198	0.08434	135	1.02	031.43	0
031	Phosphorus (%)	0229	3.7850	0.01000	3.5738	0.20198	0.08434	135	1.05	031.41	0
031	Phosphorus (%)	0205	3.7850	0.31000	3.5738	0.20198	0.08434	135	1.05	031.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0878	3.7950	0.01000	3.5738	0.20198	0.08434	135	1.10	031.01	0
031	Phosphorus (%)	2161	3.7950	0.09000	3.5738	0.20198	0.08434	135	1.10	031.99	0
031	Phosphorus (%)	0014	3.8300	0.02000	3.5738	0.20198	0.08434	135	1.27	031.42	0
031	Phosphorus (%)	0263	3.8459	0.00480	3.5738	0.20198	0.08434	135	1.35	031.42	0
031	Phosphorus (%)	0726	3.8480	0.00600	3.5738	0.20198	0.08434	135	1.36	031.42	0
031	Phosphorus (%)	0968	3.8495	0.01300	3.5738	0.20198	0.08434	135	1.37	031.43	0
031	Phosphorus (%)	0083	4.0250	0.11000	3.5738	0.20198	0.08434	135	2.23	031.43	0
031	Phosphorus (%)	2129	4.0350	0.01000	3.5738	0.20198	0.08434	135	2.28	031.42	0
031	Phosphorus (%)	0353	4.0350	0.01000	3.5738	0.20198	0.08434	135	2.28	031.43	0
031	Phosphorus (%)	0226	4.0850	0.15000	3.5738	0.20198	0.08434	135	2.53	031.41	0
031	Phosphorus (%)	0905	4.1600	0.00000	3.5738	0.20198	0.08434	135	2.90	031.01	0
031	Phosphorus (%)	0407	4.3502	0.02600	3.5738	0.20198	0.08434	135	3.84	031.41	0
031	Phosphorus (%)	0096	3.5276	0.60710	3.5738	0.20198	0.08434	135	-0.23	031.42	1
031	Phosphorus (%)	0037	3.6050	0.57000	3.5738	0.20198	0.08434	135	0.15	031.42	1
031	Phosphorus (%)	0692	3.9900	0.58000	3.5738	0.20198	0.08434	135	2.06	031.42	1
031	Phosphorus (%)	0609	1.4750	0.01000	3.5738	0.20198	0.08434	135	-10.39	031.01	2
032	Potassium (%)	0609	0.36500	0.01000	0.79680	0.05803	0.01551	98	-7.44	032.32	0
032	Potassium (%)	0026	0.62000	0.00000	0.79680	0.05803	0.01551	98	-3.05	032.42	0
032	Potassium (%)	0536	0.63000	0.00000	0.79680	0.05803	0.01551	98	-2.87	032.31	0
032	Potassium (%)	0001	0.66150	0.01500	0.79680	0.05803	0.01551	98	-2.33	032.99	0
032	Potassium (%)	0948	0.67950	0.00500	0.79680	0.05803	0.01551	98	-2.02	032.31	0
032	Potassium (%)	0014	0.68250	0.00700	0.79680	0.05803	0.01551	98	-1.97	032.31	0
032	Potassium (%)	0720	0.69000	0.04000	0.79680	0.05803	0.01551	98	-1.84	032.41	0
032	Potassium (%)	0910	0.71000	0.04000	0.79680	0.05803	0.01551	98	-1.50	032.41	0
032	Potassium (%)	0563	0.71935	0.01410	0.79680	0.05803	0.01551	98	-1.33	032.31	0
032	Potassium (%)	0171	0.71950	0.00100	0.79680	0.05803	0.01551	98	-1.33	032.41	0
032	Potassium (%)	0505	0.72500	0.03000	0.79680	0.05803	0.01551	98	-1.24	032.31	0
032	Potassium (%)	0921	0.72500	0.00000	0.79680	0.05803	0.01551	98	-1.24	032.31	0
032	Potassium (%)	0682	0.73000	0.00000	0.79680	0.05803	0.01551	98	-1.15	032.43	0
032	Potassium (%)	0619	0.73250	0.00300	0.79680	0.05803	0.01551	98	-1.11	032.41	0
032	Potassium (%)	0650	0.74000	0.02800	0.79680	0.05803	0.01551	98	-0.98	032.31	0
032	Potassium (%)	0878	0.74000	0.02000	0.79680	0.05803	0.01551	98	-0.98	032.31	0
032	Potassium (%)	0019	0.74000	0.06000	0.79680	0.05803	0.01551	98	-0.98	032.41	0
032	Potassium (%)	0049	0.75000	0.02000	0.79680	0.05803	0.01551	98	-0.81	032.41	0
032	Potassium (%)	2171	0.75050	0.00900	0.79680	0.05803	0.01551	98	-0.80	032.41	0
032	Potassium (%)	0955	0.75100	0.03000	0.79680	0.05803	0.01551	98	-0.79	032.44	0
032	Potassium (%)	0964	0.75270	0.01560	0.79680	0.05803	0.01551	98	-0.76	032.41	0
032	Potassium (%)	0629	0.75500	0.01000	0.79680	0.05803	0.01551	98	-0.72	032.31	0
032	Potassium (%)	0003	0.75500	0.03000	0.79680	0.05803	0.01551	98	-0.72	032.41	0
032	Potassium (%)	0100	0.75500	0.01000	0.79680	0.05803	0.01551	98	-0.72	032.99	0
032	Potassium (%)	0045	0.75550	0.00900	0.79680	0.05803	0.01551	98	-0.71	032.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0511	0.75650	0.02900	0.79680	0.05803	0.01551	98	-0.69	032.41	0
032	Potassium (%)	0874	0.76150	0.02500	0.79680	0.05803	0.01551	98	-0.61	032.31	0
032	Potassium (%)	0175	0.76500	0.01000	0.79680	0.05803	0.01551	98	-0.55	032.31	0
032	Potassium (%)	0043	0.76500	0.01000	0.79680	0.05803	0.01551	98	-0.55	032.43	0
032	Potassium (%)	0629	0.76500	0.01000	0.79680	0.05803	0.01551	98	-0.55	032.43	0
032	Potassium (%)	0154	0.76790	0.00660	0.79680	0.05803	0.01551	98	-0.50	032.52	0
032	Potassium (%)	0144	0.77000	0.06000	0.79680	0.05803	0.01551	98	-0.46	032.41	0
032	Potassium (%)	0861	0.77400	0.01000	0.79680	0.05803	0.01551	98	-0.39	032.43	0
032	Potassium (%)	2146	0.77550	0.03300	0.79680	0.05803	0.01551	98	-0.37	032.51	0
032	Potassium (%)	0202	0.77750	0.00500	0.79680	0.05803	0.01551	98	-0.33	032.43	0
032	Potassium (%)	0504	0.78000	0.00000	0.79680	0.05803	0.01551	98	-0.29	032.02	0
032	Potassium (%)	0560	0.78430	0.00680	0.79680	0.05803	0.01551	98	-0.22	032.42	0
032	Potassium (%)	0034	0.78440	0.00460	0.79680	0.05803	0.01551	98	-0.21	032.43	0
032	Potassium (%)	0354	0.78500	0.03000	0.79680	0.05803	0.01551	98	-0.20	032.31	0
032	Potassium (%)	0229	0.78500	0.01000	0.79680	0.05803	0.01551	98	-0.20	032.41	0
032	Potassium (%)	0405	0.78500	0.01000	0.79680	0.05803	0.01551	98	-0.20	032.41	0
032	Potassium (%)	2012	0.78500	0.03000	0.79680	0.05803	0.01551	98	-0.20	032.41	0
032	Potassium (%)	0610	0.78500	0.01000	0.79680	0.05803	0.01551	98	-0.20	032.43	0
032	Potassium (%)	0096	0.78600	0.04600	0.79680	0.05803	0.01551	98	-0.19	032.42	0
032	Potassium (%)	0164	0.79000	0.00000	0.79680	0.05803	0.01551	98	-0.12	032.41	0
032	Potassium (%)	0278	0.79000	0.02000	0.79680	0.05803	0.01551	98	-0.12	032.42	0
032	Potassium (%)	0208	0.79200	0.01600	0.79680	0.05803	0.01551	98	-0.08	032.41	0
032	Potassium (%)	2053	0.79500	0.01000	0.79680	0.05803	0.01551	98	-0.03	032.31	0
032	Potassium (%)	0042	0.79900	0.01200	0.79680	0.05803	0.01551	98	0.04	032.42	0
032	Potassium (%)	0968	0.79950	0.01100	0.79680	0.05803	0.01551	98	0.05	032.43	0
032	Potassium (%)	0939	0.80000	0.00000	0.79680	0.05803	0.01551	98	0.06	032.31	0
032	Potassium (%)	0148	0.80000	0.02000	0.79680	0.05803	0.01551	98	0.06	032.41	0
032	Potassium (%)	0918	0.80100	0.03400	0.79680	0.05803	0.01551	98	0.07	032.43	0
032	Potassium (%)	0051	0.80125	0.01790	0.79680	0.05803	0.01551	98	0.08	032.41	0
032	Potassium (%)	0142	0.80405	0.02870	0.79680	0.05803	0.01551	98	0.12	032.31	0
032	Potassium (%)	2129	0.80500	0.01000	0.79680	0.05803	0.01551	98	0.14	032.42	0
032	Potassium (%)	0186	0.80600	0.02000	0.79680	0.05803	0.01551	98	0.16	032.42	0
032	Potassium (%)	0263	0.80940	0.00240	0.79680	0.05803	0.01551	98	0.22	032.32	0
032	Potassium (%)	0553	0.81000	0.03000	0.79680	0.05803	0.01551	98	0.23	032.53	0
032	Potassium (%)	0205	0.81350	0.01300	0.79680	0.05803	0.01551	98	0.29	032.42	0
032	Potassium (%)	0357	0.81445	0.01090	0.79680	0.05803	0.01551	98	0.30	032.42	0
032	Potassium (%)	0598	0.81500	0.01120	0.79680	0.05803	0.01551	98	0.31	032.41	0
032	Potassium (%)	0510	0.81500	0.01000	0.79680	0.05803	0.01551	98	0.31	032.43	0
032	Potassium (%)	0242	0.81500	0.01000	0.79680	0.05803	0.01551	98	0.31	032.99	0
032	Potassium (%)	0693	0.81890	0.04080	0.79680	0.05803	0.01551	98	0.38	032.42	0
032	Potassium (%)	0028	0.82000	0.00000	0.79680	0.05803	0.01551	98	0.40	032.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0208	0.82300	0.01000	0.79680	0.05803	0.01551	98	0.45	032.31	0
032	Potassium (%)	0169	0.82500	0.01000	0.79680	0.05803	0.01551	98	0.49	032.32	0
032	Potassium (%)	0413	0.82500	0.03000	0.79680	0.05803	0.01551	98	0.49	032.41	0
032	Potassium (%)	0294	0.82500	0.01000	0.79680	0.05803	0.01551	98	0.49	032.42	0
032	Potassium (%)	0226	0.83000	0.02000	0.79680	0.05803	0.01551	98	0.57	032.41	0
032	Potassium (%)	0265	0.83000	0.06000	0.79680	0.05803	0.01551	98	0.57	032.42	0
032	Potassium (%)	0407	0.83455	0.01070	0.79680	0.05803	0.01551	98	0.65	032.41	0
032	Potassium (%)	0074	0.83500	0.01000	0.79680	0.05803	0.01551	98	0.66	032.41	0
032	Potassium (%)	0358	0.84000	0.02000	0.79680	0.05803	0.01551	98	0.74	032.41	0
032	Potassium (%)	0037	0.84000	0.02000	0.79680	0.05803	0.01551	98	0.74	032.42	0
032	Potassium (%)	0425	0.84000	0.00000	0.79680	0.05803	0.01551	98	0.74	032.43	0
032	Potassium (%)	0345	0.84200	0.01400	0.79680	0.05803	0.01551	98	0.78	032.43	0
032	Potassium (%)	0668	0.84200	0.04600	0.79680	0.05803	0.01551	98	0.78	032.43	0
032	Potassium (%)	0098	0.84500	0.03000	0.79680	0.05803	0.01551	98	0.83	032.41	0
032	Potassium (%)	0964	0.84800	0.00540	0.79680	0.05803	0.01551	98	0.88	032.43	0
032	Potassium (%)	0504	0.84850	0.00300	0.79680	0.05803	0.01551	98	0.89	032.42	0
032	Potassium (%)	2089	0.85000	0.00000	0.79680	0.05803	0.01551	98	0.92	032.43	0
032	Potassium (%)	0190	0.85500	0.01000	0.79680	0.05803	0.01551	98	1.00	032.42	0
032	Potassium (%)	0675	0.85500	0.01000	0.79680	0.05803	0.01551	98	1.00	032.43	0
032	Potassium (%)	0726	0.85780	0.00140	0.79680	0.05803	0.01551	98	1.05	032.42	0
032	Potassium (%)	0083	0.86000	0.04000	0.79680	0.05803	0.01551	98	1.09	032.43	0
032	Potassium (%)	0098	0.87500	0.01000	0.79680	0.05803	0.01551	98	1.35	032.43	0
032	Potassium (%)	0353	0.88000	0.02000	0.79680	0.05803	0.01551	98	1.43	032.43	0
032	Potassium (%)	0297	0.90000	0.00000	0.79680	0.05803	0.01551	98	1.78	032.43	0
032	Potassium (%)	2004	0.91000	0.01600	0.79680	0.05803	0.01551	98	1.95	032.44	0
032	Potassium (%)	0186	0.91050	0.00300	0.79680	0.05803	0.01551	98	1.96	032.52	0
032	Potassium (%)	0529	0.94500	0.01000	0.79680	0.05803	0.01551	98	2.55	032.31	0
032	Potassium (%)	0692	0.99500	0.01000	0.79680	0.05803	0.01551	98	3.42	032.42	0
032	Potassium (%)	0199	1.0000	0.00000	0.79680	0.05803	0.01551	98	3.50	032.53	0
032	Potassium (%)	0366	1.0200	0.00000	0.79680	0.05803	0.01551	98	3.85	032.42	0
032	Potassium (%)	0187	1.0350	0.01000	0.79680	0.05803	0.01551	98	4.10	032.42	0
032	Potassium (%)	2161	1.1500	0.00000	0.79680	0.05803	0.01551	98	6.09	032.31	0
032	Potassium (%)	0520	0.75500	0.09000	0.79680	0.05803	0.01551	98	-0.72	032.41	1
032	Potassium (%)	0572	0.99350	0.09300	0.79680	0.05803	0.01551	98	3.39	032.53	1
032	Potassium (%)	0889	0.00000	0.00000	0.79680	0.05803	0.01551	98		032.99	4
033	Salt as chloride (%)	0171	0.42000	0.02000	0.92748	0.07578	0.02261	54	-6.70	033.00	0
033	Salt as chloride (%)	0619	0.52550	0.01700	0.92748	0.07578	0.02261	54	-5.30	033.01	0
033	Salt as chloride (%)	0353	0.68000	0.04000	0.92748	0.07578	0.02261	54	-3.27	033.00	0
033	Salt as chloride (%)	0539	0.75000	0.04000	0.92748	0.07578	0.02261	54	-2.34	033.00	0
033	Salt as chloride (%)	0366	0.75500	0.05000	0.92748	0.07578	0.02261	54	-2.28	033.00	0
033	Salt as chloride (%)	0552	0.75500	0.07000	0.92748	0.07578	0.02261	54	-2.28	033.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	0536	0.77500	0.01000	0.92748	0.07578	0.02261	54	-2.01	033.99	0
033	Salt as chloride (%)	0504	0.81550	0.02700	0.92748	0.07578	0.02261	54	-1.48	033.00	0
033	Salt as chloride (%)	2068	0.84500	0.01000	0.92748	0.07578	0.02261	54	-1.09	033.00	0
033	Salt as chloride (%)	0045	0.86250	0.00900	0.92748	0.07578	0.02261	54	-0.86	033.00	0
033	Salt as chloride (%)	0885	0.86550	0.02680	0.92748	0.07578	0.02261	54	-0.82	033.00	0
033	Salt as chloride (%)	0893	0.87000	0.00000	0.92748	0.07578	0.02261	54	-0.76	033.00	0
033	Salt as chloride (%)	0682	0.87000	0.00000	0.92748	0.07578	0.02261	54	-0.76	033.99	0
033	Salt as chloride (%)	0407	0.87450	0.00100	0.92748	0.07578	0.02261	54	-0.70	033.01	0
033	Salt as chloride (%)	0229	0.88500	0.01000	0.92748	0.07578	0.02261	54	-0.56	033.01	0
033	Salt as chloride (%)	0083	0.89000	0.04000	0.92748	0.07578	0.02261	54	-0.49	033.01	0
033	Salt as chloride (%)	0884	0.89500	0.03000	0.92748	0.07578	0.02261	54	-0.43	033.00	0
033	Salt as chloride (%)	0650	0.90500	0.05000	0.92748	0.07578	0.02261	54	-0.30	033.01	0
033	Salt as chloride (%)	0425	0.91500	0.01000	0.92748	0.07578	0.02261	54	-0.16	033.01	0
033	Salt as chloride (%)	0689	0.91500	0.01000	0.92748	0.07578	0.02261	54	-0.16	033.05	0
033	Salt as chloride (%)	0100	0.92000	0.00000	0.92748	0.07578	0.02261	54	-0.10	033.01	0
033	Salt as chloride (%)	0903	0.92500	0.01000	0.92748	0.07578	0.02261	54	-0.03	033.00	0
033	Salt as chloride (%)	0199	0.92500	0.01000	0.92748	0.07578	0.02261	54	-0.03	033.01	0
033	Salt as chloride (%)	2062	0.92540	0.00720	0.92748	0.07578	0.02261	54	-0.03	033.00	0
033	Salt as chloride (%)	2009	0.93385	0.01150	0.92748	0.07578	0.02261	54	0.08	033.00	0
033	Salt as chloride (%)	0895	0.93500	0.01000	0.92748	0.07578	0.02261	54	0.10	033.00	0
033	Salt as chloride (%)	0205	0.93850	0.04900	0.92748	0.07578	0.02261	54	0.15	033.01	0
033	Salt as chloride (%)	0897	0.94000	0.00000	0.92748	0.07578	0.02261	54	0.17	033.00	0
033	Salt as chloride (%)	0354	0.94500	0.01000	0.92748	0.07578	0.02261	54	0.23	033.01	0
033	Salt as chloride (%)	0878	0.94500	0.01000	0.92748	0.07578	0.02261	54	0.23	033.05	0
033	Salt as chloride (%)	2109	0.94550	0.01500	0.92748	0.07578	0.02261	54	0.24	033.01	0
033	Salt as chloride (%)	0242	0.95000	0.02000	0.92748	0.07578	0.02261	54	0.30	033.01	0
033	Salt as chloride (%)	0278	0.95000	0.02000	0.92748	0.07578	0.02261	54	0.30	033.01	0
033	Salt as chloride (%)	0510	0.95000	0.02000	0.92748	0.07578	0.02261	54	0.30	033.01	0
033	Salt as chloride (%)	0683	0.95500	0.01000	0.92748	0.07578	0.02261	54	0.36	033.01	0
033	Salt as chloride (%)	2144	0.96000	0.02000	0.92748	0.07578	0.02261	54	0.43	033.00	0
033	Salt as chloride (%)	0644	0.96035	0.02010	0.92748	0.07578	0.02261	54	0.43	033.01	0
033	Salt as chloride (%)	0629	0.96750	0.00500	0.92748	0.07578	0.02261	54	0.53	033.01	0
033	Salt as chloride (%)	2145	0.97000	0.02000	0.92748	0.07578	0.02261	54	0.56	033.00	0
033	Salt as chloride (%)	0948	0.97000	0.02000	0.92748	0.07578	0.02261	54	0.56	033.01	0
033	Salt as chloride (%)	0861	0.97500	0.01000	0.92748	0.07578	0.02261	54	0.63	033.01	0
033	Salt as chloride (%)	0309	0.97750	0.02240	0.92748	0.07578	0.02261	54	0.66	033.00	0
033	Salt as chloride (%)	2093	0.98000	0.00000	0.92748	0.07578	0.02261	54	0.69	033.00	0
033	Salt as chloride (%)	0001	0.98000	0.00000	0.92748	0.07578	0.02261	54	0.69	033.01	0
033	Salt as chloride (%)	0164	0.98000	0.00000	0.92748	0.07578	0.02261	54	0.69	033.01	0
033	Salt as chloride (%)	0098	0.98500	0.01000	0.92748	0.07578	0.02261	54	0.76	033.01	0
033	Salt as chloride (%)	0298	1.0000	0.02000	0.92748	0.07578	0.02261	54	0.96	033.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	2043	1.0000	0.06000	0.92748	0.07578	0.02261	54	0.96	033.05	0
033	Salt as chloride (%)	0874	1.0062	0.00000	0.92748	0.07578	0.02261	54	1.04	033.01	0
033	Salt as chloride (%)	2073	1.0200	0.10000	0.92748	0.07578	0.02261	54	1.22	033.99	0
033	Salt as chloride (%)	0505	1.0550	0.05000	0.92748	0.07578	0.02261	54	1.68	033.03	0
033	Salt as chloride (%)	2146	1.1200	0.00000	0.92748	0.07578	0.02261	54	2.54	033.01	0
033	Salt as chloride (%)	0144	1.1400	0.10000	0.92748	0.07578	0.02261	54	2.80	033.03	0
033	Salt as chloride (%)	0358	1.7450	0.09000	0.92748	0.07578	0.02261	54	10.79	033.99	0
033	Salt as chloride (%)	0693	0.88855	0.15490	0.92748	0.07578	0.02261	54	-0.51	033.00	1
033	Salt as chloride (%)	0169	0.00000	0.00000	0.92748	0.07578	0.02261	54		033.00	4
034	Selenium (mg / kg (ppm))	2161	0.18000	0.00000	1.5679	0.26398	0.12521	20	-5.26	034.31	0
034	Selenium (mg / kg (ppm))	0045	1.1650	0.17000	1.5679	0.26398	0.12521	20	-1.53	034.04	0
034	Selenium (mg / kg (ppm))	0563	1.1848	0.04450	1.5679	0.26398	0.12521	20	-1.45	034.04	0
034	Selenium (mg / kg (ppm))	0047	1.3400	0.04000	1.5679	0.26398	0.12521	20	-0.86	034.52	0
034	Selenium (mg / kg (ppm))	0619	1.4300	0.46000	1.5679	0.26398	0.12521	20	-0.52	034.41	0
034	Selenium (mg / kg (ppm))	2055	1.4350	0.03000	1.5679	0.26398	0.12521	20	-0.50	034.53	0
034	Selenium (mg / kg (ppm))	0964	1.5037	0.49930	1.5679	0.26398	0.12521	20	-0.24	034.43	0
034	Selenium (mg / kg (ppm))	2053	1.5150	0.11000	1.5679	0.26398	0.12521	20	-0.20	034.04	0
034	Selenium (mg / kg (ppm))	0910	1.5400	0.10000	1.5679	0.26398	0.12521	20	-0.11	034.52	0
034	Selenium (mg / kg (ppm))	0199	1.5900	0.02000	1.5679	0.26398	0.12521	20	0.08	034.53	0
034	Selenium (mg / kg (ppm))	0692	1.6000	0.20000	1.5679	0.26398	0.12521	20	0.12	034.42	0
034	Selenium (mg / kg (ppm))	0171	1.6150	0.03000	1.5679	0.26398	0.12521	20	0.18	034.04	0
034	Selenium (mg / kg (ppm))	0675	1.6350	0.13000	1.5679	0.26398	0.12521	20	0.25	034.43	0
034	Selenium (mg / kg (ppm))	0164	1.6750	0.03000	1.5679	0.26398	0.12521	20	0.41	034.04	0
034	Selenium (mg / kg (ppm))	0098	1.6910	0.19400	1.5679	0.26398	0.12521	20	0.47	034.53	0
034	Selenium (mg / kg (ppm))	0096	1.7211	0.06590	1.5679	0.26398	0.12521	20	0.58	034.52	0
034	Selenium (mg / kg (ppm))	0939	1.8050	0.15000	1.5679	0.26398	0.12521	20	0.90	034.04	0
034	Selenium (mg / kg (ppm))	0553	1.8700	0.06000	1.5679	0.26398	0.12521	20	1.14	034.53	0
034	Selenium (mg / kg (ppm))	0186	1.9000	0.16000	1.5679	0.26398	0.12521	20	1.26	034.52	0
034	Selenium (mg / kg (ppm))	0918	2.2187	0.01040	1.5679	0.26398	0.12521	20	2.47	034.53	0
034	Selenium (mg / kg (ppm))	0169	0.00000	0.00000	1.5679	0.26398	0.12521	20		034.04	4
035	Sodium (%)	0609	0.32500	0.01000	0.63887	0.04366	0.01428	98	-7.19	035.32	0
035	Sodium (%)	2105	0.46500	0.01000	0.63887	0.04366	0.01428	98	-3.98	035.99	0
035	Sodium (%)	0675	0.51500	0.03000	0.63887	0.04366	0.01428	98	-2.84	035.43	0
035	Sodium (%)	2006	0.54300	0.01400	0.63887	0.04366	0.01428	98	-2.20	035.01	0
035	Sodium (%)	0878	0.55100	0.00600	0.63887	0.04366	0.01428	98	-2.01	035.01	0
035	Sodium (%)	0037	0.55150	0.00500	0.63887	0.04366	0.01428	98	-2.00	035.05	0
035	Sodium (%)	0014	0.55700	0.02400	0.63887	0.04366	0.01428	98	-1.88	035.31	0
035	Sodium (%)	0510	0.57150	0.00500	0.63887	0.04366	0.01428	98	-1.54	035.43	0
035	Sodium (%)	0298	0.58000	0.02000	0.63887	0.04366	0.01428	98	-1.35	035.41	0
035	Sodium (%)	0536	0.59000	0.02000	0.63887	0.04366	0.01428	98	-1.12	035.31	0
035	Sodium (%)	0199	0.59000	0.00000	0.63887	0.04366	0.01428	98	-1.12	035.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0964	0.59410	0.00220	0.63887	0.04366	0.01428	98	-1.03	035.41	0
035	Sodium (%)	0034	0.59435	0.00130	0.63887	0.04366	0.01428	98	-1.02	035.43	0
035	Sodium (%)	0505	0.59500	0.01000	0.63887	0.04366	0.01428	98	-1.00	035.31	0
035	Sodium (%)	0142	0.59690	0.00520	0.63887	0.04366	0.01428	98	-0.96	035.31	0
035	Sodium (%)	0650	0.59700	0.02400	0.63887	0.04366	0.01428	98	-0.96	035.31	0
035	Sodium (%)	0884	0.60000	0.02000	0.63887	0.04366	0.01428	98	-0.89	035.02	0
035	Sodium (%)	0910	0.60000	0.06000	0.63887	0.04366	0.01428	98	-0.89	035.41	0
035	Sodium (%)	0610	0.60000	0.02000	0.63887	0.04366	0.01428	98	-0.89	035.43	0
035	Sodium (%)	0682	0.60000	0.00000	0.63887	0.04366	0.01428	98	-0.89	035.43	0
035	Sodium (%)	0300	0.60500	0.05000	0.63887	0.04366	0.01428	98	-0.78	035.33	0
035	Sodium (%)	0265	0.60500	0.07000	0.63887	0.04366	0.01428	98	-0.78	035.42	0
035	Sodium (%)	0242	0.60500	0.01000	0.63887	0.04366	0.01428	98	-0.78	035.99	0
035	Sodium (%)	0045	0.60650	0.00100	0.63887	0.04366	0.01428	98	-0.74	035.42	0
035	Sodium (%)	0345	0.60800	0.00400	0.63887	0.04366	0.01428	98	-0.71	035.43	0
035	Sodium (%)	0560	0.60875	0.00330	0.63887	0.04366	0.01428	98	-0.69	035.42	0
035	Sodium (%)	0861	0.60950	0.00700	0.63887	0.04366	0.01428	98	-0.67	035.43	0
035	Sodium (%)	0366	0.61000	0.00000	0.63887	0.04366	0.01428	98	-0.66	035.42	0
035	Sodium (%)	0955	0.61100	0.03000	0.63887	0.04366	0.01428	98	-0.64	035.41	0
035	Sodium (%)	0175	0.61500	0.01000	0.63887	0.04366	0.01428	98	-0.55	035.31	0
035	Sodium (%)	0354	0.61500	0.01000	0.63887	0.04366	0.01428	98	-0.55	035.31	0
035	Sodium (%)	0629	0.61750	0.00500	0.63887	0.04366	0.01428	98	-0.49	035.31	0
035	Sodium (%)	0939	0.62000	0.00000	0.63887	0.04366	0.01428	98	-0.43	035.31	0
035	Sodium (%)	0019	0.62000	0.04000	0.63887	0.04366	0.01428	98	-0.43	035.41	0
035	Sodium (%)	0413	0.62000	0.00000	0.63887	0.04366	0.01428	98	-0.43	035.41	0
035	Sodium (%)	0202	0.62150	0.02100	0.63887	0.04366	0.01428	98	-0.40	035.43	0
035	Sodium (%)	0042	0.62450	0.03100	0.63887	0.04366	0.01428	98	-0.33	035.42	0
035	Sodium (%)	0629	0.62750	0.00500	0.63887	0.04366	0.01428	98	-0.26	035.43	0
035	Sodium (%)	0619	0.62850	0.02500	0.63887	0.04366	0.01428	98	-0.24	035.41	0
035	Sodium (%)	0186	0.62850	0.01300	0.63887	0.04366	0.01428	98	-0.24	035.42	0
035	Sodium (%)	0164	0.63000	0.00600	0.63887	0.04366	0.01428	98	-0.20	035.41	0
035	Sodium (%)	0100	0.63000	0.02000	0.63887	0.04366	0.01428	98	-0.20	035.99	0
035	Sodium (%)	0529	0.63300	0.01000	0.63887	0.04366	0.01428	98	-0.13	035.31	0
035	Sodium (%)	0918	0.63350	0.02100	0.63887	0.04366	0.01428	98	-0.12	035.43	0
035	Sodium (%)	0144	0.63500	0.03000	0.63887	0.04366	0.01428	98	-0.09	035.41	0
035	Sodium (%)	0148	0.63500	0.01000	0.63887	0.04366	0.01428	98	-0.09	035.41	0
035	Sodium (%)	0010	0.63500	0.01000	0.63887	0.04366	0.01428	98	-0.09	035.43	0
035	Sodium (%)	0096	0.63815	0.04050	0.63887	0.04366	0.01428	98	-0.02	035.42	0
035	Sodium (%)	0154	0.63880	0.03780	0.63887	0.04366	0.01428	98	0.00	035.52	0
035	Sodium (%)	0096	0.64045	0.03150	0.63887	0.04366	0.01428	98	0.04	035.52	0
035	Sodium (%)	0598	0.64090	0.01140	0.63887	0.04366	0.01428	98	0.05	035.41	0
035	Sodium (%)	0171	0.64250	0.00100	0.63887	0.04366	0.01428	98	0.08	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0948	0.64300	0.01200	0.63887	0.04366	0.01428	98	0.09	035.31	0
035	Sodium (%)	0563	0.64325	0.01590	0.63887	0.04366	0.01428	98	0.10	035.31	0
035	Sodium (%)	0169	0.64500	0.01000	0.63887	0.04366	0.01428	98	0.14	035.32	0
035	Sodium (%)	2012	0.64500	0.01000	0.63887	0.04366	0.01428	98	0.14	035.41	0
035	Sodium (%)	0205	0.64500	0.00600	0.63887	0.04366	0.01428	98	0.14	035.42	0
035	Sodium (%)	0425	0.64500	0.01000	0.63887	0.04366	0.01428	98	0.14	035.43	0
035	Sodium (%)	0208	0.64750	0.00300	0.63887	0.04366	0.01428	98	0.20	035.31	0
035	Sodium (%)	0504	0.64800	0.00200	0.63887	0.04366	0.01428	98	0.21	035.42	0
035	Sodium (%)	0294	0.65000	0.00000	0.63887	0.04366	0.01428	98	0.26	035.42	0
035	Sodium (%)	0668	0.65150	0.00300	0.63887	0.04366	0.01428	98	0.29	035.43	0
035	Sodium (%)	0504	0.65500	0.01000	0.63887	0.04366	0.01428	98	0.37	035.05	0
035	Sodium (%)	0878	0.65500	0.01000	0.63887	0.04366	0.01428	98	0.37	035.31	0
035	Sodium (%)	0049	0.65500	0.01000	0.63887	0.04366	0.01428	98	0.37	035.41	0
035	Sodium (%)	2022	0.65700	0.00400	0.63887	0.04366	0.01428	98	0.42	035.31	0
035	Sodium (%)	0229	0.66000	0.02000	0.63887	0.04366	0.01428	98	0.48	035.41	0
035	Sodium (%)	0098	0.66000	0.02000	0.63887	0.04366	0.01428	98	0.48	035.43	0
035	Sodium (%)	0051	0.66165	0.00410	0.63887	0.04366	0.01428	98	0.52	035.41	0
035	Sodium (%)	0407	0.66335	0.02590	0.63887	0.04366	0.01428	98	0.56	035.41	0
035	Sodium (%)	0874	0.66450	0.01500	0.63887	0.04366	0.01428	98	0.59	035.31	0
035	Sodium (%)	0190	0.66500	0.03000	0.63887	0.04366	0.01428	98	0.60	035.42	0
035	Sodium (%)	2089	0.66500	0.01000	0.63887	0.04366	0.01428	98	0.60	035.43	0
035	Sodium (%)	0263	0.66860	0.00520	0.63887	0.04366	0.01428	98	0.68	035.32	0
035	Sodium (%)	0208	0.66900	0.02600	0.63887	0.04366	0.01428	98	0.69	035.41	0
035	Sodium (%)	0089	0.67000	0.00000	0.63887	0.04366	0.01428	98	0.71	035.41	0
035	Sodium (%)	0083	0.67000	0.02000	0.63887	0.04366	0.01428	98	0.71	035.43	0
035	Sodium (%)	0693	0.67395	0.02130	0.63887	0.04366	0.01428	98	0.80	035.42	0
035	Sodium (%)	2171	0.67400	0.00400	0.63887	0.04366	0.01428	98	0.80	035.41	0
035	Sodium (%)	0720	0.67500	0.01000	0.63887	0.04366	0.01428	98	0.83	035.41	0
035	Sodium (%)	0278	0.67500	0.01000	0.63887	0.04366	0.01428	98	0.83	035.42	0
035	Sodium (%)	0590	0.68000	0.04000	0.63887	0.04366	0.01428	98	0.94	035.99	0
035	Sodium (%)	0098	0.68000	0.00000	0.63887	0.04366	0.01428	98	0.94	035.41	0
035	Sodium (%)	0572	0.68250	0.00100	0.63887	0.04366	0.01428	98	1.00	035.53	0
035	Sodium (%)	0726	0.68605	0.00030	0.63887	0.04366	0.01428	98	1.08	035.42	0
035	Sodium (%)	0108	0.69000	0.00000	0.63887	0.04366	0.01428	98	1.17	035.05	0
035	Sodium (%)	0358	0.69000	0.04000	0.63887	0.04366	0.01428	98	1.17	035.41	0
035	Sodium (%)	0921	0.69300	0.01200	0.63887	0.04366	0.01428	98	1.24	035.31	0
035	Sodium (%)	2004	0.70500	0.00400	0.63887	0.04366	0.01428	98	1.51	035.41	0
035	Sodium (%)	0353	0.71000	0.02000	0.63887	0.04366	0.01428	98	1.63	035.43	0
035	Sodium (%)	0297	0.71050	0.00100	0.63887	0.04366	0.01428	98	1.64	035.43	0
035	Sodium (%)	2161	0.71500	0.01000	0.63887	0.04366	0.01428	98	1.74	035.31	0
035	Sodium (%)	0187	0.71625	0.00430	0.63887	0.04366	0.01428	98	1.77	035.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0553	0.72150	0.03500	0.63887	0.04366	0.01428	98	1.89	035.53	0
035	Sodium (%)	0405	0.74500	0.01000	0.63887	0.04366	0.01428	98	2.43	035.41	0
035	Sodium (%)	0226	0.76000	0.02000	0.63887	0.04366	0.01428	98	2.77	035.41	0
035	Sodium (%)	0186	0.76250	0.01300	0.63887	0.04366	0.01428	98	2.83	035.52	0
035	Sodium (%)	0692	0.76500	0.01000	0.63887	0.04366	0.01428	98	2.89	035.42	0
035	Sodium (%)	0520	0.61730	0.09720	0.63887	0.04366	0.01428	98	-0.49	035.41	1
035	Sodium (%)	0964	0.73060	0.07460	0.63887	0.04366	0.01428	98	2.10	035.43	1
035	Sodium (%)	0889	0.22500	0.05000	0.63887	0.04366	0.01428	98	-9.48	035.99	2
036	Sulfur (%)	2089	0.60500	0.01000	0.70551	0.04745	0.01977	35	-2.12	036.43	0
036	Sulfur (%)	0202	0.63950	0.01100	0.70551	0.04745	0.01977	35	-1.39	036.43	0
036	Sulfur (%)	0345	0.64750	0.00500	0.70551	0.04745	0.01977	35	-1.22	036.43	0
036	Sulfur (%)	0366	0.65000	0.02000	0.70551	0.04745	0.01977	35	-1.17	036.42	0
036	Sulfur (%)	0668	0.65350	0.00500	0.70551	0.04745	0.01977	35	-1.10	036.43	0
036	Sulfur (%)	0229	0.66500	0.03000	0.70551	0.04745	0.01977	35	-0.85	036.04	0
036	Sulfur (%)	0186	0.66900	0.00200	0.70551	0.04745	0.01977	35	-0.77	036.42	0
036	Sulfur (%)	0693	0.67310	0.00520	0.70551	0.04745	0.01977	35	-0.68	036.42	0
036	Sulfur (%)	0164	0.67500	0.03000	0.70551	0.04745	0.01977	35	-0.64	036.42	0
036	Sulfur (%)	0560	0.68015	0.01710	0.70551	0.04745	0.01977	35	-0.53	036.42	0
036	Sulfur (%)	0171	0.68200	0.00400	0.70551	0.04745	0.01977	35	-0.50	036.42	0
036	Sulfur (%)	0407	0.68300	0.00000	0.70551	0.04745	0.01977	35	-0.47	036.42	0
036	Sulfur (%)	0169	0.68500	0.01000	0.70551	0.04745	0.01977	35	-0.43	036.43	0
036	Sulfur (%)	0045	0.68750	0.05900	0.70551	0.04745	0.01977	35	-0.38	036.42	0
036	Sulfur (%)	0357	0.68890	0.02960	0.70551	0.04745	0.01977	35	-0.35	036.42	0
036	Sulfur (%)	0297	0.69000	0.00000	0.70551	0.04745	0.01977	35	-0.33	036.43	0
036	Sulfur (%)	0353	0.69000	0.02000	0.70551	0.04745	0.01977	35	-0.33	036.43	0
036	Sulfur (%)	0187	0.70640	0.00200	0.70551	0.04745	0.01977	35	0.02	036.42	0
036	Sulfur (%)	0242	0.71000	0.02000	0.70551	0.04745	0.01977	35	0.09	036.99	0
036	Sulfur (%)	0096	0.71385	0.07570	0.70551	0.04745	0.01977	35	0.18	036.42	0
036	Sulfur (%)	0918	0.71450	0.03700	0.70551	0.04745	0.01977	35	0.19	036.43	0
036	Sulfur (%)	0629	0.71500	0.00600	0.70551	0.04745	0.01977	35	0.20	036.43	0
036	Sulfur (%)	0098	0.71915	0.02050	0.70551	0.04745	0.01977	35	0.29	036.43	0
036	Sulfur (%)	0098	0.72000	0.00000	0.70551	0.04745	0.01977	35	0.31	036.04	0
036	Sulfur (%)	0510	0.72000	0.02000	0.70551	0.04745	0.01977	35	0.31	036.43	0
036	Sulfur (%)	0964	0.72840	0.04900	0.70551	0.04745	0.01977	35	0.48	036.43	0
036	Sulfur (%)	0553	0.72850	0.04900	0.70551	0.04745	0.01977	35	0.48	036.53	0
036	Sulfur (%)	0278	0.73000	0.02000	0.70551	0.04745	0.01977	35	0.52	036.42	0
036	Sulfur (%)	0708	0.75000	0.00000	0.70551	0.04745	0.01977	35	0.94	036.42	0
036	Sulfur (%)	0692	0.76000	0.04000	0.70551	0.04745	0.01977	35	1.15	036.42	0
036	Sulfur (%)	0037	0.78000	0.04000	0.70551	0.04745	0.01977	35	1.57	036.42	0
036	Sulfur (%)	0265	0.79500	0.05000	0.70551	0.04745	0.01977	35	1.89	036.42	0
036	Sulfur (%)	0889	0.81750	0.00300	0.70551	0.04745	0.01977	35	2.36	036.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
036	Sulfur (%)	0186	0.82300	0.00200	0.70551	0.04745	0.01977	35	2.48	036.52	0
036	Sulfur (%)	0294	0.88000	0.00000	0.70551	0.04745	0.01977	35	3.68	036.42	0
037	Zinc (mg / kg (ppm))	0047	77.120	2.0400	115.80	11.440	4.4855	97	-3.38	037.52	0
037	Zinc (mg / kg (ppm))	2146	81.500	1.4000	115.80	11.440	4.4855	97	-3.00	037.51	0
037	Zinc (mg / kg (ppm))	0405	95.590	0.90000	115.80	11.440	4.4855	97	-1.77	037.41	0
037	Zinc (mg / kg (ppm))	0720	96.910	2.2200	115.80	11.440	4.4855	97	-1.65	037.41	0
037	Zinc (mg / kg (ppm))	0619	98.550	6.9000	115.80	11.440	4.4855	97	-1.51	037.41	0
037	Zinc (mg / kg (ppm))	0186	98.850	4.3000	115.80	11.440	4.4855	97	-1.48	037.42	0
037	Zinc (mg / kg (ppm))	0668	100.40	1.2000	115.80	11.440	4.4855	97	-1.35	037.43	0
037	Zinc (mg / kg (ppm))	0175	102.00	24.000	115.80	11.440	4.4855	97	-1.21	037.31	0
037	Zinc (mg / kg (ppm))	0921	102.32	0.00000	115.80	11.440	4.4855	97	-1.18	037.31	0
037	Zinc (mg / kg (ppm))	0955	102.35	5.3000	115.80	11.440	4.4855	97	-1.18	037.44	0
037	Zinc (mg / kg (ppm))	2012	102.69	0.83000	115.80	11.440	4.4855	97	-1.15	037.41	0
037	Zinc (mg / kg (ppm))	0199	102.91	1.2600	115.80	11.440	4.4855	97	-1.13	037.53	0
037	Zinc (mg / kg (ppm))	0889	103.50	9.0000	115.80	11.440	4.4855	97	-1.08	037.99	0
037	Zinc (mg / kg (ppm))	0910	104.00	10.000	115.80	11.440	4.4855	97	-1.03	037.41	0
037	Zinc (mg / kg (ppm))	0511	104.25	0.50000	115.80	11.440	4.4855	97	-1.01	037.41	0
037	Zinc (mg / kg (ppm))	0164	105.00	6.0000	115.80	11.440	4.4855	97	-0.94	037.41	0
037	Zinc (mg / kg (ppm))	0026	105.50	13.000	115.80	11.440	4.4855	97	-0.90	037.42	0
037	Zinc (mg / kg (ppm))	0939	105.76	5.9600	115.80	11.440	4.4855	97	-0.88	037.31	0
037	Zinc (mg / kg (ppm))	0226	106.00	2.0000	115.80	11.440	4.4855	97	-0.86	037.41	0
037	Zinc (mg / kg (ppm))	0510	106.50	1.0000	115.80	11.440	4.4855	97	-0.81	037.43	0
037	Zinc (mg / kg (ppm))	0918	107.94	8.6500	115.80	11.440	4.4855	97	-0.69	037.43	0
037	Zinc (mg / kg (ppm))	0037	108.25	2.9000	115.80	11.440	4.4855	97	-0.66	037.42	0
037	Zinc (mg / kg (ppm))	0202	108.37	1.1590	115.80	11.440	4.4855	97	-0.65	037.43	0
037	Zinc (mg / kg (ppm))	2161	108.55	18.100	115.80	11.440	4.4855	97	-0.63	037.31	0
037	Zinc (mg / kg (ppm))	0049	108.58	1.3900	115.80	11.440	4.4855	97	-0.63	037.41	0
037	Zinc (mg / kg (ppm))	0425	108.60	2.8000	115.80	11.440	4.4855	97	-0.63	037.43	0
037	Zinc (mg / kg (ppm))	0345	108.80	0.60000	115.80	11.440	4.4855	97	-0.61	037.43	0
037	Zinc (mg / kg (ppm))	0045	109.00	2.0000	115.80	11.440	4.4855	97	-0.59	037.42	0
037	Zinc (mg / kg (ppm))	0520	109.50	5.0000	115.80	11.440	4.4855	97	-0.55	037.41	0
037	Zinc (mg / kg (ppm))	0536	110.03	0.15000	115.80	11.440	4.4855	97	-0.50	037.31	0
037	Zinc (mg / kg (ppm))	0019	110.15	0.30000	115.80	11.440	4.4855	97	-0.49	037.41	0
037	Zinc (mg / kg (ppm))	0051	111.39	7.0600	115.80	11.440	4.4855	97	-0.39	037.41	0
037	Zinc (mg / kg (ppm))	0171	111.50	1.0000	115.80	11.440	4.4855	97	-0.38	037.41	0
037	Zinc (mg / kg (ppm))	0033	111.50	1.0000	115.80	11.440	4.4855	97	-0.38	037.43	0
037	Zinc (mg / kg (ppm))	0875	111.50	1.0000	115.80	11.440	4.4855	97	-0.38	037.43	0
037	Zinc (mg / kg (ppm))	0560	111.60	1.4000	115.80	11.440	4.4855	97	-0.37	037.42	0
037	Zinc (mg / kg (ppm))	0096	111.89	9.2561	115.80	11.440	4.4855	97	-0.34	037.42	0
037	Zinc (mg / kg (ppm))	0878	112.00	2.0000	115.80	11.440	4.4855	97	-0.33	037.31	0
037	Zinc (mg / kg (ppm))	0407	112.08	2.6686	115.80	11.440	4.4855	97	-0.33	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0001	112.85	6.5000	115.80	11.440	4.4855	97	-0.26	037.31	0
037	Zinc (mg / kg (ppm))	0629	113.00	0.00000	115.80	11.440	4.4855	97	-0.24	037.31	0
037	Zinc (mg / kg (ppm))	0366	113.00	2.0000	115.80	11.440	4.4855	97	-0.24	037.42	0
037	Zinc (mg / kg (ppm))	0964	113.06	0.00000	115.80	11.440	4.4855	97	-0.24	037.41	0
037	Zinc (mg / kg (ppm))	0675	113.39	4.1100	115.80	11.440	4.4855	97	-0.21	037.43	0
037	Zinc (mg / kg (ppm))	0598	113.65	0.70000	115.80	11.440	4.4855	97	-0.19	037.41	0
037	Zinc (mg / kg (ppm))	0682	113.76	0.00000	115.80	11.440	4.4855	97	-0.18	037.43	0
037	Zinc (mg / kg (ppm))	0169	114.00	6.0000	115.80	11.440	4.4855	97	-0.16	037.43	0
037	Zinc (mg / kg (ppm))	0964	114.61	15.413	115.80	11.440	4.4855	97	-0.10	037.43	0
037	Zinc (mg / kg (ppm))	0629	115.00	2.0000	115.80	11.440	4.4855	97	-0.07	037.43	0
037	Zinc (mg / kg (ppm))	0610	115.50	5.0000	115.80	11.440	4.4855	97	-0.03	037.43	0
037	Zinc (mg / kg (ppm))	0096	115.56	4.3187	115.80	11.440	4.4855	97	-0.02	037.52	0
037	Zinc (mg / kg (ppm))	0413	116.00	0.00000	115.80	11.440	4.4855	97	0.02	037.42	0
037	Zinc (mg / kg (ppm))	0297	116.00	0.00000	115.80	11.440	4.4855	97	0.02	037.43	0
037	Zinc (mg / kg (ppm))	0968	116.00	0.00000	115.80	11.440	4.4855	97	0.02	037.43	0
037	Zinc (mg / kg (ppm))	0186	116.00	8.0000	115.80	11.440	4.4855	97	0.02	037.52	0
037	Zinc (mg / kg (ppm))	0242	116.00	4.0000	115.80	11.440	4.4855	97	0.02	037.99	0
037	Zinc (mg / kg (ppm))	0572	117.00	4.0000	115.80	11.440	4.4855	97	0.11	037.53	0
037	Zinc (mg / kg (ppm))	0693	117.05	1.9556	115.80	11.440	4.4855	97	0.11	037.42	0
037	Zinc (mg / kg (ppm))	0505	117.50	5.0000	115.80	11.440	4.4855	97	0.15	037.31	0
037	Zinc (mg / kg (ppm))	0874	118.00	2.0000	115.80	11.440	4.4855	97	0.19	037.31	0
037	Zinc (mg / kg (ppm))	0265	118.00	8.0000	115.80	11.440	4.4855	97	0.19	037.42	0
037	Zinc (mg / kg (ppm))	0187	118.05	0.11000	115.80	11.440	4.4855	97	0.20	037.42	0
037	Zinc (mg / kg (ppm))	0278	118.30	13.600	115.80	11.440	4.4855	97	0.22	037.42	0
037	Zinc (mg / kg (ppm))	0043	118.50	9.0000	115.80	11.440	4.4855	97	0.24	037.43	0
037	Zinc (mg / kg (ppm))	0861	119.00	0.00000	115.80	11.440	4.4855	97	0.28	037.43	0
037	Zinc (mg / kg (ppm))	0098	119.70	1.8000	115.80	11.440	4.4855	97	0.34	037.41	0
037	Zinc (mg / kg (ppm))	0010	120.00	0.00000	115.80	11.440	4.4855	97	0.37	037.33	0
037	Zinc (mg / kg (ppm))	0098	121.20	5.4000	115.80	11.440	4.4855	97	0.47	037.43	0
037	Zinc (mg / kg (ppm))	0504	121.65	6.9000	115.80	11.440	4.4855	97	0.51	037.32	0
037	Zinc (mg / kg (ppm))	2089	122.48	0.40000	115.80	11.440	4.4855	97	0.58	037.43	0
037	Zinc (mg / kg (ppm))	2129	123.00	2.0000	115.80	11.440	4.4855	97	0.63	037.99	0
037	Zinc (mg / kg (ppm))	0357	123.08	1.9590	115.80	11.440	4.4855	97	0.64	037.42	0
037	Zinc (mg / kg (ppm))	0948	123.97	1.6090	115.80	11.440	4.4855	97	0.71	037.33	0
037	Zinc (mg / kg (ppm))	0027	125.10	1.8560	115.80	11.440	4.4855	97	0.81	037.43	0
037	Zinc (mg / kg (ppm))	0148	125.40	0.60000	115.80	11.440	4.4855	97	0.84	037.41	0
037	Zinc (mg / kg (ppm))	0726	125.45	0.70000	115.80	11.440	4.4855	97	0.84	037.42	0
037	Zinc (mg / kg (ppm))	0028	125.50	5.0000	115.80	11.440	4.4855	97	0.85	037.43	0
037	Zinc (mg / kg (ppm))	0354	125.52	0.04000	115.80	11.440	4.4855	97	0.85	037.31	0
037	Zinc (mg / kg (ppm))	0190	125.90	3.4000	115.80	11.440	4.4855	97	0.88	037.42	0
037	Zinc (mg / kg (ppm))	0083	126.00	2.0000	115.80	11.440	4.4855	97	0.89	037.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0208	126.35	12.700	115.80	11.440	4.4855	97	0.92	037.41	0
037	Zinc (mg / kg (ppm))	0529	127.55	2.5000	115.80	11.440	4.4855	97	1.03	037.31	0
037	Zinc (mg / kg (ppm))	2149	127.62	2.6600	115.80	11.440	4.4855	97	1.03	037.31	0
037	Zinc (mg / kg (ppm))	0100	128.50	13.000	115.80	11.440	4.4855	97	1.11	037.99	0
037	Zinc (mg / kg (ppm))	2004	130.32	3.3600	115.80	11.440	4.4855	97	1.27	037.44	0
037	Zinc (mg / kg (ppm))	0358	131.74	6.0900	115.80	11.440	4.4855	97	1.39	037.41	0
037	Zinc (mg / kg (ppm))	0294	132.09	3.5800	115.80	11.440	4.4855	97	1.42	037.42	0
037	Zinc (mg / kg (ppm))	0208	132.50	5.0000	115.80	11.440	4.4855	97	1.46	037.31	0
037	Zinc (mg / kg (ppm))	0692	133.00	8.0000	115.80	11.440	4.4855	97	1.50	037.42	0
037	Zinc (mg / kg (ppm))	0229	133.90	1.6000	115.80	11.440	4.4855	97	1.58	037.41	0
037	Zinc (mg / kg (ppm))	0609	134.00	4.0000	115.80	11.440	4.4855	97	1.59	037.32	0
037	Zinc (mg / kg (ppm))	0003	134.00	18.000	115.80	11.440	4.4855	97	1.59	037.41	0
037	Zinc (mg / kg (ppm))	0553	135.50	9.0000	115.80	11.440	4.4855	97	1.72	037.53	0
037	Zinc (mg / kg (ppm))	0353	136.50	1.0000	115.80	11.440	4.4855	97	1.81	037.43	0
037	Zinc (mg / kg (ppm))	0590	149.50	9.0000	115.80	11.440	4.4855	97	2.95	037.99	0
037	Zinc (mg / kg (ppm))	0042	154.50	21.000	115.80	11.440	4.4855	97	3.38	037.42	0
037	Zinc (mg / kg (ppm))	0563	156.02	12.986	115.80	11.440	4.4855	97	3.52	037.31	0
037	Zinc (mg / kg (ppm))	0074	148.50	41.000	115.80	11.440	4.4855	97	2.86	037.41	1
038	Molybdenum (mg / kg (ppm))	0171	0.07000	0.02000	0.25159	0.21146	0.01630	9	-0.86	038.41	0
038	Molybdenum (mg / kg (ppm))	0098	0.10800	0.04600	0.25159	0.21146	0.01630	9	-0.68	038.53	0
038	Molybdenum (mg / kg (ppm))	0096	0.16275	0.00070	0.25159	0.21146	0.01630	9	-0.42	038.52	0
038	Molybdenum (mg / kg (ppm))	0918	0.16450	0.00300	0.25159	0.21146	0.01630	9	-0.41	038.53	0
038	Molybdenum (mg / kg (ppm))	0553	0.18000	0.00600	0.25159	0.21146	0.01630	9	-0.34	038.53	0
038	Molybdenum (mg / kg (ppm))	0510	0.20000	0.00000	0.25159	0.21146	0.01630	9	-0.24	038.43	0
038	Molybdenum (mg / kg (ppm))	0186	0.24150	0.01100	0.25159	0.21146	0.01630	9	-0.05	038.52	0
038	Molybdenum (mg / kg (ppm))	0278	0.63000	0.06000	0.25159	0.21146	0.01630	9	1.79	038.42	0
038	Molybdenum (mg / kg (ppm))	0297	0.93000	0.00000	0.25159	0.21146	0.01630	9	3.21	038.43	0
038	Molybdenum (mg / kg (ppm))	0045	0.32000	0.20000	0.25159	0.21146	0.01630	9	0.32	038.42	1
038	Molybdenum (mg / kg (ppm))	0169	0.00000	0.00000	0.25159	0.21146	0.01630	9		038.43	4
038	Molybdenum (mg / kg (ppm))	0353	0.00000	0.00000	0.25159	0.21146	0.01630	9		038.43	4
040	Barium (mg / kg (ppm))	0918	6.7546	0.41000				3		040.53	0
040	Barium (mg / kg (ppm))	0096	6.8665	0.64260				3		040.52	0
040	Barium (mg / kg (ppm))	0560	7.0050	0.75000				3		040.42	0
041	Vanadium (mg / kg (ppm))	0553	2.1600	0.18000				1		041.53	0
042	Chloride (%)	0413	0.48000	0.02000				3		042.02	0
042	Chloride (%)	0297	0.58000	0.00000				3		042.00	0
042	Chloride (%)	0948	0.59000	0.02000				3		042.00	0
101	Choline Chloride (mg / kg (ppm))	0644	365.00	5.4000	1,308.6	984.09	77.493	4	-0.96	101.02	0
101	Choline Chloride (mg / kg (ppm))	2004	553.00	14.000	1,308.6	984.09	77.493	4	-0.77	101.01	0
101	Choline Chloride (mg / kg (ppm))	0675	2,151.6	200.57	1,308.6	984.09	77.493	4	0.86	101.00	0
101	Choline Chloride (mg / kg (ppm))	0227	2,165.0	90.000	1,308.6	984.09	77.493	4	0.87	101.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
102	Niacin (mg / kg (ppm))	2161	11.000	0.20000					2	102.02	0
102	Niacin (mg / kg (ppm))	0227	63.250	0.30000					2	102.01	0
103	Pantothenic Acid (mg / kg (ppm))	0227	6.2050	0.21000					2	103.01	0
103	Pantothenic Acid (mg / kg (ppm))	0629	25.370	0.00000					2	103.02	0
104	Riboflavin (mg / kg (ppm))	0910	2.0050	0.51000					2	104.03	0
104	Riboflavin (mg / kg (ppm))	0227	4.5600	0.04000					2	104.00	0
105	Thiamine (mg / kg (ppm))	0227	0.18750	0.15900					1	105.01	0
106	Vitamin A (KU / kg)	0227	14.300	0.00000	21.071	5.9723	0.88167		6	-1.13	0
106	Vitamin A (KU / kg)	2004	15.800	0.40000	21.071	5.9723	0.88167		6	-0.88	0
106	Vitamin A (KU / kg)	0199	21.135	0.17000	21.071	5.9723	0.88167		6	0.01	0
106	Vitamin A (KU / kg)	0563	21.750	0.30000	21.071	5.9723	0.88167		6	0.11	0
106	Vitamin A (KU / kg)	0098	26.100	2.8000	21.071	5.9723	0.88167		6	0.84	0
106	Vitamin A (KU / kg)	0148	27.340	1.6200	21.071	5.9723	0.88167		6	1.05	0
106	Vitamin A (KU / kg)	2171	358.42	21.720	21.071	5.9723	0.88167		6	56.49	1
106	Vitamin A (KU / kg)	0169	0.00000	0.00000	21.071	5.9723	0.88167		6		4
107	Vitamin B12 (µg / kg (ppb))	0227	137.00	12.000					1	107.00	0
108	Vitamin D3 (KU / kg)	0169	0.00000	0.00000					0	108.01	4
109	Vitamin E (IU/kg)	0199	7.8650	0.21000					3	109.02	0
109	Vitamin E (IU/kg)	0148	12.385	0.87000					3	109.02	0
109	Vitamin E (IU/kg)	0227	20.700	1.8000					3	109.02	0
109	Vitamin E (IU/kg)	0098	0.00000	0.00000					3	109.02	4
109	Vitamin E (IU/kg)	0169	0.00000	0.00000					3	109.02	4
111	Vitamin C, phosphorylated (mg / kg (ppn	2145	2,671.5	47.000					1	111.01	0
112	Pyridoxine (µg / g)	0227	1.4050	0.13000					1	112.01	0
113	Folic Acid (mg / kg (ppm))	0227	1.2650	0.27000					1	113.01	0
114	Biotin (mg / kg (ppm))	0227	0.26550	0.00100					1	114.01	0
120	Alanine (%)	2161	2.7160	0.10600	4.1293	0.15618	0.05423		24	-9.05	0
120	Alanine (%)	0626	3.5720	0.04000	4.1293	0.15618	0.05423		24	-3.57	0
120	Alanine (%)	0160	3.9513	0.25450	4.1293	0.15618	0.05423		24	-1.14	0
120	Alanine (%)	0684	3.9650	0.09800	4.1293	0.15618	0.05423		24	-1.05	0
120	Alanine (%)	0941	4.0100	0.02000	4.1293	0.15618	0.05423		24	-0.76	0
120	Alanine (%)	0227	4.0150	0.01000	4.1293	0.15618	0.05423		24	-0.73	0
120	Alanine (%)	0675	4.0350	0.01000	4.1293	0.15618	0.05423		24	-0.60	0
120	Alanine (%)	0610	4.0400	0.06000	4.1293	0.15618	0.05423		24	-0.57	0
120	Alanine (%)	0910	4.0500	0.04000	4.1293	0.15618	0.05423		24	-0.51	0
120	Alanine (%)	0619	4.0800	0.06000	4.1293	0.15618	0.05423		24	-0.32	0
120	Alanine (%)	2004	4.1000	0.08000	4.1293	0.15618	0.05423		24	-0.19	0
120	Alanine (%)	0872	4.1480	0.00200	4.1293	0.15618	0.05423		24	0.12	0
120	Alanine (%)	0644	4.1650	0.02000	4.1293	0.15618	0.05423		24	0.23	0
120	Alanine (%)	0354	4.1670	0.04600	4.1293	0.15618	0.05423		24	0.24	0
120	Alanine (%)	0652	4.1800	0.04000	4.1293	0.15618	0.05423		24	0.32	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
120	Alanine (%)	0859	4.1800	0.02200	4.1293	0.15618	0.05423	24	0.32	120.00	0
120	Alanine (%)	0504	4.1850	0.17000	4.1293	0.15618	0.05423	24	0.36	120.00	0
120	Alanine (%)	0571	4.2240	0.01000	4.1293	0.15618	0.05423	24	0.61	120.00	0
120	Alanine (%)	0968	4.2440	0.05800	4.1293	0.15618	0.05423	24	0.73	120.00	0
120	Alanine (%)	0098	4.2700	0.00400	4.1293	0.15618	0.05423	24	0.90	120.02	0
120	Alanine (%)	0676	4.2830	0.00600	4.1293	0.15618	0.05423	24	0.98	120.05	0
120	Alanine (%)	2059	4.2945	0.02500	4.1293	0.15618	0.05423	24	1.06	120.00	0
120	Alanine (%)	0848	4.4550	0.09000	4.1293	0.15618	0.05423	24	2.09	120.00	0
120	Alanine (%)	0171	4.5350	0.03000	4.1293	0.15618	0.05423	24	2.60	120.00	0
120	Alanine (%)	0918	3.4819	2.7652	4.1293	0.15618	0.05423	24	-4.15	120.00	1
121	Arginine (%)	2161	1.8550	0.19200	3.8205	0.21342	0.06135	25	-9.21	121.99	0
121	Arginine (%)	0619	3.5250	0.03000	3.8205	0.21342	0.06135	25	-1.38	121.00	0
121	Arginine (%)	0626	3.5685	0.03700	3.8205	0.21342	0.06135	25	-1.18	121.05	0
121	Arginine (%)	0910	3.5700	0.02000	3.8205	0.21342	0.06135	25	-1.17	121.00	0
121	Arginine (%)	0684	3.6005	0.06300	3.8205	0.21342	0.06135	25	-1.03	121.00	0
121	Arginine (%)	0941	3.6250	0.01000	3.8205	0.21342	0.06135	25	-0.92	121.00	0
121	Arginine (%)	0675	3.7050	0.09000	3.8205	0.21342	0.06135	25	-0.54	121.00	0
121	Arginine (%)	0571	3.7435	0.00500	3.8205	0.21342	0.06135	25	-0.36	121.00	0
121	Arginine (%)	0652	3.7550	0.01000	3.8205	0.21342	0.06135	25	-0.31	121.00	0
121	Arginine (%)	0859	3.7595	0.02500	3.8205	0.21342	0.06135	25	-0.29	121.00	0
121	Arginine (%)	0098	3.8160	0.05200	3.8205	0.21342	0.06135	25	-0.02	121.02	0
121	Arginine (%)	0872	3.8405	0.02300	3.8205	0.21342	0.06135	25	0.09	121.00	0
121	Arginine (%)	0870	3.8460	0.02480	3.8205	0.21342	0.06135	25	0.12	121.00	0
121	Arginine (%)	2004	3.8500	0.06000	3.8205	0.21342	0.06135	25	0.14	121.01	0
121	Arginine (%)	0354	3.8535	0.03100	3.8205	0.21342	0.06135	25	0.15	121.00	0
121	Arginine (%)	0504	3.8600	0.16000	3.8205	0.21342	0.06135	25	0.18	121.00	0
121	Arginine (%)	0644	3.8740	0.04800	3.8205	0.21342	0.06135	25	0.25	121.00	0
121	Arginine (%)	2059	3.9130	0.02000	3.8205	0.21342	0.06135	25	0.43	121.00	0
121	Arginine (%)	0968	3.9160	0.00600	3.8205	0.21342	0.06135	25	0.45	121.00	0
121	Arginine (%)	0227	3.9300	0.02000	3.8205	0.21342	0.06135	25	0.51	121.00	0
121	Arginine (%)	0610	4.0000	0.20000	3.8205	0.21342	0.06135	25	0.84	121.05	0
121	Arginine (%)	0918	4.0822	0.11000	3.8205	0.21342	0.06135	25	1.23	121.00	0
121	Arginine (%)	0676	4.0985	0.16700	3.8205	0.21342	0.06135	25	1.30	121.05	0
121	Arginine (%)	0848	4.1850	0.13000	3.8205	0.21342	0.06135	25	1.71	121.00	0
121	Arginine (%)	0171	4.3800	0.00000	3.8205	0.21342	0.06135	25	2.62	121.00	0
122	Aspartic (%)	0626	4.7075	0.05100	5.1361	0.24739	0.10712	24	-1.73	122.05	0
122	Aspartic (%)	0941	4.8400	0.08000	5.1361	0.24739	0.10712	24	-1.20	122.00	0
122	Aspartic (%)	2004	4.8500	0.20000	5.1361	0.24739	0.10712	24	-1.16	122.01	0
122	Aspartic (%)	0619	4.8700	0.00000	5.1361	0.24739	0.10712	24	-1.08	122.00	0
122	Aspartic (%)	0160	4.9268	0.39700	5.1361	0.24739	0.10712	24	-0.85	122.99	0
122	Aspartic (%)	0675	4.9650	0.03000	5.1361	0.24739	0.10712	24	-0.69	122.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
122	Aspartic (%)	0684	4.9835	0.04500	5.1361	0.24739	0.10712	24	-0.62	122.00	0
122	Aspartic (%)	0354	5.0410	0.01000	5.1361	0.24739	0.10712	24	-0.38	122.00	0
122	Aspartic (%)	0504	5.0750	0.37000	5.1361	0.24739	0.10712	24	-0.25	122.00	0
122	Aspartic (%)	0644	5.0835	0.03500	5.1361	0.24739	0.10712	24	-0.21	122.00	0
122	Aspartic (%)	0859	5.0880	0.04400	5.1361	0.24739	0.10712	24	-0.19	122.00	0
122	Aspartic (%)	0571	5.1095	0.01700	5.1361	0.24739	0.10712	24	-0.11	122.00	0
122	Aspartic (%)	0872	5.1480	0.00000	5.1361	0.24739	0.10712	24	0.05	122.00	0
122	Aspartic (%)	0652	5.1650	0.07000	5.1361	0.24739	0.10712	24	0.12	122.00	0
122	Aspartic (%)	0968	5.1790	0.03200	5.1361	0.24739	0.10712	24	0.17	122.00	0
122	Aspartic (%)	0227	5.1950	0.01000	5.1361	0.24739	0.10712	24	0.24	122.00	0
122	Aspartic (%)	0910	5.1950	0.15000	5.1361	0.24739	0.10712	24	0.24	122.00	0
122	Aspartic (%)	2059	5.1955	0.02700	5.1361	0.24739	0.10712	24	0.24	122.00	0
122	Aspartic (%)	0098	5.2700	0.26800	5.1361	0.24739	0.10712	24	0.54	122.02	0
122	Aspartic (%)	0610	5.3050	0.21000	5.1361	0.24739	0.10712	24	0.68	122.05	0
122	Aspartic (%)	0848	5.4950	0.19000	5.1361	0.24739	0.10712	24	1.45	122.00	0
122	Aspartic (%)	0676	5.5090	0.10800	5.1361	0.24739	0.10712	24	1.51	122.05	0
122	Aspartic (%)	0918	5.5974	0.19690	5.1361	0.24739	0.10712	24	1.86	122.00	0
122	Aspartic (%)	0171	5.9450	0.03000	5.1361	0.24739	0.10712	24	3.27	122.00	0
122	Aspartic (%)	2161	2.2915	0.12100	5.1361	0.24739	0.10712	24	-11.50	122.99	2
124	Cysteine/Cystine (%)	0918	0.33505	0.02030	0.42169	0.05513	0.01484	26	-1.57	124.00	0
124	Cysteine/Cystine (%)	0870	0.35160	0.00900	0.42169	0.05513	0.01484	26	-1.27	124.00	0
124	Cysteine/Cystine (%)	0619	0.36300	0.00000	0.42169	0.05513	0.01484	26	-1.06	124.00	0
124	Cysteine/Cystine (%)	0227	0.37000	0.00000	0.42169	0.05513	0.01484	26	-0.94	124.00	0
124	Cysteine/Cystine (%)	0848	0.37000	0.02000	0.42169	0.05513	0.01484	26	-0.94	124.00	0
124	Cysteine/Cystine (%)	0910	0.37500	0.01000	0.42169	0.05513	0.01484	26	-0.85	124.00	0
124	Cysteine/Cystine (%)	0941	0.37850	0.01100	0.42169	0.05513	0.01484	26	-0.78	124.00	0
124	Cysteine/Cystine (%)	0644	0.38350	0.00700	0.42169	0.05513	0.01484	26	-0.69	124.00	0
124	Cysteine/Cystine (%)	0859	0.38500	0.00600	0.42169	0.05513	0.01484	26	-0.67	124.00	0
124	Cysteine/Cystine (%)	0652	0.41000	0.00000	0.42169	0.05513	0.01484	26	-0.21	124.00	0
124	Cysteine/Cystine (%)	0872	0.41500	0.00400	0.42169	0.05513	0.01484	26	-0.12	124.00	0
124	Cysteine/Cystine (%)	0098	0.42150	0.00700	0.42169	0.05513	0.01484	26	0.00	124.02	0
124	Cysteine/Cystine (%)	0571	0.42400	0.00200	0.42169	0.05513	0.01484	26	0.04	124.00	0
124	Cysteine/Cystine (%)	0684	0.42700	0.01000	0.42169	0.05513	0.01484	26	0.10	124.00	0
124	Cysteine/Cystine (%)	0504	0.43000	0.04000	0.42169	0.05513	0.01484	26	0.15	124.00	0
124	Cysteine/Cystine (%)	2004	0.43100	0.03800	0.42169	0.05513	0.01484	26	0.17	124.01	0
124	Cysteine/Cystine (%)	2059	0.43450	0.00700	0.42169	0.05513	0.01484	26	0.23	124.00	0
124	Cysteine/Cystine (%)	0160	0.43520	0.04560	0.42169	0.05513	0.01484	26	0.25	124.99	0
124	Cysteine/Cystine (%)	0354	0.43850	0.00900	0.42169	0.05513	0.01484	26	0.30	124.00	0
124	Cysteine/Cystine (%)	0676	0.44800	0.02800	0.42169	0.05513	0.01484	26	0.48	124.05	0
124	Cysteine/Cystine (%)	0171	0.45500	0.01000	0.42169	0.05513	0.01484	26	0.60	124.00	0
124	Cysteine/Cystine (%)	0968	0.46100	0.00200	0.42169	0.05513	0.01484	26	0.71	124.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
124	Cysteine/Cystine (%)	0675	0.50500	0.01000	0.42169	0.05513	0.01484	26	1.51	124.00	0
124	Cysteine/Cystine (%)	0610	0.50500	0.03000	0.42169	0.05513	0.01484	26	1.51	124.05	0
124	Cysteine/Cystine (%)	2145	1.3250	0.01000	0.42169	0.05513	0.01484	26	16.38	124.99	0
124	Cysteine/Cystine (%)	2144	1.8350	0.05000	0.42169	0.05513	0.01484	26	25.64	124.99	0
125	Glutamic (%)	0626	7.0175	0.08100	7.5589	0.34835	0.13546	24	-1.55	125.05	0
125	Glutamic (%)	2004	7.0700	0.34000	7.5589	0.34835	0.13546	24	-1.40	125.01	0
125	Glutamic (%)	0619	7.1050	0.01000	7.5589	0.34835	0.13546	24	-1.30	125.00	0
125	Glutamic (%)	0941	7.2450	0.03000	7.5589	0.34835	0.13546	24	-0.90	125.00	0
125	Glutamic (%)	0160	7.3391	0.50330	7.5589	0.34835	0.13546	24	-0.63	125.99	0
125	Glutamic (%)	0504	7.3450	0.39000	7.5589	0.34835	0.13546	24	-0.61	125.00	0
125	Glutamic (%)	0354	7.3830	0.00600	7.5589	0.34835	0.13546	24	-0.50	125.00	0
125	Glutamic (%)	0872	7.3915	0.04100	7.5589	0.34835	0.13546	24	-0.48	125.00	0
125	Glutamic (%)	0684	7.3980	0.18000	7.5589	0.34835	0.13546	24	-0.46	125.00	0
125	Glutamic (%)	0859	7.4345	0.04300	7.5589	0.34835	0.13546	24	-0.36	125.00	0
125	Glutamic (%)	0644	7.4390	0.03800	7.5589	0.34835	0.13546	24	-0.34	125.00	0
125	Glutamic (%)	0571	7.4855	0.00100	7.5589	0.34835	0.13546	24	-0.21	125.00	0
125	Glutamic (%)	0227	7.5550	0.05000	7.5589	0.34835	0.13546	24	-0.01	125.00	0
125	Glutamic (%)	0171	7.6400	0.02000	7.5589	0.34835	0.13546	24	0.23	125.00	0
125	Glutamic (%)	2059	7.6485	0.05500	7.5589	0.34835	0.13546	24	0.26	125.00	0
125	Glutamic (%)	0968	7.7035	0.02500	7.5589	0.34835	0.13546	24	0.42	125.00	0
125	Glutamic (%)	0910	7.7200	0.22000	7.5589	0.34835	0.13546	24	0.46	125.00	0
125	Glutamic (%)	0098	7.7450	0.21600	7.5589	0.34835	0.13546	24	0.53	125.02	0
125	Glutamic (%)	0610	7.7700	0.28000	7.5589	0.34835	0.13546	24	0.61	125.05	0
125	Glutamic (%)	0652	7.8300	0.02000	7.5589	0.34835	0.13546	24	0.78	125.00	0
125	Glutamic (%)	0675	7.8850	0.07000	7.5589	0.34835	0.13546	24	0.94	125.00	0
125	Glutamic (%)	0676	8.0835	0.26700	7.5589	0.34835	0.13546	24	1.51	125.05	0
125	Glutamic (%)	0848	8.1250	0.29000	7.5589	0.34835	0.13546	24	1.63	125.00	0
125	Glutamic (%)	0918	8.1765	0.07470	7.5589	0.34835	0.13546	24	1.77	125.00	0
125	Glutamic (%)	2161	3.0715	0.18900	7.5589	0.34835	0.13546	24	-12.88	125.99	2
126	Glycine (%)	2161	3.3415	0.05900	6.1282	0.32351	0.11140	25	-8.61	126.99	0
126	Glycine (%)	0619	5.5350	0.01000	6.1282	0.32351	0.11140	25	-1.83	126.00	0
126	Glycine (%)	0171	5.6150	0.05000	6.1282	0.32351	0.11140	25	-1.59	126.00	0
126	Glycine (%)	0684	5.7250	0.02800	6.1282	0.32351	0.11140	25	-1.25	126.00	0
126	Glycine (%)	0160	5.7598	0.27860	6.1282	0.32351	0.11140	25	-1.14	126.99	0
126	Glycine (%)	0626	5.8905	0.07700	6.1282	0.32351	0.11140	25	-0.73	126.05	0
126	Glycine (%)	0941	5.9300	0.14000	6.1282	0.32351	0.11140	25	-0.61	126.00	0
126	Glycine (%)	0675	6.0350	0.01000	6.1282	0.32351	0.11140	25	-0.29	126.00	0
126	Glycine (%)	0504	6.0400	0.16000	6.1282	0.32351	0.11140	25	-0.27	126.00	0
126	Glycine (%)	0354	6.1460	0.05000	6.1282	0.32351	0.11140	25	0.06	126.00	0
126	Glycine (%)	0652	6.1500	0.10000	6.1282	0.32351	0.11140	25	0.07	126.00	0
126	Glycine (%)	2004	6.1500	0.06000	6.1282	0.32351	0.11140	25	0.07	126.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
126	Glycine (%)	0872	6.1730	0.00800	6.1282	0.32351	0.11140	25	0.14	126.00	0
126	Glycine (%)	0910	6.1800	0.18000	6.1282	0.32351	0.11140	25	0.16	126.00	0
126	Glycine (%)	0859	6.1875	0.03500	6.1282	0.32351	0.11140	25	0.18	126.00	0
126	Glycine (%)	0571	6.2050	0.06200	6.1282	0.32351	0.11140	25	0.24	126.00	0
126	Glycine (%)	0098	6.2860	0.29400	6.1282	0.32351	0.11140	25	0.49	126.02	0
126	Glycine (%)	0227	6.2900	0.10000	6.1282	0.32351	0.11140	25	0.50	126.00	0
126	Glycine (%)	0968	6.3480	0.04400	6.1282	0.32351	0.11140	25	0.68	126.00	0
126	Glycine (%)	0610	6.3550	0.15000	6.1282	0.32351	0.11140	25	0.70	126.05	0
126	Glycine (%)	0644	6.3920	0.02400	6.1282	0.32351	0.11140	25	0.82	126.00	0
126	Glycine (%)	0848	6.4100	0.04000	6.1282	0.32351	0.11140	25	0.87	126.00	0
126	Glycine (%)	2059	6.4765	0.06900	6.1282	0.32351	0.11140	25	1.08	126.00	0
126	Glycine (%)	0676	6.5335	0.32300	6.1282	0.32351	0.11140	25	1.25	126.05	0
126	Glycine (%)	0918	7.4668	0.43330	6.1282	0.32351	0.11140	25	4.14	126.00	0
127	Histidine (%)	0619	1.0200	0.00000	1.1762	0.07827	0.01554	23	-2.00	127.00	0
127	Histidine (%)	2004	1.0250	0.03000	1.1762	0.07827	0.01554	23	-1.93	127.01	0
127	Histidine (%)	0684	1.0375	0.02900	1.1762	0.07827	0.01554	23	-1.77	127.00	0
127	Histidine (%)	0626	1.1065	0.01100	1.1762	0.07827	0.01554	23	-0.89	127.05	0
127	Histidine (%)	0675	1.1350	0.01000	1.1762	0.07827	0.01554	23	-0.53	127.00	0
127	Histidine (%)	0859	1.1365	0.01700	1.1762	0.07827	0.01554	23	-0.51	127.00	0
127	Histidine (%)	0098	1.1385	0.00500	1.1762	0.07827	0.01554	23	-0.48	127.02	0
127	Histidine (%)	0571	1.1390	0.01000	1.1762	0.07827	0.01554	23	-0.47	127.00	0
127	Histidine (%)	0910	1.1450	0.05000	1.1762	0.07827	0.01554	23	-0.40	127.00	0
127	Histidine (%)	2059	1.1700	0.00400	1.1762	0.07827	0.01554	23	-0.08	127.00	0
127	Histidine (%)	0227	1.1750	0.01000	1.1762	0.07827	0.01554	23	-0.01	127.00	0
127	Histidine (%)	0644	1.1775	0.00500	1.1762	0.07827	0.01554	23	0.02	127.00	0
127	Histidine (%)	0354	1.1850	0.00600	1.1762	0.07827	0.01554	23	0.11	127.00	0
127	Histidine (%)	0504	1.1850	0.05000	1.1762	0.07827	0.01554	23	0.11	127.00	0
127	Histidine (%)	0941	1.1850	0.01000	1.1762	0.07827	0.01554	23	0.11	127.00	0
127	Histidine (%)	0652	1.2000	0.00000	1.1762	0.07827	0.01554	23	0.30	127.00	0
127	Histidine (%)	0610	1.2150	0.05000	1.1762	0.07827	0.01554	23	0.50	127.05	0
127	Histidine (%)	0872	1.2310	0.00200	1.1762	0.07827	0.01554	23	0.70	127.00	0
127	Histidine (%)	0968	1.2440	0.01000	1.1762	0.07827	0.01554	23	0.87	127.00	0
127	Histidine (%)	0676	1.2540	0.00000	1.1762	0.07827	0.01554	23	0.99	127.05	0
127	Histidine (%)	0848	1.2700	0.04000	1.1762	0.07827	0.01554	23	1.20	127.00	0
127	Histidine (%)	0171	1.2900	0.00000	1.1762	0.07827	0.01554	23	1.45	127.00	0
127	Histidine (%)	0918	1.4167	0.00850	1.1762	0.07827	0.01554	23	3.07	127.00	0
127	Histidine (%)	2161	0.53750	0.22300	1.1762	0.07827	0.01554	23	-8.16	127.99	1
128	Isoleucine (%)	0619	1.9300	0.02000	2.1568	0.11105	0.05938	23	-2.04	128.00	0
128	Isoleucine (%)	0684	1.9785	0.01700	2.1568	0.11105	0.05938	23	-1.61	128.00	0
128	Isoleucine (%)	0675	2.0250	0.01000	2.1568	0.11105	0.05938	23	-1.19	128.00	0
128	Isoleucine (%)	0941	2.0350	0.01000	2.1568	0.11105	0.05938	23	-1.10	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
128	Isoleucine (%)	0626	2.0525	0.00500	2.1568	0.11105	0.05938	23	-0.94	128.05	0
128	Isoleucine (%)	0848	2.0950	0.17000	2.1568	0.11105	0.05938	23	-0.56	128.00	0
128	Isoleucine (%)	0859	2.1045	0.03700	2.1568	0.11105	0.05938	23	-0.47	128.00	0
128	Isoleucine (%)	2004	2.1100	0.14000	2.1568	0.11105	0.05938	23	-0.42	128.01	0
128	Isoleucine (%)	0872	2.1260	0.00200	2.1568	0.11105	0.05938	23	-0.28	128.00	0
128	Isoleucine (%)	0652	2.1400	0.06000	2.1568	0.11105	0.05938	23	-0.15	128.00	0
128	Isoleucine (%)	0918	2.1405	0.12210	2.1568	0.11105	0.05938	23	-0.15	128.00	0
128	Isoleucine (%)	0910	2.1600	0.10000	2.1568	0.11105	0.05938	23	0.03	128.00	0
128	Isoleucine (%)	0968	2.1805	0.02100	2.1568	0.11105	0.05938	23	0.21	128.00	0
128	Isoleucine (%)	0354	2.1863	0.02060	2.1568	0.11105	0.05938	23	0.27	128.00	0
128	Isoleucine (%)	0644	2.2010	0.05000	2.1568	0.11105	0.05938	23	0.40	128.00	0
128	Isoleucine (%)	2059	2.2045	0.02700	2.1568	0.11105	0.05938	23	0.43	128.00	0
128	Isoleucine (%)	0571	2.2060	0.01000	2.1568	0.11105	0.05938	23	0.44	128.00	0
128	Isoleucine (%)	0098	2.2285	0.00700	2.1568	0.11105	0.05938	23	0.65	128.02	0
128	Isoleucine (%)	0227	2.2400	0.02000	2.1568	0.11105	0.05938	23	0.75	128.00	0
128	Isoleucine (%)	0676	2.2585	0.25700	2.1568	0.11105	0.05938	23	0.92	128.05	0
128	Isoleucine (%)	0610	2.2850	0.07000	2.1568	0.11105	0.05938	23	1.15	128.05	0
128	Isoleucine (%)	0504	2.3350	0.17000	2.1568	0.11105	0.05938	23	1.60	128.00	0
128	Isoleucine (%)	0171	2.4000	0.02000	2.1568	0.11105	0.05938	23	2.19	128.00	0
128	Isoleucine (%)	2161	0.67250	0.05300	2.1568	0.11105	0.05938	23	-13.37	128.99	2
129	Leucine (%)	2161	1.8625	0.23700	3.7822	0.21790	0.07998	24	-8.81	129.99	0
129	Leucine (%)	0619	3.5050	0.01000	3.7822	0.21790	0.07998	24	-1.27	129.00	0
129	Leucine (%)	0626	3.5410	0.00400	3.7822	0.21790	0.07998	24	-1.11	129.05	0
129	Leucine (%)	2004	3.5550	0.21000	3.7822	0.21790	0.07998	24	-1.04	129.01	0
129	Leucine (%)	0941	3.5600	0.02000	3.7822	0.21790	0.07998	24	-1.02	129.00	0
129	Leucine (%)	0675	3.6550	0.01000	3.7822	0.21790	0.07998	24	-0.58	129.00	0
129	Leucine (%)	0872	3.6835	0.00300	3.7822	0.21790	0.07998	24	-0.45	129.00	0
129	Leucine (%)	0644	3.6950	0.01800	3.7822	0.21790	0.07998	24	-0.40	129.00	0
129	Leucine (%)	0571	3.7280	0.02600	3.7822	0.21790	0.07998	24	-0.25	129.00	0
129	Leucine (%)	0652	3.7350	0.05000	3.7822	0.21790	0.07998	24	-0.22	129.00	0
129	Leucine (%)	0859	3.7470	0.02200	3.7822	0.21790	0.07998	24	-0.16	129.00	0
129	Leucine (%)	0910	3.7500	0.18000	3.7822	0.21790	0.07998	24	-0.15	129.00	0
129	Leucine (%)	0098	3.7740	0.04800	3.7822	0.21790	0.07998	24	-0.04	129.02	0
129	Leucine (%)	2059	3.7880	0.04000	3.7822	0.21790	0.07998	24	0.03	129.00	0
129	Leucine (%)	0227	3.8000	0.02000	3.7822	0.21790	0.07998	24	0.08	129.00	0
129	Leucine (%)	0504	3.8100	0.22000	3.7822	0.21790	0.07998	24	0.13	129.00	0
129	Leucine (%)	0968	3.8180	0.03000	3.7822	0.21790	0.07998	24	0.16	129.00	0
129	Leucine (%)	0354	3.8480	0.02600	3.7822	0.21790	0.07998	24	0.30	129.00	0
129	Leucine (%)	0684	3.9685	0.11500	3.7822	0.21790	0.07998	24	0.86	129.00	0
129	Leucine (%)	0610	4.0150	0.07000	3.7822	0.21790	0.07998	24	1.07	129.05	0
129	Leucine (%)	0676	4.0475	0.26500	3.7822	0.21790	0.07998	24	1.22	129.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
129	Leucine (%)	0918	4.0750	0.09550	3.7822	0.21790	0.07998	24	1.34	129.00	0
129	Leucine (%)	0171	4.1700	0.00000	3.7822	0.21790	0.07998	24	1.78	129.00	0
129	Leucine (%)	0848	4.2500	0.20000	3.7822	0.21790	0.07998	24	2.15	129.00	0
130	L-Lysine (%)	2161	2.4200	0.20400	4.1035	0.30265	0.08262	29	-5.56	130.99	0
130	L-Lysine (%)	2004	3.7200	0.22000	4.1035	0.30265	0.08262	29	-1.27	130.01	0
130	L-Lysine (%)	0626	3.7755	0.04900	4.1035	0.30265	0.08262	29	-1.08	130.05	0
130	L-Lysine (%)	0619	3.7900	0.00000	4.1035	0.30265	0.08262	29	-1.04	130.00	0
130	L-Lysine (%)	0941	3.8300	0.02000	4.1035	0.30265	0.08262	29	-0.90	130.00	0
130	L-Lysine (%)	2053	3.8550	0.01000	4.1035	0.30265	0.08262	29	-0.82	130.99	0
130	L-Lysine (%)	0675	3.8750	0.01000	4.1035	0.30265	0.08262	29	-0.75	130.00	0
130	L-Lysine (%)	0684	3.8770	0.07400	4.1035	0.30265	0.08262	29	-0.75	130.00	0
130	L-Lysine (%)	0872	3.9450	0.01800	4.1035	0.30265	0.08262	29	-0.52	130.00	0
130	L-Lysine (%)	0571	3.9795	0.00500	4.1035	0.30265	0.08262	29	-0.41	130.00	0
130	L-Lysine (%)	0652	4.0100	0.00000	4.1035	0.30265	0.08262	29	-0.31	130.00	0
130	L-Lysine (%)	0968	4.0165	0.03300	4.1035	0.30265	0.08262	29	-0.29	130.00	0
130	L-Lysine (%)	0910	4.0200	0.18000	4.1035	0.30265	0.08262	29	-0.28	130.00	0
130	L-Lysine (%)	0354	4.0355	0.02100	4.1035	0.30265	0.08262	29	-0.22	130.00	0
130	L-Lysine (%)	0859	4.0400	0.02400	4.1035	0.30265	0.08262	29	-0.21	130.00	0
130	L-Lysine (%)	0644	4.0530	0.00200	4.1035	0.30265	0.08262	29	-0.17	130.00	0
130	L-Lysine (%)	0227	4.1150	0.09000	4.1035	0.30265	0.08262	29	0.04	130.00	0
130	L-Lysine (%)	0014	4.1450	0.17000	4.1035	0.30265	0.08262	29	0.14	130.05	0
130	L-Lysine (%)	0610	4.1550	0.07000	4.1035	0.30265	0.08262	29	0.17	130.05	0
130	L-Lysine (%)	2059	4.1955	0.02300	4.1035	0.30265	0.08262	29	0.30	130.00	0
130	L-Lysine (%)	0098	4.2870	0.01000	4.1035	0.30265	0.08262	29	0.61	130.02	0
130	L-Lysine (%)	0504	4.3150	0.21000	4.1035	0.30265	0.08262	29	0.70	130.00	0
130	L-Lysine (%)	0848	4.3200	0.22000	4.1035	0.30265	0.08262	29	0.72	130.00	0
130	L-Lysine (%)	0918	4.3638	0.08110	4.1035	0.30265	0.08262	29	0.86	130.00	0
130	L-Lysine (%)	0676	4.4035	0.35700	4.1035	0.30265	0.08262	29	0.99	130.05	0
130	L-Lysine (%)	0171	4.5750	0.01000	4.1035	0.30265	0.08262	29	1.56	130.00	0
130	L-Lysine (%)	0027	4.5765	0.19500	4.1035	0.30265	0.08262	29	1.56	130.05	0
130	L-Lysine (%)	2145	4.5900	0.08000	4.1035	0.30265	0.08262	29	1.61	130.99	0
130	L-Lysine (%)	2144	4.8350	0.01000	4.1035	0.30265	0.08262	29	2.42	130.99	0
131	Methionine (%)	2161	0.66500	0.07200	1.4940	0.11338	0.03308	29	-7.31	131.99	0
131	Methionine (%)	0848	1.2650	0.03000	1.4940	0.11338	0.03308	29	-2.02	131.00	0
131	Methionine (%)	0675	1.2800	0.04000	1.4940	0.11338	0.03308	29	-1.89	131.00	0
131	Methionine (%)	0619	1.3450	0.01000	1.4940	0.11338	0.03308	29	-1.31	131.00	0
131	Methionine (%)	0941	1.3705	0.02900	1.4940	0.11338	0.03308	29	-1.09	131.00	0
131	Methionine (%)	2053	1.3750	0.11000	1.4940	0.11338	0.03308	29	-1.05	131.99	0
131	Methionine (%)	0098	1.4355	0.01900	1.4940	0.11338	0.03308	29	-0.52	131.02	0
131	Methionine (%)	0504	1.4600	0.10000	1.4940	0.11338	0.03308	29	-0.30	131.00	0
131	Methionine (%)	0968	1.4640	0.01400	1.4940	0.11338	0.03308	29	-0.27	131.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
131	Methionine (%)	0918	1.4656	0.12940	1.4940	0.11338	0.03308	29	-0.25	131.00	0
131	Methionine (%)	0171	1.4800	0.02000	1.4940	0.11338	0.03308	29	-0.12	131.00	0
131	Methionine (%)	0227	1.4800	0.04000	1.4940	0.11338	0.03308	29	-0.12	131.00	0
131	Methionine (%)	0859	1.4895	0.02500	1.4940	0.11338	0.03308	29	-0.04	131.00	0
131	Methionine (%)	2004	1.4900	0.02000	1.4940	0.11338	0.03308	29	-0.04	131.01	0
131	Methionine (%)	0014	1.4900	0.04000	1.4940	0.11338	0.03308	29	-0.04	131.05	0
131	Methionine (%)	0571	1.4920	0.01400	1.4940	0.11338	0.03308	29	-0.02	131.00	0
131	Methionine (%)	0872	1.5030	0.00200	1.4940	0.11338	0.03308	29	0.08	131.00	0
131	Methionine (%)	0354	1.5050	0.00400	1.4940	0.11338	0.03308	29	0.10	131.00	0
131	Methionine (%)	2059	1.5090	0.00400	1.4940	0.11338	0.03308	29	0.13	131.00	0
131	Methionine (%)	0684	1.5550	0.01200	1.4940	0.11338	0.03308	29	0.54	131.00	0
131	Methionine (%)	0652	1.5550	0.01000	1.4940	0.11338	0.03308	29	0.54	131.00	0
131	Methionine (%)	0910	1.5550	0.07000	1.4940	0.11338	0.03308	29	0.54	131.00	0
131	Methionine (%)	0644	1.5570	0.01800	1.4940	0.11338	0.03308	29	0.56	131.00	0
131	Methionine (%)	0626	1.5740	0.01000	1.4940	0.11338	0.03308	29	0.71	131.05	0
131	Methionine (%)	0610	1.5800	0.00000	1.4940	0.11338	0.03308	29	0.76	131.05	0
131	Methionine (%)	0676	1.6330	0.05000	1.4940	0.11338	0.03308	29	1.23	131.05	0
131	Methionine (%)	0027	1.7755	0.02700	1.4940	0.11338	0.03308	29	2.48	131.05	0
131	Methionine (%)	2145	2.0250	0.03000	1.4940	0.11338	0.03308	29	4.68	131.99	0
131	Methionine (%)	2144	2.8050	0.01000	1.4940	0.11338	0.03308	29	11.56	131.99	0
132	Phenylalanine (%)	0941	1.9350	0.01000	2.1481	0.11769	0.03437	22	-1.81	132.00	0
132	Phenylalanine (%)	0619	1.9550	0.01000	2.1481	0.11769	0.03437	22	-1.64	132.00	0
132	Phenylalanine (%)	0626	2.0045	0.00500	2.1481	0.11769	0.03437	22	-1.22	132.05	0
132	Phenylalanine (%)	2004	2.0300	0.06000	2.1481	0.11769	0.03437	22	-1.00	132.01	0
132	Phenylalanine (%)	0684	2.0440	0.06200	2.1481	0.11769	0.03437	22	-0.88	132.00	0
132	Phenylalanine (%)	0675	2.0850	0.01000	2.1481	0.11769	0.03437	22	-0.54	132.00	0
132	Phenylalanine (%)	0644	2.0960	0.01000	2.1481	0.11769	0.03437	22	-0.44	132.00	0
132	Phenylalanine (%)	0098	2.1060	0.02400	2.1481	0.11769	0.03437	22	-0.36	132.02	0
132	Phenylalanine (%)	0571	2.1280	0.00400	2.1481	0.11769	0.03437	22	-0.17	132.00	0
132	Phenylalanine (%)	0910	2.1300	0.12000	2.1481	0.11769	0.03437	22	-0.15	132.00	0
132	Phenylalanine (%)	0652	2.1350	0.03000	2.1481	0.11769	0.03437	22	-0.11	132.00	0
132	Phenylalanine (%)	0227	2.1500	0.02000	2.1481	0.11769	0.03437	22	0.02	132.00	0
132	Phenylalanine (%)	0918	2.1612	0.02310	2.1481	0.11769	0.03437	22	0.11	132.00	0
132	Phenylalanine (%)	0354	2.1920	0.03000	2.1481	0.11769	0.03437	22	0.37	132.00	0
132	Phenylalanine (%)	0859	2.2005	0.02100	2.1481	0.11769	0.03437	22	0.45	132.00	0
132	Phenylalanine (%)	0872	2.2225	0.00500	2.1481	0.11769	0.03437	22	0.63	132.00	0
132	Phenylalanine (%)	2059	2.2280	0.00200	2.1481	0.11769	0.03437	22	0.68	132.00	0
132	Phenylalanine (%)	0968	2.2425	0.03900	2.1481	0.11769	0.03437	22	0.80	132.00	0
132	Phenylalanine (%)	0610	2.2500	0.06000	2.1481	0.11769	0.03437	22	0.87	132.05	0
132	Phenylalanine (%)	0676	2.2905	0.12100	2.1481	0.11769	0.03437	22	1.21	132.05	0
132	Phenylalanine (%)	0848	2.2950	0.09000	2.1481	0.11769	0.03437	22	1.25	132.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
132	Phenylalanine (%)	0171	2.4200	0.00000	2.1481	0.11769	0.03437	22	2.31	132.00	0
132	Phenylalanine (%)	0504	2.2150	0.23000	2.1481	0.11769	0.03437	22	0.57	132.00	1
132	Phenylalanine (%)	2161	0.95600	0.16800	2.1481	0.11769	0.03437	22	-10.13	132.99	2
133	Proline (%)	2161	1.8985	0.04300	3.5288	0.22404	0.05771	23	-7.28	133.99	0
133	Proline (%)	0848	3.0650	0.03000	3.5288	0.22404	0.05771	23	-2.07	133.00	0
133	Proline (%)	0675	3.2100	0.00000	3.5288	0.22404	0.05771	23	-1.42	133.00	0
133	Proline (%)	0354	3.2950	0.17000	3.5288	0.22404	0.05771	23	-1.04	133.00	0
133	Proline (%)	0910	3.3650	0.19000	3.5288	0.22404	0.05771	23	-0.73	133.00	0
133	Proline (%)	0684	3.3990	0.02400	3.5288	0.22404	0.05771	23	-0.58	133.00	0
133	Proline (%)	0941	3.4065	0.03300	3.5288	0.22404	0.05771	23	-0.55	133.00	0
133	Proline (%)	0626	3.4150	0.05000	3.5288	0.22404	0.05771	23	-0.51	133.05	0
133	Proline (%)	0160	3.4528	0.07830	3.5288	0.22404	0.05771	23	-0.34	133.99	0
133	Proline (%)	0504	3.4950	0.23000	3.5288	0.22404	0.05771	23	-0.15	133.00	0
133	Proline (%)	0859	3.4985	0.09700	3.5288	0.22404	0.05771	23	-0.14	133.00	0
133	Proline (%)	0571	3.5160	0.01400	3.5288	0.22404	0.05771	23	-0.06	133.00	0
133	Proline (%)	0171	3.6050	0.03000	3.5288	0.22404	0.05771	23	0.34	133.00	0
133	Proline (%)	0619	3.6100	0.06000	3.5288	0.22404	0.05771	23	0.36	133.00	0
133	Proline (%)	2004	3.6350	0.01000	3.5288	0.22404	0.05771	23	0.47	133.04	0
133	Proline (%)	0652	3.6400	0.06000	3.5288	0.22404	0.05771	23	0.50	133.00	0
133	Proline (%)	0872	3.6920	0.07600	3.5288	0.22404	0.05771	23	0.73	133.00	0
133	Proline (%)	0968	3.7035	0.01500	3.5288	0.22404	0.05771	23	0.78	133.00	0
133	Proline (%)	0227	3.7050	0.01000	3.5288	0.22404	0.05771	23	0.79	133.00	0
133	Proline (%)	0610	3.7100	0.06000	3.5288	0.22404	0.05771	23	0.81	133.05	0
133	Proline (%)	0644	3.7545	0.01700	3.5288	0.22404	0.05771	23	1.01	133.00	0
133	Proline (%)	2059	3.8045	0.00500	3.5288	0.22404	0.05771	23	1.23	133.00	0
133	Proline (%)	0676	3.8975	0.02500	3.5288	0.22404	0.05771	23	1.65	133.05	0
133	Proline (%)	0918	4.2395	0.32320	3.5288	0.22404	0.05771	23	3.17	133.00	1
134	Serine (%)	2161	1.2825	0.06900	2.3828	0.15046	0.04845	24	-7.31	134.99	0
134	Serine (%)	0504	2.0800	0.12000	2.3828	0.15046	0.04845	24	-2.01	134.00	0
134	Serine (%)	0941	2.2250	0.01000	2.3828	0.15046	0.04845	24	-1.05	134.00	0
134	Serine (%)	0626	2.2475	0.03900	2.3828	0.15046	0.04845	24	-0.90	134.05	0
134	Serine (%)	0619	2.2750	0.01000	2.3828	0.15046	0.04845	24	-0.72	134.00	0
134	Serine (%)	2004	2.3000	0.06000	2.3828	0.15046	0.04845	24	-0.55	134.01	0
134	Serine (%)	0571	2.3150	0.01800	2.3828	0.15046	0.04845	24	-0.45	134.00	0
134	Serine (%)	0644	2.3195	0.05500	2.3828	0.15046	0.04845	24	-0.42	134.00	0
134	Serine (%)	0910	2.3350	0.13000	2.3828	0.15046	0.04845	24	-0.32	134.00	0
134	Serine (%)	0227	2.3400	0.04000	2.3828	0.15046	0.04845	24	-0.28	134.00	0
134	Serine (%)	0098	2.3485	0.06700	2.3828	0.15046	0.04845	24	-0.23	134.02	0
134	Serine (%)	0652	2.3600	0.04000	2.3828	0.15046	0.04845	24	-0.15	134.00	0
134	Serine (%)	0859	2.3710	0.00200	2.3828	0.15046	0.04845	24	-0.08	134.00	0
134	Serine (%)	2059	2.3800	0.02200	2.3828	0.15046	0.04845	24	-0.02	134.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
134	Serine (%)	0354	2.4010	0.00400	2.3828	0.15046	0.04845	24	0.12	134.00	0
134	Serine (%)	0610	2.4050	0.09000	2.3828	0.15046	0.04845	24	0.15	134.05	0
134	Serine (%)	0872	2.4170	0.00000	2.3828	0.15046	0.04845	24	0.23	134.00	0
134	Serine (%)	0675	2.4600	0.02000	2.3828	0.15046	0.04845	24	0.51	134.00	0
134	Serine (%)	0684	2.4635	0.07300	2.3828	0.15046	0.04845	24	0.54	134.00	0
134	Serine (%)	0968	2.4755	0.01700	2.3828	0.15046	0.04845	24	0.62	134.00	0
134	Serine (%)	0676	2.6260	0.01200	2.3828	0.15046	0.04845	24	1.62	134.05	0
134	Serine (%)	0848	2.6700	0.06000	2.3828	0.15046	0.04845	24	1.91	134.00	0
134	Serine (%)	0918	2.6852	0.19490	2.3828	0.15046	0.04845	24	2.01	134.00	0
134	Serine (%)	0171	2.7650	0.01000	2.3828	0.15046	0.04845	24	2.54	134.00	0
135	Threonine (%)	2161	0.82050	0.08700	2.3677	0.16101	0.06273	28	-9.61	135.99	0
135	Threonine (%)	0160	1.5999	0.23400	2.3677	0.16101	0.06273	28	-4.77	135.99	0
135	Threonine (%)	0626	2.1740	0.02400	2.3677	0.16101	0.06273	28	-1.20	135.05	0
135	Threonine (%)	0941	2.2050	0.01000	2.3677	0.16101	0.06273	28	-1.01	135.00	0
135	Threonine (%)	0619	2.2600	0.00000	2.3677	0.16101	0.06273	28	-0.67	135.00	0
135	Threonine (%)	2004	2.2650	0.09000	2.3677	0.16101	0.06273	28	-0.64	135.01	0
135	Threonine (%)	2144	2.2800	0.02000	2.3677	0.16101	0.06273	28	-0.54	135.99	0
135	Threonine (%)	0684	2.3110	0.13200	2.3677	0.16101	0.06273	28	-0.35	135.00	0
135	Threonine (%)	0571	2.3115	0.02100	2.3677	0.16101	0.06273	28	-0.35	135.00	0
135	Threonine (%)	0859	2.3175	0.01500	2.3677	0.16101	0.06273	28	-0.31	135.00	0
135	Threonine (%)	0644	2.3270	0.02000	2.3677	0.16101	0.06273	28	-0.25	135.00	0
135	Threonine (%)	0652	2.3300	0.02000	2.3677	0.16101	0.06273	28	-0.23	135.00	0
135	Threonine (%)	0504	2.3350	0.17000	2.3677	0.16101	0.06273	28	-0.20	135.00	0
135	Threonine (%)	0872	2.3365	0.01300	2.3677	0.16101	0.06273	28	-0.19	135.00	0
135	Threonine (%)	0675	2.3600	0.02000	2.3677	0.16101	0.06273	28	-0.05	135.00	0
135	Threonine (%)	0910	2.3600	0.10000	2.3677	0.16101	0.06273	28	-0.05	135.00	0
135	Threonine (%)	0227	2.3650	0.01000	2.3677	0.16101	0.06273	28	-0.02	135.00	0
135	Threonine (%)	0610	2.3650	0.15000	2.3677	0.16101	0.06273	28	-0.02	135.05	0
135	Threonine (%)	2059	2.3685	0.00500	2.3677	0.16101	0.06273	28	0.00	135.00	0
135	Threonine (%)	0098	2.3770	0.11200	2.3677	0.16101	0.06273	28	0.06	135.02	0
135	Threonine (%)	0354	2.3825	0.00100	2.3677	0.16101	0.06273	28	0.09	135.00	0
135	Threonine (%)	0968	2.4380	0.00400	2.3677	0.16101	0.06273	28	0.44	135.00	0
135	Threonine (%)	0676	2.5570	0.06400	2.3677	0.16101	0.06273	28	1.18	135.05	0
135	Threonine (%)	0918	2.5905	0.08130	2.3677	0.16101	0.06273	28	1.38	135.00	0
135	Threonine (%)	2145	2.6000	0.04000	2.3677	0.16101	0.06273	28	1.44	135.99	0
135	Threonine (%)	0848	2.6150	0.09000	2.3677	0.16101	0.06273	28	1.54	135.00	0
135	Threonine (%)	0027	2.6685	0.21300	2.3677	0.16101	0.06273	28	1.87	135.05	0
135	Threonine (%)	0171	2.7650	0.01000	2.3677	0.16101	0.06273	28	2.47	135.00	0
136	Tryptophan (%)	0859	0.40800	0.01000	0.48077	0.05120	0.01231	14	-1.42	136.03	0
136	Tryptophan (%)	0910	0.43000	0.02000	0.48077	0.05120	0.01231	14	-0.99	136.00	0
136	Tryptophan (%)	2059	0.44050	0.00100	0.48077	0.05120	0.01231	14	-0.79	136.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
136	Tryptophan (%)	0941	0.44700	0.00000	0.48077	0.05120	0.01231	14	-0.66	136.00	0
136	Tryptophan (%)	0918	0.45020	0.02840	0.48077	0.05120	0.01231	14	-0.60	136.00	0
136	Tryptophan (%)	2004	0.46800	0.04200	0.48077	0.05120	0.01231	14	-0.25	136.99	0
136	Tryptophan (%)	0098	0.47050	0.00300	0.48077	0.05120	0.01231	14	-0.20	136.02	0
136	Tryptophan (%)	0872	0.47600	0.00600	0.48077	0.05120	0.01231	14	-0.09	136.03	0
136	Tryptophan (%)	0610	0.49000	0.00000	0.48077	0.05120	0.01231	14	0.18	136.99	0
136	Tryptophan (%)	0644	0.49400	0.00200	0.48077	0.05120	0.01231	14	0.26	136.01	0
136	Tryptophan (%)	0227	0.52000	0.02000	0.48077	0.05120	0.01231	14	0.77	136.00	0
136	Tryptophan (%)	0619	0.53500	0.02000	0.48077	0.05120	0.01231	14	1.06	136.00	0
136	Tryptophan (%)	0684	0.54400	0.00000	0.48077	0.05120	0.01231	14	1.24	136.00	0
136	Tryptophan (%)	0504	0.57000	0.02000	0.48077	0.05120	0.01231	14	1.74	136.99	0
137	Tyrosine (%)	2161	0.81500	0.01600	1.6095	0.14514	0.04649	22	-5.47	137.99	0
137	Tyrosine (%)	0941	1.1500	0.06000	1.6095	0.14514	0.04649	22	-3.17	137.00	0
137	Tyrosine (%)	0910	1.2450	0.09000	1.6095	0.14514	0.04649	22	-2.51	137.00	0
137	Tyrosine (%)	0870	1.4541	0.00270	1.6095	0.14514	0.04649	22	-1.07	137.00	0
137	Tyrosine (%)	0626	1.5430	0.00400	1.6095	0.14514	0.04649	22	-0.46	137.05	0
137	Tyrosine (%)	0675	1.5550	0.01000	1.6095	0.14514	0.04649	22	-0.38	137.00	0
137	Tyrosine (%)	0160	1.5628	0.19270	1.6095	0.14514	0.04649	22	-0.32	137.99	0
137	Tyrosine (%)	0968	1.5695	0.04100	1.6095	0.14514	0.04649	22	-0.28	137.00	0
137	Tyrosine (%)	0354	1.5840	0.01000	1.6095	0.14514	0.04649	22	-0.18	137.00	0
137	Tyrosine (%)	0872	1.5925	0.00100	1.6095	0.14514	0.04649	22	-0.12	137.00	0
137	Tyrosine (%)	0227	1.6100	0.02000	1.6095	0.14514	0.04649	22	0.00	137.00	0
137	Tyrosine (%)	0644	1.6230	0.02800	1.6095	0.14514	0.04649	22	0.09	137.00	0
137	Tyrosine (%)	0918	1.6359	0.00040	1.6095	0.14514	0.04649	22	0.18	137.00	0
137	Tyrosine (%)	0684	1.6410	0.02800	1.6095	0.14514	0.04649	22	0.22	137.00	0
137	Tyrosine (%)	0098	1.6410	0.00000	1.6095	0.14514	0.04649	22	0.22	137.02	0
137	Tyrosine (%)	0504	1.6650	0.17000	1.6095	0.14514	0.04649	22	0.38	137.00	0
137	Tyrosine (%)	2004	1.6650	0.03000	1.6095	0.14514	0.04649	22	0.38	137.01	0
137	Tyrosine (%)	2059	1.6705	0.00900	1.6095	0.14514	0.04649	22	0.42	137.00	0
137	Tyrosine (%)	0848	1.7400	0.08000	1.6095	0.14514	0.04649	22	0.90	137.00	0
137	Tyrosine (%)	0676	1.8450	0.14000	1.6095	0.14514	0.04649	22	1.62	137.05	0
137	Tyrosine (%)	0171	1.8800	0.00000	1.6095	0.14514	0.04649	22	1.86	137.00	0
137	Tyrosine (%)	0610	1.9350	0.09000	1.6095	0.14514	0.04649	22	2.24	137.05	0
138	Valine (%)	2161	1.0965	0.08100	2.5843	0.18483	0.06214	25	-8.05	138.99	0
138	Valine (%)	0619	2.1400	0.02000	2.5843	0.18483	0.06214	25	-2.40	138.00	0
138	Valine (%)	0684	2.3640	0.03200	2.5843	0.18483	0.06214	25	-1.19	138.00	0
138	Valine (%)	2004	2.4100	0.14000	2.5843	0.18483	0.06214	25	-0.94	138.01	0
138	Valine (%)	0941	2.4250	0.03000	2.5843	0.18483	0.06214	25	-0.86	138.00	0
138	Valine (%)	0626	2.4340	0.01000	2.5843	0.18483	0.06214	25	-0.81	138.05	0
138	Valine (%)	0859	2.4465	0.04500	2.5843	0.18483	0.06214	25	-0.75	138.00	0
138	Valine (%)	0910	2.4800	0.06000	2.5843	0.18483	0.06214	25	-0.56	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
138	Valine (%)	0675	2.5100	0.02000	2.5843	0.18483	0.06214	25	-0.40	138.00	0
138	Valine (%)	0848	2.5350	0.17000	2.5843	0.18483	0.06214	25	-0.27	138.00	0
138	Valine (%)	0354	2.5600	0.02000	2.5843	0.18483	0.06214	25	-0.13	138.00	0
138	Valine (%)	0652	2.5700	0.04000	2.5843	0.18483	0.06214	25	-0.08	138.00	0
138	Valine (%)	0872	2.6005	0.00100	2.5843	0.18483	0.06214	25	0.09	138.00	0
138	Valine (%)	0918	2.6203	0.16850	2.5843	0.18483	0.06214	25	0.19	138.00	0
138	Valine (%)	0968	2.6250	0.00200	2.5843	0.18483	0.06214	25	0.22	138.00	0
138	Valine (%)	2059	2.6500	0.02600	2.5843	0.18483	0.06214	25	0.36	138.00	0
138	Valine (%)	0571	2.6610	0.00000	2.5843	0.18483	0.06214	25	0.41	138.00	0
138	Valine (%)	0098	2.6755	0.04100	2.5843	0.18483	0.06214	25	0.49	138.02	0
138	Valine (%)	0644	2.6770	0.04600	2.5843	0.18483	0.06214	25	0.50	138.00	0
138	Valine (%)	0227	2.7000	0.00000	2.5843	0.18483	0.06214	25	0.63	138.00	0
138	Valine (%)	0610	2.7250	0.09000	2.5843	0.18483	0.06214	25	0.76	138.05	0
138	Valine (%)	0504	2.7400	0.22000	2.5843	0.18483	0.06214	25	0.84	138.00	0
138	Valine (%)	0171	2.8800	0.04000	2.5843	0.18483	0.06214	25	1.60	138.00	0
138	Valine (%)	0676	2.9305	0.23100	2.5843	0.18483	0.06214	25	1.87	138.05	0
138	Valine (%)	2144	5.0100	0.02000	2.5843	0.18483	0.06214	25	13.12	138.99	0
139	Taurine (%)	2161	0.25900	0.00600	0.39863	0.09334	0.01425	4	-21.85	139.99	0
139	Taurine (%)	0227	0.44000	0.00000	0.39863	0.09334	0.01425	4	-0.61	139.00	0
139	Taurine (%)	0098	0.44050	0.02100	0.39863	0.09334	0.01425	4	-0.55	139.02	0
139	Taurine (%)	0504	0.45500	0.03000	0.39863	0.09334	0.01425	4	1.15	139.00	0
357	Ethoxyquin (mg/kg (ppm))	0968	20.392	0.57000	34.905	9.7982	1.6751	9	-1.48	357.04	0
357	Ethoxyquin (mg/kg (ppm))	0968	24.015	0.47600	34.905	9.7982	1.6751	9	-1.11	357.02	0
357	Ethoxyquin (mg/kg (ppm))	0878	33.350	0.10000	34.905	9.7982	1.6751	9	-0.16	357.01	0
357	Ethoxyquin (mg/kg (ppm))	0227	35.000	4.0000	34.905	9.7982	1.6751	9	0.01	357.01	0
357	Ethoxyquin (mg/kg (ppm))	0619	36.700	4.0000	34.905	9.7982	1.6751	9	0.18	357.01	0
357	Ethoxyquin (mg/kg (ppm))	0939	36.835	2.6300	34.905	9.7982	1.6751	9	0.20	357.01	0
357	Ethoxyquin (mg/kg (ppm))	2145	37.250	0.30000	34.905	9.7982	1.6751	9	0.24	357.04	0
357	Ethoxyquin (mg/kg (ppm))	0942	41.000	2.0000	34.905	9.7982	1.6751	9	0.62	357.99	0
357	Ethoxyquin (mg/kg (ppm))	0171	59.500	1.0000	34.905	9.7982	1.6751	9	2.51	357.00	0
357	Ethoxyquin (mg/kg (ppm))	0626	203.34	13.430	34.905	9.7982	1.6751	9	17.19	357.01	1
400	Water activity (Units)	2073	0.46750	0.00100	0.51998	0.02799	0.00350	9	-1.88	400.99	0
400	Water activity (Units)	0843	0.48550	0.00700	0.51998	0.02799	0.00350	9	-1.23	400.99	0
400	Water activity (Units)	0407	0.51140	0.00320	0.51998	0.02799	0.00350	9	-0.31	400.01	0
400	Water activity (Units)	0942	0.51850	0.00300	0.51998	0.02799	0.00350	9	-0.05	400.01	0
400	Water activity (Units)	0589	0.52650	0.00100	0.51998	0.02799	0.00350	9	0.23	400.01	0
400	Water activity (Units)	0843	0.52815	0.00150	0.51998	0.02799	0.00350	9	0.29	400.01	0
400	Water activity (Units)	0010	0.54100	0.01000	0.51998	0.02799	0.00350	9	0.75	400.01	0
400	Water activity (Units)	2109	0.54425	0.00210	0.51998	0.02799	0.00350	9	0.87	400.01	0
400	Water activity (Units)	0552	0.54655	0.00270	0.51998	0.02799	0.00350	9	0.95	400.01	0
412		0353	0.15000	0.02000				1		412.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
516	Arsenic, total (mg / kg (ppm))	0045	0.33750	0.00700	2.2825	0.26982	0.04761	8	-7.21	516.00	0
516	Arsenic, total (mg / kg (ppm))	0199	2.1500	0.10000	2.2825	0.26982	0.04761	8	-0.49	516.53	0
516	Arsenic, total (mg / kg (ppm))	0096	2.1951	0.02760	2.2825	0.26982	0.04761	8	-0.32	516.52	0
516	Arsenic, total (mg / kg (ppm))	0186	2.2650	0.05000	2.2825	0.26982	0.04761	8	-0.06	516.52	0
516	Arsenic, total (mg / kg (ppm))	0171	2.2700	0.00000	2.2825	0.26982	0.04761	8	-0.05	516.00	0
516	Arsenic, total (mg / kg (ppm))	0227	2.3050	0.03000	2.2825	0.26982	0.04761	8	0.08	516.53	0
516	Arsenic, total (mg / kg (ppm))	0553	2.5100	0.08000	2.2825	0.26982	0.04761	8	0.84	516.53	0
516	Arsenic, total (mg / kg (ppm))	0918	2.7686	0.08630	2.2825	0.26982	0.04761	8	1.80	516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	2.1870	0.33800	2.2825	0.26982	0.04761	8	-0.35	516.53	1
518	Cadmium (mg / kg (ppm))	0045	0.16350	0.03300	0.44087	0.05523	0.02545	11	-5.02	518.42	0
518	Cadmium (mg / kg (ppm))	0619	0.38200	0.01000	0.44087	0.05523	0.02545	11	-1.07	518.41	0
518	Cadmium (mg / kg (ppm))	0199	0.40500	0.01000	0.44087	0.05523	0.02545	11	-0.65	518.53	0
518	Cadmium (mg / kg (ppm))	0968	0.41000	0.00000	0.44087	0.05523	0.02545	11	-0.56	518.43	0
518	Cadmium (mg / kg (ppm))	0186	0.43450	0.01900	0.44087	0.05523	0.02545	11	-0.12	518.52	0
518	Cadmium (mg / kg (ppm))	0918	0.44780	0.04360	0.44087	0.05523	0.02545	11	0.13	518.53	0
518	Cadmium (mg / kg (ppm))	0171	0.45000	0.02000	0.44087	0.05523	0.02545	11	0.17	518.41	0
518	Cadmium (mg / kg (ppm))	0098	0.46750	0.04300	0.44087	0.05523	0.02545	11	0.48	518.53	0
518	Cadmium (mg / kg (ppm))	0096	0.48225	0.04230	0.44087	0.05523	0.02545	11	0.75	518.52	0
518	Cadmium (mg / kg (ppm))	0227	0.50400	0.04400	0.44087	0.05523	0.02545	11	1.14	518.53	0
518	Cadmium (mg / kg (ppm))	0553	0.50850	0.01500	0.44087	0.05523	0.02545	11	1.22	518.53	0
520	Chromium (mg / kg (ppm))	0968	1.2900	0.04000	1.8355	0.55054	0.39711	12	-0.99	520.43	0
520	Chromium (mg / kg (ppm))	0186	1.3150	0.05000	1.8355	0.55054	0.39711	12	-0.95	520.52	0
520	Chromium (mg / kg (ppm))	0096	1.3666	0.07870	1.8355	0.55054	0.39711	12	-0.85	520.42	0
520	Chromium (mg / kg (ppm))	0199	1.4850	0.07000	1.8355	0.55054	0.39711	12	-0.64	520.53	0
520	Chromium (mg / kg (ppm))	0096	1.4903	0.80720	1.8355	0.55054	0.39711	12	-0.63	520.52	0
520	Chromium (mg / kg (ppm))	0619	1.5050	0.13000	1.8355	0.55054	0.39711	12	-0.60	520.41	0
520	Chromium (mg / kg (ppm))	0553	1.7650	0.19000	1.8355	0.55054	0.39711	12	-0.13	520.53	0
520	Chromium (mg / kg (ppm))	0918	2.2195	1.1122	1.8355	0.55054	0.39711	12	0.70	520.53	0
520	Chromium (mg / kg (ppm))	0171	2.2800	0.14000	1.8355	0.55054	0.39711	12	0.81	520.41	0
520	Chromium (mg / kg (ppm))	0693	2.3250	1.1172	1.8355	0.55054	0.39711	12	0.89	520.42	0
520	Chromium (mg / kg (ppm))	0045	2.4850	0.75000	1.8355	0.55054	0.39711	12	1.18	520.42	0
520	Chromium (mg / kg (ppm))	0510	2.5000	0.28000	1.8355	0.55054	0.39711	12	1.21	520.43	0
526	Lead (mg / kg (ppm))	0619	0.14200	0.03600	0.65750	0.09015	0.02725	8	-5.72	526.41	0
526	Lead (mg / kg (ppm))	0199	0.60500	0.01000	0.65750	0.09015	0.02725	8	-0.58	526.53	0
526	Lead (mg / kg (ppm))	0096	0.63220	0.03180	0.65750	0.09015	0.02725	8	-0.28	526.52	0
526	Lead (mg / kg (ppm))	0227	0.63400	0.02000	0.65750	0.09015	0.02725	8	-0.26	526.53	0
526	Lead (mg / kg (ppm))	0098	0.64000	0.01200	0.65750	0.09015	0.02725	8	-0.19	526.53	0
526	Lead (mg / kg (ppm))	0186	0.73200	0.02200	0.65750	0.09015	0.02725	8	0.83	526.52	0
526	Lead (mg / kg (ppm))	0918	0.74300	0.05720	0.65750	0.09015	0.02725	8	0.95	526.53	0
526	Lead (mg / kg (ppm))	0553	0.75150	0.02900	0.65750	0.09015	0.02725	8	1.04	526.53	0
526	Lead (mg / kg (ppm))	0171	0.75000	0.28000	0.65750	0.09015	0.02725	8	1.03	526.41	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFPO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
529	Mercury (µg / kg (ppb))	0553	37.000	11.800				2		529.99	0
529	Mercury (µg / kg (ppb))	0171	37.500	1.0000				2		529.99	0
529	Mercury (µg / kg (ppb))	0199	0.00000	0.00000				2		529.99	4
539	Nickel (mg / kg (ppm))	0918	0.96460	0.11200	1.1628	0.20383	0.46053	4	-0.97	539.53	0
539	Nickel (mg / kg (ppm))	0186	1.0350	0.13000	1.1628	0.20383	0.46053	4	-0.63	539.52	0
539	Nickel (mg / kg (ppm))	0096	1.2365	0.77010	1.1628	0.20383	0.46053	4	0.36	539.52	0
539	Nickel (mg / kg (ppm))	0553	1.4150	0.83000	1.1628	0.20383	0.46053	4	1.24	539.53	0
702	Butyric Acid (4:0) (%)	2161	0.77475	0.15170				1		702.00	0
703	Valeric Acid (5:0) (%)	2161	1.2706	0.15040				1		703.00	0
710	Lauric Acid (12:0) (%) (w/w)	0226	0.00750	0.00100				3		710.99	0
710	Lauric Acid (12:0) (%) (w/w)	0676	0.00850	0.00100				3		710.99	0
710	Lauric Acid (12:0) (%) (w/w)	0910	0.06500	0.01000				3		710.02	0
714	Myristic Acid (14:0) (%) (w/w)	0226	0.34200	0.01400				2		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0910	3.7500	0.02000				2		714.02	0
716	Palmitic Acid (16:0) (%) (w/w)	0226	1.7350	0.07000				2		716.99	0
716	Palmitic Acid (16:0) (%) (w/w)	0910	19.555	0.11000				2		716.02	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0226	0.47800	0.01600	2.1554	2.3063	0.00675	4	-0.73	718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0676	0.54850	0.00100	2.1554	2.3063	0.00675	4	-0.70	718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	2161	2.1900	0.00000	2.1554	2.3063	0.00675	4	0.02	718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0910	5.4050	0.01000	2.1554	2.3063	0.00675	4	1.41	718.02	0
720	Margaric acid (17:0) (%) (w/w)	2161	0.64000	0.00000				1		720.99	0
722	Stearic Acid (18:0) (%) (w/w)	2161	0.09000	0.00000				3		722.99	0
722	Stearic Acid (18:0) (%) (w/w)	0226	0.43850	0.01900				3		722.99	0
722	Stearic Acid (18:0) (%) (w/w)	0910	5.1350	0.05000				3		722.02	0
724	Oleic Acid (9c-18:1) (%) (w/w)	2161	0.05000	0.00000				3		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w)	0226	2.4550	0.01000				3		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w)	0910	30.735	0.31000				3		724.02	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w)	0226	0.68400	0.02200	3.4493	3.6637	0.04250	4	-0.64	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w)	0676	0.89800	0.01800	3.4493	3.6637	0.04250	4	-0.51	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w)	2161	3.6600	0.00000	3.4493	3.6637	0.04250	4	1.15	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w)	0910	8.5550	0.13000	3.4493	3.6637	0.04250	4	4.10	726.02	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/w)	2161	0.03000	0.00000	0.08425	0.04625	0.00350	4	-0.96	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/w)	0171	0.07950	0.00100	0.08425	0.04625	0.00350	4	-0.08	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/w)	0226	0.08450	0.01100	0.08425	0.04625	0.00350	4	0.01	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/w)	0676	0.14300	0.00200	0.08425	0.04625	0.00350	4	1.04	728.99	0
730	Arachidic Acid (20:0) (%) (w/w)	0226	0.02800	0.01600				3		730.99	0
730	Arachidic Acid (20:0) (%) (w/w)	2161	0.03000	0.00000				3		730.99	0
730	Arachidic Acid (20:0) (%) (w/w)	0910	0.23000	0.00000				3		730.02	0
732	Gondoic Acid (11c-20:1) (%) (w/w)	0226	0.10650	0.00300				1		732.99	0
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (%) (w/w)	2161	0.01000	0.00000				3		736.99	0
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (%) (w/w)	0676	0.15200	0.00200				3		736.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (%)	0910	0.87500	0.01000				3		736.02	0
738	Mead Acid (11c,14c,17c-20:3) (%) (w/w)	2161	0.01000	0.00000				1		738.99	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0171	0.34200	0.00600	0.47135	0.14007	0.03057	7	-0.92	740.99	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0629	0.35000	0.00000	0.47135	0.14007	0.03057	7	-0.87	740.99	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0226	0.37650	0.06500	0.47135	0.14007	0.03057	7	-0.68	740.99	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0676	0.50450	0.00300	0.47135	0.14007	0.03057	7	0.24	740.99	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0675	0.50500	0.01000	0.47135	0.14007	0.03057	7	0.24	740.02	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0610	0.54000	0.00000	0.47135	0.14007	0.03057	7	0.49	740.99	0
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (%) (w/w)	0910	4.3650	0.13000	0.47135	0.14007	0.03057	7	27.80	740.02	0
742	Behenic Acid (22:0) (%) (w/w)	0226	0.01300	0.00200				3		742.99	0
742	Behenic Acid (22:0) (%) (w/w)	2161	0.06000	0.00000				3		742.99	0
742	Behenic Acid (22:0) (%) (w/w)	0910	0.13000	0.02000				3		742.02	0
744	Erucic Acid (13c-22:1) (%) (w/w)	0226	0.01700	0.00200				3		744.99	0
744	Erucic Acid (13c-22:1) (%) (w/w)	2161	0.10000	0.00000				3		744.99	0
744	Erucic Acid (13c-22:1) (%) (w/w)	0910	0.17000	0.00000				3		744.02	0
746	Docosapentaenoic Acid n-3 DPA (DHA) (%) (w/w)	0226	0.07600	0.01200	0.40317	0.39988	0.00433	6	-0.82	746.99	0
746	Docosapentaenoic Acid n-3 DPA (DHA) (%) (w/w)	0676	0.08600	0.00000	0.40317	0.39988	0.00433	6	-0.79	746.99	0
746	Docosapentaenoic Acid n-3 DPA (DHA) (%) (w/w)	0171	0.10200	0.00400	0.40317	0.39988	0.00433	6	-0.75	746.99	0
746	Docosapentaenoic Acid n-3 DPA (DHA) (%) (w/w)	2161	0.61000	0.00000	0.40317	0.39988	0.00433	6	0.52	746.99	0
746	Docosapentaenoic Acid n-3 DPA (DHA) (%) (w/w)	0629	0.71000	0.00000	0.40317	0.39988	0.00433	6	0.77	746.99	0
746	Docosapentaenoic Acid n-3 DPA (DHA) (%) (w/w)	0910	0.83500	0.01000	0.40317	0.39988	0.00433	6	1.08	746.02	0
748	Lignoceric Acid (24:0) (%) (w/w)	0226	0.02000	0.01400				3		748.99	0
748	Lignoceric Acid (24:0) (%) (w/w)	2161	0.02000	0.00000				3		748.99	0
748	Lignoceric Acid (24:0) (%) (w/w)	0910	0.17000	0.00000				3		748.02	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	0171	0.40400	0.02000	0.59284	0.16136	0.04257	7	-1.17	750.99	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	0226	0.48500	0.07000	0.59284	0.16136	0.04257	7	-0.67	750.99	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	2171	0.51450	0.01500	0.59284	0.16136	0.04257	7	-0.49	750.02	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	0676	0.59150	0.00300	0.59284	0.16136	0.04257	7	-0.01	750.99	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	0610	0.64500	0.01000	0.59284	0.16136	0.04257	7	0.32	750.99	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	0675	0.67500	0.15000	0.59284	0.16136	0.04257	7	0.51	750.02	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22:6) (%) (w/w)	0910	4.7950	0.03000	0.59284	0.16136	0.04257	7	26.04	750.02	0
752	Nervonic Acid (24:1) isomers (%) (w/w)	0226	0.05750	0.00300				2		752.99	0
752	Nervonic Acid (24:1) isomers (%) (w/w)	2161	0.11000	0.00000				2		752.99	0
754	Total n-3 Polyunsaturated (Omega-3) F&E (%) (w/w)	0171	1.0250	0.05000	1.3183	0.21132	0.03667	6	-1.39	754.99	0
754	Total n-3 Polyunsaturated (Omega-3) F&E (%) (w/w)	0675	1.1800	0.14000	1.3183	0.21132	0.03667	6	-0.65	754.02	0
754	Total n-3 Polyunsaturated (Omega-3) F&E (%) (w/w)	0676	1.3450	0.01000	1.3183	0.21132	0.03667	6	0.13	754.99	0
754	Total n-3 Polyunsaturated (Omega-3) F&E (%) (w/w)	0148	1.3600	0.02000	1.3183	0.21132	0.03667	6	0.20	754.02	0
754	Total n-3 Polyunsaturated (Omega-3) F&E (%) (w/w)	0610	1.5000	0.00000	1.3183	0.21132	0.03667	6	0.86	754.99	0
754	Total n-3 Polyunsaturated (Omega-3) F&E (%) (w/w)	0629	1.5000	0.00000	1.3183	0.21132	0.03667	6	0.86	754.99	0
756	Total n-6 Polyunsaturated (Omega-6) F&E (%) (w/w)	2171	0.81000	0.08000	1.0413	0.26263	0.03750	4	-0.88	756.02	0
756	Total n-6 Polyunsaturated (Omega-6) F&E (%) (w/w)	0171	0.82000	0.04000	1.0413	0.26263	0.03750	4	-0.84	756.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
756	Total n-6 Polyunsaturated (Omega-6) F&e	0676	1.2350	0.03000	1.0413	0.26263	0.03750	4	0.74	756.99	0
756	Total n-6 Polyunsaturated (Omega-6) F&e	0629	1.3000	0.00000	1.0413	0.26263	0.03750	4	0.99	756.99	0
758	Total Saturated Fatty Acids (% (w/w))	2161	1.3750	0.01000				3		758.99	0
758	Total Saturated Fatty Acids (% (w/w))	0171	2.2900	0.10000				3		758.99	0
758	Total Saturated Fatty Acids (% (w/w))	2171	2.7750	0.45000				3		758.02	0
762	Total Monounsaturated Fatty Acids (% (2171	3.0250	0.05000				3		762.02	0
762	Total Monounsaturated Fatty Acids (% (0171	3.0450	0.07000				3		762.99	0
762	Total Monounsaturated Fatty Acids (% (2161	4.8050	0.01000				3		762.99	0
766	Total Polyunsaturated Fatty Acids (% (w	2171	1.6200	0.28000				3		766.02	0
766	Total Polyunsaturated Fatty Acids (% (w	0171	1.9600	0.12000				3		766.99	0
766	Total Polyunsaturated Fatty Acids (% (w	2161	5.0350	0.43000				3		766.99	0
772	Total Fatty Acids (% (w/w))	2171	7.4200	0.22000				2		772.02	0
772	Total Fatty Acids (% (w/w))	0226	7.5670	0.18800				2		772.99	0

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 8 = Analyst data exempt and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in this case the Z Scores may be included for information only (Grey, No Action!). Flag 3 indicates not used in statistics.