

Animal Feed Scheme
Dairy Feed, Medicated

Labs Reporting: 196
Analytes Reported 113
Issue Date : 11/30/2019

Test Material Code # 201930

Analyte Proficiency Testing Report

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.8500	0.1000				1		000.02	0
001	Loss on Drying (%)	0019	6.800	0.0000	8.497	0.3528	0.1117	87	-4.81	001.07	0
001	Loss on Drying (%)	0618	6.830	0.1600	8.497	0.3528	0.1117	87	-4.72	001.99	0
001	Loss on Drying (%)	0536	7.265	0.0900	8.497	0.3528	0.1117	87	-3.49	001.99	0
001	Loss on Drying (%)	0853	7.500	0.2000	8.497	0.3528	0.1117	87	-2.82	001.07	0
001	Loss on Drying (%)	2155	7.580	0.1200	8.497	0.3528	0.1117	87	-2.60	001.99	0
001	Loss on Drying (%)	0918	7.655	0.1500	8.497	0.3528	0.1117	87	-2.39	001.99	0
001	Loss on Drying (%)	0226	7.765	0.0300	8.497	0.3528	0.1117	87	-2.07	001.07	0
001	Loss on Drying (%)	0889	7.905	0.1900	8.497	0.3528	0.1117	87	-1.68	001.99	0
001	Loss on Drying (%)	2144	7.990	0.0400	8.497	0.3528	0.1117	87	-1.44	001.07	0
001	Loss on Drying (%)	0505	7.995	0.1700	8.497	0.3528	0.1117	87	-1.42	001.07	0
001	Loss on Drying (%)	0510	8.000	0.0000	8.497	0.3528	0.1117	87	-1.41	001.99	0
001	Loss on Drying (%)	0034	8.010	0.2000	8.497	0.3528	0.1117	87	-1.38	001.07	0
001	Loss on Drying (%)	0504	8.045	0.0100	8.497	0.3528	0.1117	87	-1.28	001.00	0
001	Loss on Drying (%)	0529	8.050	0.4800	8.497	0.3528	0.1117	87	-1.27	001.07	0
001	Loss on Drying (%)	0852	8.100	0.2000	8.497	0.3528	0.1117	87	-1.12	001.99	0
001	Loss on Drying (%)	2146	8.100	0.1000	8.497	0.3528	0.1117	87	-1.12	001.07	0
001	Loss on Drying (%)	0345	8.135	0.0700	8.497	0.3528	0.1117	87	-1.03	001.07	0
001	Loss on Drying (%)	0610	8.195	0.0100	8.497	0.3528	0.1117	87	-0.86	001.99	0
001	Loss on Drying (%)	0676	8.205	0.0700	8.497	0.3528	0.1117	87	-0.83	001.99	0
001	Loss on Drying (%)	0083	8.235	0.0300	8.497	0.3528	0.1117	87	-0.74	001.07	0
001	Loss on Drying (%)	0089	8.265	0.0500	8.497	0.3528	0.1117	87	-0.66	001.07	0
001	Loss on Drying (%)	0682	8.280	0.0000	8.497	0.3528	0.1117	87	-0.61	001.07	0
001	Loss on Drying (%)	0948	8.285	0.0100	8.497	0.3528	0.1117	87	-0.60	001.99	0
001	Loss on Drying (%)	0297	8.340	0.0400	8.497	0.3528	0.1117	87	-0.44	001.07	0
001	Loss on Drying (%)	0868	8.405	0.0100	8.497	0.3528	0.1117	87	-0.26	001.03	0
001	Loss on Drying (%)	0074	8.415	0.0300	8.497	0.3528	0.1117	87	-0.23	001.05	0
001	Loss on Drying (%)	2246	8.420	0.0000	8.497	0.3528	0.1117	87	-0.22	001.99	0
001	Loss on Drying (%)	0683	8.430	0.0400	8.497	0.3528	0.1117	87	-0.19	001.07	0
001	Loss on Drying (%)	0187	8.445	0.0500	8.497	0.3528	0.1117	87	-0.15	001.07	0
001	Loss on Drying (%)	2009	8.445	0.0118	8.497	0.3528	0.1117	87	-0.15	001.07	0
001	Loss on Drying (%)	0357	8.450	0.0399	8.497	0.3528	0.1117	87	-0.13	001.99	0
001	Loss on Drying (%)	0038	8.450	0.5000	8.497	0.3528	0.1117	87	-0.13	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0910	8.450	0.1000	8.497	0.3528	0.1117	87	-0.13	001.99	0
001	Loss on Drying (%)	0849	8.453	0.0750	8.497	0.3528	0.1117	87	-0.13	001.07	0
001	Loss on Drying (%)	0142	8.455	0.0700	8.497	0.3528	0.1117	87	-0.12	001.07	0
001	Loss on Drying (%)	0644	8.465	0.0300	8.497	0.3528	0.1117	87	-0.09	001.05	0
001	Loss on Drying (%)	0571	8.475	0.0900	8.497	0.3528	0.1117	87	-0.06	001.07	0
001	Loss on Drying (%)	0353	8.480	0.4000	8.497	0.3528	0.1117	87	-0.05	001.07	0
001	Loss on Drying (%)	0186	8.485	0.0100	8.497	0.3528	0.1117	87	-0.03	001.99	0
001	Loss on Drying (%)	0049	8.490	0.5000	8.497	0.3528	0.1117	87	-0.02	001.07	0
001	Loss on Drying (%)	0720	8.490	0.0200	8.497	0.3528	0.1117	87	-0.02	001.99	0
001	Loss on Drying (%)	2059	8.495	0.0100	8.497	0.3528	0.1117	87	-0.01	001.07	0
001	Loss on Drying (%)	2192	8.500	0.3600	8.497	0.3528	0.1117	87	0.01	001.07	0
001	Loss on Drying (%)	0407	8.508	0.0045	8.497	0.3528	0.1117	87	0.03	001.07	0
001	Loss on Drying (%)	2190	8.510	0.1600	8.497	0.3528	0.1117	87	0.04	001.07	0
001	Loss on Drying (%)	2053	8.515	0.1100	8.497	0.3528	0.1117	87	0.05	001.07	0
001	Loss on Drying (%)	0675	8.540	0.2400	8.497	0.3528	0.1117	87	0.12	001.07	0
001	Loss on Drying (%)	2018	8.544	0.0330	8.497	0.3528	0.1117	87	0.13	001.99	0
001	Loss on Drying (%)	2242	8.550	0.4400	8.497	0.3528	0.1117	87	0.15	001.99	0
001	Loss on Drying (%)	0074	8.560	0.2200	8.497	0.3528	0.1117	87	0.18	001.07	0
001	Loss on Drying (%)	0619	8.560	0.0200	8.497	0.3528	0.1117	87	0.18	001.03	0
001	Loss on Drying (%)	0037	8.590	0.0200	8.497	0.3528	0.1117	87	0.26	001.99	0
001	Loss on Drying (%)	2268	8.590	0.2800	8.497	0.3528	0.1117	87	0.26	001.99	0
001	Loss on Drying (%)	0560	8.600	0.2000	8.497	0.3528	0.1117	87	0.29	001.99	0
001	Loss on Drying (%)	0033	8.610	0.0600	8.497	0.3528	0.1117	87	0.32	001.07	0
001	Loss on Drying (%)	0590	8.635	0.0700	8.497	0.3528	0.1117	87	0.39	001.99	0
001	Loss on Drying (%)	2012	8.645	0.0300	8.497	0.3528	0.1117	87	0.42	001.07	0
001	Loss on Drying (%)	0689	8.650	0.1000	8.497	0.3528	0.1117	87	0.43	001.07	0
001	Loss on Drying (%)	0650	8.655	0.0700	8.497	0.3528	0.1117	87	0.45	001.07	0
001	Loss on Drying (%)	0309	8.655	0.0140	8.497	0.3528	0.1117	87	0.45	001.00	0
001	Loss on Drying (%)	0003	8.660	0.0000	8.497	0.3528	0.1117	87	0.46	001.07	0
001	Loss on Drying (%)	0148	8.660	0.2200	8.497	0.3528	0.1117	87	0.46	001.07	0
001	Loss on Drying (%)	0028	8.690	0.1800	8.497	0.3528	0.1117	87	0.55	001.07	0
001	Loss on Drying (%)	0893	8.695	0.0300	8.497	0.3528	0.1117	87	0.56	001.03	0
001	Loss on Drying (%)	0035	8.700	0.0600	8.497	0.3528	0.1117	87	0.58	001.07	0
001	Loss on Drying (%)	0872	8.700	0.1200	8.497	0.3528	0.1117	87	0.58	001.07	0
001	Loss on Drying (%)	0581	8.715	0.0300	8.497	0.3528	0.1117	87	0.62	001.07	0
001	Loss on Drying (%)	0612	8.715	0.0700	8.497	0.3528	0.1117	87	0.62	001.99	0
001	Loss on Drying (%)	0171	8.720	0.2600	8.497	0.3528	0.1117	87	0.63	001.07	0
001	Loss on Drying (%)	0878	8.750	0.0600	8.497	0.3528	0.1117	87	0.72	001.03	0
001	Loss on Drying (%)	0066	8.750	0.0600	8.497	0.3528	0.1117	87	0.72	001.07	0
001	Loss on Drying (%)	0912	8.750	0.1000	8.497	0.3528	0.1117	87	0.72	001.99	0
001	Loss on Drying (%)	0139	8.805	0.0300	8.497	0.3528	0.1117	87	0.87	001.07	0
001	Loss on Drying (%)	2259	8.829	0.0270	8.497	0.3528	0.1117	87	0.94	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0098	8.835	0.0500	8.497	0.3528	0.1117	87	0.96	001.07	0
001	Loss on Drying (%)	0183	8.896	0.1000	8.497	0.3528	0.1117	87	1.13	001.00	0
001	Loss on Drying (%)	0876	8.900	0.2000	8.497	0.3528	0.1117	87	1.14	001.07	0
001	Loss on Drying (%)	0027	8.915	0.0410	8.497	0.3528	0.1117	87	1.18	001.00	0
001	Loss on Drying (%)	2109	8.920	0.0200	8.497	0.3528	0.1117	87	1.20	001.07	0
001	Loss on Drying (%)	0693	8.930	0.2120	8.497	0.3528	0.1117	87	1.23	001.07	0
001	Loss on Drying (%)	0019	8.945	0.0100	8.497	0.3528	0.1117	87	1.27	001.99	0
001	Loss on Drying (%)	0843	9.035	0.1100	8.497	0.3528	0.1117	87	1.53	001.03	0
001	Loss on Drying (%)	0843	9.035	0.1100	8.497	0.3528	0.1117	87	1.53	001.07	0
001	Loss on Drying (%)	0629	9.105	0.0100	8.497	0.3528	0.1117	87	1.72	001.99	0
001	Loss on Drying (%)	0278	9.405	0.2100	8.497	0.3528	0.1117	87	2.57	001.07	0
001	Loss on Drying (%)	0045	9.465	0.4900	8.497	0.3528	0.1117	87	2.74	001.07	0
001	Loss on Drying (%)	0955	9.965	0.0700	8.497	0.3528	0.1117	87	4.16	001.99	0
001	Loss on Drying (%)	2081	7.855	1.930	8.497	0.3528	0.1117	87	-1.82	001.99	1
001	Loss on Drying (%)	0366	8.700	1.000	8.497	0.3528	0.1117	87	0.58	001.07	1
001	Loss on Drying (%)	0169	91.71	0.0300	8.497	0.3528	0.1117	87	235.82	001.00	2
002	Protein, Crude (%)	0183	17.04	0.2900	19.06	0.3845	0.1753	189	-5.27	002.01	0
002	Protein, Crude (%)	2155	17.36	0.3040	19.06	0.3845	0.1753	189	-4.42	002.06	0
002	Protein, Crude (%)	0520	17.60	0.2000	19.06	0.3845	0.1753	189	-3.80	002.06	0
002	Protein, Crude (%)	0062	17.63	0.8450	19.06	0.3845	0.1753	189	-3.73	002.06	0
002	Protein, Crude (%)	0853	17.70	0.2000	19.06	0.3845	0.1753	189	-3.54	002.06	0
002	Protein, Crude (%)	0852	17.91	0.0900	19.06	0.3845	0.1753	189	-3.01	002.05	0
002	Protein, Crude (%)	0889	17.96	0.2000	19.06	0.3845	0.1753	189	-2.86	002.11	0
002	Protein, Crude (%)	0011	17.98	0.9100	19.06	0.3845	0.1753	189	-2.82	002.06	0
002	Protein, Crude (%)	2073	18.18	0.2900	19.06	0.3845	0.1753	189	-2.30	002.05	0
002	Protein, Crude (%)	0539	18.23	0.0600	19.06	0.3845	0.1753	189	-2.16	002.06	0
002	Protein, Crude (%)	0529	18.29	0.1600	19.06	0.3845	0.1753	189	-2.00	002.06	0
002	Protein, Crude (%)	2181	18.37	0.1900	19.06	0.3845	0.1753	189	-1.81	002.05	0
002	Protein, Crude (%)	2188	18.39	0.0100	19.06	0.3845	0.1753	189	-1.76	002.01	0
002	Protein, Crude (%)	0955	18.40	0.4000	19.06	0.3845	0.1753	189	-1.72	002.05	0
002	Protein, Crude (%)	2190	18.47	0.1200	19.06	0.3845	0.1753	189	-1.54	002.05	0
002	Protein, Crude (%)	2259	18.47	0.0150	19.06	0.3845	0.1753	189	-1.53	002.01	0
002	Protein, Crude (%)	2246	18.49	0.0300	19.06	0.3845	0.1753	189	-1.50	002.05	0
002	Protein, Crude (%)	2109	18.52	0.0500	19.06	0.3845	0.1753	189	-1.42	002.05	0
002	Protein, Crude (%)	0720	18.52	0.0700	19.06	0.3845	0.1753	189	-1.42	002.06	0
002	Protein, Crude (%)	0644	18.54	0.0380	19.06	0.3845	0.1753	189	-1.36	002.06	0
002	Protein, Crude (%)	0870	18.54	0.0170	19.06	0.3845	0.1753	189	-1.36	002.01	0
002	Protein, Crude (%)	0169	18.55	0.3100	19.06	0.3845	0.1753	189	-1.34	002.00	0
002	Protein, Crude (%)	0849	18.56	0.0420	19.06	0.3845	0.1753	189	-1.30	002.05	0
002	Protein, Crude (%)	0598	18.58	0.2000	19.06	0.3845	0.1753	189	-1.25	002.06	0
002	Protein, Crude (%)	0893	18.60	0.1400	19.06	0.3845	0.1753	189	-1.20	002.05	0
002	Protein, Crude (%)	0653	18.63	0.0200	19.06	0.3845	0.1753	189	-1.12	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein, Crude (%)	0100	18.65	0.1300	19.06	0.3845	0.1753	189	-1.08	002.06	0
002	Protein, Crude (%)	0880	18.65	0.5000	19.06	0.3845	0.1753	189	-1.07	002.06	0
002	Protein, Crude (%)	2018	18.65	0.1200	19.06	0.3845	0.1753	189	-1.07	002.06	0
002	Protein, Crude (%)	2128	18.67	0.0890	19.06	0.3845	0.1753	189	-1.00	002.03	0
002	Protein, Crude (%)	0910	18.70	0.2000	19.06	0.3845	0.1753	189	-0.94	002.01	0
002	Protein, Crude (%)	0939	18.72	0.1300	19.06	0.3845	0.1753	189	-0.90	002.05	0
002	Protein, Crude (%)	0164	18.72	0.0600	19.06	0.3845	0.1753	189	-0.89	002.01	0
002	Protein, Crude (%)	0885	18.72	0.0215	19.06	0.3845	0.1753	189	-0.88	002.05	0
002	Protein, Crude (%)	2006	18.73	0.0400	19.06	0.3845	0.1753	189	-0.86	002.05	0
002	Protein, Crude (%)	0098	18.76	0.0300	19.06	0.3845	0.1753	189	-0.79	002.08	0
002	Protein, Crude (%)	0354	18.77	0.0100	19.06	0.3845	0.1753	189	-0.77	002.05	0
002	Protein, Crude (%)	0297	18.78	0.2100	19.06	0.3845	0.1753	189	-0.74	002.06	0
002	Protein, Crude (%)	0033	18.80	0.2000	19.06	0.3845	0.1753	189	-0.68	002.06	0
002	Protein, Crude (%)	0955	18.80	0.8000	19.06	0.3845	0.1753	189	-0.68	002.06	0
002	Protein, Crude (%)	0619	18.80	0.0000	19.06	0.3845	0.1753	189	-0.68	002.05	0
002	Protein, Crude (%)	0098	18.80	0.4000	19.06	0.3845	0.1753	189	-0.68	002.06	0
002	Protein, Crude (%)	0171	18.81	0.1100	19.06	0.3845	0.1753	189	-0.66	002.06	0
002	Protein, Crude (%)	0852	18.81	0.0300	19.06	0.3845	0.1753	189	-0.66	002.11	0
002	Protein, Crude (%)	2198	18.82	0.0100	19.06	0.3845	0.1753	189	-0.64	002.01	0
002	Protein, Crude (%)	0139	18.82	0.1400	19.06	0.3845	0.1753	189	-0.63	002.06	0
002	Protein, Crude (%)	2184	18.85	0.4900	19.06	0.3845	0.1753	189	-0.56	002.06	0
002	Protein, Crude (%)	2192	18.86	0.0300	19.06	0.3845	0.1753	189	-0.53	002.05	0
002	Protein, Crude (%)	0651	18.87	0.0240	19.06	0.3845	0.1753	189	-0.51	002.05	0
002	Protein, Crude (%)	2009	18.87	0.0311	19.06	0.3845	0.1753	189	-0.51	002.05	0
002	Protein, Crude (%)	0019	18.87	0.2600	19.06	0.3845	0.1753	189	-0.50	002.06	0
002	Protein, Crude (%)	0592	18.88	0.1092	19.06	0.3845	0.1753	189	-0.48	002.06	0
002	Protein, Crude (%)	0897	18.89	0.0300	19.06	0.3845	0.1753	189	-0.46	002.05	0
002	Protein, Crude (%)	2248	18.89	0.0000	19.06	0.3845	0.1753	189	-0.44	002.05	0
002	Protein, Crude (%)	0610	18.90	0.0000	19.06	0.3845	0.1753	189	-0.42	002.01	0
002	Protein, Crude (%)	2146	18.90	0.1400	19.06	0.3845	0.1753	189	-0.42	002.05	0
002	Protein, Crude (%)	0278	18.90	0.2000	19.06	0.3845	0.1753	189	-0.42	002.06	0
002	Protein, Crude (%)	0650	18.90	0.2000	19.06	0.3845	0.1753	189	-0.42	002.06	0
002	Protein, Crude (%)	2193	18.91	0.0200	19.06	0.3845	0.1753	189	-0.39	002.01	0
002	Protein, Crude (%)	0948	18.91	0.0800	19.06	0.3845	0.1753	189	-0.39	002.06	0
002	Protein, Crude (%)	0868	18.92	0.0200	19.06	0.3845	0.1753	189	-0.37	002.05	0
002	Protein, Crude (%)	0622	18.92	0.1157	19.06	0.3845	0.1753	189	-0.37	002.05	0
002	Protein, Crude (%)	2150	18.94	0.1900	19.06	0.3845	0.1753	189	-0.33	002.06	0
002	Protein, Crude (%)	2196	18.94	0.0000	19.06	0.3845	0.1753	189	-0.31	002.01	0
002	Protein, Crude (%)	2059	18.95	0.1094	19.06	0.3845	0.1753	189	-0.30	002.06	0
002	Protein, Crude (%)	0878	18.95	0.1800	19.06	0.3845	0.1753	189	-0.29	002.05	0
002	Protein, Crude (%)	0010	18.95	0.1000	19.06	0.3845	0.1753	189	-0.29	002.06	0
002	Protein, Crude (%)	0689	18.95	0.3000	19.06	0.3845	0.1753	189	-0.29	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein, Crude (%)	0626	18.96	0.1780	19.06	0.3845	0.1753	189	-0.25	002.06	0
002	Protein, Crude (%)	2144	18.97	0.2300	19.06	0.3845	0.1753	189	-0.25	002.05	0
002	Protein, Crude (%)	0006	18.97	0.0300	19.06	0.3845	0.1753	189	-0.25	002.06	0
002	Protein, Crude (%)	0123	18.97	0.0100	19.06	0.3845	0.1753	189	-0.25	002.06	0
002	Protein, Crude (%)	0164	18.97	0.3200	19.06	0.3845	0.1753	189	-0.24	002.06	0
002	Protein, Crude (%)	0629	18.97	0.0200	19.06	0.3845	0.1753	189	-0.24	002.10	0
002	Protein, Crude (%)	0875	18.97	0.0600	19.06	0.3845	0.1753	189	-0.24	002.10	0
002	Protein, Crude (%)	0881	18.97	0.0740	19.06	0.3845	0.1753	189	-0.23	002.05	0
002	Protein, Crude (%)	0187	18.98	0.0500	19.06	0.3845	0.1753	189	-0.22	002.04	0
002	Protein, Crude (%)	0939	18.98	0.0500	19.06	0.3845	0.1753	189	-0.22	002.06	0
002	Protein, Crude (%)	0074	18.98	0.5000	19.06	0.3845	0.1753	189	-0.21	002.06	0
002	Protein, Crude (%)	2168	18.99	0.0700	19.06	0.3845	0.1753	189	-0.20	002.06	0
002	Protein, Crude (%)	2144	18.99	0.6800	19.06	0.3845	0.1753	189	-0.18	002.06	0
002	Protein, Crude (%)	0505	18.99	0.0600	19.06	0.3845	0.1753	189	-0.18	002.06	0
002	Protein, Crude (%)	0036	19.00	0.0091	19.06	0.3845	0.1753	189	-0.16	002.02	0
002	Protein, Crude (%)	0675	19.00	0.0200	19.06	0.3845	0.1753	189	-0.16	002.05	0
002	Protein, Crude (%)	0016	19.00	0.4000	19.06	0.3845	0.1753	189	-0.16	002.06	0
002	Protein, Crude (%)	0956	19.00	0.4000	19.06	0.3845	0.1753	189	-0.16	002.06	0
002	Protein, Crude (%)	2053	19.00	0.2000	19.06	0.3845	0.1753	189	-0.16	002.06	0
002	Protein, Crude (%)	2058	19.02	0.0300	19.06	0.3845	0.1753	189	-0.12	002.04	0
002	Protein, Crude (%)	0144	19.02	0.1400	19.06	0.3845	0.1753	189	-0.11	002.06	0
002	Protein, Crude (%)	0066	19.03	0.1300	19.06	0.3845	0.1753	189	-0.09	002.02	0
002	Protein, Crude (%)	0148	19.03	0.1100	19.06	0.3845	0.1753	189	-0.09	002.06	0
002	Protein, Crude (%)	0589	19.03	0.1100	19.06	0.3845	0.1753	189	-0.09	002.06	0
002	Protein, Crude (%)	0693	19.03	0.0810	19.06	0.3845	0.1753	189	-0.09	002.06	0
002	Protein, Crude (%)	0948	19.03	0.1000	19.06	0.3845	0.1753	189	-0.08	002.05	0
002	Protein, Crude (%)	0028	19.03	0.2000	19.06	0.3845	0.1753	189	-0.08	002.06	0
002	Protein, Crude (%)	0676	19.03	0.0600	19.06	0.3845	0.1753	189	-0.08	002.06	0
002	Protein, Crude (%)	0049	19.05	0.5200	19.06	0.3845	0.1753	189	-0.03	002.06	0
002	Protein, Crude (%)	0510	19.05	0.3000	19.06	0.3845	0.1753	189	-0.03	002.06	0
002	Protein, Crude (%)	0610	19.05	0.3000	19.06	0.3845	0.1753	189	-0.03	002.06	0
002	Protein, Crude (%)	0354	19.06	0.0200	19.06	0.3845	0.1753	189	0.00	002.06	0
002	Protein, Crude (%)	0868	19.07	0.0100	19.06	0.3845	0.1753	189	0.01	002.06	0
002	Protein, Crude (%)	2109	19.07	0.2700	19.06	0.3845	0.1753	189	0.01	002.06	0
002	Protein, Crude (%)	0298	19.07	0.0200	19.06	0.3845	0.1753	189	0.02	002.06	0
002	Protein, Crude (%)	0047	19.09	0.1700	19.06	0.3845	0.1753	189	0.06	002.06	0
002	Protein, Crude (%)	0504	19.10	0.2500	19.06	0.3845	0.1753	189	0.09	002.04	0
002	Protein, Crude (%)	0968	19.10	0.0970	19.06	0.3845	0.1753	189	0.10	002.06	0
002	Protein, Crude (%)	0202	19.10	0.1200	19.06	0.3845	0.1753	189	0.10	002.06	0
002	Protein, Crude (%)	0848	19.10	0.0400	19.06	0.3845	0.1753	189	0.10	002.06	0
002	Protein, Crude (%)	0682	19.11	0.0000	19.06	0.3845	0.1753	189	0.13	002.06	0
002	Protein, Crude (%)	2081	19.13	0.5000	19.06	0.3845	0.1753	189	0.18	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein, Crude (%)	0870	19.13	0.0881	19.06	0.3845	0.1753	189	0.19	002.06	0
002	Protein, Crude (%)	0541	19.14	0.2300	19.06	0.3845	0.1753	189	0.19	002.06	0
002	Protein, Crude (%)	0108	19.14	0.1200	19.06	0.3845	0.1753	189	0.21	002.06	0
002	Protein, Crude (%)	0964	19.15	0.0280	19.06	0.3845	0.1753	189	0.22	002.06	0
002	Protein, Crude (%)	0045	19.15	0.3000	19.06	0.3845	0.1753	189	0.23	002.06	0
002	Protein, Crude (%)	0175	19.15	0.1000	19.06	0.3845	0.1753	189	0.23	002.06	0
002	Protein, Crude (%)	0345	19.15	0.1000	19.06	0.3845	0.1753	189	0.23	002.06	0
002	Protein, Crude (%)	0687	19.15	0.5000	19.06	0.3845	0.1753	189	0.23	002.06	0
002	Protein, Crude (%)	0884	19.15	0.3000	19.06	0.3845	0.1753	189	0.23	002.06	0
002	Protein, Crude (%)	0910	19.15	0.1000	19.06	0.3845	0.1753	189	0.23	002.06	0
002	Protein, Crude (%)	0683	19.17	0.1300	19.06	0.3845	0.1753	189	0.27	002.05	0
002	Protein, Crude (%)	0004	19.17	0.3600	19.06	0.3845	0.1753	189	0.28	002.06	0
002	Protein, Crude (%)	0353	19.18	0.0200	19.06	0.3845	0.1753	189	0.31	002.06	0
002	Protein, Crude (%)	2012	19.19	0.0900	19.06	0.3845	0.1753	189	0.32	002.05	0
002	Protein, Crude (%)	0889	19.19	0.0000	19.06	0.3845	0.1753	189	0.34	002.01	0
002	Protein, Crude (%)	0553	19.20	0.3100	19.06	0.3845	0.1753	189	0.35	002.06	0
002	Protein, Crude (%)	0571	19.20	0.3900	19.06	0.3845	0.1753	189	0.35	002.06	0
002	Protein, Crude (%)	0675	19.20	0.0200	19.06	0.3845	0.1753	189	0.36	002.06	0
002	Protein, Crude (%)	0872	19.21	0.1620	19.06	0.3845	0.1753	189	0.38	002.06	0
002	Protein, Crude (%)	0968	19.21	0.1630	19.06	0.3845	0.1753	189	0.39	002.01	0
002	Protein, Crude (%)	0226	19.23	0.0500	19.06	0.3845	0.1753	189	0.43	002.06	0
002	Protein, Crude (%)	0018	19.23	0.2000	19.06	0.3845	0.1753	189	0.44	002.06	0
002	Protein, Crude (%)	0590	19.24	0.0500	19.06	0.3845	0.1753	189	0.45	002.06	0
002	Protein, Crude (%)	2012	19.24	0.8200	19.06	0.3845	0.1753	189	0.47	002.06	0
002	Protein, Crude (%)	0652	19.25	0.3000	19.06	0.3845	0.1753	189	0.49	002.01	0
002	Protein, Crude (%)	0574	19.25	0.1000	19.06	0.3845	0.1753	189	0.49	002.06	0
002	Protein, Crude (%)	0619	19.25	0.3000	19.06	0.3845	0.1753	189	0.49	002.06	0
002	Protein, Crude (%)	0692	19.25	0.1000	19.06	0.3845	0.1753	189	0.49	002.06	0
002	Protein, Crude (%)	0142	19.26	0.0500	19.06	0.3845	0.1753	189	0.51	002.06	0
002	Protein, Crude (%)	0034	19.27	0.0620	19.06	0.3845	0.1753	189	0.53	002.06	0
002	Protein, Crude (%)	0726	19.27	0.0000	19.06	0.3845	0.1753	189	0.54	002.06	0
002	Protein, Crude (%)	2242	19.27	0.3800	19.06	0.3845	0.1753	189	0.54	002.06	0
002	Protein, Crude (%)	0357	19.28	0.3125	19.06	0.3845	0.1753	189	0.57	002.06	0
002	Protein, Crude (%)	0036	19.30	0.0300	19.06	0.3845	0.1753	189	0.61	002.06	0
002	Protein, Crude (%)	0035	19.31	0.4200	19.06	0.3845	0.1753	189	0.65	002.06	0
002	Protein, Crude (%)	0309	19.32	0.0434	19.06	0.3845	0.1753	189	0.67	002.06	0
002	Protein, Crude (%)	0027	19.32	0.1470	19.06	0.3845	0.1753	189	0.67	002.06	0
002	Protein, Crude (%)	0242	19.32	0.0400	19.06	0.3845	0.1753	189	0.67	002.06	0
002	Protein, Crude (%)	0265	19.35	0.1000	19.06	0.3845	0.1753	189	0.75	002.06	0
002	Protein, Crude (%)	0294	19.35	0.1000	19.06	0.3845	0.1753	189	0.75	002.06	0
002	Protein, Crude (%)	0229	19.36	0.0000	19.06	0.3845	0.1753	189	0.78	002.06	0
002	Protein, Crude (%)	0618	19.36	0.2330	19.06	0.3845	0.1753	189	0.78	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein, Crude (%)	0009	19.40	0.1200	19.06	0.3845	0.1753	189	0.88	002.06	0
002	Protein, Crude (%)	0366	19.40	0.0000	19.06	0.3845	0.1753	189	0.88	002.06	0
002	Protein, Crude (%)	0859	19.42	0.0240	19.06	0.3845	0.1753	189	0.93	002.06	0
002	Protein, Crude (%)	0843	19.45	0.1300	19.06	0.3845	0.1753	189	1.00	002.06	0
002	Protein, Crude (%)	0918	19.45	0.1700	19.06	0.3845	0.1753	189	1.00	002.06	0
002	Protein, Crude (%)	0186	19.45	0.1000	19.06	0.3845	0.1753	189	1.01	002.06	0
002	Protein, Crude (%)	0083	19.46	0.1200	19.06	0.3845	0.1753	189	1.04	002.06	0
002	Protein, Crude (%)	0857	19.47	0.4200	19.06	0.3845	0.1753	189	1.06	002.06	0
002	Protein, Crude (%)	0089	19.48	0.0100	19.06	0.3845	0.1753	189	1.08	002.06	0
002	Protein, Crude (%)	0037	19.49	0.1300	19.06	0.3845	0.1753	189	1.10	002.06	0
002	Protein, Crude (%)	2057	19.50	0.0180	19.06	0.3845	0.1753	189	1.15	002.06	0
002	Protein, Crude (%)	2089	19.52	0.0100	19.06	0.3845	0.1753	189	1.18	002.06	0
002	Protein, Crude (%)	0358	19.53	0.4900	19.06	0.3845	0.1753	189	1.21	002.06	0
002	Protein, Crude (%)	2213	19.53	0.0100	19.06	0.3845	0.1753	189	1.21	002.06	0
002	Protein, Crude (%)	0504	19.54	0.2400	19.06	0.3845	0.1753	189	1.25	002.06	0
002	Protein, Crude (%)	0190	19.57	0.0400	19.06	0.3845	0.1753	189	1.32	002.06	0
002	Protein, Crude (%)	0590	19.57	0.1000	19.06	0.3845	0.1753	189	1.32	002.11	0
002	Protein, Crude (%)	0425	19.59	0.0300	19.06	0.3845	0.1753	189	1.36	002.06	0
002	Protein, Crude (%)	0263	19.59	0.0030	19.06	0.3845	0.1753	189	1.38	002.06	0
002	Protein, Crude (%)	0953	19.59	0.5200	19.06	0.3845	0.1753	189	1.38	002.06	0
002	Protein, Crude (%)	0003	19.63	0.5100	19.06	0.3845	0.1753	189	1.47	002.06	0
002	Protein, Crude (%)	0536	19.65	0.0900	19.06	0.3845	0.1753	189	1.52	002.05	0
002	Protein, Crude (%)	0026	19.67	0.2230	19.06	0.3845	0.1753	189	1.60	002.06	0
002	Protein, Crude (%)	0646	19.68	0.4200	19.06	0.3845	0.1753	189	1.61	002.06	0
002	Protein, Crude (%)	0001	19.69	0.5000	19.06	0.3845	0.1753	189	1.64	002.06	0
002	Protein, Crude (%)	0876	19.70	0.2000	19.06	0.3845	0.1753	189	1.66	002.06	0
002	Protein, Crude (%)	0511	19.77	0.2600	19.06	0.3845	0.1753	189	1.85	002.06	0
002	Protein, Crude (%)	0407	19.77	0.0100	19.06	0.3845	0.1753	189	1.86	002.06	0
002	Protein, Crude (%)	2076	19.84	0.0970	19.06	0.3845	0.1753	189	2.02	002.06	0
002	Protein, Crude (%)	2268	19.86	0.7500	19.06	0.3845	0.1753	189	2.07	002.06	0
002	Protein, Crude (%)	0643	19.88	0.8400	19.06	0.3845	0.1753	189	2.13	002.99	0
002	Protein, Crude (%)	0553	19.95	0.1700	19.06	0.3845	0.1753	189	2.30	002.11	0
002	Protein, Crude (%)	2128	20.22	0.0340	19.06	0.3845	0.1753	189	3.02	002.11	0
002	Protein, Crude (%)	0297	20.49	0.4100	19.06	0.3845	0.1753	189	3.70	002.11	0
002	Protein, Crude (%)	0011	21.60	0.0000	19.06	0.3845	0.1753	189	6.61	002.11	0
002	Protein, Crude (%)	0720	21.66	0.2600	19.06	0.3845	0.1753	189	6.76	002.11	0
002	Protein, Crude (%)	0612	22.43	0.3300	19.06	0.3845	0.1753	189	8.75	002.06	0
002	Protein, Crude (%)	0581	17.52	1.380	19.06	0.3845	0.1753	189	-4.01	002.05	1
002	Protein, Crude (%)	0038	19.19	0.9700	19.06	0.3845	0.1753	189	0.32	002.06	1
002	Protein, Crude (%)	0685	20.58	1.000	19.06	0.3845	0.1753	189	3.95	002.01	1
002	Protein, Crude (%)	2129	13.12	0.2580	19.06	0.3845	0.1753	189	-15.46	002.06	2
002	Protein, Crude (%)	0405	24.22	0.0800	19.06	0.3845	0.1753	189	13.42	002.11	2

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat, Crude (%)	2248	1.620	0.0000	4.078	0.3477	0.1285	151	-7.07	003.01	0
003	Fat, Crude (%)	0357	2.400	0.4000	4.078	0.3477	0.1285	151	-4.83	003.14	0
003	Fat, Crude (%)	2018	2.950	0.0000	4.078	0.3477	0.1285	151	-3.24	003.10	0
003	Fat, Crude (%)	0142	2.975	0.3700	4.078	0.3477	0.1285	151	-3.17	003.00	0
003	Fat, Crude (%)	0889	3.210	0.0000	4.078	0.3477	0.1285	151	-2.50	003.11	0
003	Fat, Crude (%)	2073	3.495	0.0500	4.078	0.3477	0.1285	151	-1.68	003.10	0
003	Fat, Crude (%)	0693	3.509	0.0580	4.078	0.3477	0.1285	151	-1.64	003.10	0
003	Fat, Crude (%)	0870	3.544	0.1717	4.078	0.3477	0.1285	151	-1.53	003.10	0
003	Fat, Crude (%)	0853	3.550	0.3000	4.078	0.3477	0.1285	151	-1.52	003.14	0
003	Fat, Crude (%)	0574	3.565	0.0300	4.078	0.3477	0.1285	151	-1.47	003.14	0
003	Fat, Crude (%)	0175	3.585	0.0300	4.078	0.3477	0.1285	151	-1.42	003.14	0
003	Fat, Crude (%)	2193	3.590	0.0400	4.078	0.3477	0.1285	151	-1.40	003.10	0
003	Fat, Crude (%)	2246	3.655	0.0100	4.078	0.3477	0.1285	151	-1.22	003.13	0
003	Fat, Crude (%)	2188	3.660	0.0200	4.078	0.3477	0.1285	151	-1.20	003.10	0
003	Fat, Crude (%)	0019	3.665	0.2500	4.078	0.3477	0.1285	151	-1.19	003.14	0
003	Fat, Crude (%)	0876	3.700	0.4000	4.078	0.3477	0.1285	151	-1.09	003.14	0
003	Fat, Crude (%)	2268	3.705	0.4700	4.078	0.3477	0.1285	151	-1.07	003.06	0
003	Fat, Crude (%)	0511	3.705	0.4700	4.078	0.3477	0.1285	151	-1.07	003.14	0
003	Fat, Crude (%)	0100	3.720	0.2200	4.078	0.3477	0.1285	151	-1.03	003.10	0
003	Fat, Crude (%)	0045	3.725	0.1300	4.078	0.3477	0.1285	151	-1.01	003.10	0
003	Fat, Crude (%)	0242	3.725	0.0900	4.078	0.3477	0.1285	151	-1.01	003.10	0
003	Fat, Crude (%)	0553	3.730	0.0000	4.078	0.3477	0.1285	151	-1.00	003.10	0
003	Fat, Crude (%)	0675	3.740	0.0400	4.078	0.3477	0.1285	151	-0.97	003.09	0
003	Fat, Crude (%)	0897	3.740	0.0000	4.078	0.3477	0.1285	151	-0.97	003.10	0
003	Fat, Crude (%)	0619	3.750	0.1000	4.078	0.3477	0.1285	151	-0.94	003.10	0
003	Fat, Crude (%)	0265	3.755	0.0900	4.078	0.3477	0.1285	151	-0.93	003.14	0
003	Fat, Crude (%)	0345	3.775	0.1500	4.078	0.3477	0.1285	151	-0.87	003.00	0
003	Fat, Crude (%)	0083	3.780	0.0200	4.078	0.3477	0.1285	151	-0.86	003.14	0
003	Fat, Crude (%)	2155	3.784	0.0130	4.078	0.3477	0.1285	151	-0.85	003.10	0
003	Fat, Crude (%)	0144	3.790	0.1000	4.078	0.3477	0.1285	151	-0.83	003.14	0
003	Fat, Crude (%)	0956	3.800	0.0000	4.078	0.3477	0.1285	151	-0.80	003.14	0
003	Fat, Crude (%)	0263	3.808	0.0063	4.078	0.3477	0.1285	151	-0.77	003.10	0
003	Fat, Crude (%)	0026	3.815	0.0300	4.078	0.3477	0.1285	151	-0.76	003.00	0
003	Fat, Crude (%)	0629	3.825	0.0500	4.078	0.3477	0.1285	151	-0.73	003.10	0
003	Fat, Crude (%)	0098	3.830	0.2000	4.078	0.3477	0.1285	151	-0.71	003.13	0
003	Fat, Crude (%)	2184	3.835	0.0700	4.078	0.3477	0.1285	151	-0.70	003.10	0
003	Fat, Crude (%)	0366	3.850	0.1000	4.078	0.3477	0.1285	151	-0.65	003.10	0
003	Fat, Crude (%)	0720	3.855	0.1700	4.078	0.3477	0.1285	151	-0.64	003.10	0
003	Fat, Crude (%)	0581	3.860	0.3000	4.078	0.3477	0.1285	151	-0.63	003.14	0
003	Fat, Crude (%)	0358	3.860	0.1800	4.078	0.3477	0.1285	151	-0.63	003.14	0
003	Fat, Crude (%)	0651	3.865	0.0220	4.078	0.3477	0.1285	151	-0.61	003.10	0
003	Fat, Crude (%)	0536	3.875	0.0500	4.078	0.3477	0.1285	151	-0.58	003.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat, Crude (%)	0036	3.878	0.0740	4.078	0.3477	0.1285	151	-0.57	003.10	0
003	Fat, Crude (%)	2190	3.880	0.0000	4.078	0.3477	0.1285	151	-0.57	003.00	0
003	Fat, Crude (%)	0108	3.880	0.2600	4.078	0.3477	0.1285	151	-0.57	003.14	0
003	Fat, Crude (%)	0939	3.885	0.1500	4.078	0.3477	0.1285	151	-0.55	003.14	0
003	Fat, Crude (%)	0186	3.890	0.0200	4.078	0.3477	0.1285	151	-0.54	003.14	0
003	Fat, Crude (%)	0297	3.900	0.0800	4.078	0.3477	0.1285	151	-0.51	003.06	0
003	Fat, Crude (%)	2196	3.900	0.0000	4.078	0.3477	0.1285	151	-0.51	003.10	0
003	Fat, Crude (%)	0692	3.900	0.4000	4.078	0.3477	0.1285	151	-0.51	003.14	0
003	Fat, Crude (%)	0685	3.905	0.2100	4.078	0.3477	0.1285	151	-0.50	003.09	0
003	Fat, Crude (%)	0644	3.915	0.0840	4.078	0.3477	0.1285	151	-0.47	003.06	0
003	Fat, Crude (%)	0590	3.930	0.2800	4.078	0.3477	0.1285	151	-0.42	003.09	0
003	Fat, Crude (%)	0004	3.930	0.0400	4.078	0.3477	0.1285	151	-0.42	003.14	0
003	Fat, Crude (%)	2009	3.949	0.0018	4.078	0.3477	0.1285	151	-0.37	003.10	0
003	Fat, Crude (%)	0033	3.955	0.0500	4.078	0.3477	0.1285	151	-0.35	003.13	0
003	Fat, Crude (%)	0618	3.961	0.0620	4.078	0.3477	0.1285	151	-0.34	003.10	0
003	Fat, Crude (%)	0037	3.970	0.1200	4.078	0.3477	0.1285	151	-0.31	003.14	0
003	Fat, Crude (%)	0868	3.970	0.0400	4.078	0.3477	0.1285	151	-0.31	003.14	0
003	Fat, Crude (%)	0300	3.980	0.3600	4.078	0.3477	0.1285	151	-0.28	003.14	0
003	Fat, Crude (%)	0098	3.980	0.1000	4.078	0.3477	0.1285	151	-0.28	003.10	0
003	Fat, Crude (%)	0183	3.985	0.2010	4.078	0.3477	0.1285	151	-0.27	003.14	0
003	Fat, Crude (%)	0202	3.985	0.0900	4.078	0.3477	0.1285	151	-0.27	003.14	0
003	Fat, Crude (%)	0298	3.990	0.0200	4.078	0.3477	0.1285	151	-0.25	003.14	0
003	Fat, Crude (%)	0187	3.995	0.0900	4.078	0.3477	0.1285	151	-0.24	003.13	0
003	Fat, Crude (%)	0066	3.995	0.1300	4.078	0.3477	0.1285	151	-0.24	003.14	0
003	Fat, Crude (%)	0689	4.000	0.2000	4.078	0.3477	0.1285	151	-0.22	003.10	0
003	Fat, Crude (%)	0878	4.000	0.0400	4.078	0.3477	0.1285	151	-0.22	003.14	0
003	Fat, Crude (%)	0912	4.000	0.2000	4.078	0.3477	0.1285	151	-0.22	003.14	0
003	Fat, Crude (%)	0870	4.002	0.0166	4.078	0.3477	0.1285	151	-0.22	003.13	0
003	Fat, Crude (%)	0062	4.013	0.0660	4.078	0.3477	0.1285	151	-0.19	003.10	0
003	Fat, Crude (%)	0089	4.020	0.0600	4.078	0.3477	0.1285	151	-0.17	003.14	0
003	Fat, Crude (%)	0169	4.025	0.0500	4.078	0.3477	0.1285	151	-0.15	003.06	0
003	Fat, Crude (%)	0226	4.025	0.1300	4.078	0.3477	0.1285	151	-0.15	003.09	0
003	Fat, Crude (%)	0881	4.029	0.1710	4.078	0.3477	0.1285	151	-0.14	003.10	0
003	Fat, Crude (%)	0504	4.030	0.3800	4.078	0.3477	0.1285	151	-0.14	003.01	0
003	Fat, Crude (%)	0918	4.030	0.0000	4.078	0.3477	0.1285	151	-0.14	003.06	0
003	Fat, Crude (%)	0885	4.031	0.0063	4.078	0.3477	0.1285	151	-0.14	003.00	0
003	Fat, Crude (%)	0893	4.035	0.1500	4.078	0.3477	0.1285	151	-0.12	003.12	0
003	Fat, Crude (%)	2012	4.040	0.0400	4.078	0.3477	0.1285	151	-0.11	003.09	0
003	Fat, Crude (%)	2192	4.065	0.2300	4.078	0.3477	0.1285	151	-0.04	003.00	0
003	Fat, Crude (%)	0598	4.065	0.0100	4.078	0.3477	0.1285	151	-0.04	003.14	0
003	Fat, Crude (%)	2181	4.080	0.2000	4.078	0.3477	0.1285	151	0.01	003.06	0
003	Fat, Crude (%)	0683	4.090	0.0600	4.078	0.3477	0.1285	151	0.04	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat, Crude (%)	0726	4.110	0.0200	4.078	0.3477	0.1285	151	0.09	003.14	0
003	Fat, Crude (%)	0123	4.120	0.0800	4.078	0.3477	0.1285	151	0.12	003.13	0
003	Fat, Crude (%)	0968	4.130	0.0090	4.078	0.3477	0.1285	151	0.15	003.14	0
003	Fat, Crude (%)	2109	4.130	0.2800	4.078	0.3477	0.1285	151	0.15	003.00	0
003	Fat, Crude (%)	2006	4.135	0.0300	4.078	0.3477	0.1285	151	0.17	003.13	0
003	Fat, Crude (%)	2089	4.140	0.4600	4.078	0.3477	0.1285	151	0.18	003.13	0
003	Fat, Crude (%)	0689	4.150	0.1000	4.078	0.3477	0.1285	151	0.21	003.06	0
003	Fat, Crude (%)	0884	4.150	0.1000	4.078	0.3477	0.1285	151	0.21	003.06	0
003	Fat, Crude (%)	2128	4.159	0.0124	4.078	0.3477	0.1285	151	0.23	003.11	0
003	Fat, Crude (%)	0541	4.160	0.1600	4.078	0.3477	0.1285	151	0.24	003.10	0
003	Fat, Crude (%)	0646	4.160	0.0800	4.078	0.3477	0.1285	151	0.24	003.13	0
003	Fat, Crude (%)	0027	4.170	0.1790	4.078	0.3477	0.1285	151	0.26	003.09	0
003	Fat, Crude (%)	0948	4.170	0.1000	4.078	0.3477	0.1285	151	0.27	003.14	0
003	Fat, Crude (%)	2057	4.173	0.1036	4.078	0.3477	0.1285	151	0.27	003.14	0
003	Fat, Crude (%)	0229	4.210	0.0400	4.078	0.3477	0.1285	151	0.38	003.06	0
003	Fat, Crude (%)	0407	4.220	0.4489	4.078	0.3477	0.1285	151	0.41	003.14	0
003	Fat, Crude (%)	0171	4.225	0.0300	4.078	0.3477	0.1285	151	0.42	003.14	0
003	Fat, Crude (%)	0354	4.230	0.0200	4.078	0.3477	0.1285	151	0.44	003.09	0
003	Fat, Crude (%)	0720	4.250	0.0200	4.078	0.3477	0.1285	151	0.50	003.11	0
003	Fat, Crude (%)	0171	4.255	0.2500	4.078	0.3477	0.1285	151	0.51	003.12	0
003	Fat, Crude (%)	0948	4.265	0.1900	4.078	0.3477	0.1285	151	0.54	003.09	0
003	Fat, Crude (%)	0001	4.272	0.0790	4.078	0.3477	0.1285	151	0.56	003.14	0
003	Fat, Crude (%)	2076	4.296	0.4912	4.078	0.3477	0.1285	151	0.63	003.14	0
003	Fat, Crude (%)	0510	4.300	0.0000	4.078	0.3477	0.1285	151	0.64	003.09	0
003	Fat, Crude (%)	0674	4.300	0.0000	4.078	0.3477	0.1285	151	0.64	003.09	0
003	Fat, Crude (%)	0529	4.300	0.3200	4.078	0.3477	0.1285	151	0.64	003.14	0
003	Fat, Crude (%)	0016	4.300	0.0200	4.078	0.3477	0.1285	151	0.64	003.99	0
003	Fat, Crude (%)	0955	4.310	0.1200	4.078	0.3477	0.1285	151	0.67	003.14	0
003	Fat, Crude (%)	0425	4.320	0.1400	4.078	0.3477	0.1285	151	0.70	003.06	0
003	Fat, Crude (%)	0098	4.325	0.1100	4.078	0.3477	0.1285	151	0.71	003.09	0
003	Fat, Crude (%)	0553	4.340	0.1200	4.078	0.3477	0.1285	151	0.76	003.11	0
003	Fat, Crude (%)	0009	4.340	0.1200	4.078	0.3477	0.1285	151	0.76	003.14	0
003	Fat, Crude (%)	0148	4.355	0.0300	4.078	0.3477	0.1285	151	0.80	003.10	0
003	Fat, Crude (%)	0229	4.355	0.0300	4.078	0.3477	0.1285	151	0.80	003.14	0
003	Fat, Crude (%)	0653	4.360	0.0200	4.078	0.3477	0.1285	151	0.81	003.00	0
003	Fat, Crude (%)	0505	4.360	0.4800	4.078	0.3477	0.1285	151	0.81	003.14	0
003	Fat, Crude (%)	0004	4.365	0.1300	4.078	0.3477	0.1285	151	0.83	003.09	0
003	Fat, Crude (%)	0910	4.405	0.1900	4.078	0.3477	0.1285	151	0.94	003.06	0
003	Fat, Crude (%)	0849	4.415	0.0700	4.078	0.3477	0.1285	151	0.97	003.06	0
003	Fat, Crude (%)	0405	4.425	0.0100	4.078	0.3477	0.1285	151	1.00	003.11	0
003	Fat, Crude (%)	0034	4.425	0.6700	4.078	0.3477	0.1285	151	1.00	003.14	0
003	Fat, Crude (%)	2198	4.435	0.0500	4.078	0.3477	0.1285	151	1.03	003.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat, Crude (%)	0164	4.440	0.1600	4.078	0.3477	0.1285	151	1.04	003.06	0
003	Fat, Crude (%)	0682	4.440	0.0000	4.078	0.3477	0.1285	151	1.04	003.14	0
003	Fat, Crude (%)	0941	4.460	0.0000	4.078	0.3477	0.1285	151	1.10	003.99	0
003	Fat, Crude (%)	0049	4.470	0.4000	4.078	0.3477	0.1285	151	1.13	003.14	0
003	Fat, Crude (%)	0294	4.475	0.0300	4.078	0.3477	0.1285	151	1.14	003.06	0
003	Fat, Crude (%)	0353	4.480	0.0400	4.078	0.3477	0.1285	151	1.16	003.09	0
003	Fat, Crude (%)	2058	4.490	0.0800	4.078	0.3477	0.1285	151	1.19	003.99	0
003	Fat, Crude (%)	0687	4.500	0.2000	4.078	0.3477	0.1285	151	1.22	003.06	0
003	Fat, Crude (%)	0011	4.500	0.0000	4.078	0.3477	0.1285	151	1.22	003.11	0
003	Fat, Crude (%)	0148	4.525	0.1900	4.078	0.3477	0.1285	151	1.29	003.14	0
003	Fat, Crude (%)	0676	4.545	0.2700	4.078	0.3477	0.1285	151	1.34	003.10	0
003	Fat, Crude (%)	2053	4.565	0.0100	4.078	0.3477	0.1285	151	1.40	003.00	0
003	Fat, Crude (%)	0682	4.600	0.0000	4.078	0.3477	0.1285	151	1.50	003.06	0
003	Fat, Crude (%)	0074	4.600	0.2400	4.078	0.3477	0.1285	151	1.50	003.14	0
003	Fat, Crude (%)	0278	4.650	0.1000	4.078	0.3477	0.1285	151	1.65	003.14	0
003	Fat, Crude (%)	0190	4.685	0.0100	4.078	0.3477	0.1285	151	1.75	003.14	0
003	Fat, Crude (%)	0032	4.705	0.1100	4.078	0.3477	0.1285	151	1.80	003.00	0
003	Fat, Crude (%)	0309	4.801	0.3914	4.078	0.3477	0.1285	151	2.08	003.00	0
003	Fat, Crude (%)	0619	4.810	0.0200	4.078	0.3477	0.1285	151	2.11	003.14	0
003	Fat, Crude (%)	0175	4.945	0.0100	4.078	0.3477	0.1285	151	2.50	003.00	0
003	Fat, Crude (%)	0297	5.070	0.1200	4.078	0.3477	0.1285	151	2.85	003.11	0
003	Fat, Crude (%)	2144	5.305	0.1500	4.078	0.3477	0.1285	151	3.53	003.14	0
003	Fat, Crude (%)	2144	5.320	0.0600	4.078	0.3477	0.1285	151	3.57	003.00	0
003	Fat, Crude (%)	0520	5.330	0.7400	4.078	0.3477	0.1285	151	3.60	003.14	0
003	Fat, Crude (%)	0852	5.780	0.0800	4.078	0.3477	0.1285	151	4.90	003.11	0
003	Fat, Crude (%)	0880	2.050	1.900	4.078	0.3477	0.1285	151	-5.83	003.99	1
003	Fat, Crude (%)	0843	2.730	1.100	4.078	0.3477	0.1285	151	-3.88	003.14	1
003	Fat, Crude (%)	0889	3.045	2.190	4.078	0.3477	0.1285	151	-2.97	003.10	1
003	Fat, Crude (%)	0003	4.405	1.710	4.078	0.3477	0.1285	151	0.94	003.14	1
003	Fat, Crude (%)	2129	0.6175	0.0630	4.078	0.3477	0.1285	151	-9.95	003.14	2
004	Fiber, Crude (%)	0682	10.40	0.0000	13.49	0.8945	0.2247	121	-3.45	004.07	0
004	Fiber, Crude (%)	2146	11.46	0.4400	13.49	0.8945	0.2247	121	-2.27	004.99	0
004	Fiber, Crude (%)	0366	11.50	0.6000	13.49	0.8945	0.2247	121	-2.22	004.01	0
004	Fiber, Crude (%)	0968	11.67	0.1110	13.49	0.8945	0.2247	121	-2.03	004.07	0
004	Fiber, Crude (%)	0553	11.67	0.2000	13.49	0.8945	0.2247	121	-2.03	004.11	0
004	Fiber, Crude (%)	0011	11.90	0.0000	13.49	0.8945	0.2247	121	-1.78	004.11	0
004	Fiber, Crude (%)	2144	11.99	0.1300	13.49	0.8945	0.2247	121	-1.68	004.01	0
004	Fiber, Crude (%)	0720	12.00	0.0000	13.49	0.8945	0.2247	121	-1.66	004.11	0
004	Fiber, Crude (%)	2012	12.10	0.2900	13.49	0.8945	0.2247	121	-1.56	004.07	0
004	Fiber, Crude (%)	0520	12.10	0.4000	13.49	0.8945	0.2247	121	-1.55	004.07	0
004	Fiber, Crude (%)	2089	12.21	0.3200	13.49	0.8945	0.2247	121	-1.43	004.03	0
004	Fiber, Crude (%)	0265	12.25	0.5000	13.49	0.8945	0.2247	121	-1.38	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber, Crude (%)	0956	12.35	0.5000	13.49	0.8945	0.2247	121	-1.27	004.07	0
004	Fiber, Crude (%)	2144	12.38	0.0500	13.49	0.8945	0.2247	121	-1.25	004.07	0
004	Fiber, Crude (%)	0026	12.40	0.0000	13.49	0.8945	0.2247	121	-1.22	004.07	0
004	Fiber, Crude (%)	0675	12.42	0.1800	13.49	0.8945	0.2247	121	-1.19	004.07	0
004	Fiber, Crude (%)	0004	12.43	0.4000	13.49	0.8945	0.2247	121	-1.18	004.07	0
004	Fiber, Crude (%)	0190	12.45	0.1000	13.49	0.8945	0.2247	121	-1.16	004.07	0
004	Fiber, Crude (%)	0405	12.47	0.0100	13.49	0.8945	0.2247	121	-1.14	004.11	0
004	Fiber, Crude (%)	0849	12.51	0.0570	13.49	0.8945	0.2247	121	-1.09	004.07	0
004	Fiber, Crude (%)	0278	12.55	0.1000	13.49	0.8945	0.2247	121	-1.05	004.07	0
004	Fiber, Crude (%)	0510	12.65	0.1000	13.49	0.8945	0.2247	121	-0.94	004.07	0
004	Fiber, Crude (%)	0009	12.68	0.4600	13.49	0.8945	0.2247	121	-0.90	004.07	0
004	Fiber, Crude (%)	2053	12.71	0.2800	13.49	0.8945	0.2247	121	-0.87	004.07	0
004	Fiber, Crude (%)	0098	12.72	0.6200	13.49	0.8945	0.2247	121	-0.86	004.06	0
004	Fiber, Crude (%)	0675	12.83	0.2300	13.49	0.8945	0.2247	121	-0.74	004.06	0
004	Fiber, Crude (%)	0407	12.83	0.2354	13.49	0.8945	0.2247	121	-0.73	004.07	0
004	Fiber, Crude (%)	0708	12.85	0.2100	13.49	0.8945	0.2247	121	-0.72	004.07	0
004	Fiber, Crude (%)	0590	12.95	0.0500	13.49	0.8945	0.2247	121	-0.61	004.07	0
004	Fiber, Crude (%)	0646	12.95	0.3900	13.49	0.8945	0.2247	121	-0.61	004.07	0
004	Fiber, Crude (%)	0169	12.95	0.1000	13.49	0.8945	0.2247	121	-0.60	004.00	0
004	Fiber, Crude (%)	0183	12.98	0.0870	13.49	0.8945	0.2247	121	-0.57	004.00	0
004	Fiber, Crude (%)	0889	12.99	0.6500	13.49	0.8945	0.2247	121	-0.56	004.07	0
004	Fiber, Crude (%)	0683	13.00	0.0700	13.49	0.8945	0.2247	121	-0.55	004.07	0
004	Fiber, Crude (%)	2109	13.03	1.040	13.49	0.8945	0.2247	121	-0.51	004.07	0
004	Fiber, Crude (%)	0644	13.04	0.2910	13.49	0.8945	0.2247	121	-0.51	004.07	0
004	Fiber, Crude (%)	2259	13.05	0.1160	13.49	0.8945	0.2247	121	-0.49	004.07	0
004	Fiber, Crude (%)	0852	13.09	0.0900	13.49	0.8945	0.2247	121	-0.45	004.11	0
004	Fiber, Crude (%)	2188	13.10	0.0000	13.49	0.8945	0.2247	121	-0.43	004.06	0
004	Fiber, Crude (%)	0910	13.10	1.000	13.49	0.8945	0.2247	121	-0.43	004.07	0
004	Fiber, Crude (%)	0868	13.11	0.0100	13.49	0.8945	0.2247	121	-0.43	004.06	0
004	Fiber, Crude (%)	0689	13.25	0.1000	13.49	0.8945	0.2247	121	-0.27	004.06	0
004	Fiber, Crude (%)	0074	13.26	0.1100	13.49	0.8945	0.2247	121	-0.26	004.07	0
004	Fiber, Crude (%)	2058	13.28	0.0000	13.49	0.8945	0.2247	121	-0.23	004.03	0
004	Fiber, Crude (%)	2248	13.30	0.6700	13.49	0.8945	0.2247	121	-0.22	004.99	0
004	Fiber, Crude (%)	0619	13.30	0.4000	13.49	0.8945	0.2247	121	-0.21	004.07	0
004	Fiber, Crude (%)	0889	13.30	0.0600	13.49	0.8945	0.2247	121	-0.21	004.11	0
004	Fiber, Crude (%)	2181	13.32	0.2900	13.49	0.8945	0.2247	121	-0.19	004.07	0
004	Fiber, Crude (%)	0955	13.35	0.1000	13.49	0.8945	0.2247	121	-0.16	004.07	0
004	Fiber, Crude (%)	0629	13.35	0.1000	13.49	0.8945	0.2247	121	-0.16	004.99	0
004	Fiber, Crude (%)	0653	13.38	0.2000	13.49	0.8945	0.2247	121	-0.12	004.07	0
004	Fiber, Crude (%)	2018	13.39	0.0200	13.49	0.8945	0.2247	121	-0.11	004.07	0
004	Fiber, Crude (%)	0229	13.40	0.0100	13.49	0.8945	0.2247	121	-0.10	004.07	0
004	Fiber, Crude (%)	0353	13.40	0.0600	13.49	0.8945	0.2247	121	-0.10	004.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber, Crude (%)	0298	13.40	0.2000	13.49	0.8945	0.2247	121	-0.10	004.07	0
004	Fiber, Crude (%)	2009	13.41	0.0263	13.49	0.8945	0.2247	121	-0.09	004.07	0
004	Fiber, Crude (%)	2190	13.43	0.1100	13.49	0.8945	0.2247	121	-0.07	004.07	0
004	Fiber, Crude (%)	0968	13.44	0.0210	13.49	0.8945	0.2247	121	-0.06	004.06	0
004	Fiber, Crude (%)	0918	13.45	0.1300	13.49	0.8945	0.2247	121	-0.05	004.06	0
004	Fiber, Crude (%)	0019	13.49	0.4800	13.49	0.8945	0.2247	121	0.00	004.07	0
004	Fiber, Crude (%)	0123	13.53	0.0800	13.49	0.8945	0.2247	121	0.05	004.07	0
004	Fiber, Crude (%)	0226	13.56	0.1800	13.49	0.8945	0.2247	121	0.08	004.00	0
004	Fiber, Crude (%)	0027	13.57	0.1630	13.49	0.8945	0.2247	121	0.09	004.06	0
004	Fiber, Crude (%)	0098	13.59	0.2300	13.49	0.8945	0.2247	121	0.11	004.07	0
004	Fiber, Crude (%)	0897	13.59	0.0400	13.49	0.8945	0.2247	121	0.11	004.06	0
004	Fiber, Crude (%)	0881	13.59	0.3650	13.49	0.8945	0.2247	121	0.12	004.06	0
004	Fiber, Crude (%)	0164	13.60	0.2000	13.49	0.8945	0.2247	121	0.12	004.00	0
004	Fiber, Crude (%)	0175	13.60	0.6000	13.49	0.8945	0.2247	121	0.12	004.00	0
004	Fiber, Crude (%)	2128	13.61	0.0690	13.49	0.8945	0.2247	121	0.14	004.11	0
004	Fiber, Crude (%)	0083	13.62	0.0700	13.49	0.8945	0.2247	121	0.14	004.07	0
004	Fiber, Crude (%)	0674	13.62	0.0000	13.49	0.8945	0.2247	121	0.15	004.06	0
004	Fiber, Crude (%)	0089	13.63	0.0900	13.49	0.8945	0.2247	121	0.15	004.07	0
004	Fiber, Crude (%)	0643	13.67	0.0500	13.49	0.8945	0.2247	121	0.20	004.07	0
004	Fiber, Crude (%)	0726	13.68	0.0100	13.49	0.8945	0.2247	121	0.21	004.07	0
004	Fiber, Crude (%)	0692	13.70	0.6000	13.49	0.8945	0.2247	121	0.24	004.07	0
004	Fiber, Crude (%)	0300	13.72	0.0100	13.49	0.8945	0.2247	121	0.25	004.07	0
004	Fiber, Crude (%)	0505	13.73	0.2600	13.49	0.8945	0.2247	121	0.27	004.07	0
004	Fiber, Crude (%)	0848	13.79	0.0000	13.49	0.8945	0.2247	121	0.34	004.07	0
004	Fiber, Crude (%)	0939	13.81	0.1700	13.49	0.8945	0.2247	121	0.35	004.07	0
004	Fiber, Crude (%)	0263	13.82	0.0352	13.49	0.8945	0.2247	121	0.38	004.07	0
004	Fiber, Crude (%)	0028	13.85	0.9000	13.49	0.8945	0.2247	121	0.40	004.07	0
004	Fiber, Crude (%)	0948	13.89	0.0200	13.49	0.8945	0.2247	121	0.45	004.07	0
004	Fiber, Crude (%)	0884	13.90	0.0000	13.49	0.8945	0.2247	121	0.46	004.00	0
004	Fiber, Crude (%)	0581	13.90	0.2000	13.49	0.8945	0.2247	121	0.46	004.07	0
004	Fiber, Crude (%)	0504	13.95	0.2100	13.49	0.8945	0.2247	121	0.51	004.00	0
004	Fiber, Crude (%)	0425	13.95	0.1000	13.49	0.8945	0.2247	121	0.52	004.00	0
004	Fiber, Crude (%)	0354	13.96	0.0300	13.49	0.8945	0.2247	121	0.52	004.00	0
004	Fiber, Crude (%)	0885	13.97	0.2052	13.49	0.8945	0.2247	121	0.54	004.06	0
004	Fiber, Crude (%)	0100	14.00	0.2900	13.49	0.8945	0.2247	121	0.57	004.07	0
004	Fiber, Crude (%)	0345	14.00	0.4000	13.49	0.8945	0.2247	121	0.57	004.00	0
004	Fiber, Crude (%)	0948	14.06	0.4000	13.49	0.8945	0.2247	121	0.64	004.06	0
004	Fiber, Crude (%)	0202	14.17	0.7800	13.49	0.8945	0.2247	121	0.76	004.07	0
004	Fiber, Crude (%)	2192	14.19	0.1100	13.49	0.8945	0.2247	121	0.78	004.03	0
004	Fiber, Crude (%)	0676	14.19	0.1400	13.49	0.8945	0.2247	121	0.78	004.06	0
004	Fiber, Crude (%)	0034	14.19	0.6400	13.49	0.8945	0.2247	121	0.78	004.07	0
004	Fiber, Crude (%)	2006	14.21	0.1000	13.49	0.8945	0.2247	121	0.81	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber, Crude (%)	0720	14.23	0.1900	13.49	0.8945	0.2247	121	0.82	004.06	0
004	Fiber, Crude (%)	2193	14.25	0.0300	13.49	0.8945	0.2247	121	0.85	004.07	0
004	Fiber, Crude (%)	2196	14.27	0.0000	13.49	0.8945	0.2247	121	0.87	004.07	0
004	Fiber, Crude (%)	0878	14.28	0.1600	13.49	0.8945	0.2247	121	0.88	004.06	0
004	Fiber, Crude (%)	2198	14.29	0.0700	13.49	0.8945	0.2247	121	0.89	004.06	0
004	Fiber, Crude (%)	0066	14.32	0.3400	13.49	0.8945	0.2247	121	0.93	004.07	0
004	Fiber, Crude (%)	0598	14.33	0.0800	13.49	0.8945	0.2247	121	0.94	004.07	0
004	Fiber, Crude (%)	0870	14.36	0.0316	13.49	0.8945	0.2247	121	0.98	004.07	0
004	Fiber, Crude (%)	0309	14.41	0.0866	13.49	0.8945	0.2247	121	1.03	004.00	0
004	Fiber, Crude (%)	0045	14.50	0.2000	13.49	0.8945	0.2247	121	1.13	004.07	0
004	Fiber, Crude (%)	0003	14.56	0.3400	13.49	0.8945	0.2247	121	1.20	004.07	0
004	Fiber, Crude (%)	2246	14.57	0.0100	13.49	0.8945	0.2247	121	1.20	004.03	0
004	Fiber, Crude (%)	0876	14.60	0.6000	13.49	0.8945	0.2247	121	1.24	004.07	0
004	Fiber, Crude (%)	2073	14.65	0.1500	13.49	0.8945	0.2247	121	1.29	004.00	0
004	Fiber, Crude (%)	0354	14.65	0.1700	13.49	0.8945	0.2247	121	1.29	004.07	0
004	Fiber, Crude (%)	0529	14.74	0.3500	13.49	0.8945	0.2247	121	1.39	004.07	0
004	Fiber, Crude (%)	2076	14.83	0.8830	13.49	0.8945	0.2247	121	1.50	004.00	0
004	Fiber, Crude (%)	0536	15.08	0.0300	13.49	0.8945	0.2247	121	1.77	004.07	0
004	Fiber, Crude (%)	2188	15.16	0.0000	13.49	0.8945	0.2247	121	1.87	004.07	0
004	Fiber, Crude (%)	0171	15.22	0.0700	13.49	0.8945	0.2247	121	1.93	004.00	0
004	Fiber, Crude (%)	0294	15.35	0.1000	13.49	0.8945	0.2247	121	2.08	004.07	0
004	Fiber, Crude (%)	0242	15.39	0.7000	13.49	0.8945	0.2247	121	2.13	004.07	0
004	Fiber, Crude (%)	0032	16.39	0.9300	13.49	0.8945	0.2247	121	3.24	004.07	0
004	Fiber, Crude (%)	0893	17.46	0.1500	13.49	0.8945	0.2247	121	4.43	004.06	0
004	Fiber, Crude (%)	0144	18.00	0.2600	13.49	0.8945	0.2247	121	5.04	004.07	0
004	Fiber, Crude (%)	0511	14.90	1.400	13.49	0.8945	0.2247	121	1.58	004.07	1
004	Fiber, Crude (%)	0693	15.55	1.423	13.49	0.8945	0.2247	121	2.30	004.07	1
005	Ash (%)	2128	6.538	0.0056	7.714	0.2462	0.0813	152	-4.78	005.11	0
005	Ash (%)	0520	6.600	0.3000	7.714	0.2462	0.0813	152	-4.53	005.00	0
005	Ash (%)	0852	6.750	0.0600	7.714	0.2462	0.0813	152	-3.92	005.11	0
005	Ash (%)	0953	6.765	0.2100	7.714	0.2462	0.0813	152	-3.86	005.00	0
005	Ash (%)	2081	6.870	0.0600	7.714	0.2462	0.0813	152	-3.43	005.99	0
005	Ash (%)	2184	6.950	0.0800	7.714	0.2462	0.0813	152	-3.10	005.00	0
005	Ash (%)	0425	7.010	0.1800	7.714	0.2462	0.0813	152	-2.86	005.00	0
005	Ash (%)	0720	7.240	0.1400	7.714	0.2462	0.0813	152	-1.93	005.11	0
005	Ash (%)	0868	7.250	0.0200	7.714	0.2462	0.0813	152	-1.89	005.05	0
005	Ash (%)	0169	7.265	0.0300	7.714	0.2462	0.0813	152	-1.82	005.00	0
005	Ash (%)	0510	7.270	0.0800	7.714	0.2462	0.0813	152	-1.80	005.00	0
005	Ash (%)	0297	7.285	0.3700	7.714	0.2462	0.0813	152	-1.74	005.11	0
005	Ash (%)	0148	7.320	0.0400	7.714	0.2462	0.0813	152	-1.60	005.00	0
005	Ash (%)	0651	7.336	0.0060	7.714	0.2462	0.0813	152	-1.54	005.00	0
005	Ash (%)	0144	7.345	0.0100	7.714	0.2462	0.0813	152	-1.50	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0726	7.360	0.0000	7.714	0.2462	0.0813	152	-1.44	005.05	0
005	Ash (%)	0027	7.393	0.0040	7.714	0.2462	0.0813	152	-1.30	005.00	0
005	Ash (%)	0019	7.400	0.0000	7.714	0.2462	0.0813	152	-1.28	005.00	0
005	Ash (%)	0049	7.400	0.1400	7.714	0.2462	0.0813	152	-1.28	005.00	0
005	Ash (%)	0574	7.400	0.2000	7.714	0.2462	0.0813	152	-1.28	005.00	0
005	Ash (%)	0004	7.420	0.0200	7.714	0.2462	0.0813	152	-1.20	005.00	0
005	Ash (%)	0511	7.425	0.0300	7.714	0.2462	0.0813	152	-1.17	005.00	0
005	Ash (%)	0539	7.430	0.0400	7.714	0.2462	0.0813	152	-1.15	005.00	0
005	Ash (%)	0674	7.440	0.0000	7.714	0.2462	0.0813	152	-1.11	005.00	0
005	Ash (%)	0853	7.450	0.5000	7.714	0.2462	0.0813	152	-1.07	005.00	0
005	Ash (%)	0278	7.455	0.3100	7.714	0.2462	0.0813	152	-1.05	005.00	0
005	Ash (%)	0646	7.460	0.3800	7.714	0.2462	0.0813	152	-1.03	005.00	0
005	Ash (%)	0541	7.465	0.0100	7.714	0.2462	0.0813	152	-1.01	005.00	0
005	Ash (%)	0066	7.470	0.0200	7.714	0.2462	0.0813	152	-0.99	005.05	0
005	Ash (%)	0650	7.475	0.0300	7.714	0.2462	0.0813	152	-0.97	005.00	0
005	Ash (%)	0407	7.483	0.1702	7.714	0.2462	0.0813	152	-0.94	005.00	0
005	Ash (%)	0357	7.500	0.0000	7.714	0.2462	0.0813	152	-0.87	005.00	0
005	Ash (%)	0912	7.500	0.0000	7.714	0.2462	0.0813	152	-0.87	005.03	0
005	Ash (%)	0175	7.505	0.0300	7.714	0.2462	0.0813	152	-0.85	005.00	0
005	Ash (%)	0186	7.535	0.0500	7.714	0.2462	0.0813	152	-0.73	005.00	0
005	Ash (%)	0108	7.540	0.2000	7.714	0.2462	0.0813	152	-0.71	005.00	0
005	Ash (%)	0358	7.545	0.0100	7.714	0.2462	0.0813	152	-0.69	005.00	0
005	Ash (%)	0229	7.550	0.0200	7.714	0.2462	0.0813	152	-0.67	005.00	0
005	Ash (%)	0964	7.564	0.0550	7.714	0.2462	0.0813	152	-0.61	005.00	0
005	Ash (%)	0720	7.565	0.2500	7.714	0.2462	0.0813	152	-0.61	005.05	0
005	Ash (%)	0353	7.575	0.2300	7.714	0.2462	0.0813	152	-0.57	005.00	0
005	Ash (%)	0918	7.580	0.0000	7.714	0.2462	0.0813	152	-0.55	005.00	0
005	Ash (%)	0003	7.585	0.0300	7.714	0.2462	0.0813	152	-0.53	005.05	0
005	Ash (%)	0622	7.590	0.0455	7.714	0.2462	0.0813	152	-0.51	005.00	0
005	Ash (%)	0045	7.590	0.0800	7.714	0.2462	0.0813	152	-0.50	005.00	0
005	Ash (%)	0893	7.605	0.0100	7.714	0.2462	0.0813	152	-0.44	005.05	0
005	Ash (%)	0142	7.615	0.0100	7.714	0.2462	0.0813	152	-0.40	005.00	0
005	Ash (%)	0226	7.615	0.2500	7.714	0.2462	0.0813	152	-0.40	005.00	0
005	Ash (%)	2242	7.620	0.1400	7.714	0.2462	0.0813	152	-0.38	005.00	0
005	Ash (%)	0035	7.635	0.0300	7.714	0.2462	0.0813	152	-0.32	005.00	0
005	Ash (%)	0598	7.635	0.0100	7.714	0.2462	0.0813	152	-0.32	005.00	0
005	Ash (%)	0848	7.635	0.0300	7.714	0.2462	0.0813	152	-0.32	005.00	0
005	Ash (%)	0187	7.645	0.0500	7.714	0.2462	0.0813	152	-0.28	005.00	0
005	Ash (%)	2073	7.645	0.0900	7.714	0.2462	0.0813	152	-0.28	005.00	0
005	Ash (%)	0265	7.650	0.1000	7.714	0.2462	0.0813	152	-0.26	005.00	0
005	Ash (%)	0100	7.665	0.1900	7.714	0.2462	0.0813	152	-0.20	005.00	0
005	Ash (%)	0682	7.670	0.0000	7.714	0.2462	0.0813	152	-0.18	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	2012	7.680	0.0200	7.714	0.2462	0.0813	152	-0.14	005.05	0
005	Ash (%)	0529	7.695	0.2900	7.714	0.2462	0.0813	152	-0.08	005.00	0
005	Ash (%)	0876	7.700	0.0000	7.714	0.2462	0.0813	152	-0.06	005.00	0
005	Ash (%)	0956	7.700	0.0000	7.714	0.2462	0.0813	152	-0.06	005.00	0
005	Ash (%)	2006	7.700	0.0600	7.714	0.2462	0.0813	152	-0.06	005.00	0
005	Ash (%)	2053	7.700	0.1000	7.714	0.2462	0.0813	152	-0.06	005.00	0
005	Ash (%)	0038	7.700	0.0800	7.714	0.2462	0.0813	152	-0.06	005.05	0
005	Ash (%)	0693	7.707	0.0750	7.714	0.2462	0.0813	152	-0.03	005.00	0
005	Ash (%)	0297	7.710	0.1600	7.714	0.2462	0.0813	152	-0.02	005.00	0
005	Ash (%)	0298	7.710	0.0200	7.714	0.2462	0.0813	152	-0.02	005.00	0
005	Ash (%)	0034	7.713	0.0740	7.714	0.2462	0.0813	152	-0.01	005.99	0
005	Ash (%)	2181	7.715	0.1100	7.714	0.2462	0.0813	152	0.00	005.00	0
005	Ash (%)	0589	7.720	0.3200	7.714	0.2462	0.0813	152	0.02	005.00	0
005	Ash (%)	0001	7.727	0.0359	7.714	0.2462	0.0813	152	0.05	005.00	0
005	Ash (%)	0881	7.730	0.1580	7.714	0.2462	0.0813	152	0.06	005.00	0
005	Ash (%)	2188	7.730	0.0200	7.714	0.2462	0.0813	152	0.06	005.00	0
005	Ash (%)	0968	7.732	0.0130	7.714	0.2462	0.0813	152	0.07	005.00	0
005	Ash (%)	0062	7.734	0.0242	7.714	0.2462	0.0813	152	0.08	005.00	0
005	Ash (%)	0675	7.735	0.2700	7.714	0.2462	0.0813	152	0.08	005.00	0
005	Ash (%)	0875	7.735	0.0300	7.714	0.2462	0.0813	152	0.08	005.99	0
005	Ash (%)	0619	7.735	0.0100	7.714	0.2462	0.0813	152	0.08	005.05	0
005	Ash (%)	0263	7.740	0.0428	7.714	0.2462	0.0813	152	0.10	005.05	0
005	Ash (%)	0083	7.740	0.1200	7.714	0.2462	0.0813	152	0.10	005.00	0
005	Ash (%)	0553	7.745	0.0300	7.714	0.2462	0.0813	152	0.12	005.00	0
005	Ash (%)	0171	7.750	0.0200	7.714	0.2462	0.0813	152	0.14	005.00	0
005	Ash (%)	2268	7.750	0.0800	7.714	0.2462	0.0813	152	0.14	005.00	0
005	Ash (%)	0692	7.750	0.1000	7.714	0.2462	0.0813	152	0.14	005.05	0
005	Ash (%)	2192	7.755	0.0100	7.714	0.2462	0.0813	152	0.17	005.05	0
005	Ash (%)	2058	7.760	0.0200	7.714	0.2462	0.0813	152	0.19	005.00	0
005	Ash (%)	2248	7.760	0.0000	7.714	0.2462	0.0813	152	0.19	005.00	0
005	Ash (%)	0870	7.762	0.0616	7.714	0.2462	0.0813	152	0.19	005.00	0
005	Ash (%)	0880	7.775	0.1500	7.714	0.2462	0.0813	152	0.25	005.00	0
005	Ash (%)	2150	7.775	0.0700	7.714	0.2462	0.0813	152	0.25	005.00	0
005	Ash (%)	2076	7.784	0.0575	7.714	0.2462	0.0813	152	0.28	005.00	0
005	Ash (%)	0033	7.785	0.0100	7.714	0.2462	0.0813	152	0.29	005.00	0
005	Ash (%)	2259	7.794	0.0110	7.714	0.2462	0.0813	152	0.32	005.00	0
005	Ash (%)	0164	7.795	0.0500	7.714	0.2462	0.0813	152	0.33	005.00	0
005	Ash (%)	0948	7.795	0.0100	7.714	0.2462	0.0813	152	0.33	005.00	0
005	Ash (%)	0689	7.795	0.0100	7.714	0.2462	0.0813	152	0.33	005.05	0
005	Ash (%)	0202	7.795	0.0900	7.714	0.2462	0.0813	152	0.33	005.99	0
005	Ash (%)	0026	7.800	0.0600	7.714	0.2462	0.0813	152	0.35	005.00	0
005	Ash (%)	2196	7.800	0.0000	7.714	0.2462	0.0813	152	0.35	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0354	7.800	0.0400	7.714	0.2462	0.0813	152	0.35	005.00	0
005	Ash (%)	0366	7.800	0.2000	7.714	0.2462	0.0813	152	0.35	005.00	0
005	Ash (%)	0884	7.800	0.2000	7.714	0.2462	0.0813	152	0.35	005.99	0
005	Ash (%)	0643	7.805	0.0500	7.714	0.2462	0.0813	152	0.37	005.00	0
005	Ash (%)	0596	7.805	0.0300	7.714	0.2462	0.0813	152	0.37	005.05	0
005	Ash (%)	0123	7.810	0.0800	7.714	0.2462	0.0813	152	0.39	005.00	0
005	Ash (%)	2193	7.810	0.0000	7.714	0.2462	0.0813	152	0.39	005.00	0
005	Ash (%)	2109	7.815	0.0300	7.714	0.2462	0.0813	152	0.41	005.05	0
005	Ash (%)	0536	7.815	0.0300	7.714	0.2462	0.0813	152	0.41	005.99	0
005	Ash (%)	0653	7.830	0.0600	7.714	0.2462	0.0813	152	0.47	005.00	0
005	Ash (%)	0683	7.840	0.0200	7.714	0.2462	0.0813	152	0.51	005.05	0
005	Ash (%)	0183	7.847	0.0120	7.714	0.2462	0.0813	152	0.54	005.00	0
005	Ash (%)	0047	7.855	0.0300	7.714	0.2462	0.0813	152	0.57	005.00	0
005	Ash (%)	2018	7.860	0.0400	7.714	0.2462	0.0813	152	0.59	005.05	0
005	Ash (%)	0505	7.865	0.0300	7.714	0.2462	0.0813	152	0.61	005.00	0
005	Ash (%)	0309	7.867	0.0490	7.714	0.2462	0.0813	152	0.62	005.00	0
005	Ash (%)	2089	7.870	0.2200	7.714	0.2462	0.0813	152	0.63	005.00	0
005	Ash (%)	0098	7.885	0.1100	7.714	0.2462	0.0813	152	0.69	005.00	0
005	Ash (%)	0016	7.890	0.0400	7.714	0.2462	0.0813	152	0.71	005.00	0
005	Ash (%)	0629	7.890	0.1400	7.714	0.2462	0.0813	152	0.71	005.99	0
005	Ash (%)	0590	7.895	0.1100	7.714	0.2462	0.0813	152	0.73	005.05	0
005	Ash (%)	0294	7.900	0.0000	7.714	0.2462	0.0813	152	0.75	005.05	0
005	Ash (%)	0504	7.905	0.0700	7.714	0.2462	0.0813	152	0.77	005.00	0
005	Ash (%)	0618	7.905	0.1500	7.714	0.2462	0.0813	152	0.77	005.00	0
005	Ash (%)	0878	7.910	0.0400	7.714	0.2462	0.0813	152	0.79	005.05	0
005	Ash (%)	0345	7.930	0.1000	7.714	0.2462	0.0813	152	0.88	005.00	0
005	Ash (%)	0897	7.945	0.0100	7.714	0.2462	0.0813	152	0.94	005.05	0
005	Ash (%)	0849	7.948	0.0240	7.714	0.2462	0.0813	152	0.95	005.05	0
005	Ash (%)	0910	7.950	0.3000	7.714	0.2462	0.0813	152	0.96	005.99	0
005	Ash (%)	2009	7.951	0.0421	7.714	0.2462	0.0813	152	0.96	005.05	0
005	Ash (%)	2144	7.955	0.0300	7.714	0.2462	0.0813	152	0.98	005.05	0
005	Ash (%)	0242	7.975	0.1100	7.714	0.2462	0.0813	152	1.06	005.00	0
005	Ash (%)	0610	7.975	0.0100	7.714	0.2462	0.0813	152	1.06	005.05	0
005	Ash (%)	0885	7.997	0.0184	7.714	0.2462	0.0813	152	1.15	005.05	0
005	Ash (%)	0652	8.000	0.0000	7.714	0.2462	0.0813	152	1.16	005.99	0
005	Ash (%)	0921	8.005	0.0900	7.714	0.2462	0.0813	152	1.18	005.00	0
005	Ash (%)	0139	8.010	0.1400	7.714	0.2462	0.0813	152	1.20	005.00	0
005	Ash (%)	0921	8.010	0.0800	7.714	0.2462	0.0813	152	1.20	005.05	0
005	Ash (%)	2198	8.010	0.0200	7.714	0.2462	0.0813	152	1.20	005.05	0
005	Ash (%)	2146	8.015	0.0100	7.714	0.2462	0.0813	152	1.22	005.05	0
005	Ash (%)	0581	8.040	0.1000	7.714	0.2462	0.0813	152	1.32	005.00	0
005	Ash (%)	0889	8.040	0.0400	7.714	0.2462	0.0813	152	1.32	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0190	8.060	0.0600	7.714	0.2462	0.0813	152	1.40	005.05	0
005	Ash (%)	0644	8.065	0.1100	7.714	0.2462	0.0813	152	1.42	005.02	0
005	Ash (%)	0955	8.080	0.2000	7.714	0.2462	0.0813	152	1.49	005.05	0
005	Ash (%)	0852	8.085	0.0100	7.714	0.2462	0.0813	152	1.51	005.00	0
005	Ash (%)	2246	8.090	0.0200	7.714	0.2462	0.0813	152	1.53	005.05	0
005	Ash (%)	0676	8.110	0.0600	7.714	0.2462	0.0813	152	1.61	005.99	0
005	Ash (%)	0939	8.150	0.0000	7.714	0.2462	0.0813	152	1.77	005.05	0
005	Ash (%)	0685	8.160	0.1600	7.714	0.2462	0.0813	152	1.81	005.05	0
005	Ash (%)	0941	8.250	0.0000	7.714	0.2462	0.0813	152	2.18	005.05	0
005	Ash (%)	2190	8.355	0.4700	7.714	0.2462	0.0813	152	2.60	005.05	0
005	Ash (%)	0889	9.515	0.1300	7.714	0.2462	0.0813	152	7.31	005.11	0
005	Ash (%)	2129	18.27	1.510	7.714	0.2462	0.0813	152	42.85	005.05	2
006	Total Sugars (%)	0910	2.770	0.0400	3.835	0.7614	0.0550	4		006.00	0
006	Total Sugars (%)	0956	3.950	0.1000	3.835	0.7614	0.0550	4		006.99	0
006	Total Sugars (%)	0720	4.045	0.0300	3.835	0.7614	0.0550	4		006.99	0
006	Total Sugars (%)	0939	4.575	0.0500	3.835	0.7614	0.0550	4		006.99	0
006	Total Sugars (%)	0407	5.012	0.7970	3.835	0.7614	0.0550	4		006.00	1
008	Fiber, Acid Detergent (%)	0529	14.74	0.3500	18.31	1.243	0.4063	65	-2.88	008.08	0
008	Fiber, Acid Detergent (%)	0278	14.85	0.3000	18.31	1.243	0.4063	65	-2.79	008.08	0
008	Fiber, Acid Detergent (%)	0968	16.25	0.1460	18.31	1.243	0.4063	65	-1.66	008.08	0
008	Fiber, Acid Detergent (%)	0720	16.44	0.1100	18.31	1.243	0.4063	65	-1.51	008.99	0
008	Fiber, Acid Detergent (%)	0004	16.47	0.7000	18.31	1.243	0.4063	65	-1.48	008.08	0
008	Fiber, Acid Detergent (%)	2012	16.47	0.2000	18.31	1.243	0.4063	65	-1.48	008.08	0
008	Fiber, Acid Detergent (%)	0676	16.71	0.2800	18.31	1.243	0.4063	65	-1.29	008.02	0
008	Fiber, Acid Detergent (%)	2190	16.74	0.7600	18.31	1.243	0.4063	65	-1.26	008.08	0
008	Fiber, Acid Detergent (%)	0653	16.86	0.2600	18.31	1.243	0.4063	65	-1.17	008.08	0
008	Fiber, Acid Detergent (%)	0848	16.90	0.0000	18.31	1.243	0.4063	65	-1.14	008.08	0
008	Fiber, Acid Detergent (%)	0590	17.08	0.6500	18.31	1.243	0.4063	65	-0.99	008.08	0
008	Fiber, Acid Detergent (%)	0956	17.15	0.5000	18.31	1.243	0.4063	65	-0.93	008.08	0
008	Fiber, Acid Detergent (%)	0148	17.20	0.2000	18.31	1.243	0.4063	65	-0.89	008.08	0
008	Fiber, Acid Detergent (%)	0675	17.29	0.3100	18.31	1.243	0.4063	65	-0.83	008.08	0
008	Fiber, Acid Detergent (%)	0910	17.32	0.4300	18.31	1.243	0.4063	65	-0.80	008.08	0
008	Fiber, Acid Detergent (%)	0026	17.40	0.5400	18.31	1.243	0.4063	65	-0.73	008.08	0
008	Fiber, Acid Detergent (%)	0939	17.48	0.2200	18.31	1.243	0.4063	65	-0.67	008.08	0
008	Fiber, Acid Detergent (%)	0878	17.51	0.5500	18.31	1.243	0.4063	65	-0.65	008.08	0
008	Fiber, Acid Detergent (%)	0675	17.62	0.0800	18.31	1.243	0.4063	65	-0.56	008.02	0
008	Fiber, Acid Detergent (%)	0049	17.67	1.420	18.31	1.243	0.4063	65	-0.52	008.08	0
008	Fiber, Acid Detergent (%)	0353	17.68	0.4600	18.31	1.243	0.4063	65	-0.51	008.02	0
008	Fiber, Acid Detergent (%)	0354	17.90	0.0100	18.31	1.243	0.4063	65	-0.33	008.08	0
008	Fiber, Acid Detergent (%)	0357	17.90	0.4000	18.31	1.243	0.4063	65	-0.33	008.08	0
008	Fiber, Acid Detergent (%)	0358	17.92	0.2200	18.31	1.243	0.4063	65	-0.31	008.08	0
008	Fiber, Acid Detergent (%)	2246	17.98	0.1300	18.31	1.243	0.4063	65	-0.27	008.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
008	Fiber, Acid Detergent (%)	0870	18.14	0.6432	18.31	1.243	0.4063	65	-0.14	008.08	0
008	Fiber, Acid Detergent (%)	0510	18.25	0.1000	18.31	1.243	0.4063	65	-0.05	008.08	0
008	Fiber, Acid Detergent (%)	0294	18.30	0.2000	18.31	1.243	0.4063	65	-0.01	008.08	0
008	Fiber, Acid Detergent (%)	0309	18.39	0.1101	18.31	1.243	0.4063	65	0.07	008.02	0
008	Fiber, Acid Detergent (%)	2129	18.43	1.720	18.31	1.243	0.4063	65	0.10	008.08	0
008	Fiber, Acid Detergent (%)	2196	18.45	0.0000	18.31	1.243	0.4063	65	0.11	008.08	0
008	Fiber, Acid Detergent (%)	0098	18.46	1.350	18.31	1.243	0.4063	65	0.12	008.02	0
008	Fiber, Acid Detergent (%)	0918	18.50	0.0600	18.31	1.243	0.4063	65	0.15	008.08	0
008	Fiber, Acid Detergent (%)	0187	18.52	0.0100	18.31	1.243	0.4063	65	0.16	008.02	0
008	Fiber, Acid Detergent (%)	0504	18.54	0.4800	18.31	1.243	0.4063	65	0.18	008.02	0
008	Fiber, Acid Detergent (%)	0619	18.55	0.5000	18.31	1.243	0.4063	65	0.19	008.08	0
008	Fiber, Acid Detergent (%)	0646	18.58	0.1900	18.31	1.243	0.4063	65	0.21	008.08	0
008	Fiber, Acid Detergent (%)	0407	18.60	0.4210	18.31	1.243	0.4063	65	0.23	008.08	0
008	Fiber, Acid Detergent (%)	0001	18.61	0.3400	18.31	1.243	0.4063	65	0.24	008.08	0
008	Fiber, Acid Detergent (%)	0511	18.65	1.700	18.31	1.243	0.4063	65	0.27	008.99	0
008	Fiber, Acid Detergent (%)	0190	18.66	0.0300	18.31	1.243	0.4063	65	0.28	008.08	0
008	Fiber, Acid Detergent (%)	0226	18.68	0.2900	18.31	1.243	0.4063	65	0.29	008.02	0
008	Fiber, Acid Detergent (%)	0035	18.69	0.0500	18.31	1.243	0.4063	65	0.30	008.08	0
008	Fiber, Acid Detergent (%)	0083	18.70	0.2900	18.31	1.243	0.4063	65	0.31	008.08	0
008	Fiber, Acid Detergent (%)	0581	18.82	0.1800	18.31	1.243	0.4063	65	0.41	008.08	0
008	Fiber, Acid Detergent (%)	0148	18.85	0.1000	18.31	1.243	0.4063	65	0.43	008.02	0
008	Fiber, Acid Detergent (%)	0297	18.85	0.1800	18.31	1.243	0.4063	65	0.43	008.08	0
008	Fiber, Acid Detergent (%)	0066	18.94	0.4300	18.31	1.243	0.4063	65	0.50	008.08	0
008	Fiber, Acid Detergent (%)	0912	19.00	0.2000	18.31	1.243	0.4063	65	0.55	008.08	0
008	Fiber, Acid Detergent (%)	0345	19.01	0.1900	18.31	1.243	0.4063	65	0.56	008.02	0
008	Fiber, Acid Detergent (%)	0948	19.01	0.2200	18.31	1.243	0.4063	65	0.56	008.02	0
008	Fiber, Acid Detergent (%)	0889	19.05	0.0000	18.31	1.243	0.4063	65	0.59	008.08	0
008	Fiber, Acid Detergent (%)	0263	19.06	0.0090	18.31	1.243	0.4063	65	0.61	008.08	0
008	Fiber, Acid Detergent (%)	2193	19.35	0.3800	18.31	1.243	0.4063	65	0.84	008.08	0
008	Fiber, Acid Detergent (%)	2192	19.42	1.340	18.31	1.243	0.4063	65	0.89	008.02	0
008	Fiber, Acid Detergent (%)	0689	19.65	0.9000	18.31	1.243	0.4063	65	1.08	008.02	0
008	Fiber, Acid Detergent (%)	0726	19.70	0.1200	18.31	1.243	0.4063	65	1.12	008.08	0
008	Fiber, Acid Detergent (%)	0037	19.92	0.3100	18.31	1.243	0.4063	65	1.29	008.08	0
008	Fiber, Acid Detergent (%)	0045	20.00	0.8000	18.31	1.243	0.4063	65	1.36	008.08	0
008	Fiber, Acid Detergent (%)	0265	20.05	0.1000	18.31	1.243	0.4063	65	1.40	008.05	0
008	Fiber, Acid Detergent (%)	0693	20.28	1.011	18.31	1.243	0.4063	65	1.58	008.08	0
008	Fiber, Acid Detergent (%)	0948	20.49	0.4900	18.31	1.243	0.4063	65	1.75	008.08	0
008	Fiber, Acid Detergent (%)	0164	20.95	0.3000	18.31	1.243	0.4063	65	2.12	008.08	0
008	Fiber, Acid Detergent (%)	0016	22.10	0.8000	18.31	1.243	0.4063	65	3.05	008.08	0
008	Fiber, Acid Detergent (%)	0536	22.34	0.6400	18.31	1.243	0.4063	65	3.24	008.08	0
009	Fiber, Neutral Detergent (%)	0889	28.72	0.2200	34.24	1.852	0.4259	61	-2.98	009.99	0
009	Fiber, Neutral Detergent (%)	0278	31.40	0.2000	34.24	1.852	0.4259	61	-1.54	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
009	Fiber, Neutral Detergent (%)	0357	31.40	0.4000	34.24	1.852	0.4259	61	-1.54	009.09	0
009	Fiber, Neutral Detergent (%)	0358	31.63	0.6000	34.24	1.852	0.4259	61	-1.41	009.09	0
009	Fiber, Neutral Detergent (%)	2190	32.02	1.380	34.24	1.852	0.4259	61	-1.20	009.09	0
009	Fiber, Neutral Detergent (%)	2012	32.15	0.1300	34.24	1.852	0.4259	61	-1.13	009.09	0
009	Fiber, Neutral Detergent (%)	2129	32.19	0.3600	34.24	1.852	0.4259	61	-1.11	009.09	0
009	Fiber, Neutral Detergent (%)	0049	32.27	0.4700	34.24	1.852	0.4259	61	-1.07	009.09	0
009	Fiber, Neutral Detergent (%)	0939	32.32	0.2300	34.24	1.852	0.4259	61	-1.04	009.09	0
009	Fiber, Neutral Detergent (%)	0910	32.60	1.200	34.24	1.852	0.4259	61	-0.89	009.07	0
009	Fiber, Neutral Detergent (%)	0968	32.89	0.0500	34.24	1.852	0.4259	61	-0.73	009.09	0
009	Fiber, Neutral Detergent (%)	0878	32.93	0.6700	34.24	1.852	0.4259	61	-0.71	009.09	0
009	Fiber, Neutral Detergent (%)	0720	32.93	0.1200	34.24	1.852	0.4259	61	-0.71	009.99	0
009	Fiber, Neutral Detergent (%)	0870	32.96	0.5067	34.24	1.852	0.4259	61	-0.69	009.09	0
009	Fiber, Neutral Detergent (%)	0881	32.97	0.4250	34.24	1.852	0.4259	61	-0.69	009.09	0
009	Fiber, Neutral Detergent (%)	0598	33.00	0.2500	34.24	1.852	0.4259	61	-0.67	009.09	0
009	Fiber, Neutral Detergent (%)	0956	33.05	0.1000	34.24	1.852	0.4259	61	-0.64	009.09	0
009	Fiber, Neutral Detergent (%)	0504	33.16	1.520	34.24	1.852	0.4259	61	-0.58	009.04	0
009	Fiber, Neutral Detergent (%)	0646	33.19	0.4300	34.24	1.852	0.4259	61	-0.57	009.09	0
009	Fiber, Neutral Detergent (%)	0187	33.41	0.0400	34.24	1.852	0.4259	61	-0.45	009.07	0
009	Fiber, Neutral Detergent (%)	0294	33.55	0.1000	34.24	1.852	0.4259	61	-0.37	009.09	0
009	Fiber, Neutral Detergent (%)	2193	33.60	0.6700	34.24	1.852	0.4259	61	-0.35	009.09	0
009	Fiber, Neutral Detergent (%)	0675	33.61	0.1600	34.24	1.852	0.4259	61	-0.34	009.09	0
009	Fiber, Neutral Detergent (%)	0263	33.68	0.0402	34.24	1.852	0.4259	61	-0.31	009.09	0
009	Fiber, Neutral Detergent (%)	0581	33.71	0.4100	34.24	1.852	0.4259	61	-0.29	009.09	0
009	Fiber, Neutral Detergent (%)	2196	33.74	0.0000	34.24	1.852	0.4259	61	-0.27	009.09	0
009	Fiber, Neutral Detergent (%)	0675	33.81	0.0500	34.24	1.852	0.4259	61	-0.24	009.07	0
009	Fiber, Neutral Detergent (%)	0098	33.85	0.3000	34.24	1.852	0.4259	61	-0.21	009.07	0
009	Fiber, Neutral Detergent (%)	0407	33.86	1.178	34.24	1.852	0.4259	61	-0.21	009.09	0
009	Fiber, Neutral Detergent (%)	0083	33.87	0.0300	34.24	1.852	0.4259	61	-0.20	009.09	0
009	Fiber, Neutral Detergent (%)	0265	34.00	0.4000	34.24	1.852	0.4259	61	-0.13	009.09	0
009	Fiber, Neutral Detergent (%)	0912	34.00	0.2000	34.24	1.852	0.4259	61	-0.13	009.09	0
009	Fiber, Neutral Detergent (%)	0045	34.10	0.4000	34.24	1.852	0.4259	61	-0.08	009.09	0
009	Fiber, Neutral Detergent (%)	0148	34.15	0.1000	34.24	1.852	0.4259	61	-0.05	009.09	0
009	Fiber, Neutral Detergent (%)	0693	34.27	1.186	34.24	1.852	0.4259	61	0.02	009.09	0
009	Fiber, Neutral Detergent (%)	0353	34.33	0.2400	34.24	1.852	0.4259	61	0.05	009.07	0
009	Fiber, Neutral Detergent (%)	0653	34.35	0.0100	34.24	1.852	0.4259	61	0.06	009.09	0
009	Fiber, Neutral Detergent (%)	0889	34.48	0.0000	34.24	1.852	0.4259	61	0.13	009.09	0
009	Fiber, Neutral Detergent (%)	0510	34.60	0.2000	34.24	1.852	0.4259	61	0.19	009.09	0
009	Fiber, Neutral Detergent (%)	0354	34.71	0.3200	34.24	1.852	0.4259	61	0.25	009.09	0
009	Fiber, Neutral Detergent (%)	0848	34.86	0.0000	34.24	1.852	0.4259	61	0.33	009.09	0
009	Fiber, Neutral Detergent (%)	0964	34.94	0.1010	34.24	1.852	0.4259	61	0.38	009.07	0
009	Fiber, Neutral Detergent (%)	0619	35.05	0.1000	34.24	1.852	0.4259	61	0.44	009.09	0
009	Fiber, Neutral Detergent (%)	0345	35.10	0.6000	34.24	1.852	0.4259	61	0.46	009.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
009	Fiber, Neutral Detergent (%)	0066	35.28	0.3400	34.24	1.852	0.4259	61	0.56	009.09	0
009	Fiber, Neutral Detergent (%)	0226	35.33	0.1100	34.24	1.852	0.4259	61	0.58	009.07	0
009	Fiber, Neutral Detergent (%)	0037	35.38	0.1900	34.24	1.852	0.4259	61	0.61	009.09	0
009	Fiber, Neutral Detergent (%)	2192	35.52	2.030	34.24	1.852	0.4259	61	0.69	009.07	0
009	Fiber, Neutral Detergent (%)	0676	35.87	0.6200	34.24	1.852	0.4259	61	0.88	009.07	0
009	Fiber, Neutral Detergent (%)	0918	36.03	0.0100	34.24	1.852	0.4259	61	0.96	009.09	0
009	Fiber, Neutral Detergent (%)	0590	36.25	1.720	34.24	1.852	0.4259	61	1.08	009.09	0
009	Fiber, Neutral Detergent (%)	0297	36.27	0.1000	34.24	1.852	0.4259	61	1.09	009.09	0
009	Fiber, Neutral Detergent (%)	0309	36.71	0.5630	34.24	1.852	0.4259	61	1.33	009.07	0
009	Fiber, Neutral Detergent (%)	2246	36.84	0.2000	34.24	1.852	0.4259	61	1.40	009.04	0
009	Fiber, Neutral Detergent (%)	0948	37.05	0.6900	34.24	1.852	0.4259	61	1.51	009.07	0
009	Fiber, Neutral Detergent (%)	0726	37.15	0.1800	34.24	1.852	0.4259	61	1.57	009.09	0
009	Fiber, Neutral Detergent (%)	0164	37.30	0.6000	34.24	1.852	0.4259	61	1.65	009.09	0
009	Fiber, Neutral Detergent (%)	0689	37.75	1.900	34.24	1.852	0.4259	61	1.89	009.07	0
009	Fiber, Neutral Detergent (%)	0190	38.26	0.0400	34.24	1.852	0.4259	61	2.17	009.09	0
009	Fiber, Neutral Detergent (%)	2246	40.85	0.2500	34.24	1.852	0.4259	61	3.57	009.07	0
009	Fiber, Neutral Detergent (%)	0536	42.65	0.3400	34.24	1.852	0.4259	61	4.54	009.09	0
009	Fiber, Neutral Detergent (%)	0948	37.26	2.600	34.24	1.852	0.4259	61	1.63	009.09	1
009	Fiber, Neutral Detergent (%)	0038	14.42	0.1300	34.24	1.852	0.4259	61	-10.71	009.07	2
010	Moisture (%)	0553	7.660	0.2800	8.682	0.6047	0.1253	21	-1.69	010.11	0
010	Moisture (%)	0852	7.895	0.0100	8.682	0.6047	0.1253	21	-1.30	010.11	0
010	Moisture (%)	0164	8.075	0.2900	8.682	0.6047	0.1253	21	-1.00	010.03	0
010	Moisture (%)	0726	8.100	0.0200	8.682	0.6047	0.1253	21	-0.96	010.99	0
010	Moisture (%)	0692	8.150	0.1000	8.682	0.6047	0.1253	21	-0.88	010.99	0
010	Moisture (%)	2089	8.255	0.3700	8.682	0.6047	0.1253	21	-0.71	010.99	0
010	Moisture (%)	0948	8.285	0.0100	8.682	0.6047	0.1253	21	-0.66	010.99	0
010	Moisture (%)	0652	8.550	0.3000	8.682	0.6047	0.1253	21	-0.22	010.99	0
010	Moisture (%)	0939	8.605	0.2700	8.682	0.6047	0.1253	21	-0.13	010.99	0
010	Moisture (%)	0875	8.725	0.0100	8.682	0.6047	0.1253	21	0.07	010.99	0
010	Moisture (%)	0889	8.748	0.0150	8.682	0.6047	0.1253	21	0.11	010.11	0
010	Moisture (%)	0884	8.750	0.1000	8.682	0.6047	0.1253	21	0.11	010.99	0
010	Moisture (%)	2150	8.785	0.2700	8.682	0.6047	0.1253	21	0.17	010.99	0
010	Moisture (%)	0843	8.805	0.1700	8.682	0.6047	0.1253	21	0.20	010.03	0
010	Moisture (%)	2076	8.870	0.0800	8.682	0.6047	0.1253	21	0.31	010.99	0
010	Moisture (%)	2178	8.890	0.2200	8.682	0.6047	0.1253	21	0.34	010.99	0
010	Moisture (%)	2128	9.226	0.0566	8.682	0.6047	0.1253	21	0.90	010.11	0
010	Moisture (%)	0190	9.295	0.0300	8.682	0.6047	0.1253	21	1.01	010.99	0
010	Moisture (%)	0720	9.360	0.0200	8.682	0.6047	0.1253	21	1.12	010.11	0
010	Moisture (%)	2248	9.640	0.0000	8.682	0.6047	0.1253	21	1.58	010.99	0
010	Moisture (%)	0405	10.35	0.0100	8.682	0.6047	0.1253	21	2.75	010.99	0
010	Moisture (%)	2129	92.52	0.2500	8.682	0.6047	0.1253	21	138.63	010.99	2
011	Loss on Drying (%)	0536	8.545	0.0100	9.449	0.4567	0.1219	68	-1.98	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	0859	8.578	0.0690	9.449	0.4567	0.1219	68	-1.91	011.01	0
011	Loss on Drying (%)	0598	8.745	0.0900	9.449	0.4567	0.1219	68	-1.54	011.01	0
011	Loss on Drying (%)	2073	8.770	0.0200	9.449	0.4567	0.1219	68	-1.49	011.01	0
011	Loss on Drying (%)	0942	8.780	0.2000	9.449	0.4567	0.1219	68	-1.46	011.02	0
011	Loss on Drying (%)	2075	8.830	0.2600	9.449	0.4567	0.1219	68	-1.36	011.02	0
011	Loss on Drying (%)	0511	8.835	0.4500	9.449	0.4567	0.1219	68	-1.34	011.01	0
011	Loss on Drying (%)	0953	8.930	0.2000	9.449	0.4567	0.1219	68	-1.14	011.01	0
011	Loss on Drying (%)	0175	9.000	0.0000	9.449	0.4567	0.1219	68	-0.98	011.01	0
011	Loss on Drying (%)	0643	9.000	0.4000	9.449	0.4567	0.1219	68	-0.98	011.01	0
011	Loss on Drying (%)	0857	9.000	0.4000	9.449	0.4567	0.1219	68	-0.98	011.99	0
011	Loss on Drying (%)	0881	9.041	0.1500	9.449	0.4567	0.1219	68	-0.89	011.01	0
011	Loss on Drying (%)	0062	9.053	0.1390	9.449	0.4567	0.1219	68	-0.87	011.01	0
011	Loss on Drying (%)	2181	9.075	0.0300	9.449	0.4567	0.1219	68	-0.82	011.01	0
011	Loss on Drying (%)	2006	9.090	0.1800	9.449	0.4567	0.1219	68	-0.79	011.01	0
011	Loss on Drying (%)	0685	9.140	0.0800	9.449	0.4567	0.1219	68	-0.68	011.01	0
011	Loss on Drying (%)	0047	9.165	0.2500	9.449	0.4567	0.1219	68	-0.62	011.01	0
011	Loss on Drying (%)	2168	9.200	0.2000	9.449	0.4567	0.1219	68	-0.55	011.01	0
011	Loss on Drying (%)	0653	9.205	0.0100	9.449	0.4567	0.1219	68	-0.53	011.01	0
011	Loss on Drying (%)	0675	9.205	0.0700	9.449	0.4567	0.1219	68	-0.53	011.01	0
011	Loss on Drying (%)	0425	9.230	0.0400	9.449	0.4567	0.1219	68	-0.48	011.01	0
011	Loss on Drying (%)	2246	9.235	0.0100	9.449	0.4567	0.1219	68	-0.47	011.01	0
011	Loss on Drying (%)	2268	9.265	0.2300	9.449	0.4567	0.1219	68	-0.40	011.01	0
011	Loss on Drying (%)	0646	9.270	0.0200	9.449	0.4567	0.1219	68	-0.39	011.01	0
011	Loss on Drying (%)	2198	9.280	0.1000	9.449	0.4567	0.1219	68	-0.37	011.01	0
011	Loss on Drying (%)	0265	9.300	0.4000	9.449	0.4567	0.1219	68	-0.33	011.01	0
011	Loss on Drying (%)	0622	9.311	0.0204	9.449	0.4567	0.1219	68	-0.30	011.01	0
011	Loss on Drying (%)	0968	9.340	0.0050	9.449	0.4567	0.1219	68	-0.24	011.01	0
011	Loss on Drying (%)	0539	9.380	0.2600	9.449	0.4567	0.1219	68	-0.15	011.01	0
011	Loss on Drying (%)	0553	9.385	0.2300	9.449	0.4567	0.1219	68	-0.14	011.01	0
011	Loss on Drying (%)	0651	9.390	0.0490	9.449	0.4567	0.1219	68	-0.13	011.01	0
011	Loss on Drying (%)	0510	9.400	0.0000	9.449	0.4567	0.1219	68	-0.11	011.01	0
011	Loss on Drying (%)	0100	9.405	0.0900	9.449	0.4567	0.1219	68	-0.10	011.01	0
011	Loss on Drying (%)	2196	9.420	0.0000	9.449	0.4567	0.1219	68	-0.06	011.01	0
011	Loss on Drying (%)	0226	9.425	0.0700	9.449	0.4567	0.1219	68	-0.05	011.01	0
011	Loss on Drying (%)	0108	9.480	0.3000	9.449	0.4567	0.1219	68	0.07	011.01	0
011	Loss on Drying (%)	2057	9.497	0.1215	9.449	0.4567	0.1219	68	0.11	011.01	0
011	Loss on Drying (%)	0298	9.500	0.0200	9.449	0.4567	0.1219	68	0.11	011.01	0
011	Loss on Drying (%)	0300	9.505	0.1900	9.449	0.4567	0.1219	68	0.12	011.01	0
011	Loss on Drying (%)	2193	9.510	0.0800	9.449	0.4567	0.1219	68	0.13	011.01	0
011	Loss on Drying (%)	0574	9.515	0.1300	9.449	0.4567	0.1219	68	0.14	011.01	0
011	Loss on Drying (%)	2188	9.525	0.0300	9.449	0.4567	0.1219	68	0.17	011.01	0
011	Loss on Drying (%)	0164	9.530	0.0400	9.449	0.4567	0.1219	68	0.18	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	0407	9.545	0.0310	9.449	0.4567	0.1219	68	0.21	011.01	0
011	Loss on Drying (%)	0144	9.555	0.0100	9.449	0.4567	0.1219	68	0.23	011.01	0
011	Loss on Drying (%)	0354	9.560	0.0200	9.449	0.4567	0.1219	68	0.24	011.01	0
011	Loss on Drying (%)	0171	9.590	0.0000	9.449	0.4567	0.1219	68	0.31	011.01	0
011	Loss on Drying (%)	0674	9.600	0.0000	9.449	0.4567	0.1219	68	0.33	011.01	0
011	Loss on Drying (%)	0294	9.650	0.1000	9.449	0.4567	0.1219	68	0.44	011.01	0
011	Loss on Drying (%)	2184	9.660	0.2600	9.449	0.4567	0.1219	68	0.46	011.01	0
011	Loss on Drying (%)	0263	9.715	0.1100	9.449	0.4567	0.1219	68	0.58	011.01	0
011	Loss on Drying (%)	0541	9.715	0.1100	9.449	0.4567	0.1219	68	0.58	011.01	0
011	Loss on Drying (%)	0682	9.740	0.0000	9.449	0.4567	0.1219	68	0.64	011.01	0
011	Loss on Drying (%)	0870	9.836	0.5476	9.449	0.4567	0.1219	68	0.85	011.01	0
011	Loss on Drying (%)	0520	9.850	0.1000	9.449	0.4567	0.1219	68	0.88	011.01	0
011	Loss on Drying (%)	0229	9.900	0.0400	9.449	0.4567	0.1219	68	0.99	011.01	0
011	Loss on Drying (%)	0358	9.935	0.0900	9.449	0.4567	0.1219	68	1.06	011.01	0
011	Loss on Drying (%)	0589	9.975	0.3500	9.449	0.4567	0.1219	68	1.15	011.01	0
011	Loss on Drying (%)	0202	9.985	0.0300	9.449	0.4567	0.1219	68	1.17	011.01	0
011	Loss on Drying (%)	0066	10.02	0.0800	9.449	0.4567	0.1219	68	1.25	011.01	0
011	Loss on Drying (%)	0123	10.10	0.0100	9.449	0.4567	0.1219	68	1.41	011.01	0
011	Loss on Drying (%)	0242	10.10	0.1100	9.449	0.4567	0.1219	68	1.41	011.01	0
011	Loss on Drying (%)	0618	10.22	0.0900	9.449	0.4567	0.1219	68	1.68	011.01	0
011	Loss on Drying (%)	0004	10.23	0.0900	9.449	0.4567	0.1219	68	1.70	011.01	0
011	Loss on Drying (%)	0852	10.29	0.1200	9.449	0.4567	0.1219	68	1.84	011.99	0
011	Loss on Drying (%)	2058	10.32	0.0900	9.449	0.4567	0.1219	68	1.90	011.01	0
011	Loss on Drying (%)	0309	10.43	0.1600	9.449	0.4567	0.1219	68	2.15	011.01	0
011	Loss on Drying (%)	0880	11.24	0.1000	9.449	0.4567	0.1219	68	3.92	011.01	0
011	Loss on Drying (%)	0098	9.865	0.9900	9.449	0.4567	0.1219	68	0.91	011.01	1
011	Loss on Drying (%)	0843	10.41	0.8400	9.449	0.4567	0.1219	68	2.10	011.01	1
012	Starch (%)	0918	10.12	0.0200	14.15	1.386	0.2999	44	-2.91	012.01	0
012	Starch (%)	0510	11.75	0.1000	14.15	1.386	0.2999	44	-1.73	012.04	0
012	Starch (%)	0164	11.80	1.000	14.15	1.386	0.2999	44	-1.70	012.01	0
012	Starch (%)	0278	12.00	0.2000	14.15	1.386	0.2999	44	-1.55	012.04	0
012	Starch (%)	0676	12.23	0.7000	14.15	1.386	0.2999	44	-1.39	012.01	0
012	Starch (%)	0889	12.62	0.2000	14.15	1.386	0.2999	44	-1.11	012.11	0
012	Starch (%)	0148	12.65	1.500	14.15	1.386	0.2999	44	-1.08	012.01	0
012	Starch (%)	0098	12.65	1.500	14.15	1.386	0.2999	44	-1.08	012.03	0
012	Starch (%)	0870	12.68	0.6514	14.15	1.386	0.2999	44	-1.06	012.01	0
012	Starch (%)	0720	12.71	0.1000	14.15	1.386	0.2999	44	-1.04	012.11	0
012	Starch (%)	0045	12.80	0.6000	14.15	1.386	0.2999	44	-0.98	012.01	0
012	Starch (%)	0407	13.20	0.0285	14.15	1.386	0.2999	44	-0.69	012.03	0
012	Starch (%)	0297	13.50	0.2700	14.15	1.386	0.2999	44	-0.47	012.03	0
012	Starch (%)	2242	13.62	0.4100	14.15	1.386	0.2999	44	-0.39	012.01	0
012	Starch (%)	0948	14.07	0.5500	14.15	1.386	0.2999	44	-0.06	012.04	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
012	Starch (%)	2006	14.11	0.2100	14.15	1.386	0.2999	44	-0.03	012.00	0
012	Starch (%)	0889	14.11	0.0300	14.15	1.386	0.2999	44	-0.03	012.03	0
012	Starch (%)	2188	14.15	0.0000	14.15	1.386	0.2999	44	0.00	012.00	0
012	Starch (%)	0164	14.20	0.6000	14.15	1.386	0.2999	44	0.04	012.00	0
012	Starch (%)	0689	14.20	0.6000	14.15	1.386	0.2999	44	0.04	012.00	0
012	Starch (%)	2009	14.21	0.0071	14.15	1.386	0.2999	44	0.04	012.00	0
012	Starch (%)	0610	14.30	0.0000	14.15	1.386	0.2999	44	0.11	012.00	0
012	Starch (%)	0619	14.30	0.2000	14.15	1.386	0.2999	44	0.11	012.00	0
012	Starch (%)	0955	14.30	0.4000	14.15	1.386	0.2999	44	0.11	012.03	0
012	Starch (%)	0693	14.41	0.2820	14.15	1.386	0.2999	44	0.18	012.01	0
012	Starch (%)	0354	14.43	0.1000	14.15	1.386	0.2999	44	0.20	012.00	0
012	Starch (%)	0939	14.43	0.0600	14.15	1.386	0.2999	44	0.20	012.00	0
012	Starch (%)	0066	14.55	0.2100	14.15	1.386	0.2999	44	0.28	012.03	0
012	Starch (%)	2196	14.72	0.0000	14.15	1.386	0.2999	44	0.41	012.00	0
012	Starch (%)	2193	14.75	0.1100	14.15	1.386	0.2999	44	0.43	012.00	0
012	Starch (%)	0683	14.78	0.0000	14.15	1.386	0.2999	44	0.45	012.00	0
012	Starch (%)	0885	14.89	0.0267	14.15	1.386	0.2999	44	0.54	012.01	0
012	Starch (%)	0875	14.97	0.0400	14.15	1.386	0.2999	44	0.59	012.99	0
012	Starch (%)	0878	15.00	0.2000	14.15	1.386	0.2999	44	0.61	012.00	0
012	Starch (%)	0910	15.05	0.1000	14.15	1.386	0.2999	44	0.65	012.00	0
012	Starch (%)	0941	15.19	0.0000	14.15	1.386	0.2999	44	0.75	012.99	0
012	Starch (%)	2181	15.49	0.1100	14.15	1.386	0.2999	44	0.96	012.00	0
012	Starch (%)	0297	15.57	0.4500	14.15	1.386	0.2999	44	1.02	012.11	0
012	Starch (%)	2089	15.59	0.5300	14.15	1.386	0.2999	44	1.03	012.01	0
012	Starch (%)	2192	15.64	0.0600	14.15	1.386	0.2999	44	1.07	012.00	0
012	Starch (%)	0852	15.67	0.1800	14.15	1.386	0.2999	44	1.10	012.11	0
012	Starch (%)	0265	17.15	0.1000	14.15	1.386	0.2999	44	2.16	012.01	0
012	Starch (%)	2128	17.94	0.1700	14.15	1.386	0.2999	44	2.73	012.11	0
012	Starch (%)	0590	18.20	0.5900	14.15	1.386	0.2999	44	2.92	012.11	0
012	Starch (%)	0956	11.80	1.600	14.15	1.386	0.2999	44	-1.70	012.01	1
013	Fat, Acid Pretreat (%)	2146	3.330	0.3800	5.189	0.6098	0.1461	46	-3.05	013.00	0
013	Fat, Acid Pretreat (%)	2073	3.680	0.3200	5.189	0.6098	0.1461	46	-2.47	013.00	0
013	Fat, Acid Pretreat (%)	0720	3.975	0.0300	5.189	0.6098	0.1461	46	-1.99	013.10	0
013	Fat, Acid Pretreat (%)	0229	4.265	0.0700	5.189	0.6098	0.1461	46	-1.51	013.00	0
013	Fat, Acid Pretreat (%)	0689	4.450	0.3000	5.189	0.6098	0.1461	46	-1.21	013.00	0
013	Fat, Acid Pretreat (%)	0968	4.527	0.1290	5.189	0.6098	0.1461	46	-1.09	013.13	0
013	Fat, Acid Pretreat (%)	0036	4.536	0.0130	5.189	0.6098	0.1461	46	-1.07	013.10	0
013	Fat, Acid Pretreat (%)	0650	4.610	0.0400	5.189	0.6098	0.1461	46	-0.95	013.02	0
013	Fat, Acid Pretreat (%)	0407	4.618	0.0311	5.189	0.6098	0.1461	46	-0.94	013.02	0
013	Fat, Acid Pretreat (%)	0083	4.650	0.0200	5.189	0.6098	0.1461	46	-0.88	013.00	0
013	Fat, Acid Pretreat (%)	2128	4.696	0.0669	5.189	0.6098	0.1461	46	-0.81	013.12	0
013	Fat, Acid Pretreat (%)	2196	4.750	0.0000	5.189	0.6098	0.1461	46	-0.72	013.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat, Acid Pretreat (%)	0610	4.830	0.1400	5.189	0.6098	0.1461	46	-0.59	013.10	0
013	Fat, Acid Pretreat (%)	0853	4.885	0.2500	5.189	0.6098	0.1461	46	-0.50	013.02	0
013	Fat, Acid Pretreat (%)	0884	5.000	0.2000	5.189	0.6098	0.1461	46	-0.31	013.00	0
013	Fat, Acid Pretreat (%)	0870	5.015	0.2700	5.189	0.6098	0.1461	46	-0.28	013.02	0
013	Fat, Acid Pretreat (%)	0265	5.030	0.1200	5.189	0.6098	0.1461	46	-0.26	013.13	0
013	Fat, Acid Pretreat (%)	0910	5.060	0.3400	5.189	0.6098	0.1461	46	-0.21	013.00	0
013	Fat, Acid Pretreat (%)	0098	5.080	0.2600	5.189	0.6098	0.1461	46	-0.18	013.02	0
013	Fat, Acid Pretreat (%)	0618	5.099	0.0609	5.189	0.6098	0.1461	46	-0.15	013.00	0
013	Fat, Acid Pretreat (%)	0309	5.128	0.2563	5.189	0.6098	0.1461	46	-0.10	013.00	0
013	Fat, Acid Pretreat (%)	0353	5.135	0.0500	5.189	0.6098	0.1461	46	-0.09	013.10	0
013	Fat, Acid Pretreat (%)	2057	5.181	0.1695	5.189	0.6098	0.1461	46	-0.01	013.13	0
013	Fat, Acid Pretreat (%)	0948	5.215	0.1100	5.189	0.6098	0.1461	46	0.04	013.00	0
013	Fat, Acid Pretreat (%)	0541	5.230	0.1400	5.189	0.6098	0.1461	46	0.07	013.00	0
013	Fat, Acid Pretreat (%)	0939	5.235	0.0900	5.189	0.6098	0.1461	46	0.08	013.13	0
013	Fat, Acid Pretreat (%)	0675	5.245	0.1500	5.189	0.6098	0.1461	46	0.09	013.02	0
013	Fat, Acid Pretreat (%)	0652	5.250	0.1000	5.189	0.6098	0.1461	46	0.10	013.00	0
013	Fat, Acid Pretreat (%)	0100	5.260	0.1600	5.189	0.6098	0.1461	46	0.12	013.02	0
013	Fat, Acid Pretreat (%)	0955	5.380	0.2400	5.189	0.6098	0.1461	46	0.31	013.13	0
013	Fat, Acid Pretreat (%)	2259	5.438	0.0800	5.189	0.6098	0.1461	46	0.41	013.02	0
013	Fat, Acid Pretreat (%)	2076	5.486	0.0101	5.189	0.6098	0.1461	46	0.49	013.00	0
013	Fat, Acid Pretreat (%)	0504	5.495	0.1700	5.189	0.6098	0.1461	46	0.50	013.00	0
013	Fat, Acid Pretreat (%)	0148	5.560	0.0200	5.189	0.6098	0.1461	46	0.61	013.02	0
013	Fat, Acid Pretreat (%)	0682	5.630	0.0000	5.189	0.6098	0.1461	46	0.72	013.02	0
013	Fat, Acid Pretreat (%)	0354	5.650	0.0000	5.189	0.6098	0.1461	46	0.76	013.02	0
013	Fat, Acid Pretreat (%)	2150	5.670	0.0800	5.189	0.6098	0.1461	46	0.79	013.00	0
013	Fat, Acid Pretreat (%)	0164	5.720	0.2200	5.189	0.6098	0.1461	46	0.87	013.02	0
013	Fat, Acid Pretreat (%)	0581	5.745	0.0100	5.189	0.6098	0.1461	46	0.91	013.13	0
013	Fat, Acid Pretreat (%)	0921	5.805	0.0300	5.189	0.6098	0.1461	46	1.01	013.02	0
013	Fat, Acid Pretreat (%)	0843	5.880	0.4200	5.189	0.6098	0.1461	46	1.13	013.13	0
013	Fat, Acid Pretreat (%)	0139	5.990	0.0400	5.189	0.6098	0.1461	46	1.31	013.00	0
013	Fat, Acid Pretreat (%)	0407	6.165	0.3650	5.189	0.6098	0.1461	46	1.60	013.13	0
013	Fat, Acid Pretreat (%)	0676	6.205	0.1500	5.189	0.6098	0.1461	46	1.67	013.02	0
013	Fat, Acid Pretreat (%)	0171	6.425	0.5300	5.189	0.6098	0.1461	46	2.03	013.02	0
013	Fat, Acid Pretreat (%)	0202	6.485	0.0900	5.189	0.6098	0.1461	46	2.13	013.00	0
015	Aluminum (mg / kg (ppm))	0186	81.45	0.9000	136.8	25.29	6.872	17	-2.19	015.52	0
015	Aluminum (mg / kg (ppm))	0049	105.8	0.9800	136.8	25.29	6.872	17	-1.23	015.41	0
015	Aluminum (mg / kg (ppm))	0407	108.7	16.66	136.8	25.29	6.872	17	-1.11	015.41	0
015	Aluminum (mg / kg (ppm))	0297	117.0	8.000	136.8	25.29	6.872	17	-0.78	015.43	0
015	Aluminum (mg / kg (ppm))	0918	123.5	12.18	136.8	25.29	6.872	17	-0.53	015.43	0
015	Aluminum (mg / kg (ppm))	0171	128.6	0.0000	136.8	25.29	6.872	17	-0.32	015.41	0
015	Aluminum (mg / kg (ppm))	0425	129.9	1.300	136.8	25.29	6.872	17	-0.28	015.43	0
015	Aluminum (mg / kg (ppm))	0037	130.7	6.400	136.8	25.29	6.872	17	-0.24	015.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
015	Aluminum (mg / kg (ppm))	0520	142.0	2.000	136.8	25.29	6.872	17	0.20	015.41	0
015	Aluminum (mg / kg (ppm))	0560	142.3	20.70	136.8	25.29	6.872	17	0.21	015.42	0
015	Aluminum (mg / kg (ppm))	0169	143.5	1.000	136.8	25.29	6.872	17	0.26	015.43	0
015	Aluminum (mg / kg (ppm))	0164	145.0	8.000	136.8	25.29	6.872	17	0.32	015.41	0
015	Aluminum (mg / kg (ppm))	0345	147.0	2.000	136.8	25.29	6.872	17	0.40	015.43	0
015	Aluminum (mg / kg (ppm))	0407	149.3	9.695	136.8	25.29	6.872	17	0.49	015.43	0
015	Aluminum (mg / kg (ppm))	0510	165.0	0.0000	136.8	25.29	6.872	17	1.11	015.43	0
015	Aluminum (mg / kg (ppm))	0353	174.0	26.00	136.8	25.29	6.872	17	1.47	015.43	0
015	Aluminum (mg / kg (ppm))	0553	176.5	1.000	136.8	25.29	6.872	17	1.57	015.53	0
017	Boron (mg / kg (ppm))	0229	2.555	1.330	8.331	0.6978	0.5987	18	-8.28	017.41	0
017	Boron (mg / kg (ppm))	0407	7.460	0.8997	8.331	0.6978	0.5987	18	-1.25	017.41	0
017	Boron (mg / kg (ppm))	0265	7.880	1.320	8.331	0.6978	0.5987	18	-0.65	017.42	0
017	Boron (mg / kg (ppm))	0345	7.900	0.4000	8.331	0.6978	0.5987	18	-0.62	017.43	0
017	Boron (mg / kg (ppm))	0405	7.957	1.088	8.331	0.6978	0.5987	18	-0.54	017.44	0
017	Boron (mg / kg (ppm))	0096	7.988	0.4015	8.331	0.6978	0.5987	18	-0.49	017.52	0
017	Boron (mg / kg (ppm))	0693	7.992	0.0480	8.331	0.6978	0.5987	18	-0.49	017.42	0
017	Boron (mg / kg (ppm))	0045	8.075	0.9700	8.331	0.6978	0.5987	18	-0.37	017.42	0
017	Boron (mg / kg (ppm))	0358	8.140	0.8400	8.331	0.6978	0.5987	18	-0.27	017.41	0
017	Boron (mg / kg (ppm))	0560	8.175	1.210	8.331	0.6978	0.5987	18	-0.22	017.42	0
017	Boron (mg / kg (ppm))	0037	8.250	0.1000	8.331	0.6978	0.5987	18	-0.12	017.42	0
017	Boron (mg / kg (ppm))	0353	8.500	1.000	8.331	0.6978	0.5987	18	0.24	017.43	0
017	Boron (mg / kg (ppm))	0083	8.650	0.1000	8.331	0.6978	0.5987	18	0.46	017.43	0
017	Boron (mg / kg (ppm))	0918	8.760	0.0800	8.331	0.6978	0.5987	18	0.61	017.43	0
017	Boron (mg / kg (ppm))	0510	9.000	0.0000	8.331	0.6978	0.5987	18	0.96	017.43	0
017	Boron (mg / kg (ppm))	0226	9.210	0.2600	8.331	0.6978	0.5987	18	1.26	017.41	0
017	Boron (mg / kg (ppm))	0294	9.360	0.0800	8.331	0.6978	0.5987	18	1.47	017.42	0
017	Boron (mg / kg (ppm))	0049	10.37	0.6500	8.331	0.6978	0.5987	18	2.91	017.41	0
017	Boron (mg / kg (ppm))	0407	15.10	7.928	8.331	0.6978	0.5987	18	9.70	017.43	1
017	Boron (mg / kg (ppm))	0297	0.0000	0.0000	8.331	0.6978	0.5987	18		017.43	4
019	Calcium (%)	2033	0.9750	0.0500	1.212	0.0787	0.0355	142	-3.01	019.43	0
019	Calcium (%)	0520	1.005	0.0100	1.212	0.0787	0.0355	142	-2.63	019.41	0
019	Calcium (%)	0026	1.008	0.0370	1.212	0.0787	0.0355	142	-2.59	019.42	0
019	Calcium (%)	0038	1.026	0.0060	1.212	0.0787	0.0355	142	-2.36	019.43	0
019	Calcium (%)	0144	1.065	0.0100	1.212	0.0787	0.0355	142	-1.86	019.41	0
019	Calcium (%)	0164	1.065	0.1300	1.212	0.0787	0.0355	142	-1.86	019.41	0
019	Calcium (%)	2129	1.075	0.1500	1.212	0.0787	0.0355	142	-1.74	019.42	0
019	Calcium (%)	0154	1.089	0.0086	1.212	0.0787	0.0355	142	-1.56	019.52	0
019	Calcium (%)	0229	1.092	0.0230	1.212	0.0787	0.0355	142	-1.53	019.41	0
019	Calcium (%)	0918	1.102	0.1310	1.212	0.0787	0.0355	142	-1.40	019.43	0
019	Calcium (%)	0108	1.105	0.0100	1.212	0.0787	0.0355	142	-1.36	019.31	0
019	Calcium (%)	0596	1.105	0.0700	1.212	0.0787	0.0355	142	-1.36	019.31	0
019	Calcium (%)	0004	1.110	0.1000	1.212	0.0787	0.0355	142	-1.29	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0955	1.110	0.0800	1.212	0.0787	0.0355	142	-1.29	019.44	0
019	Calcium (%)	2012	1.110	0.0200	1.212	0.0787	0.0355	142	-1.29	019.41	0
019	Calcium (%)	0175	1.115	0.0300	1.212	0.0787	0.0355	142	-1.23	019.31	0
019	Calcium (%)	0720	1.115	0.0300	1.212	0.0787	0.0355	142	-1.23	019.41	0
019	Calcium (%)	0939	1.115	0.0100	1.212	0.0787	0.0355	142	-1.23	019.53	0
019	Calcium (%)	0893	1.120	0.0400	1.212	0.0787	0.0355	142	-1.17	019.00	0
019	Calcium (%)	0875	1.120	0.0200	1.212	0.0787	0.0355	142	-1.17	019.43	0
019	Calcium (%)	0572	1.125	0.0100	1.212	0.0787	0.0355	142	-1.10	019.53	0
019	Calcium (%)	0610	1.130	0.0200	1.212	0.0787	0.0355	142	-1.04	019.43	0
019	Calcium (%)	2109	1.131	0.0210	1.212	0.0787	0.0355	142	-1.03	019.00	0
019	Calcium (%)	0043	1.134	0.0265	1.212	0.0787	0.0355	142	-0.98	019.43	0
019	Calcium (%)	0939	1.135	0.0700	1.212	0.0787	0.0355	142	-0.98	019.31	0
019	Calcium (%)	0123	1.135	0.0500	1.212	0.0787	0.0355	142	-0.98	019.41	0
019	Calcium (%)	0171	1.140	0.0200	1.212	0.0787	0.0355	142	-0.91	019.41	0
019	Calcium (%)	0675	1.140	0.0200	1.212	0.0787	0.0355	142	-0.91	019.43	0
019	Calcium (%)	0878	1.140	0.0400	1.212	0.0787	0.0355	142	-0.91	019.00	0
019	Calcium (%)	0142	1.141	0.0073	1.212	0.0787	0.0355	142	-0.90	019.31	0
019	Calcium (%)	0948	1.149	0.0080	1.212	0.0787	0.0355	142	-0.80	019.31	0
019	Calcium (%)	0848	1.150	0.0000	1.212	0.0787	0.0355	142	-0.78	019.41	0
019	Calcium (%)	0622	1.152	0.0176	1.212	0.0787	0.0355	142	-0.76	019.00	0
019	Calcium (%)	0016	1.155	0.0100	1.212	0.0787	0.0355	142	-0.72	019.52	0
019	Calcium (%)	0066	1.160	0.0320	1.212	0.0787	0.0355	142	-0.66	019.41	0
019	Calcium (%)	0089	1.160	0.0000	1.212	0.0787	0.0355	142	-0.66	019.43	0
019	Calcium (%)	0651	1.164	0.0480	1.212	0.0787	0.0355	142	-0.61	019.00	0
019	Calcium (%)	0407	1.165	0.1271	1.212	0.0787	0.0355	142	-0.59	019.41	0
019	Calcium (%)	0921	1.168	0.0140	1.212	0.0787	0.0355	142	-0.56	019.31	0
019	Calcium (%)	0036	1.174	0.0549	1.212	0.0787	0.0355	142	-0.47	019.43	0
019	Calcium (%)	0529	1.175	0.0300	1.212	0.0787	0.0355	142	-0.47	019.31	0
019	Calcium (%)	0003	1.175	0.0500	1.212	0.0787	0.0355	142	-0.47	019.41	0
019	Calcium (%)	0910	1.175	0.0300	1.212	0.0787	0.0355	142	-0.47	019.41	0
019	Calcium (%)	0510	1.175	0.0300	1.212	0.0787	0.0355	142	-0.47	019.43	0
019	Calcium (%)	0186	1.175	0.0700	1.212	0.0787	0.0355	142	-0.47	019.52	0
019	Calcium (%)	0139	1.180	0.0200	1.212	0.0787	0.0355	142	-0.40	019.41	0
019	Calcium (%)	0884	1.185	0.0100	1.212	0.0787	0.0355	142	-0.34	019.31	0
019	Calcium (%)	0511	1.185	0.1900	1.212	0.0787	0.0355	142	-0.34	019.41	0
019	Calcium (%)	0033	1.185	0.0100	1.212	0.0787	0.0355	142	-0.34	019.43	0
019	Calcium (%)	0300	1.185	0.0100	1.212	0.0787	0.0355	142	-0.34	019.53	0
019	Calcium (%)	0676	1.185	0.0500	1.212	0.0787	0.0355	142	-0.34	019.99	0
019	Calcium (%)	0629	1.190	0.0200	1.212	0.0787	0.0355	142	-0.28	019.08	0
019	Calcium (%)	0045	1.190	0.0400	1.212	0.0787	0.0355	142	-0.28	019.42	0
019	Calcium (%)	0668	1.190	0.0000	1.212	0.0787	0.0355	142	-0.28	019.43	0
019	Calcium (%)	0019	1.195	0.0300	1.212	0.0787	0.0355	142	-0.21	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0653	1.198	0.0090	1.212	0.0787	0.0355	142	-0.18	019.41	0
019	Calcium (%)	0006	1.198	0.0700	1.212	0.0787	0.0355	142	-0.18	019.43	0
019	Calcium (%)	0878	1.200	0.0200	1.212	0.0787	0.0355	142	-0.15	019.41	0
019	Calcium (%)	0009	1.200	0.0400	1.212	0.0787	0.0355	142	-0.15	019.42	0
019	Calcium (%)	0010	1.200	0.0200	1.212	0.0787	0.0355	142	-0.15	019.43	0
019	Calcium (%)	0345	1.200	0.0200	1.212	0.0787	0.0355	142	-0.15	019.43	0
019	Calcium (%)	2089	1.200	0.1000	1.212	0.0787	0.0355	142	-0.15	019.43	0
019	Calcium (%)	0590	1.200	0.0200	1.212	0.0787	0.0355	142	-0.15	019.99	0
019	Calcium (%)	2009	1.202	0.0004	1.212	0.0787	0.0355	142	-0.13	019.08	0
019	Calcium (%)	0148	1.205	0.0500	1.212	0.0787	0.0355	142	-0.09	019.41	0
019	Calcium (%)	0405	1.207	0.0950	1.212	0.0787	0.0355	142	-0.07	019.41	0
019	Calcium (%)	0693	1.210	0.0650	1.212	0.0787	0.0355	142	-0.03	019.42	0
019	Calcium (%)	0590	1.210	0.0200	1.212	0.0787	0.0355	142	-0.02	019.08	0
019	Calcium (%)	2196	1.210	0.0000	1.212	0.0787	0.0355	142	-0.02	019.08	0
019	Calcium (%)	0169	1.210	0.0000	1.212	0.0787	0.0355	142	-0.02	019.32	0
019	Calcium (%)	0083	1.210	0.0200	1.212	0.0787	0.0355	142	-0.02	019.43	0
019	Calcium (%)	0242	1.210	0.0400	1.212	0.0787	0.0355	142	-0.02	019.99	0
019	Calcium (%)	0357	1.214	0.0073	1.212	0.0787	0.0355	142	0.03	019.42	0
019	Calcium (%)	0297	1.215	0.0700	1.212	0.0787	0.0355	142	0.04	019.43	0
019	Calcium (%)	0629	1.215	0.0300	1.212	0.0787	0.0355	142	0.04	019.43	0
019	Calcium (%)	0047	1.215	0.0300	1.212	0.0787	0.0355	142	0.04	019.52	0
019	Calcium (%)	0885	1.218	0.0055	1.212	0.0787	0.0355	142	0.08	019.08	0
019	Calcium (%)	0096	1.220	0.0006	1.212	0.0787	0.0355	142	0.10	019.52	0
019	Calcium (%)	0689	1.220	0.0000	1.212	0.0787	0.0355	142	0.10	019.08	0
019	Calcium (%)	2196	1.220	0.0000	1.212	0.0787	0.0355	142	0.10	019.31	0
019	Calcium (%)	0049	1.220	0.0200	1.212	0.0787	0.0355	142	0.10	019.41	0
019	Calcium (%)	0298	1.220	0.0200	1.212	0.0787	0.0355	142	0.10	019.41	0
019	Calcium (%)	0881	1.223	0.0150	1.212	0.0787	0.0355	142	0.14	019.00	0
019	Calcium (%)	0849	1.225	0.0110	1.212	0.0787	0.0355	142	0.16	019.08	0
019	Calcium (%)	0687	1.225	0.1500	1.212	0.0787	0.0355	142	0.17	019.31	0
019	Calcium (%)	2018	1.225	0.0100	1.212	0.0787	0.0355	142	0.17	019.31	0
019	Calcium (%)	2259	1.225	0.0100	1.212	0.0787	0.0355	142	0.17	019.41	0
019	Calcium (%)	0263	1.227	0.0115	1.212	0.0787	0.0355	142	0.19	019.42	0
019	Calcium (%)	2144	1.230	0.0000	1.212	0.0787	0.0355	142	0.23	019.00	0
019	Calcium (%)	0186	1.230	0.0600	1.212	0.0787	0.0355	142	0.23	019.42	0
019	Calcium (%)	0425	1.230	0.0000	1.212	0.0787	0.0355	142	0.23	019.43	0
019	Calcium (%)	2246	1.235	0.1700	1.212	0.0787	0.0355	142	0.29	019.00	0
019	Calcium (%)	2259	1.239	0.0010	1.212	0.0787	0.0355	142	0.34	019.42	0
019	Calcium (%)	2246	1.240	0.0000	1.212	0.0787	0.0355	142	0.36	019.31	0
019	Calcium (%)	0354	1.240	0.0200	1.212	0.0787	0.0355	142	0.36	019.41	0
019	Calcium (%)	0366	1.245	0.0300	1.212	0.0787	0.0355	142	0.42	019.42	0
019	Calcium (%)	0897	1.250	0.0000	1.212	0.0787	0.0355	142	0.49	019.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0536	1.250	0.0200	1.212	0.0787	0.0355	142	0.49	019.31	0
019	Calcium (%)	0622	1.253	0.0510	1.212	0.0787	0.0355	142	0.52	019.31	0
019	Calcium (%)	0001	1.253	0.0820	1.212	0.0787	0.0355	142	0.52	019.31	0
019	Calcium (%)	0870	1.255	0.0150	1.212	0.0787	0.0355	142	0.54	019.42	0
019	Calcium (%)	0098	1.255	0.0500	1.212	0.0787	0.0355	142	0.55	019.41	0
019	Calcium (%)	0265	1.255	0.0300	1.212	0.0787	0.0355	142	0.55	019.42	0
019	Calcium (%)	0560	1.255	0.0317	1.212	0.0787	0.0355	142	0.55	019.42	0
019	Calcium (%)	0968	1.257	0.0030	1.212	0.0787	0.0355	142	0.57	019.43	0
019	Calcium (%)	0683	1.260	0.0400	1.212	0.0787	0.0355	142	0.61	019.00	0
019	Calcium (%)	2193	1.260	0.0200	1.212	0.0787	0.0355	142	0.61	019.08	0
019	Calcium (%)	0035	1.260	0.0000	1.212	0.0787	0.0355	142	0.61	019.42	0
019	Calcium (%)	0964	1.266	0.1098	1.212	0.0787	0.0355	142	0.68	019.43	0
019	Calcium (%)	0598	1.270	0.0010	1.212	0.0787	0.0355	142	0.73	019.41	0
019	Calcium (%)	0674	1.270	0.0000	1.212	0.0787	0.0355	142	0.74	019.31	0
019	Calcium (%)	0037	1.270	0.0320	1.212	0.0787	0.0355	142	0.74	019.42	0
019	Calcium (%)	0035	1.270	0.0200	1.212	0.0787	0.0355	142	0.74	019.43	0
019	Calcium (%)	0278	1.275	0.0100	1.212	0.0787	0.0355	142	0.80	019.42	0
019	Calcium (%)	0027	1.278	0.0490	1.212	0.0787	0.0355	142	0.83	019.43	0
019	Calcium (%)	0036	1.280	0.0696	1.212	0.0787	0.0355	142	0.86	019.03	0
019	Calcium (%)	2198	1.280	0.0200	1.212	0.0787	0.0355	142	0.87	019.31	0
019	Calcium (%)	0868	1.285	0.0100	1.212	0.0787	0.0355	142	0.93	019.31	0
019	Calcium (%)	0353	1.295	0.0500	1.212	0.0787	0.0355	142	1.06	019.43	0
019	Calcium (%)	0100	1.295	0.0300	1.212	0.0787	0.0355	142	1.06	019.99	0
019	Calcium (%)	2190	1.297	0.0497	1.212	0.0787	0.0355	142	1.08	019.08	0
019	Calcium (%)	0202	1.298	0.0030	1.212	0.0787	0.0355	142	1.09	019.43	0
019	Calcium (%)	0619	1.300	0.0600	1.212	0.0787	0.0355	142	1.12	019.41	0
019	Calcium (%)	0505	1.300	0.1000	1.212	0.0787	0.0355	142	1.12	019.43	0
019	Calcium (%)	2146	1.300	0.0400	1.212	0.0787	0.0355	142	1.12	019.51	0
019	Calcium (%)	0226	1.310	0.0000	1.212	0.0787	0.0355	142	1.25	019.41	0
019	Calcium (%)	0682	1.310	0.0000	1.212	0.0787	0.0355	142	1.25	019.43	0
019	Calcium (%)	0685	1.320	0.0600	1.212	0.0787	0.0355	142	1.37	019.41	0
019	Calcium (%)	0553	1.320	0.0800	1.212	0.0787	0.0355	142	1.37	019.53	0
019	Calcium (%)	0358	1.325	0.1300	1.212	0.0787	0.0355	142	1.44	019.41	0
019	Calcium (%)	0098	1.325	0.0300	1.212	0.0787	0.0355	142	1.44	019.43	0
019	Calcium (%)	0294	1.335	0.0300	1.212	0.0787	0.0355	142	1.56	019.42	0
019	Calcium (%)	0646	1.360	0.0000	1.212	0.0787	0.0355	142	1.88	019.31	0
019	Calcium (%)	0726	1.363	0.0060	1.212	0.0787	0.0355	142	1.92	019.42	0
019	Calcium (%)	0190	1.365	0.0300	1.212	0.0787	0.0355	142	1.95	019.42	0
019	Calcium (%)	2188	1.370	0.0000	1.212	0.0787	0.0355	142	2.01	019.08	0
019	Calcium (%)	0692	1.375	0.0100	1.212	0.0787	0.0355	142	2.07	019.42	0
019	Calcium (%)	0187	1.380	0.0000	1.212	0.0787	0.0355	142	2.14	019.42	0
019	Calcium (%)	2006	1.400	0.0480	1.212	0.0787	0.0355	142	2.39	019.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	2053	1.550	0.1000	1.212	0.0787	0.0355	142	4.30	019.42	0
019	Calcium (%)	2181	1.555	0.0100	1.212	0.0787	0.0355	142	4.36	019.00	0
019	Calcium (%)	0852	1.750	0.1000	1.212	0.0787	0.0355	142	6.84	019.08	0
019	Calcium (%)	0407	0.9775	0.2844	1.212	0.0787	0.0355	142	-2.98	019.43	1
019	Calcium (%)	2128	1.215	0.3360	1.212	0.0787	0.0355	142	0.04	019.02	1
019	Calcium (%)	2192	1.435	0.2700	1.212	0.0787	0.0355	142	2.83	019.43	1
021	Cobalt (mg / kg (ppm))	0043	1.200	0.4000	2.765	0.7814	0.1831	29	-2.00	021.43	0
021	Cobalt (mg / kg (ppm))	0955	1.575	0.3900	2.765	0.7814	0.1831	29	-1.52	021.41	0
021	Cobalt (mg / kg (ppm))	0047	1.805	0.0100	2.765	0.7814	0.1831	29	-1.23	021.52	0
021	Cobalt (mg / kg (ppm))	0619	1.840	0.0200	2.765	0.7814	0.1831	29	-1.18	021.41	0
021	Cobalt (mg / kg (ppm))	0016	1.915	0.0500	2.765	0.7814	0.1831	29	-1.09	021.52	0
021	Cobalt (mg / kg (ppm))	0693	2.015	0.3450	2.765	0.7814	0.1831	29	-0.96	021.42	0
021	Cobalt (mg / kg (ppm))	0096	2.150	0.1378	2.765	0.7814	0.1831	29	-0.79	021.52	0
021	Cobalt (mg / kg (ppm))	0910	2.160	0.2200	2.765	0.7814	0.1831	29	-0.77	021.52	0
021	Cobalt (mg / kg (ppm))	0186	2.220	0.0200	2.765	0.7814	0.1831	29	-0.70	021.52	0
021	Cobalt (mg / kg (ppm))	0918	2.457	0.3610	2.765	0.7814	0.1831	29	-0.40	021.53	0
021	Cobalt (mg / kg (ppm))	0345	2.470	0.0600	2.765	0.7814	0.1831	29	-0.38	021.43	0
021	Cobalt (mg / kg (ppm))	0407	2.725	0.2070	2.765	0.7814	0.1831	29	-0.05	021.41	0
021	Cobalt (mg / kg (ppm))	0171	2.795	0.0100	2.765	0.7814	0.1831	29	0.04	021.41	0
021	Cobalt (mg / kg (ppm))	0689	2.800	0.2000	2.765	0.7814	0.1831	29	0.04	021.31	0
021	Cobalt (mg / kg (ppm))	0560	2.860	0.1600	2.765	0.7814	0.1831	29	0.12	021.42	0
021	Cobalt (mg / kg (ppm))	0629	2.935	0.0100	2.765	0.7814	0.1831	29	0.22	021.43	0
021	Cobalt (mg / kg (ppm))	0169	2.945	0.0500	2.765	0.7814	0.1831	29	0.23	021.43	0
021	Cobalt (mg / kg (ppm))	0045	3.005	0.2300	2.765	0.7814	0.1831	29	0.31	021.42	0
021	Cobalt (mg / kg (ppm))	0964	3.088	0.1675	2.765	0.7814	0.1831	29	0.41	021.43	0
021	Cobalt (mg / kg (ppm))	0875	3.100	0.2000	2.765	0.7814	0.1831	29	0.43	021.43	0
021	Cobalt (mg / kg (ppm))	2033	3.105	0.3700	2.765	0.7814	0.1831	29	0.43	021.43	0
021	Cobalt (mg / kg (ppm))	0939	3.115	0.5500	2.765	0.7814	0.1831	29	0.45	021.53	0
021	Cobalt (mg / kg (ppm))	0553	3.250	0.1200	2.765	0.7814	0.1831	29	0.62	021.53	0
021	Cobalt (mg / kg (ppm))	0038	3.574	0.0460	2.765	0.7814	0.1831	29	1.03	021.43	0
021	Cobalt (mg / kg (ppm))	0027	3.579	0.0870	2.765	0.7814	0.1831	29	1.04	021.43	0
021	Cobalt (mg / kg (ppm))	0510	3.695	0.0700	2.765	0.7814	0.1831	29	1.19	021.43	0
021	Cobalt (mg / kg (ppm))	0164	3.700	0.2000	2.765	0.7814	0.1831	29	1.20	021.31	0
021	Cobalt (mg / kg (ppm))	0148	3.770	0.4800	2.765	0.7814	0.1831	29	1.29	021.41	0
021	Cobalt (mg / kg (ppm))	0939	4.100	0.1400	2.765	0.7814	0.1831	29	1.71	021.31	0
021	Cobalt (mg / kg (ppm))	0407	2.954	1.338	2.765	0.7814	0.1831	29	0.24	021.43	1
021	Cobalt (mg / kg (ppm))	2053	< 5		2.765	0.7814	0.1831	29		021.42	5
022	Copper (mg / kg (ppm))	0026	43.81	0.0850	59.32	5.120	2.431	98	-3.03	022.42	0
022	Copper (mg / kg (ppm))	0520	44.50	3.000	59.32	5.120	2.431	98	-2.89	022.41	0
022	Copper (mg / kg (ppm))	0848	46.34	1.860	59.32	5.120	2.431	98	-2.53	022.41	0
022	Copper (mg / kg (ppm))	0511	48.50	5.000	59.32	5.120	2.431	98	-2.11	022.41	0
022	Copper (mg / kg (ppm))	0955	48.95	3.300	59.32	5.120	2.431	98	-2.02	022.44	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0263	50.40	0.9834	59.32	5.120	2.431	98	-1.74	022.42	0
022	Copper (mg / kg (ppm))	0619	50.75	1.100	59.32	5.120	2.431	98	-1.67	022.41	0
022	Copper (mg / kg (ppm))	0675	51.52	2.540	59.32	5.120	2.431	98	-1.52	022.43	0
022	Copper (mg / kg (ppm))	0536	51.63	0.2500	59.32	5.120	2.431	98	-1.50	022.31	0
022	Copper (mg / kg (ppm))	0171	52.05	7.700	59.32	5.120	2.431	98	-1.42	022.41	0
022	Copper (mg / kg (ppm))	0049	52.49	0.4800	59.32	5.120	2.431	98	-1.33	022.41	0
022	Copper (mg / kg (ppm))	0003	52.50	3.000	59.32	5.120	2.431	98	-1.33	022.41	0
022	Copper (mg / kg (ppm))	0598	52.91	1.170	59.32	5.120	2.431	98	-1.25	022.41	0
022	Copper (mg / kg (ppm))	0148	53.20	4.200	59.32	5.120	2.431	98	-1.19	022.41	0
022	Copper (mg / kg (ppm))	2128	54.77	0.3010	59.32	5.120	2.431	98	-0.89	022.32	0
022	Copper (mg / kg (ppm))	0229	54.84	5.210	59.32	5.120	2.431	98	-0.88	022.41	0
022	Copper (mg / kg (ppm))	0345	55.40	1.800	59.32	5.120	2.431	98	-0.76	022.43	0
022	Copper (mg / kg (ppm))	0033	55.55	0.1000	59.32	5.120	2.431	98	-0.74	022.43	0
022	Copper (mg / kg (ppm))	2012	55.60	0.9300	59.32	5.120	2.431	98	-0.73	022.41	0
022	Copper (mg / kg (ppm))	2018	55.71	1.630	59.32	5.120	2.431	98	-0.71	022.41	0
022	Copper (mg / kg (ppm))	0278	55.95	0.7000	59.32	5.120	2.431	98	-0.66	022.42	0
022	Copper (mg / kg (ppm))	0918	56.04	2.520	59.32	5.120	2.431	98	-0.64	022.43	0
022	Copper (mg / kg (ppm))	0948	56.07	0.1570	59.32	5.120	2.431	98	-0.63	022.33	0
022	Copper (mg / kg (ppm))	2246	56.21	8.000	59.32	5.120	2.431	98	-0.61	022.34	0
022	Copper (mg / kg (ppm))	0265	56.35	0.5000	59.32	5.120	2.431	98	-0.58	022.42	0
022	Copper (mg / kg (ppm))	0100	56.50	1.000	59.32	5.120	2.431	98	-0.55	022.99	0
022	Copper (mg / kg (ppm))	0720	56.62	0.0900	59.32	5.120	2.431	98	-0.53	022.41	0
022	Copper (mg / kg (ppm))	0004	56.73	4.510	59.32	5.120	2.431	98	-0.51	022.41	0
022	Copper (mg / kg (ppm))	0590	56.90	0.2000	59.32	5.120	2.431	98	-0.47	022.99	0
022	Copper (mg / kg (ppm))	0572	57.05	5.500	59.32	5.120	2.431	98	-0.44	022.53	0
022	Copper (mg / kg (ppm))	0047	57.17	6.770	59.32	5.120	2.431	98	-0.42	022.52	0
022	Copper (mg / kg (ppm))	0019	57.22	2.950	59.32	5.120	2.431	98	-0.41	022.41	0
022	Copper (mg / kg (ppm))	0016	57.25	1.700	59.32	5.120	2.431	98	-0.40	022.52	0
022	Copper (mg / kg (ppm))	0407	57.40	7.770	59.32	5.120	2.431	98	-0.37	022.43	0
022	Copper (mg / kg (ppm))	0354	57.44	0.4700	59.32	5.120	2.431	98	-0.37	022.41	0
022	Copper (mg / kg (ppm))	2089	57.45	5.250	59.32	5.120	2.431	98	-0.37	022.43	0
022	Copper (mg / kg (ppm))	0910	57.50	1.000	59.32	5.120	2.431	98	-0.35	022.41	0
022	Copper (mg / kg (ppm))	0407	57.53	3.424	59.32	5.120	2.431	98	-0.35	022.41	0
022	Copper (mg / kg (ppm))	0169	57.60	0.6000	59.32	5.120	2.431	98	-0.34	022.43	0
022	Copper (mg / kg (ppm))	0689	57.99	3.570	59.32	5.120	2.431	98	-0.26	022.31	0
022	Copper (mg / kg (ppm))	0297	58.00	4.000	59.32	5.120	2.431	98	-0.26	022.43	0
022	Copper (mg / kg (ppm))	0596	58.07	1.390	59.32	5.120	2.431	98	-0.24	022.31	0
022	Copper (mg / kg (ppm))	0045	58.50	1.200	59.32	5.120	2.431	98	-0.16	022.42	0
022	Copper (mg / kg (ppm))	2192	58.60	1.200	59.32	5.120	2.431	98	-0.14	022.43	0
022	Copper (mg / kg (ppm))	0939	58.64	0.4500	59.32	5.120	2.431	98	-0.13	022.31	0
022	Copper (mg / kg (ppm))	0693	58.81	2.400	59.32	5.120	2.431	98	-0.10	022.42	0
022	Copper (mg / kg (ppm))	0035	59.00	2.000	59.32	5.120	2.431	98	-0.06	022.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0242	59.00	2.000	59.32	5.120	2.431	98	-0.06	022.99	0
022	Copper (mg / kg (ppm))	2152	59.05	2.200	59.32	5.120	2.431	98	-0.05	022.41	0
022	Copper (mg / kg (ppm))	0098	59.50	2.090	59.32	5.120	2.431	98	0.04	022.43	0
022	Copper (mg / kg (ppm))	0001	59.56	4.300	59.32	5.120	2.431	98	0.05	022.31	0
022	Copper (mg / kg (ppm))	0037	59.60	2.000	59.32	5.120	2.431	98	0.06	022.42	0
022	Copper (mg / kg (ppm))	0682	59.60	0.0000	59.32	5.120	2.431	98	0.06	022.43	0
022	Copper (mg / kg (ppm))	2146	59.68	4.680	59.32	5.120	2.431	98	0.07	022.31	0
022	Copper (mg / kg (ppm))	2146	59.71	3.230	59.32	5.120	2.431	98	0.08	022.51	0
022	Copper (mg / kg (ppm))	0098	59.87	7.870	59.32	5.120	2.431	98	0.11	022.41	0
022	Copper (mg / kg (ppm))	0553	60.00	2.400	59.32	5.120	2.431	98	0.13	022.53	0
022	Copper (mg / kg (ppm))	0226	60.09	1.120	59.32	5.120	2.431	98	0.15	022.41	0
022	Copper (mg / kg (ppm))	0096	60.47	6.052	59.32	5.120	2.431	98	0.23	022.52	0
022	Copper (mg / kg (ppm))	0083	60.50	1.000	59.32	5.120	2.431	98	0.23	022.43	0
022	Copper (mg / kg (ppm))	0202	60.54	2.230	59.32	5.120	2.431	98	0.24	022.43	0
022	Copper (mg / kg (ppm))	0939	60.70	6.920	59.32	5.120	2.431	98	0.27	022.53	0
022	Copper (mg / kg (ppm))	2196	60.80	0.0000	59.32	5.120	2.431	98	0.29	022.31	0
022	Copper (mg / kg (ppm))	0529	61.00	2.200	59.32	5.120	2.431	98	0.33	022.31	0
022	Copper (mg / kg (ppm))	0186	61.10	1.600	59.32	5.120	2.431	98	0.35	022.52	0
022	Copper (mg / kg (ppm))	0009	61.15	2.900	59.32	5.120	2.431	98	0.36	022.42	0
022	Copper (mg / kg (ppm))	0868	61.50	5.000	59.32	5.120	2.431	98	0.43	022.31	0
022	Copper (mg / kg (ppm))	0038	61.80	0.0000	59.32	5.120	2.431	98	0.49	022.32	0
022	Copper (mg / kg (ppm))	0010	61.90	4.000	59.32	5.120	2.431	98	0.50	022.33	0
022	Copper (mg / kg (ppm))	0366	62.00	4.000	59.32	5.120	2.431	98	0.52	022.42	0
022	Copper (mg / kg (ppm))	0510	62.00	2.000	59.32	5.120	2.431	98	0.52	022.43	0
022	Copper (mg / kg (ppm))	0610	62.00	8.000	59.32	5.120	2.431	98	0.52	022.43	0
022	Copper (mg / kg (ppm))	0878	62.07	1.190	59.32	5.120	2.431	98	0.54	022.41	0
022	Copper (mg / kg (ppm))	0964	62.47	2.313	59.32	5.120	2.431	98	0.62	022.43	0
022	Copper (mg / kg (ppm))	0190	62.65	0.2400	59.32	5.120	2.431	98	0.65	022.42	0
022	Copper (mg / kg (ppm))	0685	62.71	1.109	59.32	5.120	2.431	98	0.66	022.42	0
022	Copper (mg / kg (ppm))	0968	63.00	0.0000	59.32	5.120	2.431	98	0.72	022.43	0
022	Copper (mg / kg (ppm))	0175	63.50	3.000	59.32	5.120	2.431	98	0.82	022.31	0
022	Copper (mg / kg (ppm))	0186	63.50	1.000	59.32	5.120	2.431	98	0.82	022.42	0
022	Copper (mg / kg (ppm))	0875	63.50	1.000	59.32	5.120	2.431	98	0.82	022.43	0
022	Copper (mg / kg (ppm))	0668	63.60	4.600	59.32	5.120	2.431	98	0.84	022.43	0
022	Copper (mg / kg (ppm))	0726	63.92	0.0200	59.32	5.120	2.431	98	0.90	022.42	0
022	Copper (mg / kg (ppm))	0066	64.02	1.530	59.32	5.120	2.431	98	0.92	022.44	0
022	Copper (mg / kg (ppm))	0884	64.30	2.600	59.32	5.120	2.431	98	0.97	022.31	0
022	Copper (mg / kg (ppm))	0505	64.39	2.960	59.32	5.120	2.431	98	0.99	022.43	0
022	Copper (mg / kg (ppm))	0027	65.97	1.380	59.32	5.120	2.431	98	1.30	022.43	0
022	Copper (mg / kg (ppm))	0035	66.00	2.000	59.32	5.120	2.431	98	1.31	022.42	0
022	Copper (mg / kg (ppm))	0560	66.15	4.700	59.32	5.120	2.431	98	1.33	022.42	0
022	Copper (mg / kg (ppm))	2188	66.85	0.0000	59.32	5.120	2.431	98	1.47	022.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (mg / kg (ppm))	0353	67.00	4.000	59.32	5.120	2.431	98	1.50	022.43	0
022	Copper (mg / kg (ppm))	0870	67.67	2.770	59.32	5.120	2.431	98	1.63	022.42	0
022	Copper (mg / kg (ppm))	0692	68.00	2.000	59.32	5.120	2.431	98	1.70	022.42	0
022	Copper (mg / kg (ppm))	0187	68.17	0.3300	59.32	5.120	2.431	98	1.73	022.42	0
022	Copper (mg / kg (ppm))	0405	68.72	0.6500	59.32	5.120	2.431	98	1.84	022.41	0
022	Copper (mg / kg (ppm))	0357	69.02	1.764	59.32	5.120	2.431	98	1.90	022.42	0
022	Copper (mg / kg (ppm))	0294	70.05	2.300	59.32	5.120	2.431	98	2.10	022.42	0
022	Copper (mg / kg (ppm))	0358	70.92	0.9300	59.32	5.120	2.431	98	2.27	022.41	0
022	Copper (mg / kg (ppm))	2033	70.95	2.100	59.32	5.120	2.431	98	2.27	022.43	0
022	Copper (mg / kg (ppm))	2053	71.85	14.10	59.32	5.120	2.431	98	2.45	022.42	1
022	Copper (mg / kg (ppm))	2129	73.00	16.00	59.32	5.120	2.431	98	2.67	022.99	1
024	Iodine (mg / kg (ppm))	0171	4.500	1.600				3		024.03	0
024	Iodine (mg / kg (ppm))	0160	4.620	0.1200				3		024.99	0
024	Iodine (mg / kg (ppm))	2033	5.000	0.6000				3		024.53	0
025	Iron (mg / kg (ppm))	0278	169.0	32.00	326.9	38.59	13.33	89	-4.09	025.42	0
025	Iron (mg / kg (ppm))	0955	230.5	33.00	326.9	38.59	13.33	89	-2.50	025.41	0
025	Iron (mg / kg (ppm))	0536	244.8	6.000	326.9	38.59	13.33	89	-2.13	025.31	0
025	Iron (mg / kg (ppm))	0154	245.4	0.3200	326.9	38.59	13.33	89	-2.11	025.52	0
025	Iron (mg / kg (ppm))	2188	250.3	0.0000	326.9	38.59	13.33	89	-1.98	025.31	0
025	Iron (mg / kg (ppm))	0265	254.5	3.000	326.9	38.59	13.33	89	-1.88	025.42	0
025	Iron (mg / kg (ppm))	0047	256.5	9.900	326.9	38.59	13.33	89	-1.83	025.52	0
025	Iron (mg / kg (ppm))	0345	260.8	19.13	326.9	38.59	13.33	89	-1.71	025.43	0
025	Iron (mg / kg (ppm))	0598	262.6	1.700	326.9	38.59	13.33	89	-1.67	025.41	0
025	Iron (mg / kg (ppm))	0123	265.5	13.00	326.9	38.59	13.33	89	-1.59	025.41	0
025	Iron (mg / kg (ppm))	0294	271.6	12.12	326.9	38.59	13.33	89	-1.43	025.42	0
025	Iron (mg / kg (ppm))	0689	275.2	12.20	326.9	38.59	13.33	89	-1.34	025.31	0
025	Iron (mg / kg (ppm))	0425	276.6	8.300	326.9	38.59	13.33	89	-1.31	025.43	0
025	Iron (mg / kg (ppm))	0405	281.9	43.00	326.9	38.59	13.33	89	-1.17	025.41	0
025	Iron (mg / kg (ppm))	0619	282.0	6.000	326.9	38.59	13.33	89	-1.16	025.41	0
025	Iron (mg / kg (ppm))	0610	283.5	21.00	326.9	38.59	13.33	89	-1.13	025.43	0
025	Iron (mg / kg (ppm))	0520	285.0	0.0000	326.9	38.59	13.33	89	-1.09	025.41	0
025	Iron (mg / kg (ppm))	0171	295.3	5.000	326.9	38.59	13.33	89	-0.82	025.41	0
025	Iron (mg / kg (ppm))	0921	295.5	7.000	326.9	38.59	13.33	89	-0.81	025.31	0
025	Iron (mg / kg (ppm))	0026	300.1	51.90	326.9	38.59	13.33	89	-0.70	025.42	0
025	Iron (mg / kg (ppm))	0169	303.0	0.0000	326.9	38.59	13.33	89	-0.62	025.43	0
025	Iron (mg / kg (ppm))	0226	303.7	6.550	326.9	38.59	13.33	89	-0.60	025.41	0
025	Iron (mg / kg (ppm))	2196	304.4	0.0000	326.9	38.59	13.33	89	-0.58	025.31	0
025	Iron (mg / kg (ppm))	0668	306.5	53.00	326.9	38.59	13.33	89	-0.53	025.43	0
025	Iron (mg / kg (ppm))	0720	307.5	4.000	326.9	38.59	13.33	89	-0.50	025.41	0
025	Iron (mg / kg (ppm))	0003	308.5	27.00	326.9	38.59	13.33	89	-0.48	025.41	0
025	Iron (mg / kg (ppm))	0354	309.6	1.900	326.9	38.59	13.33	89	-0.45	025.41	0
025	Iron (mg / kg (ppm))	2012	311.1	1.480	326.9	38.59	13.33	89	-0.41	025.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0968	313.0	10.00	326.9	38.59	13.33	89	-0.36	025.43	0
025	Iron (mg / kg (ppm))	0629	314.0	16.00	326.9	38.59	13.33	89	-0.33	025.31	0
025	Iron (mg / kg (ppm))	0263	315.1	2.693	326.9	38.59	13.33	89	-0.31	025.42	0
025	Iron (mg / kg (ppm))	0190	317.6	3.420	326.9	38.59	13.33	89	-0.24	025.42	0
025	Iron (mg / kg (ppm))	0560	319.0	31.90	326.9	38.59	13.33	89	-0.21	025.42	0
025	Iron (mg / kg (ppm))	2129	320.5	37.00	326.9	38.59	13.33	89	-0.17	025.99	0
025	Iron (mg / kg (ppm))	0529	321.2	0.7000	326.9	38.59	13.33	89	-0.15	025.31	0
025	Iron (mg / kg (ppm))	0043	322.9	4.500	326.9	38.59	13.33	89	-0.11	025.43	0
025	Iron (mg / kg (ppm))	0004	323.9	29.92	326.9	38.59	13.33	89	-0.08	025.41	0
025	Iron (mg / kg (ppm))	0511	324.0	12.00	326.9	38.59	13.33	89	-0.08	025.41	0
025	Iron (mg / kg (ppm))	0016	324.0	4.000	326.9	38.59	13.33	89	-0.08	025.52	0
025	Iron (mg / kg (ppm))	0164	326.0	30.00	326.9	38.59	13.33	89	-0.02	025.41	0
025	Iron (mg / kg (ppm))	0297	329.5	11.00	326.9	38.59	13.33	89	0.07	025.43	0
025	Iron (mg / kg (ppm))	0033	330.5	5.000	326.9	38.59	13.33	89	0.09	025.43	0
025	Iron (mg / kg (ppm))	0096	331.7	10.39	326.9	38.59	13.33	89	0.12	025.52	0
025	Iron (mg / kg (ppm))	0726	333.2	0.4000	326.9	38.59	13.33	89	0.16	025.42	0
025	Iron (mg / kg (ppm))	0407	333.7	7.170	326.9	38.59	13.33	89	0.18	025.41	0
025	Iron (mg / kg (ppm))	0870	334.1	21.00	326.9	38.59	13.33	89	0.19	025.42	0
025	Iron (mg / kg (ppm))	2033	335.0	10.00	326.9	38.59	13.33	89	0.21	025.43	0
025	Iron (mg / kg (ppm))	0693	335.0	23.45	326.9	38.59	13.33	89	0.21	025.42	0
025	Iron (mg / kg (ppm))	0001	336.5	17.80	326.9	38.59	13.33	89	0.25	025.31	0
025	Iron (mg / kg (ppm))	0100	336.5	9.000	326.9	38.59	13.33	89	0.25	025.99	0
025	Iron (mg / kg (ppm))	0045	337.0	8.000	326.9	38.59	13.33	89	0.26	025.42	0
025	Iron (mg / kg (ppm))	0875	337.0	10.00	326.9	38.59	13.33	89	0.26	025.43	0
025	Iron (mg / kg (ppm))	0049	339.1	9.650	326.9	38.59	13.33	89	0.32	025.41	0
025	Iron (mg / kg (ppm))	0229	339.4	21.40	326.9	38.59	13.33	89	0.32	025.41	0
025	Iron (mg / kg (ppm))	0878	340.0	10.00	326.9	38.59	13.33	89	0.34	025.41	0
025	Iron (mg / kg (ppm))	2152	340.5	4.160	326.9	38.59	13.33	89	0.35	025.41	0
025	Iron (mg / kg (ppm))	0868	341.5	1.000	326.9	38.59	13.33	89	0.38	025.31	0
025	Iron (mg / kg (ppm))	0505	342.8	22.70	326.9	38.59	13.33	89	0.41	025.31	0
025	Iron (mg / kg (ppm))	0098	342.9	6.600	326.9	38.59	13.33	89	0.41	025.41	0
025	Iron (mg / kg (ppm))	0242	343.0	22.00	326.9	38.59	13.33	89	0.42	025.99	0
025	Iron (mg / kg (ppm))	0675	345.1	26.29	326.9	38.59	13.33	89	0.47	025.43	0
025	Iron (mg / kg (ppm))	0019	345.7	0.3000	326.9	38.59	13.33	89	0.49	025.41	0
025	Iron (mg / kg (ppm))	0629	346.5	9.000	326.9	38.59	13.33	89	0.51	025.43	0
025	Iron (mg / kg (ppm))	0918	348.4	1.440	326.9	38.59	13.33	89	0.56	025.43	0
025	Iron (mg / kg (ppm))	0407	348.9	57.09	326.9	38.59	13.33	89	0.57	025.43	0
025	Iron (mg / kg (ppm))	0038	349.5	27.00	326.9	38.59	13.33	89	0.59	025.31	0
025	Iron (mg / kg (ppm))	0148	350.0	10.00	326.9	38.59	13.33	89	0.60	025.41	0
025	Iron (mg / kg (ppm))	2192	350.1	16.57	326.9	38.59	13.33	89	0.60	025.43	0
025	Iron (mg / kg (ppm))	0366	351.0	10.00	326.9	38.59	13.33	89	0.62	025.42	0
025	Iron (mg / kg (ppm))	0083	351.5	3.000	326.9	38.59	13.33	89	0.64	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0353	352.0	38.00	326.9	38.59	13.33	89	0.65	025.43	0
025	Iron (mg / kg (ppm))	0187	353.5	2.420	326.9	38.59	13.33	89	0.69	025.42	0
025	Iron (mg / kg (ppm))	0910	356.0	28.00	326.9	38.59	13.33	89	0.75	025.41	0
025	Iron (mg / kg (ppm))	0692	357.0	0.0000	326.9	38.59	13.33	89	0.78	025.42	0
025	Iron (mg / kg (ppm))	0964	358.4	21.83	326.9	38.59	13.33	89	0.82	025.43	0
025	Iron (mg / kg (ppm))	2246	359.5	5.290	326.9	38.59	13.33	89	0.84	025.31	0
025	Iron (mg / kg (ppm))	0027	362.8	11.74	326.9	38.59	13.33	89	0.93	025.43	0
025	Iron (mg / kg (ppm))	0098	366.9	13.90	326.9	38.59	13.33	89	1.03	025.43	0
025	Iron (mg / kg (ppm))	0682	368.9	0.0000	326.9	38.59	13.33	89	1.09	025.43	0
025	Iron (mg / kg (ppm))	0035	371.0	14.00	326.9	38.59	13.33	89	1.14	025.43	0
025	Iron (mg / kg (ppm))	0066	374.3	11.18	326.9	38.59	13.33	89	1.23	025.41	0
025	Iron (mg / kg (ppm))	0175	375.0	6.000	326.9	38.59	13.33	89	1.25	025.31	0
025	Iron (mg / kg (ppm))	0037	378.4	15.90	326.9	38.59	13.33	89	1.33	025.42	0
025	Iron (mg / kg (ppm))	0038	382.0	14.00	326.9	38.59	13.33	89	1.43	025.43	0
025	Iron (mg / kg (ppm))	0358	383.3	9.820	326.9	38.59	13.33	89	1.46	025.41	0
025	Iron (mg / kg (ppm))	0510	391.0	2.000	326.9	38.59	13.33	89	1.66	025.43	0
025	Iron (mg / kg (ppm))	0884	401.5	1.900	326.9	38.59	13.33	89	1.93	025.31	0
025	Iron (mg / kg (ppm))	0035	402.0	0.0000	326.9	38.59	13.33	89	1.95	025.42	0
025	Iron (mg / kg (ppm))	2089	402.7	37.98	326.9	38.59	13.33	89	1.96	025.43	0
025	Iron (mg / kg (ppm))	0553	172.7	338.5	326.9	38.59	13.33	89	-4.00	025.53	1
025	Iron (mg / kg (ppm))	2128	420.2	175.6	326.9	38.59	13.33	89	2.42	025.32	1
027	Magnesium (%)	2018	0.3350	0.0100	0.3801	0.0217	0.0101	106	-2.08	027.41	0
027	Magnesium (%)	0171	0.3405	0.0030	0.3801	0.0217	0.0101	106	-1.82	027.41	0
027	Magnesium (%)	0229	0.3450	0.0300	0.3801	0.0217	0.0101	106	-1.62	027.41	0
027	Magnesium (%)	0610	0.3450	0.0100	0.3801	0.0217	0.0101	106	-1.62	027.43	0
027	Magnesium (%)	0407	0.3486	0.0200	0.3801	0.0217	0.0101	106	-1.45	027.41	0
027	Magnesium (%)	0884	0.3500	0.0200	0.3801	0.0217	0.0101	106	-1.38	027.31	0
027	Magnesium (%)	0511	0.3500	0.0000	0.3801	0.0217	0.0101	106	-1.38	027.41	0
027	Magnesium (%)	2012	0.3500	0.0000	0.3801	0.0217	0.0101	106	-1.38	027.41	0
027	Magnesium (%)	0425	0.3500	0.0000	0.3801	0.0217	0.0101	106	-1.38	027.43	0
027	Magnesium (%)	0038	0.3507	0.0036	0.3801	0.0217	0.0101	106	-1.35	027.31	0
027	Magnesium (%)	2129	0.3519	0.0160	0.3801	0.0217	0.0101	106	-1.30	027.42	0
027	Magnesium (%)	0154	0.3534	0.0156	0.3801	0.0217	0.0101	106	-1.23	027.52	0
027	Magnesium (%)	0955	0.3535	0.0270	0.3801	0.0217	0.0101	106	-1.22	027.44	0
027	Magnesium (%)	0004	0.3550	0.0300	0.3801	0.0217	0.0101	106	-1.15	027.41	0
027	Magnesium (%)	0265	0.3550	0.0100	0.3801	0.0217	0.0101	106	-1.15	027.42	0
027	Magnesium (%)	0505	0.3550	0.0100	0.3801	0.0217	0.0101	106	-1.15	027.43	0
027	Magnesium (%)	0668	0.3575	0.0030	0.3801	0.0217	0.0101	106	-1.04	027.43	0
027	Magnesium (%)	0026	0.3588	0.0285	0.3801	0.0217	0.0101	106	-0.98	027.42	0
027	Magnesium (%)	0939	0.3600	0.0000	0.3801	0.0217	0.0101	106	-0.92	027.31	0
027	Magnesium (%)	0520	0.3600	0.0200	0.3801	0.0217	0.0101	106	-0.92	027.41	0
027	Magnesium (%)	0202	0.3640	0.0000	0.3801	0.0217	0.0101	106	-0.74	027.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0720	0.3650	0.0100	0.3801	0.0217	0.0101	106	-0.69	027.41	0
027	Magnesium (%)	0675	0.3650	0.0100	0.3801	0.0217	0.0101	106	-0.69	027.43	0
027	Magnesium (%)	2192	0.3650	0.0300	0.3801	0.0217	0.0101	106	-0.69	027.43	0
027	Magnesium (%)	0345	0.3655	0.0010	0.3801	0.0217	0.0101	106	-0.67	027.43	0
027	Magnesium (%)	0572	0.3665	0.0090	0.3801	0.0217	0.0101	106	-0.63	027.53	0
027	Magnesium (%)	0096	0.3671	0.0004	0.3801	0.0217	0.0101	106	-0.60	027.52	0
027	Magnesium (%)	0590	0.3675	0.0050	0.3801	0.0217	0.0101	106	-0.58	027.99	0
027	Magnesium (%)	0164	0.3690	0.0040	0.3801	0.0217	0.0101	106	-0.51	027.41	0
027	Magnesium (%)	0689	0.3700	0.0200	0.3801	0.0217	0.0101	106	-0.46	027.31	0
027	Magnesium (%)	0010	0.3700	0.0200	0.3801	0.0217	0.0101	106	-0.46	027.33	0
027	Magnesium (%)	0049	0.3700	0.0000	0.3801	0.0217	0.0101	106	-0.46	027.41	0
027	Magnesium (%)	0083	0.3700	0.0000	0.3801	0.0217	0.0101	106	-0.46	027.43	0
027	Magnesium (%)	0629	0.3700	0.0000	0.3801	0.0217	0.0101	106	-0.46	027.43	0
027	Magnesium (%)	0001	0.3705	0.0061	0.3801	0.0217	0.0101	106	-0.44	027.31	0
027	Magnesium (%)	0038	0.3715	0.0070	0.3801	0.0217	0.0101	106	-0.39	027.43	0
027	Magnesium (%)	0263	0.3734	0.0063	0.3801	0.0217	0.0101	106	-0.31	027.42	0
027	Magnesium (%)	0529	0.3745	0.0050	0.3801	0.0217	0.0101	106	-0.26	027.31	0
027	Magnesium (%)	0175	0.3750	0.0100	0.3801	0.0217	0.0101	106	-0.23	027.31	0
027	Magnesium (%)	0536	0.3750	0.0100	0.3801	0.0217	0.0101	106	-0.23	027.31	0
027	Magnesium (%)	0629	0.3750	0.0100	0.3801	0.0217	0.0101	106	-0.23	027.31	0
027	Magnesium (%)	0354	0.3750	0.0100	0.3801	0.0217	0.0101	106	-0.23	027.41	0
027	Magnesium (%)	0910	0.3750	0.0100	0.3801	0.0217	0.0101	106	-0.23	027.41	0
027	Magnesium (%)	0242	0.3750	0.0100	0.3801	0.0217	0.0101	106	-0.23	027.99	0
027	Magnesium (%)	0033	0.3775	0.0050	0.3801	0.0217	0.0101	106	-0.12	027.43	0
027	Magnesium (%)	0875	0.3775	0.0110	0.3801	0.0217	0.0101	106	-0.12	027.43	0
027	Magnesium (%)	0043	0.3790	0.0106	0.3801	0.0217	0.0101	106	-0.05	027.43	0
027	Magnesium (%)	0186	0.3790	0.0220	0.3801	0.0217	0.0101	106	-0.05	027.52	0
027	Magnesium (%)	0968	0.3795	0.0010	0.3801	0.0217	0.0101	106	-0.03	027.43	0
027	Magnesium (%)	0870	0.3799	0.0029	0.3801	0.0217	0.0101	106	-0.01	027.42	0
027	Magnesium (%)	0596	0.3800	0.0000	0.3801	0.0217	0.0101	106	0.00	027.31	0
027	Magnesium (%)	0868	0.3800	0.0200	0.3801	0.0217	0.0101	106	0.00	027.31	0
027	Magnesium (%)	2146	0.3800	0.0000	0.3801	0.0217	0.0101	106	0.00	027.31	0
027	Magnesium (%)	2196	0.3800	0.0000	0.3801	0.0217	0.0101	106	0.00	027.31	0
027	Magnesium (%)	2246	0.3800	0.0200	0.3801	0.0217	0.0101	106	0.00	027.31	0
027	Magnesium (%)	0019	0.3800	0.0200	0.3801	0.0217	0.0101	106	0.00	027.41	0
027	Magnesium (%)	0878	0.3800	0.0200	0.3801	0.0217	0.0101	106	0.00	027.41	0
027	Magnesium (%)	0685	0.3800	0.0200	0.3801	0.0217	0.0101	106	0.00	027.42	0
027	Magnesium (%)	0035	0.3800	0.0000	0.3801	0.0217	0.0101	106	0.00	027.43	0
027	Magnesium (%)	0089	0.3800	0.0000	0.3801	0.0217	0.0101	106	0.00	027.43	0
027	Magnesium (%)	0297	0.3800	0.0000	0.3801	0.0217	0.0101	106	0.00	027.43	0
027	Magnesium (%)	0948	0.3805	0.0150	0.3801	0.0217	0.0101	106	0.02	027.33	0
027	Magnesium (%)	0066	0.3805	0.0070	0.3801	0.0217	0.0101	106	0.02	027.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0006	0.3805	0.0170	0.3801	0.0217	0.0101	106	0.02	027.43	0
027	Magnesium (%)	0357	0.3811	0.0003	0.3801	0.0217	0.0101	106	0.05	027.42	0
027	Magnesium (%)	0027	0.3830	0.0100	0.3801	0.0217	0.0101	106	0.13	027.43	0
027	Magnesium (%)	0142	0.3845	0.0009	0.3801	0.0217	0.0101	106	0.20	027.31	0
027	Magnesium (%)	0139	0.3845	0.0020	0.3801	0.0217	0.0101	106	0.20	027.41	0
027	Magnesium (%)	0045	0.3845	0.0030	0.3801	0.0217	0.0101	106	0.20	027.42	0
027	Magnesium (%)	0003	0.3850	0.0100	0.3801	0.0217	0.0101	106	0.23	027.41	0
027	Magnesium (%)	0148	0.3850	0.0100	0.3801	0.0217	0.0101	106	0.23	027.41	0
027	Magnesium (%)	0190	0.3850	0.0100	0.3801	0.0217	0.0101	106	0.23	027.42	0
027	Magnesium (%)	0964	0.3862	0.0406	0.3801	0.0217	0.0101	106	0.28	027.43	0
027	Magnesium (%)	0918	0.3870	0.0020	0.3801	0.0217	0.0101	106	0.32	027.43	0
027	Magnesium (%)	0186	0.3895	0.0010	0.3801	0.0217	0.0101	106	0.43	027.42	0
027	Magnesium (%)	0098	0.3900	0.0200	0.3801	0.0217	0.0101	106	0.46	027.41	0
027	Magnesium (%)	0035	0.3900	0.0000	0.3801	0.0217	0.0101	106	0.46	027.42	0
027	Magnesium (%)	0098	0.3900	0.0000	0.3801	0.0217	0.0101	106	0.46	027.43	0
027	Magnesium (%)	0037	0.3915	0.0030	0.3801	0.0217	0.0101	106	0.53	027.42	0
027	Magnesium (%)	0598	0.3921	0.0004	0.3801	0.0217	0.0101	106	0.55	027.41	0
027	Magnesium (%)	0169	0.3950	0.0100	0.3801	0.0217	0.0101	106	0.69	027.32	0
027	Magnesium (%)	0226	0.3950	0.0100	0.3801	0.0217	0.0101	106	0.69	027.41	0
027	Magnesium (%)	0278	0.3950	0.0100	0.3801	0.0217	0.0101	106	0.69	027.42	0
027	Magnesium (%)	0510	0.3950	0.0100	0.3801	0.0217	0.0101	106	0.69	027.43	0
027	Magnesium (%)	0682	0.4000	0.0000	0.3801	0.0217	0.0101	106	0.92	027.43	0
027	Magnesium (%)	0016	0.4015	0.0110	0.3801	0.0217	0.0101	106	0.99	027.52	0
027	Magnesium (%)	0009	0.4020	0.0040	0.3801	0.0217	0.0101	106	1.01	027.42	0
027	Magnesium (%)	0553	0.4035	0.0050	0.3801	0.0217	0.0101	106	1.08	027.53	0
027	Magnesium (%)	0294	0.4050	0.0300	0.3801	0.0217	0.0101	106	1.15	027.42	0
027	Magnesium (%)	0939	0.4050	0.0100	0.3801	0.0217	0.0101	106	1.15	027.53	0
027	Magnesium (%)	0100	0.4050	0.0100	0.3801	0.0217	0.0101	106	1.15	027.99	0
027	Magnesium (%)	0560	0.4057	0.0024	0.3801	0.0217	0.0101	106	1.18	027.42	0
027	Magnesium (%)	0726	0.4060	0.0006	0.3801	0.0217	0.0101	106	1.19	027.42	0
027	Magnesium (%)	2146	0.4100	0.0000	0.3801	0.0217	0.0101	106	1.38	027.51	0
027	Magnesium (%)	0353	0.4100	0.0200	0.3801	0.0217	0.0101	106	1.38	027.43	0
027	Magnesium (%)	2178	0.4109	0.0102	0.3801	0.0217	0.0101	106	1.42	027.33	0
027	Magnesium (%)	0693	0.4170	0.0100	0.3801	0.0217	0.0101	106	1.70	027.42	0
027	Magnesium (%)	0405	0.4185	0.0010	0.3801	0.0217	0.0101	106	1.77	027.41	0
027	Magnesium (%)	0366	0.4200	0.0200	0.3801	0.0217	0.0101	106	1.84	027.42	0
027	Magnesium (%)	0692	0.4200	0.0200	0.3801	0.0217	0.0101	106	1.84	027.42	0
027	Magnesium (%)	0619	0.4205	0.0010	0.3801	0.0217	0.0101	106	1.86	027.41	0
027	Magnesium (%)	0187	0.4228	0.0002	0.3801	0.0217	0.0101	106	1.97	027.42	0
027	Magnesium (%)	2089	0.4250	0.0100	0.3801	0.0217	0.0101	106	2.07	027.43	0
027	Magnesium (%)	0358	0.4300	0.0200	0.3801	0.0217	0.0101	106	2.30	027.41	0
027	Magnesium (%)	2033	0.4350	0.0500	0.3801	0.0217	0.0101	106	2.53	027.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	2053	0.4700	0.0400	0.3801	0.0217	0.0101	106	4.14	027.42	0
027	Magnesium (%)	0407	0.3627	0.0768	0.3801	0.0217	0.0101	106	-0.80	027.43	1
027	Magnesium (%)	0047	0.4800	0.0600	0.3801	0.0217	0.0101	106	4.60	027.52	1
028	Manganese (mg / kg (ppm))	0226	131.2	2.350	192.5	16.41	7.961	96	-3.73	028.41	0
028	Manganese (mg / kg (ppm))	0619	140.0	0.0000	192.5	16.41	7.961	96	-3.20	028.41	0
028	Manganese (mg / kg (ppm))	0955	144.0	12.00	192.5	16.41	7.961	96	-2.95	028.41	0
028	Manganese (mg / kg (ppm))	0948	154.0	1.995	192.5	16.41	7.961	96	-2.34	028.33	0
028	Manganese (mg / kg (ppm))	0520	157.5	3.000	192.5	16.41	7.961	96	-2.13	028.41	0
028	Manganese (mg / kg (ppm))	0910	158.0	22.00	192.5	16.41	7.961	96	-2.10	028.41	0
028	Manganese (mg / kg (ppm))	0354	162.4	3.240	192.5	16.41	7.961	96	-1.84	028.41	0
028	Manganese (mg / kg (ppm))	0689	164.5	4.400	192.5	16.41	7.961	96	-1.70	028.31	0
028	Manganese (mg / kg (ppm))	0171	166.0	0.9000	192.5	16.41	7.961	96	-1.62	028.41	0
028	Manganese (mg / kg (ppm))	0720	169.9	0.8100	192.5	16.41	7.961	96	-1.37	028.41	0
028	Manganese (mg / kg (ppm))	0047	173.6	3.300	192.5	16.41	7.961	96	-1.15	028.52	0
028	Manganese (mg / kg (ppm))	0685	173.6	1.838	192.5	16.41	7.961	96	-1.15	028.42	0
028	Manganese (mg / kg (ppm))	0263	173.7	2.297	192.5	16.41	7.961	96	-1.14	028.42	0
028	Manganese (mg / kg (ppm))	0004	176.7	10.49	192.5	16.41	7.961	96	-0.96	028.41	0
028	Manganese (mg / kg (ppm))	0511	178.0	0.0000	192.5	16.41	7.961	96	-0.88	028.41	0
028	Manganese (mg / kg (ppm))	0026	178.6	31.89	192.5	16.41	7.961	96	-0.84	028.42	0
028	Manganese (mg / kg (ppm))	0918	178.8	10.63	192.5	16.41	7.961	96	-0.83	028.43	0
028	Manganese (mg / kg (ppm))	0265	179.0	8.000	192.5	16.41	7.961	96	-0.82	028.42	0
028	Manganese (mg / kg (ppm))	0049	180.1	1.160	192.5	16.41	7.961	96	-0.75	028.41	0
028	Manganese (mg / kg (ppm))	0169	181.0	12.00	192.5	16.41	7.961	96	-0.70	028.43	0
028	Manganese (mg / kg (ppm))	0590	181.0	0.0000	192.5	16.41	7.961	96	-0.70	028.99	0
028	Manganese (mg / kg (ppm))	0425	181.5	0.5000	192.5	16.41	7.961	96	-0.67	028.43	0
028	Manganese (mg / kg (ppm))	0878	182.0	6.000	192.5	16.41	7.961	96	-0.64	028.41	0
028	Manganese (mg / kg (ppm))	0629	182.0	6.000	192.5	16.41	7.961	96	-0.64	028.43	0
028	Manganese (mg / kg (ppm))	0066	182.6	5.360	192.5	16.41	7.961	96	-0.60	028.44	0
028	Manganese (mg / kg (ppm))	0870	183.5	2.200	192.5	16.41	7.961	96	-0.55	028.42	0
028	Manganese (mg / kg (ppm))	0016	184.0	14.00	192.5	16.41	7.961	96	-0.52	028.52	0
028	Manganese (mg / kg (ppm))	0629	184.5	3.000	192.5	16.41	7.961	96	-0.49	028.31	0
028	Manganese (mg / kg (ppm))	0529	184.7	2.700	192.5	16.41	7.961	96	-0.48	028.31	0
028	Manganese (mg / kg (ppm))	0572	185.5	15.00	192.5	16.41	7.961	96	-0.42	028.53	0
028	Manganese (mg / kg (ppm))	0407	185.7	12.74	192.5	16.41	7.961	96	-0.41	028.41	0
028	Manganese (mg / kg (ppm))	0001	185.8	9.900	192.5	16.41	7.961	96	-0.41	028.31	0
028	Manganese (mg / kg (ppm))	0610	186.0	20.00	192.5	16.41	7.961	96	-0.39	028.43	0
028	Manganese (mg / kg (ppm))	0510	186.5	3.000	192.5	16.41	7.961	96	-0.36	028.43	0
028	Manganese (mg / kg (ppm))	0675	186.7	4.730	192.5	16.41	7.961	96	-0.35	028.43	0
028	Manganese (mg / kg (ppm))	0345	186.8	1.400	192.5	16.41	7.961	96	-0.35	028.43	0
028	Manganese (mg / kg (ppm))	0033	187.0	4.000	192.5	16.41	7.961	96	-0.33	028.43	0
028	Manganese (mg / kg (ppm))	0175	187.5	5.000	192.5	16.41	7.961	96	-0.30	028.31	0
028	Manganese (mg / kg (ppm))	0693	188.0	2.319	192.5	16.41	7.961	96	-0.27	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0096	188.2	28.38	192.5	16.41	7.961	96	-0.26	028.52	0
028	Manganese (mg / kg (ppm))	0407	188.4	32.78	192.5	16.41	7.961	96	-0.25	028.43	0
028	Manganese (mg / kg (ppm))	2129	188.5	9.000	192.5	16.41	7.961	96	-0.24	028.99	0
028	Manganese (mg / kg (ppm))	2192	189.3	11.98	192.5	16.41	7.961	96	-0.19	028.53	0
028	Manganese (mg / kg (ppm))	0148	189.5	1.000	192.5	16.41	7.961	96	-0.18	028.41	0
028	Manganese (mg / kg (ppm))	2012	189.7	1.040	192.5	16.41	7.961	96	-0.17	028.41	0
028	Manganese (mg / kg (ppm))	0229	190.0	3.700	192.5	16.41	7.961	96	-0.15	028.41	0
028	Manganese (mg / kg (ppm))	2128	190.6	36.02	192.5	16.41	7.961	96	-0.11	028.32	0
028	Manganese (mg / kg (ppm))	0038	191.0	4.000	192.5	16.41	7.961	96	-0.09	028.43	0
028	Manganese (mg / kg (ppm))	0019	191.1	3.400	192.5	16.41	7.961	96	-0.08	028.41	0
028	Manganese (mg / kg (ppm))	0553	192.5	5.000	192.5	16.41	7.961	96	0.00	028.53	0
028	Manganese (mg / kg (ppm))	0297	193.0	6.000	192.5	16.41	7.961	96	0.03	028.43	0
028	Manganese (mg / kg (ppm))	0668	193.0	2.000	192.5	16.41	7.961	96	0.03	028.43	0
028	Manganese (mg / kg (ppm))	0043	193.3	12.50	192.5	16.41	7.961	96	0.05	028.43	0
028	Manganese (mg / kg (ppm))	0278	194.0	4.000	192.5	16.41	7.961	96	0.09	028.42	0
028	Manganese (mg / kg (ppm))	2188	194.4	0.0000	192.5	16.41	7.961	96	0.12	028.31	0
028	Manganese (mg / kg (ppm))	0405	195.2	22.70	192.5	16.41	7.961	96	0.16	028.41	0
028	Manganese (mg / kg (ppm))	0536	195.5	5.200	192.5	16.41	7.961	96	0.18	028.31	0
028	Manganese (mg / kg (ppm))	0353	195.5	11.00	192.5	16.41	7.961	96	0.18	028.43	0
028	Manganese (mg / kg (ppm))	0884	196.0	6.000	192.5	16.41	7.961	96	0.22	028.31	0
028	Manganese (mg / kg (ppm))	0968	196.0	0.0000	192.5	16.41	7.961	96	0.22	028.43	0
028	Manganese (mg / kg (ppm))	0964	196.5	16.06	192.5	16.41	7.961	96	0.24	028.43	0
028	Manganese (mg / kg (ppm))	0868	197.5	5.000	192.5	16.41	7.961	96	0.31	028.31	0
028	Manganese (mg / kg (ppm))	0003	198.0	16.00	192.5	16.41	7.961	96	0.34	028.41	0
028	Manganese (mg / kg (ppm))	0186	198.0	8.000	192.5	16.41	7.961	96	0.34	028.42	0
028	Manganese (mg / kg (ppm))	0366	199.0	2.000	192.5	16.41	7.961	96	0.40	028.42	0
028	Manganese (mg / kg (ppm))	2196	199.3	0.0000	192.5	16.41	7.961	96	0.42	028.31	0
028	Manganese (mg / kg (ppm))	0009	199.5	3.000	192.5	16.41	7.961	96	0.43	028.42	0
028	Manganese (mg / kg (ppm))	0186	200.5	7.000	192.5	16.41	7.961	96	0.49	028.52	0
028	Manganese (mg / kg (ppm))	0098	201.1	7.500	192.5	16.41	7.961	96	0.52	028.41	0
028	Manganese (mg / kg (ppm))	0098	201.9	3.600	192.5	16.41	7.961	96	0.57	028.43	0
028	Manganese (mg / kg (ppm))	0083	202.0	2.000	192.5	16.41	7.961	96	0.58	028.43	0
028	Manganese (mg / kg (ppm))	0100	202.5	1.000	192.5	16.41	7.961	96	0.61	028.99	0
028	Manganese (mg / kg (ppm))	0598	202.6	1.500	192.5	16.41	7.961	96	0.61	028.41	0
028	Manganese (mg / kg (ppm))	0682	202.8	0.0000	192.5	16.41	7.961	96	0.63	028.43	0
028	Manganese (mg / kg (ppm))	0037	203.4	1.200	192.5	16.41	7.961	96	0.67	028.42	0
028	Manganese (mg / kg (ppm))	0027	203.8	10.66	192.5	16.41	7.961	96	0.69	028.43	0
028	Manganese (mg / kg (ppm))	0875	204.0	10.00	192.5	16.41	7.961	96	0.70	028.43	0
028	Manganese (mg / kg (ppm))	0505	207.2	21.00	192.5	16.41	7.961	96	0.90	028.43	0
028	Manganese (mg / kg (ppm))	0035	207.5	1.000	192.5	16.41	7.961	96	0.92	028.43	0
028	Manganese (mg / kg (ppm))	0190	210.4	0.2000	192.5	16.41	7.961	96	1.09	028.42	0
028	Manganese (mg / kg (ppm))	0294	211.0	20.34	192.5	16.41	7.961	96	1.13	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0035	211.0	8.000	192.5	16.41	7.961	96	1.13	028.42	0
028	Manganese (mg / kg (ppm))	0242	213.0	2.000	192.5	16.41	7.961	96	1.25	028.99	0
028	Manganese (mg / kg (ppm))	2146	213.8	31.16	192.5	16.41	7.961	96	1.30	028.51	0
028	Manganese (mg / kg (ppm))	0560	214.0	17.90	192.5	16.41	7.961	96	1.31	028.42	0
028	Manganese (mg / kg (ppm))	0038	214.0	18.00	192.5	16.41	7.961	96	1.31	028.32	0
028	Manganese (mg / kg (ppm))	0045	214.5	25.00	192.5	16.41	7.961	96	1.34	028.42	0
028	Manganese (mg / kg (ppm))	0726	214.8	0.5000	192.5	16.41	7.961	96	1.36	028.42	0
028	Manganese (mg / kg (ppm))	0187	214.9	0.0400	192.5	16.41	7.961	96	1.37	028.42	0
028	Manganese (mg / kg (ppm))	0357	216.7	0.1780	192.5	16.41	7.961	96	1.48	028.42	0
028	Manganese (mg / kg (ppm))	0202	217.4	3.200	192.5	16.41	7.961	96	1.52	028.43	0
028	Manganese (mg / kg (ppm))	0358	221.5	19.14	192.5	16.41	7.961	96	1.77	028.41	0
028	Manganese (mg / kg (ppm))	2089	223.1	5.910	192.5	16.41	7.961	96	1.87	028.43	0
028	Manganese (mg / kg (ppm))	2146	226.3	30.96	192.5	16.41	7.961	96	2.06	028.31	0
028	Manganese (mg / kg (ppm))	2033	226.5	1.730	192.5	16.41	7.961	96	2.08	028.43	0
028	Manganese (mg / kg (ppm))	2018	325.7	7.660	192.5	16.41	7.961	96	8.12	028.41	0
028	Manganese (mg / kg (ppm))	0692	226.0	44.00	192.5	16.41	7.961	96	2.04	028.42	1
028	Manganese (mg / kg (ppm))	2246	27.68	0.0000	192.5	16.41	7.961	96	-10.04	028.34	2
031	Phosphorus (%)	0108	0.6150	0.0700	0.8104	0.0395	0.0180	136	-4.95	031.01	0
031	Phosphorus (%)	0154	0.6774	0.0154	0.8104	0.0395	0.0180	136	-3.37	031.52	0
031	Phosphorus (%)	2033	0.6890	0.0360	0.8104	0.0395	0.0180	136	-3.07	031.43	0
031	Phosphorus (%)	0520	0.7100	0.0400	0.8104	0.0395	0.0180	136	-2.54	031.41	0
031	Phosphorus (%)	0405	0.7155	0.0310	0.8104	0.0395	0.0180	136	-2.40	031.41	0
031	Phosphorus (%)	0848	0.7200	0.0000	0.8104	0.0395	0.0180	136	-2.29	031.41	0
031	Phosphorus (%)	0004	0.7350	0.0700	0.8104	0.0395	0.0180	136	-1.91	031.41	0
031	Phosphorus (%)	0026	0.7487	0.0647	0.8104	0.0395	0.0180	136	-1.56	031.42	0
031	Phosphorus (%)	2198	0.7500	0.0000	0.8104	0.0395	0.0180	136	-1.53	031.01	0
031	Phosphorus (%)	0278	0.7500	0.0000	0.8104	0.0395	0.0180	136	-1.53	031.42	0
031	Phosphorus (%)	0939	0.7550	0.0100	0.8104	0.0395	0.0180	136	-1.40	031.53	0
031	Phosphorus (%)	0300	0.7560	0.0540	0.8104	0.0395	0.0180	136	-1.38	031.99	0
031	Phosphorus (%)	0229	0.7575	0.0670	0.8104	0.0395	0.0180	136	-1.34	031.41	0
031	Phosphorus (%)	0009	0.7640	0.0140	0.8104	0.0395	0.0180	136	-1.17	031.42	0
031	Phosphorus (%)	0646	0.7650	0.0100	0.8104	0.0395	0.0180	136	-1.15	031.01	0
031	Phosphorus (%)	0019	0.7650	0.0100	0.8104	0.0395	0.0180	136	-1.15	031.41	0
031	Phosphorus (%)	0265	0.7650	0.0100	0.8104	0.0395	0.0180	136	-1.15	031.42	0
031	Phosphorus (%)	0100	0.7650	0.0300	0.8104	0.0395	0.0180	136	-1.15	031.99	0
031	Phosphorus (%)	0893	0.7700	0.0000	0.8104	0.0395	0.0180	136	-1.02	031.00	0
031	Phosphorus (%)	0685	0.7700	0.0600	0.8104	0.0395	0.0180	136	-1.02	031.41	0
031	Phosphorus (%)	0297	0.7700	0.0200	0.8104	0.0395	0.0180	136	-1.02	031.43	0
031	Phosphorus (%)	0186	0.7705	0.0570	0.8104	0.0395	0.0180	136	-1.01	031.52	0
031	Phosphorus (%)	2248	0.7750	0.0300	0.8104	0.0395	0.0180	136	-0.90	031.01	0
031	Phosphorus (%)	2012	0.7750	0.0100	0.8104	0.0395	0.0180	136	-0.90	031.41	0
031	Phosphorus (%)	0164	0.7760	0.0340	0.8104	0.0395	0.0180	136	-0.87	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0511	0.7800	0.0000	0.8104	0.0395	0.0180	136	-0.77	031.01	0
031	Phosphorus (%)	0505	0.7800	0.0000	0.8104	0.0395	0.0180	136	-0.77	031.02	0
031	Phosphorus (%)	0955	0.7800	0.0500	0.8104	0.0395	0.0180	136	-0.77	031.44	0
031	Phosphorus (%)	2259	0.7820	0.0040	0.8104	0.0395	0.0180	136	-0.72	031.41	0
031	Phosphorus (%)	2129	0.7820	0.0580	0.8104	0.0395	0.0180	136	-0.72	031.42	0
031	Phosphorus (%)	0123	0.7850	0.0100	0.8104	0.0395	0.0180	136	-0.64	031.41	0
031	Phosphorus (%)	0354	0.7850	0.0100	0.8104	0.0395	0.0180	136	-0.64	031.41	0
031	Phosphorus (%)	0010	0.7850	0.0100	0.8104	0.0395	0.0180	136	-0.64	031.43	0
031	Phosphorus (%)	0610	0.7850	0.0300	0.8104	0.0395	0.0180	136	-0.64	031.43	0
031	Phosphorus (%)	0142	0.7857	0.0022	0.8104	0.0395	0.0180	136	-0.63	031.01	0
031	Phosphorus (%)	0006	0.7860	0.0400	0.8104	0.0395	0.0180	136	-0.62	031.43	0
031	Phosphorus (%)	2259	0.7865	0.0070	0.8104	0.0395	0.0180	136	-0.60	031.42	0
031	Phosphorus (%)	0139	0.7875	0.0150	0.8104	0.0395	0.0180	136	-0.58	031.41	0
031	Phosphorus (%)	2192	0.7900	0.0000	0.8104	0.0395	0.0180	136	-0.52	031.01	0
031	Phosphorus (%)	0676	0.7900	0.0000	0.8104	0.0395	0.0180	136	-0.52	031.99	0
031	Phosphorus (%)	0175	0.7950	0.0300	0.8104	0.0395	0.0180	136	-0.39	031.01	0
031	Phosphorus (%)	0683	0.7950	0.0300	0.8104	0.0395	0.0180	136	-0.39	031.01	0
031	Phosphorus (%)	0948	0.7950	0.0100	0.8104	0.0395	0.0180	136	-0.39	031.01	0
031	Phosphorus (%)	0049	0.7950	0.0100	0.8104	0.0395	0.0180	136	-0.39	031.41	0
031	Phosphorus (%)	0720	0.7950	0.0100	0.8104	0.0395	0.0180	136	-0.39	031.41	0
031	Phosphorus (%)	0910	0.7950	0.0300	0.8104	0.0395	0.0180	136	-0.39	031.41	0
031	Phosphorus (%)	0033	0.7950	0.0100	0.8104	0.0395	0.0180	136	-0.39	031.43	0
031	Phosphorus (%)	0066	0.7965	0.0190	0.8104	0.0395	0.0180	136	-0.35	031.44	0
031	Phosphorus (%)	2009	0.7974	0.0012	0.8104	0.0395	0.0180	136	-0.33	031.01	0
031	Phosphorus (%)	0529	0.8000	0.0000	0.8104	0.0395	0.0180	136	-0.26	031.01	0
031	Phosphorus (%)	0629	0.8000	0.0000	0.8104	0.0395	0.0180	136	-0.26	031.01	0
031	Phosphorus (%)	2146	0.8000	0.0000	0.8104	0.0395	0.0180	136	-0.26	031.01	0
031	Phosphorus (%)	0169	0.8000	0.0200	0.8104	0.0395	0.0180	136	-0.26	031.03	0
031	Phosphorus (%)	0536	0.8000	0.0000	0.8104	0.0395	0.0180	136	-0.26	031.06	0
031	Phosphorus (%)	0035	0.8000	0.0000	0.8104	0.0395	0.0180	136	-0.26	031.42	0
031	Phosphorus (%)	0345	0.8020	0.0060	0.8104	0.0395	0.0180	136	-0.21	031.43	0
031	Phosphorus (%)	0357	0.8030	0.0028	0.8104	0.0395	0.0180	136	-0.19	031.42	0
031	Phosphorus (%)	0622	0.8031	0.0262	0.8104	0.0395	0.0180	136	-0.18	031.01	0
031	Phosphorus (%)	2196	0.8040	0.0000	0.8104	0.0395	0.0180	136	-0.16	031.01	0
031	Phosphorus (%)	0596	0.8050	0.0300	0.8104	0.0395	0.0180	136	-0.14	031.01	0
031	Phosphorus (%)	0881	0.8050	0.0180	0.8104	0.0395	0.0180	136	-0.14	031.01	0
031	Phosphorus (%)	0939	0.8050	0.0100	0.8104	0.0395	0.0180	136	-0.14	031.01	0
031	Phosphorus (%)	2193	0.8050	0.0100	0.8104	0.0395	0.0180	136	-0.14	031.01	0
031	Phosphorus (%)	0144	0.8050	0.0100	0.8104	0.0395	0.0180	136	-0.14	031.41	0
031	Phosphorus (%)	2109	0.8065	0.0130	0.8104	0.0395	0.0180	136	-0.10	031.01	0
031	Phosphorus (%)	2190	0.8072	0.0048	0.8104	0.0395	0.0180	136	-0.08	031.01	0
031	Phosphorus (%)	0885	0.8080	0.0126	0.8104	0.0395	0.0180	136	-0.06	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0016	0.8085	0.0050	0.8104	0.0395	0.0180	136	-0.05	031.01	0
031	Phosphorus (%)	0045	0.8090	0.0180	0.8104	0.0395	0.0180	136	-0.04	031.42	0
031	Phosphorus (%)	0027	0.8090	0.0100	0.8104	0.0395	0.0180	136	-0.04	031.43	0
031	Phosphorus (%)	0590	0.8100	0.0000	0.8104	0.0395	0.0180	136	-0.01	031.01	0
031	Phosphorus (%)	0884	0.8100	0.0000	0.8104	0.0395	0.0180	136	-0.01	031.01	0
031	Phosphorus (%)	2018	0.8100	0.0200	0.8104	0.0395	0.0180	136	-0.01	031.01	0
031	Phosphorus (%)	2246	0.8100	0.0000	0.8104	0.0395	0.0180	136	-0.01	031.01	0
031	Phosphorus (%)	0171	0.8100	0.0000	0.8104	0.0395	0.0180	136	-0.01	031.41	0
031	Phosphorus (%)	0089	0.8100	0.0000	0.8104	0.0395	0.0180	136	-0.01	031.43	0
031	Phosphorus (%)	0675	0.8100	0.0200	0.8104	0.0395	0.0180	136	-0.01	031.43	0
031	Phosphorus (%)	0651	0.8105	0.0030	0.8104	0.0395	0.0180	136	0.00	031.01	0
031	Phosphorus (%)	0653	0.8125	0.0050	0.8104	0.0395	0.0180	136	0.05	031.41	0
031	Phosphorus (%)	0186	0.8135	0.0070	0.8104	0.0395	0.0180	136	0.08	031.42	0
031	Phosphorus (%)	2144	0.8150	0.0100	0.8104	0.0395	0.0180	136	0.12	031.01	0
031	Phosphorus (%)	0560	0.8153	0.0086	0.8104	0.0395	0.0180	136	0.12	031.42	0
031	Phosphorus (%)	2006	0.8175	0.0010	0.8104	0.0395	0.0180	136	0.18	031.01	0
031	Phosphorus (%)	0036	0.8182	0.0139	0.8104	0.0395	0.0180	136	0.20	031.43	0
031	Phosphorus (%)	0425	0.8200	0.0000	0.8104	0.0395	0.0180	136	0.24	031.43	0
031	Phosphorus (%)	0226	0.8200	0.0200	0.8104	0.0395	0.0180	136	0.24	031.41	0
031	Phosphorus (%)	0353	0.8200	0.0200	0.8104	0.0395	0.0180	136	0.24	031.43	0
031	Phosphorus (%)	0629	0.8200	0.0200	0.8104	0.0395	0.0180	136	0.24	031.43	0
031	Phosphorus (%)	2146	0.8200	0.0200	0.8104	0.0395	0.0180	136	0.24	031.51	0
031	Phosphorus (%)	0242	0.8200	0.0400	0.8104	0.0395	0.0180	136	0.24	031.99	0
031	Phosphorus (%)	0619	0.8210	0.0040	0.8104	0.0395	0.0180	136	0.27	031.41	0
031	Phosphorus (%)	0036	0.8213	0.0078	0.8104	0.0395	0.0180	136	0.28	031.03	0
031	Phosphorus (%)	0001	0.8215	0.0050	0.8104	0.0395	0.0180	136	0.28	031.03	0
031	Phosphorus (%)	0897	0.8250	0.0100	0.8104	0.0395	0.0180	136	0.37	031.01	0
031	Phosphorus (%)	2188	0.8250	0.0100	0.8104	0.0395	0.0180	136	0.37	031.01	0
031	Phosphorus (%)	0148	0.8250	0.0300	0.8104	0.0395	0.0180	136	0.37	031.41	0
031	Phosphorus (%)	0868	0.8300	0.0200	0.8104	0.0395	0.0180	136	0.50	031.01	0
031	Phosphorus (%)	0037	0.8330	0.0020	0.8104	0.0395	0.0180	136	0.57	031.42	0
031	Phosphorus (%)	0875	0.8330	0.0140	0.8104	0.0395	0.0180	136	0.57	031.43	0
031	Phosphorus (%)	0878	0.8350	0.0100	0.8104	0.0395	0.0180	136	0.62	031.01	0
031	Phosphorus (%)	0366	0.8350	0.0300	0.8104	0.0395	0.0180	136	0.62	031.42	0
031	Phosphorus (%)	0083	0.8350	0.0100	0.8104	0.0395	0.0180	136	0.62	031.43	0
031	Phosphorus (%)	0870	0.8368	0.0302	0.8104	0.0395	0.0180	136	0.67	031.42	0
031	Phosphorus (%)	0726	0.8373	0.0013	0.8104	0.0395	0.0180	136	0.68	031.42	0
031	Phosphorus (%)	0918	0.8375	0.0030	0.8104	0.0395	0.0180	136	0.69	031.43	0
031	Phosphorus (%)	0968	0.8380	0.0000	0.8104	0.0395	0.0180	136	0.70	031.43	0
031	Phosphorus (%)	0674	0.8400	0.0000	0.8104	0.0395	0.0180	136	0.75	031.01	0
031	Phosphorus (%)	0689	0.8400	0.0200	0.8104	0.0395	0.0180	136	0.75	031.01	0
031	Phosphorus (%)	0298	0.8400	0.0200	0.8104	0.0395	0.0180	136	0.75	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0668	0.8410	0.0120	0.8104	0.0395	0.0180	136	0.78	031.43	0
031	Phosphorus (%)	0043	0.8422	0.0111	0.8104	0.0395	0.0180	136	0.80	031.43	0
031	Phosphorus (%)	0964	0.8433	0.0635	0.8104	0.0395	0.0180	136	0.83	031.43	0
031	Phosphorus (%)	0626	0.8475	0.0170	0.8104	0.0395	0.0180	136	0.94	031.01	0
031	Phosphorus (%)	0407	0.8520	0.0175	0.8104	0.0395	0.0180	136	1.05	031.41	0
031	Phosphorus (%)	0849	0.8550	0.0100	0.8104	0.0395	0.0180	136	1.13	031.01	0
031	Phosphorus (%)	2181	0.8600	0.0000	0.8104	0.0395	0.0180	136	1.26	031.01	0
031	Phosphorus (%)	0190	0.8600	0.0200	0.8104	0.0395	0.0180	136	1.26	031.42	0
031	Phosphorus (%)	0035	0.8600	0.0000	0.8104	0.0395	0.0180	136	1.26	031.43	0
031	Phosphorus (%)	0682	0.8600	0.0000	0.8104	0.0395	0.0180	136	1.26	031.43	0
031	Phosphorus (%)	0098	0.8610	0.0115	0.8104	0.0395	0.0180	136	1.28	031.43	0
031	Phosphorus (%)	0098	0.8673	0.0115	0.8104	0.0395	0.0180	136	1.44	031.41	0
031	Phosphorus (%)	0187	0.8673	0.0116	0.8104	0.0395	0.0180	136	1.44	031.42	0
031	Phosphorus (%)	0202	0.8675	0.0210	0.8104	0.0395	0.0180	136	1.45	031.43	0
031	Phosphorus (%)	0263	0.8683	0.0095	0.8104	0.0395	0.0180	136	1.47	031.42	0
031	Phosphorus (%)	0572	0.8685	0.0690	0.8104	0.0395	0.0180	136	1.47	031.53	0
031	Phosphorus (%)	0598	0.8850	0.0020	0.8104	0.0395	0.0180	136	1.89	031.41	0
031	Phosphorus (%)	0407	0.8872	0.0598	0.8104	0.0395	0.0180	136	1.95	031.43	0
031	Phosphorus (%)	0003	0.8900	0.1000	0.8104	0.0395	0.0180	136	2.02	031.41	0
031	Phosphorus (%)	0553	0.8930	0.0620	0.8104	0.0395	0.0180	136	2.09	031.53	0
031	Phosphorus (%)	0852	0.9100	0.0200	0.8104	0.0395	0.0180	136	2.52	031.99	0
031	Phosphorus (%)	0510	0.9200	0.0200	0.8104	0.0395	0.0180	136	2.78	031.43	0
031	Phosphorus (%)	0038	0.9228	0.0320	0.8104	0.0395	0.0180	136	2.85	031.01	0
031	Phosphorus (%)	0358	0.9400	0.0200	0.8104	0.0395	0.0180	136	3.28	031.41	0
031	Phosphorus (%)	0294	0.9550	0.0100	0.8104	0.0395	0.0180	136	3.66	031.42	0
031	Phosphorus (%)	2089	0.9650	0.0300	0.8104	0.0395	0.0180	136	3.92	031.43	0
031	Phosphorus (%)	0692	0.9800	0.0400	0.8104	0.0395	0.0180	136	4.30	031.42	0
031	Phosphorus (%)	0693	0.7495	0.1430	0.8104	0.0395	0.0180	136	-1.54	031.42	1
031	Phosphorus (%)	0687	0.7800	0.1600	0.8104	0.0395	0.0180	136	-0.77	031.01	1
031	Phosphorus (%)	2128	0.8740	0.1440	0.8104	0.0395	0.0180	136	1.61	031.01	1
032	Potassium (%)	0520	0.8450	0.0100	1.073	0.0674	0.0337	104	-3.39	032.41	0
032	Potassium (%)	2246	0.8750	0.0100	1.073	0.0674	0.0337	104	-2.94	032.32	0
032	Potassium (%)	0720	0.8750	0.0300	1.073	0.0674	0.0337	104	-2.94	032.41	0
032	Potassium (%)	0910	0.8750	0.1100	1.073	0.0674	0.0337	104	-2.94	032.41	0
032	Potassium (%)	0154	0.8827	0.0332	1.073	0.0674	0.0337	104	-2.83	032.52	0
032	Potassium (%)	0004	0.9050	0.1100	1.073	0.0674	0.0337	104	-2.50	032.41	0
032	Potassium (%)	2012	0.9250	0.0100	1.073	0.0674	0.0337	104	-2.20	032.41	0
032	Potassium (%)	0536	0.9350	0.0100	1.073	0.0674	0.0337	104	-2.05	032.31	0
032	Potassium (%)	0294	0.9500	0.0200	1.073	0.0674	0.0337	104	-1.83	032.42	0
032	Potassium (%)	2033	0.9750	0.0500	1.073	0.0674	0.0337	104	-1.46	032.43	0
032	Potassium (%)	0229	0.9760	0.0860	1.073	0.0674	0.0337	104	-1.44	032.41	0
032	Potassium (%)	0955	0.9930	0.0540	1.073	0.0674	0.0337	104	-1.19	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0043	0.9948	0.0125	1.073	0.0674	0.0337	104	-1.17	032.43	0
032	Potassium (%)	0511	1.000	0.0400	1.073	0.0674	0.0337	104	-1.09	032.41	0
032	Potassium (%)	0089	1.000	0.0000	1.073	0.0674	0.0337	104	-1.09	032.43	0
032	Potassium (%)	0038	1.009	0.0060	1.073	0.0674	0.0337	104	-0.95	032.43	0
032	Potassium (%)	0019	1.010	0.0200	1.073	0.0674	0.0337	104	-0.94	032.41	0
032	Potassium (%)	0354	1.010	0.0000	1.073	0.0674	0.0337	104	-0.94	032.41	0
032	Potassium (%)	0629	1.020	0.0400	1.073	0.0674	0.0337	104	-0.79	032.43	0
032	Potassium (%)	0683	1.025	0.0100	1.073	0.0674	0.0337	104	-0.72	032.31	0
032	Potassium (%)	0144	1.030	0.0200	1.073	0.0674	0.0337	104	-0.64	032.41	0
032	Potassium (%)	0425	1.030	0.0000	1.073	0.0674	0.0337	104	-0.64	032.43	0
032	Potassium (%)	0026	1.033	0.0200	1.073	0.0674	0.0337	104	-0.61	032.42	0
032	Potassium (%)	0045	1.035	0.0900	1.073	0.0674	0.0337	104	-0.57	032.42	0
032	Potassium (%)	0505	1.035	0.0500	1.073	0.0674	0.0337	104	-0.57	032.43	0
032	Potassium (%)	0038	1.038	0.0340	1.073	0.0674	0.0337	104	-0.52	032.31	0
032	Potassium (%)	0868	1.040	0.0600	1.073	0.0674	0.0337	104	-0.50	032.31	0
032	Potassium (%)	0003	1.040	0.1200	1.073	0.0674	0.0337	104	-0.50	032.41	0
032	Potassium (%)	2089	1.040	0.0400	1.073	0.0674	0.0337	104	-0.50	032.43	0
032	Potassium (%)	0242	1.040	0.0400	1.073	0.0674	0.0337	104	-0.50	032.99	0
032	Potassium (%)	0171	1.045	0.0100	1.073	0.0674	0.0337	104	-0.42	032.41	0
032	Potassium (%)	0619	1.045	0.0100	1.073	0.0674	0.0337	104	-0.42	032.41	0
032	Potassium (%)	2129	1.045	0.0220	1.073	0.0674	0.0337	104	-0.42	032.42	0
032	Potassium (%)	0016	1.045	0.0100	1.073	0.0674	0.0337	104	-0.42	032.52	0
032	Potassium (%)	0186	1.045	0.0500	1.073	0.0674	0.0337	104	-0.42	032.52	0
032	Potassium (%)	0529	1.050	0.0200	1.073	0.0674	0.0337	104	-0.35	032.31	0
032	Potassium (%)	0164	1.055	0.0300	1.073	0.0674	0.0337	104	-0.27	032.41	0
032	Potassium (%)	2018	1.055	0.0100	1.073	0.0674	0.0337	104	-0.27	032.41	0
032	Potassium (%)	0918	1.056	0.0010	1.073	0.0674	0.0337	104	-0.27	032.43	0
032	Potassium (%)	0968	1.057	0.0100	1.073	0.0674	0.0337	104	-0.24	032.43	0
032	Potassium (%)	0049	1.060	0.0400	1.073	0.0674	0.0337	104	-0.20	032.41	0
032	Potassium (%)	0265	1.060	0.0800	1.073	0.0674	0.0337	104	-0.20	032.42	0
032	Potassium (%)	0098	1.060	0.0400	1.073	0.0674	0.0337	104	-0.20	032.43	0
032	Potassium (%)	0345	1.060	0.0200	1.073	0.0674	0.0337	104	-0.20	032.43	0
032	Potassium (%)	0675	1.060	0.0000	1.073	0.0674	0.0337	104	-0.20	032.43	0
032	Potassium (%)	0572	1.060	0.0400	1.073	0.0674	0.0337	104	-0.20	032.53	0
032	Potassium (%)	0939	1.060	0.0800	1.073	0.0674	0.0337	104	-0.20	032.53	0
032	Potassium (%)	0139	1.063	0.0150	1.073	0.0674	0.0337	104	-0.16	032.41	0
032	Potassium (%)	0027	1.064	0.0600	1.073	0.0674	0.0337	104	-0.14	032.43	0
032	Potassium (%)	0884	1.065	0.0100	1.073	0.0674	0.0337	104	-0.12	032.02	0
032	Potassium (%)	0175	1.065	0.0100	1.073	0.0674	0.0337	104	-0.12	032.31	0
032	Potassium (%)	0948	1.065	0.0300	1.073	0.0674	0.0337	104	-0.12	032.31	0
032	Potassium (%)	2146	1.065	0.0100	1.073	0.0674	0.0337	104	-0.12	032.31	0
032	Potassium (%)	0939	1.070	0.1200	1.073	0.0674	0.0337	104	-0.05	032.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0629	1.070	0.0200	1.073	0.0674	0.0337	104	-0.05	032.31	0
032	Potassium (%)	0100	1.070	0.0200	1.073	0.0674	0.0337	104	-0.05	032.99	0
032	Potassium (%)	0407	1.073	0.1266	1.073	0.0674	0.0337	104	0.00	032.41	0
032	Potassium (%)	0278	1.075	0.0300	1.073	0.0674	0.0337	104	0.02	032.42	0
032	Potassium (%)	0006	1.079	0.0480	1.073	0.0674	0.0337	104	0.08	032.43	0
032	Potassium (%)	0033	1.080	0.0400	1.073	0.0674	0.0337	104	0.10	032.43	0
032	Potassium (%)	0590	1.080	0.0200	1.073	0.0674	0.0337	104	0.10	032.99	0
032	Potassium (%)	0405	1.084	0.0520	1.073	0.0674	0.0337	104	0.16	032.41	0
032	Potassium (%)	0142	1.084	0.0124	1.073	0.0674	0.0337	104	0.16	032.31	0
032	Potassium (%)	0357	1.085	0.0067	1.073	0.0674	0.0337	104	0.17	032.42	0
032	Potassium (%)	0066	1.085	0.0080	1.073	0.0674	0.0337	104	0.17	032.41	0
032	Potassium (%)	0726	1.086	0.0030	1.073	0.0674	0.0337	104	0.18	032.42	0
032	Potassium (%)	0870	1.088	0.0090	1.073	0.0674	0.0337	104	0.21	032.42	0
032	Potassium (%)	0964	1.088	0.1684	1.073	0.0674	0.0337	104	0.21	032.43	0
032	Potassium (%)	0653	1.089	0.0400	1.073	0.0674	0.0337	104	0.23	032.41	0
032	Potassium (%)	0610	1.090	0.0200	1.073	0.0674	0.0337	104	0.25	032.43	0
032	Potassium (%)	0036	1.094	0.0154	1.073	0.0674	0.0337	104	0.30	032.43	0
032	Potassium (%)	0083	1.095	0.0100	1.073	0.0674	0.0337	104	0.32	032.43	0
032	Potassium (%)	0186	1.100	0.0200	1.073	0.0674	0.0337	104	0.39	032.42	0
032	Potassium (%)	0297	1.100	0.0200	1.073	0.0674	0.0337	104	0.39	032.43	0
032	Potassium (%)	0510	1.100	0.0400	1.073	0.0674	0.0337	104	0.39	032.43	0
032	Potassium (%)	0010	1.105	0.0100	1.073	0.0674	0.0337	104	0.47	032.43	0
032	Potassium (%)	0598	1.110	0.0040	1.073	0.0674	0.0337	104	0.54	032.41	0
032	Potassium (%)	0001	1.114	0.0290	1.073	0.0674	0.0337	104	0.59	032.99	0
032	Potassium (%)	0668	1.115	0.0500	1.073	0.0674	0.0337	104	0.62	032.43	0
032	Potassium (%)	0123	1.120	0.0400	1.073	0.0674	0.0337	104	0.69	032.41	0
032	Potassium (%)	0878	1.120	0.0200	1.073	0.0674	0.0337	104	0.69	032.41	0
032	Potassium (%)	0202	1.123	0.0010	1.073	0.0674	0.0337	104	0.73	032.43	0
032	Potassium (%)	0693	1.127	0.0640	1.073	0.0674	0.0337	104	0.80	032.42	0
032	Potassium (%)	0553	1.130	0.0200	1.073	0.0674	0.0337	104	0.84	032.53	0
032	Potassium (%)	0037	1.133	0.0060	1.073	0.0674	0.0337	104	0.88	032.42	0
032	Potassium (%)	0226	1.140	0.0200	1.073	0.0674	0.0337	104	0.99	032.41	0
032	Potassium (%)	0148	1.145	0.0900	1.073	0.0674	0.0337	104	1.06	032.41	0
032	Potassium (%)	0190	1.145	0.0100	1.073	0.0674	0.0337	104	1.06	032.42	0
032	Potassium (%)	0682	1.150	0.0000	1.073	0.0674	0.0337	104	1.14	032.43	0
032	Potassium (%)	2248	1.160	0.0000	1.073	0.0674	0.0337	104	1.28	032.02	0
032	Potassium (%)	0009	1.160	0.0000	1.073	0.0674	0.0337	104	1.28	032.42	0
032	Potassium (%)	0035	1.165	0.0100	1.073	0.0674	0.0337	104	1.36	032.43	0
032	Potassium (%)	0098	1.170	0.1000	1.073	0.0674	0.0337	104	1.43	032.41	0
032	Potassium (%)	0035	1.170	0.0400	1.073	0.0674	0.0337	104	1.43	032.42	0
032	Potassium (%)	0187	1.170	0.0000	1.073	0.0674	0.0337	104	1.43	032.42	0
032	Potassium (%)	0560	1.176	0.0232	1.073	0.0674	0.0337	104	1.52	032.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0263	1.177	0.0098	1.073	0.0674	0.0337	104	1.54	032.42	0
032	Potassium (%)	2146	1.180	0.0200	1.073	0.0674	0.0337	104	1.58	032.51	0
032	Potassium (%)	0353	1.185	0.0100	1.073	0.0674	0.0337	104	1.66	032.43	0
032	Potassium (%)	0169	1.195	0.0100	1.073	0.0674	0.0337	104	1.80	032.32	0
032	Potassium (%)	0358	1.195	0.0300	1.073	0.0674	0.0337	104	1.80	032.41	0
032	Potassium (%)	0366	1.225	0.0900	1.073	0.0674	0.0337	104	2.25	032.42	0
032	Potassium (%)	0692	1.240	0.1400	1.073	0.0674	0.0337	104	2.47	032.42	0
032	Potassium (%)	2053	1.380	0.0600	1.073	0.0674	0.0337	104	4.55	032.31	0
032	Potassium (%)	0407	1.071	0.4051	1.073	0.0674	0.0337	104	-0.03	032.43	1
033	Salt as chloride (%)	2181	0.5050	0.0100	1.077	0.0609	0.0200	69	-9.39	033.99	0
033	Salt as chloride (%)	0183	0.6000	0.0000	1.077	0.0609	0.0200	69	-7.83	033.00	0
033	Salt as chloride (%)	0298	0.7300	0.0200	1.077	0.0609	0.0200	69	-5.70	033.00	0
033	Salt as chloride (%)	0536	0.7650	0.0100	1.077	0.0609	0.0200	69	-5.12	033.99	0
033	Salt as chloride (%)	0265	0.8500	0.0400	1.077	0.0609	0.0200	69	-3.72	033.03	0
033	Salt as chloride (%)	0893	0.8950	0.0100	1.077	0.0609	0.0200	69	-2.99	033.00	0
033	Salt as chloride (%)	0190	0.9000	0.0000	1.077	0.0609	0.0200	69	-2.90	033.03	0
033	Salt as chloride (%)	0726	0.9000	0.0000	1.077	0.0609	0.0200	69	-2.90	033.03	0
033	Salt as chloride (%)	0675	0.9450	0.0700	1.077	0.0609	0.0200	69	-2.16	033.00	0
033	Salt as chloride (%)	0171	0.9700	0.0000	1.077	0.0609	0.0200	69	-1.75	033.00	0
033	Salt as chloride (%)	0885	0.9763	0.0369	1.077	0.0609	0.0200	69	-1.65	033.00	0
033	Salt as chloride (%)	0123	1.020	0.0000	1.077	0.0609	0.0200	69	-0.93	033.00	0
033	Salt as chloride (%)	0596	1.020	0.0000	1.077	0.0609	0.0200	69	-0.93	033.01	0
033	Salt as chloride (%)	2193	1.025	0.0100	1.077	0.0609	0.0200	69	-0.85	033.00	0
033	Salt as chloride (%)	0045	1.030	0.0200	1.077	0.0609	0.0200	69	-0.77	033.00	0
033	Salt as chloride (%)	2009	1.034	0.0075	1.077	0.0609	0.0200	69	-0.71	033.00	0
033	Salt as chloride (%)	0878	1.040	0.0400	1.077	0.0609	0.0200	69	-0.60	033.00	0
033	Salt as chloride (%)	0505	1.040	0.0800	1.077	0.0609	0.0200	69	-0.60	033.03	0
033	Salt as chloride (%)	0884	1.045	0.0700	1.077	0.0609	0.0200	69	-0.52	033.00	0
033	Salt as chloride (%)	0619	1.045	0.0100	1.077	0.0609	0.0200	69	-0.52	033.01	0
033	Salt as chloride (%)	2073	1.050	0.0200	1.077	0.0609	0.0200	69	-0.44	033.99	0
033	Salt as chloride (%)	0366	1.060	0.0200	1.077	0.0609	0.0200	69	-0.28	033.00	0
033	Salt as chloride (%)	0897	1.060	0.0400	1.077	0.0609	0.0200	69	-0.28	033.00	0
033	Salt as chloride (%)	0353	1.065	0.0100	1.077	0.0609	0.0200	69	-0.19	033.00	0
033	Salt as chloride (%)	0693	1.069	0.0020	1.077	0.0609	0.0200	69	-0.13	033.00	0
033	Salt as chloride (%)	2196	1.070	0.0000	1.077	0.0609	0.0200	69	-0.11	033.00	0
033	Salt as chloride (%)	0083	1.070	0.0000	1.077	0.0609	0.0200	69	-0.11	033.01	0
033	Salt as chloride (%)	0964	1.072	0.0260	1.077	0.0609	0.0200	69	-0.08	033.01	0
033	Salt as chloride (%)	0169	1.080	0.0200	1.077	0.0609	0.0200	69	0.05	033.00	0
033	Salt as chloride (%)	2076	1.080	0.1000	1.077	0.0609	0.0200	69	0.05	033.00	0
033	Salt as chloride (%)	0682	1.080	0.0000	1.077	0.0609	0.0200	69	0.05	033.99	0
033	Salt as chloride (%)	0590	1.085	0.0100	1.077	0.0609	0.0200	69	0.14	033.01	0
033	Salt as chloride (%)	0948	1.085	0.0300	1.077	0.0609	0.0200	69	0.14	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	2109	1.085	0.0020	1.077	0.0609	0.0200	69	0.14	033.01	0
033	Salt as chloride (%)	0100	1.090	0.0400	1.077	0.0609	0.0200	69	0.22	033.01	0
033	Salt as chloride (%)	0910	1.090	0.0200	1.077	0.0609	0.0200	69	0.22	033.99	0
033	Salt as chloride (%)	0001	1.095	0.0100	1.077	0.0609	0.0200	69	0.30	033.01	0
033	Salt as chloride (%)	0010	1.095	0.0100	1.077	0.0609	0.0200	69	0.30	033.01	0
033	Salt as chloride (%)	0939	1.095	0.0100	1.077	0.0609	0.0200	69	0.30	033.01	0
033	Salt as chloride (%)	0689	1.095	0.0100	1.077	0.0609	0.0200	69	0.30	033.05	0
033	Salt as chloride (%)	0868	1.095	0.0100	1.077	0.0609	0.0200	69	0.30	033.05	0
033	Salt as chloride (%)	0309	1.098	0.0011	1.077	0.0609	0.0200	69	0.35	033.00	0
033	Salt as chloride (%)	0407	1.099	0.0190	1.077	0.0609	0.0200	69	0.36	033.01	0
033	Salt as chloride (%)	0003	1.100	0.0000	1.077	0.0609	0.0200	69	0.38	033.01	0
033	Salt as chloride (%)	0098	1.100	0.0200	1.077	0.0609	0.0200	69	0.38	033.01	0
033	Salt as chloride (%)	0148	1.100	0.0000	1.077	0.0609	0.0200	69	0.38	033.01	0
033	Salt as chloride (%)	0226	1.100	0.0200	1.077	0.0609	0.0200	69	0.38	033.01	0
033	Salt as chloride (%)	0242	1.100	0.0200	1.077	0.0609	0.0200	69	0.38	033.01	0
033	Salt as chloride (%)	0629	1.100	0.0400	1.077	0.0609	0.0200	69	0.38	033.01	0
033	Salt as chloride (%)	0881	1.103	0.0530	1.077	0.0609	0.0200	69	0.42	033.00	0
033	Salt as chloride (%)	0004	1.110	0.0200	1.077	0.0609	0.0200	69	0.55	033.01	0
033	Salt as chloride (%)	0164	1.110	0.0200	1.077	0.0609	0.0200	69	0.55	033.01	0
033	Salt as chloride (%)	0175	1.110	0.0200	1.077	0.0609	0.0200	69	0.55	033.01	0
033	Salt as chloride (%)	2146	1.110	0.0000	1.077	0.0609	0.0200	69	0.55	033.01	0
033	Salt as chloride (%)	0650	1.115	0.0500	1.077	0.0609	0.0200	69	0.63	033.99	0
033	Salt as chloride (%)	0354	1.120	0.0000	1.077	0.0609	0.0200	69	0.71	033.01	0
033	Salt as chloride (%)	0510	1.121	0.0000	1.077	0.0609	0.0200	69	0.73	033.01	0
033	Salt as chloride (%)	0644	1.121	0.0000	1.077	0.0609	0.0200	69	0.73	033.01	0
033	Salt as chloride (%)	0539	1.125	0.0500	1.077	0.0609	0.0200	69	0.79	033.00	0
033	Salt as chloride (%)	0229	1.128	0.0080	1.077	0.0609	0.0200	69	0.84	033.01	0
033	Salt as chloride (%)	0683	1.130	0.0000	1.077	0.0609	0.0200	69	0.87	033.01	0
033	Salt as chloride (%)	0019	1.145	0.0100	1.077	0.0609	0.0200	69	1.12	033.01	0
033	Salt as chloride (%)	2268	1.145	0.0300	1.077	0.0609	0.0200	69	1.12	033.01	0
033	Salt as chloride (%)	0186	1.165	0.0100	1.077	0.0609	0.0200	69	1.45	033.01	0
033	Salt as chloride (%)	0278	1.165	0.0300	1.077	0.0609	0.0200	69	1.45	033.01	0
033	Salt as chloride (%)	2144	1.195	0.0100	1.077	0.0609	0.0200	69	1.94	033.99	0
033	Salt as chloride (%)	0027	1.215	0.0750	1.077	0.0609	0.0200	69	2.26	033.99	0
033	Salt as chloride (%)	2190	1.221	0.0128	1.077	0.0609	0.0200	69	2.36	033.00	0
033	Salt as chloride (%)	0358	1.370	0.0400	1.077	0.0609	0.0200	69	4.82	033.99	0
033	Salt as chloride (%)	0144	1.190	0.1400	1.077	0.0609	0.0200	69	1.86	033.03	1
033	Salt as chloride (%)	0511	1.205	0.1900	1.077	0.0609	0.0200	69	2.11	033.00	1
033	Salt as chloride (%)	2129	3.210	0.0600	1.077	0.0609	0.0200	69	35.04	033.05	2
034	Selenium (mg / kg (ppm))	0047	1.090	0.0200	1.486	0.2544	0.0989	24	-1.56	034.52	0
034	Selenium (mg / kg (ppm))	0619	1.135	0.0100	1.486	0.2544	0.0989	24	-1.38	034.41	0
034	Selenium (mg / kg (ppm))	0164	1.225	0.0100	1.486	0.2544	0.0989	24	-1.03	034.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
034	Selenium (mg / kg (ppm))	0045	1.270	0.0400	1.486	0.2544	0.0989	24	-0.85	034.04	0
034	Selenium (mg / kg (ppm))	0171	1.270	0.0600	1.486	0.2544	0.0989	24	-0.85	034.04	0
034	Selenium (mg / kg (ppm))	0910	1.280	0.2000	1.486	0.2544	0.0989	24	-0.81	034.52	0
034	Selenium (mg / kg (ppm))	0553	1.380	0.0400	1.486	0.2544	0.0989	24	-0.42	034.53	0
034	Selenium (mg / kg (ppm))	0096	1.388	0.0033	1.486	0.2544	0.0989	24	-0.39	034.52	0
034	Selenium (mg / kg (ppm))	0169	1.395	0.1700	1.486	0.2544	0.0989	24	-0.36	034.04	0
034	Selenium (mg / kg (ppm))	0016	1.425	0.0500	1.486	0.2544	0.0989	24	-0.24	034.52	0
034	Selenium (mg / kg (ppm))	0148	1.430	0.0800	1.486	0.2544	0.0989	24	-0.22	034.41	0
034	Selenium (mg / kg (ppm))	0038	1.438	0.0737	1.486	0.2544	0.0989	24	-0.19	034.01	0
034	Selenium (mg / kg (ppm))	0964	1.458	0.0621	1.486	0.2544	0.0989	24	-0.11	034.43	0
034	Selenium (mg / kg (ppm))	0186	1.465	0.0300	1.486	0.2544	0.0989	24	-0.08	034.52	0
034	Selenium (mg / kg (ppm))	0003	1.506	0.0010	1.486	0.2544	0.0989	24	0.08	034.53	0
034	Selenium (mg / kg (ppm))	0968	1.570	0.0400	1.486	0.2544	0.0989	24	0.33	034.43	0
034	Selenium (mg / kg (ppm))	2033	1.575	0.0500	1.486	0.2544	0.0989	24	0.35	034.43	0
034	Selenium (mg / kg (ppm))	0560	1.582	0.1630	1.486	0.2544	0.0989	24	0.37	034.53	0
034	Selenium (mg / kg (ppm))	2012	1.671	0.0450	1.486	0.2544	0.0989	24	0.72	034.53	0
034	Selenium (mg / kg (ppm))	0918	1.681	0.2460	1.486	0.2544	0.0989	24	0.77	034.53	0
034	Selenium (mg / kg (ppm))	0407	1.820	0.1000	1.486	0.2544	0.0989	24	1.31	034.43	0
034	Selenium (mg / kg (ppm))	0407	1.915	0.3700	1.486	0.2544	0.0989	24	1.69	034.41	0
034	Selenium (mg / kg (ppm))	0692	2.250	0.5000	1.486	0.2544	0.0989	24	3.00	034.42	0
034	Selenium (mg / kg (ppm))	0190	2.325	0.0100	1.486	0.2544	0.0989	24	3.30	034.99	0
034	Selenium (mg / kg (ppm))	0939	1.525	0.6700	1.486	0.2544	0.0989	24	0.15	034.53	1
035	Sodium (%)	0405	0.2815	0.0490	0.4500	0.0289	0.0144	104	-5.83	035.41	0
035	Sodium (%)	0910	0.3650	0.0300	0.4500	0.0289	0.0144	104	-2.94	035.41	0
035	Sodium (%)	0175	0.3850	0.0100	0.4500	0.0289	0.0144	104	-2.25	035.31	0
035	Sodium (%)	2033	0.3850	0.0300	0.4500	0.0289	0.0144	104	-2.25	035.43	0
035	Sodium (%)	2248	0.4000	0.0000	0.4500	0.0289	0.0144	104	-1.73	035.05	0
035	Sodium (%)	0683	0.4000	0.0000	0.4500	0.0289	0.0144	104	-1.73	035.31	0
035	Sodium (%)	0520	0.4002	0.0011	0.4500	0.0289	0.0144	104	-1.72	035.41	0
035	Sodium (%)	0294	0.4050	0.0100	0.4500	0.0289	0.0144	104	-1.56	035.42	0
035	Sodium (%)	0955	0.4095	0.0170	0.4500	0.0289	0.0144	104	-1.40	035.41	0
035	Sodium (%)	0354	0.4100	0.0000	0.4500	0.0289	0.0144	104	-1.38	035.41	0
035	Sodium (%)	0536	0.4100	0.0200	0.4500	0.0289	0.0144	104	-1.38	035.31	0
035	Sodium (%)	0720	0.4150	0.0100	0.4500	0.0289	0.0144	104	-1.21	035.41	0
035	Sodium (%)	0345	0.4175	0.0050	0.4500	0.0289	0.0144	104	-1.12	035.43	0
035	Sodium (%)	0619	0.4180	0.0000	0.4500	0.0289	0.0144	104	-1.11	035.41	0
035	Sodium (%)	0144	0.4200	0.0200	0.4500	0.0289	0.0144	104	-1.04	035.41	0
035	Sodium (%)	0089	0.4200	0.0000	0.4500	0.0289	0.0144	104	-1.04	035.43	0
035	Sodium (%)	0675	0.4200	0.0200	0.4500	0.0289	0.0144	104	-1.04	035.43	0
035	Sodium (%)	0505	0.4200	0.0400	0.4500	0.0289	0.0144	104	-1.04	035.43	0
035	Sodium (%)	0572	0.4240	0.0060	0.4500	0.0289	0.0144	104	-0.90	035.53	0
035	Sodium (%)	0004	0.4250	0.0100	0.4500	0.0289	0.0144	104	-0.86	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	2012	0.4250	0.0100	0.4500	0.0289	0.0144	104	-0.86	035.41	0
035	Sodium (%)	0154	0.4295	0.0107	0.4500	0.0289	0.0144	104	-0.71	035.52	0
035	Sodium (%)	0948	0.4300	0.0200	0.4500	0.0289	0.0144	104	-0.69	035.31	0
035	Sodium (%)	2196	0.4300	0.0000	0.4500	0.0289	0.0144	104	-0.69	035.31	0
035	Sodium (%)	0019	0.4300	0.0000	0.4500	0.0289	0.0144	104	-0.69	035.41	0
035	Sodium (%)	0098	0.4300	0.0000	0.4500	0.0289	0.0144	104	-0.69	035.43	0
035	Sodium (%)	0242	0.4300	0.0200	0.4500	0.0289	0.0144	104	-0.69	035.99	0
035	Sodium (%)	0939	0.4300	0.0600	0.4500	0.0289	0.0144	104	-0.69	035.53	0
035	Sodium (%)	0939	0.4350	0.0100	0.4500	0.0289	0.0144	104	-0.52	035.31	0
035	Sodium (%)	0229	0.4350	0.0260	0.4500	0.0289	0.0144	104	-0.52	035.41	0
035	Sodium (%)	0366	0.4355	0.0070	0.4500	0.0289	0.0144	104	-0.50	035.42	0
035	Sodium (%)	2259	0.4360	0.0080	0.4500	0.0289	0.0144	104	-0.48	035.41	0
035	Sodium (%)	0875	0.4365	0.0030	0.4500	0.0289	0.0144	104	-0.47	035.43	0
035	Sodium (%)	0164	0.4380	0.0100	0.4500	0.0289	0.0144	104	-0.41	035.41	0
035	Sodium (%)	0045	0.4380	0.0300	0.4500	0.0289	0.0144	104	-0.41	035.42	0
035	Sodium (%)	0171	0.4400	0.0000	0.4500	0.0289	0.0144	104	-0.35	035.41	0
035	Sodium (%)	0298	0.4400	0.0200	0.4500	0.0289	0.0144	104	-0.35	035.41	0
035	Sodium (%)	0100	0.4400	0.0200	0.4500	0.0289	0.0144	104	-0.35	035.99	0
035	Sodium (%)	0407	0.4409	0.0678	0.4500	0.0289	0.0144	104	-0.31	035.41	0
035	Sodium (%)	0300	0.4410	0.0260	0.4500	0.0289	0.0144	104	-0.31	035.53	0
035	Sodium (%)	0598	0.4425	0.0001	0.4500	0.0289	0.0144	104	-0.26	035.41	0
035	Sodium (%)	0148	0.4450	0.0100	0.4500	0.0289	0.0144	104	-0.17	035.41	0
035	Sodium (%)	0278	0.4450	0.0100	0.4500	0.0289	0.0144	104	-0.17	035.42	0
035	Sodium (%)	0297	0.4450	0.0100	0.4500	0.0289	0.0144	104	-0.17	035.43	0
035	Sodium (%)	2129	0.4460	0.0040	0.4500	0.0289	0.0144	104	-0.14	035.99	0
035	Sodium (%)	0918	0.4480	0.0020	0.4500	0.0289	0.0144	104	-0.07	035.43	0
035	Sodium (%)	0622	0.4485	0.0009	0.4500	0.0289	0.0144	104	-0.05	035.31	0
035	Sodium (%)	0142	0.4489	0.0150	0.4500	0.0289	0.0144	104	-0.04	035.31	0
035	Sodium (%)	0653	0.4495	0.0010	0.4500	0.0289	0.0144	104	-0.02	035.41	0
035	Sodium (%)	0689	0.4500	0.0200	0.4500	0.0289	0.0144	104	0.00	035.01	0
035	Sodium (%)	2018	0.4500	0.0200	0.4500	0.0289	0.0144	104	0.00	035.31	0
035	Sodium (%)	0878	0.4500	0.0000	0.4500	0.0289	0.0144	104	0.00	035.41	0
035	Sodium (%)	0265	0.4500	0.0000	0.4500	0.0289	0.0144	104	0.00	035.42	0
035	Sodium (%)	0425	0.4500	0.0000	0.4500	0.0289	0.0144	104	0.00	035.43	0
035	Sodium (%)	0529	0.4510	0.0000	0.4500	0.0289	0.0144	104	0.03	035.31	0
035	Sodium (%)	0033	0.4510	0.0020	0.4500	0.0289	0.0144	104	0.03	035.43	0
035	Sodium (%)	0096	0.4522	0.0221	0.4500	0.0289	0.0144	104	0.07	035.52	0
035	Sodium (%)	0921	0.4525	0.0070	0.4500	0.0289	0.0144	104	0.09	035.31	0
035	Sodium (%)	0043	0.4533	0.0032	0.4500	0.0289	0.0144	104	0.11	035.43	0
035	Sodium (%)	0693	0.4545	0.0370	0.4500	0.0289	0.0144	104	0.16	035.42	0
035	Sodium (%)	0353	0.4550	0.0300	0.4500	0.0289	0.0144	104	0.17	035.43	0
035	Sodium (%)	0884	0.4550	0.0100	0.4500	0.0289	0.0144	104	0.17	035.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0190	0.4550	0.0100	0.4500	0.0289	0.0144	104	0.17	035.42	0
035	Sodium (%)	0590	0.4550	0.0100	0.4500	0.0289	0.0144	104	0.17	035.99	0
035	Sodium (%)	0006	0.4565	0.0330	0.4500	0.0289	0.0144	104	0.22	035.43	0
035	Sodium (%)	0964	0.4586	0.0412	0.4500	0.0289	0.0144	104	0.30	035.43	0
035	Sodium (%)	0629	0.4600	0.0000	0.4500	0.0289	0.0144	104	0.35	035.31	0
035	Sodium (%)	2146	0.4600	0.0000	0.4500	0.0289	0.0144	104	0.35	035.31	0
035	Sodium (%)	0049	0.4600	0.0000	0.4500	0.0289	0.0144	104	0.35	035.41	0
035	Sodium (%)	0035	0.4600	0.0000	0.4500	0.0289	0.0144	104	0.35	035.43	0
035	Sodium (%)	0881	0.4620	0.0180	0.4500	0.0289	0.0144	104	0.41	035.43	0
035	Sodium (%)	0038	0.4635	0.0510	0.4500	0.0289	0.0144	104	0.47	035.43	0
035	Sodium (%)	0035	0.4650	0.0100	0.4500	0.0289	0.0144	104	0.52	035.42	0
035	Sodium (%)	0610	0.4650	0.0300	0.4500	0.0289	0.0144	104	0.52	035.43	0
035	Sodium (%)	0186	0.4670	0.0100	0.4500	0.0289	0.0144	104	0.59	035.52	0
035	Sodium (%)	0139	0.4675	0.0050	0.4500	0.0289	0.0144	104	0.60	035.41	0
035	Sodium (%)	0668	0.4675	0.0170	0.4500	0.0289	0.0144	104	0.60	035.43	0
035	Sodium (%)	0870	0.4686	0.0075	0.4500	0.0289	0.0144	104	0.64	035.42	0
035	Sodium (%)	0108	0.4700	0.0400	0.4500	0.0289	0.0144	104	0.69	035.05	0
035	Sodium (%)	0098	0.4700	0.0400	0.4500	0.0289	0.0144	104	0.69	035.41	0
035	Sodium (%)	0123	0.4700	0.0200	0.4500	0.0289	0.0144	104	0.69	035.41	0
035	Sodium (%)	0010	0.4700	0.0200	0.4500	0.0289	0.0144	104	0.69	035.43	0
035	Sodium (%)	0682	0.4700	0.0000	0.4500	0.0289	0.0144	104	0.69	035.43	0
035	Sodium (%)	0202	0.4740	0.0000	0.4500	0.0289	0.0144	104	0.83	035.43	0
035	Sodium (%)	0066	0.4755	0.0170	0.4500	0.0289	0.0144	104	0.88	035.41	0
035	Sodium (%)	0186	0.4760	0.0120	0.4500	0.0289	0.0144	104	0.90	035.42	0
035	Sodium (%)	0263	0.4783	0.0110	0.4500	0.0289	0.0144	104	0.98	035.42	0
035	Sodium (%)	0169	0.4800	0.0000	0.4500	0.0289	0.0144	104	1.04	035.32	0
035	Sodium (%)	0226	0.4800	0.0200	0.4500	0.0289	0.0144	104	1.04	035.41	0
035	Sodium (%)	0083	0.4800	0.0200	0.4500	0.0289	0.0144	104	1.04	035.43	0
035	Sodium (%)	0726	0.4833	0.0108	0.4500	0.0289	0.0144	104	1.15	035.42	0
035	Sodium (%)	0510	0.4835	0.0070	0.4500	0.0289	0.0144	104	1.16	035.43	0
035	Sodium (%)	0037	0.4855	0.0070	0.4500	0.0289	0.0144	104	1.23	035.42	0
035	Sodium (%)	2089	0.4900	0.0000	0.4500	0.0289	0.0144	104	1.38	035.43	0
035	Sodium (%)	2146	0.4900	0.0200	0.4500	0.0289	0.0144	104	1.38	035.51	0
035	Sodium (%)	0553	0.4910	0.0080	0.4500	0.0289	0.0144	104	1.42	035.53	0
035	Sodium (%)	0560	0.4934	0.0190	0.4500	0.0289	0.0144	104	1.50	035.42	0
035	Sodium (%)	0187	0.4966	0.0013	0.4500	0.0289	0.0144	104	1.61	035.42	0
035	Sodium (%)	0868	0.5000	0.0000	0.4500	0.0289	0.0144	104	1.73	035.31	0
035	Sodium (%)	0868	0.5030	0.0020	0.4500	0.0289	0.0144	104	1.83	035.01	0
035	Sodium (%)	0692	0.5300	0.0400	0.4500	0.0289	0.0144	104	2.77	035.42	0
035	Sodium (%)	0358	0.5400	0.0200	0.4500	0.0289	0.0144	104	3.11	035.41	0
035	Sodium (%)	2053	0.5500	0.0800	0.4500	0.0289	0.0144	104	3.46	035.42	0
035	Sodium (%)	2246	0.5550	0.0100	0.4500	0.0289	0.0144	104	3.63	035.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0407	0.3689	0.1043	0.4500	0.0289	0.0144	104	-2.81	035.43	1
035	Sodium (%)	2192	0.4200	0.2200	0.4500	0.0289	0.0144	104	-1.04	035.43	1
036	Sulfur (%)	0037	0.2470	0.0000	0.4674	0.0352	0.0158	49	-6.26	036.42	0
036	Sulfur (%)	0229	0.4100	0.0000	0.4674	0.0352	0.0158	49	-1.63	036.42	0
036	Sulfur (%)	0242	0.4100	0.0200	0.4674	0.0352	0.0158	49	-1.63	036.99	0
036	Sulfur (%)	0265	0.4200	0.0000	0.4674	0.0352	0.0158	49	-1.35	036.42	0
036	Sulfur (%)	0035	0.4250	0.0300	0.4674	0.0352	0.0158	49	-1.20	036.43	0
036	Sulfur (%)	0045	0.4285	0.0270	0.4674	0.0352	0.0158	49	-1.10	036.42	0
036	Sulfur (%)	0910	0.4326	0.0189	0.4674	0.0352	0.0158	49	-0.99	036.52	0
036	Sulfur (%)	0297	0.4350	0.0100	0.4674	0.0352	0.0158	49	-0.92	036.43	0
036	Sulfur (%)	2033	0.4350	0.0300	0.4674	0.0352	0.0158	49	-0.92	036.43	0
036	Sulfur (%)	0870	0.4361	0.0015	0.4674	0.0352	0.0158	49	-0.89	036.42	0
036	Sulfur (%)	0964	0.4430	0.0356	0.4674	0.0352	0.0158	49	-0.69	036.43	0
036	Sulfur (%)	2129	0.4445	0.0670	0.4674	0.0352	0.0158	49	-0.65	036.42	0
036	Sulfur (%)	2053	0.4450	0.0300	0.4674	0.0352	0.0158	49	-0.64	036.04	0
036	Sulfur (%)	0035	0.4450	0.0300	0.4674	0.0352	0.0158	49	-0.64	036.42	0
036	Sulfur (%)	0278	0.4450	0.0100	0.4674	0.0352	0.0158	49	-0.64	036.42	0
036	Sulfur (%)	0164	0.4500	0.0400	0.4674	0.0352	0.0158	49	-0.49	036.42	0
036	Sulfur (%)	0345	0.4500	0.0040	0.4674	0.0352	0.0158	49	-0.49	036.43	0
036	Sulfur (%)	0038	0.4520	0.0000	0.4674	0.0352	0.0158	49	-0.44	036.43	0
036	Sulfur (%)	0294	0.4550	0.0100	0.4674	0.0352	0.0158	49	-0.35	036.42	0
036	Sulfur (%)	0169	0.4550	0.0100	0.4674	0.0352	0.0158	49	-0.35	036.43	0
036	Sulfur (%)	0693	0.4575	0.0070	0.4674	0.0352	0.0158	49	-0.28	036.42	0
036	Sulfur (%)	0357	0.4584	0.0029	0.4674	0.0352	0.0158	49	-0.26	036.42	0
036	Sulfur (%)	0366	0.4600	0.0200	0.4674	0.0352	0.0158	49	-0.21	036.42	0
036	Sulfur (%)	0610	0.4600	0.0000	0.4674	0.0352	0.0158	49	-0.21	036.04	0
036	Sulfur (%)	0918	0.4640	0.0020	0.4674	0.0352	0.0158	49	-0.10	036.43	0
036	Sulfur (%)	0407	0.4679	0.0097	0.4674	0.0352	0.0158	49	0.01	036.43	0
036	Sulfur (%)	0148	0.4700	0.0400	0.4674	0.0352	0.0158	49	0.07	036.04	0
036	Sulfur (%)	0353	0.4700	0.0200	0.4674	0.0352	0.0158	49	0.07	036.43	0
036	Sulfur (%)	0708	0.4800	0.0100	0.4674	0.0352	0.0158	49	0.36	036.42	0
036	Sulfur (%)	0083	0.4800	0.0000	0.4674	0.0352	0.0158	49	0.36	036.43	0
036	Sulfur (%)	0186	0.4810	0.0200	0.4674	0.0352	0.0158	49	0.39	036.42	0
036	Sulfur (%)	0027	0.4820	0.0040	0.4674	0.0352	0.0158	49	0.41	036.43	0
036	Sulfur (%)	0560	0.4829	0.0201	0.4674	0.0352	0.0158	49	0.44	036.42	0
036	Sulfur (%)	0668	0.4845	0.0070	0.4674	0.0352	0.0158	49	0.49	036.43	0
036	Sulfur (%)	0692	0.4850	0.0300	0.4674	0.0352	0.0158	49	0.50	036.42	0
036	Sulfur (%)	0171	0.4900	0.0000	0.4674	0.0352	0.0158	49	0.64	036.42	0
036	Sulfur (%)	0726	0.4906	0.0002	0.4674	0.0352	0.0158	49	0.66	036.42	0
036	Sulfur (%)	0553	0.4940	0.0300	0.4674	0.0352	0.0158	49	0.75	036.53	0
036	Sulfur (%)	0190	0.4950	0.0100	0.4674	0.0352	0.0158	49	0.78	036.42	0
036	Sulfur (%)	0186	0.4975	0.0010	0.4674	0.0352	0.0158	49	0.85	036.52	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
036	Sulfur (%)	0187	0.4982	0.0022	0.4674	0.0352	0.0158	49	0.87	036.42	0
036	Sulfur (%)	0098	0.5024	0.0141	0.4674	0.0352	0.0158	49	0.99	036.43	0
036	Sulfur (%)	0202	0.5045	0.0270	0.4674	0.0352	0.0158	49	1.05	036.43	0
036	Sulfur (%)	0001	0.5065	0.0030	0.4674	0.0352	0.0158	49	1.11	036.04	0
036	Sulfur (%)	0629	0.5200	0.0200	0.4674	0.0352	0.0158	49	1.49	036.43	0
036	Sulfur (%)	0510	0.5400	0.0000	0.4674	0.0352	0.0158	49	2.06	036.43	0
036	Sulfur (%)	0226	0.5550	0.0300	0.4674	0.0352	0.0158	49	2.49	036.04	0
036	Sulfur (%)	0066	0.5630	0.0200	0.4674	0.0352	0.0158	49	2.71	036.43	0
036	Sulfur (%)	2089	0.5850	0.0500	0.4674	0.0352	0.0158	49	3.34	036.43	0
036	Sulfur (%)	0505	0.5500	0.0800	0.4674	0.0352	0.0158	49	2.34	036.43	1
037	Zinc (mg / kg (ppm))	2246	45.20	0.2000	238.6	19.82	8.890	100	-9.76	037.33	0
037	Zinc (mg / kg (ppm))	0164	131.0	4.000	238.6	19.82	8.890	100	-5.43	037.41	0
037	Zinc (mg / kg (ppm))	0848	167.2	3.380	238.6	19.82	8.890	100	-3.60	037.41	0
037	Zinc (mg / kg (ppm))	0955	185.0	12.00	238.6	19.82	8.890	100	-2.71	037.41	0
037	Zinc (mg / kg (ppm))	0171	192.9	0.7000	238.6	19.82	8.890	100	-2.31	037.41	0
037	Zinc (mg / kg (ppm))	0948	193.3	0.1550	238.6	19.82	8.890	100	-2.29	037.33	0
037	Zinc (mg / kg (ppm))	0910	193.5	15.00	238.6	19.82	8.890	100	-2.28	037.41	0
037	Zinc (mg / kg (ppm))	0520	202.5	5.000	238.6	19.82	8.890	100	-1.82	037.41	0
037	Zinc (mg / kg (ppm))	0263	209.9	1.918	238.6	19.82	8.890	100	-1.45	037.42	0
037	Zinc (mg / kg (ppm))	0229	214.8	18.90	238.6	19.82	8.890	100	-1.20	037.41	0
037	Zinc (mg / kg (ppm))	0278	214.8	5.700	238.6	19.82	8.890	100	-1.20	037.42	0
037	Zinc (mg / kg (ppm))	0407	215.2	45.49	238.6	19.82	8.890	100	-1.18	037.43	0
037	Zinc (mg / kg (ppm))	0529	216.2	0.3000	238.6	19.82	8.890	100	-1.13	037.31	0
037	Zinc (mg / kg (ppm))	2012	216.2	1.800	238.6	19.82	8.890	100	-1.13	037.41	0
037	Zinc (mg / kg (ppm))	0345	216.3	2.100	238.6	19.82	8.890	100	-1.13	037.43	0
037	Zinc (mg / kg (ppm))	0049	219.3	5.670	238.6	19.82	8.890	100	-0.97	037.41	0
037	Zinc (mg / kg (ppm))	0511	221.0	2.000	238.6	19.82	8.890	100	-0.89	037.41	0
037	Zinc (mg / kg (ppm))	0425	221.3	1.200	238.6	19.82	8.890	100	-0.87	037.43	0
037	Zinc (mg / kg (ppm))	0186	222.0	0.0000	238.6	19.82	8.890	100	-0.84	037.42	0
037	Zinc (mg / kg (ppm))	0629	223.5	3.000	238.6	19.82	8.890	100	-0.76	037.31	0
037	Zinc (mg / kg (ppm))	0294	224.7	1.180	238.6	19.82	8.890	100	-0.70	037.42	0
037	Zinc (mg / kg (ppm))	0918	225.3	0.5000	238.6	19.82	8.890	100	-0.67	037.43	0
037	Zinc (mg / kg (ppm))	0689	225.4	17.10	238.6	19.82	8.890	100	-0.67	037.31	0
037	Zinc (mg / kg (ppm))	0026	226.4	28.72	238.6	19.82	8.890	100	-0.62	037.42	0
037	Zinc (mg / kg (ppm))	0033	226.5	15.00	238.6	19.82	8.890	100	-0.61	037.43	0
037	Zinc (mg / kg (ppm))	0003	227.0	2.000	238.6	19.82	8.890	100	-0.59	037.41	0
037	Zinc (mg / kg (ppm))	0001	227.4	2.700	238.6	19.82	8.890	100	-0.57	037.31	0
037	Zinc (mg / kg (ppm))	0668	227.5	7.000	238.6	19.82	8.890	100	-0.56	037.43	0
037	Zinc (mg / kg (ppm))	0045	228.0	18.00	238.6	19.82	8.890	100	-0.54	037.42	0
037	Zinc (mg / kg (ppm))	0297	228.0	10.00	238.6	19.82	8.890	100	-0.54	037.43	0
037	Zinc (mg / kg (ppm))	0016	229.5	7.000	238.6	19.82	8.890	100	-0.46	037.52	0
037	Zinc (mg / kg (ppm))	0870	230.2	0.4000	238.6	19.82	8.890	100	-0.43	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0043	230.4	23.60	238.6	19.82	8.890	100	-0.42	037.43	0
037	Zinc (mg / kg (ppm))	0939	230.5	13.00	238.6	19.82	8.890	100	-0.41	037.53	0
037	Zinc (mg / kg (ppm))	0675	231.8	5.730	238.6	19.82	8.890	100	-0.34	037.43	0
037	Zinc (mg / kg (ppm))	0693	231.9	17.84	238.6	19.82	8.890	100	-0.34	037.42	0
037	Zinc (mg / kg (ppm))	0148	232.5	1.000	238.6	19.82	8.890	100	-0.31	037.41	0
037	Zinc (mg / kg (ppm))	0619	233.0	4.000	238.6	19.82	8.890	100	-0.28	037.41	0
037	Zinc (mg / kg (ppm))	0265	233.5	45.00	238.6	19.82	8.890	100	-0.26	037.42	0
037	Zinc (mg / kg (ppm))	0629	233.5	3.000	238.6	19.82	8.890	100	-0.26	037.43	0
037	Zinc (mg / kg (ppm))	0505	233.7	2.800	238.6	19.82	8.890	100	-0.25	037.43	0
037	Zinc (mg / kg (ppm))	0169	234.5	5.000	238.6	19.82	8.890	100	-0.21	037.43	0
037	Zinc (mg / kg (ppm))	0226	234.5	10.86	238.6	19.82	8.890	100	-0.21	037.41	0
037	Zinc (mg / kg (ppm))	0004	234.6	19.99	238.6	19.82	8.890	100	-0.20	037.41	0
037	Zinc (mg / kg (ppm))	0175	235.0	10.00	238.6	19.82	8.890	100	-0.18	037.31	0
037	Zinc (mg / kg (ppm))	0354	235.2	1.810	238.6	19.82	8.890	100	-0.17	037.41	0
037	Zinc (mg / kg (ppm))	0720	235.3	2.300	238.6	19.82	8.890	100	-0.17	037.41	0
037	Zinc (mg / kg (ppm))	0353	235.5	11.00	238.6	19.82	8.890	100	-0.16	037.43	0
037	Zinc (mg / kg (ppm))	0590	236.5	9.000	238.6	19.82	8.890	100	-0.11	037.99	0
037	Zinc (mg / kg (ppm))	2129	236.5	13.00	238.6	19.82	8.890	100	-0.11	037.99	0
037	Zinc (mg / kg (ppm))	2146	237.7	3.220	238.6	19.82	8.890	100	-0.04	037.31	0
037	Zinc (mg / kg (ppm))	0884	237.8	1.500	238.6	19.82	8.890	100	-0.04	037.31	0
037	Zinc (mg / kg (ppm))	0019	237.9	0.1000	238.6	19.82	8.890	100	-0.04	037.41	0
037	Zinc (mg / kg (ppm))	2128	239.3	3.205	238.6	19.82	8.890	100	0.03	037.32	0
037	Zinc (mg / kg (ppm))	0186	239.5	1.000	238.6	19.82	8.890	100	0.04	037.52	0
037	Zinc (mg / kg (ppm))	2192	239.9	1.350	238.6	19.82	8.890	100	0.07	037.43	0
037	Zinc (mg / kg (ppm))	0010	240.0	0.0000	238.6	19.82	8.890	100	0.07	037.33	0
037	Zinc (mg / kg (ppm))	0878	240.0	8.000	238.6	19.82	8.890	100	0.07	037.41	0
037	Zinc (mg / kg (ppm))	0875	240.0	4.000	238.6	19.82	8.890	100	0.07	037.43	0
037	Zinc (mg / kg (ppm))	0009	241.0	12.00	238.6	19.82	8.890	100	0.12	037.42	0
037	Zinc (mg / kg (ppm))	2089	241.6	25.82	238.6	19.82	8.890	100	0.15	037.43	0
037	Zinc (mg / kg (ppm))	0083	243.5	3.000	238.6	19.82	8.890	100	0.25	037.43	0
037	Zinc (mg / kg (ppm))	0242	243.5	5.000	238.6	19.82	8.890	100	0.25	037.99	0
037	Zinc (mg / kg (ppm))	0598	243.8	1.800	238.6	19.82	8.890	100	0.26	037.41	0
037	Zinc (mg / kg (ppm))	2196	244.9	0.0000	238.6	19.82	8.890	100	0.32	037.31	0
037	Zinc (mg / kg (ppm))	0096	246.1	7.874	238.6	19.82	8.890	100	0.38	037.52	0
037	Zinc (mg / kg (ppm))	0038	247.0	34.00	238.6	19.82	8.890	100	0.42	037.32	0
037	Zinc (mg / kg (ppm))	0968	248.0	6.000	238.6	19.82	8.890	100	0.47	037.43	0
037	Zinc (mg / kg (ppm))	0098	248.1	18.20	238.6	19.82	8.890	100	0.48	037.41	0
037	Zinc (mg / kg (ppm))	0357	249.6	0.4310	238.6	19.82	8.890	100	0.55	037.42	0
037	Zinc (mg / kg (ppm))	0407	250.0	3.696	238.6	19.82	8.890	100	0.57	037.41	0
037	Zinc (mg / kg (ppm))	0035	250.5	9.000	238.6	19.82	8.890	100	0.60	037.43	0
037	Zinc (mg / kg (ppm))	0202	251.0	21.30	238.6	19.82	8.890	100	0.62	037.43	0
037	Zinc (mg / kg (ppm))	0868	251.0	4.000	238.6	19.82	8.890	100	0.62	037.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0939	251.4	27.21	238.6	19.82	8.890	100	0.64	037.31	0
037	Zinc (mg / kg (ppm))	0027	251.6	13.77	238.6	19.82	8.890	100	0.66	037.43	0
037	Zinc (mg / kg (ppm))	0038	252.5	7.000	238.6	19.82	8.890	100	0.70	037.43	0
037	Zinc (mg / kg (ppm))	0187	252.6	1.110	238.6	19.82	8.890	100	0.70	037.42	0
037	Zinc (mg / kg (ppm))	2053	253.0	14.00	238.6	19.82	8.890	100	0.72	037.42	0
037	Zinc (mg / kg (ppm))	0964	254.5	0.6190	238.6	19.82	8.890	100	0.80	037.43	0
037	Zinc (mg / kg (ppm))	2146	254.5	4.450	238.6	19.82	8.890	100	0.80	037.51	0
037	Zinc (mg / kg (ppm))	0572	255.5	39.00	238.6	19.82	8.890	100	0.85	037.53	0
037	Zinc (mg / kg (ppm))	0510	257.0	2.000	238.6	19.82	8.890	100	0.93	037.43	0
037	Zinc (mg / kg (ppm))	0692	258.0	0.0000	238.6	19.82	8.890	100	0.98	037.42	0
037	Zinc (mg / kg (ppm))	0726	262.2	2.500	238.6	19.82	8.890	100	1.19	037.42	0
037	Zinc (mg / kg (ppm))	0100	262.5	7.000	238.6	19.82	8.890	100	1.20	037.99	0
037	Zinc (mg / kg (ppm))	0560	263.3	46.00	238.6	19.82	8.890	100	1.24	037.42	0
037	Zinc (mg / kg (ppm))	0035	264.0	8.000	238.6	19.82	8.890	100	1.28	037.42	0
037	Zinc (mg / kg (ppm))	0037	264.7	1.900	238.6	19.82	8.890	100	1.31	037.42	0
037	Zinc (mg / kg (ppm))	0682	265.0	0.0000	238.6	19.82	8.890	100	1.33	037.43	0
037	Zinc (mg / kg (ppm))	0047	265.3	6.600	238.6	19.82	8.890	100	1.35	037.52	0
037	Zinc (mg / kg (ppm))	0098	265.6	12.70	238.6	19.82	8.890	100	1.36	037.43	0
037	Zinc (mg / kg (ppm))	2033	265.9	2.600	238.6	19.82	8.890	100	1.38	037.43	0
037	Zinc (mg / kg (ppm))	0066	266.7	15.93	238.6	19.82	8.890	100	1.42	037.44	0
037	Zinc (mg / kg (ppm))	0358	268.2	2.900	238.6	19.82	8.890	100	1.49	037.41	0
037	Zinc (mg / kg (ppm))	0190	276.8	4.690	238.6	19.82	8.890	100	1.93	037.42	0
037	Zinc (mg / kg (ppm))	0553	283.0	38.00	238.6	19.82	8.890	100	2.24	037.53	0
037	Zinc (mg / kg (ppm))	0536	313.0	6.150	238.6	19.82	8.890	100	3.75	037.31	0
037	Zinc (mg / kg (ppm))	0405	351.1	13.30	238.6	19.82	8.890	100	5.67	037.41	0
037	Zinc (mg / kg (ppm))	2188	393.0	0.0000	238.6	19.82	8.890	100	7.79	037.31	0
037	Zinc (mg / kg (ppm))	0366	263.0	58.00	238.6	19.82	8.890	100	1.23	037.42	1
038	Molybdenum (mg / kg (ppm))	0910	1.115	0.1700	1.337	0.2193	0.1688	21	-1.01	038.52	0
038	Molybdenum (mg / kg (ppm))	0345	1.130	0.0200	1.337	0.2193	0.1688	21	-0.94	038.43	0
038	Molybdenum (mg / kg (ppm))	0407	1.138	0.0312	1.337	0.2193	0.1688	21	-0.90	038.41	0
038	Molybdenum (mg / kg (ppm))	0171	1.140	0.0600	1.337	0.2193	0.1688	21	-0.90	038.41	0
038	Molybdenum (mg / kg (ppm))	0918	1.143	0.0660	1.337	0.2193	0.1688	21	-0.88	038.53	0
038	Molybdenum (mg / kg (ppm))	0169	1.160	0.1200	1.337	0.2193	0.1688	21	-0.81	038.43	0
038	Molybdenum (mg / kg (ppm))	0186	1.165	0.0300	1.337	0.2193	0.1688	21	-0.78	038.52	0
038	Molybdenum (mg / kg (ppm))	0226	1.245	0.0100	1.337	0.2193	0.1688	21	-0.42	038.41	0
038	Molybdenum (mg / kg (ppm))	0278	1.270	0.1400	1.337	0.2193	0.1688	21	-0.30	038.42	0
038	Molybdenum (mg / kg (ppm))	0407	1.279	0.0263	1.337	0.2193	0.1688	21	-0.26	038.43	0
038	Molybdenum (mg / kg (ppm))	0297	1.290	0.1000	1.337	0.2193	0.1688	21	-0.21	038.43	0
038	Molybdenum (mg / kg (ppm))	0096	1.330	0.0482	1.337	0.2193	0.1688	21	-0.03	038.52	0
038	Molybdenum (mg / kg (ppm))	0164	1.350	0.0200	1.337	0.2193	0.1688	21	0.06	038.53	0
038	Molybdenum (mg / kg (ppm))	0038	1.365	0.2480	1.337	0.2193	0.1688	21	0.13	038.43	0
038	Molybdenum (mg / kg (ppm))	0693	1.388	0.4460	1.337	0.2193	0.1688	21	0.23	038.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
038	Molybdenum (mg / kg (ppm))	0553	1.410	0.0200	1.337	0.2193	0.1688	21	0.33	038.53	0
038	Molybdenum (mg / kg (ppm))	0083	1.500	0.0000	1.337	0.2193	0.1688	21	0.74	038.43	0
038	Molybdenum (mg / kg (ppm))	0265	1.655	0.3500	1.337	0.2193	0.1688	21	1.45	038.42	0
038	Molybdenum (mg / kg (ppm))	0353	1.811	0.3693	1.337	0.2193	0.1688	21	2.16	038.43	0
038	Molybdenum (mg / kg (ppm))	0045	1.915	0.5700	1.337	0.2193	0.1688	21	2.64	038.42	0
038	Molybdenum (mg / kg (ppm))	0510	2.450	0.7000	1.337	0.2193	0.1688	21	5.08	038.43	0
040	Barium (mg / kg (ppm))	0096	14.26	1.254				3		040.52	0
040	Barium (mg / kg (ppm))	0918	14.75	0.1070				3		040.53	0
040	Barium (mg / kg (ppm))	0560	17.07	1.440				3		040.42	0
041	Vanadium (mg / kg (ppm))	0553	1.205	0.0100				1		041.53	0
042	Chloride (%)	0345	0.6390	0.0020	0.6762	0.0282	0.0404	5		042.99	0
042	Chloride (%)	0948	0.6590	0.0180	0.6762	0.0282	0.0404	5		042.00	0
042	Chloride (%)	0066	0.6780	0.0720	0.6762	0.0282	0.0404	5		042.99	0
042	Chloride (%)	0297	0.6950	0.0700	0.6762	0.0282	0.0404	5		042.99	0
042	Chloride (%)	0160	0.7100	0.0400	0.6762	0.0282	0.0404	5		042.99	0
101	Choline Chloride (mg / kg (ppm))	0227	1,400	20.00				1		101.02	0
102	Niacin (mg / kg (ppm))	0227	70.90	2.200				1		102.01	0
103	Pantothenic Acid (mg / kg (ppm))	0227	7.980	0.2600				1		103.01	0
104	Riboflavin (mg / kg (ppm))	0910	0.7750	0.2700				3		104.03	0
104	Riboflavin (mg / kg (ppm))	0227	3.255	0.6100				3		104.00	0
104	Riboflavin (mg / kg (ppm))	0171	4.190	2.380				3		104.00	0
105	Thiamine (mg / kg (ppm))	0910	2.165	0.0900				2		105.00	0
105	Thiamine (mg / kg (ppm))	0227	3.955	0.1100				2		105.01	0
106	Vitamin A (KU / kg)	0169	4.500	1.000	15.41	4.520	2.883	21	-2.41	106.02	0
106	Vitamin A (KU / kg)	0875	5.100	0.4000	15.41	4.520	2.883	21	-2.28	106.02	0
106	Vitamin A (KU / kg)	0038	8.891	0.1787	15.41	4.520	2.883	21	-1.44	106.02	0
106	Vitamin A (KU / kg)	0941	10.20	1.072	15.41	4.520	2.883	21	-1.15	106.02	0
106	Vitamin A (KU / kg)	0910	12.30	2.400	15.41	4.520	2.883	21	-0.69	106.02	0
106	Vitamin A (KU / kg)	0036	13.80	1.600	15.41	4.520	2.883	21	-0.36	106.02	0
106	Vitamin A (KU / kg)	0227	14.50	8.800	15.41	4.520	2.883	21	-0.20	106.02	0
106	Vitamin A (KU / kg)	2103	14.77	2.940	15.41	4.520	2.883	21	-0.14	106.02	0
106	Vitamin A (KU / kg)	0010	15.17	1.010	15.41	4.520	2.883	21	-0.05	106.02	0
106	Vitamin A (KU / kg)	0035	15.34	1.080	15.41	4.520	2.883	21	-0.02	106.02	0
106	Vitamin A (KU / kg)	2053	15.35	0.9000	15.41	4.520	2.883	21	-0.01	106.02	0
106	Vitamin A (KU / kg)	0689	16.20	0.4000	15.41	4.520	2.883	21	0.17	106.02	0
106	Vitamin A (KU / kg)	0619	16.60	1.600	15.41	4.520	2.883	21	0.26	106.02	0
106	Vitamin A (KU / kg)	2192	16.71	0.1200	15.41	4.520	2.883	21	0.29	106.02	0
106	Vitamin A (KU / kg)	0676	17.67	3.210	15.41	4.520	2.883	21	0.50	106.02	0
106	Vitamin A (KU / kg)	0148	18.20	2.200	15.41	4.520	2.883	21	0.62	106.02	0
106	Vitamin A (KU / kg)	0098	18.35	12.90	15.41	4.520	2.883	21	0.65	106.01	0
106	Vitamin A (KU / kg)	0004	18.56	2.930	15.41	4.520	2.883	21	0.70	106.02	0
106	Vitamin A (KU / kg)	2171	19.37	0.4900	15.41	4.520	2.883	21	0.88	106.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
106	Vitamin A (KU / kg)	0905	25.07	10.57	15.41	4.520	2.883	21	2.14	106.02	0
106	Vitamin A (KU / kg)	0675	50.86	4.740	15.41	4.520	2.883	21	7.84	106.02	0
107	Vitamin B12 (µg / kg (ppb))	0227	8.445	0.0100				1		107.00	0
108	Vitamin D3 (KU / kg)	0169	3.000	0.0000	7.237	2.673	0.3213	8	-1.59	108.01	0
108	Vitamin D3 (KU / kg)	0675	5.165	0.0300	7.237	2.673	0.3213	8	-0.78	108.02	0
108	Vitamin D3 (KU / kg)	0910	6.725	0.4500	7.237	2.673	0.3213	8	-0.19	108.02	0
108	Vitamin D3 (KU / kg)	0010	7.410	0.2200	7.237	2.673	0.3213	8	0.06	108.99	0
108	Vitamin D3 (KU / kg)	0610	7.500	0.2000	7.237	2.673	0.3213	8	0.10	108.02	0
108	Vitamin D3 (KU / kg)	0676	7.910	0.4000	7.237	2.673	0.3213	8	0.25	108.02	0
108	Vitamin D3 (KU / kg)	0227	8.710	0.5000	7.237	2.673	0.3213	8	0.55	108.02	0
108	Vitamin D3 (KU / kg)	2192	20.02	0.7700	7.237	2.673	0.3213	8	4.78	108.02	0
109	Vitamin E (IU / kg)	0169	14.50	1.000	97.21	24.12	2.652	13	-3.43	109.02	0
109	Vitamin E (IU / kg)	0675	53.63	8.920	97.21	24.12	2.652	13	-1.81	109.02	0
109	Vitamin E (IU / kg)	0905	83.89	0.1000	97.21	24.12	2.652	13	-0.55	109.02	0
109	Vitamin E (IU / kg)	2103	85.50	1.000	97.21	24.12	2.652	13	-0.49	109.02	0
109	Vitamin E (IU / kg)	0610	87.50	1.000	97.21	24.12	2.652	13	-0.40	109.02	0
109	Vitamin E (IU / kg)	0171	89.50	5.000	97.21	24.12	2.652	13	-0.32	109.99	0
109	Vitamin E (IU / kg)	0941	103.7	0.2100	97.21	24.12	2.652	13	0.27	109.02	0
109	Vitamin E (IU / kg)	0098	106.5	1.000	97.21	24.12	2.652	13	0.39	109.02	0
109	Vitamin E (IU / kg)	0910	109.0	6.000	97.21	24.12	2.652	13	0.49	109.02	0
109	Vitamin E (IU / kg)	0148	111.5	1.000	97.21	24.12	2.652	13	0.59	109.02	0
109	Vitamin E (IU / kg)	0676	113.6	4.050	97.21	24.12	2.652	13	0.68	109.02	0
109	Vitamin E (IU / kg)	2192	123.8	0.4000	97.21	24.12	2.652	13	1.10	109.02	0
109	Vitamin E (IU / kg)	0036	127.1	4.800	97.21	24.12	2.652	13	1.24	109.02	0
109	Vitamin E (IU / kg)	0619	117.0	20.00	97.21	24.12	2.652	13	0.82	109.02	1
112	Pyridoxine (µg / g)	0227	2.425	0.2300				1		112.01	0
113	Folic Acid (mg / kg (ppm))	0227	0.8300	0.0380				1		113.01	0
114	Biotin (mg / kg (ppm))	0227	0.2315	0.0050				1		114.01	0
115	Non Protein N (NPN) (%)	0098	0.8100	0.0600				1		115.00	0
118	Peroxide value (meq/kg)	2081	5.140	2.280				1		118.99	0
120	Alanine (%)	0889	0.6450	0.0300	0.9021	0.0509	0.0147	34	-5.05	120.99	0
120	Alanine (%)	0684	0.8050	0.0700	0.9021	0.0509	0.0147	34	-1.91	120.00	0
120	Alanine (%)	0353	0.8150	0.0100	0.9021	0.0509	0.0147	34	-1.71	120.00	0
120	Alanine (%)	0918	0.8350	0.0100	0.9021	0.0509	0.0147	34	-1.32	120.00	0
120	Alanine (%)	0676	0.8450	0.0300	0.9021	0.0509	0.0147	34	-1.12	120.05	0
120	Alanine (%)	0910	0.8600	0.0000	0.9021	0.0509	0.0147	34	-0.83	120.00	0
120	Alanine (%)	0610	0.8600	0.0000	0.9021	0.0509	0.0147	34	-0.83	120.05	0
120	Alanine (%)	0626	0.8640	0.0100	0.9021	0.0509	0.0147	34	-0.75	120.05	0
120	Alanine (%)	2246	0.8650	0.0100	0.9021	0.0509	0.0147	34	-0.73	120.05	0
120	Alanine (%)	0407	0.8670	0.0220	0.9021	0.0509	0.0147	34	-0.69	120.05	0
120	Alanine (%)	0859	0.8777	0.0154	0.9021	0.0509	0.0147	34	-0.48	120.00	0
120	Alanine (%)	0682	0.8870	0.0000	0.9021	0.0509	0.0147	34	-0.30	120.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
120	Alanine (%)	0675	0.8900	0.0200	0.9021	0.0509	0.0147	34	-0.24	120.00	0
120	Alanine (%)	0242	0.8900	0.0200	0.9021	0.0509	0.0147	34	-0.24	120.05	0
120	Alanine (%)	0644	0.9020	0.0060	0.9021	0.0509	0.0147	34	0.00	120.00	0
120	Alanine (%)	0652	0.9050	0.0100	0.9021	0.0509	0.0147	34	0.06	120.00	0
120	Alanine (%)	0872	0.9050	0.0080	0.9021	0.0509	0.0147	34	0.06	120.00	0
120	Alanine (%)	0571	0.9065	0.0090	0.9021	0.0509	0.0147	34	0.09	120.00	0
120	Alanine (%)	0148	0.9100	0.0200	0.9021	0.0509	0.0147	34	0.15	120.05	0
120	Alanine (%)	0504	0.9150	0.0300	0.9021	0.0509	0.0147	34	0.25	120.00	0
120	Alanine (%)	0878	0.9160	0.0080	0.9021	0.0509	0.0147	34	0.27	120.00	0
120	Alanine (%)	0227	0.9200	0.0000	0.9021	0.0509	0.0147	34	0.35	120.00	0
120	Alanine (%)	0619	0.9210	0.0320	0.9021	0.0509	0.0147	34	0.37	120.00	0
120	Alanine (%)	0354	0.9245	0.0030	0.9021	0.0509	0.0147	34	0.44	120.00	0
120	Alanine (%)	2059	0.9250	0.0040	0.9021	0.0509	0.0147	34	0.45	120.00	0
120	Alanine (%)	0870	0.9253	0.0042	0.9021	0.0509	0.0147	34	0.45	120.00	0
120	Alanine (%)	0941	0.9280	0.0520	0.9021	0.0509	0.0147	34	0.51	120.00	0
120	Alanine (%)	0968	0.9300	0.0000	0.9021	0.0509	0.0147	34	0.55	120.00	0
120	Alanine (%)	0098	0.9490	0.0040	0.9021	0.0509	0.0147	34	0.92	120.02	0
120	Alanine (%)	0868	0.9660	0.0160	0.9021	0.0509	0.0147	34	1.25	120.00	0
120	Alanine (%)	2196	0.9710	0.0000	0.9021	0.0509	0.0147	34	1.35	120.05	0
120	Alanine (%)	2144	1.000	0.0200	0.9021	0.0509	0.0147	34	1.92	120.99	0
120	Alanine (%)	0226	1.030	0.0260	0.9021	0.0509	0.0147	34	2.51	120.00	0
120	Alanine (%)	2188	1.080	0.0000	0.9021	0.0509	0.0147	34	3.49	120.05	0
120	Alanine (%)	0171	1.377	0.1690	0.9021	0.0509	0.0147	34	9.31	120.00	1
121	Arginine (%)	0889	0.8450	0.0300	1.241	0.0853	0.0252	32	-4.64	121.99	0
121	Arginine (%)	0682	0.9310	0.0000	1.241	0.0853	0.0252	32	-3.63	121.00	0
121	Arginine (%)	0918	1.120	0.0200	1.241	0.0853	0.0252	32	-1.41	121.00	0
121	Arginine (%)	0171	1.135	0.0540	1.241	0.0853	0.0252	32	-1.24	121.00	0
121	Arginine (%)	0868	1.143	0.0390	1.241	0.0853	0.0252	32	-1.15	121.00	0
121	Arginine (%)	0675	1.160	0.0200	1.241	0.0853	0.0252	32	-0.95	121.00	0
121	Arginine (%)	0407	1.161	0.1090	1.241	0.0853	0.0252	32	-0.94	121.05	0
121	Arginine (%)	0353	1.185	0.0300	1.241	0.0853	0.0252	32	-0.65	121.00	0
121	Arginine (%)	0676	1.185	0.0300	1.241	0.0853	0.0252	32	-0.65	121.05	0
121	Arginine (%)	0242	1.195	0.0100	1.241	0.0853	0.0252	32	-0.54	121.05	0
121	Arginine (%)	0859	1.195	0.0196	1.241	0.0853	0.0252	32	-0.53	121.00	0
121	Arginine (%)	0870	1.201	0.0107	1.241	0.0853	0.0252	32	-0.46	121.00	0
121	Arginine (%)	0626	1.214	0.0160	1.241	0.0853	0.0252	32	-0.31	121.05	0
121	Arginine (%)	0227	1.225	0.0100	1.241	0.0853	0.0252	32	-0.18	121.00	0
121	Arginine (%)	0504	1.245	0.0500	1.241	0.0853	0.0252	32	0.05	121.00	0
121	Arginine (%)	0354	1.260	0.0040	1.241	0.0853	0.0252	32	0.23	121.00	0
121	Arginine (%)	0098	1.263	0.0150	1.241	0.0853	0.0252	32	0.26	121.02	0
121	Arginine (%)	2196	1.266	0.0000	1.241	0.0853	0.0252	32	0.30	121.05	0
121	Arginine (%)	0968	1.270	0.0200	1.241	0.0853	0.0252	32	0.34	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
121	Arginine (%)	0610	1.270	0.0000	1.241	0.0853	0.0252	32	0.34	121.05	0
121	Arginine (%)	0644	1.272	0.0030	1.241	0.0853	0.0252	32	0.36	121.00	0
121	Arginine (%)	0910	1.285	0.0100	1.241	0.0853	0.0252	32	0.52	121.00	0
121	Arginine (%)	0878	1.286	0.0110	1.241	0.0853	0.0252	32	0.53	121.00	0
121	Arginine (%)	0652	1.290	0.0400	1.241	0.0853	0.0252	32	0.58	121.00	0
121	Arginine (%)	0872	1.296	0.0040	1.241	0.0853	0.0252	32	0.65	121.00	0
121	Arginine (%)	0571	1.309	0.0150	1.241	0.0853	0.0252	32	0.80	121.00	0
121	Arginine (%)	2059	1.315	0.0020	1.241	0.0853	0.0252	32	0.87	121.00	0
121	Arginine (%)	0941	1.320	0.1010	1.241	0.0853	0.0252	32	0.92	121.00	0
121	Arginine (%)	2188	1.330	0.0000	1.241	0.0853	0.0252	32	1.05	121.05	0
121	Arginine (%)	0619	1.355	0.0300	1.241	0.0853	0.0252	32	1.34	121.00	0
121	Arginine (%)	0226	1.359	0.0241	1.241	0.0853	0.0252	32	1.39	121.00	0
121	Arginine (%)	0148	1.380	0.0800	1.241	0.0853	0.0252	32	1.63	121.05	0
121	Arginine (%)	0684	1.195	0.1500	1.241	0.0853	0.0252	32	-0.54	121.00	1
122	Aspartic (%)	0171	1.261	0.1340	1.413	0.0694	0.0311	34	-2.19	122.00	0
122	Aspartic (%)	0353	1.305	0.0300	1.413	0.0694	0.0311	34	-1.55	122.00	0
122	Aspartic (%)	0675	1.310	0.0200	1.413	0.0694	0.0311	34	-1.48	122.00	0
122	Aspartic (%)	0684	1.335	0.1700	1.413	0.0694	0.0311	34	-1.12	122.00	0
122	Aspartic (%)	0859	1.355	0.0268	1.413	0.0694	0.0311	34	-0.83	122.00	0
122	Aspartic (%)	0610	1.360	0.0200	1.413	0.0694	0.0311	34	-0.76	122.05	0
122	Aspartic (%)	0682	1.364	0.0000	1.413	0.0694	0.0311	34	-0.70	122.00	0
122	Aspartic (%)	2246	1.365	0.0300	1.413	0.0694	0.0311	34	-0.69	122.05	0
122	Aspartic (%)	0676	1.370	0.1000	1.413	0.0694	0.0311	34	-0.62	122.05	0
122	Aspartic (%)	0889	1.370	0.0000	1.413	0.0694	0.0311	34	-0.62	122.99	0
122	Aspartic (%)	0504	1.375	0.0300	1.413	0.0694	0.0311	34	-0.54	122.00	0
122	Aspartic (%)	0918	1.375	0.0100	1.413	0.0694	0.0311	34	-0.54	122.00	0
122	Aspartic (%)	0644	1.382	0.0040	1.413	0.0694	0.0311	34	-0.44	122.00	0
122	Aspartic (%)	0227	1.395	0.0300	1.413	0.0694	0.0311	34	-0.26	122.00	0
122	Aspartic (%)	0870	1.403	0.0152	1.413	0.0694	0.0311	34	-0.14	122.00	0
122	Aspartic (%)	2196	1.404	0.0000	1.413	0.0694	0.0311	34	-0.13	122.05	0
122	Aspartic (%)	0242	1.410	0.0200	1.413	0.0694	0.0311	34	-0.04	122.05	0
122	Aspartic (%)	0910	1.415	0.0300	1.413	0.0694	0.0311	34	0.03	122.00	0
122	Aspartic (%)	0571	1.417	0.0110	1.413	0.0694	0.0311	34	0.05	122.00	0
122	Aspartic (%)	0872	1.419	0.0150	1.413	0.0694	0.0311	34	0.08	122.00	0
122	Aspartic (%)	0652	1.420	0.0000	1.413	0.0694	0.0311	34	0.10	122.00	0
122	Aspartic (%)	0878	1.424	0.0040	1.413	0.0694	0.0311	34	0.16	122.00	0
122	Aspartic (%)	2059	1.429	0.0100	1.413	0.0694	0.0311	34	0.23	122.00	0
122	Aspartic (%)	0941	1.431	0.1360	1.413	0.0694	0.0311	34	0.26	122.00	0
122	Aspartic (%)	0968	1.444	0.0080	1.413	0.0694	0.0311	34	0.45	122.00	0
122	Aspartic (%)	0619	1.450	0.0400	1.413	0.0694	0.0311	34	0.54	122.00	0
122	Aspartic (%)	0098	1.458	0.0050	1.413	0.0694	0.0311	34	0.64	122.02	0
122	Aspartic (%)	0868	1.475	0.0110	1.413	0.0694	0.0311	34	0.89	122.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
122	Aspartic (%)	0354	1.494	0.0050	1.413	0.0694	0.0311	34	1.16	122.00	0
122	Aspartic (%)	0148	1.505	0.0500	1.413	0.0694	0.0311	34	1.33	122.05	0
122	Aspartic (%)	0626	1.514	0.0010	1.413	0.0694	0.0311	34	1.45	122.05	0
122	Aspartic (%)	0226	1.520	0.0507	1.413	0.0694	0.0311	34	1.55	122.00	0
122	Aspartic (%)	2144	1.550	0.0400	1.413	0.0694	0.0311	34	1.98	122.99	0
122	Aspartic (%)	2188	1.840	0.0000	1.413	0.0694	0.0311	34	6.15	122.05	0
122	Aspartic (%)	0407	1.153	0.1870	1.413	0.0694	0.0311	34	-3.75	122.05	1
124	Cysteine/Cystine (%)	2246	0.0950	0.0100	0.3217	0.0489	0.0120	33	-4.64	124.05	0
124	Cysteine/Cystine (%)	0407	0.1690	0.0440	0.3217	0.0489	0.0120	33	-3.12	124.05	0
124	Cysteine/Cystine (%)	0242	0.2450	0.0100	0.3217	0.0489	0.0120	33	-1.57	124.05	0
124	Cysteine/Cystine (%)	0675	0.2500	0.0200	0.3217	0.0489	0.0120	33	-1.47	124.00	0
124	Cysteine/Cystine (%)	0918	0.2700	0.0200	0.3217	0.0489	0.0120	33	-1.06	124.00	0
124	Cysteine/Cystine (%)	2188	0.2700	0.0000	0.3217	0.0489	0.0120	33	-1.06	124.05	0
124	Cysteine/Cystine (%)	0353	0.2750	0.0300	0.3217	0.0489	0.0120	33	-0.96	124.00	0
124	Cysteine/Cystine (%)	0859	0.2880	0.0063	0.3217	0.0489	0.0120	33	-0.69	124.00	0
124	Cysteine/Cystine (%)	0227	0.2950	0.0100	0.3217	0.0489	0.0120	33	-0.55	124.00	0
124	Cysteine/Cystine (%)	0684	0.2950	0.0100	0.3217	0.0489	0.0120	33	-0.55	124.00	0
124	Cysteine/Cystine (%)	0644	0.3085	0.0010	0.3217	0.0489	0.0120	33	-0.27	124.00	0
124	Cysteine/Cystine (%)	0870	0.3089	0.0036	0.3217	0.0489	0.0120	33	-0.26	124.00	0
124	Cysteine/Cystine (%)	0910	0.3100	0.0000	0.3217	0.0489	0.0120	33	-0.24	124.00	0
124	Cysteine/Cystine (%)	0872	0.3195	0.0010	0.3217	0.0489	0.0120	33	-0.04	124.00	0
124	Cysteine/Cystine (%)	0878	0.3255	0.0070	0.3217	0.0489	0.0120	33	0.08	124.00	0
124	Cysteine/Cystine (%)	2059	0.3265	0.0010	0.3217	0.0489	0.0120	33	0.10	124.00	0
124	Cysteine/Cystine (%)	0571	0.3290	0.0080	0.3217	0.0489	0.0120	33	0.15	124.00	0
124	Cysteine/Cystine (%)	0652	0.3300	0.0200	0.3217	0.0489	0.0120	33	0.17	124.00	0
124	Cysteine/Cystine (%)	0354	0.3310	0.0140	0.3217	0.0489	0.0120	33	0.19	124.00	0
124	Cysteine/Cystine (%)	0504	0.3350	0.0100	0.3217	0.0489	0.0120	33	0.27	124.00	0
124	Cysteine/Cystine (%)	0676	0.3350	0.0100	0.3217	0.0489	0.0120	33	0.27	124.05	0
124	Cysteine/Cystine (%)	0226	0.3352	0.0243	0.3217	0.0489	0.0120	33	0.28	124.00	0
124	Cysteine/Cystine (%)	0098	0.3360	0.0040	0.3217	0.0489	0.0120	33	0.29	124.02	0
124	Cysteine/Cystine (%)	0868	0.3435	0.0070	0.3217	0.0489	0.0120	33	0.45	124.00	0
124	Cysteine/Cystine (%)	0941	0.3435	0.0150	0.3217	0.0489	0.0120	33	0.45	124.00	0
124	Cysteine/Cystine (%)	0968	0.3515	0.0010	0.3217	0.0489	0.0120	33	0.61	124.00	0
124	Cysteine/Cystine (%)	0610	0.3600	0.0200	0.3217	0.0489	0.0120	33	0.78	124.05	0
124	Cysteine/Cystine (%)	0682	0.3660	0.0000	0.3217	0.0489	0.0120	33	0.91	124.00	0
124	Cysteine/Cystine (%)	0148	0.3750	0.0300	0.3217	0.0489	0.0120	33	1.09	124.05	0
124	Cysteine/Cystine (%)	2196	0.3840	0.0000	0.3217	0.0489	0.0120	33	1.28	124.05	0
124	Cysteine/Cystine (%)	0889	0.3850	0.0100	0.3217	0.0489	0.0120	33	1.30	124.99	0
124	Cysteine/Cystine (%)	0619	0.3940	0.0080	0.3217	0.0489	0.0120	33	1.48	124.00	0
124	Cysteine/Cystine (%)	2144	0.4100	0.0400	0.3217	0.0489	0.0120	33	1.81	124.99	0
124	Cysteine/Cystine (%)	0171	0.3525	0.0670	0.3217	0.0489	0.0120	33	0.63	124.00	1
125	Glutamic (%)	0889	2.705	0.1100	3.228	0.1469	0.0512	33	-3.56	125.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
125	Glutamic (%)	0407	3.032	0.0030	3.228	0.1469	0.0512	33	-1.34	125.05	0
125	Glutamic (%)	0610	3.045	0.0100	3.228	0.1469	0.0512	33	-1.25	125.05	0
125	Glutamic (%)	0675	3.050	0.0200	3.228	0.1469	0.0512	33	-1.21	125.00	0
125	Glutamic (%)	0859	3.084	0.0666	3.228	0.1469	0.0512	33	-0.98	125.00	0
125	Glutamic (%)	0868	3.085	0.0530	3.228	0.1469	0.0512	33	-0.98	125.00	0
125	Glutamic (%)	0504	3.125	0.1100	3.228	0.1469	0.0512	33	-0.70	125.00	0
125	Glutamic (%)	0968	3.125	0.0300	3.228	0.1469	0.0512	33	-0.70	125.00	0
125	Glutamic (%)	0682	3.138	0.0000	3.228	0.1469	0.0512	33	-0.61	125.00	0
125	Glutamic (%)	0652	3.145	0.0500	3.228	0.1469	0.0512	33	-0.57	125.00	0
125	Glutamic (%)	2196	3.149	0.0000	3.228	0.1469	0.0512	33	-0.54	125.05	0
125	Glutamic (%)	0242	3.165	0.0700	3.228	0.1469	0.0512	33	-0.43	125.05	0
125	Glutamic (%)	0872	3.198	0.0380	3.228	0.1469	0.0512	33	-0.21	125.00	0
125	Glutamic (%)	0644	3.205	0.0140	3.228	0.1469	0.0512	33	-0.16	125.00	0
125	Glutamic (%)	0227	3.215	0.0100	3.228	0.1469	0.0512	33	-0.09	125.00	0
125	Glutamic (%)	0098	3.216	0.0440	3.228	0.1469	0.0512	33	-0.08	125.02	0
125	Glutamic (%)	0571	3.226	0.0050	3.228	0.1469	0.0512	33	-0.02	125.00	0
125	Glutamic (%)	2059	3.226	0.0020	3.228	0.1469	0.0512	33	-0.01	125.00	0
125	Glutamic (%)	0676	3.235	0.1100	3.228	0.1469	0.0512	33	0.05	125.05	0
125	Glutamic (%)	0353	3.245	0.0900	3.228	0.1469	0.0512	33	0.11	125.00	0
125	Glutamic (%)	0918	3.250	0.0200	3.228	0.1469	0.0512	33	0.15	125.00	0
125	Glutamic (%)	0941	3.257	0.1900	3.228	0.1469	0.0512	33	0.20	125.00	0
125	Glutamic (%)	0878	3.263	0.0160	3.228	0.1469	0.0512	33	0.24	125.00	0
125	Glutamic (%)	0354	3.270	0.2560	3.228	0.1469	0.0512	33	0.28	125.00	0
125	Glutamic (%)	0910	3.285	0.0100	3.228	0.1469	0.0512	33	0.39	125.00	0
125	Glutamic (%)	0626	3.315	0.0130	3.228	0.1469	0.0512	33	0.59	125.05	0
125	Glutamic (%)	2188	3.350	0.0000	3.228	0.1469	0.0512	33	0.83	125.05	0
125	Glutamic (%)	0870	3.405	0.0280	3.228	0.1469	0.0512	33	1.20	125.00	0
125	Glutamic (%)	2246	3.430	0.0200	3.228	0.1469	0.0512	33	1.37	125.05	0
125	Glutamic (%)	2144	3.445	0.1300	3.228	0.1469	0.0512	33	1.48	125.99	0
125	Glutamic (%)	0619	3.500	0.0800	3.228	0.1469	0.0512	33	1.85	125.00	0
125	Glutamic (%)	0148	3.585	0.0100	3.228	0.1469	0.0512	33	2.43	125.05	0
125	Glutamic (%)	0226	3.731	0.0798	3.228	0.1469	0.0512	33	3.42	125.00	0
125	Glutamic (%)	0171	2.735	0.5100	3.228	0.1469	0.0512	33	-3.36	125.00	1
125	Glutamic (%)	0684	3.085	0.4300	3.228	0.1469	0.0512	33	-0.97	125.00	1
126	Glycine (%)	0889	0.3100	0.0000	0.8530	0.0389	0.0187	34	-13.95	126.99	0
126	Glycine (%)	0684	0.7700	0.0800	0.8530	0.0389	0.0187	34	-2.13	126.00	0
126	Glycine (%)	0353	0.7900	0.0200	0.8530	0.0389	0.0187	34	-1.62	126.00	0
126	Glycine (%)	0242	0.8100	0.0200	0.8530	0.0389	0.0187	34	-1.10	126.05	0
126	Glycine (%)	0859	0.8190	0.0133	0.8530	0.0389	0.0187	34	-0.87	126.00	0
126	Glycine (%)	0918	0.8200	0.0000	0.8530	0.0389	0.0187	34	-0.85	126.00	0
126	Glycine (%)	0652	0.8200	0.0200	0.8530	0.0389	0.0187	34	-0.85	126.00	0
126	Glycine (%)	0675	0.8200	0.0200	0.8530	0.0389	0.0187	34	-0.85	126.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
126	Glycine (%)	0682	0.8300	0.0000	0.8530	0.0389	0.0187	34	-0.59	126.00	0
126	Glycine (%)	0910	0.8350	0.0100	0.8530	0.0389	0.0187	34	-0.46	126.00	0
126	Glycine (%)	0610	0.8350	0.0100	0.8530	0.0389	0.0187	34	-0.46	126.05	0
126	Glycine (%)	0870	0.8366	0.0113	0.8530	0.0389	0.0187	34	-0.42	126.00	0
126	Glycine (%)	0354	0.8435	0.0010	0.8530	0.0389	0.0187	34	-0.24	126.00	0
126	Glycine (%)	0644	0.8460	0.0120	0.8530	0.0389	0.0187	34	-0.18	126.00	0
126	Glycine (%)	0872	0.8490	0.0020	0.8530	0.0389	0.0187	34	-0.10	126.00	0
126	Glycine (%)	0504	0.8500	0.0200	0.8530	0.0389	0.0187	34	-0.08	126.00	0
126	Glycine (%)	0571	0.8505	0.0050	0.8530	0.0389	0.0187	34	-0.06	126.00	0
126	Glycine (%)	0227	0.8550	0.0100	0.8530	0.0389	0.0187	34	0.05	126.00	0
126	Glycine (%)	0676	0.8550	0.1100	0.8530	0.0389	0.0187	34	0.05	126.05	0
126	Glycine (%)	0626	0.8560	0.0020	0.8530	0.0389	0.0187	34	0.08	126.05	0
126	Glycine (%)	0098	0.8580	0.0100	0.8530	0.0389	0.0187	34	0.13	126.02	0
126	Glycine (%)	0968	0.8590	0.0180	0.8530	0.0389	0.0187	34	0.16	126.00	0
126	Glycine (%)	0878	0.8615	0.0110	0.8530	0.0389	0.0187	34	0.22	126.00	0
126	Glycine (%)	2059	0.8620	0.0040	0.8530	0.0389	0.0187	34	0.23	126.00	0
126	Glycine (%)	2196	0.8640	0.0000	0.8530	0.0389	0.0187	34	0.28	126.05	0
126	Glycine (%)	0941	0.8675	0.0570	0.8530	0.0389	0.0187	34	0.37	126.00	0
126	Glycine (%)	0868	0.8765	0.0050	0.8530	0.0389	0.0187	34	0.60	126.00	0
126	Glycine (%)	0148	0.8900	0.0400	0.8530	0.0389	0.0187	34	0.95	126.05	0
126	Glycine (%)	0619	0.8990	0.0280	0.8530	0.0389	0.0187	34	1.18	126.00	0
126	Glycine (%)	2144	0.9050	0.0300	0.8530	0.0389	0.0187	34	1.34	126.99	0
126	Glycine (%)	2188	0.9100	0.0000	0.8530	0.0389	0.0187	34	1.47	126.05	0
126	Glycine (%)	0407	0.9310	0.0180	0.8530	0.0389	0.0187	34	2.01	126.05	0
126	Glycine (%)	0226	0.9476	0.0257	0.8530	0.0389	0.0187	34	2.43	126.00	0
126	Glycine (%)	0171	1.251	0.0220	0.8530	0.0389	0.0187	34	10.23	126.00	0
126	Glycine (%)	2246	0.9650	0.3500	0.8530	0.0389	0.0187	34	2.88	126.05	1
127	Histidine (%)	0889	0.3100	0.0000	0.4659	0.0281	0.0091	33	-5.55	127.99	0
127	Histidine (%)	0870	0.4003	0.0067	0.4659	0.0281	0.0091	33	-2.34	127.00	0
127	Histidine (%)	2246	0.4100	0.0000	0.4659	0.0281	0.0091	33	-1.99	127.05	0
127	Histidine (%)	0353	0.4200	0.0000	0.4659	0.0281	0.0091	33	-1.63	127.00	0
127	Histidine (%)	2188	0.4300	0.0000	0.4659	0.0281	0.0091	33	-1.28	127.05	0
127	Histidine (%)	0859	0.4334	0.0084	0.4659	0.0281	0.0091	33	-1.16	127.00	0
127	Histidine (%)	0242	0.4400	0.0000	0.4659	0.0281	0.0091	33	-0.92	127.05	0
127	Histidine (%)	0684	0.4450	0.0300	0.4659	0.0281	0.0091	33	-0.74	127.00	0
127	Histidine (%)	0610	0.4500	0.0000	0.4659	0.0281	0.0091	33	-0.57	127.05	0
127	Histidine (%)	0918	0.4550	0.0100	0.4659	0.0281	0.0091	33	-0.39	127.00	0
127	Histidine (%)	0626	0.4600	0.0020	0.4659	0.0281	0.0091	33	-0.21	127.05	0
127	Histidine (%)	0910	0.4650	0.0100	0.4659	0.0281	0.0091	33	-0.03	127.00	0
127	Histidine (%)	2196	0.4660	0.0000	0.4659	0.0281	0.0091	33	0.00	127.05	0
127	Histidine (%)	0644	0.4700	0.0000	0.4659	0.0281	0.0091	33	0.15	127.00	0
127	Histidine (%)	0652	0.4700	0.0200	0.4659	0.0281	0.0091	33	0.15	127.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
127	Histidine (%)	0571	0.4705	0.0010	0.4659	0.0281	0.0091	33	0.16	127.00	0
127	Histidine (%)	0098	0.4710	0.0060	0.4659	0.0281	0.0091	33	0.18	127.02	0
127	Histidine (%)	0872	0.4715	0.0010	0.4659	0.0281	0.0091	33	0.20	127.00	0
127	Histidine (%)	0878	0.4720	0.0020	0.4659	0.0281	0.0091	33	0.22	127.00	0
127	Histidine (%)	0407	0.4725	0.0270	0.4659	0.0281	0.0091	33	0.23	127.05	0
127	Histidine (%)	0226	0.4745	0.0073	0.4659	0.0281	0.0091	33	0.30	127.00	0
127	Histidine (%)	0354	0.4750	0.0020	0.4659	0.0281	0.0091	33	0.32	127.00	0
127	Histidine (%)	0676	0.4750	0.0100	0.4659	0.0281	0.0091	33	0.32	127.05	0
127	Histidine (%)	0868	0.4755	0.0030	0.4659	0.0281	0.0091	33	0.34	127.00	0
127	Histidine (%)	2059	0.4775	0.0050	0.4659	0.0281	0.0091	33	0.41	127.00	0
127	Histidine (%)	0227	0.4800	0.0000	0.4659	0.0281	0.0091	33	0.50	127.00	0
127	Histidine (%)	0504	0.4800	0.0200	0.4659	0.0281	0.0091	33	0.50	127.00	0
127	Histidine (%)	0968	0.4800	0.0000	0.4659	0.0281	0.0091	33	0.50	127.00	0
127	Histidine (%)	0682	0.4980	0.0000	0.4659	0.0281	0.0091	33	1.14	127.00	0
127	Histidine (%)	0941	0.4985	0.0530	0.4659	0.0281	0.0091	33	1.16	127.00	0
127	Histidine (%)	0148	0.5300	0.0400	0.4659	0.0281	0.0091	33	2.28	127.05	0
127	Histidine (%)	0619	0.5925	0.0150	0.4659	0.0281	0.0091	33	4.51	127.00	0
127	Histidine (%)	0675	0.6600	0.0200	0.4659	0.0281	0.0091	33	6.91	127.00	0
127	Histidine (%)	0171	0.4340	0.1220	0.4659	0.0281	0.0091	33	-1.14	127.00	1
127	Histidine (%)	2144	1.360	0.0400	0.4659	0.0281	0.0091	33	31.83	127.99	2
128	Isoleucine (%)	0353	0.4400	0.0200	0.6050	0.0418	0.0137	35	-3.95	128.00	0
128	Isoleucine (%)	0675	0.5200	0.0200	0.6050	0.0418	0.0137	35	-2.04	128.00	0
128	Isoleucine (%)	0918	0.5450	0.0100	0.6050	0.0418	0.0137	35	-1.44	128.00	0
128	Isoleucine (%)	0684	0.5500	0.0000	0.6050	0.0418	0.0137	35	-1.32	128.00	0
128	Isoleucine (%)	2246	0.5500	0.0200	0.6050	0.0418	0.0137	35	-1.32	128.05	0
128	Isoleucine (%)	0859	0.5511	0.0113	0.6050	0.0418	0.0137	35	-1.29	128.00	0
128	Isoleucine (%)	0242	0.5700	0.0000	0.6050	0.0418	0.0137	35	-0.84	128.05	0
128	Isoleucine (%)	0682	0.5790	0.0000	0.6050	0.0418	0.0137	35	-0.62	128.00	0
128	Isoleucine (%)	0676	0.5800	0.0400	0.6050	0.0418	0.0137	35	-0.60	128.05	0
128	Isoleucine (%)	0354	0.5840	0.0080	0.6050	0.0418	0.0137	35	-0.50	128.00	0
128	Isoleucine (%)	0652	0.5850	0.0100	0.6050	0.0418	0.0137	35	-0.48	128.00	0
128	Isoleucine (%)	0227	0.5900	0.0000	0.6050	0.0418	0.0137	35	-0.36	128.00	0
128	Isoleucine (%)	0889	0.5900	0.0200	0.6050	0.0418	0.0137	35	-0.36	128.99	0
128	Isoleucine (%)	0868	0.5945	0.0030	0.6050	0.0418	0.0137	35	-0.25	128.00	0
128	Isoleucine (%)	0610	0.6000	0.0000	0.6050	0.0418	0.0137	35	-0.12	128.05	0
128	Isoleucine (%)	0619	0.6025	0.0190	0.6050	0.0418	0.0137	35	-0.06	128.00	0
128	Isoleucine (%)	0968	0.6035	0.0130	0.6050	0.0418	0.0137	35	-0.04	128.00	0
128	Isoleucine (%)	0878	0.6065	0.0090	0.6050	0.0418	0.0137	35	0.04	128.00	0
128	Isoleucine (%)	0407	0.6140	0.0080	0.6050	0.0418	0.0137	35	0.22	128.05	0
128	Isoleucine (%)	0098	0.6150	0.0120	0.6050	0.0418	0.0137	35	0.24	128.02	0
128	Isoleucine (%)	0872	0.6170	0.0040	0.6050	0.0418	0.0137	35	0.29	128.00	0
128	Isoleucine (%)	0571	0.6185	0.0070	0.6050	0.0418	0.0137	35	0.32	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
128	Isoleucine (%)	0910	0.6200	0.0400	0.6050	0.0418	0.0137	35	0.36	128.00	0
128	Isoleucine (%)	0626	0.6240	0.0100	0.6050	0.0418	0.0137	35	0.46	128.05	0
128	Isoleucine (%)	0644	0.6260	0.0040	0.6050	0.0418	0.0137	35	0.50	128.00	0
128	Isoleucine (%)	0171	0.6310	0.0540	0.6050	0.0418	0.0137	35	0.62	128.00	0
128	Isoleucine (%)	2059	0.6310	0.0100	0.6050	0.0418	0.0137	35	0.62	128.00	0
128	Isoleucine (%)	0941	0.6345	0.0110	0.6050	0.0418	0.0137	35	0.71	128.00	0
128	Isoleucine (%)	2196	0.6390	0.0000	0.6050	0.0418	0.0137	35	0.81	128.05	0
128	Isoleucine (%)	0504	0.6400	0.0400	0.6050	0.0418	0.0137	35	0.84	128.00	0
128	Isoleucine (%)	2144	0.6400	0.0200	0.6050	0.0418	0.0137	35	0.84	128.99	0
128	Isoleucine (%)	0870	0.6561	0.0143	0.6050	0.0418	0.0137	35	1.22	128.00	0
128	Isoleucine (%)	0148	0.6800	0.0200	0.6050	0.0418	0.0137	35	1.80	128.05	0
128	Isoleucine (%)	2188	0.7000	0.0000	0.6050	0.0418	0.0137	35	2.28	128.05	0
128	Isoleucine (%)	0226	0.7042	0.0202	0.6050	0.0418	0.0137	35	2.38	128.00	0
129	Leucine (%)	0889	0.8800	0.0200	1.347	0.0544	0.0216	34	-8.58	129.99	0
129	Leucine (%)	0684	1.225	0.1100	1.347	0.0544	0.0216	34	-2.24	129.00	0
129	Leucine (%)	0682	1.255	0.0000	1.347	0.0544	0.0216	34	-1.69	129.00	0
129	Leucine (%)	0859	1.275	0.0069	1.347	0.0544	0.0216	34	-1.33	129.00	0
129	Leucine (%)	0918	1.275	0.0100	1.347	0.0544	0.0216	34	-1.33	129.00	0
129	Leucine (%)	0242	1.285	0.0300	1.347	0.0544	0.0216	34	-1.14	129.05	0
129	Leucine (%)	0353	1.295	0.0300	1.347	0.0544	0.0216	34	-0.96	129.00	0
129	Leucine (%)	0676	1.305	0.0500	1.347	0.0544	0.0216	34	-0.77	129.05	0
129	Leucine (%)	0910	1.320	0.0200	1.347	0.0544	0.0216	34	-0.50	129.00	0
129	Leucine (%)	0652	1.330	0.0000	1.347	0.0544	0.0216	34	-0.32	129.00	0
129	Leucine (%)	0610	1.330	0.0000	1.347	0.0544	0.0216	34	-0.32	129.05	0
129	Leucine (%)	2196	1.340	0.0000	1.347	0.0544	0.0216	34	-0.13	129.05	0
129	Leucine (%)	0968	1.345	0.0500	1.347	0.0544	0.0216	34	-0.04	129.00	0
129	Leucine (%)	0354	1.349	0.0170	1.347	0.0544	0.0216	34	0.02	129.00	0
129	Leucine (%)	0870	1.350	0.0019	1.347	0.0544	0.0216	34	0.05	129.00	0
129	Leucine (%)	0878	1.350	0.0020	1.347	0.0544	0.0216	34	0.05	129.00	0
129	Leucine (%)	0644	1.351	0.0010	1.347	0.0544	0.0216	34	0.06	129.00	0
129	Leucine (%)	0227	1.355	0.0100	1.347	0.0544	0.0216	34	0.14	129.00	0
129	Leucine (%)	2246	1.355	0.0500	1.347	0.0544	0.0216	34	0.14	129.05	0
129	Leucine (%)	0171	1.356	0.0010	1.347	0.0544	0.0216	34	0.15	129.00	0
129	Leucine (%)	0571	1.358	0.0040	1.347	0.0544	0.0216	34	0.20	129.00	0
129	Leucine (%)	0504	1.360	0.0600	1.347	0.0544	0.0216	34	0.24	129.00	0
129	Leucine (%)	0872	1.362	0.0120	1.347	0.0544	0.0216	34	0.27	129.00	0
129	Leucine (%)	0098	1.364	0.0110	1.347	0.0544	0.0216	34	0.30	129.02	0
129	Leucine (%)	2059	1.365	0.0110	1.347	0.0544	0.0216	34	0.32	129.00	0
129	Leucine (%)	0626	1.368	0.0140	1.347	0.0544	0.0216	34	0.38	129.05	0
129	Leucine (%)	0941	1.374	0.0570	1.347	0.0544	0.0216	34	0.48	129.00	0
129	Leucine (%)	0868	1.379	0.0310	1.347	0.0544	0.0216	34	0.58	129.00	0
129	Leucine (%)	0619	1.390	0.0400	1.347	0.0544	0.0216	34	0.79	129.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
129	Leucine (%)	0148	1.410	0.0400	1.347	0.0544	0.0216	34	1.15	129.05	0
129	Leucine (%)	2188	1.430	0.0000	1.347	0.0544	0.0216	34	1.52	129.05	0
129	Leucine (%)	0675	1.460	0.0200	1.347	0.0544	0.0216	34	2.07	129.00	0
129	Leucine (%)	2144	1.475	0.0100	1.347	0.0544	0.0216	34	2.35	129.99	0
129	Leucine (%)	0226	1.538	0.0157	1.347	0.0544	0.0216	34	3.51	129.00	0
129	Leucine (%)	0407	1.256	0.1580	1.347	0.0544	0.0216	34	-1.67	129.05	1
130	L-Lysine (%)	0652	0.6000	0.0600	0.7109	0.0444	0.0153	36	-2.50	130.00	0
130	L-Lysine (%)	2053	0.6150	0.0300	0.7109	0.0444	0.0153	36	-2.16	130.99	0
130	L-Lysine (%)	0407	0.6375	0.0150	0.7109	0.0444	0.0153	36	-1.65	130.05	0
130	L-Lysine (%)	0848	0.6500	0.0000	0.7109	0.0444	0.0153	36	-1.37	130.00	0
130	L-Lysine (%)	0684	0.6600	0.0600	0.7109	0.0444	0.0153	36	-1.15	130.00	0
130	L-Lysine (%)	2246	0.6600	0.0000	0.7109	0.0444	0.0153	36	-1.15	130.05	0
130	L-Lysine (%)	0859	0.6771	0.0167	0.7109	0.0444	0.0153	36	-0.76	130.00	0
130	L-Lysine (%)	0610	0.6850	0.0100	0.7109	0.0444	0.0153	36	-0.58	130.05	0
130	L-Lysine (%)	0682	0.6880	0.0000	0.7109	0.0444	0.0153	36	-0.52	130.00	0
130	L-Lysine (%)	0353	0.6900	0.0000	0.7109	0.0444	0.0153	36	-0.47	130.00	0
130	L-Lysine (%)	0918	0.6900	0.0000	0.7109	0.0444	0.0153	36	-0.47	130.00	0
130	L-Lysine (%)	0354	0.6910	0.0080	0.7109	0.0444	0.0153	36	-0.45	130.00	0
130	L-Lysine (%)	0868	0.6955	0.0030	0.7109	0.0444	0.0153	36	-0.35	130.00	0
130	L-Lysine (%)	2196	0.6960	0.0000	0.7109	0.0444	0.0153	36	-0.33	130.05	0
130	L-Lysine (%)	0910	0.7000	0.0000	0.7109	0.0444	0.0153	36	-0.24	130.00	0
130	L-Lysine (%)	0242	0.7050	0.0100	0.7109	0.0444	0.0153	36	-0.13	130.05	0
130	L-Lysine (%)	0872	0.7070	0.0020	0.7109	0.0444	0.0153	36	-0.09	130.00	0
130	L-Lysine (%)	0644	0.7080	0.0020	0.7109	0.0444	0.0153	36	-0.06	130.00	0
130	L-Lysine (%)	0878	0.7085	0.0030	0.7109	0.0444	0.0153	36	-0.05	130.00	0
130	L-Lysine (%)	0870	0.7149	0.0146	0.7109	0.0444	0.0153	36	0.09	130.00	0
130	L-Lysine (%)	0626	0.7175	0.0110	0.7109	0.0444	0.0153	36	0.15	130.05	0
130	L-Lysine (%)	0619	0.7190	0.0040	0.7109	0.0444	0.0153	36	0.18	130.00	0
130	L-Lysine (%)	0571	0.7210	0.0060	0.7109	0.0444	0.0153	36	0.23	130.00	0
130	L-Lysine (%)	2059	0.7245	0.0010	0.7109	0.0444	0.0153	36	0.31	130.00	0
130	L-Lysine (%)	0098	0.7245	0.0150	0.7109	0.0444	0.0153	36	0.31	130.02	0
130	L-Lysine (%)	0941	0.7275	0.0350	0.7109	0.0444	0.0153	36	0.37	130.00	0
130	L-Lysine (%)	0676	0.7350	0.0500	0.7109	0.0444	0.0153	36	0.54	130.05	0
130	L-Lysine (%)	0675	0.7400	0.0200	0.7109	0.0444	0.0153	36	0.66	130.00	0
130	L-Lysine (%)	0227	0.7450	0.0100	0.7109	0.0444	0.0153	36	0.77	130.00	0
130	L-Lysine (%)	0148	0.7500	0.0000	0.7109	0.0444	0.0153	36	0.88	130.05	0
130	L-Lysine (%)	0504	0.7600	0.0400	0.7109	0.0444	0.0153	36	1.11	130.00	0
130	L-Lysine (%)	0968	0.7650	0.0100	0.7109	0.0444	0.0153	36	1.22	130.00	0
130	L-Lysine (%)	0226	0.7712	0.0197	0.7109	0.0444	0.0153	36	1.36	130.00	0
130	L-Lysine (%)	2188	0.9800	0.0000	0.7109	0.0444	0.0153	36	6.06	130.05	0
130	L-Lysine (%)	2144	1.100	0.0400	0.7109	0.0444	0.0153	36	8.77	130.99	0
130	L-Lysine (%)	0171	1.242	0.0530	0.7109	0.0444	0.0153	36	11.95	130.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
130	L-Lysine (%)	0889	1.255	0.1100	0.7109	0.0444	0.0153	36	12.26	130.99	1
131	Methionine (%)	0675	0.1700	0.0200	0.2872	0.0220	0.0087	34	-5.32	131.00	0
131	Methionine (%)	2246	0.1850	0.0100	0.2872	0.0220	0.0087	34	-4.64	131.05	0
131	Methionine (%)	2188	0.2200	0.0000	0.2872	0.0220	0.0087	34	-3.05	131.05	0
131	Methionine (%)	0626	0.2205	0.0090	0.2872	0.0220	0.0087	34	-3.03	131.05	0
131	Methionine (%)	0148	0.2400	0.0000	0.2872	0.0220	0.0087	34	-2.14	131.05	0
131	Methionine (%)	0684	0.2600	0.0000	0.2872	0.0220	0.0087	34	-1.24	131.00	0
131	Methionine (%)	0354	0.2625	0.0170	0.2872	0.0220	0.0087	34	-1.12	131.00	0
131	Methionine (%)	0619	0.2795	0.0050	0.2872	0.0220	0.0087	34	-0.35	131.00	0
131	Methionine (%)	0353	0.2800	0.0400	0.2872	0.0220	0.0087	34	-0.33	131.00	0
131	Methionine (%)	0910	0.2800	0.0000	0.2872	0.0220	0.0087	34	-0.33	131.00	0
131	Methionine (%)	0610	0.2800	0.0200	0.2872	0.0220	0.0087	34	-0.33	131.05	0
131	Methionine (%)	0878	0.2820	0.0100	0.2872	0.0220	0.0087	34	-0.24	131.00	0
131	Methionine (%)	0098	0.2820	0.0040	0.2872	0.0220	0.0087	34	-0.24	131.02	0
131	Methionine (%)	0652	0.2850	0.0100	0.2872	0.0220	0.0087	34	-0.10	131.00	0
131	Methionine (%)	0682	0.2870	0.0000	0.2872	0.0220	0.0087	34	-0.01	131.00	0
131	Methionine (%)	0171	0.2885	0.0170	0.2872	0.0220	0.0087	34	0.06	131.00	0
131	Methionine (%)	0918	0.2900	0.0000	0.2872	0.0220	0.0087	34	0.13	131.00	0
131	Methionine (%)	0227	0.2900	0.0200	0.2872	0.0220	0.0087	34	0.13	131.00	0
131	Methionine (%)	0571	0.2910	0.0040	0.2872	0.0220	0.0087	34	0.17	131.00	0
131	Methionine (%)	0872	0.2925	0.0010	0.2872	0.0220	0.0087	34	0.24	131.00	0
131	Methionine (%)	2059	0.2940	0.0040	0.2872	0.0220	0.0087	34	0.31	131.00	0
131	Methionine (%)	0868	0.2945	0.0030	0.2872	0.0220	0.0087	34	0.33	131.00	0
131	Methionine (%)	0504	0.2950	0.0100	0.2872	0.0220	0.0087	34	0.35	131.00	0
131	Methionine (%)	0226	0.2976	0.0164	0.2872	0.0220	0.0087	34	0.47	131.00	0
131	Methionine (%)	0644	0.2985	0.0090	0.2872	0.0220	0.0087	34	0.51	131.00	0
131	Methionine (%)	0941	0.3000	0.0060	0.2872	0.0220	0.0087	34	0.58	131.00	0
131	Methionine (%)	0968	0.3015	0.0010	0.2872	0.0220	0.0087	34	0.65	131.00	0
131	Methionine (%)	2196	0.3040	0.0000	0.2872	0.0220	0.0087	34	0.76	131.05	0
131	Methionine (%)	0889	0.3050	0.0100	0.2872	0.0220	0.0087	34	0.81	131.99	0
131	Methionine (%)	0870	0.3071	0.0098	0.2872	0.0220	0.0087	34	0.90	131.00	0
131	Methionine (%)	0676	0.3150	0.0100	0.2872	0.0220	0.0087	34	1.26	131.05	0
131	Methionine (%)	2144	0.3150	0.0100	0.2872	0.0220	0.0087	34	1.26	131.99	0
131	Methionine (%)	0859	0.3176	0.0090	0.2872	0.0220	0.0087	34	1.38	131.00	0
131	Methionine (%)	0407	0.3350	0.0120	0.2872	0.0220	0.0087	34	2.17	131.05	0
131	Methionine (%)	0242	0.2500	0.0600	0.2872	0.0220	0.0087	34	-1.69	131.05	1
132	Phenylalanine (%)	0889	0.6950	0.0100	0.8311	0.0362	0.0217	35	-3.76	132.99	0
132	Phenylalanine (%)	0682	0.7240	0.0000	0.8311	0.0362	0.0217	35	-2.96	132.00	0
132	Phenylalanine (%)	0684	0.7500	0.0800	0.8311	0.0362	0.0217	35	-2.24	132.00	0
132	Phenylalanine (%)	2144	0.7700	0.0200	0.8311	0.0362	0.0217	35	-1.69	132.99	0
132	Phenylalanine (%)	0652	0.7850	0.0500	0.8311	0.0362	0.0217	35	-1.27	132.00	0
132	Phenylalanine (%)	0242	0.7850	0.0100	0.8311	0.0362	0.0217	35	-1.27	132.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
132	Phenylalanine (%)	0676	0.7950	0.0300	0.8311	0.0362	0.0217	35	-1.00	132.05	0
132	Phenylalanine (%)	0227	0.8100	0.0000	0.8311	0.0362	0.0217	35	-0.58	132.00	0
132	Phenylalanine (%)	2246	0.8100	0.0200	0.8311	0.0362	0.0217	35	-0.58	132.05	0
132	Phenylalanine (%)	0968	0.8150	0.0100	0.8311	0.0362	0.0217	35	-0.45	132.00	0
132	Phenylalanine (%)	2188	0.8200	0.0000	0.8311	0.0362	0.0217	35	-0.31	132.05	0
132	Phenylalanine (%)	0171	0.8230	0.0600	0.8311	0.0362	0.0217	35	-0.22	132.00	0
132	Phenylalanine (%)	0610	0.8250	0.0100	0.8311	0.0362	0.0217	35	-0.17	132.05	0
132	Phenylalanine (%)	0354	0.8260	0.0080	0.8311	0.0362	0.0217	35	-0.14	132.00	0
132	Phenylalanine (%)	2059	0.8305	0.0030	0.8311	0.0362	0.0217	35	-0.02	132.00	0
132	Phenylalanine (%)	0870	0.8310	0.0059	0.8311	0.0362	0.0217	35	0.00	132.00	0
132	Phenylalanine (%)	0872	0.8330	0.0040	0.8311	0.0362	0.0217	35	0.05	132.00	0
132	Phenylalanine (%)	0910	0.8350	0.0100	0.8311	0.0362	0.0217	35	0.11	132.00	0
132	Phenylalanine (%)	0918	0.8350	0.0100	0.8311	0.0362	0.0217	35	0.11	132.00	0
132	Phenylalanine (%)	0859	0.8351	0.0213	0.8311	0.0362	0.0217	35	0.11	132.00	0
132	Phenylalanine (%)	0644	0.8370	0.0160	0.8311	0.0362	0.0217	35	0.16	132.00	0
132	Phenylalanine (%)	0878	0.8390	0.0100	0.8311	0.0362	0.0217	35	0.22	132.00	0
132	Phenylalanine (%)	0098	0.8415	0.0110	0.8311	0.0362	0.0217	35	0.29	132.02	0
132	Phenylalanine (%)	0626	0.8445	0.0010	0.8311	0.0362	0.0217	35	0.37	132.05	0
132	Phenylalanine (%)	0407	0.8470	0.0960	0.8311	0.0362	0.0217	35	0.44	132.05	0
132	Phenylalanine (%)	0571	0.8475	0.0250	0.8311	0.0362	0.0217	35	0.45	132.00	0
132	Phenylalanine (%)	2196	0.8530	0.0000	0.8311	0.0362	0.0217	35	0.60	132.05	0
132	Phenylalanine (%)	0941	0.8560	0.0720	0.8311	0.0362	0.0217	35	0.69	132.00	0
132	Phenylalanine (%)	0619	0.8620	0.0280	0.8311	0.0362	0.0217	35	0.85	132.00	0
132	Phenylalanine (%)	0353	0.8650	0.0100	0.8311	0.0362	0.0217	35	0.94	132.00	0
132	Phenylalanine (%)	0868	0.8700	0.0120	0.8311	0.0362	0.0217	35	1.07	132.00	0
132	Phenylalanine (%)	0504	0.8750	0.0300	0.8311	0.0362	0.0217	35	1.21	132.00	0
132	Phenylalanine (%)	0148	0.8800	0.0400	0.8311	0.0362	0.0217	35	1.35	132.05	0
132	Phenylalanine (%)	0226	0.8963	0.0262	0.8311	0.0362	0.0217	35	1.80	132.00	0
132	Phenylalanine (%)	0675	0.9000	0.0200	0.8311	0.0362	0.0217	35	1.90	132.00	0
133	Proline (%)	0859	0.7740	0.0112	1.080	0.0834	0.0252	34	-3.67	133.00	0
133	Proline (%)	0652	0.9300	0.0400	1.080	0.0834	0.0252	34	-1.80	133.00	0
133	Proline (%)	0910	0.9550	0.0700	1.080	0.0834	0.0252	34	-1.50	133.00	0
133	Proline (%)	0682	0.9740	0.0000	1.080	0.0834	0.0252	34	-1.27	133.00	0
133	Proline (%)	0684	0.9800	0.0800	1.080	0.0834	0.0252	34	-1.20	133.00	0
133	Proline (%)	0889	1.000	0.0200	1.080	0.0834	0.0252	34	-0.96	133.99	0
133	Proline (%)	0870	1.000	0.0189	1.080	0.0834	0.0252	34	-0.96	133.00	0
133	Proline (%)	0242	1.020	0.0400	1.080	0.0834	0.0252	34	-0.72	133.05	0
133	Proline (%)	2246	1.030	0.0200	1.080	0.0834	0.0252	34	-0.60	133.05	0
133	Proline (%)	0644	1.040	0.0190	1.080	0.0834	0.0252	34	-0.49	133.00	0
133	Proline (%)	0610	1.055	0.0100	1.080	0.0834	0.0252	34	-0.30	133.05	0
133	Proline (%)	0353	1.060	0.0200	1.080	0.0834	0.0252	34	-0.24	133.00	0
133	Proline (%)	0968	1.060	0.0600	1.080	0.0834	0.0252	34	-0.24	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
133	Proline (%)	0878	1.066	0.0040	1.080	0.0834	0.0252	34	-0.17	133.00	0
133	Proline (%)	0571	1.067	0.0260	1.080	0.0834	0.0252	34	-0.16	133.00	0
133	Proline (%)	0676	1.070	0.0600	1.080	0.0834	0.0252	34	-0.12	133.05	0
133	Proline (%)	0872	1.085	0.0140	1.080	0.0834	0.0252	34	0.06	133.00	0
133	Proline (%)	2059	1.085	0.0020	1.080	0.0834	0.0252	34	0.06	133.00	0
133	Proline (%)	0354	1.087	0.0140	1.080	0.0834	0.0252	34	0.08	133.00	0
133	Proline (%)	0868	1.099	0.0080	1.080	0.0834	0.0252	34	0.23	133.00	0
133	Proline (%)	0227	1.100	0.0000	1.080	0.0834	0.0252	34	0.24	133.00	0
133	Proline (%)	0171	1.105	0.0230	1.080	0.0834	0.0252	34	0.29	133.00	0
133	Proline (%)	0626	1.111	0.0030	1.080	0.0834	0.0252	34	0.37	133.05	0
133	Proline (%)	0941	1.117	0.0200	1.080	0.0834	0.0252	34	0.44	133.00	0
133	Proline (%)	0407	1.119	0.0380	1.080	0.0834	0.0252	34	0.47	133.05	0
133	Proline (%)	0504	1.120	0.0200	1.080	0.0834	0.0252	34	0.48	133.00	0
133	Proline (%)	2144	1.125	0.0100	1.080	0.0834	0.0252	34	0.54	133.99	0
133	Proline (%)	0148	1.140	0.0400	1.080	0.0834	0.0252	34	0.72	133.05	0
133	Proline (%)	0918	1.155	0.0100	1.080	0.0834	0.0252	34	0.90	133.00	0
133	Proline (%)	0619	1.165	0.0500	1.080	0.0834	0.0252	34	1.02	133.00	0
133	Proline (%)	2188	1.240	0.0000	1.080	0.0834	0.0252	34	1.92	133.05	0
133	Proline (%)	2196	1.245	0.0000	1.080	0.0834	0.0252	34	1.98	133.05	0
133	Proline (%)	0226	1.248	0.0864	1.080	0.0834	0.0252	34	2.02	133.00	0
133	Proline (%)	0675	1.510	0.0200	1.080	0.0834	0.0252	34	5.16	133.00	0
134	Serine (%)	0504	0.6800	0.0400	0.8160	0.0515	0.0259	34	-2.64	134.00	0
134	Serine (%)	0610	0.7350	0.0100	0.8160	0.0515	0.0259	34	-1.57	134.05	0
134	Serine (%)	0098	0.7530	0.0620	0.8160	0.0515	0.0259	34	-1.22	134.02	0
134	Serine (%)	0171	0.7545	0.1270	0.8160	0.0515	0.0259	34	-1.20	134.00	0
134	Serine (%)	2246	0.7600	0.0200	0.8160	0.0515	0.0259	34	-1.09	134.05	0
134	Serine (%)	0644	0.7685	0.0050	0.8160	0.0515	0.0259	34	-0.92	134.00	0
134	Serine (%)	0684	0.7750	0.1700	0.8160	0.0515	0.0259	34	-0.80	134.00	0
134	Serine (%)	0918	0.7750	0.0100	0.8160	0.0515	0.0259	34	-0.80	134.00	0
134	Serine (%)	0675	0.7800	0.0200	0.8160	0.0515	0.0259	34	-0.70	134.00	0
134	Serine (%)	0859	0.7825	0.0130	0.8160	0.0515	0.0259	34	-0.65	134.00	0
134	Serine (%)	0242	0.7900	0.0200	0.8160	0.0515	0.0259	34	-0.51	134.05	0
134	Serine (%)	0868	0.7955	0.0130	0.8160	0.0515	0.0259	34	-0.40	134.00	0
134	Serine (%)	0652	0.8050	0.0100	0.8160	0.0515	0.0259	34	-0.21	134.00	0
134	Serine (%)	0910	0.8050	0.0100	0.8160	0.0515	0.0259	34	-0.21	134.00	0
134	Serine (%)	2059	0.8070	0.0060	0.8160	0.0515	0.0259	34	-0.18	134.00	0
134	Serine (%)	0872	0.8090	0.0220	0.8160	0.0515	0.0259	34	-0.14	134.00	0
134	Serine (%)	0571	0.8125	0.0190	0.8160	0.0515	0.0259	34	-0.07	134.00	0
134	Serine (%)	0878	0.8170	0.0160	0.8160	0.0515	0.0259	34	0.02	134.00	0
134	Serine (%)	0968	0.8220	0.0040	0.8160	0.0515	0.0259	34	0.12	134.00	0
134	Serine (%)	0870	0.8231	0.0026	0.8160	0.0515	0.0259	34	0.14	134.00	0
134	Serine (%)	0227	0.8250	0.0100	0.8160	0.0515	0.0259	34	0.17	134.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
134	Serine (%)	0676	0.8250	0.0300	0.8160	0.0515	0.0259	34	0.17	134.05	0
134	Serine (%)	0941	0.8330	0.0300	0.8160	0.0515	0.0259	34	0.33	134.00	0
134	Serine (%)	0626	0.8365	0.0070	0.8160	0.0515	0.0259	34	0.40	134.05	0
134	Serine (%)	0889	0.8400	0.0000	0.8160	0.0515	0.0259	34	0.47	134.99	0
134	Serine (%)	0353	0.8500	0.0200	0.8160	0.0515	0.0259	34	0.66	134.00	0
134	Serine (%)	0148	0.8500	0.0600	0.8160	0.0515	0.0259	34	0.66	134.05	0
134	Serine (%)	0619	0.8565	0.0270	0.8160	0.0515	0.0259	34	0.79	134.00	0
134	Serine (%)	0354	0.8685	0.0230	0.8160	0.0515	0.0259	34	1.02	134.00	0
134	Serine (%)	0226	0.8758	0.0130	0.8160	0.0515	0.0259	34	1.16	134.00	0
134	Serine (%)	2196	0.9120	0.0000	0.8160	0.0515	0.0259	34	1.86	134.05	0
134	Serine (%)	2144	0.9200	0.0600	0.8160	0.0515	0.0259	34	2.02	134.99	0
134	Serine (%)	2188	0.9400	0.0000	0.8160	0.0515	0.0259	34	2.41	134.05	0
134	Serine (%)	0682	0.9660	0.0000	0.8160	0.0515	0.0259	34	2.91	134.00	0
134	Serine (%)	0407	0.2235	0.3110	0.8160	0.0515	0.0259	34	-11.51	134.05	2
135	Threonine (%)	2246	0.5800	0.0200	0.6130	0.0218	0.0158	34	-1.51	135.05	0
135	Threonine (%)	0676	0.5800	0.0400	0.6130	0.0218	0.0158	34	-1.51	135.05	0
135	Threonine (%)	0859	0.5831	0.0107	0.6130	0.0218	0.0158	34	-1.37	135.00	0
135	Threonine (%)	0610	0.5850	0.0100	0.6130	0.0218	0.0158	34	-1.28	135.05	0
135	Threonine (%)	2188	0.5900	0.0000	0.6130	0.0218	0.0158	34	-1.05	135.05	0
135	Threonine (%)	0353	0.5950	0.0100	0.6130	0.0218	0.0158	34	-0.83	135.00	0
135	Threonine (%)	0652	0.5950	0.0100	0.6130	0.0218	0.0158	34	-0.83	135.00	0
135	Threonine (%)	0870	0.5974	0.0052	0.6130	0.0218	0.0158	34	-0.72	135.00	0
135	Threonine (%)	0504	0.6000	0.0000	0.6130	0.0218	0.0158	34	-0.60	135.00	0
135	Threonine (%)	0910	0.6000	0.0000	0.6130	0.0218	0.0158	34	-0.60	135.00	0
135	Threonine (%)	0684	0.6000	0.1000	0.6130	0.0218	0.0158	34	-0.60	135.00	0
135	Threonine (%)	0644	0.6050	0.0000	0.6130	0.0218	0.0158	34	-0.37	135.00	0
135	Threonine (%)	0242	0.6050	0.0100	0.6130	0.0218	0.0158	34	-0.37	135.05	0
135	Threonine (%)	0626	0.6090	0.0060	0.6130	0.0218	0.0158	34	-0.18	135.05	0
135	Threonine (%)	0868	0.6110	0.0040	0.6130	0.0218	0.0158	34	-0.09	135.00	0
135	Threonine (%)	0571	0.6120	0.0060	0.6130	0.0218	0.0158	34	-0.05	135.00	0
135	Threonine (%)	0872	0.6120	0.0120	0.6130	0.0218	0.0158	34	-0.05	135.00	0
135	Threonine (%)	0878	0.6120	0.0100	0.6130	0.0218	0.0158	34	-0.05	135.00	0
135	Threonine (%)	2059	0.6120	0.0040	0.6130	0.0218	0.0158	34	-0.05	135.00	0
135	Threonine (%)	0682	0.6150	0.0000	0.6130	0.0218	0.0158	34	0.09	135.00	0
135	Threonine (%)	0354	0.6180	0.0020	0.6130	0.0218	0.0158	34	0.23	135.00	0
135	Threonine (%)	0227	0.6200	0.0000	0.6130	0.0218	0.0158	34	0.32	135.00	0
135	Threonine (%)	0675	0.6200	0.0200	0.6130	0.0218	0.0158	34	0.32	135.00	0
135	Threonine (%)	0889	0.6200	0.0000	0.6130	0.0218	0.0158	34	0.32	135.99	0
135	Threonine (%)	0098	0.6215	0.0270	0.6130	0.0218	0.0158	34	0.39	135.02	0
135	Threonine (%)	0171	0.6280	0.0580	0.6130	0.0218	0.0158	34	0.69	135.00	0
135	Threonine (%)	0968	0.6300	0.0200	0.6130	0.0218	0.0158	34	0.78	135.00	0
135	Threonine (%)	0941	0.6345	0.0310	0.6130	0.0218	0.0158	34	0.99	135.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
135	Threonine (%)	0918	0.6350	0.0100	0.6130	0.0218	0.0158	34	1.01	135.00	0
135	Threonine (%)	0226	0.6391	0.0135	0.6130	0.0218	0.0158	34	1.20	135.00	0
135	Threonine (%)	0619	0.6395	0.0190	0.6130	0.0218	0.0158	34	1.22	135.00	0
135	Threonine (%)	2196	0.6490	0.0000	0.6130	0.0218	0.0158	34	1.65	135.05	0
135	Threonine (%)	0148	0.6600	0.0400	0.6130	0.0218	0.0158	34	2.16	135.05	0
135	Threonine (%)	2144	0.6800	0.0400	0.6130	0.0218	0.0158	34	3.07	135.99	0
135	Threonine (%)	0407	0.4560	0.1800	0.6130	0.0218	0.0158	34	-7.20	135.05	1
136	Tryptophan (%)	0407	0.0850	0.0200	0.2210	0.0481	0.0059	24	-2.83	136.05	0
136	Tryptophan (%)	0171	0.1390	0.0080	0.2210	0.0481	0.0059	24	-1.70	136.00	0
136	Tryptophan (%)	2246	0.1450	0.0100	0.2210	0.0481	0.0059	24	-1.58	136.05	0
136	Tryptophan (%)	0504	0.1750	0.0100	0.2210	0.0481	0.0059	24	-0.96	136.99	0
136	Tryptophan (%)	0918	0.1800	0.0000	0.2210	0.0481	0.0059	24	-0.85	136.00	0
136	Tryptophan (%)	0910	0.1950	0.0300	0.2210	0.0481	0.0059	24	-0.54	136.00	0
136	Tryptophan (%)	0242	0.2000	0.0000	0.2210	0.0481	0.0059	24	-0.44	136.05	0
136	Tryptophan (%)	0870	0.2005	0.0032	0.2210	0.0481	0.0059	24	-0.43	136.00	0
136	Tryptophan (%)	0878	0.2080	0.0020	0.2210	0.0481	0.0059	24	-0.27	136.01	0
136	Tryptophan (%)	0941	0.2165	0.0030	0.2210	0.0481	0.0059	24	-0.09	136.00	0
136	Tryptophan (%)	0148	0.2200	0.0000	0.2210	0.0481	0.0059	24	-0.02	136.03	0
136	Tryptophan (%)	0098	0.2220	0.0060	0.2210	0.0481	0.0059	24	0.02	136.02	0
136	Tryptophan (%)	0872	0.2230	0.0000	0.2210	0.0481	0.0059	24	0.04	136.03	0
136	Tryptophan (%)	0644	0.2265	0.0030	0.2210	0.0481	0.0059	24	0.11	136.01	0
136	Tryptophan (%)	2059	0.2265	0.0030	0.2210	0.0481	0.0059	24	0.11	136.03	0
136	Tryptophan (%)	0859	0.2293	0.0049	0.2210	0.0481	0.0059	24	0.17	136.03	0
136	Tryptophan (%)	0571	0.2345	0.0010	0.2210	0.0481	0.0059	24	0.28	136.03	0
136	Tryptophan (%)	0868	0.2370	0.0020	0.2210	0.0481	0.0059	24	0.33	136.01	0
136	Tryptophan (%)	0684	0.2600	0.0000	0.2210	0.0481	0.0059	24	0.81	136.00	0
136	Tryptophan (%)	0682	0.2670	0.0000	0.2210	0.0481	0.0059	24	0.96	136.00	0
136	Tryptophan (%)	0619	0.2780	0.0060	0.2210	0.0481	0.0059	24	1.19	136.00	0
136	Tryptophan (%)	0353	0.2800	0.0000	0.2210	0.0481	0.0059	24	1.23	136.03	0
136	Tryptophan (%)	0227	0.2850	0.0300	0.2210	0.0481	0.0059	24	1.33	136.00	0
136	Tryptophan (%)	0889	0.4500	0.0000	0.2210	0.0481	0.0059	24	4.76	136.99	0
137	Tyrosine (%)	0626	0.4490	0.0040	0.5415	0.0622	0.0135	28	-1.49	137.05	0
137	Tyrosine (%)	0889	0.4500	0.0000	0.5415	0.0622	0.0135	28	-1.47	137.99	0
137	Tyrosine (%)	2246	0.4650	0.0100	0.5415	0.0622	0.0135	28	-1.23	137.05	0
137	Tyrosine (%)	0227	0.4700	0.0000	0.5415	0.0622	0.0135	28	-1.15	137.00	0
137	Tyrosine (%)	0910	0.4700	0.0000	0.5415	0.0622	0.0135	28	-1.15	137.00	0
137	Tyrosine (%)	0682	0.4810	0.0000	0.5415	0.0622	0.0135	28	-0.97	137.00	0
137	Tyrosine (%)	0918	0.5000	0.0000	0.5415	0.0622	0.0135	28	-0.67	137.00	0
137	Tyrosine (%)	0504	0.5100	0.0200	0.5415	0.0622	0.0135	28	-0.51	137.00	0
137	Tyrosine (%)	0242	0.5100	0.0200	0.5415	0.0622	0.0135	28	-0.51	137.05	0
137	Tyrosine (%)	0354	0.5170	0.0080	0.5415	0.0622	0.0135	28	-0.39	137.00	0
137	Tyrosine (%)	0870	0.5188	0.0170	0.5415	0.0622	0.0135	28	-0.36	137.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
137	Tyrosine (%)	2144	0.5350	0.0100	0.5415	0.0622	0.0135	28	-0.10	137.99	0
137	Tyrosine (%)	0098	0.5390	0.0020	0.5415	0.0622	0.0135	28	-0.04	137.02	0
137	Tyrosine (%)	0684	0.5400	0.0600	0.5415	0.0622	0.0135	28	-0.02	137.00	0
137	Tyrosine (%)	0968	0.5500	0.0200	0.5415	0.0622	0.0135	28	0.14	137.00	0
137	Tyrosine (%)	0872	0.5550	0.0060	0.5415	0.0622	0.0135	28	0.22	137.00	0
137	Tyrosine (%)	0644	0.5585	0.0030	0.5415	0.0622	0.0135	28	0.27	137.00	0
137	Tyrosine (%)	2196	0.5590	0.0000	0.5415	0.0622	0.0135	28	0.28	137.05	0
137	Tyrosine (%)	0941	0.5605	0.0350	0.5415	0.0622	0.0135	28	0.31	137.00	0
137	Tyrosine (%)	0675	0.5700	0.0200	0.5415	0.0622	0.0135	28	0.46	137.00	0
137	Tyrosine (%)	2188	0.5800	0.0000	0.5415	0.0622	0.0135	28	0.62	137.05	0
137	Tyrosine (%)	2059	0.5880	0.0080	0.5415	0.0622	0.0135	28	0.75	137.00	0
137	Tyrosine (%)	0226	0.5894	0.0021	0.5415	0.0622	0.0135	28	0.77	137.00	0
137	Tyrosine (%)	0610	0.5950	0.0100	0.5415	0.0622	0.0135	28	0.86	137.05	0
137	Tyrosine (%)	0676	0.6000	0.0200	0.5415	0.0622	0.0135	28	0.94	137.05	0
137	Tyrosine (%)	0171	0.6315	0.0630	0.5415	0.0622	0.0135	28	1.45	137.00	0
137	Tyrosine (%)	0353	0.6550	0.0100	0.5415	0.0622	0.0135	28	1.82	137.00	0
137	Tyrosine (%)	0148	0.6950	0.0300	0.5415	0.0622	0.0135	28	2.47	137.05	0
137	Tyrosine (%)	0407	0.3625	0.1150	0.5415	0.0622	0.0135	28	-2.88	137.05	1
138	Valine (%)	0889	0.6700	0.0000	0.8247	0.0571	0.0189	34	-2.71	138.99	0
138	Valine (%)	0675	0.6800	0.0200	0.8247	0.0571	0.0189	34	-2.53	138.00	0
138	Valine (%)	0353	0.6900	0.0200	0.8247	0.0571	0.0189	34	-2.36	138.00	0
138	Valine (%)	0226	0.7042	0.0202	0.8247	0.0571	0.0189	34	-2.11	138.00	0
138	Valine (%)	0859	0.7497	0.0119	0.8247	0.0571	0.0189	34	-1.31	138.00	0
138	Valine (%)	0684	0.7650	0.0300	0.8247	0.0571	0.0189	34	-1.05	138.00	0
138	Valine (%)	0682	0.7730	0.0000	0.8247	0.0571	0.0189	34	-0.91	138.00	0
138	Valine (%)	0652	0.7750	0.0100	0.8247	0.0571	0.0189	34	-0.87	138.00	0
138	Valine (%)	0242	0.7850	0.0100	0.8247	0.0571	0.0189	34	-0.69	138.05	0
138	Valine (%)	0354	0.7940	0.0100	0.8247	0.0571	0.0189	34	-0.54	138.00	0
138	Valine (%)	0868	0.8035	0.0290	0.8247	0.0571	0.0189	34	-0.37	138.00	0
138	Valine (%)	0918	0.8050	0.0100	0.8247	0.0571	0.0189	34	-0.34	138.00	0
138	Valine (%)	0676	0.8200	0.0400	0.8247	0.0571	0.0189	34	-0.08	138.05	0
138	Valine (%)	2196	0.8220	0.0000	0.8247	0.0571	0.0189	34	-0.05	138.05	0
138	Valine (%)	0870	0.8272	0.0137	0.8247	0.0571	0.0189	34	0.04	138.00	0
138	Valine (%)	0872	0.8275	0.0050	0.8247	0.0571	0.0189	34	0.05	138.00	0
138	Valine (%)	0878	0.8285	0.0050	0.8247	0.0571	0.0189	34	0.07	138.00	0
138	Valine (%)	2246	0.8300	0.0600	0.8247	0.0571	0.0189	34	0.09	138.05	0
138	Valine (%)	0571	0.8310	0.0100	0.8247	0.0571	0.0189	34	0.11	138.00	0
138	Valine (%)	0619	0.8375	0.0270	0.8247	0.0571	0.0189	34	0.22	138.00	0
138	Valine (%)	0626	0.8410	0.0060	0.8247	0.0571	0.0189	34	0.29	138.05	0
138	Valine (%)	0941	0.8425	0.0790	0.8247	0.0571	0.0189	34	0.31	138.00	0
138	Valine (%)	2059	0.8510	0.0060	0.8247	0.0571	0.0189	34	0.46	138.00	0
138	Valine (%)	0644	0.8600	0.0100	0.8247	0.0571	0.0189	34	0.62	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
138	Valine (%)	0504	0.8650	0.0500	0.8247	0.0571	0.0189	34	0.71	138.00	0
138	Valine (%)	0610	0.8700	0.0000	0.8247	0.0571	0.0189	34	0.79	138.05	0
138	Valine (%)	0098	0.8730	0.0100	0.8247	0.0571	0.0189	34	0.85	138.02	0
138	Valine (%)	0968	0.8750	0.0100	0.8247	0.0571	0.0189	34	0.88	138.00	0
138	Valine (%)	2144	0.8750	0.0100	0.8247	0.0571	0.0189	34	0.88	138.99	0
138	Valine (%)	0407	0.8755	0.0110	0.8247	0.0571	0.0189	34	0.89	138.05	0
138	Valine (%)	0171	0.8860	0.0880	0.8247	0.0571	0.0189	34	1.07	138.00	0
138	Valine (%)	0227	0.8900	0.0200	0.8247	0.0571	0.0189	34	1.14	138.00	0
138	Valine (%)	2188	0.9000	0.0000	0.8247	0.0571	0.0189	34	1.32	138.05	0
138	Valine (%)	0148	0.9050	0.0100	0.8247	0.0571	0.0189	34	1.41	138.05	0
138	Valine (%)	0910	0.8600	0.1000	0.8247	0.0571	0.0189	34	0.62	138.00	1
139	Taurine (%)	0407	0.0025	0.0010	0.0699	0.0679	0.0038	5		139.05	0
139	Taurine (%)	0889	0.0090	0.0000	0.0699	0.0679	0.0038	5		139.99	0
139	Taurine (%)	0682	0.0570	0.0000	0.0699	0.0679	0.0038	5		139.00	0
139	Taurine (%)	0941	0.1360	0.0080	0.0699	0.0679	0.0038	5		139.00	0
139	Taurine (%)	0504	0.1450	0.0100	0.0699	0.0679	0.0038	5		139.00	0
139	Taurine (%)	0098	< 0.01		0.0699	0.0679	0.0038	5		139.02	5
160	Fructose (%)	0619	0.1625	0.0010				3		160.99	0
160	Fructose (%)	0297	0.2025	0.0110				3		160.10	0
160	Fructose (%)	0227	0.2950	0.0300				3		160.99	0
162	Glucose (%)	0619	0.2250	0.0020				3		162.99	0
162	Glucose (%)	0227	0.2300	0.0400				3		162.99	0
162	Glucose (%)	0297	0.2445	0.0130				3		162.10	0
163	Lactose (%)	0619	0.0000	0.0000				0		163.99	4
163	Lactose (%)	0227	< 0.15					0		163.99	5
164	Maltose (%)	0297	0.2125	0.0810				1		164.10	0
164	Maltose (%)	0227	< 0.15					1		164.99	5
165	Sucrose (%)	0297	1.195	0.0300				3		165.10	0
165	Sucrose (%)	0227	1.230	0.0400				3		165.99	0
165	Sucrose (%)	0619	1.795	0.0100				3		165.99	0
166	Raffinose (%)	0227	0.6250	0.0500				3		166.99	0
166	Raffinose (%)	0297	0.6325	0.0430				3		166.10	0
166	Raffinose (%)	0619	0.9530	0.0100				3		166.99	0
167	Stachyose (%)	0297	0.1395	0.0510				3		167.10	0
167	Stachyose (%)	0227	0.2050	0.0500				3		167.99	0
167	Stachyose (%)	0619	0.4025	0.0070				3		167.99	0
323	Diflubenzuron (mg/kg (ppm))	0160	0.6250	0.0900				1		323.99	0
351	Chlortetracycline (mg/kg (ppm))	2144	85.66	1.110	181.9	27.87	11.92	14	-3.45	351.99	0
351	Chlortetracycline (mg/kg (ppm))	0009	161.5	7.000	181.9	27.87	11.92	14	-0.73	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0939	162.8	7.700	181.9	27.87	11.92	14	-0.69	351.05	0
351	Chlortetracycline (mg/kg (ppm))	0910	163.5	21.00	181.9	27.87	11.92	14	-0.66	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0148	166.8	28.65	181.9	27.87	11.92	14	-0.54	351.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
351	Chlortetracycline (mg/kg (ppm))	0033	169.5	9.000	181.9	27.87	11.92	14	-0.44	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0032	173.0	2.000	181.9	27.87	11.92	14	-0.32	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0010	180.8	2.200	181.9	27.87	11.92	14	-0.04	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0218	187.2	4.576	181.9	27.87	11.92	14	0.19	351.00	0
351	Chlortetracycline (mg/kg (ppm))	0035	189.6	12.37	181.9	27.87	11.92	14	0.28	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0036	194.2	30.00	181.9	27.87	11.92	14	0.44	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0001	210.0	30.00	181.9	27.87	11.92	14	1.01	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0875	251.0	6.000	181.9	27.87	11.92	14	2.48	351.03	0
351	Chlortetracycline (mg/kg (ppm))	0028	265.3	5.230	181.9	27.87	11.92	14	2.99	351.05	0
365	Monensin (mg/kg (ppm))	0003	21.13	7.720	28.61	4.421	2.480	27	-1.69	365.04	0
365	Monensin (mg/kg (ppm))	2135	22.21	1.049	28.61	4.421	2.480	27	-1.45	365.03	0
365	Monensin (mg/kg (ppm))	0610	23.30	0.2000	28.61	4.421	2.480	27	-1.20	365.02	0
365	Monensin (mg/kg (ppm))	0009	23.97	0.2900	28.61	4.421	2.480	27	-1.05	365.05	0
365	Monensin (mg/kg (ppm))	0910	24.00	1.400	28.61	4.421	2.480	27	-1.04	365.99	0
365	Monensin (mg/kg (ppm))	0038	24.01	1.750	28.61	4.421	2.480	27	-1.04	365.05	0
365	Monensin (mg/kg (ppm))	0610	24.97	3.940	28.61	4.421	2.480	27	-0.82	365.05	0
365	Monensin (mg/kg (ppm))	0047	26.35	0.5000	28.61	4.421	2.480	27	-0.51	365.02	0
365	Monensin (mg/kg (ppm))	2053	27.40	1.400	28.61	4.421	2.480	27	-0.27	365.04	0
365	Monensin (mg/kg (ppm))	0001	27.40	3.400	28.61	4.421	2.480	27	-0.27	365.05	0
365	Monensin (mg/kg (ppm))	0668	27.75	2.700	28.61	4.421	2.480	27	-0.19	365.02	0
365	Monensin (mg/kg (ppm))	0010	28.35	3.100	28.61	4.421	2.480	27	-0.06	365.03	0
365	Monensin (mg/kg (ppm))	0032	28.50	1.000	28.61	4.421	2.480	27	-0.03	365.03	0
365	Monensin (mg/kg (ppm))	0148	28.55	1.100	28.61	4.421	2.480	27	-0.01	365.03	0
365	Monensin (mg/kg (ppm))	0668	29.20	1.200	28.61	4.421	2.480	27	0.13	365.99	0
365	Monensin (mg/kg (ppm))	0035	29.32	0.9800	28.61	4.421	2.480	27	0.16	365.03	0
365	Monensin (mg/kg (ppm))	0218	29.35	1.497	28.61	4.421	2.480	27	0.17	365.03	0
365	Monensin (mg/kg (ppm))	0009	29.95	2.780	28.61	4.421	2.480	27	0.30	365.03	0
365	Monensin (mg/kg (ppm))	0964	30.12	1.092	28.61	4.421	2.480	27	0.34	365.04	0
365	Monensin (mg/kg (ppm))	0875	31.00	4.000	28.61	4.421	2.480	27	0.54	365.05	0
365	Monensin (mg/kg (ppm))	0033	31.70	1.200	28.61	4.421	2.480	27	0.70	365.03	0
365	Monensin (mg/kg (ppm))	0148	32.50	2.090	28.61	4.421	2.480	27	0.88	365.04	0
365	Monensin (mg/kg (ppm))	2113	32.50	5.000	28.61	4.421	2.480	27	0.88	365.05	0
365	Monensin (mg/kg (ppm))	0036	32.70	2.800	28.61	4.421	2.480	27	0.92	365.03	0
365	Monensin (mg/kg (ppm))	0884	34.95	3.100	28.61	4.421	2.480	27	1.43	365.05	0
365	Monensin (mg/kg (ppm))	0553	37.49	9.830	28.61	4.421	2.480	27	2.01	365.05	0
365	Monensin (mg/kg (ppm))	0171	38.58	1.850	28.61	4.421	2.480	27	2.25	365.99	0
400	Water Activity (Units)	2268	0.4460	0.0100	0.5000	0.0228	0.0042	11	-2.37	400.01	0
400	Water Activity (Units)	2168	0.4755	0.0190	0.5000	0.0228	0.0042	11	-1.08	400.01	0
400	Water Activity (Units)	0407	0.4922	0.0003	0.5000	0.0228	0.0042	11	-0.35	400.01	0
400	Water Activity (Units)	0942	0.4925	0.0050	0.5000	0.0228	0.0042	11	-0.33	400.01	0
400	Water Activity (Units)	0589	0.4935	0.0050	0.5000	0.0228	0.0042	11	-0.29	400.01	0
400	Water Activity (Units)	0843	0.4950	0.0000	0.5000	0.0228	0.0042	11	-0.22	400.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
400	Water Activity (Units)	0843	0.5009	0.0005	0.5000	0.0228	0.0042	11	0.04	400.01	0
400	Water Activity (Units)	0010	0.5115	0.0010	0.5000	0.0228	0.0042	11	0.50	400.01	0
400	Water Activity (Units)	2073	0.5170	0.0020	0.5000	0.0228	0.0042	11	0.74	400.99	0
400	Water Activity (Units)	2181	0.5222	0.0024	0.5000	0.0228	0.0042	11	0.97	400.01	0
400	Water Activity (Units)	2109	0.5598	0.0015	0.5000	0.0228	0.0042	11	2.62	400.01	0
400	Water Activity (Units)	2075	0.5025	0.0309	0.5000	0.0228	0.0042	11	0.11	400.01	1
412	Starch, Dietary (%)	0353	13.39	0.1400				1		412.01	0
516	Arsenic, Total (mg / kg (ppm))	0096	0.1312	0.0100	0.1456	0.0162	0.0132	10	-0.89	516.52	0
516	Arsenic, Total (mg / kg (ppm))	0171	0.1315	0.0050	0.1456	0.0162	0.0132	10	-0.87	516.00	0
516	Arsenic, Total (mg / kg (ppm))	0186	0.1335	0.0110	0.1456	0.0162	0.0132	10	-0.75	516.52	0
516	Arsenic, Total (mg / kg (ppm))	0045	0.1340	0.0060	0.1456	0.0162	0.0132	10	-0.72	516.00	0
516	Arsenic, Total (mg / kg (ppm))	0227	0.1415	0.0350	0.1456	0.0162	0.0132	10	-0.25	516.53	0
516	Arsenic, Total (mg / kg (ppm))	0553	0.1465	0.0010	0.1456	0.0162	0.0132	10	0.05	516.53	0
516	Arsenic, Total (mg / kg (ppm))	0910	0.1500	0.0200	0.1456	0.0162	0.0132	10	0.27	516.52	0
516	Arsenic, Total (mg / kg (ppm))	2053	0.1500	0.0200	0.1456	0.0162	0.0132	10	0.27	516.52	0
516	Arsenic, Total (mg / kg (ppm))	2012	0.1680	0.0060	0.1456	0.0162	0.0132	10	1.38	516.53	0
516	Arsenic, Total (mg / kg (ppm))	0918	0.1960	0.0180	0.1456	0.0162	0.0132	10	3.11	516.53	0
516	Arsenic, Total (mg / kg (ppm))	0407	1.024	0.2190	0.1456	0.0162	0.0132	10	54.20	516.43	2
518	Cadmium (mg / kg (ppm))	0407	0.1054	0.0084	0.1180	0.0085	0.0088	12	-1.48	518.41	0
518	Cadmium (mg / kg (ppm))	0968	0.1105	0.0030	0.1180	0.0085	0.0088	12	-0.88	518.43	0
518	Cadmium (mg / kg (ppm))	0227	0.1115	0.0150	0.1180	0.0085	0.0088	12	-0.77	518.53	0
518	Cadmium (mg / kg (ppm))	0096	0.1139	0.0005	0.1180	0.0085	0.0088	12	-0.49	518.52	0
518	Cadmium (mg / kg (ppm))	0910	0.1150	0.0300	0.1180	0.0085	0.0088	12	-0.36	518.52	0
518	Cadmium (mg / kg (ppm))	2012	0.1155	0.0030	0.1180	0.0085	0.0088	12	-0.30	518.53	0
518	Cadmium (mg / kg (ppm))	0171	0.1200	0.0220	0.1180	0.0085	0.0088	12	0.23	518.41	0
518	Cadmium (mg / kg (ppm))	2053	0.1200	0.0000	0.1180	0.0085	0.0088	12	0.23	518.52	0
518	Cadmium (mg / kg (ppm))	0407	0.1210	0.0051	0.1180	0.0085	0.0088	12	0.34	518.43	0
518	Cadmium (mg / kg (ppm))	0918	0.1245	0.0030	0.1180	0.0085	0.0088	12	0.76	518.53	0
518	Cadmium (mg / kg (ppm))	0186	0.1285	0.0090	0.1180	0.0085	0.0088	12	1.22	518.52	0
518	Cadmium (mg / kg (ppm))	0553	0.1315	0.0070	0.1180	0.0085	0.0088	12	1.57	518.53	0
518	Cadmium (mg / kg (ppm))	0689	< 0.2		0.1180	0.0085	0.0088	12		518.31	5
520	Chromium (mg / kg (ppm))	0407	0.3626	0.5873	2.915	1.795	0.1892	12	-1.42	520.43	0
520	Chromium (mg / kg (ppm))	0407	0.9244	0.0647	2.915	1.795	0.1892	12	-1.11	520.41	0
520	Chromium (mg / kg (ppm))	0186	1.535	0.0300	2.915	1.795	0.1892	12	-0.77	520.52	0
520	Chromium (mg / kg (ppm))	0918	2.030	0.5000	2.915	1.795	0.1892	12	-0.49	520.53	0
520	Chromium (mg / kg (ppm))	0968	2.050	0.0710	2.915	1.795	0.1892	12	-0.48	520.43	0
520	Chromium (mg / kg (ppm))	0171	2.700	0.1800	2.915	1.795	0.1892	12	-0.12	520.41	0
520	Chromium (mg / kg (ppm))	0096	2.832	0.1731	2.915	1.795	0.1892	12	-0.05	520.52	0
520	Chromium (mg / kg (ppm))	0693	3.916	0.0840	2.915	1.795	0.1892	12	0.56	520.42	0
520	Chromium (mg / kg (ppm))	0164	4.230	0.0400	2.915	1.795	0.1892	12	0.73	520.53	0
520	Chromium (mg / kg (ppm))	0045	4.445	0.4700	2.915	1.795	0.1892	12	0.85	520.42	0
520	Chromium (mg / kg (ppm))	0553	4.915	0.0300	2.915	1.795	0.1892	12	1.11	520.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
520	Chromium (mg / kg (ppm))	0510	5.040	0.0400	2.915	1.795	0.1892	12	1.18	520.43	0
526	Lead (mg / kg (ppm))	0171	0.1050	0.0240	0.1570	0.0160	0.0171	10	-3.26	526.41	0
526	Lead (mg / kg (ppm))	0910	0.1450	0.0300	0.1570	0.0160	0.0171	10	-0.75	526.52	0
526	Lead (mg / kg (ppm))	0918	0.1475	0.0050	0.1570	0.0160	0.0171	10	-0.60	526.53	0
526	Lead (mg / kg (ppm))	2012	0.1500	0.0020	0.1570	0.0160	0.0171	10	-0.44	526.53	0
526	Lead (mg / kg (ppm))	0227	0.1520	0.0040	0.1570	0.0160	0.0171	10	-0.31	526.53	0
526	Lead (mg / kg (ppm))	0096	0.1583	0.0284	0.1570	0.0160	0.0171	10	0.08	526.52	0
526	Lead (mg / kg (ppm))	0553	0.1655	0.0030	0.1570	0.0160	0.0171	10	0.53	526.53	0
526	Lead (mg / kg (ppm))	0407	0.1662	0.0251	0.1570	0.0160	0.0171	10	0.57	526.41	0
526	Lead (mg / kg (ppm))	2053	0.1750	0.0100	0.1570	0.0160	0.0171	10	1.13	526.52	0
526	Lead (mg / kg (ppm))	0186	0.1775	0.0390	0.1570	0.0160	0.0171	10	1.28	526.52	0
526	Lead (mg / kg (ppm))	0407	0.2698	0.3058	0.1570	0.0160	0.0171	10	7.07	526.43	1
526	Lead (mg / kg (ppm))	0689	< 0.2		0.1570	0.0160	0.0171	10		526.31	5
529	Mercury (µg / kg (ppb))	2012	0.0030	0.0000				1		529.99	0
539	Nickel (mg / kg (ppm))	0186	1.445	0.0100	1.930	0.4121	0.3683	7	-1.18	539.52	0
539	Nickel (mg / kg (ppm))	0171	1.605	0.9700	1.930	0.4121	0.3683	7	-0.79	539.41	0
539	Nickel (mg / kg (ppm))	0407	1.785	0.4649	1.930	0.4121	0.3683	7	-0.35	539.41	0
539	Nickel (mg / kg (ppm))	0918	1.970	0.1800	1.930	0.4121	0.3683	7	0.10	539.53	0
539	Nickel (mg / kg (ppm))	0407	2.038	0.6401	1.930	0.4121	0.3683	7	0.26	539.43	0
539	Nickel (mg / kg (ppm))	0096	2.118	0.1433	1.930	0.4121	0.3683	7	0.46	539.52	0
539	Nickel (mg / kg (ppm))	0553	2.655	0.1700	1.930	0.4121	0.3683	7	1.76	539.53	0
702	Butyric Acid (4:0) (%)	0619	0.0000	0.0000				0		702.00	4
704	Caproic Acid (6:0) (%)	0619	0.0015	0.0010				1		704.00	0
706	Caprylic acid (8:0) (%) (w/w)	0619	0.0000	0.0000				0		706.01	4
708	Capric acid (10:0) (%) (w/w)	0619	0.0000	0.0000				0		708.01	4
710	Lauric Acid (12:0) (%) (w/w)	0164	0.2900	0.1000				1		710.99	0
710	Lauric Acid (12:0) (%) (w/w)	0619	0.0000	0.0000				1		710.01	4
710	Lauric Acid (12:0) (%) (w/w)	0226	< 0.005					1		710.99	5
710	Lauric Acid (12:0) (%) (w/w)	0676	< 0.01					1		710.99	5
714	Myristic Acid (14:0) (%) (w/w)	0226	0.0110	0.0000				3		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0619	0.0350	0.0000				3		714.01	0
714	Myristic Acid (14:0) (%) (w/w)	0164	0.4550	0.0500				3		714.99	0
716	Palmitic Acid (16:0) (%) (w/w)	0226	0.7850	0.0100				3		716.99	0
716	Palmitic Acid (16:0) (%) (w/w)	0619	0.8210	0.0260				3		716.01	0
716	Palmitic Acid (16:0) (%) (w/w)	0164	18.81	0.1300				3		716.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0676	0.0120	0.0000				3		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0226	0.0155	0.0010				3		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0164	0.5050	0.0900				3		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0619	0.0000	0.0000				3		718.01	4
722	Stearic Acid (18:0) (%) (w/w)	0619	0.0845	0.0030				3		722.01	0
722	Stearic Acid (18:0) (%) (w/w)	0226	0.1045	0.0010				3		722.99	0
722	Stearic Acid (18:0) (%) (w/w)	0164	2.730	0.1400				3		722.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
724	Oleic Acid (9c-18:1) (% (w/w))	0226	0.8735	0.0030				3	724.99	0	
724	Oleic Acid (9c-18:1) (% (w/w))	0619	0.9045	0.0330				3	724.01	0	
724	Oleic Acid (9c-18:1) (% (w/w))	0164	21.76	0.5600				3	724.99	0	
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0148	2.060	0.1200	2.343	0.2441	0.0665	4	726.02	0	
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0226	2.285	0.0300	2.343	0.2441	0.0665	4	726.99	0	
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0676	2.375	0.0160	2.343	0.2441	0.0665	4	726.99	0	
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0619	2.650	0.1000	2.343	0.2441	0.0665	4	726.01	0	
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0164	50.13	0.9200	2.343	0.2441	0.0665	4	726.99	2	
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0619	0.1200	0.0040				3	728.01	0	
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0226	0.1265	0.0010				3	728.99	0	
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0676	0.1350	0.0020				3	728.99	0	
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0164	2.845	0.0300				3	728.99	2	
730	Arachidic Acid (20:0) (% (w/w))	0226	0.0145	0.0010				3	730.99	0	
730	Arachidic Acid (20:0) (% (w/w))	0619	0.0435	0.0010				3	730.01	0	
730	Arachidic Acid (20:0) (% (w/w))	0164	0.3550	0.0100				3	730.99	0	
732	Gondoic Acid (11c-20:1) (% (w/w))	0226	0.0170	0.0000				3	732.99	0	
732	Gondoic Acid (11c-20:1) (% (w/w))	0619	0.0450	0.0000				3	732.01	0	
732	Gondoic Acid (11c-20:1) (% (w/w))	0164	0.3700	0.0000				3	732.99	0	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/w))	0619	0.0000	0.0000				0	736.01	4	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/w))	0676	0.0000	0.0000				0	736.99	4	
738	Mead Acid (11c,14c,17c-20:3) (% (w/w))	0619	0.0000	0.0000				0	738.01	4	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c,20:5) (% (w/w))	0619	0.0000	0.0000				0	740.01	4	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c,20:5) (% (w/w))	0226	0.0000	0.0000				0	740.99	4	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c,20:5) (% (w/w))	0676	0.0000	0.0000				0	740.99	4	
742	Behenic Acid (22:0) (% (w/w))	0226	0.0110	0.0000				2	742.99	0	
742	Behenic Acid (22:0) (% (w/w))	0164	0.3450	0.0300				2	742.99	0	
744	Erucic Acid (13c-22:1) (% (w/w))	0619	0.0000	0.0000				0	744.01	4	
744	Erucic Acid (13c-22:1) (% (w/w))	0226	< 0.005					0	744.99	5	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c,19c,22:5) (% (w/w))	0619	0.0000	0.0000				0	746.01	4	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c,19c,22:5) (% (w/w))	0226	0.0000	0.0000				0	746.99	4	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c,19c,22:5) (% (w/w))	0676	0.0000	0.0000				0	746.99	4	
748	Lignoceric Acid (24:0) (% (w/w))	0226	0.0120	0.0000				1	748.99	0	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c,22:6) (% (w/w))	0619	0.0000	0.0000				0	750.01	4	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c,22:6) (% (w/w))	0226	0.0000	0.0000				0	750.99	4	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c,22:6) (% (w/w))	0676	0.0000	0.0000				0	750.99	4	
752	Nervonic Acid (24:1) isomers (% (w/w))	0619	0.0000	0.0000				0	752.01	4	
752	Nervonic Acid (24:1) isomers (% (w/w))	0226	< 0.005					0	752.99	5	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% (w/w))	0148	0.1200	0.0000				3	754.02	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% (w/w))	0676	0.1350	0.0100				3	754.99	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% (w/w))	0164	2.925	0.0300				3	754.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids (% (w/w))	0148	2.060	0.1200				3	756.01	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids (% (w/w))	0676	2.380	0.0200				3	756.99	0	

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0164	49.89	1.060				3	756.99	0	
758	Total Saturated Fatty Acids (% (w/w))	0164	23.62	0.4600				1	758.99	0	
762	Total Monounsaturated Fatty Acids (% (w/w))	0164	22.68	0.3200				1	762.99	0	
766	Total Polyunsaturated Fatty Acids (% (w/w))	0164	52.91	1.230				1	766.99	0	
772	Total Fatty Acids (% (w/w))	0226	4.255	0.0300				1	772.99	0	

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 5 = A reporting limit and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in the case of 4 or 5 labs reporting Means and SD's may be reported based on Raw Data with obvious blunders removed (Mandel h and k exclusions apply; Grey). Flag 3 indicates not used in statistics.