



AAFCO
Proficiency Testing Program



Animal Feed Scheme

Tortoise Feed

Test Material Code # 202031

Labs Reporting: 178

Analytes Reported 115

Issue Date : 12/31/2020

Analyte Proficiency Testing Report

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.3500	0.1000				1		000.02	0
001	Loss on Drying (%)	0618	6.395	0.1700	8.502	0.2032	0.0873	80	-10.37	001.99	0
001	Loss on Drying (%)	0536	6.775	0.0100	8.502	0.2032	0.0873	80	-8.50	001.99	0
001	Loss on Drying (%)	2155	7.000	0.0400	8.502	0.2032	0.0873	80	-7.39	001.99	0
001	Loss on Drying (%)	0852	7.575	0.0100	8.502	0.2032	0.0873	80	-4.56	001.99	0
001	Loss on Drying (%)	2081	7.710	0.1400	8.502	0.2032	0.0873	80	-3.90	001.99	0
001	Loss on Drying (%)	0034	7.890	0.0800	8.502	0.2032	0.0873	80	-3.01	001.07	0
001	Loss on Drying (%)	0038	7.970	0.2000	8.502	0.2032	0.0873	80	-2.62	001.07	0
001	Loss on Drying (%)	0027	8.183	0.1800	8.502	0.2032	0.0873	80	-1.57	001.07	0
001	Loss on Drying (%)	0676	8.220	0.0400	8.502	0.2032	0.0873	80	-1.39	001.99	0
001	Loss on Drying (%)	0027	8.235	0.0070	8.502	0.2032	0.0873	80	-1.32	001.00	0
001	Loss on Drying (%)	2144	8.265	0.0100	8.502	0.2032	0.0873	80	-1.17	001.07	0
001	Loss on Drying (%)	2146	8.290	0.0800	8.502	0.2032	0.0873	80	-1.04	001.07	0
001	Loss on Drying (%)	0948	8.295	0.0100	8.502	0.2032	0.0873	80	-1.02	001.99	0
001	Loss on Drying (%)	0512	8.304	0.2840	8.502	0.2032	0.0873	80	-0.97	001.07	0
001	Loss on Drying (%)	2318	8.310	0.0600	8.502	0.2032	0.0873	80	-0.95	001.03	0
001	Loss on Drying (%)	0089	8.310	0.0000	8.502	0.2032	0.0873	80	-0.95	001.07	0
001	Loss on Drying (%)	0083	8.320	0.0000	8.502	0.2032	0.0873	80	-0.90	001.07	0
001	Loss on Drying (%)	2246	8.320	0.0400	8.502	0.2032	0.0873	80	-0.90	001.99	0
001	Loss on Drying (%)	0675	8.380	0.0400	8.502	0.2032	0.0873	80	-0.60	001.07	0
001	Loss on Drying (%)	2291	8.395	0.0300	8.502	0.2032	0.0873	80	-0.53	001.99	0
001	Loss on Drying (%)	0353	8.400	0.0800	8.502	0.2032	0.0873	80	-0.50	001.07	0
001	Loss on Drying (%)	0682	8.400	0.0000	8.502	0.2032	0.0873	80	-0.50	001.07	0
001	Loss on Drying (%)	0510	8.400	0.0000	8.502	0.2032	0.0873	80	-0.50	001.99	0
001	Loss on Drying (%)	0910	8.400	0.0000	8.502	0.2032	0.0873	80	-0.50	001.99	0
001	Loss on Drying (%)	0693	8.424	0.6390	8.502	0.2032	0.0873	80	-0.39	001.07	0
001	Loss on Drying (%)	0297	8.430	0.0800	8.502	0.2032	0.0873	80	-0.35	001.07	0
001	Loss on Drying (%)	0868	8.435	0.0300	8.502	0.2032	0.0873	80	-0.33	001.03	0
001	Loss on Drying (%)	0066	8.450	0.0400	8.502	0.2032	0.0873	80	-0.26	001.07	0
001	Loss on Drying (%)	0876	8.450	0.1000	8.502	0.2032	0.0873	80	-0.26	001.07	0
001	Loss on Drying (%)	0049	8.455	0.2100	8.502	0.2032	0.0873	80	-0.23	001.07	0
001	Loss on Drying (%)	0505	8.455	0.1100	8.502	0.2032	0.0873	80	-0.23	001.07	0
001	Loss on Drying (%)	0037	8.460	0.0800	8.502	0.2032	0.0873	80	-0.21	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
001	Loss on Drying (%)	0912	8.460	0.0200	8.502	0.2032	0.0873	80	-0.21	001.99	0
001	Loss on Drying (%)	0407	8.463	0.0007	8.502	0.2032	0.0873	80	-0.19	001.07	0
001	Loss on Drying (%)	0035	8.470	0.1000	8.502	0.2032	0.0873	80	-0.16	001.07	0
001	Loss on Drying (%)	0345	8.470	0.0400	8.502	0.2032	0.0873	80	-0.16	001.07	0
001	Loss on Drying (%)	0656	8.470	0.0000	8.502	0.2032	0.0873	80	-0.16	001.99	0
001	Loss on Drying (%)	2268	8.485	0.2700	8.502	0.2032	0.0873	80	-0.08	001.99	0
001	Loss on Drying (%)	0074	8.495	0.2100	8.502	0.2032	0.0873	80	-0.03	001.07	0
001	Loss on Drying (%)	0226	8.510	0.1400	8.502	0.2032	0.0873	80	0.04	001.07	0
001	Loss on Drying (%)	2059	8.515	0.0100	8.502	0.2032	0.0873	80	0.06	001.07	0
001	Loss on Drying (%)	0610	8.525	0.0500	8.502	0.2032	0.0873	80	0.11	001.99	0
001	Loss on Drying (%)	0619	8.530	0.1000	8.502	0.2032	0.0873	80	0.14	001.03	0
001	Loss on Drying (%)	0878	8.530	0.1000	8.502	0.2032	0.0873	80	0.14	001.03	0
001	Loss on Drying (%)	0571	8.545	0.0900	8.502	0.2032	0.0873	80	0.21	001.07	0
001	Loss on Drying (%)	0596	8.550	0.0600	8.502	0.2032	0.0873	80	0.24	001.07	0
001	Loss on Drying (%)	0581	8.555	0.0500	8.502	0.2032	0.0873	80	0.26	001.07	0
001	Loss on Drying (%)	0918	8.555	0.0100	8.502	0.2032	0.0873	80	0.26	001.99	0
001	Loss on Drying (%)	0644	8.557	0.0180	8.502	0.2032	0.0873	80	0.27	001.05	0
001	Loss on Drying (%)	2009	8.557	0.0454	8.502	0.2032	0.0873	80	0.27	001.07	0
001	Loss on Drying (%)	2259	8.568	0.1340	8.502	0.2032	0.0873	80	0.32	001.07	0
001	Loss on Drying (%)	0843	8.580	0.3000	8.502	0.2032	0.0873	80	0.38	001.03	0
001	Loss on Drying (%)	0843	8.580	0.3000	8.502	0.2032	0.0873	80	0.38	001.07	0
001	Loss on Drying (%)	0638	8.583	0.0170	8.502	0.2032	0.0873	80	0.40	001.07	0
001	Loss on Drying (%)	2192	8.585	0.0700	8.502	0.2032	0.0873	80	0.41	001.07	0
001	Loss on Drying (%)	0171	8.595	0.0300	8.502	0.2032	0.0873	80	0.46	001.07	0
001	Loss on Drying (%)	2319	8.600	0.0000	8.502	0.2032	0.0873	80	0.48	001.99	0
001	Loss on Drying (%)	0590	8.600	0.0600	8.502	0.2032	0.0873	80	0.48	001.07	0
001	Loss on Drying (%)	0309	8.621	0.0740	8.502	0.2032	0.0873	80	0.59	001.00	0
001	Loss on Drying (%)	0169	8.635	0.0100	8.502	0.2032	0.0873	80	0.65	001.00	0
001	Loss on Drying (%)	0148	8.650	0.0600	8.502	0.2032	0.0873	80	0.73	001.07	0
001	Loss on Drying (%)	0689	8.650	0.1000	8.502	0.2032	0.0873	80	0.73	001.07	0
001	Loss on Drying (%)	0033	8.665	0.0500	8.502	0.2032	0.0873	80	0.80	001.07	0
001	Loss on Drying (%)	0560	8.680	0.0400	8.502	0.2032	0.0873	80	0.88	001.99	0
001	Loss on Drying (%)	0003	8.685	0.0300	8.502	0.2032	0.0873	80	0.90	001.07	0
001	Loss on Drying (%)	0278	8.685	0.1700	8.502	0.2032	0.0873	80	0.90	001.07	0
001	Loss on Drying (%)	2109	8.685	0.0300	8.502	0.2032	0.0873	80	0.90	001.07	0
001	Loss on Drying (%)	0650	8.685	0.0700	8.502	0.2032	0.0873	80	0.90	001.07	0
001	Loss on Drying (%)	0186	8.699	0.1750	8.502	0.2032	0.0873	80	0.97	001.99	0
001	Loss on Drying (%)	2295	8.705	0.0100	8.502	0.2032	0.0873	80	1.00	001.03	0
001	Loss on Drying (%)	0098	8.705	0.0300	8.502	0.2032	0.0873	80	1.00	001.07	0
001	Loss on Drying (%)	0019	8.715	0.0900	8.502	0.2032	0.0873	80	1.05	001.99	0
001	Loss on Drying (%)	0142	8.750	0.0200	8.502	0.2032	0.0873	80	1.22	001.07	0
001	Loss on Drying (%)	2062	8.799	0.0118	8.502	0.2032	0.0873	80	1.46	001.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
001	Loss on Drying (%)	0028	8.815	0.0300	8.502	0.2032	0.0873	80	1.54	001.07	0
001	Loss on Drying (%)	0968	8.880	0.0400	8.502	0.2032	0.0873	80	1.86	001.05	0
001	Loss on Drying (%)	0872	8.915	0.1500	8.502	0.2032	0.0873	80	2.03	001.07	0
001	Loss on Drying (%)	2328	9.010	0.3000	8.502	0.2032	0.0873	80	2.50	001.99	0
001	Loss on Drying (%)	0357	9.036	0.0290	8.502	0.2032	0.0873	80	2.63	001.99	0
001	Loss on Drying (%)	0045	9.190	0.4400	8.502	0.2032	0.0873	80	3.39	001.07	0
001	Loss on Drying (%)	0019	7.000	1.200	8.502	0.2032	0.0873	80	-7.39	001.07	1
001	Loss on Drying (%)	0853	9.000	1.000	8.502	0.2032	0.0873	80	2.45	001.07	1
002	Protein, Crude (%)	0028	14.38	0.0700	15.45	0.2182	0.1084	169	-4.93	002.06	0
002	Protein, Crude (%)	0520	14.60	0.0000	15.45	0.2182	0.1084	169	-3.90	002.06	0
002	Protein, Crude (%)	2302	14.63	0.0700	15.45	0.2182	0.1084	169	-3.79	002.06	0
002	Protein, Crude (%)	0529	14.68	0.2700	15.45	0.2182	0.1084	169	-3.56	002.06	0
002	Protein, Crude (%)	2246	14.92	0.1500	15.45	0.2182	0.1084	169	-2.46	002.05	0
002	Protein, Crude (%)	0853	14.95	0.1000	15.45	0.2182	0.1084	169	-2.30	002.06	0
002	Protein, Crude (%)	0539	14.98	0.1200	15.45	0.2182	0.1084	169	-2.16	002.06	0
002	Protein, Crude (%)	2188	14.99	0.1800	15.45	0.2182	0.1084	169	-2.11	002.01	0
002	Protein, Crude (%)	0968	15.02	0.0200	15.45	0.2182	0.1084	169	-1.98	002.01	0
002	Protein, Crude (%)	0918	15.03	0.2700	15.45	0.2182	0.1084	169	-1.95	002.06	0
002	Protein, Crude (%)	0910	15.05	0.3000	15.45	0.2182	0.1084	169	-1.84	002.01	0
002	Protein, Crude (%)	0650	15.05	0.1000	15.45	0.2182	0.1084	169	-1.84	002.06	0
002	Protein, Crude (%)	0885	15.05	0.0810	15.45	0.2182	0.1084	169	-1.82	002.05	0
002	Protein, Crude (%)	2199	15.13	0.1500	15.45	0.2182	0.1084	169	-1.50	002.05	0
002	Protein, Crude (%)	2144	15.14	0.3400	15.45	0.2182	0.1084	169	-1.43	002.05	0
002	Protein, Crude (%)	0263	15.15	0.0403	15.45	0.2182	0.1084	169	-1.39	002.06	0
002	Protein, Crude (%)	0066	15.15	0.0800	15.45	0.2182	0.1084	169	-1.38	002.02	0
002	Protein, Crude (%)	0164	15.16	0.1900	15.45	0.2182	0.1084	169	-1.36	002.01	0
002	Protein, Crude (%)	0643	15.18	0.1500	15.45	0.2182	0.1084	169	-1.27	002.05	0
002	Protein, Crude (%)	0345	15.18	0.1500	15.45	0.2182	0.1084	169	-1.27	002.06	0
002	Protein, Crude (%)	0034	15.18	0.4210	15.45	0.2182	0.1084	169	-1.26	002.06	0
002	Protein, Crude (%)	2006	15.18	0.2000	15.45	0.2182	0.1084	169	-1.24	002.05	0
002	Protein, Crude (%)	0536	15.20	0.0500	15.45	0.2182	0.1084	169	-1.17	002.03	0
002	Protein, Crude (%)	0598	15.21	0.0100	15.45	0.2182	0.1084	169	-1.13	002.06	0
002	Protein, Crude (%)	0036	15.21	0.1304	15.45	0.2182	0.1084	169	-1.12	002.02	0
002	Protein, Crude (%)	0581	15.22	0.1600	15.45	0.2182	0.1084	169	-1.06	002.05	0
002	Protein, Crude (%)	2325	15.24	0.0300	15.45	0.2182	0.1084	169	-0.99	002.01	0
002	Protein, Crude (%)	2144	15.24	0.1100	15.45	0.2182	0.1084	169	-0.99	002.99	0
002	Protein, Crude (%)	2196	15.25	0.0000	15.45	0.2182	0.1084	169	-0.92	002.01	0
002	Protein, Crude (%)	0202	15.25	0.0200	15.45	0.2182	0.1084	169	-0.92	002.06	0
002	Protein, Crude (%)	0687	15.25	0.3000	15.45	0.2182	0.1084	169	-0.92	002.06	0
002	Protein, Crude (%)	2192	15.26	0.0500	15.45	0.2182	0.1084	169	-0.90	002.05	0
002	Protein, Crude (%)	0100	15.26	0.2100	15.45	0.2182	0.1084	169	-0.90	002.06	0
002	Protein, Crude (%)	0164	15.26	0.2500	15.45	0.2182	0.1084	169	-0.90	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	2291	15.26	0.0200	15.45	0.2182	0.1084	169	-0.88	002.05	0
002	Protein, Crude (%)	2022	15.27	0.1000	15.45	0.2182	0.1084	169	-0.83	002.05	0
002	Protein, Crude (%)	0953	15.27	0.1000	15.45	0.2182	0.1084	169	-0.83	002.06	0
002	Protein, Crude (%)	0675	15.28	0.1000	15.45	0.2182	0.1084	169	-0.78	002.05	0
002	Protein, Crude (%)	2168	15.28	0.1200	15.45	0.2182	0.1084	169	-0.78	002.06	0
002	Protein, Crude (%)	2318	15.30	0.0600	15.45	0.2182	0.1084	169	-0.69	002.05	0
002	Protein, Crude (%)	0004	15.30	0.3400	15.45	0.2182	0.1084	169	-0.69	002.06	0
002	Protein, Crude (%)	0010	15.30	0.4000	15.45	0.2182	0.1084	169	-0.69	002.06	0
002	Protein, Crude (%)	0510	15.30	0.0000	15.45	0.2182	0.1084	169	-0.69	002.06	0
002	Protein, Crude (%)	2009	15.31	0.0067	15.45	0.2182	0.1084	169	-0.66	002.05	0
002	Protein, Crude (%)	0868	15.32	0.0500	15.45	0.2182	0.1084	169	-0.62	002.05	0
002	Protein, Crude (%)	0948	15.32	0.0000	15.45	0.2182	0.1084	169	-0.60	002.05	0
002	Protein, Crude (%)	0881	15.32	0.0040	15.45	0.2182	0.1084	169	-0.58	002.05	0
002	Protein, Crude (%)	0653	15.33	0.1200	15.45	0.2182	0.1084	169	-0.56	002.01	0
002	Protein, Crude (%)	0939	15.34	0.1500	15.45	0.2182	0.1084	169	-0.53	002.05	0
002	Protein, Crude (%)	2073	15.34	0.2400	15.45	0.2182	0.1084	169	-0.51	002.05	0
002	Protein, Crude (%)	0652	15.35	0.1000	15.45	0.2182	0.1084	169	-0.46	002.01	0
002	Protein, Crude (%)	0278	15.35	0.1000	15.45	0.2182	0.1084	169	-0.46	002.06	0
002	Protein, Crude (%)	0870	15.35	0.0269	15.45	0.2182	0.1084	169	-0.45	002.06	0
002	Protein, Crude (%)	0859	15.35	0.0030	15.45	0.2182	0.1084	169	-0.44	002.06	0
002	Protein, Crude (%)	0505	15.36	0.2100	15.45	0.2182	0.1084	169	-0.44	002.06	0
002	Protein, Crude (%)	0610	15.37	0.0600	15.45	0.2182	0.1084	169	-0.37	002.01	0
002	Protein, Crude (%)	0897	15.39	0.0700	15.45	0.2182	0.1084	169	-0.30	002.05	0
002	Protein, Crude (%)	0169	15.39	0.0200	15.45	0.2182	0.1084	169	-0.28	002.00	0
002	Protein, Crude (%)	0590	15.40	0.0000	15.45	0.2182	0.1084	169	-0.23	002.06	0
002	Protein, Crude (%)	0884	15.40	0.2000	15.45	0.2182	0.1084	169	-0.23	002.06	0
002	Protein, Crude (%)	0910	15.40	0.0000	15.45	0.2182	0.1084	169	-0.23	002.06	0
002	Protein, Crude (%)	0074	15.41	0.2100	15.45	0.2182	0.1084	169	-0.21	002.06	0
002	Protein, Crude (%)	0574	15.41	0.0100	15.45	0.2182	0.1084	169	-0.21	002.06	0
002	Protein, Crude (%)	0852	15.41	0.1800	15.45	0.2182	0.1084	169	-0.19	002.05	0
002	Protein, Crude (%)	0297	15.41	0.1200	15.45	0.2182	0.1084	169	-0.19	002.06	0
002	Protein, Crude (%)	0098	15.42	0.0700	15.45	0.2182	0.1084	169	-0.17	002.08	0
002	Protein, Crude (%)	2295	15.42	0.0000	15.45	0.2182	0.1084	169	-0.14	002.05	0
002	Protein, Crude (%)	0018	15.43	0.1100	15.45	0.2182	0.1084	169	-0.12	002.06	0
002	Protein, Crude (%)	0309	15.43	0.0560	15.45	0.2182	0.1084	169	-0.09	002.06	0
002	Protein, Crude (%)	2174	15.44	0.1500	15.45	0.2182	0.1084	169	-0.07	002.06	0
002	Protein, Crude (%)	0123	15.44	0.0900	15.45	0.2182	0.1084	169	-0.07	002.06	0
002	Protein, Crude (%)	0171	15.44	0.0500	15.45	0.2182	0.1084	169	-0.07	002.06	0
002	Protein, Crude (%)	2129	15.44	0.1990	15.45	0.2182	0.1084	169	-0.06	002.06	0
002	Protein, Crude (%)	0425	15.44	0.1200	15.45	0.2182	0.1084	169	-0.05	002.06	0
002	Protein, Crude (%)	0948	15.44	0.0600	15.45	0.2182	0.1084	169	-0.05	002.06	0
002	Protein, Crude (%)	0870	15.44	0.1470	15.45	0.2182	0.1084	169	-0.04	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	2062	15.45	0.0161	15.45	0.2182	0.1084	169	-0.03	002.05	0
002	Protein, Crude (%)	0148	15.45	0.2010	15.45	0.2182	0.1084	169	-0.03	002.06	0
002	Protein, Crude (%)	0619	15.45	0.1000	15.45	0.2182	0.1084	169	-0.01	002.05	0
002	Protein, Crude (%)	0674	15.45	0.0000	15.45	0.2182	0.1084	169	-0.01	002.05	0
002	Protein, Crude (%)	0033	15.45	0.3000	15.45	0.2182	0.1084	169	-0.01	002.06	0
002	Protein, Crude (%)	0047	15.45	0.3000	15.45	0.2182	0.1084	169	-0.01	002.06	0
002	Protein, Crude (%)	0294	15.45	0.1000	15.45	0.2182	0.1084	169	-0.01	002.06	0
002	Protein, Crude (%)	0876	15.45	0.1000	15.45	0.2182	0.1084	169	-0.01	002.06	0
002	Protein, Crude (%)	2193	15.46	0.0900	15.45	0.2182	0.1084	169	0.02	002.01	0
002	Protein, Crude (%)	2146	15.46	0.0100	15.45	0.2182	0.1084	169	0.02	002.05	0
002	Protein, Crude (%)	0036	15.46	0.0300	15.45	0.2182	0.1084	169	0.02	002.06	0
002	Protein, Crude (%)	2109	15.46	0.1600	15.45	0.2182	0.1084	169	0.04	002.05	0
002	Protein, Crude (%)	0857	15.46	0.1000	15.45	0.2182	0.1084	169	0.04	002.06	0
002	Protein, Crude (%)	0868	15.46	0.0800	15.45	0.2182	0.1084	169	0.04	002.06	0
002	Protein, Crude (%)	2328	15.47	0.1300	15.45	0.2182	0.1084	169	0.06	002.00	0
002	Protein, Crude (%)	0354	15.47	0.0300	15.45	0.2182	0.1084	169	0.06	002.05	0
002	Protein, Crude (%)	2081	15.47	0.0300	15.45	0.2182	0.1084	169	0.06	002.06	0
002	Protein, Crude (%)	0037	15.48	0.0500	15.45	0.2182	0.1084	169	0.11	002.06	0
002	Protein, Crude (%)	2184	15.48	0.0200	15.45	0.2182	0.1084	169	0.13	002.06	0
002	Protein, Crude (%)	0038	15.48	0.0630	15.45	0.2182	0.1084	169	0.14	002.06	0
002	Protein, Crude (%)	0878	15.49	0.0300	15.45	0.2182	0.1084	169	0.15	002.05	0
002	Protein, Crude (%)	0941	15.49	0.2700	15.45	0.2182	0.1084	169	0.15	002.05	0
002	Protein, Crude (%)	2181	15.49	0.2500	15.45	0.2182	0.1084	169	0.15	002.05	0
002	Protein, Crude (%)	0019	15.49	0.2200	15.45	0.2182	0.1084	169	0.18	002.06	0
002	Protein, Crude (%)	0089	15.49	0.0000	15.45	0.2182	0.1084	169	0.18	002.06	0
002	Protein, Crude (%)	0682	15.49	0.0000	15.45	0.2182	0.1084	169	0.18	002.06	0
002	Protein, Crude (%)	2303	15.49	0.2800	15.45	0.2182	0.1084	169	0.18	002.06	0
002	Protein, Crude (%)	0626	15.50	0.0000	15.45	0.2182	0.1084	169	0.22	002.06	0
002	Protein, Crude (%)	0208	15.50	0.0000	15.45	0.2182	0.1084	169	0.22	002.06	0
002	Protein, Crude (%)	0619	15.50	0.0000	15.45	0.2182	0.1084	169	0.22	002.06	0
002	Protein, Crude (%)	0728	15.51	0.1800	15.45	0.2182	0.1084	169	0.27	002.04	0
002	Protein, Crude (%)	0298	15.51	0.0200	15.45	0.2182	0.1084	169	0.27	002.06	0
002	Protein, Crude (%)	0035	15.52	0.0900	15.45	0.2182	0.1084	169	0.29	002.06	0
002	Protein, Crude (%)	0358	15.53	0.1100	15.45	0.2182	0.1084	169	0.34	002.06	0
002	Protein, Crude (%)	2259	15.53	0.0570	15.45	0.2182	0.1084	169	0.35	002.01	0
002	Protein, Crude (%)	0353	15.54	0.0300	15.45	0.2182	0.1084	169	0.38	002.06	0
002	Protein, Crude (%)	0638	15.54	0.0500	15.45	0.2182	0.1084	169	0.39	002.04	0
002	Protein, Crude (%)	2059	15.54	0.0781	15.45	0.2182	0.1084	169	0.42	002.06	0
002	Protein, Crude (%)	0968	15.55	0.0100	15.45	0.2182	0.1084	169	0.43	002.06	0
002	Protein, Crude (%)	0297	15.55	0.0300	15.45	0.2182	0.1084	169	0.43	002.11	0
002	Protein, Crude (%)	0541	15.56	0.0300	15.45	0.2182	0.1084	169	0.48	002.06	0
002	Protein, Crude (%)	0142	15.57	0.0100	15.45	0.2182	0.1084	169	0.52	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	2150	15.57	0.1300	15.45	0.2182	0.1084	169	0.52	002.06	0
002	Protein, Crude (%)	0644	15.57	0.0110	15.45	0.2182	0.1084	169	0.53	002.06	0
002	Protein, Crude (%)	0226	15.57	0.0600	15.45	0.2182	0.1084	169	0.54	002.06	0
002	Protein, Crude (%)	0964	15.57	0.0160	15.45	0.2182	0.1084	169	0.56	002.06	0
002	Protein, Crude (%)	2200	15.58	0.0700	15.45	0.2182	0.1084	169	0.57	002.05	0
002	Protein, Crude (%)	0049	15.58	0.0400	15.45	0.2182	0.1084	169	0.59	002.06	0
002	Protein, Crude (%)	0675	15.58	0.1000	15.45	0.2182	0.1084	169	0.59	002.06	0
002	Protein, Crude (%)	0001	15.59	0.2100	15.45	0.2182	0.1084	169	0.61	002.06	0
002	Protein, Crude (%)	0229	15.59	0.2800	15.45	0.2182	0.1084	169	0.64	002.06	0
002	Protein, Crude (%)	0589	15.59	0.0200	15.45	0.2182	0.1084	169	0.64	002.06	0
002	Protein, Crude (%)	0357	15.59	0.0625	15.45	0.2182	0.1084	169	0.65	002.06	0
002	Protein, Crude (%)	0914	15.60	0.1600	15.45	0.2182	0.1084	169	0.68	002.01	0
002	Protein, Crude (%)	0045	15.60	0.2000	15.45	0.2182	0.1084	169	0.68	002.06	0
002	Protein, Crude (%)	0242	15.60	0.0000	15.45	0.2182	0.1084	169	0.68	002.06	0
002	Protein, Crude (%)	0003	15.62	0.3400	15.45	0.2182	0.1084	169	0.77	002.06	0
002	Protein, Crude (%)	0407	15.62	0.1220	15.45	0.2182	0.1084	169	0.79	002.06	0
002	Protein, Crude (%)	0693	15.64	0.0280	15.45	0.2182	0.1084	169	0.86	002.06	0
002	Protein, Crude (%)	0563	15.64	0.3007	15.45	0.2182	0.1084	169	0.86	002.08	0
002	Protein, Crude (%)	0354	15.64	0.0200	15.45	0.2182	0.1084	169	0.86	002.06	0
002	Protein, Crude (%)	0512	15.64	0.0600	15.45	0.2182	0.1084	169	0.86	002.06	0
002	Protein, Crude (%)	2246	15.64	0.0800	15.45	0.2182	0.1084	169	0.86	002.06	0
002	Protein, Crude (%)	0956	15.65	0.1000	15.45	0.2182	0.1084	169	0.91	002.06	0
002	Protein, Crude (%)	0009	15.65	0.0400	15.45	0.2182	0.1084	169	0.91	002.06	0
002	Protein, Crude (%)	2319	15.65	0.3000	15.45	0.2182	0.1084	169	0.91	002.06	0
002	Protein, Crude (%)	0872	15.67	0.1800	15.45	0.2182	0.1084	169	1.00	002.06	0
002	Protein, Crude (%)	0108	15.69	0.1400	15.45	0.2182	0.1084	169	1.09	002.06	0
002	Protein, Crude (%)	0571	15.69	0.1200	15.45	0.2182	0.1084	169	1.09	002.06	0
002	Protein, Crude (%)	0508	15.69	0.0680	15.45	0.2182	0.1084	169	1.11	002.06	0
002	Protein, Crude (%)	2089	15.70	0.1300	15.45	0.2182	0.1084	169	1.12	002.06	0
002	Protein, Crude (%)	0553	15.70	0.2700	15.45	0.2182	0.1084	169	1.12	002.11	0
002	Protein, Crude (%)	0098	15.70	0.2000	15.45	0.2182	0.1084	169	1.14	002.06	0
002	Protein, Crude (%)	0610	15.70	0.0000	15.45	0.2182	0.1084	169	1.14	002.06	0
002	Protein, Crude (%)	0939	15.71	0.0800	15.45	0.2182	0.1084	169	1.19	002.06	0
002	Protein, Crude (%)	0083	15.72	0.0700	15.45	0.2182	0.1084	169	1.21	002.06	0
002	Protein, Crude (%)	0553	15.73	0.0100	15.45	0.2182	0.1084	169	1.25	002.06	0
002	Protein, Crude (%)	0726	15.73	0.0300	15.45	0.2182	0.1084	169	1.25	002.06	0
002	Protein, Crude (%)	2109	15.74	0.1400	15.45	0.2182	0.1084	169	1.32	002.06	0
002	Protein, Crude (%)	0511	15.77	0.1800	15.45	0.2182	0.1084	169	1.46	002.06	0
002	Protein, Crude (%)	0190	15.80	0.0500	15.45	0.2182	0.1084	169	1.58	002.06	0
002	Protein, Crude (%)	0692	15.85	0.3000	15.45	0.2182	0.1084	169	1.83	002.06	0
002	Protein, Crude (%)	0880	15.85	0.1000	15.45	0.2182	0.1084	169	1.83	002.06	0
002	Protein, Crude (%)	0685	15.89	0.0100	15.45	0.2182	0.1084	169	1.99	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0265	15.90	0.0000	15.45	0.2182	0.1084	169	2.06	002.06	0
002	Protein, Crude (%)	2076	15.97	0.1850	15.45	0.2182	0.1084	169	2.36	002.06	0
002	Protein, Crude (%)	2213	16.00	0.0400	15.45	0.2182	0.1084	169	2.51	002.06	0
002	Protein, Crude (%)	0852	16.02	0.0300	15.45	0.2182	0.1084	169	2.58	002.11	0
002	Protein, Crude (%)	0186	16.02	0.0800	15.45	0.2182	0.1084	169	2.61	002.06	0
002	Protein, Crude (%)	0618	16.06	0.0110	15.45	0.2182	0.1084	169	2.78	002.06	0
002	Protein, Crude (%)	0596	16.32	0.0400	15.45	0.2182	0.1084	169	3.98	002.06	0
002	Protein, Crude (%)	0843	16.32	0.2800	15.45	0.2182	0.1084	169	3.98	002.06	0
002	Protein, Crude (%)	2155	16.45	0.2230	15.45	0.2182	0.1084	169	4.59	002.06	0
002	Protein, Crude (%)	0689	14.85	0.7000	15.45	0.2182	0.1084	169	-2.76	002.05	1
002	Protein, Crude (%)	0144	14.90	0.5900	15.45	0.2182	0.1084	169	-2.55	002.06	1
002	Protein, Crude (%)	0042	15.10	0.6000	15.45	0.2182	0.1084	169	-1.61	002.06	1
002	Protein, Crude (%)	0300	15.57	0.6300	15.45	0.2182	0.1084	169	0.52	002.06	1
002	Protein, Crude (%)	0676	16.25	0.6200	15.45	0.2182	0.1084	169	3.66	002.06	1
003	Fat, Crude (%)	2089	1.805	0.0100	2.364	0.1596	0.0878	138	-3.50	003.10	0
003	Fat, Crude (%)	2302	1.860	0.0200	2.364	0.1596	0.0878	138	-3.16	003.14	0
003	Fat, Crude (%)	0108	1.910	0.0600	2.364	0.1596	0.0878	138	-2.84	003.14	0
003	Fat, Crude (%)	0242	2.045	0.1100	2.364	0.1596	0.0878	138	-2.00	003.10	0
003	Fat, Crude (%)	0574	2.045	0.1300	2.364	0.1596	0.0878	138	-2.00	003.14	0
003	Fat, Crude (%)	0693	2.078	0.1310	2.364	0.1596	0.0878	138	-1.79	003.10	0
003	Fat, Crude (%)	0034	2.090	0.0800	2.364	0.1596	0.0878	138	-1.72	003.14	0
003	Fat, Crude (%)	0042	2.100	0.0800	2.364	0.1596	0.0878	138	-1.65	003.10	0
003	Fat, Crude (%)	0536	2.145	0.0700	2.364	0.1596	0.0878	138	-1.37	003.99	0
003	Fat, Crude (%)	0309	2.149	0.0642	2.364	0.1596	0.0878	138	-1.35	003.00	0
003	Fat, Crude (%)	2155	2.161	0.2110	2.364	0.1596	0.0878	138	-1.27	003.10	0
003	Fat, Crude (%)	2184	2.170	0.0000	2.364	0.1596	0.0878	138	-1.21	003.10	0
003	Fat, Crude (%)	0049	2.170	0.2000	2.364	0.1596	0.0878	138	-1.21	003.14	0
003	Fat, Crude (%)	0144	2.175	0.1300	2.364	0.1596	0.0878	138	-1.18	003.14	0
003	Fat, Crude (%)	0968	2.180	0.0200	2.364	0.1596	0.0878	138	-1.15	003.14	0
003	Fat, Crude (%)	2062	2.182	0.0051	2.364	0.1596	0.0878	138	-1.14	003.12	0
003	Fat, Crude (%)	0004	2.185	0.1900	2.364	0.1596	0.0878	138	-1.12	003.09	0
003	Fat, Crude (%)	0263	2.196	0.0014	2.364	0.1596	0.0878	138	-1.05	003.10	0
003	Fat, Crude (%)	0297	2.200	0.2000	2.364	0.1596	0.0878	138	-1.03	003.06	0
003	Fat, Crude (%)	2181	2.200	0.0200	2.364	0.1596	0.0878	138	-1.03	003.06	0
003	Fat, Crude (%)	0510	2.200	0.0000	2.364	0.1596	0.0878	138	-1.03	003.14	0
003	Fat, Crude (%)	0062	2.201	0.0440	2.364	0.1596	0.0878	138	-1.02	003.10	0
003	Fat, Crude (%)	0948	2.210	0.0600	2.364	0.1596	0.0878	138	-0.96	003.09	0
003	Fat, Crude (%)	0939	2.215	0.0300	2.364	0.1596	0.0878	138	-0.93	003.06	0
003	Fat, Crude (%)	0202	2.220	0.0200	2.364	0.1596	0.0878	138	-0.90	003.14	0
003	Fat, Crude (%)	0848	2.230	0.1200	2.364	0.1596	0.0878	138	-0.84	003.14	0
003	Fat, Crude (%)	0912	2.230	0.0200	2.364	0.1596	0.0878	138	-0.84	003.14	0
003	Fat, Crude (%)	0870	2.232	0.1293	2.364	0.1596	0.0878	138	-0.83	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0619	2.240	0.0200	2.364	0.1596	0.0878	138	-0.78	003.10	0
003	Fat, Crude (%)	2073	2.240	0.0400	2.364	0.1596	0.0878	138	-0.78	003.10	0
003	Fat, Crude (%)	0407	2.248	0.0957	2.364	0.1596	0.0878	138	-0.73	003.14	0
003	Fat, Crude (%)	0298	2.250	0.0200	2.364	0.1596	0.0878	138	-0.71	003.14	0
003	Fat, Crude (%)	0581	2.250	0.0800	2.364	0.1596	0.0878	138	-0.71	003.14	0
003	Fat, Crude (%)	0948	2.250	0.0600	2.364	0.1596	0.0878	138	-0.71	003.14	0
003	Fat, Crude (%)	2325	2.255	0.0900	2.364	0.1596	0.0878	138	-0.68	003.00	0
003	Fat, Crude (%)	2193	2.255	0.0500	2.364	0.1596	0.0878	138	-0.68	003.10	0
003	Fat, Crude (%)	2268	2.260	0.1600	2.364	0.1596	0.0878	138	-0.65	003.06	0
003	Fat, Crude (%)	2006	2.260	0.0200	2.364	0.1596	0.0878	138	-0.65	003.13	0
003	Fat, Crude (%)	0868	2.265	0.0300	2.364	0.1596	0.0878	138	-0.62	003.14	0
003	Fat, Crude (%)	0208	2.270	0.0800	2.364	0.1596	0.0878	138	-0.59	003.13	0
003	Fat, Crude (%)	0425	2.280	0.0000	2.364	0.1596	0.0878	138	-0.53	003.06	0
003	Fat, Crude (%)	0590	2.280	0.0400	2.364	0.1596	0.0878	138	-0.53	003.09	0
003	Fat, Crude (%)	0878	2.280	0.0800	2.364	0.1596	0.0878	138	-0.53	003.14	0
003	Fat, Crude (%)	0036	2.285	0.0541	2.364	0.1596	0.0878	138	-0.50	003.10	0
003	Fat, Crude (%)	0033	2.285	0.0100	2.364	0.1596	0.0878	138	-0.49	003.13	0
003	Fat, Crude (%)	0066	2.285	0.0700	2.364	0.1596	0.0878	138	-0.49	003.14	0
003	Fat, Crude (%)	0638	2.290	0.0200	2.364	0.1596	0.0878	138	-0.46	003.09	0
003	Fat, Crude (%)	0354	2.295	0.0100	2.364	0.1596	0.0878	138	-0.43	003.09	0
003	Fat, Crude (%)	0541	2.295	0.1500	2.364	0.1596	0.0878	138	-0.43	003.10	0
003	Fat, Crude (%)	0876	2.300	0.0000	2.364	0.1596	0.0878	138	-0.40	003.14	0
003	Fat, Crude (%)	0045	2.305	0.0500	2.364	0.1596	0.0878	138	-0.37	003.10	0
003	Fat, Crude (%)	0728	2.305	0.0100	2.364	0.1596	0.0878	138	-0.37	003.10	0
003	Fat, Crude (%)	0089	2.305	0.0300	2.364	0.1596	0.0878	138	-0.37	003.14	0
003	Fat, Crude (%)	0520	2.305	0.1300	2.364	0.1596	0.0878	138	-0.37	003.14	0
003	Fat, Crude (%)	0098	2.315	0.0700	2.364	0.1596	0.0878	138	-0.31	003.10	0
003	Fat, Crude (%)	2295	2.330	0.0000	2.364	0.1596	0.0878	138	-0.21	003.06	0
003	Fat, Crude (%)	0098	2.330	0.0200	2.364	0.1596	0.0878	138	-0.21	003.09	0
003	Fat, Crude (%)	0358	2.330	0.0600	2.364	0.1596	0.0878	138	-0.21	003.14	0
003	Fat, Crude (%)	0619	2.330	0.0600	2.364	0.1596	0.0878	138	-0.21	003.14	0
003	Fat, Crude (%)	0004	2.335	0.0900	2.364	0.1596	0.0878	138	-0.18	003.14	0
003	Fat, Crude (%)	0345	2.340	0.0200	2.364	0.1596	0.0878	138	-0.15	003.00	0
003	Fat, Crude (%)	0186	2.340	0.0600	2.364	0.1596	0.0878	138	-0.15	003.14	0
003	Fat, Crude (%)	0100	2.345	0.0300	2.364	0.1596	0.0878	138	-0.12	003.10	0
003	Fat, Crude (%)	0123	2.345	0.0100	2.364	0.1596	0.0878	138	-0.12	003.13	0
003	Fat, Crude (%)	0884	2.350	0.1000	2.364	0.1596	0.0878	138	-0.09	003.06	0
003	Fat, Crude (%)	2319	2.350	0.1000	2.364	0.1596	0.0878	138	-0.09	003.10	0
003	Fat, Crude (%)	0019	2.350	0.0600	2.364	0.1596	0.0878	138	-0.09	003.14	0
003	Fat, Crude (%)	0357	2.350	0.1000	2.364	0.1596	0.0878	138	-0.09	003.14	0
003	Fat, Crude (%)	0956	2.350	0.1000	2.364	0.1596	0.0878	138	-0.09	003.14	0
003	Fat, Crude (%)	0098	2.355	0.0100	2.364	0.1596	0.0878	138	-0.06	003.13	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0265	2.360	0.0000	2.364	0.1596	0.0878	138	-0.02	003.14	0
003	Fat, Crude (%)	2246	2.360	0.0200	2.364	0.1596	0.0878	138	-0.02	003.13	0
003	Fat, Crude (%)	0644	2.363	0.0110	2.364	0.1596	0.0878	138	-0.01	003.06	0
003	Fat, Crude (%)	0009	2.365	0.0500	2.364	0.1596	0.0878	138	0.01	003.14	0
003	Fat, Crude (%)	0148	2.365	0.0100	2.364	0.1596	0.0878	138	0.01	003.14	0
003	Fat, Crude (%)	0675	2.370	0.0600	2.364	0.1596	0.0878	138	0.04	003.09	0
003	Fat, Crude (%)	2129	2.375	0.4450	2.364	0.1596	0.0878	138	0.07	003.14	0
003	Fat, Crude (%)	0598	2.375	0.0100	2.364	0.1596	0.0878	138	0.07	003.14	0
003	Fat, Crude (%)	0675	2.380	0.1200	2.364	0.1596	0.0878	138	0.10	003.14	0
003	Fat, Crude (%)	2009	2.381	0.0137	2.364	0.1596	0.0878	138	0.11	003.10	0
003	Fat, Crude (%)	2192	2.385	0.0900	2.364	0.1596	0.0878	138	0.13	003.00	0
003	Fat, Crude (%)	0300	2.385	0.1500	2.364	0.1596	0.0878	138	0.13	003.14	0
003	Fat, Crude (%)	2188	2.390	0.1400	2.364	0.1596	0.0878	138	0.16	003.10	0
003	Fat, Crude (%)	0353	2.390	0.1600	2.364	0.1596	0.0878	138	0.16	003.09	0
003	Fat, Crude (%)	2196	2.390	0.0000	2.364	0.1596	0.0878	138	0.16	003.10	0
003	Fat, Crude (%)	0687	2.400	0.2000	2.364	0.1596	0.0878	138	0.23	003.06	0
003	Fat, Crude (%)	0689	2.400	0.2000	2.364	0.1596	0.0878	138	0.23	003.10	0
003	Fat, Crude (%)	0529	2.400	0.0200	2.364	0.1596	0.0878	138	0.23	003.14	0
003	Fat, Crude (%)	0685	2.405	0.0100	2.364	0.1596	0.0878	138	0.26	003.09	0
003	Fat, Crude (%)	0508	2.408	0.0113	2.364	0.1596	0.0878	138	0.28	003.09	0
003	Fat, Crude (%)	0001	2.418	0.0760	2.364	0.1596	0.0878	138	0.34	003.14	0
003	Fat, Crude (%)	0870	2.418	0.1295	2.364	0.1596	0.0878	138	0.34	003.09	0
003	Fat, Crude (%)	0682	2.420	0.0000	2.364	0.1596	0.0878	138	0.35	003.06	0
003	Fat, Crude (%)	0885	2.430	0.0391	2.364	0.1596	0.0878	138	0.42	003.00	0
003	Fat, Crude (%)	0083	2.435	0.0100	2.364	0.1596	0.0878	138	0.45	003.14	0
003	Fat, Crude (%)	0596	2.440	0.0200	2.364	0.1596	0.0878	138	0.48	003.00	0
003	Fat, Crude (%)	0910	2.455	0.0500	2.364	0.1596	0.0878	138	0.57	003.06	0
003	Fat, Crude (%)	0169	2.460	0.1000	2.364	0.1596	0.0878	138	0.60	003.06	0
003	Fat, Crude (%)	0294	2.465	0.0300	2.364	0.1596	0.0878	138	0.63	003.06	0
003	Fat, Crude (%)	2022	2.465	0.0100	2.364	0.1596	0.0878	138	0.63	003.10	0
003	Fat, Crude (%)	0897	2.470	0.0200	2.364	0.1596	0.0878	138	0.66	003.10	0
003	Fat, Crude (%)	0674	2.470	0.0000	2.364	0.1596	0.0878	138	0.66	003.09	0
003	Fat, Crude (%)	0676	2.475	0.1100	2.364	0.1596	0.0878	138	0.70	003.10	0
003	Fat, Crude (%)	2076	2.476	0.1923	2.364	0.1596	0.0878	138	0.70	003.14	0
003	Fat, Crude (%)	0563	2.484	0.1797	2.364	0.1596	0.0878	138	0.75	003.06	0
003	Fat, Crude (%)	0563	2.484	0.1797	2.364	0.1596	0.0878	138	0.75	003.14	0
003	Fat, Crude (%)	0226	2.485	0.0500	2.364	0.1596	0.0878	138	0.76	003.09	0
003	Fat, Crude (%)	0148	2.485	0.1100	2.364	0.1596	0.0878	138	0.76	003.10	0
003	Fat, Crude (%)	0881	2.492	0.0640	2.364	0.1596	0.0878	138	0.80	003.10	0
003	Fat, Crude (%)	0726	2.495	0.0300	2.364	0.1596	0.0878	138	0.82	003.14	0
003	Fat, Crude (%)	0164	2.500	0.0200	2.364	0.1596	0.0878	138	0.85	003.01	0
003	Fat, Crude (%)	0853	2.500	0.2000	2.364	0.1596	0.0878	138	0.85	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0229	2.510	0.0400	2.364	0.1596	0.0878	138	0.92	003.14	0
003	Fat, Crude (%)	2109	2.515	0.0500	2.364	0.1596	0.0878	138	0.95	003.00	0
003	Fat, Crude (%)	0512	2.516	0.0650	2.364	0.1596	0.0878	138	0.95	003.09	0
003	Fat, Crude (%)	0918	2.520	0.1200	2.364	0.1596	0.0878	138	0.98	003.06	0
003	Fat, Crude (%)	0511	2.535	0.3300	2.364	0.1596	0.0878	138	1.07	003.14	0
003	Fat, Crude (%)	0171	2.545	0.0900	2.364	0.1596	0.0878	138	1.13	003.14	0
003	Fat, Crude (%)	0190	2.545	0.0900	2.364	0.1596	0.0878	138	1.13	003.14	0
003	Fat, Crude (%)	0689	2.550	0.1000	2.364	0.1596	0.0878	138	1.17	003.06	0
003	Fat, Crude (%)	0171	2.550	0.0000	2.364	0.1596	0.0878	138	1.17	003.12	0
003	Fat, Crude (%)	0074	2.555	0.5900	2.364	0.1596	0.0878	138	1.20	003.14	0
003	Fat, Crude (%)	0870	2.563	0.1641	2.364	0.1596	0.0878	138	1.25	003.13	0
003	Fat, Crude (%)	2146	2.570	0.0200	2.364	0.1596	0.0878	138	1.29	003.14	0
003	Fat, Crude (%)	0278	2.600	0.4000	2.364	0.1596	0.0878	138	1.48	003.14	0
003	Fat, Crude (%)	0229	2.605	0.4700	2.364	0.1596	0.0878	138	1.51	003.06	0
003	Fat, Crude (%)	2144	2.610	0.0400	2.364	0.1596	0.0878	138	1.54	003.14	0
003	Fat, Crude (%)	2318	2.640	0.1400	2.364	0.1596	0.0878	138	1.73	003.12	0
003	Fat, Crude (%)	0682	2.640	0.0000	2.364	0.1596	0.0878	138	1.73	003.14	0
003	Fat, Crude (%)	0037	2.660	0.0400	2.364	0.1596	0.0878	138	1.85	003.14	0
003	Fat, Crude (%)	0003	2.690	0.1200	2.364	0.1596	0.0878	138	2.04	003.14	0
003	Fat, Crude (%)	0692	2.700	0.6000	2.364	0.1596	0.0878	138	2.11	003.14	0
003	Fat, Crude (%)	2199	2.785	0.1300	2.364	0.1596	0.0878	138	2.64	003.12	0
003	Fat, Crude (%)	2291	2.790	0.1200	2.364	0.1596	0.0878	138	2.67	003.13	0
003	Fat, Crude (%)	0618	2.799	0.2450	2.364	0.1596	0.0878	138	2.72	003.10	0
003	Fat, Crude (%)	0852	3.795	0.0100	2.364	0.1596	0.0878	138	8.96	003.11	0
003	Fat, Crude (%)	0941	4.065	0.3100	2.364	0.1596	0.0878	138	10.66	003.99	0
003	Fat, Crude (%)	2144	4.165	0.0500	2.364	0.1596	0.0878	138	11.28	003.00	0
003	Fat, Crude (%)	0505	2.495	0.9300	2.364	0.1596	0.0878	138	0.82	003.14	1
003	Fat, Crude (%)	0880	2.850	1.700	2.364	0.1596	0.0878	138	3.05	003.99	1
003	Fat, Crude (%)	2200	3.650	0.7000	2.364	0.1596	0.0878	138	8.06	003.12	1
003	Fat, Crude (%)	0297	4.475	0.0100	2.364	0.1596	0.0878	138	13.22	003.11	2
004	Fiber, Crude (%)	0852	8.570	0.0600	14.45	0.7346	0.2905	119	-8.00	004.11	0
004	Fiber, Crude (%)	2089	11.48	0.7900	14.45	0.7346	0.2905	119	-4.04	004.03	0
004	Fiber, Crude (%)	2200	12.35	0.1000	14.45	0.7346	0.2905	119	-2.85	004.06	0
004	Fiber, Crude (%)	0644	12.77	0.0870	14.45	0.7346	0.2905	119	-2.28	004.07	0
004	Fiber, Crude (%)	2129	12.83	0.4330	14.45	0.7346	0.2905	119	-2.20	004.99	0
004	Fiber, Crude (%)	0265	12.95	0.3000	14.45	0.7346	0.2905	119	-2.04	004.07	0
004	Fiber, Crude (%)	2144	13.04	0.0900	14.45	0.7346	0.2905	119	-1.92	004.07	0
004	Fiber, Crude (%)	0682	13.10	0.0000	14.45	0.7346	0.2905	119	-1.83	004.07	0
004	Fiber, Crude (%)	2144	13.30	0.0400	14.45	0.7346	0.2905	119	-1.56	004.01	0
004	Fiber, Crude (%)	0520	13.35	0.3000	14.45	0.7346	0.2905	119	-1.49	004.07	0
004	Fiber, Crude (%)	0619	13.40	0.2000	14.45	0.7346	0.2905	119	-1.42	004.07	0
004	Fiber, Crude (%)	0144	13.50	0.4700	14.45	0.7346	0.2905	119	-1.29	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	0956	13.55	0.5000	14.45	0.7346	0.2905	119	-1.22	004.07	0
004	Fiber, Crude (%)	0674	13.60	0.0000	14.45	0.7346	0.2905	119	-1.15	004.06	0
004	Fiber, Crude (%)	0100	13.61	0.0100	14.45	0.7346	0.2905	119	-1.14	004.07	0
004	Fiber, Crude (%)	0675	13.63	0.0400	14.45	0.7346	0.2905	119	-1.11	004.07	0
004	Fiber, Crude (%)	0885	13.64	0.2554	14.45	0.7346	0.2905	119	-1.09	004.06	0
004	Fiber, Crude (%)	0190	13.65	0.1000	14.45	0.7346	0.2905	119	-1.08	004.07	0
004	Fiber, Crude (%)	2319	13.65	0.3000	14.45	0.7346	0.2905	119	-1.08	004.06	0
004	Fiber, Crude (%)	0300	13.66	0.1200	14.45	0.7346	0.2905	119	-1.07	004.07	0
004	Fiber, Crude (%)	2295	13.67	0.0300	14.45	0.7346	0.2905	119	-1.06	004.06	0
004	Fiber, Crude (%)	0708	13.74	0.1700	14.45	0.7346	0.2905	119	-0.97	004.07	0
004	Fiber, Crude (%)	0169	13.77	0.0400	14.45	0.7346	0.2905	119	-0.92	004.00	0
004	Fiber, Crude (%)	0964	13.79	0.0470	14.45	0.7346	0.2905	119	-0.89	004.06	0
004	Fiber, Crude (%)	0910	13.80	0.2000	14.45	0.7346	0.2905	119	-0.88	004.07	0
004	Fiber, Crude (%)	0098	13.82	0.3300	14.45	0.7346	0.2905	119	-0.86	004.06	0
004	Fiber, Crude (%)	0589	13.82	0.2000	14.45	0.7346	0.2905	119	-0.85	004.07	0
004	Fiber, Crude (%)	0563	13.83	0.1485	14.45	0.7346	0.2905	119	-0.84	004.07	0
004	Fiber, Crude (%)	2325	13.87	0.0200	14.45	0.7346	0.2905	119	-0.78	004.07	0
004	Fiber, Crude (%)	0510	13.90	0.0000	14.45	0.7346	0.2905	119	-0.74	004.07	0
004	Fiber, Crude (%)	0726	13.93	0.0000	14.45	0.7346	0.2905	119	-0.70	004.07	0
004	Fiber, Crude (%)	0897	13.98	0.5000	14.45	0.7346	0.2905	119	-0.63	004.06	0
004	Fiber, Crude (%)	0083	14.01	0.1300	14.45	0.7346	0.2905	119	-0.60	004.07	0
004	Fiber, Crude (%)	0354	14.02	0.1100	14.45	0.7346	0.2905	119	-0.59	004.07	0
004	Fiber, Crude (%)	2022	14.11	0.1400	14.45	0.7346	0.2905	119	-0.46	004.06	0
004	Fiber, Crude (%)	0512	14.13	0.2100	14.45	0.7346	0.2905	119	-0.44	004.06	0
004	Fiber, Crude (%)	0610	14.13	0.2500	14.45	0.7346	0.2905	119	-0.44	004.06	0
004	Fiber, Crude (%)	0123	14.14	0.2800	14.45	0.7346	0.2905	119	-0.42	004.07	0
004	Fiber, Crude (%)	2022	14.16	0.0600	14.45	0.7346	0.2905	119	-0.39	004.07	0
004	Fiber, Crude (%)	0098	14.17	0.4800	14.45	0.7346	0.2905	119	-0.38	004.07	0
004	Fiber, Crude (%)	0884	14.20	0.6000	14.45	0.7346	0.2905	119	-0.33	004.00	0
004	Fiber, Crude (%)	0186	14.22	0.7700	14.45	0.7346	0.2905	119	-0.31	004.00	0
004	Fiber, Crude (%)	0941	14.24	0.3700	14.45	0.7346	0.2905	119	-0.29	004.06	0
004	Fiber, Crude (%)	0042	14.24	1.000	14.45	0.7346	0.2905	119	-0.28	004.07	0
004	Fiber, Crude (%)	0353	14.26	0.3500	14.45	0.7346	0.2905	119	-0.26	004.03	0
004	Fiber, Crude (%)	0968	14.26	0.8700	14.45	0.7346	0.2905	119	-0.26	004.07	0
004	Fiber, Crude (%)	0653	14.29	0.1700	14.45	0.7346	0.2905	119	-0.22	004.07	0
004	Fiber, Crude (%)	0202	14.33	0.2800	14.45	0.7346	0.2905	119	-0.16	004.07	0
004	Fiber, Crude (%)	2146	14.36	1.150	14.45	0.7346	0.2905	119	-0.12	004.07	0
004	Fiber, Crude (%)	0676	14.37	0.6400	14.45	0.7346	0.2905	119	-0.10	004.06	0
004	Fiber, Crude (%)	0505	14.38	0.0900	14.45	0.7346	0.2905	119	-0.10	004.07	0
004	Fiber, Crude (%)	0689	14.40	0.4000	14.45	0.7346	0.2905	119	-0.06	004.06	0
004	Fiber, Crude (%)	2006	14.41	0.0000	14.45	0.7346	0.2905	119	-0.05	004.06	0
004	Fiber, Crude (%)	0035	14.42	0.1300	14.45	0.7346	0.2905	119	-0.04	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	0881	14.43	0.0970	14.45	0.7346	0.2905	119	-0.02	004.06	0
004	Fiber, Crude (%)	0643	14.45	0.2300	14.45	0.7346	0.2905	119	0.00	004.00	0
004	Fiber, Crude (%)	0016	14.45	0.5000	14.45	0.7346	0.2905	119	0.01	004.07	0
004	Fiber, Crude (%)	0019	14.46	0.0500	14.45	0.7346	0.2905	119	0.01	004.07	0
004	Fiber, Crude (%)	0598	14.47	0.0300	14.45	0.7346	0.2905	119	0.03	004.07	0
004	Fiber, Crude (%)	0263	14.49	0.0470	14.45	0.7346	0.2905	119	0.06	004.07	0
004	Fiber, Crude (%)	0868	14.50	0.1400	14.45	0.7346	0.2905	119	0.07	004.06	0
004	Fiber, Crude (%)	0294	14.50	0.4000	14.45	0.7346	0.2905	119	0.07	004.07	0
004	Fiber, Crude (%)	0876	14.50	0.2000	14.45	0.7346	0.2905	119	0.07	004.07	0
004	Fiber, Crude (%)	0407	14.53	0.0272	14.45	0.7346	0.2905	119	0.12	004.07	0
004	Fiber, Crude (%)	0870	14.61	0.0231	14.45	0.7346	0.2905	119	0.22	004.07	0
004	Fiber, Crude (%)	0309	14.61	0.0474	14.45	0.7346	0.2905	119	0.23	004.00	0
004	Fiber, Crude (%)	0948	14.62	0.2500	14.45	0.7346	0.2905	119	0.23	004.06	0
004	Fiber, Crude (%)	0242	14.62	0.1000	14.45	0.7346	0.2905	119	0.24	004.07	0
004	Fiber, Crude (%)	0881	14.63	0.4770	14.45	0.7346	0.2905	119	0.25	004.07	0
004	Fiber, Crude (%)	0968	14.63	0.3000	14.45	0.7346	0.2905	119	0.25	004.06	0
004	Fiber, Crude (%)	0171	14.67	0.2300	14.45	0.7346	0.2905	119	0.30	004.00	0
004	Fiber, Crude (%)	0553	14.67	0.3300	14.45	0.7346	0.2905	119	0.30	004.07	0
004	Fiber, Crude (%)	2062	14.67	0.0557	14.45	0.7346	0.2905	119	0.30	004.06	0
004	Fiber, Crude (%)	0229	14.67	0.4400	14.45	0.7346	0.2905	119	0.31	004.07	0
004	Fiber, Crude (%)	2192	14.68	0.2500	14.45	0.7346	0.2905	119	0.31	004.03	0
004	Fiber, Crude (%)	0003	14.69	0.4300	14.45	0.7346	0.2905	119	0.33	004.07	0
004	Fiber, Crude (%)	2259	14.69	0.0440	14.45	0.7346	0.2905	119	0.33	004.07	0
004	Fiber, Crude (%)	0918	14.70	0.2400	14.45	0.7346	0.2905	119	0.35	004.06	0
004	Fiber, Crude (%)	0529	14.71	0.0100	14.45	0.7346	0.2905	119	0.35	004.07	0
004	Fiber, Crude (%)	0066	14.72	0.1500	14.45	0.7346	0.2905	119	0.37	004.07	0
004	Fiber, Crude (%)	0009	14.73	0.0600	14.45	0.7346	0.2905	119	0.39	004.07	0
004	Fiber, Crude (%)	0004	14.74	0.9400	14.45	0.7346	0.2905	119	0.40	004.07	0
004	Fiber, Crude (%)	2009	14.74	0.0708	14.45	0.7346	0.2905	119	0.40	004.07	0
004	Fiber, Crude (%)	0511	14.75	1.100	14.45	0.7346	0.2905	119	0.41	004.07	0
004	Fiber, Crude (%)	0692	14.75	0.3000	14.45	0.7346	0.2905	119	0.41	004.07	0
004	Fiber, Crude (%)	2302	14.79	0.1700	14.45	0.7346	0.2905	119	0.46	004.07	0
004	Fiber, Crude (%)	2291	14.81	0.7900	14.45	0.7346	0.2905	119	0.49	004.06	0
004	Fiber, Crude (%)	2073	14.90	0.0700	14.45	0.7346	0.2905	119	0.61	004.00	0
004	Fiber, Crude (%)	0278	14.90	1.000	14.45	0.7346	0.2905	119	0.62	004.07	0
004	Fiber, Crude (%)	0590	14.90	1.000	14.45	0.7346	0.2905	119	0.62	004.07	0
004	Fiber, Crude (%)	0939	14.95	0.2800	14.45	0.7346	0.2905	119	0.69	004.07	0
004	Fiber, Crude (%)	0948	14.95	0.2200	14.45	0.7346	0.2905	119	0.69	004.07	0
004	Fiber, Crude (%)	2196	14.95	0.0000	14.45	0.7346	0.2905	119	0.69	004.07	0
004	Fiber, Crude (%)	0921	14.96	0.0200	14.45	0.7346	0.2905	119	0.70	004.03	0
004	Fiber, Crude (%)	0878	14.96	0.0200	14.45	0.7346	0.2905	119	0.70	004.06	0
004	Fiber, Crude (%)	2181	15.04	0.3000	14.45	0.7346	0.2905	119	0.81	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	2188	15.06	1.100	14.45	0.7346	0.2905	119	0.84	004.07	0
004	Fiber, Crude (%)	0074	15.10	0.5000	14.45	0.7346	0.2905	119	0.89	004.07	0
004	Fiber, Crude (%)	0581	15.10	0.4000	14.45	0.7346	0.2905	119	0.89	004.07	0
004	Fiber, Crude (%)	2193	15.13	0.0600	14.45	0.7346	0.2905	119	0.93	004.07	0
004	Fiber, Crude (%)	0425	15.20	0.8000	14.45	0.7346	0.2905	119	1.03	004.00	0
004	Fiber, Crude (%)	2199	15.20	1.200	14.45	0.7346	0.2905	119	1.03	004.06	0
004	Fiber, Crude (%)	2246	15.22	0.0000	14.45	0.7346	0.2905	119	1.05	004.03	0
004	Fiber, Crude (%)	0693	15.28	0.2430	14.45	0.7346	0.2905	119	1.14	004.07	0
004	Fiber, Crude (%)	0226	15.30	0.0600	14.45	0.7346	0.2905	119	1.16	004.00	0
004	Fiber, Crude (%)	0045	15.35	0.7000	14.45	0.7346	0.2905	119	1.23	004.07	0
004	Fiber, Crude (%)	0298	15.35	0.1000	14.45	0.7346	0.2905	119	1.23	004.07	0
004	Fiber, Crude (%)	0848	15.36	0.0200	14.45	0.7346	0.2905	119	1.24	004.07	0
004	Fiber, Crude (%)	0208	15.45	0.7000	14.45	0.7346	0.2905	119	1.37	004.00	0
004	Fiber, Crude (%)	0089	15.45	0.0000	14.45	0.7346	0.2905	119	1.37	004.07	0
004	Fiber, Crude (%)	0034	15.64	0.5000	14.45	0.7346	0.2905	119	1.63	004.07	0
004	Fiber, Crude (%)	0164	15.65	0.1000	14.45	0.7346	0.2905	119	1.64	004.00	0
004	Fiber, Crude (%)	0626	15.66	0.0500	14.45	0.7346	0.2905	119	1.65	004.07	0
004	Fiber, Crude (%)	2076	15.67	0.3200	14.45	0.7346	0.2905	119	1.67	004.00	0
004	Fiber, Crude (%)	0345	15.91	0.2100	14.45	0.7346	0.2905	119	1.99	004.00	0
004	Fiber, Crude (%)	0596	16.15	0.8300	14.45	0.7346	0.2905	119	2.31	004.07	0
004	Fiber, Crude (%)	0536	17.45	0.3500	14.45	0.7346	0.2905	119	4.08	004.07	0
004	Fiber, Crude (%)	2109	17.71	0.3300	14.45	0.7346	0.2905	119	4.44	004.07	0
004	Fiber, Crude (%)	2318	20.69	0.2000	14.45	0.7346	0.2905	119	8.50	004.06	0
004	Fiber, Crude (%)	0297	3.670	0.4000	14.45	0.7346	0.2905	119	-14.67	004.07	2
005	Ash (%)	2081	6.120	0.1200	7.085	0.2768	0.0725	132	-3.49	005.99	0
005	Ash (%)	2184	6.455	0.2500	7.085	0.2768	0.0725	132	-2.28	005.00	0
005	Ash (%)	0019	6.550	0.1000	7.085	0.2768	0.0725	132	-1.93	005.00	0
005	Ash (%)	0539	6.580	0.0400	7.085	0.2768	0.0725	132	-1.82	005.00	0
005	Ash (%)	0144	6.595	0.0100	7.085	0.2768	0.0725	132	-1.77	005.00	0
005	Ash (%)	2268	6.600	0.0400	7.085	0.2768	0.0725	132	-1.75	005.00	0
005	Ash (%)	0049	6.620	0.2400	7.085	0.2768	0.0725	132	-1.68	005.00	0
005	Ash (%)	0278	6.640	0.0400	7.085	0.2768	0.0725	132	-1.61	005.00	0
005	Ash (%)	0914	6.640	0.1200	7.085	0.2768	0.0725	132	-1.61	005.00	0
005	Ash (%)	0169	6.665	0.0100	7.085	0.2768	0.0725	132	-1.52	005.00	0
005	Ash (%)	0728	6.685	0.0700	7.085	0.2768	0.0725	132	-1.44	005.99	0
005	Ash (%)	0520	6.695	0.0300	7.085	0.2768	0.0725	132	-1.41	005.00	0
005	Ash (%)	0042	6.735	0.0100	7.085	0.2768	0.0725	132	-1.26	005.00	0
005	Ash (%)	0425	6.765	0.0900	7.085	0.2768	0.0725	132	-1.16	005.00	0
005	Ash (%)	0650	6.785	0.0500	7.085	0.2768	0.0725	132	-1.08	005.00	0
005	Ash (%)	2073	6.785	0.0100	7.085	0.2768	0.0725	132	-1.08	005.00	0
005	Ash (%)	2150	6.785	0.0300	7.085	0.2768	0.0725	132	-1.08	005.00	0
005	Ash (%)	0357	6.800	0.0000	7.085	0.2768	0.0725	132	-1.03	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0682	6.800	0.0000	7.085	0.2768	0.0725	132	-1.03	005.00	0
005	Ash (%)	0876	6.800	0.0000	7.085	0.2768	0.0725	132	-1.03	005.00	0
005	Ash (%)	0358	6.805	0.0100	7.085	0.2768	0.0725	132	-1.01	005.00	0
005	Ash (%)	2022	6.805	0.0700	7.085	0.2768	0.0725	132	-1.01	005.00	0
005	Ash (%)	0726	6.805	0.0100	7.085	0.2768	0.0725	132	-1.01	005.05	0
005	Ash (%)	0004	6.815	0.0300	7.085	0.2768	0.0725	132	-0.97	005.00	0
005	Ash (%)	0505	6.825	0.0900	7.085	0.2768	0.0725	132	-0.94	005.00	0
005	Ash (%)	0208	6.830	0.0200	7.085	0.2768	0.0725	132	-0.92	005.00	0
005	Ash (%)	0108	6.835	0.2700	7.085	0.2768	0.0725	132	-0.90	005.00	0
005	Ash (%)	0164	6.835	0.1100	7.085	0.2768	0.0725	132	-0.90	005.00	0
005	Ash (%)	0574	6.835	0.0100	7.085	0.2768	0.0725	132	-0.90	005.00	0
005	Ash (%)	0511	6.835	0.2900	7.085	0.2768	0.0725	132	-0.90	005.00	0
005	Ash (%)	2302	6.840	0.0400	7.085	0.2768	0.0725	132	-0.88	005.00	0
005	Ash (%)	0956	6.850	0.1000	7.085	0.2768	0.0725	132	-0.85	005.00	0
005	Ash (%)	0953	6.865	0.2100	7.085	0.2768	0.0725	132	-0.79	005.00	0
005	Ash (%)	0003	6.865	0.1300	7.085	0.2768	0.0725	132	-0.79	005.05	0
005	Ash (%)	0881	6.879	0.1220	7.085	0.2768	0.0725	132	-0.74	005.00	0
005	Ash (%)	0598	6.885	0.0100	7.085	0.2768	0.0725	132	-0.72	005.00	0
005	Ash (%)	0066	6.885	0.0500	7.085	0.2768	0.0725	132	-0.72	005.05	0
005	Ash (%)	0918	6.900	0.0600	7.085	0.2768	0.0725	132	-0.67	005.00	0
005	Ash (%)	2199	6.900	0.0000	7.085	0.2768	0.0725	132	-0.67	005.00	0
005	Ash (%)	2200	6.900	0.2000	7.085	0.2768	0.0725	132	-0.67	005.00	0
005	Ash (%)	0589	6.905	0.0300	7.085	0.2768	0.0725	132	-0.65	005.00	0
005	Ash (%)	0083	6.910	0.0000	7.085	0.2768	0.0725	132	-0.63	005.00	0
005	Ash (%)	0354	6.910	0.0200	7.085	0.2768	0.0725	132	-0.63	005.00	0
005	Ash (%)	0148	6.925	0.0900	7.085	0.2768	0.0725	132	-0.58	005.00	0
005	Ash (%)	0693	6.928	0.1180	7.085	0.2768	0.0725	132	-0.57	005.00	0
005	Ash (%)	0541	6.940	0.3000	7.085	0.2768	0.0725	132	-0.52	005.00	0
005	Ash (%)	0263	6.950	0.0097	7.085	0.2768	0.0725	132	-0.49	005.05	0
005	Ash (%)	2291	6.975	0.1500	7.085	0.2768	0.0725	132	-0.40	005.05	0
005	Ash (%)	2188	6.985	0.2100	7.085	0.2768	0.0725	132	-0.36	005.00	0
005	Ash (%)	0852	6.985	0.0300	7.085	0.2768	0.0725	132	-0.36	005.11	0
005	Ash (%)	0536	6.985	0.0100	7.085	0.2768	0.0725	132	-0.36	005.99	0
005	Ash (%)	0045	6.990	0.0400	7.085	0.2768	0.0725	132	-0.34	005.00	0
005	Ash (%)	0265	7.000	0.0000	7.085	0.2768	0.0725	132	-0.31	005.00	0
005	Ash (%)	0848	7.000	0.0200	7.085	0.2768	0.0725	132	-0.31	005.00	0
005	Ash (%)	0912	7.000	0.0000	7.085	0.2768	0.0725	132	-0.31	005.03	0
005	Ash (%)	0033	7.005	0.0300	7.085	0.2768	0.0725	132	-0.29	005.00	0
005	Ash (%)	0870	7.032	0.1851	7.085	0.2768	0.0725	132	-0.19	005.00	0
005	Ash (%)	0001	7.061	0.2076	7.085	0.2768	0.0725	132	-0.09	005.00	0
005	Ash (%)	0510	7.090	0.0400	7.085	0.2768	0.0725	132	0.02	005.00	0
005	Ash (%)	0100	7.095	0.0900	7.085	0.2768	0.0725	132	0.04	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0353	7.115	0.0100	7.085	0.2768	0.0725	132	0.11	005.00	0
005	Ash (%)	0062	7.116	0.0240	7.085	0.2768	0.0725	132	0.11	005.00	0
005	Ash (%)	0242	7.120	0.0200	7.085	0.2768	0.0725	132	0.13	005.00	0
005	Ash (%)	0297	7.130	0.4800	7.085	0.2768	0.0725	132	0.16	005.00	0
005	Ash (%)	0229	7.135	0.2700	7.085	0.2768	0.0725	132	0.18	005.00	0
005	Ash (%)	0968	7.135	0.0700	7.085	0.2768	0.0725	132	0.18	005.02	0
005	Ash (%)	0407	7.136	0.2268	7.085	0.2768	0.0725	132	0.19	005.00	0
005	Ash (%)	0186	7.137	0.0560	7.085	0.2768	0.0725	132	0.19	005.00	0
005	Ash (%)	0035	7.145	0.0300	7.085	0.2768	0.0725	132	0.22	005.00	0
005	Ash (%)	2192	7.145	0.1700	7.085	0.2768	0.0725	132	0.22	005.05	0
005	Ash (%)	0618	7.145	0.0352	7.085	0.2768	0.0725	132	0.22	005.00	0
005	Ash (%)	0298	7.150	0.0200	7.085	0.2768	0.0725	132	0.24	005.00	0
005	Ash (%)	2006	7.155	0.0500	7.085	0.2768	0.0725	132	0.25	005.00	0
005	Ash (%)	0596	7.160	0.0400	7.085	0.2768	0.0725	132	0.27	005.05	0
005	Ash (%)	0689	7.160	0.0000	7.085	0.2768	0.0725	132	0.27	005.05	0
005	Ash (%)	2181	7.165	0.0300	7.085	0.2768	0.0725	132	0.29	005.00	0
005	Ash (%)	0098	7.170	0.0200	7.085	0.2768	0.0725	132	0.31	005.00	0
005	Ash (%)	0880	7.170	0.0600	7.085	0.2768	0.0725	132	0.31	005.00	0
005	Ash (%)	2196	7.170	0.0000	7.085	0.2768	0.0725	132	0.31	005.00	0
005	Ash (%)	0581	7.180	0.1000	7.085	0.2768	0.0725	132	0.34	005.00	0
005	Ash (%)	0674	7.180	0.0000	7.085	0.2768	0.0725	132	0.34	005.00	0
005	Ash (%)	2193	7.190	0.0400	7.085	0.2768	0.0725	132	0.38	005.00	0
005	Ash (%)	0294	7.200	0.0000	7.085	0.2768	0.0725	132	0.42	005.05	0
005	Ash (%)	2109	7.205	0.3500	7.085	0.2768	0.0725	132	0.43	005.05	0
005	Ash (%)	0653	7.215	0.0500	7.085	0.2768	0.0725	132	0.47	005.05	0
005	Ash (%)	0123	7.220	0.0400	7.085	0.2768	0.0725	132	0.49	005.00	0
005	Ash (%)	0656	7.240	0.0000	7.085	0.2768	0.0725	132	0.56	005.00	0
005	Ash (%)	0345	7.245	0.0300	7.085	0.2768	0.0725	132	0.58	005.00	0
005	Ash (%)	0563	7.251	0.2084	7.085	0.2768	0.0725	132	0.60	005.00	0
005	Ash (%)	0643	7.255	0.0300	7.085	0.2768	0.0725	132	0.62	005.00	0
005	Ash (%)	0968	7.255	0.0100	7.085	0.2768	0.0725	132	0.62	005.00	0
005	Ash (%)	0171	7.260	0.0000	7.085	0.2768	0.0725	132	0.63	005.00	0
005	Ash (%)	0619	7.260	0.0000	7.085	0.2768	0.0725	132	0.63	005.05	0
005	Ash (%)	2325	7.270	0.0200	7.085	0.2768	0.0725	132	0.67	005.05	0
005	Ash (%)	2295	7.275	0.0100	7.085	0.2768	0.0725	132	0.69	005.05	0
005	Ash (%)	0868	7.285	0.0100	7.085	0.2768	0.0725	132	0.72	005.05	0
005	Ash (%)	0675	7.300	0.0800	7.085	0.2768	0.0725	132	0.78	005.00	0
005	Ash (%)	0610	7.300	0.0600	7.085	0.2768	0.0725	132	0.78	005.05	0
005	Ash (%)	0878	7.300	0.1000	7.085	0.2768	0.0725	132	0.78	005.05	0
005	Ash (%)	0884	7.300	0.0000	7.085	0.2768	0.0725	132	0.78	005.99	0
005	Ash (%)	2319	7.300	0.0000	7.085	0.2768	0.0725	132	0.78	005.99	0
005	Ash (%)	0692	7.300	0.2000	7.085	0.2768	0.0725	132	0.78	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	2062	7.301	0.0068	7.085	0.2768	0.0725	132	0.78	005.05	0
005	Ash (%)	0202	7.305	0.0500	7.085	0.2768	0.0725	132	0.80	005.99	0
005	Ash (%)	0047	7.310	0.0000	7.085	0.2768	0.0725	132	0.81	005.00	0
005	Ash (%)	2146	7.310	0.0000	7.085	0.2768	0.0725	132	0.81	005.05	0
005	Ash (%)	0309	7.311	0.0230	7.085	0.2768	0.0725	132	0.82	005.00	0
005	Ash (%)	2009	7.314	0.0116	7.085	0.2768	0.0725	132	0.83	005.05	0
005	Ash (%)	0939	7.330	0.0400	7.085	0.2768	0.0725	132	0.89	005.05	0
005	Ash (%)	0885	7.332	0.0055	7.085	0.2768	0.0725	132	0.89	005.05	0
005	Ash (%)	0590	7.335	0.0100	7.085	0.2768	0.0725	132	0.90	005.05	0
005	Ash (%)	0897	7.335	0.0100	7.085	0.2768	0.0725	132	0.90	005.05	0
005	Ash (%)	0910	7.350	0.1000	7.085	0.2768	0.0725	132	0.96	005.99	0
005	Ash (%)	0948	7.355	0.1300	7.085	0.2768	0.0725	132	0.98	005.00	0
005	Ash (%)	0034	7.367	0.0820	7.085	0.2768	0.0725	132	1.02	005.05	0
005	Ash (%)	2246	7.380	0.0000	7.085	0.2768	0.0725	132	1.07	005.05	0
005	Ash (%)	0226	7.385	0.0500	7.085	0.2768	0.0725	132	1.08	005.00	0
005	Ash (%)	0941	7.385	0.0700	7.085	0.2768	0.0725	132	1.08	005.05	0
005	Ash (%)	2144	7.390	0.0000	7.085	0.2768	0.0725	132	1.10	005.05	0
005	Ash (%)	0297	7.390	0.2000	7.085	0.2768	0.0725	132	1.10	005.11	0
005	Ash (%)	0190	7.400	0.0400	7.085	0.2768	0.0725	132	1.14	005.05	0
005	Ash (%)	0638	7.400	0.0000	7.085	0.2768	0.0725	132	1.14	005.05	0
005	Ash (%)	0652	7.400	0.2000	7.085	0.2768	0.0725	132	1.14	005.99	0
005	Ash (%)	0142	7.410	0.2200	7.085	0.2768	0.0725	132	1.18	005.00	0
005	Ash (%)	0676	7.415	0.0100	7.085	0.2768	0.0725	132	1.19	005.99	0
005	Ash (%)	2259	7.475	0.0100	7.085	0.2768	0.0725	132	1.41	005.00	0
005	Ash (%)	0644	7.477	0.0680	7.085	0.2768	0.0725	132	1.42	005.02	0
005	Ash (%)	2129	7.485	0.0140	7.085	0.2768	0.0725	132	1.45	005.05	0
005	Ash (%)	2089	7.495	0.1300	7.085	0.2768	0.0725	132	1.48	005.00	0
005	Ash (%)	0685	7.515	0.0100	7.085	0.2768	0.0725	132	1.55	005.05	0
005	Ash (%)	2318	8.010	0.0800	7.085	0.2768	0.0725	132	3.34	005.05	0
005	Ash (%)	2246	8.385	0.3700	7.085	0.2768	0.0725	132	4.70	005.00	0
005	Ash (%)	0853	6.400	0.6000	7.085	0.2768	0.0725	132	-2.47	005.00	1
005	Ash (%)	0529	7.125	0.6500	7.085	0.2768	0.0725	132	0.15	005.00	1
005	Ash (%)	0512	7.130	0.7650	7.085	0.2768	0.0725	132	0.16	005.00	1
005	Ash (%)	0852	7.250	1.000	7.085	0.2768	0.0725	132	0.60	005.00	1
005	Ash (%)	2076	7.575	0.6685	7.085	0.2768	0.0725	132	1.77	005.00	1
006	Total Sugars (%)	0910	4.205	0.1700	4.749	0.5813	0.1543	7	-0.94	006.00	0
006	Total Sugars (%)	0941	4.300	0.2000	4.749	0.5813	0.1543	7	-0.77	006.03	0
006	Total Sugars (%)	2319	4.550	0.1000	4.749	0.5813	0.1543	7	-0.34	006.00	0
006	Total Sugars (%)	0956	4.600	0.6000	4.749	0.5813	0.1543	7	-0.26	006.99	0
006	Total Sugars (%)	2192	4.710	0.0000	4.749	0.5813	0.1543	7	-0.07	006.00	0
006	Total Sugars (%)	0407	5.255	0.0100	4.749	0.5813	0.1543	7	0.87	006.00	0
006	Total Sugars (%)	0912	8.100	0.0000	4.749	0.5813	0.1543	7	5.77	006.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
008	Fiber, Acid Detergent (%)	0939	16.17	0.4100	17.87	0.8609	0.3262	59	-1.98	008.08	0
008	Fiber, Acid Detergent (%)	0968	16.19	0.1900	17.87	0.8609	0.3262	59	-1.96	008.08	0
008	Fiber, Acid Detergent (%)	0675	16.40	0.0900	17.87	0.8609	0.3262	59	-1.71	008.08	0
008	Fiber, Acid Detergent (%)	0297	16.43	0.7800	17.87	0.8609	0.3262	59	-1.67	008.08	0
008	Fiber, Acid Detergent (%)	0590	16.60	0.2000	17.87	0.8609	0.3262	59	-1.47	008.08	0
008	Fiber, Acid Detergent (%)	0956	16.75	0.5000	17.87	0.8609	0.3262	59	-1.30	008.08	0
008	Fiber, Acid Detergent (%)	0676	16.84	0.0500	17.87	0.8609	0.3262	59	-1.20	008.02	0
008	Fiber, Acid Detergent (%)	2302	16.85	0.3100	17.87	0.8609	0.3262	59	-1.19	008.08	0
008	Fiber, Acid Detergent (%)	0004	16.94	0.2200	17.87	0.8609	0.3262	59	-1.08	008.08	0
008	Fiber, Acid Detergent (%)	0083	16.94	0.1800	17.87	0.8609	0.3262	59	-1.08	008.08	0
008	Fiber, Acid Detergent (%)	0870	17.03	1.017	17.87	0.8609	0.3262	59	-0.97	008.08	0
008	Fiber, Acid Detergent (%)	0918	17.05	0.2920	17.87	0.8609	0.3262	59	-0.95	008.08	0
008	Fiber, Acid Detergent (%)	0309	17.07	0.0175	17.87	0.8609	0.3262	59	-0.93	008.02	0
008	Fiber, Acid Detergent (%)	0049	17.20	1.320	17.87	0.8609	0.3262	59	-0.78	008.08	0
008	Fiber, Acid Detergent (%)	0358	17.29	0.1900	17.87	0.8609	0.3262	59	-0.68	008.08	0
008	Fiber, Acid Detergent (%)	0948	17.37	0.1500	17.87	0.8609	0.3262	59	-0.59	008.02	0
008	Fiber, Acid Detergent (%)	0619	17.50	0.2000	17.87	0.8609	0.3262	59	-0.43	008.08	0
008	Fiber, Acid Detergent (%)	0001	17.54	0.3500	17.87	0.8609	0.3262	59	-0.39	008.08	0
008	Fiber, Acid Detergent (%)	0848	17.58	0.2800	17.87	0.8609	0.3262	59	-0.34	008.08	0
008	Fiber, Acid Detergent (%)	0910	17.58	0.1800	17.87	0.8609	0.3262	59	-0.34	008.08	0
008	Fiber, Acid Detergent (%)	0353	17.60	0.1600	17.87	0.8609	0.3262	59	-0.31	008.02	0
008	Fiber, Acid Detergent (%)	0294	17.60	0.2000	17.87	0.8609	0.3262	59	-0.31	008.08	0
008	Fiber, Acid Detergent (%)	0345	17.68	0.1500	17.87	0.8609	0.3262	59	-0.23	008.02	0
008	Fiber, Acid Detergent (%)	0148	17.68	0.0600	17.87	0.8609	0.3262	59	-0.22	008.02	0
008	Fiber, Acid Detergent (%)	0581	17.76	0.4000	17.87	0.8609	0.3262	59	-0.13	008.08	0
008	Fiber, Acid Detergent (%)	0066	17.83	0.3100	17.87	0.8609	0.3262	59	-0.05	008.08	0
008	Fiber, Acid Detergent (%)	2146	17.83	0.7400	17.87	0.8609	0.3262	59	-0.05	008.08	0
008	Fiber, Acid Detergent (%)	2196	17.86	0.0000	17.87	0.8609	0.3262	59	-0.01	008.08	0
008	Fiber, Acid Detergent (%)	0035	17.87	0.2500	17.87	0.8609	0.3262	59	0.00	008.08	0
008	Fiber, Acid Detergent (%)	0726	17.90	0.4600	17.87	0.8609	0.3262	59	0.04	008.08	0
008	Fiber, Acid Detergent (%)	0948	17.91	0.6000	17.87	0.8609	0.3262	59	0.05	008.08	0
008	Fiber, Acid Detergent (%)	0098	18.04	0.4500	17.87	0.8609	0.3262	59	0.19	008.02	0
008	Fiber, Acid Detergent (%)	2246	18.05	0.1100	17.87	0.8609	0.3262	59	0.20	008.02	0
008	Fiber, Acid Detergent (%)	0278	18.05	0.3000	17.87	0.8609	0.3262	59	0.21	008.08	0
008	Fiber, Acid Detergent (%)	0610	18.05	0.1000	17.87	0.8609	0.3262	59	0.21	008.99	0
008	Fiber, Acid Detergent (%)	0912	18.10	0.4000	17.87	0.8609	0.3262	59	0.27	008.08	0
008	Fiber, Acid Detergent (%)	0354	18.13	0.0700	17.87	0.8609	0.3262	59	0.30	008.08	0
008	Fiber, Acid Detergent (%)	0357	18.15	0.1000	17.87	0.8609	0.3262	59	0.33	008.08	0
008	Fiber, Acid Detergent (%)	0511	18.15	0.5000	17.87	0.8609	0.3262	59	0.33	008.99	0
008	Fiber, Acid Detergent (%)	0693	18.16	0.7010	17.87	0.8609	0.3262	59	0.34	008.08	0
008	Fiber, Acid Detergent (%)	0263	18.17	0.1184	17.87	0.8609	0.3262	59	0.35	008.08	0
008	Fiber, Acid Detergent (%)	0265	18.25	0.1000	17.87	0.8609	0.3262	59	0.44	008.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
008	Fiber, Acid Detergent (%)	0171	18.27	0.5600	17.87	0.8609	0.3262	59	0.47	008.02	0
008	Fiber, Acid Detergent (%)	0190	18.32	0.0200	17.87	0.8609	0.3262	59	0.52	008.08	0
008	Fiber, Acid Detergent (%)	0037	18.34	0.1500	17.87	0.8609	0.3262	59	0.54	008.08	0
008	Fiber, Acid Detergent (%)	2192	18.35	0.2700	17.87	0.8609	0.3262	59	0.55	008.02	0
008	Fiber, Acid Detergent (%)	0941	18.44	0.1700	17.87	0.8609	0.3262	59	0.66	008.99	0
008	Fiber, Acid Detergent (%)	0878	18.63	0.1100	17.87	0.8609	0.3262	59	0.88	008.08	0
008	Fiber, Acid Detergent (%)	2193	18.64	0.0900	17.87	0.8609	0.3262	59	0.89	008.08	0
008	Fiber, Acid Detergent (%)	0964	18.67	0.2280	17.87	0.8609	0.3262	59	0.94	008.02	0
008	Fiber, Acid Detergent (%)	0226	18.68	0.4100	17.87	0.8609	0.3262	59	0.94	008.02	0
008	Fiber, Acid Detergent (%)	0148	18.91	0.0700	17.87	0.8609	0.3262	59	1.20	008.08	0
008	Fiber, Acid Detergent (%)	0689	18.95	0.3000	17.87	0.8609	0.3262	59	1.26	008.02	0
008	Fiber, Acid Detergent (%)	0045	19.10	1.600	17.87	0.8609	0.3262	59	1.43	008.08	0
008	Fiber, Acid Detergent (%)	0407	19.15	0.9142	17.87	0.8609	0.3262	59	1.49	008.08	0
008	Fiber, Acid Detergent (%)	0510	19.15	0.1000	17.87	0.8609	0.3262	59	1.49	008.08	0
008	Fiber, Acid Detergent (%)	0164	19.25	0.1000	17.87	0.8609	0.3262	59	1.60	008.08	0
008	Fiber, Acid Detergent (%)	0536	19.27	0.1200	17.87	0.8609	0.3262	59	1.63	008.08	0
008	Fiber, Acid Detergent (%)	2129	19.31	0.8260	17.87	0.8609	0.3262	59	1.68	008.08	0
008	Fiber, Acid Detergent (%)	0042	18.75	2.100	17.87	0.8609	0.3262	59	1.02	008.08	1
009	Fiber, Neutral Detergent (%)	0939	25.70	0.2800	27.30	1.231	0.3683	56	-1.30	009.09	0
009	Fiber, Neutral Detergent (%)	2196	25.78	0.0000	27.30	1.231	0.3683	56	-1.23	009.09	0
009	Fiber, Neutral Detergent (%)	0598	25.79	0.0300	27.30	1.231	0.3683	56	-1.23	009.09	0
009	Fiber, Neutral Detergent (%)	0358	25.86	0.1200	27.30	1.231	0.3683	56	-1.17	009.09	0
009	Fiber, Neutral Detergent (%)	0910	25.90	0.6000	27.30	1.231	0.3683	56	-1.13	009.07	0
009	Fiber, Neutral Detergent (%)	0263	25.93	0.0724	27.30	1.231	0.3683	56	-1.11	009.09	0
009	Fiber, Neutral Detergent (%)	0354	25.96	0.1300	27.30	1.231	0.3683	56	-1.09	009.09	0
009	Fiber, Neutral Detergent (%)	0918	26.02	0.9700	27.30	1.231	0.3683	56	-1.04	009.09	0
009	Fiber, Neutral Detergent (%)	0581	26.05	0.1000	27.30	1.231	0.3683	56	-1.01	009.09	0
009	Fiber, Neutral Detergent (%)	2146	26.18	0.6400	27.30	1.231	0.3683	56	-0.91	009.09	0
009	Fiber, Neutral Detergent (%)	0675	26.21	0.1300	27.30	1.231	0.3683	56	-0.89	009.09	0
009	Fiber, Neutral Detergent (%)	0638	26.42	0.0000	27.30	1.231	0.3683	56	-0.71	009.09	0
009	Fiber, Neutral Detergent (%)	0049	26.44	0.2200	27.30	1.231	0.3683	56	-0.69	009.09	0
009	Fiber, Neutral Detergent (%)	0294	26.45	0.3000	27.30	1.231	0.3683	56	-0.69	009.09	0
009	Fiber, Neutral Detergent (%)	0407	26.50	0.2388	27.30	1.231	0.3683	56	-0.65	009.09	0
009	Fiber, Neutral Detergent (%)	2129	26.52	0.2010	27.30	1.231	0.3683	56	-0.63	009.09	0
009	Fiber, Neutral Detergent (%)	0956	26.65	0.5000	27.30	1.231	0.3683	56	-0.52	009.09	0
009	Fiber, Neutral Detergent (%)	0912	26.70	0.2000	27.30	1.231	0.3683	56	-0.48	009.09	0
009	Fiber, Neutral Detergent (%)	0035	26.72	0.2400	27.30	1.231	0.3683	56	-0.47	009.09	0
009	Fiber, Neutral Detergent (%)	0278	26.75	0.1000	27.30	1.231	0.3683	56	-0.44	009.09	0
009	Fiber, Neutral Detergent (%)	0619	26.75	0.1000	27.30	1.231	0.3683	56	-0.44	009.09	0
009	Fiber, Neutral Detergent (%)	2193	26.81	0.1400	27.30	1.231	0.3683	56	-0.39	009.09	0
009	Fiber, Neutral Detergent (%)	0083	26.93	0.4300	27.30	1.231	0.3683	56	-0.30	009.09	0
009	Fiber, Neutral Detergent (%)	2302	26.93	0.2500	27.30	1.231	0.3683	56	-0.30	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
009	Fiber, Neutral Detergent (%)	2022	26.94	0.2600	27.30	1.231	0.3683	56	-0.29	009.09	0
009	Fiber, Neutral Detergent (%)	0037	26.95	0.3100	27.30	1.231	0.3683	56	-0.28	009.09	0
009	Fiber, Neutral Detergent (%)	0693	26.98	0.0850	27.30	1.231	0.3683	56	-0.26	009.09	0
009	Fiber, Neutral Detergent (%)	0357	27.00	0.0000	27.30	1.231	0.3683	56	-0.24	009.09	0
009	Fiber, Neutral Detergent (%)	0870	27.00	0.5173	27.30	1.231	0.3683	56	-0.24	009.09	0
009	Fiber, Neutral Detergent (%)	0265	27.10	0.4000	27.30	1.231	0.3683	56	-0.16	009.09	0
009	Fiber, Neutral Detergent (%)	0353	27.14	0.6900	27.30	1.231	0.3683	56	-0.13	009.07	0
009	Fiber, Neutral Detergent (%)	0148	27.18	0.0400	27.30	1.231	0.3683	56	-0.09	009.09	0
009	Fiber, Neutral Detergent (%)	0878	27.20	0.5200	27.30	1.231	0.3683	56	-0.08	009.09	0
009	Fiber, Neutral Detergent (%)	0726	27.27	0.4000	27.30	1.231	0.3683	56	-0.02	009.09	0
009	Fiber, Neutral Detergent (%)	0066	27.31	0.3000	27.30	1.231	0.3683	56	0.01	009.09	0
009	Fiber, Neutral Detergent (%)	0297	27.43	0.6200	27.30	1.231	0.3683	56	0.11	009.09	0
009	Fiber, Neutral Detergent (%)	0098	27.45	0.5000	27.30	1.231	0.3683	56	0.13	009.07	0
009	Fiber, Neutral Detergent (%)	0968	27.61	1.800	27.30	1.231	0.3683	56	0.26	009.09	0
009	Fiber, Neutral Detergent (%)	0676	27.92	0.2900	27.30	1.231	0.3683	56	0.50	009.07	0
009	Fiber, Neutral Detergent (%)	0345	28.00	0.2000	27.30	1.231	0.3683	56	0.57	009.07	0
009	Fiber, Neutral Detergent (%)	0590	28.05	1.500	27.30	1.231	0.3683	56	0.61	009.09	0
009	Fiber, Neutral Detergent (%)	0941	28.18	0.1100	27.30	1.231	0.3683	56	0.71	009.99	0
009	Fiber, Neutral Detergent (%)	0610	28.25	0.5000	27.30	1.231	0.3683	56	0.78	009.07	0
009	Fiber, Neutral Detergent (%)	0948	28.28	0.1000	27.30	1.231	0.3683	56	0.80	009.07	0
009	Fiber, Neutral Detergent (%)	0164	28.35	0.7000	27.30	1.231	0.3683	56	0.86	009.09	0
009	Fiber, Neutral Detergent (%)	0948	28.46	0.2700	27.30	1.231	0.3683	56	0.94	009.09	0
009	Fiber, Neutral Detergent (%)	0226	28.61	0.3900	27.30	1.231	0.3683	56	1.06	009.07	0
009	Fiber, Neutral Detergent (%)	0964	28.97	1.131	27.30	1.231	0.3683	56	1.36	009.07	0
009	Fiber, Neutral Detergent (%)	2192	29.04	1.500	27.30	1.231	0.3683	56	1.42	009.07	0
009	Fiber, Neutral Detergent (%)	0689	29.15	0.3000	27.30	1.231	0.3683	56	1.51	009.07	0
009	Fiber, Neutral Detergent (%)	0536	29.20	0.1900	27.30	1.231	0.3683	56	1.54	009.09	0
009	Fiber, Neutral Detergent (%)	0848	29.24	0.2900	27.30	1.231	0.3683	56	1.58	009.09	0
009	Fiber, Neutral Detergent (%)	0309	29.62	0.2301	27.30	1.231	0.3683	56	1.89	009.07	0
009	Fiber, Neutral Detergent (%)	0510	29.70	0.2000	27.30	1.231	0.3683	56	1.95	009.09	0
009	Fiber, Neutral Detergent (%)	2246	30.31	0.0500	27.30	1.231	0.3683	56	2.44	009.07	0
009	Fiber, Neutral Detergent (%)	0190	31.16	0.2400	27.30	1.231	0.3683	56	3.14	009.09	0
009	Fiber, Neutral Detergent (%)	2291	32.12	3.430	27.30	1.231	0.3683	56	3.91	009.07	1
009	Fiber, Neutral Detergent (%)	0045	90.80	0.4000	27.30	1.231	0.3683	56	51.58	009.09	2
010	Moisture (%)	0164	7.495	0.0300	8.532	0.5097	0.1123	17	-2.03	010.03	0
010	Moisture (%)	0553	7.870	0.1800	8.532	0.5097	0.1123	17	-1.30	010.11	0
010	Moisture (%)	0843	7.945	0.1900	8.532	0.5097	0.1123	17	-1.15	010.03	0
010	Moisture (%)	0964	8.165	0.0920	8.532	0.5097	0.1123	17	-0.72	010.99	0
010	Moisture (%)	0726	8.265	0.0500	8.532	0.5097	0.1123	17	-0.52	010.99	0
010	Moisture (%)	0948	8.295	0.0100	8.532	0.5097	0.1123	17	-0.46	010.99	0
010	Moisture (%)	0939	8.425	0.0500	8.532	0.5097	0.1123	17	-0.21	010.99	0
010	Moisture (%)	0884	8.550	0.1000	8.532	0.5097	0.1123	17	0.04	010.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
010	Moisture (%)	0190	8.580	0.0800	8.532	0.5097	0.1123	17	0.09	010.99	0
010	Moisture (%)	2076	8.625	0.5100	8.532	0.5097	0.1123	17	0.18	010.99	0
010	Moisture (%)	2129	8.690	0.1170	8.532	0.5097	0.1123	17	0.31	010.99	0
010	Moisture (%)	2150	8.695	0.0500	8.532	0.5097	0.1123	17	0.32	010.99	0
010	Moisture (%)	0652	8.700	0.0000	8.532	0.5097	0.1123	17	0.33	010.99	0
010	Moisture (%)	0914	8.900	0.0600	8.532	0.5097	0.1123	17	0.72	010.99	0
010	Moisture (%)	2089	8.975	0.3300	8.532	0.5097	0.1123	17	0.87	010.99	0
010	Moisture (%)	2043	9.590	0.0400	8.532	0.5097	0.1123	17	2.08	010.99	0
010	Moisture (%)	0852	11.09	0.0200	8.532	0.5097	0.1123	17	5.02	010.11	0
010	Moisture (%)	0692	91.60	0.4000	8.532	0.5097	0.1123	17	162.99	010.99	2
011	Loss on Drying (%)	2200	8.050	0.1000	9.129	0.2562	0.0975	69	-4.21	011.01	0
011	Loss on Drying (%)	2199	8.500	0.2000	9.129	0.2562	0.0975	69	-2.45	011.01	0
011	Loss on Drying (%)	0536	8.545	0.0100	9.129	0.2562	0.0975	69	-2.28	011.01	0
011	Loss on Drying (%)	0968	8.590	0.0400	9.129	0.2562	0.0975	69	-2.10	011.01	0
011	Loss on Drying (%)	0857	8.600	0.2000	9.129	0.2562	0.0975	69	-2.06	011.99	0
011	Loss on Drying (%)	0685	8.665	0.0100	9.129	0.2562	0.0975	69	-1.81	011.01	0
011	Loss on Drying (%)	2325	8.755	0.0100	9.129	0.2562	0.0975	69	-1.46	011.01	0
011	Loss on Drying (%)	0425	8.765	0.0300	9.129	0.2562	0.0975	69	-1.42	011.01	0
011	Loss on Drying (%)	0208	8.800	0.1200	9.129	0.2562	0.0975	69	-1.28	011.01	0
011	Loss on Drying (%)	0675	8.805	0.1300	9.129	0.2562	0.0975	69	-1.26	011.01	0
011	Loss on Drying (%)	0859	8.885	0.0160	9.129	0.2562	0.0975	69	-0.95	011.01	0
011	Loss on Drying (%)	0108	8.895	0.5700	9.129	0.2562	0.0975	69	-0.91	011.01	0
011	Loss on Drying (%)	0520	8.950	0.1000	9.129	0.2562	0.0975	69	-0.70	011.01	0
011	Loss on Drying (%)	0598	8.965	0.0100	9.129	0.2562	0.0975	69	-0.64	011.01	0
011	Loss on Drying (%)	0354	8.975	0.0100	9.129	0.2562	0.0975	69	-0.60	011.01	0
011	Loss on Drying (%)	0728	8.975	0.0100	9.129	0.2562	0.0975	69	-0.60	011.01	0
011	Loss on Drying (%)	2188	8.990	0.1800	9.129	0.2562	0.0975	69	-0.54	011.01	0
011	Loss on Drying (%)	0062	8.999	0.0190	9.129	0.2562	0.0975	69	-0.51	011.01	0
011	Loss on Drying (%)	0265	9.000	0.2000	9.129	0.2562	0.0975	69	-0.50	011.01	0
011	Loss on Drying (%)	0294	9.000	0.0000	9.129	0.2562	0.0975	69	-0.50	011.01	0
011	Loss on Drying (%)	0643	9.000	0.0000	9.129	0.2562	0.0975	69	-0.50	011.01	0
011	Loss on Drying (%)	2168	9.005	0.0100	9.129	0.2562	0.0975	69	-0.48	011.01	0
011	Loss on Drying (%)	2073	9.020	0.0400	9.129	0.2562	0.0975	69	-0.42	011.01	0
011	Loss on Drying (%)	2193	9.030	0.1000	9.129	0.2562	0.0975	69	-0.38	011.01	0
011	Loss on Drying (%)	0539	9.035	0.0500	9.129	0.2562	0.0975	69	-0.37	011.01	0
011	Loss on Drying (%)	0171	9.045	0.0500	9.129	0.2562	0.0975	69	-0.33	011.01	0
011	Loss on Drying (%)	0098	9.050	0.0000	9.129	0.2562	0.0975	69	-0.31	011.01	0
011	Loss on Drying (%)	0226	9.050	0.0200	9.129	0.2562	0.0975	69	-0.31	011.01	0
011	Loss on Drying (%)	0881	9.060	0.0660	9.129	0.2562	0.0975	69	-0.27	011.01	0
011	Loss on Drying (%)	0511	9.065	0.2700	9.129	0.2562	0.0975	69	-0.25	011.01	0
011	Loss on Drying (%)	0953	9.070	0.0400	9.129	0.2562	0.0975	69	-0.23	011.01	0
011	Loss on Drying (%)	2022	9.070	0.0600	9.129	0.2562	0.0975	69	-0.23	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
011	Loss on Drying (%)	2174	9.075	0.1300	9.129	0.2562	0.0975	69	-0.21	011.01	0
011	Loss on Drying (%)	2181	9.125	0.1100	9.129	0.2562	0.0975	69	-0.01	011.01	0
011	Loss on Drying (%)	0100	9.155	0.0300	9.129	0.2562	0.0975	69	0.10	011.01	0
011	Loss on Drying (%)	0263	9.160	0.1400	9.129	0.2562	0.0975	69	0.12	011.01	0
011	Loss on Drying (%)	0563	9.162	0.0435	9.129	0.2562	0.0975	69	0.13	011.01	0
011	Loss on Drying (%)	0529	9.165	0.0100	9.129	0.2562	0.0975	69	0.14	011.02	0
011	Loss on Drying (%)	2303	9.184	0.5420	9.129	0.2562	0.0975	69	0.22	011.99	0
011	Loss on Drying (%)	0653	9.190	0.0200	9.129	0.2562	0.0975	69	0.24	011.01	0
011	Loss on Drying (%)	0047	9.200	0.1600	9.129	0.2562	0.0975	69	0.28	011.01	0
011	Loss on Drying (%)	0066	9.200	0.0200	9.129	0.2562	0.0975	69	0.28	011.01	0
011	Loss on Drying (%)	0298	9.200	0.0200	9.129	0.2562	0.0975	69	0.28	011.01	0
011	Loss on Drying (%)	0510	9.200	0.0000	9.129	0.2562	0.0975	69	0.28	011.01	0
011	Loss on Drying (%)	0574	9.200	0.0400	9.129	0.2562	0.0975	69	0.28	011.01	0
011	Loss on Drying (%)	2006	9.205	0.0300	9.129	0.2562	0.0975	69	0.30	011.01	0
011	Loss on Drying (%)	0164	9.215	0.1100	9.129	0.2562	0.0975	69	0.34	011.01	0
011	Loss on Drying (%)	0870	9.243	0.0524	9.129	0.2562	0.0975	69	0.44	011.01	0
011	Loss on Drying (%)	0229	9.245	0.1100	9.129	0.2562	0.0975	69	0.45	011.01	0
011	Loss on Drying (%)	0144	9.265	0.0500	9.129	0.2562	0.0975	69	0.53	011.01	0
011	Loss on Drying (%)	2196	9.270	0.0000	9.129	0.2562	0.0975	69	0.55	011.01	0
011	Loss on Drying (%)	2302	9.270	0.0400	9.129	0.2562	0.0975	69	0.55	011.01	0
011	Loss on Drying (%)	0942	9.295	0.1900	9.129	0.2562	0.0975	69	0.65	011.02	0
011	Loss on Drying (%)	0541	9.320	0.3800	9.129	0.2562	0.0975	69	0.75	011.01	0
011	Loss on Drying (%)	0843	9.335	0.2700	9.129	0.2562	0.0975	69	0.81	011.01	0
011	Loss on Drying (%)	0123	9.355	0.0300	9.129	0.2562	0.0975	69	0.88	011.01	0
011	Loss on Drying (%)	0682	9.360	0.0000	9.129	0.2562	0.0975	69	0.90	011.01	0
011	Loss on Drying (%)	0004	9.390	0.2600	9.129	0.2562	0.0975	69	1.02	011.01	0
011	Loss on Drying (%)	2184	9.390	0.0400	9.129	0.2562	0.0975	69	1.02	011.01	0
011	Loss on Drying (%)	0618	9.410	0.0200	9.129	0.2562	0.0975	69	1.10	011.01	0
011	Loss on Drying (%)	0407	9.442	0.0391	9.129	0.2562	0.0975	69	1.22	011.01	0
011	Loss on Drying (%)	0202	9.470	0.0800	9.129	0.2562	0.0975	69	1.33	011.01	0
011	Loss on Drying (%)	2246	9.475	0.4300	9.129	0.2562	0.0975	69	1.35	011.01	0
011	Loss on Drying (%)	0589	9.475	0.0300	9.129	0.2562	0.0975	69	1.35	011.01	0
011	Loss on Drying (%)	0309	9.480	0.2800	9.129	0.2562	0.0975	69	1.37	011.01	0
011	Loss on Drying (%)	0242	9.485	0.0900	9.129	0.2562	0.0975	69	1.39	011.01	0
011	Loss on Drying (%)	0674	9.560	0.0000	9.129	0.2562	0.0975	69	1.68	011.01	0
011	Loss on Drying (%)	0358	9.740	0.1000	9.129	0.2562	0.0975	69	2.39	011.01	0
011	Loss on Drying (%)	0852	10.98	0.1600	9.129	0.2562	0.0975	69	7.23	011.99	0
011	Loss on Drying (%)	2268	9.940	1.860	9.129	0.2562	0.0975	69	3.17	011.01	1
011	Loss on Drying (%)	0880	10.23	2.270	9.129	0.2562	0.0975	69	4.28	011.01	1
012	Starch (%)	0510	20.70	0.2000	25.67	2.257	0.3356	32	-2.20	012.04	0
012	Starch (%)	0918	22.43	0.1660	25.67	2.257	0.3356	32	-1.44	012.01	0
012	Starch (%)	0297	23.09	1.080	25.67	2.257	0.3356	32	-1.14	012.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
012	Starch (%)	0910	23.10	0.2000	25.67	2.257	0.3356	32	-1.14	012.01	0
012	Starch (%)	0870	23.35	1.446	25.67	2.257	0.3356	32	-1.03	012.01	0
012	Starch (%)	0045	23.55	0.5000	25.67	2.257	0.3356	32	-0.94	012.01	0
012	Starch (%)	0676	23.75	0.0700	25.67	2.257	0.3356	32	-0.85	012.01	0
012	Starch (%)	0353	23.76	0.1200	25.67	2.257	0.3356	32	-0.85	012.20	0
012	Starch (%)	0098	23.85	0.9000	25.67	2.257	0.3356	32	-0.81	012.04	0
012	Starch (%)	2129	24.18	0.8960	25.67	2.257	0.3356	32	-0.66	012.04	0
012	Starch (%)	0297	24.27	0.3500	25.67	2.257	0.3356	32	-0.62	012.03	0
012	Starch (%)	0278	24.40	0.2000	25.67	2.257	0.3356	32	-0.56	012.04	0
012	Starch (%)	2192	24.73	0.0600	25.67	2.257	0.3356	32	-0.42	012.00	0
012	Starch (%)	0164	25.05	0.5000	25.67	2.257	0.3356	32	-0.28	012.01	0
012	Starch (%)	0148	25.25	0.2200	25.67	2.257	0.3356	32	-0.19	012.01	0
012	Starch (%)	2196	25.80	0.0000	25.67	2.257	0.3356	32	0.06	012.00	0
012	Starch (%)	0693	25.99	0.7330	25.67	2.257	0.3356	32	0.14	012.01	0
012	Starch (%)	2193	26.21	0.0500	25.67	2.257	0.3356	32	0.24	012.00	0
012	Starch (%)	0689	26.60	0.8000	25.67	2.257	0.3356	32	0.41	012.00	0
012	Starch (%)	2188	26.68	0.0800	25.67	2.257	0.3356	32	0.45	012.00	0
012	Starch (%)	0619	26.90	0.0000	25.67	2.257	0.3356	32	0.54	012.00	0
012	Starch (%)	0948	27.13	0.2000	25.67	2.257	0.3356	32	0.65	012.04	0
012	Starch (%)	0878	27.25	0.1000	25.67	2.257	0.3356	32	0.70	012.00	0
012	Starch (%)	0354	27.33	0.2600	25.67	2.257	0.3356	32	0.74	012.00	0
012	Starch (%)	2181	27.39	0.2200	25.67	2.257	0.3356	32	0.76	012.00	0
012	Starch (%)	2006	27.41	0.1600	25.67	2.257	0.3356	32	0.77	012.00	0
012	Starch (%)	0910	27.75	0.3000	25.67	2.257	0.3356	32	0.92	012.00	0
012	Starch (%)	2089	27.90	0.3800	25.67	2.257	0.3356	32	0.99	012.01	0
012	Starch (%)	0164	28.05	0.1000	25.67	2.257	0.3356	32	1.05	012.00	0
012	Starch (%)	0885	28.20	0.0399	25.67	2.257	0.3356	32	1.12	012.01	0
012	Starch (%)	0265	28.80	0.4000	25.67	2.257	0.3356	32	1.39	012.01	0
012	Starch (%)	0852	34.45	0.0100	25.67	2.257	0.3356	32	3.89	012.11	0
012	Starch (%)	0407	22.44	2.589	25.67	2.257	0.3356	32	-1.43	012.03	1
012	Starch (%)	0956	23.60	2.600	25.67	2.257	0.3356	32	-0.92	012.01	1
013	Fat, Acid Pretreat (%)	0164	2.810	0.1200	4.480	0.5268	0.1891	49	-3.17	013.02	0
013	Fat, Acid Pretreat (%)	0229	2.995	0.2100	4.480	0.5268	0.1891	49	-2.82	013.00	0
013	Fat, Acid Pretreat (%)	0242	3.485	0.2300	4.480	0.5268	0.1891	49	-1.89	013.00	0
013	Fat, Acid Pretreat (%)	0939	3.775	0.0500	4.480	0.5268	0.1891	49	-1.34	013.10	0
013	Fat, Acid Pretreat (%)	0921	3.810	0.1670	4.480	0.5268	0.1891	49	-1.27	013.02	0
013	Fat, Acid Pretreat (%)	2129	3.811	0.6210	4.480	0.5268	0.1891	49	-1.27	013.13	0
013	Fat, Acid Pretreat (%)	0083	3.855	0.1300	4.480	0.5268	0.1891	49	-1.19	013.00	0
013	Fat, Acid Pretreat (%)	0036	3.967	0.0122	4.480	0.5268	0.1891	49	-0.98	013.10	0
013	Fat, Acid Pretreat (%)	2319	4.000	0.4000	4.480	0.5268	0.1891	49	-0.91	013.00	0
013	Fat, Acid Pretreat (%)	0618	4.028	0.0416	4.480	0.5268	0.1891	49	-0.86	013.08	0
013	Fat, Acid Pretreat (%)	0354	4.030	0.2000	4.480	0.5268	0.1891	49	-0.86	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
013	Fat, Acid Pretreat (%)	0689	4.100	0.2000	4.480	0.5268	0.1891	49	-0.72	013.00	0
013	Fat, Acid Pretreat (%)	2073	4.100	0.3000	4.480	0.5268	0.1891	49	-0.72	013.00	0
013	Fat, Acid Pretreat (%)	0650	4.225	0.0700	4.480	0.5268	0.1891	49	-0.48	013.00	0
013	Fat, Acid Pretreat (%)	0353	4.240	0.0800	4.480	0.5268	0.1891	49	-0.46	013.10	0
013	Fat, Acid Pretreat (%)	2076	4.252	0.4829	4.480	0.5268	0.1891	49	-0.43	013.00	0
013	Fat, Acid Pretreat (%)	0948	4.290	0.0200	4.480	0.5268	0.1891	49	-0.36	013.00	0
013	Fat, Acid Pretreat (%)	0541	4.295	0.2900	4.480	0.5268	0.1891	49	-0.35	013.00	0
013	Fat, Acid Pretreat (%)	0884	4.300	0.0000	4.480	0.5268	0.1891	49	-0.34	013.00	0
013	Fat, Acid Pretreat (%)	0910	4.360	0.0600	4.480	0.5268	0.1891	49	-0.23	013.00	0
013	Fat, Acid Pretreat (%)	0610	4.385	0.1100	4.480	0.5268	0.1891	49	-0.18	013.10	0
013	Fat, Acid Pretreat (%)	2196	4.440	0.0000	4.480	0.5268	0.1891	49	-0.08	013.10	0
013	Fat, Acid Pretreat (%)	0618	4.470	0.1000	4.480	0.5268	0.1891	49	-0.02	013.00	0
013	Fat, Acid Pretreat (%)	0914	4.470	0.1000	4.480	0.5268	0.1891	49	-0.02	013.02	0
013	Fat, Acid Pretreat (%)	0581	4.495	0.2900	4.480	0.5268	0.1891	49	0.03	013.13	0
013	Fat, Acid Pretreat (%)	0652	4.500	0.0000	4.480	0.5268	0.1891	49	0.04	013.00	0
013	Fat, Acid Pretreat (%)	0208	4.505	0.2700	4.480	0.5268	0.1891	49	0.05	013.02	0
013	Fat, Acid Pretreat (%)	0407	4.555	0.0900	4.480	0.5268	0.1891	49	0.14	013.02	0
013	Fat, Acid Pretreat (%)	0098	4.565	0.1500	4.480	0.5268	0.1891	49	0.16	013.02	0
013	Fat, Acid Pretreat (%)	0964	4.575	0.1300	4.480	0.5268	0.1891	49	0.18	013.02	0
013	Fat, Acid Pretreat (%)	0643	4.580	0.3800	4.480	0.5268	0.1891	49	0.19	013.02	0
013	Fat, Acid Pretreat (%)	0968	4.635	0.1900	4.480	0.5268	0.1891	49	0.29	013.13	0
013	Fat, Acid Pretreat (%)	0653	4.655	0.1700	4.480	0.5268	0.1891	49	0.33	013.13	0
013	Fat, Acid Pretreat (%)	0309	4.663	0.0325	4.480	0.5268	0.1891	49	0.35	013.00	0
013	Fat, Acid Pretreat (%)	0843	4.795	0.8100	4.480	0.5268	0.1891	49	0.60	013.13	0
013	Fat, Acid Pretreat (%)	0870	4.796	0.0386	4.480	0.5268	0.1891	49	0.60	013.02	0
013	Fat, Acid Pretreat (%)	2150	4.850	0.1600	4.480	0.5268	0.1891	49	0.70	013.00	0
013	Fat, Acid Pretreat (%)	0100	4.860	0.2600	4.480	0.5268	0.1891	49	0.72	013.02	0
013	Fat, Acid Pretreat (%)	0148	4.875	0.0900	4.480	0.5268	0.1891	49	0.75	013.02	0
013	Fat, Acid Pretreat (%)	0682	4.920	0.0000	4.480	0.5268	0.1891	49	0.83	013.02	0
013	Fat, Acid Pretreat (%)	2328	5.030	0.0400	4.480	0.5268	0.1891	49	1.04	013.02	0
013	Fat, Acid Pretreat (%)	0675	5.050	0.3200	4.480	0.5268	0.1891	49	1.08	013.02	0
013	Fat, Acid Pretreat (%)	0676	5.075	0.1500	4.480	0.5268	0.1891	49	1.13	013.02	0
013	Fat, Acid Pretreat (%)	0553	5.105	0.2100	4.480	0.5268	0.1891	49	1.19	013.02	0
013	Fat, Acid Pretreat (%)	0202	5.120	0.2000	4.480	0.5268	0.1891	49	1.21	013.00	0
013	Fat, Acid Pretreat (%)	0265	5.255	0.0900	4.480	0.5268	0.1891	49	1.47	013.13	0
013	Fat, Acid Pretreat (%)	0171	5.335	0.2900	4.480	0.5268	0.1891	49	1.62	013.02	0
013	Fat, Acid Pretreat (%)	2259	5.662	0.2970	4.480	0.5268	0.1891	49	2.24	013.02	0
013	Fat, Acid Pretreat (%)	0407	5.891	0.6137	4.480	0.5268	0.1891	49	2.68	013.13	0
013	Fat, Acid Pretreat (%)	0853	3.500	1.000	4.480	0.5268	0.1891	49	-1.86	013.02	1
015	Aluminum (ppm)	0169	17.45	0.1000	144.2	20.37	4.116	20	-6.22	015.43	0
015	Aluminum (ppm)	0037	120.5	3.800	144.2	20.37	4.116	20	-1.16	015.42	0
015	Aluminum (ppm)	0049	121.0	9.060	144.2	20.37	4.116	20	-1.14	015.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
015	Aluminum (ppm)	0520	130.5	1.000	144.2	20.37	4.116	20	-0.67	015.41	0
015	Aluminum (ppm)	0425	131.0	0.5000	144.2	20.37	4.116	20	-0.65	015.43	0
015	Aluminum (ppm)	2129	131.5	11.10	144.2	20.37	4.116	20	-0.62	015.42	0
015	Aluminum (ppm)	0918	132.8	1.133	144.2	20.37	4.116	20	-0.56	015.43	0
015	Aluminum (ppm)	0171	134.5	0.7000	144.2	20.37	4.116	20	-0.48	015.41	0
015	Aluminum (ppm)	0297	135.0	8.000	144.2	20.37	4.116	20	-0.45	015.43	0
015	Aluminum (ppm)	0510	140.0	0.0000	144.2	20.37	4.116	20	-0.20	015.43	0
015	Aluminum (ppm)	0560	144.3	12.70	144.2	20.37	4.116	20	0.00	015.52	0
015	Aluminum (ppm)	0407	146.3	0.2382	144.2	20.37	4.116	20	0.10	015.41	0
015	Aluminum (ppm)	2055	150.5	3.000	144.2	20.37	4.116	20	0.31	015.53	0
015	Aluminum (ppm)	0164	153.0	4.000	144.2	20.37	4.116	20	0.43	015.41	0
015	Aluminum (ppm)	0407	160.4	13.88	144.2	20.37	4.116	20	0.80	015.53	0
015	Aluminum (ppm)	0345	160.6	2.100	144.2	20.37	4.116	20	0.80	015.43	0
015	Aluminum (ppm)	0553	167.0	2.000	144.2	20.37	4.116	20	1.12	015.53	0
015	Aluminum (ppm)	0964	168.0	2.000	144.2	20.37	4.116	20	1.17	015.43	0
015	Aluminum (ppm)	0407	169.1	1.011	144.2	20.37	4.116	20	1.22	015.43	0
015	Aluminum (ppm)	0353	174.0	6.000	144.2	20.37	4.116	20	1.46	015.43	0
017	Boron (ppm)	0345	12.20	0.6000	14.67	0.8394	0.4786	21	-2.94	017.43	0
017	Boron (ppm)	0265	13.50	0.4000	14.67	0.8394	0.4786	21	-1.39	017.42	0
017	Boron (ppm)	0553	13.70	1.200	14.67	0.8394	0.4786	21	-1.15	017.53	0
017	Boron (ppm)	0693	13.93	0.7390	14.67	0.8394	0.4786	21	-0.87	017.42	0
017	Boron (ppm)	2129	14.04	1.240	14.67	0.8394	0.4786	21	-0.74	017.42	0
017	Boron (ppm)	0226	14.25	0.4200	14.67	0.8394	0.4786	21	-0.49	017.41	0
017	Boron (ppm)	0358	14.35	0.8000	14.67	0.8394	0.4786	21	-0.38	017.41	0
017	Boron (ppm)	0353	14.50	1.000	14.67	0.8394	0.4786	21	-0.20	017.43	0
017	Boron (ppm)	2055	14.50	0.2000	14.67	0.8394	0.4786	21	-0.20	017.53	0
017	Boron (ppm)	0918	14.62	0.0100	14.67	0.8394	0.4786	21	-0.06	017.43	0
017	Boron (ppm)	0294	14.63	0.1400	14.67	0.8394	0.4786	21	-0.04	017.42	0
017	Boron (ppm)	0045	14.70	0.4000	14.67	0.8394	0.4786	21	0.04	017.42	0
017	Boron (ppm)	0407	14.75	0.0052	14.67	0.8394	0.4786	21	0.10	017.53	0
017	Boron (ppm)	0037	14.90	0.4000	14.67	0.8394	0.4786	21	0.28	017.42	0
017	Boron (ppm)	0083	14.90	0.2000	14.67	0.8394	0.4786	21	0.28	017.43	0
017	Boron (ppm)	0229	14.97	0.0700	14.67	0.8394	0.4786	21	0.36	017.41	0
017	Boron (ppm)	0049	15.05	0.2700	14.67	0.8394	0.4786	21	0.45	017.41	0
017	Boron (ppm)	0407	15.51	0.2914	14.67	0.8394	0.4786	21	1.01	017.43	0
017	Boron (ppm)	0407	16.06	0.2742	14.67	0.8394	0.4786	21	1.66	017.41	0
017	Boron (ppm)	0560	19.47	1.390	14.67	0.8394	0.4786	21	5.72	017.52	0
017	Boron (ppm)	0510	26.00	0.0000	14.67	0.8394	0.4786	21	13.50	017.43	0
017	Boron (ppm)	0297	0.0000	0.0000	14.67	0.8394	0.4786	21		017.43	4
019	Calcium (%)	0520	1.005	0.0100	1.307	0.0594	0.0333	134	-5.08	019.41	0
019	Calcium (%)	0685	1.115	0.0100	1.307	0.0594	0.0333	134	-3.23	019.41	0
019	Calcium (%)	0848	1.145	0.0500	1.307	0.0594	0.0333	134	-2.73	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	2006	1.158	0.0740	1.307	0.0594	0.0333	134	-2.51	019.09	0
019	Calcium (%)	0242	1.170	0.0200	1.307	0.0594	0.0333	134	-2.30	019.99	0
019	Calcium (%)	2129	1.187	0.0940	1.307	0.0594	0.0333	134	-2.02	019.42	0
019	Calcium (%)	2259	1.200	0.0520	1.307	0.0594	0.0333	134	-1.80	019.41	0
019	Calcium (%)	0676	1.200	0.0400	1.307	0.0594	0.0333	134	-1.80	019.99	0
019	Calcium (%)	0297	1.205	0.0100	1.307	0.0594	0.0333	134	-1.72	019.43	0
019	Calcium (%)	0294	1.210	0.0400	1.307	0.0594	0.0333	134	-1.63	019.42	0
019	Calcium (%)	2109	1.219	0.0480	1.307	0.0594	0.0333	134	-1.48	019.00	0
019	Calcium (%)	0510	1.220	0.0000	1.307	0.0594	0.0333	134	-1.46	019.43	0
019	Calcium (%)	0300	1.225	0.1100	1.307	0.0594	0.0333	134	-1.38	019.43	0
019	Calcium (%)	0354	1.230	0.1000	1.307	0.0594	0.0333	134	-1.30	019.41	0
019	Calcium (%)	0154	1.238	0.0001	1.307	0.0594	0.0333	134	-1.16	019.52	0
019	Calcium (%)	2246	1.240	0.0800	1.307	0.0594	0.0333	134	-1.13	019.00	0
019	Calcium (%)	0357	1.244	0.0074	1.307	0.0594	0.0333	134	-1.06	019.42	0
019	Calcium (%)	0278	1.245	0.0300	1.307	0.0594	0.0333	134	-1.04	019.42	0
019	Calcium (%)	0918	1.246	0.0680	1.307	0.0594	0.0333	134	-1.03	019.43	0
019	Calcium (%)	2022	1.250	0.0400	1.307	0.0594	0.0333	134	-0.96	019.00	0
019	Calcium (%)	0910	1.250	0.0200	1.307	0.0594	0.0333	134	-0.96	019.41	0
019	Calcium (%)	0590	1.250	0.0200	1.307	0.0594	0.0333	134	-0.96	019.99	0
019	Calcium (%)	0142	1.251	0.0595	1.307	0.0594	0.0333	134	-0.94	019.31	0
019	Calcium (%)	0590	1.260	0.0000	1.307	0.0594	0.0333	134	-0.79	019.08	0
019	Calcium (%)	2246	1.260	0.0000	1.307	0.0594	0.0333	134	-0.79	019.31	0
019	Calcium (%)	0036	1.262	0.0194	1.307	0.0594	0.0333	134	-0.75	019.43	0
019	Calcium (%)	0148	1.265	0.1100	1.307	0.0594	0.0333	134	-0.71	019.41	0
019	Calcium (%)	0171	1.265	0.0100	1.307	0.0594	0.0333	134	-0.71	019.41	0
019	Calcium (%)	0425	1.265	0.0100	1.307	0.0594	0.0333	134	-0.71	019.43	0
019	Calcium (%)	0038	1.266	0.1066	1.307	0.0594	0.0333	134	-0.70	019.31	0
019	Calcium (%)	0019	1.270	0.0200	1.307	0.0594	0.0333	134	-0.62	019.41	0
019	Calcium (%)	0208	1.273	0.0800	1.307	0.0594	0.0333	134	-0.57	019.31	0
019	Calcium (%)	0560	1.274	0.0264	1.307	0.0594	0.0333	134	-0.55	019.52	0
019	Calcium (%)	0529	1.275	0.0100	1.307	0.0594	0.0333	134	-0.54	019.31	0
019	Calcium (%)	0596	1.275	0.0300	1.307	0.0594	0.0333	134	-0.54	019.31	0
019	Calcium (%)	0687	1.275	0.1500	1.307	0.0594	0.0333	134	-0.54	019.31	0
019	Calcium (%)	0939	1.275	0.0900	1.307	0.0594	0.0333	134	-0.54	019.53	0
019	Calcium (%)	0208	1.276	0.0080	1.307	0.0594	0.0333	134	-0.52	019.41	0
019	Calcium (%)	0878	1.280	0.0200	1.307	0.0594	0.0333	134	-0.45	019.00	0
019	Calcium (%)	0536	1.280	0.0200	1.307	0.0594	0.0333	134	-0.45	019.02	0
019	Calcium (%)	0948	1.280	0.0600	1.307	0.0594	0.0333	134	-0.45	019.31	0
019	Calcium (%)	2196	1.280	0.0000	1.307	0.0594	0.0333	134	-0.45	019.31	0
019	Calcium (%)	0169	1.280	0.0000	1.307	0.0594	0.0333	134	-0.45	019.32	0
019	Calcium (%)	0229	1.280	0.1200	1.307	0.0594	0.0333	134	-0.45	019.41	0
019	Calcium (%)	0033	1.280	0.0200	1.307	0.0594	0.0333	134	-0.45	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0263	1.280	0.0010	1.307	0.0594	0.0333	134	-0.45	019.42	0
019	Calcium (%)	0884	1.285	0.0500	1.307	0.0594	0.0333	134	-0.37	019.31	0
019	Calcium (%)	0619	1.285	0.0500	1.307	0.0594	0.0333	134	-0.37	019.41	0
019	Calcium (%)	0878	1.285	0.0100	1.307	0.0594	0.0333	134	-0.37	019.41	0
019	Calcium (%)	0675	1.285	0.0100	1.307	0.0594	0.0333	134	-0.37	019.43	0
019	Calcium (%)	0653	1.289	0.0070	1.307	0.0594	0.0333	134	-0.31	019.41	0
019	Calcium (%)	2196	1.290	0.0000	1.307	0.0594	0.0333	134	-0.29	019.08	0
019	Calcium (%)	0144	1.290	0.0000	1.307	0.0594	0.0333	134	-0.29	019.41	0
019	Calcium (%)	0045	1.290	0.0200	1.307	0.0594	0.0333	134	-0.29	019.42	0
019	Calcium (%)	2319	1.290	0.0200	1.307	0.0594	0.0333	134	-0.29	019.42	0
019	Calcium (%)	2089	1.290	0.0200	1.307	0.0594	0.0333	134	-0.29	019.43	0
019	Calcium (%)	0572	1.290	0.0200	1.307	0.0594	0.0333	134	-0.29	019.53	0
019	Calcium (%)	0870	1.295	0.0750	1.307	0.0594	0.0333	134	-0.21	019.42	0
019	Calcium (%)	0897	1.295	0.0300	1.307	0.0594	0.0333	134	-0.20	019.00	0
019	Calcium (%)	0689	1.295	0.0500	1.307	0.0594	0.0333	134	-0.20	019.08	0
019	Calcium (%)	2188	1.295	0.0300	1.307	0.0594	0.0333	134	-0.20	019.08	0
019	Calcium (%)	2291	1.295	0.0500	1.307	0.0594	0.0333	134	-0.20	019.08	0
019	Calcium (%)	0066	1.297	0.0370	1.307	0.0594	0.0333	134	-0.18	019.41	0
019	Calcium (%)	2181	1.300	0.0000	1.307	0.0594	0.0333	134	-0.12	019.00	0
019	Calcium (%)	2325	1.300	0.0000	1.307	0.0594	0.0333	134	-0.12	019.31	0
019	Calcium (%)	0004	1.300	0.0800	1.307	0.0594	0.0333	134	-0.12	019.41	0
019	Calcium (%)	0083	1.300	0.0200	1.307	0.0594	0.0333	134	-0.12	019.43	0
019	Calcium (%)	0265	1.305	0.0700	1.307	0.0594	0.0333	134	-0.03	019.42	0
019	Calcium (%)	0668	1.305	0.0900	1.307	0.0594	0.0333	134	-0.03	019.43	0
019	Calcium (%)	0563	1.306	0.0351	1.307	0.0594	0.0333	134	-0.02	019.31	0
019	Calcium (%)	2146	1.310	0.0200	1.307	0.0594	0.0333	134	0.05	019.31	0
019	Calcium (%)	0010	1.310	0.0400	1.307	0.0594	0.0333	134	0.05	019.43	0
019	Calcium (%)	0089	1.310	0.0000	1.307	0.0594	0.0333	134	0.05	019.43	0
019	Calcium (%)	2009	1.314	0.0006	1.307	0.0594	0.0333	134	0.12	019.08	0
019	Calcium (%)	0074	1.314	0.0120	1.307	0.0594	0.0333	134	0.12	019.41	0
019	Calcium (%)	2144	1.315	0.0100	1.307	0.0594	0.0333	134	0.14	019.00	0
019	Calcium (%)	0098	1.315	0.0500	1.307	0.0594	0.0333	134	0.14	019.41	0
019	Calcium (%)	0610	1.315	0.0100	1.307	0.0594	0.0333	134	0.14	019.43	0
019	Calcium (%)	2144	1.315	0.0100	1.307	0.0594	0.0333	134	0.14	019.99	0
019	Calcium (%)	0968	1.318	0.0050	1.307	0.0594	0.0333	134	0.18	019.43	0
019	Calcium (%)	0407	1.320	0.0281	1.307	0.0594	0.0333	134	0.22	019.53	0
019	Calcium (%)	0674	1.320	0.0000	1.307	0.0594	0.0333	134	0.22	019.31	0
019	Calcium (%)	0682	1.320	0.0000	1.307	0.0594	0.0333	134	0.22	019.43	0
019	Calcium (%)	0164	1.320	0.0400	1.307	0.0594	0.0333	134	0.22	019.44	0
019	Calcium (%)	0036	1.323	0.0082	1.307	0.0594	0.0333	134	0.27	019.03	0
019	Calcium (%)	2062	1.323	0.0017	1.307	0.0594	0.0333	134	0.27	019.00	0
019	Calcium (%)	0939	1.325	0.0100	1.307	0.0594	0.0333	134	0.30	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	2022	1.325	0.0100	1.307	0.0594	0.0333	134	0.30	019.33	0
019	Calcium (%)	0353	1.325	0.0100	1.307	0.0594	0.0333	134	0.30	019.43	0
019	Calcium (%)	0881	1.329	0.0860	1.307	0.0594	0.0333	134	0.37	019.00	0
019	Calcium (%)	2200	1.330	0.0600	1.307	0.0594	0.0333	134	0.39	019.08	0
019	Calcium (%)	0298	1.330	0.0200	1.307	0.0594	0.0333	134	0.39	019.41	0
019	Calcium (%)	2192	1.330	0.0600	1.307	0.0594	0.0333	134	0.39	019.43	0
019	Calcium (%)	0868	1.330	0.0200	1.307	0.0594	0.0333	134	0.39	019.99	0
019	Calcium (%)	0027	1.331	0.0240	1.307	0.0594	0.0333	134	0.40	019.43	0
019	Calcium (%)	0868	1.335	0.0100	1.307	0.0594	0.0333	134	0.47	019.31	0
019	Calcium (%)	0692	1.335	0.1100	1.307	0.0594	0.0333	134	0.47	019.42	0
019	Calcium (%)	0098	1.335	0.0900	1.307	0.0594	0.0333	134	0.47	019.43	0
019	Calcium (%)	0693	1.337	0.0050	1.307	0.0594	0.0333	134	0.50	019.42	0
019	Calcium (%)	0009	1.338	0.0425	1.307	0.0594	0.0333	134	0.52	019.42	0
019	Calcium (%)	0108	1.340	0.0400	1.307	0.0594	0.0333	134	0.56	019.31	0
019	Calcium (%)	0049	1.340	0.0200	1.307	0.0594	0.0333	134	0.56	019.41	0
019	Calcium (%)	0345	1.340	0.0200	1.307	0.0594	0.0333	134	0.56	019.43	0
019	Calcium (%)	0186	1.347	0.0210	1.307	0.0594	0.0333	134	0.67	019.52	0
019	Calcium (%)	0885	1.350	0.0172	1.307	0.0594	0.0333	134	0.72	019.08	0
019	Calcium (%)	0407	1.353	0.1106	1.307	0.0594	0.0333	134	0.77	019.41	0
019	Calcium (%)	0035	1.355	0.0100	1.307	0.0594	0.0333	134	0.81	019.42	0
019	Calcium (%)	0035	1.355	0.0100	1.307	0.0594	0.0333	134	0.81	019.43	0
019	Calcium (%)	0964	1.358	0.0355	1.307	0.0594	0.0333	134	0.86	019.43	0
019	Calcium (%)	0123	1.365	0.0300	1.307	0.0594	0.0333	134	0.98	019.41	0
019	Calcium (%)	0553	1.365	0.0300	1.307	0.0594	0.0333	134	0.98	019.53	0
019	Calcium (%)	2193	1.365	0.0100	1.307	0.0594	0.0333	134	0.98	019.08	0
019	Calcium (%)	0202	1.370	0.0600	1.307	0.0594	0.0333	134	1.06	019.43	0
019	Calcium (%)	2234	1.370	0.0400	1.307	0.0594	0.0333	134	1.06	019.43	0
019	Calcium (%)	0037	1.373	0.0030	1.307	0.0594	0.0333	134	1.10	019.42	0
019	Calcium (%)	2295	1.375	0.0100	1.307	0.0594	0.0333	134	1.14	019.00	0
019	Calcium (%)	0226	1.380	0.0200	1.307	0.0594	0.0333	134	1.23	019.41	0
019	Calcium (%)	0186	1.390	0.0030	1.307	0.0594	0.0333	134	1.39	019.42	0
019	Calcium (%)	0407	1.391	0.0115	1.307	0.0594	0.0333	134	1.41	019.43	0
019	Calcium (%)	0358	1.400	0.0600	1.307	0.0594	0.0333	134	1.57	019.41	0
019	Calcium (%)	0042	1.400	0.0000	1.307	0.0594	0.0333	134	1.57	019.42	0
019	Calcium (%)	0536	1.410	0.0200	1.307	0.0594	0.0333	134	1.73	019.31	0
019	Calcium (%)	2302	1.410	0.0800	1.307	0.0594	0.0333	134	1.73	019.99	0
019	Calcium (%)	0001	1.415	0.0070	1.307	0.0594	0.0333	134	1.81	019.31	0
019	Calcium (%)	0598	1.430	0.0010	1.307	0.0594	0.0333	134	2.06	019.41	0
019	Calcium (%)	0870	1.435	0.0460	1.307	0.0594	0.0333	134	2.15	019.43	0
019	Calcium (%)	0505	1.460	0.0400	1.307	0.0594	0.0333	134	2.58	019.43	0
019	Calcium (%)	0190	1.495	0.0100	1.307	0.0594	0.0333	134	3.16	019.42	0
019	Calcium (%)	0100	1.500	0.1000	1.307	0.0594	0.0333	134	3.25	019.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0726	1.505	0.0500	1.307	0.0594	0.0333	134	3.33	019.42	0
019	Calcium (%)	0032	1.530	0.0000	1.307	0.0594	0.0333	134	3.75	019.43	0
019	Calcium (%)	0047	1.535	0.0100	1.307	0.0594	0.0333	134	3.84	019.52	0
019	Calcium (%)	2199	1.570	0.0400	1.307	0.0594	0.0333	134	4.43	019.08	0
019	Calcium (%)	2318	1.710	0.0400	1.307	0.0594	0.0333	134	6.78	019.31	0
019	Calcium (%)	0852	1.150	0.3000	1.307	0.0594	0.0333	134	-2.64	019.08	1
019	Calcium (%)	2006	1.175	0.1920	1.307	0.0594	0.0333	134	-2.22	019.00	1
019	Calcium (%)	0018	1.425	0.2300	1.307	0.0594	0.0333	134	1.99	019.41	1
021	Cobalt (ppm)	0693	0.3195	0.3930	0.8369	0.2050	0.0720	19	-2.52	021.42	0
021	Cobalt (ppm)	0689	0.5500	0.1000	0.8369	0.2050	0.0720	19	-1.40	021.31	0
021	Cobalt (ppm)	0171	0.6065	0.0050	0.8369	0.2050	0.0720	19	-1.12	021.41	0
021	Cobalt (ppm)	0910	0.6700	0.1200	0.8369	0.2050	0.0720	19	-0.81	021.52	0
021	Cobalt (ppm)	0918	0.7038	0.0154	0.8369	0.2050	0.0720	19	-0.65	021.53	0
021	Cobalt (ppm)	0186	0.7350	0.0300	0.8369	0.2050	0.0720	19	-0.50	021.52	0
021	Cobalt (ppm)	0345	0.7400	0.0400	0.8369	0.2050	0.0720	19	-0.47	021.43	0
021	Cobalt (ppm)	0560	0.8100	0.0600	0.8369	0.2050	0.0720	19	-0.13	021.52	0
021	Cobalt (ppm)	0169	0.8400	0.0600	0.8369	0.2050	0.0720	19	0.01	021.43	0
021	Cobalt (ppm)	0553	0.8465	0.0230	0.8369	0.2050	0.0720	19	0.05	021.53	0
021	Cobalt (ppm)	0939	0.8550	0.1300	0.8369	0.2050	0.0720	19	0.09	021.53	0
021	Cobalt (ppm)	0964	0.8705	0.0350	0.8369	0.2050	0.0720	19	0.16	021.43	0
021	Cobalt (ppm)	0407	0.8849	0.0102	0.8369	0.2050	0.0720	19	0.23	021.53	0
021	Cobalt (ppm)	0939	0.9700	0.0600	0.8369	0.2050	0.0720	19	0.65	021.31	0
021	Cobalt (ppm)	0407	0.9769	0.0227	0.8369	0.2050	0.0720	19	0.68	021.41	0
021	Cobalt (ppm)	0045	0.9995	0.2010	0.8369	0.2050	0.0720	19	0.79	021.42	0
021	Cobalt (ppm)	0510	1.025	0.0300	0.8369	0.2050	0.0720	19	0.92	021.43	0
021	Cobalt (ppm)	0407	1.357	0.0336	0.8369	0.2050	0.0720	19	2.54	021.43	0
021	Cobalt (ppm)	0164	1.600	0.0000	0.8369	0.2050	0.0720	19	3.72	021.31	0
021	Cobalt (ppm)	0353	2.501	1.193	0.8369	0.2050	0.0720	19	8.12	021.43	1
021	Cobalt (ppm)	0682	< 1		0.8369	0.2050	0.0720	19		021.43	5
022	Copper (ppm)	2246	12.89	2.330	17.66	1.714	0.6745	87	-2.79	022.31	0
022	Copper (ppm)	0520	13.00	0.0000	17.66	1.714	0.6745	87	-2.72	022.41	0
022	Copper (ppm)	0049	13.84	0.1800	17.66	1.714	0.6745	87	-2.23	022.41	0
022	Copper (ppm)	0208	14.30	1.200	17.66	1.714	0.6745	87	-1.96	022.31	0
022	Copper (ppm)	0685	14.38	0.0100	17.66	1.714	0.6745	87	-1.92	022.42	0
022	Copper (ppm)	0425	14.81	0.5900	17.66	1.714	0.6745	87	-1.67	022.43	0
022	Copper (ppm)	0278	15.40	1.000	17.66	1.714	0.6745	87	-1.32	022.42	0
022	Copper (ppm)	0878	15.50	1.000	17.66	1.714	0.6745	87	-1.26	022.41	0
022	Copper (ppm)	0148	15.70	0.3500	17.66	1.714	0.6745	87	-1.15	022.41	0
022	Copper (ppm)	0939	15.74	0.5300	17.66	1.714	0.6745	87	-1.12	022.31	0
022	Copper (ppm)	0229	15.88	0.0800	17.66	1.714	0.6745	87	-1.04	022.41	0
022	Copper (ppm)	0045	15.95	0.5000	17.66	1.714	0.6745	87	-1.00	022.42	0
022	Copper (ppm)	0910	16.00	2.000	17.66	1.714	0.6745	87	-0.97	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (ppm)	0297	16.00	2.000	17.66	1.714	0.6745	87	-0.97	022.43	0
022	Copper (ppm)	2318	16.00	2.000	17.66	1.714	0.6745	87	-0.97	022.43	0
022	Copper (ppm)	0242	16.00	0.0000	17.66	1.714	0.6745	87	-0.97	022.99	0
022	Copper (ppm)	0560	16.10	1.600	17.66	1.714	0.6745	87	-0.91	022.52	0
022	Copper (ppm)	0590	16.10	0.0000	17.66	1.714	0.6745	87	-0.91	022.99	0
022	Copper (ppm)	0004	16.18	0.7800	17.66	1.714	0.6745	87	-0.86	022.41	0
022	Copper (ppm)	0939	16.23	0.9300	17.66	1.714	0.6745	87	-0.84	022.53	0
022	Copper (ppm)	0032	16.30	0.0000	17.66	1.714	0.6745	87	-0.79	022.43	0
022	Copper (ppm)	0171	16.40	1.000	17.66	1.714	0.6745	87	-0.73	022.41	0
022	Copper (ppm)	0407	16.44	0.5743	17.66	1.714	0.6745	87	-0.71	022.41	0
022	Copper (ppm)	0098	16.46	0.4400	17.66	1.714	0.6745	87	-0.70	022.41	0
022	Copper (ppm)	0653	16.48	0.0700	17.66	1.714	0.6745	87	-0.69	022.41	0
022	Copper (ppm)	0208	16.63	1.280	17.66	1.714	0.6745	87	-0.60	022.41	0
022	Copper (ppm)	0294	16.75	0.3000	17.66	1.714	0.6745	87	-0.53	022.42	0
022	Copper (ppm)	2129	16.82	0.9300	17.66	1.714	0.6745	87	-0.49	022.42	0
022	Copper (ppm)	0572	16.95	0.7000	17.66	1.714	0.6745	87	-0.41	022.53	0
022	Copper (ppm)	0263	16.99	0.2000	17.66	1.714	0.6745	87	-0.39	022.42	0
022	Copper (ppm)	0510	17.00	0.0000	17.66	1.714	0.6745	87	-0.38	022.43	0
022	Copper (ppm)	0169	17.15	0.1000	17.66	1.714	0.6745	87	-0.30	022.43	0
022	Copper (ppm)	0553	17.15	0.5000	17.66	1.714	0.6745	87	-0.30	022.53	0
022	Copper (ppm)	2319	17.20	0.0000	17.66	1.714	0.6745	87	-0.27	022.42	0
022	Copper (ppm)	0918	17.24	0.1200	17.66	1.714	0.6745	87	-0.24	022.43	0
022	Copper (ppm)	0692	17.40	0.2000	17.66	1.714	0.6745	87	-0.15	022.42	0
022	Copper (ppm)	0407	17.42	0.6928	17.66	1.714	0.6745	87	-0.14	022.43	0
022	Copper (ppm)	0668	17.45	0.9000	17.66	1.714	0.6745	87	-0.12	022.43	0
022	Copper (ppm)	0098	17.47	1.010	17.66	1.714	0.6745	87	-0.11	022.43	0
022	Copper (ppm)	0033	17.50	0.2000	17.66	1.714	0.6745	87	-0.09	022.43	0
022	Copper (ppm)	2302	17.50	1.000	17.66	1.714	0.6745	87	-0.09	022.99	0
022	Copper (ppm)	0009	17.52	0.8000	17.66	1.714	0.6745	87	-0.08	022.42	0
022	Copper (ppm)	0848	17.56	0.0600	17.66	1.714	0.6745	87	-0.06	022.41	0
022	Copper (ppm)	0345	17.76	0.2800	17.66	1.714	0.6745	87	0.06	022.43	0
022	Copper (ppm)	0407	17.83	0.3568	17.66	1.714	0.6745	87	0.10	022.53	0
022	Copper (ppm)	0354	17.88	0.0600	17.66	1.714	0.6745	87	0.13	022.41	0
022	Copper (ppm)	0726	17.89	1.200	17.66	1.714	0.6745	87	0.13	022.42	0
022	Copper (ppm)	2234	17.90	0.0200	17.66	1.714	0.6745	87	0.14	022.43	0
022	Copper (ppm)	0598	17.99	0.2400	17.66	1.714	0.6745	87	0.19	022.41	0
022	Copper (ppm)	0083	18.00	0.0000	17.66	1.714	0.6745	87	0.20	022.43	0
022	Copper (ppm)	0968	18.00	0.0000	17.66	1.714	0.6745	87	0.20	022.43	0
022	Copper (ppm)	0868	18.04	0.2900	17.66	1.714	0.6745	87	0.22	022.31	0
022	Copper (ppm)	0675	18.04	1.000	17.66	1.714	0.6745	87	0.22	022.43	0
022	Copper (ppm)	0610	18.05	0.1000	17.66	1.714	0.6745	87	0.23	022.43	0
022	Copper (ppm)	0689	18.15	0.3000	17.66	1.714	0.6745	87	0.29	022.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (ppm)	0358	18.17	0.8400	17.66	1.714	0.6745	87	0.30	022.41	0
022	Copper (ppm)	0001	18.20	0.0400	17.66	1.714	0.6745	87	0.32	022.31	0
022	Copper (ppm)	2196	18.25	0.0000	17.66	1.714	0.6745	87	0.35	022.31	0
022	Copper (ppm)	0948	18.38	0.8800	17.66	1.714	0.6745	87	0.42	022.33	0
022	Copper (ppm)	0964	18.40	2.000	17.66	1.714	0.6745	87	0.43	022.43	0
022	Copper (ppm)	0186	18.50	1.000	17.66	1.714	0.6745	87	0.49	022.42	0
022	Copper (ppm)	0265	18.50	0.0000	17.66	1.714	0.6745	87	0.49	022.42	0
022	Copper (ppm)	0100	18.50	1.000	17.66	1.714	0.6745	87	0.49	022.99	0
022	Copper (ppm)	0226	18.52	0.4200	17.66	1.714	0.6745	87	0.50	022.41	0
022	Copper (ppm)	0190	18.75	0.0700	17.66	1.714	0.6745	87	0.63	022.42	0
022	Copper (ppm)	0027	18.77	0.0220	17.66	1.714	0.6745	87	0.65	022.43	0
022	Copper (ppm)	0037	18.80	0.0000	17.66	1.714	0.6745	87	0.67	022.42	0
022	Copper (ppm)	0682	18.80	0.0000	17.66	1.714	0.6745	87	0.67	022.43	0
022	Copper (ppm)	0019	18.83	0.3100	17.66	1.714	0.6745	87	0.68	022.41	0
022	Copper (ppm)	0202	18.88	0.7700	17.66	1.714	0.6745	87	0.71	022.43	0
022	Copper (ppm)	0353	19.00	2.000	17.66	1.714	0.6745	87	0.78	022.43	0
022	Copper (ppm)	0186	19.00	0.0000	17.66	1.714	0.6745	87	0.78	022.52	0
022	Copper (ppm)	0693	19.08	0.5730	17.66	1.714	0.6745	87	0.83	022.42	0
022	Copper (ppm)	0010	19.15	1.900	17.66	1.714	0.6745	87	0.87	022.33	0
022	Copper (ppm)	0870	19.23	0.3800	17.66	1.714	0.6745	87	0.92	022.42	0
022	Copper (ppm)	0357	19.50	0.8750	17.66	1.714	0.6745	87	1.08	022.42	0
022	Copper (ppm)	2055	20.47	1.010	17.66	1.714	0.6745	87	1.64	022.53	0
022	Copper (ppm)	0066	20.83	0.4900	17.66	1.714	0.6745	87	1.85	022.44	0
022	Copper (ppm)	0164	21.00	0.0000	17.66	1.714	0.6745	87	1.95	022.44	0
022	Copper (ppm)	0536	21.14	0.4800	17.66	1.714	0.6745	87	2.03	022.31	0
022	Copper (ppm)	0619	21.20	2.000	17.66	1.714	0.6745	87	2.07	022.41	0
022	Copper (ppm)	0529	21.35	1.100	17.66	1.714	0.6745	87	2.15	022.31	0
022	Copper (ppm)	2089	22.27	2.420	17.66	1.714	0.6745	87	2.69	022.43	0
022	Copper (ppm)	0047	24.09	0.4800	17.66	1.714	0.6745	87	3.75	022.52	0
022	Copper (ppm)	2188	24.57	0.9400	17.66	1.714	0.6745	87	4.03	022.31	0
022	Copper (ppm)	0870	25.04	0.9800	17.66	1.714	0.6745	87	4.31	022.43	0
022	Copper (ppm)	2192	25.65	3.700	17.66	1.714	0.6745	87	4.66	022.43	0
022	Copper (ppm)	0505	15.43	4.970	17.66	1.714	0.6745	87	-1.30	022.43	1
022	Copper (ppm)	0042	22.40	4.400	17.66	1.714	0.6745	87	2.77	022.42	1
022	Copper (ppm)	0038	29.34	6.328	17.66	1.714	0.6745	87	6.81	022.32	1
024	Iodine (ppm)	2055	1.195	0.0300				3		024.53	0
024	Iodine (ppm)	0910	1.261	0.0440				3		024.52	0
024	Iodine (ppm)	0668	1.340	0.3000				3		024.53	0
025	Iron (ppm)	0560	172.2	11.10	408.9	31.17	11.96	83	-7.59	025.52	0
025	Iron (ppm)	0278	222.4	3.700	408.9	31.17	11.96	83	-5.98	025.42	0
025	Iron (ppm)	0726	234.2	2.900	408.9	31.17	11.96	83	-5.60	025.42	0
025	Iron (ppm)	0190	261.4	4.500	408.9	31.17	11.96	83	-4.73	025.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
025	Iron (ppm)	0689	289.8	3.600	408.9	31.17	11.96	83	-3.82	025.31	0
025	Iron (ppm)	0520	314.0	16.00	408.9	31.17	11.96	83	-3.04	025.41	0
025	Iron (ppm)	2318	352.0	2.000	408.9	31.17	11.96	83	-1.82	025.43	0
025	Iron (ppm)	0294	356.0	0.9800	408.9	31.17	11.96	83	-1.70	025.42	0
025	Iron (ppm)	0354	366.0	4.230	408.9	31.17	11.96	83	-1.37	025.41	0
025	Iron (ppm)	0265	366.0	48.00	408.9	31.17	11.96	83	-1.37	025.42	0
025	Iron (ppm)	0297	369.0	4.000	408.9	31.17	11.96	83	-1.28	025.43	0
025	Iron (ppm)	2234	370.3	30.44	408.9	31.17	11.96	83	-1.24	025.43	0
025	Iron (ppm)	0425	371.6	28.20	408.9	31.17	11.96	83	-1.20	025.43	0
025	Iron (ppm)	0598	377.3	2.100	408.9	31.17	11.96	83	-1.01	025.41	0
025	Iron (ppm)	0042	378.0	48.00	408.9	31.17	11.96	83	-0.99	025.42	0
025	Iron (ppm)	0047	379.1	4.140	408.9	31.17	11.96	83	-0.96	025.52	0
025	Iron (ppm)	0263	381.3	3.920	408.9	31.17	11.96	83	-0.88	025.42	0
025	Iron (ppm)	0619	382.3	15.70	408.9	31.17	11.96	83	-0.85	025.41	0
025	Iron (ppm)	0910	383.5	5.000	408.9	31.17	11.96	83	-0.81	025.41	0
025	Iron (ppm)	2246	388.8	18.03	408.9	31.17	11.96	83	-0.64	025.31	0
025	Iron (ppm)	0675	389.5	4.820	408.9	31.17	11.96	83	-0.62	025.43	0
025	Iron (ppm)	0045	389.5	23.00	408.9	31.17	11.96	83	-0.62	025.42	0
025	Iron (ppm)	2188	390.8	1.450	408.9	31.17	11.96	83	-0.58	025.31	0
025	Iron (ppm)	0407	393.1	1.106	408.9	31.17	11.96	83	-0.50	025.41	0
025	Iron (ppm)	0510	394.0	2.000	408.9	31.17	11.96	83	-0.48	025.43	0
025	Iron (ppm)	0242	395.0	16.00	408.9	31.17	11.96	83	-0.44	025.99	0
025	Iron (ppm)	2319	396.0	3.100	408.9	31.17	11.96	83	-0.41	025.42	0
025	Iron (ppm)	0226	396.2	6.740	408.9	31.17	11.96	83	-0.41	025.41	0
025	Iron (ppm)	0870	398.6	13.10	408.9	31.17	11.96	83	-0.33	025.42	0
025	Iron (ppm)	0123	399.0	12.00	408.9	31.17	11.96	83	-0.32	025.41	0
025	Iron (ppm)	0553	400.5	1.000	408.9	31.17	11.96	83	-0.27	025.53	0
025	Iron (ppm)	0004	401.3	3.930	408.9	31.17	11.96	83	-0.24	025.41	0
025	Iron (ppm)	0019	401.5	5.500	408.9	31.17	11.96	83	-0.24	025.41	0
025	Iron (ppm)	0653	405.3	0.1000	408.9	31.17	11.96	83	-0.12	025.41	0
025	Iron (ppm)	0668	407.5	9.000	408.9	31.17	11.96	83	-0.04	025.43	0
025	Iron (ppm)	0918	408.3	1.810	408.9	31.17	11.96	83	-0.02	025.43	0
025	Iron (ppm)	0169	408.5	13.00	408.9	31.17	11.96	83	-0.01	025.43	0
025	Iron (ppm)	0345	408.8	3.500	408.9	31.17	11.96	83	0.00	025.43	0
025	Iron (ppm)	0208	410.1	6.400	408.9	31.17	11.96	83	0.04	025.41	0
025	Iron (ppm)	2196	411.7	0.0000	408.9	31.17	11.96	83	0.09	025.31	0
025	Iron (ppm)	0148	411.9	30.19	408.9	31.17	11.96	83	0.10	025.41	0
025	Iron (ppm)	0563	412.1	13.23	408.9	31.17	11.96	83	0.10	025.31	0
025	Iron (ppm)	0692	412.5	43.00	408.9	31.17	11.96	83	0.12	025.42	0
025	Iron (ppm)	0353	412.5	3.000	408.9	31.17	11.96	83	0.12	025.43	0
025	Iron (ppm)	0878	413.5	7.000	408.9	31.17	11.96	83	0.15	025.41	0
025	Iron (ppm)	0407	413.7	0.9307	408.9	31.17	11.96	83	0.15	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
025	Iron (ppm)	0868	414.5	5.000	408.9	31.17	11.96	83	0.18	025.31	0
025	Iron (ppm)	0939	415.5	47.00	408.9	31.17	11.96	83	0.21	025.53	0
025	Iron (ppm)	0171	416.2	0.7000	408.9	31.17	11.96	83	0.23	025.41	0
025	Iron (ppm)	0033	416.5	13.00	408.9	31.17	11.96	83	0.25	025.43	0
025	Iron (ppm)	0074	418.0	8.000	408.9	31.17	11.96	83	0.29	025.41	0
025	Iron (ppm)	2022	419.3	0.7200	408.9	31.17	11.96	83	0.33	025.33	0
025	Iron (ppm)	0964	419.3	2.500	408.9	31.17	11.96	83	0.33	025.43	0
025	Iron (ppm)	0939	420.5	11.42	408.9	31.17	11.96	83	0.37	025.31	0
025	Iron (ppm)	0049	423.1	5.000	408.9	31.17	11.96	83	0.46	025.41	0
025	Iron (ppm)	0083	424.0	4.000	408.9	31.17	11.96	83	0.49	025.43	0
025	Iron (ppm)	0027	426.0	2.173	408.9	31.17	11.96	83	0.55	025.43	0
025	Iron (ppm)	0358	429.0	9.490	408.9	31.17	11.96	83	0.65	025.41	0
025	Iron (ppm)	0037	429.7	0.8000	408.9	31.17	11.96	83	0.67	025.42	0
025	Iron (ppm)	0066	429.8	3.600	408.9	31.17	11.96	83	0.67	025.41	0
025	Iron (ppm)	0610	430.0	0.0000	408.9	31.17	11.96	83	0.68	025.43	0
025	Iron (ppm)	0505	430.7	44.70	408.9	31.17	11.96	83	0.70	025.43	0
025	Iron (ppm)	0693	430.7	5.818	408.9	31.17	11.96	83	0.70	025.42	0
025	Iron (ppm)	0229	430.9	25.70	408.9	31.17	11.96	83	0.71	025.41	0
025	Iron (ppm)	0164	431.0	8.000	408.9	31.17	11.96	83	0.71	025.41	0
025	Iron (ppm)	0098	431.5	28.50	408.9	31.17	11.96	83	0.73	025.41	0
025	Iron (ppm)	0278	432.6	0.7000	408.9	31.17	11.96	83	0.76	025.53	0
025	Iron (ppm)	2302	434.5	7.000	408.9	31.17	11.96	83	0.82	025.99	0
025	Iron (ppm)	0529	435.8	5.500	408.9	31.17	11.96	83	0.86	025.31	0
025	Iron (ppm)	0968	436.5	5.000	408.9	31.17	11.96	83	0.89	025.43	0
025	Iron (ppm)	0001	436.8	31.50	408.9	31.17	11.96	83	0.90	025.31	0
025	Iron (ppm)	0035	437.5	17.00	408.9	31.17	11.96	83	0.92	025.42	0
025	Iron (ppm)	0098	439.2	46.70	408.9	31.17	11.96	83	0.97	025.43	0
025	Iron (ppm)	0407	440.9	30.30	408.9	31.17	11.96	83	1.03	025.53	0
025	Iron (ppm)	0682	442.9	0.0000	408.9	31.17	11.96	83	1.09	025.43	0
025	Iron (ppm)	2129	445.0	17.50	408.9	31.17	11.96	83	1.16	025.42	0
025	Iron (ppm)	0035	446.5	1.000	408.9	31.17	11.96	83	1.21	025.43	0
025	Iron (ppm)	0208	453.5	47.00	408.9	31.17	11.96	83	1.43	025.31	0
025	Iron (ppm)	0032	454.0	0.0000	408.9	31.17	11.96	83	1.45	025.43	0
025	Iron (ppm)	0038	458.5	29.06	408.9	31.17	11.96	83	1.59	025.31	0
025	Iron (ppm)	2192	458.5	13.00	408.9	31.17	11.96	83	1.59	025.43	0
025	Iron (ppm)	0100	464.5	11.00	408.9	31.17	11.96	83	1.79	025.99	0
025	Iron (ppm)	0870	466.2	22.60	408.9	31.17	11.96	83	1.84	025.43	0
025	Iron (ppm)	2089	353.3	79.00	408.9	31.17	11.96	83	-1.78	025.43	1
025	Iron (ppm)	0536	0.0250	0.0100	408.9	31.17	11.96	83	-13.12	025.31	2
027	Magnesium (%)	2318	0.1400	0.0200	0.2164	0.0118	0.0063	91	-6.49	027.43	0
027	Magnesium (%)	0520	0.1850	0.0100	0.2164	0.0118	0.0063	91	-2.67	027.41	0
027	Magnesium (%)	0529	0.1940	0.0060	0.2164	0.0118	0.0063	91	-1.90	027.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	2129	0.1995	0.0090	0.2164	0.0118	0.0063	91	-1.44	027.42	0
027	Magnesium (%)	0910	0.2000	0.0200	0.2164	0.0118	0.0063	91	-1.39	027.41	0
027	Magnesium (%)	0278	0.2000	0.0200	0.2164	0.0118	0.0063	91	-1.39	027.42	0
027	Magnesium (%)	0089	0.2000	0.0000	0.2164	0.0118	0.0063	91	-1.39	027.43	0
027	Magnesium (%)	0297	0.2000	0.0000	0.2164	0.0118	0.0063	91	-1.39	027.43	0
027	Magnesium (%)	0047	0.2000	0.0000	0.2164	0.0118	0.0063	91	-1.39	027.52	0
027	Magnesium (%)	0242	0.2000	0.0000	0.2164	0.0118	0.0063	91	-1.39	027.99	0
027	Magnesium (%)	0870	0.2010	0.0129	0.2164	0.0118	0.0063	91	-1.31	027.42	0
027	Magnesium (%)	0407	0.2012	0.0010	0.2164	0.0118	0.0063	91	-1.29	027.41	0
027	Magnesium (%)	0870	0.2013	0.0015	0.2164	0.0118	0.0063	91	-1.29	027.43	0
027	Magnesium (%)	0948	0.2030	0.0040	0.2164	0.0118	0.0063	91	-1.14	027.33	0
027	Magnesium (%)	0407	0.2048	0.0008	0.2164	0.0118	0.0063	91	-0.98	027.43	0
027	Magnesium (%)	0169	0.2050	0.0100	0.2164	0.0118	0.0063	91	-0.97	027.32	0
027	Magnesium (%)	0004	0.2050	0.0100	0.2164	0.0118	0.0063	91	-0.97	027.41	0
027	Magnesium (%)	2302	0.2050	0.0100	0.2164	0.0118	0.0063	91	-0.97	027.99	0
027	Magnesium (%)	2055	0.2075	0.0010	0.2164	0.0118	0.0063	91	-0.76	027.53	0
027	Magnesium (%)	0038	0.2081	0.0077	0.2164	0.0118	0.0063	91	-0.71	027.31	0
027	Magnesium (%)	0668	0.2085	0.0070	0.2164	0.0118	0.0063	91	-0.67	027.43	0
027	Magnesium (%)	2246	0.2100	0.0000	0.2164	0.0118	0.0063	91	-0.54	027.31	0
027	Magnesium (%)	0049	0.2100	0.0000	0.2164	0.0118	0.0063	91	-0.54	027.41	0
027	Magnesium (%)	0265	0.2100	0.0000	0.2164	0.0118	0.0063	91	-0.54	027.42	0
027	Magnesium (%)	0083	0.2100	0.0000	0.2164	0.0118	0.0063	91	-0.54	027.43	0
027	Magnesium (%)	0229	0.2100	0.0200	0.2164	0.0118	0.0063	91	-0.54	027.41	0
027	Magnesium (%)	0939	0.2100	0.0400	0.2164	0.0118	0.0063	91	-0.54	027.53	0
027	Magnesium (%)	0009	0.2101	0.0049	0.2164	0.0118	0.0063	91	-0.54	027.42	0
027	Magnesium (%)	0357	0.2106	0.0009	0.2164	0.0118	0.0063	91	-0.50	027.42	0
027	Magnesium (%)	2319	0.2115	0.0010	0.2164	0.0118	0.0063	91	-0.42	027.42	0
027	Magnesium (%)	0263	0.2118	0.0024	0.2164	0.0118	0.0063	91	-0.39	027.42	0
027	Magnesium (%)	0148	0.2120	0.0200	0.2164	0.0118	0.0063	91	-0.37	027.41	0
027	Magnesium (%)	0037	0.2125	0.0010	0.2164	0.0118	0.0063	91	-0.33	027.42	0
027	Magnesium (%)	0066	0.2130	0.0040	0.2164	0.0118	0.0063	91	-0.29	027.41	0
027	Magnesium (%)	0045	0.2140	0.0000	0.2164	0.0118	0.0063	91	-0.20	027.42	0
027	Magnesium (%)	0968	0.2140	0.0000	0.2164	0.0118	0.0063	91	-0.20	027.43	0
027	Magnesium (%)	0142	0.2142	0.0107	0.2164	0.0118	0.0063	91	-0.19	027.31	0
027	Magnesium (%)	0536	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.31	0
027	Magnesium (%)	0868	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.31	0
027	Magnesium (%)	0354	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.41	0
027	Magnesium (%)	0726	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.42	0
027	Magnesium (%)	0353	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.43	0
027	Magnesium (%)	0510	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.43	0
027	Magnesium (%)	2234	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.43	0
027	Magnesium (%)	0590	0.2150	0.0100	0.2164	0.0118	0.0063	91	-0.12	027.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0345	0.2155	0.0030	0.2164	0.0118	0.0063	91	-0.08	027.43	0
027	Magnesium (%)	0572	0.2155	0.0130	0.2164	0.0118	0.0063	91	-0.08	027.53	0
027	Magnesium (%)	0033	0.2160	0.0080	0.2164	0.0118	0.0063	91	-0.03	027.43	0
027	Magnesium (%)	0964	0.2169	0.0071	0.2164	0.0118	0.0063	91	0.04	027.43	0
027	Magnesium (%)	0208	0.2175	0.0030	0.2164	0.0118	0.0063	91	0.09	027.41	0
027	Magnesium (%)	0154	0.2180	0.0061	0.2164	0.0118	0.0063	91	0.13	027.52	0
027	Magnesium (%)	0171	0.2190	0.0000	0.2164	0.0118	0.0063	91	0.22	027.41	0
027	Magnesium (%)	0918	0.2195	0.0010	0.2164	0.0118	0.0063	91	0.26	027.43	0
027	Magnesium (%)	0939	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.31	0
027	Magnesium (%)	0074	0.2200	0.0040	0.2164	0.0118	0.0063	91	0.31	027.41	0
027	Magnesium (%)	0098	0.2200	0.0200	0.2164	0.0118	0.0063	91	0.31	027.41	0
027	Magnesium (%)	0226	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.41	0
027	Magnesium (%)	0878	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.41	0
027	Magnesium (%)	0294	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.42	0
027	Magnesium (%)	0610	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.43	0
027	Magnesium (%)	2089	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.43	0
027	Magnesium (%)	2192	0.2200	0.0000	0.2164	0.0118	0.0063	91	0.31	027.43	0
027	Magnesium (%)	0208	0.2205	0.0090	0.2164	0.0118	0.0063	91	0.35	027.31	0
027	Magnesium (%)	0598	0.2217	0.0013	0.2164	0.0118	0.0063	91	0.45	027.41	0
027	Magnesium (%)	0619	0.2225	0.0030	0.2164	0.0118	0.0063	91	0.52	027.41	0
027	Magnesium (%)	0560	0.2231	0.0023	0.2164	0.0118	0.0063	91	0.57	027.52	0
027	Magnesium (%)	0563	0.2242	0.0004	0.2164	0.0118	0.0063	91	0.66	027.31	0
027	Magnesium (%)	0186	0.2244	0.0079	0.2164	0.0118	0.0063	91	0.68	027.42	0
027	Magnesium (%)	0098	0.2250	0.0300	0.2164	0.0118	0.0063	91	0.73	027.43	0
027	Magnesium (%)	0190	0.2250	0.0100	0.2164	0.0118	0.0063	91	0.73	027.42	0
027	Magnesium (%)	0653	0.2255	0.0030	0.2164	0.0118	0.0063	91	0.77	027.41	0
027	Magnesium (%)	0553	0.2255	0.0070	0.2164	0.0118	0.0063	91	0.77	027.53	0
027	Magnesium (%)	0164	0.2260	0.0020	0.2164	0.0118	0.0063	91	0.82	027.44	0
027	Magnesium (%)	0202	0.2270	0.0020	0.2164	0.0118	0.0063	91	0.90	027.43	0
027	Magnesium (%)	0001	0.2295	0.0074	0.2164	0.0118	0.0063	91	1.11	027.31	0
027	Magnesium (%)	0358	0.2300	0.0200	0.2164	0.0118	0.0063	91	1.16	027.41	0
027	Magnesium (%)	0692	0.2300	0.0200	0.2164	0.0118	0.0063	91	1.16	027.42	0
027	Magnesium (%)	0689	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.31	0
027	Magnesium (%)	2196	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.31	0
027	Magnesium (%)	0035	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.42	0
027	Magnesium (%)	0032	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.43	0
027	Magnesium (%)	0035	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.43	0
027	Magnesium (%)	0425	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.43	0
027	Magnesium (%)	0675	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.43	0
027	Magnesium (%)	0682	0.2300	0.0000	0.2164	0.0118	0.0063	91	1.16	027.43	0
027	Magnesium (%)	0042	0.2350	0.0020	0.2164	0.0118	0.0063	91	1.58	027.42	0
027	Magnesium (%)	0693	0.2350	0.0140	0.2164	0.0118	0.0063	91	1.58	027.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0186	0.2357	0.0043	0.2164	0.0118	0.0063	91	1.64	027.52	0
027	Magnesium (%)	0505	0.2400	0.0200	0.2164	0.0118	0.0063	91	2.01	027.43	0
027	Magnesium (%)	0100	0.2500	0.0000	0.2164	0.0118	0.0063	91	2.86	027.99	0
027	Magnesium (%)	0685	0.2550	0.0100	0.2164	0.0118	0.0063	91	3.28	027.42	0
027	Magnesium (%)	0407	2.079	0.3080	0.2164	0.0118	0.0063	91	158.32	027.53	2
028	Manganese (ppm)	0226	73.29	0.1900	127.0	10.00	5.658	91	-5.37	028.41	0
028	Manganese (ppm)	0520	79.00	2.000	127.0	10.00	5.658	91	-4.80	028.41	0
028	Manganese (ppm)	0354	92.11	0.1800	127.0	10.00	5.658	91	-3.49	028.41	0
028	Manganese (ppm)	0619	93.25	5.500	127.0	10.00	5.658	91	-3.37	028.41	0
028	Manganese (ppm)	0536	99.97	12.96	127.0	10.00	5.658	91	-2.70	028.31	0
028	Manganese (ppm)	0685	101.6	0.0100	127.0	10.00	5.658	91	-2.53	028.42	0
028	Manganese (ppm)	0870	106.8	6.300	127.0	10.00	5.658	91	-2.02	028.42	0
028	Manganese (ppm)	0948	113.9	9.040	127.0	10.00	5.658	91	-1.31	028.33	0
028	Manganese (ppm)	0510	114.5	1.000	127.0	10.00	5.658	91	-1.25	028.43	0
028	Manganese (ppm)	0553	114.5	3.000	127.0	10.00	5.658	91	-1.25	028.53	0
028	Manganese (ppm)	0407	115.1	5.957	127.0	10.00	5.658	91	-1.18	028.41	0
028	Manganese (ppm)	2302	115.5	7.000	127.0	10.00	5.658	91	-1.15	028.99	0
028	Manganese (ppm)	0066	116.3	3.598	127.0	10.00	5.658	91	-1.07	028.44	0
028	Manganese (ppm)	0242	116.5	5.000	127.0	10.00	5.658	91	-1.05	028.99	0
028	Manganese (ppm)	0263	116.8	1.830	127.0	10.00	5.658	91	-1.02	028.42	0
028	Manganese (ppm)	0610	117.0	6.000	127.0	10.00	5.658	91	-1.00	028.43	0
028	Manganese (ppm)	0278	117.5	13.00	127.0	10.00	5.658	91	-0.95	028.42	0
028	Manganese (ppm)	0297	117.5	13.00	127.0	10.00	5.658	91	-0.95	028.43	0
028	Manganese (ppm)	0870	117.5	6.600	127.0	10.00	5.658	91	-0.95	028.43	0
028	Manganese (ppm)	0910	118.0	4.000	127.0	10.00	5.658	91	-0.90	028.41	0
028	Manganese (ppm)	0294	118.4	0.0400	127.0	10.00	5.658	91	-0.86	028.42	0
028	Manganese (ppm)	2246	118.4	0.5900	127.0	10.00	5.658	91	-0.86	028.34	0
028	Manganese (ppm)	0572	118.5	5.000	127.0	10.00	5.658	91	-0.85	028.53	0
028	Manganese (ppm)	0878	119.0	6.000	127.0	10.00	5.658	91	-0.80	028.41	0
028	Manganese (ppm)	0049	119.0	4.290	127.0	10.00	5.658	91	-0.79	028.41	0
028	Manganese (ppm)	0208	120.2	7.700	127.0	10.00	5.658	91	-0.68	028.41	0
028	Manganese (ppm)	0045	120.5	5.000	127.0	10.00	5.658	91	-0.65	028.42	0
028	Manganese (ppm)	0171	121.3	1.500	127.0	10.00	5.658	91	-0.57	028.41	0
028	Manganese (ppm)	0689	122.6	3.000	127.0	10.00	5.658	91	-0.44	028.31	0
028	Manganese (ppm)	0939	123.0	6.000	127.0	10.00	5.658	91	-0.40	028.53	0
028	Manganese (ppm)	0407	124.0	4.182	127.0	10.00	5.658	91	-0.30	028.43	0
028	Manganese (ppm)	2022	124.2	4.470	127.0	10.00	5.658	91	-0.28	028.33	0
028	Manganese (ppm)	0019	124.4	3.100	127.0	10.00	5.658	91	-0.26	028.41	0
028	Manganese (ppm)	0590	124.5	5.000	127.0	10.00	5.658	91	-0.25	028.99	0
028	Manganese (ppm)	2319	124.6	8.100	127.0	10.00	5.658	91	-0.24	028.42	0
028	Manganese (ppm)	0653	126.0	6.900	127.0	10.00	5.658	91	-0.10	028.41	0
028	Manganese (ppm)	0074	126.0	2.000	127.0	10.00	5.658	91	-0.10	028.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
028	Manganese (ppm)	0169	126.0	2.000	127.0	10.00	5.658	91	-0.10	028.43	0
028	Manganese (ppm)	0425	126.3	0.4000	127.0	10.00	5.658	91	-0.07	028.43	0
028	Manganese (ppm)	0098	126.5	15.50	127.0	10.00	5.658	91	-0.05	028.41	0
028	Manganese (ppm)	0186	127.0	2.000	127.0	10.00	5.658	91	0.00	028.42	0
028	Manganese (ppm)	0033	127.0	4.000	127.0	10.00	5.658	91	0.00	028.43	0
028	Manganese (ppm)	0529	127.2	3.500	127.0	10.00	5.658	91	0.02	028.31	0
028	Manganese (ppm)	0563	128.2	3.924	127.0	10.00	5.658	91	0.12	028.31	0
028	Manganese (ppm)	0692	128.5	27.00	127.0	10.00	5.658	91	0.15	028.42	0
028	Manganese (ppm)	0353	128.5	5.000	127.0	10.00	5.658	91	0.15	028.43	0
028	Manganese (ppm)	0038	128.8	3.713	127.0	10.00	5.658	91	0.18	028.32	0
028	Manganese (ppm)	0001	128.9	3.500	127.0	10.00	5.658	91	0.19	028.31	0
028	Manganese (ppm)	0229	129.0	4.800	127.0	10.00	5.658	91	0.20	028.41	0
028	Manganese (ppm)	0668	129.0	4.000	127.0	10.00	5.658	91	0.20	028.43	0
028	Manganese (ppm)	0164	129.0	2.000	127.0	10.00	5.658	91	0.20	028.44	0
028	Manganese (ppm)	0505	129.2	15.50	127.0	10.00	5.658	91	0.22	028.43	0
028	Manganese (ppm)	0968	129.5	1.000	127.0	10.00	5.658	91	0.25	028.43	0
028	Manganese (ppm)	0884	129.9	0.7000	127.0	10.00	5.658	91	0.29	028.31	0
028	Manganese (ppm)	2188	130.0	0.7300	127.0	10.00	5.658	91	0.30	028.31	0
028	Manganese (ppm)	0265	130.0	18.00	127.0	10.00	5.658	91	0.30	028.42	0
028	Manganese (ppm)	0939	130.3	9.710	127.0	10.00	5.658	91	0.33	028.31	0
028	Manganese (ppm)	0598	130.6	4.900	127.0	10.00	5.658	91	0.36	028.41	0
028	Manganese (ppm)	0964	130.6	6.167	127.0	10.00	5.658	91	0.36	028.43	0
028	Manganese (ppm)	0047	130.6	2.210	127.0	10.00	5.658	91	0.36	028.52	0
028	Manganese (ppm)	0004	130.9	1.720	127.0	10.00	5.658	91	0.39	028.41	0
028	Manganese (ppm)	2196	131.2	0.0000	127.0	10.00	5.658	91	0.42	028.31	0
028	Manganese (ppm)	0868	131.5	5.000	127.0	10.00	5.658	91	0.45	028.31	0
028	Manganese (ppm)	0148	131.8	2.400	127.0	10.00	5.658	91	0.49	028.41	0
028	Manganese (ppm)	0037	131.9	9.300	127.0	10.00	5.658	91	0.49	028.42	0
028	Manganese (ppm)	0098	131.9	22.40	127.0	10.00	5.658	91	0.49	028.43	0
028	Manganese (ppm)	2192	132.0	20.00	127.0	10.00	5.658	91	0.50	028.53	0
028	Manganese (ppm)	2089	132.5	6.560	127.0	10.00	5.658	91	0.55	028.43	0
028	Manganese (ppm)	0345	132.5	1.000	127.0	10.00	5.658	91	0.55	028.43	0
028	Manganese (ppm)	0560	132.5	6.800	127.0	10.00	5.658	91	0.55	028.52	0
028	Manganese (ppm)	2129	132.9	26.00	127.0	10.00	5.658	91	0.59	028.42	0
028	Manganese (ppm)	0035	133.0	4.000	127.0	10.00	5.658	91	0.60	028.42	0
028	Manganese (ppm)	0726	133.5	7.900	127.0	10.00	5.658	91	0.65	028.42	0
028	Manganese (ppm)	2318	134.0	2.000	127.0	10.00	5.658	91	0.70	028.31	0
028	Manganese (ppm)	0918	135.3	5.120	127.0	10.00	5.658	91	0.83	028.43	0
028	Manganese (ppm)	0407	135.6	8.873	127.0	10.00	5.658	91	0.86	028.53	0
028	Manganese (ppm)	0027	135.9	7.387	127.0	10.00	5.658	91	0.89	028.43	0
028	Manganese (ppm)	0083	136.0	0.0000	127.0	10.00	5.658	91	0.90	028.43	0
028	Manganese (ppm)	2234	137.2	9.960	127.0	10.00	5.658	91	1.03	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
028	Manganese (ppm)	0693	138.8	4.539	127.0	10.00	5.658	91	1.18	028.42	0
028	Manganese (ppm)	0358	138.9	12.61	127.0	10.00	5.658	91	1.19	028.41	0
028	Manganese (ppm)	0357	139.6	0.5610	127.0	10.00	5.658	91	1.27	028.42	0
028	Manganese (ppm)	0202	141.1	3.700	127.0	10.00	5.658	91	1.41	028.43	0
028	Manganese (ppm)	0186	141.5	1.000	127.0	10.00	5.658	91	1.45	028.52	0
028	Manganese (ppm)	0190	142.6	3.400	127.0	10.00	5.658	91	1.56	028.42	0
028	Manganese (ppm)	0035	143.0	8.000	127.0	10.00	5.658	91	1.60	028.43	0
028	Manganese (ppm)	0675	144.5	3.360	127.0	10.00	5.658	91	1.75	028.43	0
028	Manganese (ppm)	0100	145.0	0.0000	127.0	10.00	5.658	91	1.80	028.99	0
028	Manganese (ppm)	0682	145.5	0.0000	127.0	10.00	5.658	91	1.85	028.43	0
028	Manganese (ppm)	0208	147.0	12.00	127.0	10.00	5.658	91	2.00	028.31	0
028	Manganese (ppm)	0032	154.0	0.0000	127.0	10.00	5.658	91	2.70	028.43	0
028	Manganese (ppm)	0042	135.0	34.00	127.0	10.00	5.658	91	0.80	028.42	1
028	Manganese (ppm)	2144	2,214	1.000	127.0	10.00	5.658	91	208.61	028.99	2
031	Phosphorus (%)	0848	0.5450	0.0100	0.6834	0.0289	0.0142	128	-4.78	031.41	0
031	Phosphorus (%)	2192	0.5600	0.0400	0.6834	0.0289	0.0142	128	-4.27	031.01	0
031	Phosphorus (%)	0278	0.5750	0.0100	0.6834	0.0289	0.0142	128	-3.75	031.42	0
031	Phosphorus (%)	2302	0.5750	0.0100	0.6834	0.0289	0.0142	128	-3.75	031.99	0
031	Phosphorus (%)	0520	0.5850	0.0100	0.6834	0.0289	0.0142	128	-3.40	031.41	0
031	Phosphorus (%)	0297	0.5950	0.0100	0.6834	0.0289	0.0142	128	-3.06	031.43	0
031	Phosphorus (%)	0563	0.6045	0.0004	0.6834	0.0289	0.0142	128	-2.73	031.01	0
031	Phosphorus (%)	0626	0.6085	0.0450	0.6834	0.0289	0.0142	128	-2.59	031.01	0
031	Phosphorus (%)	0300	0.6185	0.0270	0.6834	0.0289	0.0142	128	-2.24	031.43	0
031	Phosphorus (%)	0294	0.6300	0.0200	0.6834	0.0289	0.0142	128	-1.85	031.42	0
031	Phosphorus (%)	0045	0.6310	0.0080	0.6834	0.0289	0.0142	128	-1.81	031.42	0
031	Phosphorus (%)	0910	0.6400	0.0000	0.6834	0.0289	0.0142	128	-1.50	031.41	0
031	Phosphorus (%)	0242	0.6400	0.0000	0.6834	0.0289	0.0142	128	-1.50	031.99	0
031	Phosphorus (%)	0354	0.6450	0.0100	0.6834	0.0289	0.0142	128	-1.33	031.41	0
031	Phosphorus (%)	0425	0.6450	0.0100	0.6834	0.0289	0.0142	128	-1.33	031.43	0
031	Phosphorus (%)	0939	0.6450	0.0500	0.6834	0.0289	0.0142	128	-1.33	031.53	0
031	Phosphorus (%)	0676	0.6500	0.0000	0.6834	0.0289	0.0142	128	-1.15	031.99	0
031	Phosphorus (%)	2295	0.6550	0.0100	0.6834	0.0289	0.0142	128	-0.98	031.01	0
031	Phosphorus (%)	0019	0.6550	0.0100	0.6834	0.0289	0.0142	128	-0.98	031.41	0
031	Phosphorus (%)	0353	0.6550	0.0300	0.6834	0.0289	0.0142	128	-0.98	031.43	0
031	Phosphorus (%)	0572	0.6570	0.0380	0.6834	0.0289	0.0142	128	-0.91	031.53	0
031	Phosphorus (%)	0560	0.6578	0.0063	0.6834	0.0289	0.0142	128	-0.89	031.52	0
031	Phosphorus (%)	2129	0.6580	0.0180	0.6834	0.0289	0.0142	128	-0.88	031.42	0
031	Phosphorus (%)	0001	0.6580	0.0160	0.6834	0.0289	0.0142	128	-0.88	031.43	0
031	Phosphorus (%)	0596	0.6600	0.0400	0.6834	0.0289	0.0142	128	-0.81	031.01	0
031	Phosphorus (%)	0004	0.6600	0.0200	0.6834	0.0289	0.0142	128	-0.81	031.41	0
031	Phosphorus (%)	0692	0.6600	0.0200	0.6834	0.0289	0.0142	128	-0.81	031.42	0
031	Phosphorus (%)	2319	0.6615	0.0070	0.6834	0.0289	0.0142	128	-0.76	031.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	2259	0.6630	0.0200	0.6834	0.0289	0.0142	128	-0.70	031.41	0
031	Phosphorus (%)	0693	0.6640	0.0760	0.6834	0.0289	0.0142	128	-0.67	031.42	0
031	Phosphorus (%)	0868	0.6650	0.0100	0.6834	0.0289	0.0142	128	-0.64	031.01	0
031	Phosphorus (%)	2144	0.6650	0.0100	0.6834	0.0289	0.0142	128	-0.64	031.01	0
031	Phosphorus (%)	0685	0.6650	0.0100	0.6834	0.0289	0.0142	128	-0.64	031.41	0
031	Phosphorus (%)	0047	0.6650	0.0300	0.6834	0.0289	0.0142	128	-0.64	031.42	0
031	Phosphorus (%)	0265	0.6650	0.0100	0.6834	0.0289	0.0142	128	-0.64	031.42	0
031	Phosphorus (%)	0142	0.6660	0.0152	0.6834	0.0289	0.0142	128	-0.60	031.01	0
031	Phosphorus (%)	0208	0.6660	0.0060	0.6834	0.0289	0.0142	128	-0.60	031.01	0
031	Phosphorus (%)	2009	0.6686	0.0012	0.6834	0.0289	0.0142	128	-0.51	031.01	0
031	Phosphorus (%)	0229	0.6700	0.0400	0.6834	0.0289	0.0142	128	-0.46	031.41	0
031	Phosphorus (%)	0939	0.6700	0.0200	0.6834	0.0289	0.0142	128	-0.46	031.01	0
031	Phosphorus (%)	2193	0.6700	0.0000	0.6834	0.0289	0.0142	128	-0.46	031.01	0
031	Phosphorus (%)	2246	0.6700	0.0000	0.6834	0.0289	0.0142	128	-0.46	031.01	0
031	Phosphorus (%)	0033	0.6700	0.0000	0.6834	0.0289	0.0142	128	-0.46	031.43	0
031	Phosphorus (%)	0083	0.6700	0.0000	0.6834	0.0289	0.0142	128	-0.46	031.43	0
031	Phosphorus (%)	0154	0.6724	0.0112	0.6834	0.0289	0.0142	128	-0.38	031.52	0
031	Phosphorus (%)	2109	0.6750	0.0040	0.6834	0.0289	0.0142	128	-0.29	031.01	0
031	Phosphorus (%)	2089	0.6750	0.0100	0.6834	0.0289	0.0142	128	-0.29	031.43	0
031	Phosphorus (%)	0964	0.6779	0.0242	0.6834	0.0289	0.0142	128	-0.19	031.43	0
031	Phosphorus (%)	2196	0.6780	0.0000	0.6834	0.0289	0.0142	128	-0.19	031.01	0
031	Phosphorus (%)	0208	0.6780	0.0180	0.6834	0.0289	0.0142	128	-0.19	031.41	0
031	Phosphorus (%)	0619	0.6790	0.0040	0.6834	0.0289	0.0142	128	-0.15	031.41	0
031	Phosphorus (%)	0263	0.6795	0.0003	0.6834	0.0289	0.0142	128	-0.14	031.42	0
031	Phosphorus (%)	0689	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.01	0
031	Phosphorus (%)	2188	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.01	0
031	Phosphorus (%)	0144	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.41	0
031	Phosphorus (%)	0171	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.41	0
031	Phosphorus (%)	0035	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.42	0
031	Phosphorus (%)	0010	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.43	0
031	Phosphorus (%)	0682	0.6800	0.0000	0.6834	0.0289	0.0142	128	-0.12	031.43	0
031	Phosphorus (%)	0870	0.6806	0.0269	0.6834	0.0289	0.0142	128	-0.10	031.42	0
031	Phosphorus (%)	0553	0.6820	0.0220	0.6834	0.0289	0.0142	128	-0.05	031.53	0
031	Phosphorus (%)	0001	0.6824	0.0170	0.6834	0.0289	0.0142	128	-0.03	031.03	0
031	Phosphorus (%)	2006	0.6825	0.0070	0.6834	0.0289	0.0142	128	-0.03	031.01	0
031	Phosphorus (%)	0027	0.6825	0.0030	0.6834	0.0289	0.0142	128	-0.03	031.43	0
031	Phosphorus (%)	2062	0.6826	0.0040	0.6834	0.0289	0.0142	128	-0.03	031.01	0
031	Phosphorus (%)	0407	0.6846	0.0215	0.6834	0.0289	0.0142	128	0.04	031.41	0
031	Phosphorus (%)	0038	0.6848	0.0370	0.6834	0.0289	0.0142	128	0.05	031.01	0
031	Phosphorus (%)	0529	0.6850	0.0100	0.6834	0.0289	0.0142	128	0.06	031.01	0
031	Phosphorus (%)	0884	0.6850	0.0100	0.6834	0.0289	0.0142	128	0.06	031.01	0
031	Phosphorus (%)	0202	0.6850	0.0360	0.6834	0.0289	0.0142	128	0.06	031.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	0881	0.6860	0.0240	0.6834	0.0289	0.0142	128	0.09	031.01	0
031	Phosphorus (%)	0036	0.6861	0.0035	0.6834	0.0289	0.0142	128	0.09	031.03	0
031	Phosphorus (%)	0016	0.6870	0.0200	0.6834	0.0289	0.0142	128	0.13	031.01	0
031	Phosphorus (%)	0656	0.6900	0.0000	0.6834	0.0289	0.0142	128	0.23	031.01	0
031	Phosphorus (%)	0878	0.6900	0.0200	0.6834	0.0289	0.0142	128	0.23	031.01	0
031	Phosphorus (%)	0169	0.6900	0.0200	0.6834	0.0289	0.0142	128	0.23	031.03	0
031	Phosphorus (%)	0653	0.6900	0.0040	0.6834	0.0289	0.0142	128	0.23	031.41	0
031	Phosphorus (%)	0089	0.6900	0.0000	0.6834	0.0289	0.0142	128	0.23	031.43	0
031	Phosphorus (%)	0066	0.6905	0.0030	0.6834	0.0289	0.0142	128	0.25	031.44	0
031	Phosphorus (%)	0885	0.6927	0.0096	0.6834	0.0289	0.0142	128	0.32	031.01	0
031	Phosphorus (%)	0918	0.6940	0.0020	0.6834	0.0289	0.0142	128	0.37	031.43	0
031	Phosphorus (%)	0148	0.6945	0.0690	0.6834	0.0289	0.0142	128	0.38	031.41	0
031	Phosphorus (%)	0870	0.6948	0.0000	0.6834	0.0289	0.0142	128	0.39	031.43	0
031	Phosphorus (%)	0590	0.6950	0.0100	0.6834	0.0289	0.0142	128	0.40	031.01	0
031	Phosphorus (%)	2022	0.6950	0.0100	0.6834	0.0289	0.0142	128	0.40	031.01	0
031	Phosphorus (%)	2146	0.6950	0.0100	0.6834	0.0289	0.0142	128	0.40	031.01	0
031	Phosphorus (%)	0049	0.6950	0.0100	0.6834	0.0289	0.0142	128	0.40	031.41	0
031	Phosphorus (%)	0226	0.6950	0.0100	0.6834	0.0289	0.0142	128	0.40	031.41	0
031	Phosphorus (%)	0009	0.6974	0.0590	0.6834	0.0289	0.0142	128	0.48	031.42	0
031	Phosphorus (%)	0407	0.6981	0.0004	0.6834	0.0289	0.0142	128	0.51	031.43	0
031	Phosphorus (%)	0098	0.6986	0.0801	0.6834	0.0289	0.0142	128	0.52	031.43	0
031	Phosphorus (%)	0098	0.6996	0.0451	0.6834	0.0289	0.0142	128	0.56	031.41	0
031	Phosphorus (%)	0948	0.7000	0.0000	0.6834	0.0289	0.0142	128	0.57	031.01	0
031	Phosphorus (%)	0298	0.7000	0.0200	0.6834	0.0289	0.0142	128	0.57	031.41	0
031	Phosphorus (%)	0726	0.7000	0.0200	0.6834	0.0289	0.0142	128	0.57	031.42	0
031	Phosphorus (%)	0035	0.7000	0.0000	0.6834	0.0289	0.0142	128	0.57	031.43	0
031	Phosphorus (%)	2234	0.7000	0.0200	0.6834	0.0289	0.0142	128	0.57	031.43	0
031	Phosphorus (%)	2200	0.7050	0.0300	0.6834	0.0289	0.0142	128	0.75	031.01	0
031	Phosphorus (%)	0358	0.7050	0.0300	0.6834	0.0289	0.0142	128	0.75	031.41	0
031	Phosphorus (%)	0190	0.7050	0.0100	0.6834	0.0289	0.0142	128	0.75	031.42	0
031	Phosphorus (%)	0186	0.7053	0.0035	0.6834	0.0289	0.0142	128	0.76	031.52	0
031	Phosphorus (%)	0042	0.7060	0.0240	0.6834	0.0289	0.0142	128	0.78	031.42	0
031	Phosphorus (%)	0668	0.7065	0.0090	0.6834	0.0289	0.0142	128	0.80	031.43	0
031	Phosphorus (%)	0186	0.7097	0.0095	0.6834	0.0289	0.0142	128	0.91	031.42	0
031	Phosphorus (%)	0018	0.7100	0.0100	0.6834	0.0289	0.0142	128	0.92	031.01	0
031	Phosphorus (%)	0123	0.7100	0.0000	0.6834	0.0289	0.0142	128	0.92	031.41	0
031	Phosphorus (%)	0610	0.7100	0.0000	0.6834	0.0289	0.0142	128	0.92	031.43	0
031	Phosphorus (%)	0036	0.7112	0.0147	0.6834	0.0289	0.0142	128	0.96	031.43	0
031	Phosphorus (%)	0407	0.7114	0.0694	0.6834	0.0289	0.0142	128	0.97	031.53	0
031	Phosphorus (%)	0968	0.7125	0.0090	0.6834	0.0289	0.0142	128	1.01	031.43	0
031	Phosphorus (%)	0897	0.7150	0.0100	0.6834	0.0289	0.0142	128	1.09	031.01	0
031	Phosphorus (%)	2181	0.7150	0.0100	0.6834	0.0289	0.0142	128	1.09	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	0675	0.7150	0.0100	0.6834	0.0289	0.0142	128	1.09	031.43	0
031	Phosphorus (%)	0100	0.7150	0.0100	0.6834	0.0289	0.0142	128	1.09	031.99	0
031	Phosphorus (%)	0345	0.7195	0.0010	0.6834	0.0289	0.0142	128	1.25	031.43	0
031	Phosphorus (%)	0674	0.7200	0.0000	0.6834	0.0289	0.0142	128	1.27	031.01	0
031	Phosphorus (%)	0074	0.7205	0.0050	0.6834	0.0289	0.0142	128	1.28	031.41	0
031	Phosphorus (%)	0357	0.7302	0.0093	0.6834	0.0289	0.0142	128	1.62	031.42	0
031	Phosphorus (%)	0037	0.7345	0.0210	0.6834	0.0289	0.0142	128	1.77	031.42	0
031	Phosphorus (%)	2325	0.7350	0.0100	0.6834	0.0289	0.0142	128	1.78	031.01	0
031	Phosphorus (%)	0014	0.7375	0.0170	0.6834	0.0289	0.0142	128	1.87	031.42	0
031	Phosphorus (%)	0505	0.7500	0.0000	0.6834	0.0289	0.0142	128	2.30	031.43	0
031	Phosphorus (%)	0510	0.7500	0.0000	0.6834	0.0289	0.0142	128	2.30	031.43	0
031	Phosphorus (%)	0536	0.7700	0.0000	0.6834	0.0289	0.0142	128	2.99	031.06	0
031	Phosphorus (%)	0598	0.7700	0.0012	0.6834	0.0289	0.0142	128	2.99	031.41	0
031	Phosphorus (%)	2199	0.7850	0.0100	0.6834	0.0289	0.0142	128	3.51	031.01	0
031	Phosphorus (%)	0032	0.7900	0.0000	0.6834	0.0289	0.0142	128	3.69	031.43	0
031	Phosphorus (%)	2291	0.8150	0.0300	0.6834	0.0289	0.0142	128	4.55	031.01	0
031	Phosphorus (%)	0108	0.4850	0.1500	0.6834	0.0289	0.0142	128	-6.86	031.01	1
031	Phosphorus (%)	0687	0.6500	0.1000	0.6834	0.0289	0.0142	128	-1.15	031.01	1
031	Phosphorus (%)	0852	1.015	0.0500	0.6834	0.0289	0.0142	128	11.46	031.99	2
032	Potassium (%)	2246	0.7550	0.0100	1.075	0.0609	0.0306	93	-5.25	032.31	0
032	Potassium (%)	2192	0.8550	0.0100	1.075	0.0609	0.0306	93	-3.61	032.43	0
032	Potassium (%)	0089	0.9300	0.0000	1.075	0.0609	0.0306	93	-2.38	032.43	0
032	Potassium (%)	0536	0.9350	0.0100	1.075	0.0609	0.0306	93	-2.30	032.31	0
032	Potassium (%)	0169	0.9350	0.0300	1.075	0.0609	0.0306	93	-2.30	032.32	0
032	Potassium (%)	0019	0.9450	0.0500	1.075	0.0609	0.0306	93	-2.13	032.41	0
032	Potassium (%)	0563	0.9472	0.0015	1.075	0.0609	0.0306	93	-2.10	032.31	0
032	Potassium (%)	0529	0.9550	0.0100	1.075	0.0609	0.0306	93	-1.97	032.31	0
032	Potassium (%)	0910	0.9600	0.0400	1.075	0.0609	0.0306	93	-1.88	032.41	0
032	Potassium (%)	2302	0.9850	0.0100	1.075	0.0609	0.0306	93	-1.47	032.99	0
032	Potassium (%)	0154	0.9893	0.0524	1.075	0.0609	0.0306	93	-1.40	032.52	0
032	Potassium (%)	0354	0.9950	0.0100	1.075	0.0609	0.0306	93	-1.31	032.41	0
032	Potassium (%)	0520	0.9950	0.0100	1.075	0.0609	0.0306	93	-1.31	032.41	0
032	Potassium (%)	0425	1.000	0.1000	1.075	0.0609	0.0306	93	-1.23	032.43	0
032	Potassium (%)	0297	1.005	0.0100	1.075	0.0609	0.0306	93	-1.15	032.43	0
032	Potassium (%)	0229	1.015	0.0900	1.075	0.0609	0.0306	93	-0.98	032.41	0
032	Potassium (%)	0242	1.015	0.0100	1.075	0.0609	0.0306	93	-0.98	032.99	0
032	Potassium (%)	0144	1.020	0.0000	1.075	0.0609	0.0306	93	-0.90	032.41	0
032	Potassium (%)	0619	1.020	0.0200	1.075	0.0609	0.0306	93	-0.90	032.41	0
032	Potassium (%)	0278	1.020	0.0200	1.075	0.0609	0.0306	93	-0.90	032.42	0
032	Potassium (%)	2022	1.025	0.0100	1.075	0.0609	0.0306	93	-0.82	032.33	0
032	Potassium (%)	2129	1.029	0.0560	1.075	0.0609	0.0306	93	-0.75	032.42	0
032	Potassium (%)	0148	1.032	0.0970	1.075	0.0609	0.0306	93	-0.71	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0004	1.035	0.0100	1.075	0.0609	0.0306	93	-0.65	032.41	0
032	Potassium (%)	0682	1.040	0.0000	1.075	0.0609	0.0306	93	-0.57	032.43	0
032	Potassium (%)	0968	1.041	0.0020	1.075	0.0609	0.0306	93	-0.55	032.43	0
032	Potassium (%)	0948	1.045	0.0640	1.075	0.0609	0.0306	93	-0.49	032.31	0
032	Potassium (%)	0939	1.045	0.1500	1.075	0.0609	0.0306	93	-0.49	032.53	0
032	Potassium (%)	0553	1.048	0.1240	1.075	0.0609	0.0306	93	-0.44	032.53	0
032	Potassium (%)	0265	1.050	0.0000	1.075	0.0609	0.0306	93	-0.41	032.42	0
032	Potassium (%)	0870	1.051	0.0310	1.075	0.0609	0.0306	93	-0.40	032.43	0
032	Potassium (%)	0208	1.052	0.0000	1.075	0.0609	0.0306	93	-0.37	032.41	0
032	Potassium (%)	0868	1.055	0.0100	1.075	0.0609	0.0306	93	-0.32	032.31	0
032	Potassium (%)	0870	1.058	0.0330	1.075	0.0609	0.0306	93	-0.28	032.42	0
032	Potassium (%)	0675	1.060	0.0000	1.075	0.0609	0.0306	93	-0.24	032.43	0
032	Potassium (%)	0590	1.060	0.0400	1.075	0.0609	0.0306	93	-0.24	032.99	0
032	Potassium (%)	0049	1.065	0.0100	1.075	0.0609	0.0306	93	-0.16	032.41	0
032	Potassium (%)	0027	1.069	0.0270	1.075	0.0609	0.0306	93	-0.10	032.43	0
032	Potassium (%)	0263	1.071	0.0132	1.075	0.0609	0.0306	93	-0.06	032.42	0
032	Potassium (%)	0066	1.072	0.0140	1.075	0.0609	0.0306	93	-0.04	032.41	0
032	Potassium (%)	0074	1.073	0.0140	1.075	0.0609	0.0306	93	-0.03	032.41	0
032	Potassium (%)	0045	1.075	0.0300	1.075	0.0609	0.0306	93	0.00	032.42	0
032	Potassium (%)	0033	1.075	0.0300	1.075	0.0609	0.0306	93	0.00	032.43	0
032	Potassium (%)	0510	1.075	0.0100	1.075	0.0609	0.0306	93	0.00	032.43	0
032	Potassium (%)	0572	1.075	0.0900	1.075	0.0609	0.0306	93	0.00	032.53	0
032	Potassium (%)	0918	1.078	0.0160	1.075	0.0609	0.0306	93	0.05	032.43	0
032	Potassium (%)	2319	1.080	0.0000	1.075	0.0609	0.0306	93	0.09	032.52	0
032	Potassium (%)	0294	1.085	0.0100	1.075	0.0609	0.0306	93	0.17	032.42	0
032	Potassium (%)	2089	1.085	0.0300	1.075	0.0609	0.0306	93	0.17	032.43	0
032	Potassium (%)	0692	1.090	0.1000	1.075	0.0609	0.0306	93	0.25	032.42	0
032	Potassium (%)	0035	1.090	0.0000	1.075	0.0609	0.0306	93	0.25	032.43	0
032	Potassium (%)	0964	1.090	0.0576	1.075	0.0609	0.0306	93	0.25	032.43	0
032	Potassium (%)	0142	1.091	0.0054	1.075	0.0609	0.0306	93	0.26	032.31	0
032	Potassium (%)	0036	1.093	0.0129	1.075	0.0609	0.0306	93	0.31	032.43	0
032	Potassium (%)	0047	1.095	0.0500	1.075	0.0609	0.0306	93	0.33	032.42	0
032	Potassium (%)	0610	1.095	0.0100	1.075	0.0609	0.0306	93	0.33	032.43	0
032	Potassium (%)	0037	1.099	0.0050	1.075	0.0609	0.0306	93	0.39	032.42	0
032	Potassium (%)	0171	1.100	0.0000	1.075	0.0609	0.0306	93	0.41	032.41	0
032	Potassium (%)	0042	1.100	0.0400	1.075	0.0609	0.0306	93	0.41	032.42	0
032	Potassium (%)	0598	1.101	0.0000	1.075	0.0609	0.0306	93	0.43	032.41	0
032	Potassium (%)	0939	1.105	0.0100	1.075	0.0609	0.0306	93	0.50	032.31	0
032	Potassium (%)	0878	1.105	0.0100	1.075	0.0609	0.0306	93	0.50	032.41	0
032	Potassium (%)	0083	1.105	0.0300	1.075	0.0609	0.0306	93	0.50	032.43	0
032	Potassium (%)	0653	1.106	0.0050	1.075	0.0609	0.0306	93	0.51	032.41	0
032	Potassium (%)	0357	1.106	0.0080	1.075	0.0609	0.0306	93	0.51	032.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0208	1.110	0.0400	1.075	0.0609	0.0306	93	0.58	032.31	0
032	Potassium (%)	0035	1.110	0.0400	1.075	0.0609	0.0306	93	0.58	032.42	0
032	Potassium (%)	2318	1.110	0.1200	1.075	0.0609	0.0306	93	0.58	032.43	0
032	Potassium (%)	0164	1.110	0.0000	1.075	0.0609	0.0306	93	0.58	032.44	0
032	Potassium (%)	0123	1.115	0.0300	1.075	0.0609	0.0306	93	0.66	032.41	0
032	Potassium (%)	0098	1.115	0.0900	1.075	0.0609	0.0306	93	0.66	032.43	0
032	Potassium (%)	0668	1.115	0.0500	1.075	0.0609	0.0306	93	0.66	032.43	0
032	Potassium (%)	0560	1.115	0.0035	1.075	0.0609	0.0306	93	0.66	032.52	0
032	Potassium (%)	0693	1.121	0.0030	1.075	0.0609	0.0306	93	0.75	032.42	0
032	Potassium (%)	0186	1.123	0.0130	1.075	0.0609	0.0306	93	0.78	032.42	0
032	Potassium (%)	0407	1.123	0.0957	1.075	0.0609	0.0306	93	0.80	032.53	0
032	Potassium (%)	0186	1.129	0.0150	1.075	0.0609	0.0306	93	0.88	032.52	0
032	Potassium (%)	0032	1.130	0.0000	1.075	0.0609	0.0306	93	0.91	032.43	0
032	Potassium (%)	0345	1.130	0.0200	1.075	0.0609	0.0306	93	0.91	032.43	0
032	Potassium (%)	0010	1.135	0.0700	1.075	0.0609	0.0306	93	0.99	032.43	0
032	Potassium (%)	0407	1.137	0.1556	1.075	0.0609	0.0306	93	1.01	032.41	0
032	Potassium (%)	0098	1.140	0.0000	1.075	0.0609	0.0306	93	1.07	032.41	0
032	Potassium (%)	0353	1.140	0.0600	1.075	0.0609	0.0306	93	1.07	032.43	0
032	Potassium (%)	2234	1.145	0.1100	1.075	0.0609	0.0306	93	1.15	032.43	0
032	Potassium (%)	0009	1.146	0.0117	1.075	0.0609	0.0306	93	1.17	032.42	0
032	Potassium (%)	0226	1.150	0.0200	1.075	0.0609	0.0306	93	1.24	032.41	0
032	Potassium (%)	0190	1.155	0.0100	1.075	0.0609	0.0306	93	1.32	032.42	0
032	Potassium (%)	0100	1.155	0.0300	1.075	0.0609	0.0306	93	1.32	032.99	0
032	Potassium (%)	0407	1.155	0.0063	1.075	0.0609	0.0306	93	1.32	032.43	0
032	Potassium (%)	0202	1.161	0.0220	1.075	0.0609	0.0306	93	1.42	032.43	0
032	Potassium (%)	0001	1.163	0.0050	1.075	0.0609	0.0306	93	1.44	032.99	0
032	Potassium (%)	0726	1.170	0.0000	1.075	0.0609	0.0306	93	1.56	032.42	0
032	Potassium (%)	0358	1.265	0.0700	1.075	0.0609	0.0306	93	3.13	032.41	0
032	Potassium (%)	0505	1.175	0.1900	1.075	0.0609	0.0306	93	1.65	032.43	1
033	Salt as chloride (%)	0536	0.2050	0.0300	1.099	0.0669	0.0235	56	-13.37	033.99	0
033	Salt as chloride (%)	0144	0.3450	0.0100	1.099	0.0669	0.0235	56	-11.27	033.03	0
033	Salt as chloride (%)	0539	0.4820	0.0300	1.099	0.0669	0.0235	56	-9.23	033.00	0
033	Salt as chloride (%)	0885	0.6418	0.0127	1.099	0.0669	0.0235	56	-6.84	033.00	0
033	Salt as chloride (%)	0693	0.7115	0.0390	1.099	0.0669	0.0235	56	-5.79	033.00	0
033	Salt as chloride (%)	0265	0.9000	0.0400	1.099	0.0669	0.0235	56	-2.98	033.03	0
033	Salt as chloride (%)	2076	0.9250	0.0900	1.099	0.0669	0.0235	56	-2.60	033.00	0
033	Salt as chloride (%)	0032	0.9600	0.0000	1.099	0.0669	0.0235	56	-2.08	033.99	0
033	Salt as chloride (%)	0726	0.9900	0.0600	1.099	0.0669	0.0235	56	-1.63	033.03	0
033	Salt as chloride (%)	2009	1.009	0.0049	1.099	0.0669	0.0235	56	-1.35	033.00	0
033	Salt as chloride (%)	2043	1.015	0.0100	1.099	0.0669	0.0235	56	-1.26	033.05	0
033	Salt as chloride (%)	0596	1.040	0.0000	1.099	0.0669	0.0235	56	-0.88	033.01	0
033	Salt as chloride (%)	0897	1.045	0.0100	1.099	0.0669	0.0235	56	-0.81	033.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
033	Salt as chloride (%)	0358	1.050	0.0800	1.099	0.0669	0.0235	56	-0.73	033.99	0
033	Salt as chloride (%)	0868	1.055	0.0500	1.099	0.0669	0.0235	56	-0.66	033.05	0
033	Salt as chloride (%)	0878	1.070	0.0400	1.099	0.0669	0.0235	56	-0.43	033.00	0
033	Salt as chloride (%)	0619	1.070	0.0000	1.099	0.0669	0.0235	56	-0.43	033.01	0
033	Salt as chloride (%)	2062	1.085	0.0012	1.099	0.0669	0.0235	56	-0.22	033.00	0
033	Salt as chloride (%)	0682	1.090	0.0000	1.099	0.0669	0.0235	56	-0.14	033.01	0
033	Salt as chloride (%)	0910	1.095	0.0100	1.099	0.0669	0.0235	56	-0.06	033.99	0
033	Salt as chloride (%)	0083	1.100	0.0200	1.099	0.0669	0.0235	56	0.01	033.01	0
033	Salt as chloride (%)	0123	1.105	0.0100	1.099	0.0669	0.0235	56	0.09	033.00	0
033	Salt as chloride (%)	2109	1.107	0.0010	1.099	0.0669	0.0235	56	0.11	033.01	0
033	Salt as chloride (%)	0675	1.110	0.0400	1.099	0.0669	0.0235	56	0.16	033.00	0
033	Salt as chloride (%)	2181	1.115	0.0500	1.099	0.0669	0.0235	56	0.24	033.99	0
033	Salt as chloride (%)	0098	1.115	0.0100	1.099	0.0669	0.0235	56	0.24	033.01	0
033	Salt as chloride (%)	0148	1.115	0.0100	1.099	0.0669	0.0235	56	0.24	033.01	0
033	Salt as chloride (%)	0229	1.115	0.0100	1.099	0.0669	0.0235	56	0.24	033.01	0
033	Salt as chloride (%)	0884	1.120	0.0200	1.099	0.0669	0.0235	56	0.31	033.00	0
033	Salt as chloride (%)	2196	1.120	0.0000	1.099	0.0669	0.0235	56	0.31	033.00	0
033	Salt as chloride (%)	0510	1.120	0.0000	1.099	0.0669	0.0235	56	0.31	033.01	0
033	Salt as chloride (%)	2073	1.120	0.0000	1.099	0.0669	0.0235	56	0.31	033.99	0
033	Salt as chloride (%)	2146	1.125	0.0100	1.099	0.0669	0.0235	56	0.39	033.01	0
033	Salt as chloride (%)	0881	1.128	0.0170	1.099	0.0669	0.0235	56	0.43	033.00	0
033	Salt as chloride (%)	0045	1.130	0.0800	1.099	0.0669	0.0235	56	0.46	033.00	0
033	Salt as chloride (%)	0226	1.130	0.0000	1.099	0.0669	0.0235	56	0.46	033.01	0
033	Salt as chloride (%)	0242	1.130	0.0200	1.099	0.0669	0.0235	56	0.46	033.01	0
033	Salt as chloride (%)	0407	1.135	0.0010	1.099	0.0669	0.0235	56	0.53	033.01	0
033	Salt as chloride (%)	2295	1.135	0.0100	1.099	0.0669	0.0235	56	0.54	033.00	0
033	Salt as chloride (%)	0650	1.135	0.0500	1.099	0.0669	0.0235	56	0.54	033.99	0
033	Salt as chloride (%)	0164	1.140	0.0000	1.099	0.0669	0.0235	56	0.61	033.01	0
033	Salt as chloride (%)	0425	1.140	0.0200	1.099	0.0669	0.0235	56	0.61	033.01	0
033	Salt as chloride (%)	0208	1.140	0.0200	1.099	0.0669	0.0235	56	0.61	033.99	0
033	Salt as chloride (%)	0353	1.145	0.0300	1.099	0.0669	0.0235	56	0.69	033.00	0
033	Salt as chloride (%)	0100	1.145	0.0500	1.099	0.0669	0.0235	56	0.69	033.01	0
033	Salt as chloride (%)	0354	1.145	0.0100	1.099	0.0669	0.0235	56	0.69	033.01	0
033	Salt as chloride (%)	0309	1.146	0.0132	1.099	0.0669	0.0235	56	0.70	033.00	0
033	Salt as chloride (%)	0186	1.147	0.0030	1.099	0.0669	0.0235	56	0.71	033.01	0
033	Salt as chloride (%)	0948	1.150	0.0000	1.099	0.0669	0.0235	56	0.76	033.01	0
033	Salt as chloride (%)	2268	1.150	0.0200	1.099	0.0669	0.0235	56	0.76	033.01	0
033	Salt as chloride (%)	0689	1.160	0.0800	1.099	0.0669	0.0235	56	0.91	033.05	0
033	Salt as chloride (%)	0590	1.165	0.0100	1.099	0.0669	0.0235	56	0.99	033.01	0
033	Salt as chloride (%)	2193	1.170	0.0200	1.099	0.0669	0.0235	56	1.06	033.00	0
033	Salt as chloride (%)	0298	1.190	0.0200	1.099	0.0669	0.0235	56	1.36	033.00	0
033	Salt as chloride (%)	2129	1.195	0.0910	1.099	0.0669	0.0235	56	1.43	033.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
033	Salt as chloride (%)	0278	1.535	0.0500	1.099	0.0669	0.0235	56	6.52	033.01	0
034	Selenium (ppm)	0407	0.3150	0.0300	0.5504	0.1397	0.0436	16	-1.68	034.41	0
034	Selenium (ppm)	0553	0.3830	0.0040	0.5504	0.1397	0.0436	16	-1.20	034.53	0
034	Selenium (ppm)	0171	0.4340	0.0340	0.5504	0.1397	0.0436	16	-0.83	034.04	0
034	Selenium (ppm)	0164	0.4510	0.0420	0.5504	0.1397	0.0436	16	-0.71	034.53	0
034	Selenium (ppm)	0045	0.4625	0.0590	0.5504	0.1397	0.0436	16	-0.63	034.04	0
034	Selenium (ppm)	0964	0.4930	0.0560	0.5504	0.1397	0.0436	16	-0.41	034.43	0
034	Selenium (ppm)	0918	0.4969	0.0186	0.5504	0.1397	0.0436	16	-0.38	034.53	0
034	Selenium (ppm)	2055	0.5350	0.1500	0.5504	0.1397	0.0436	16	-0.11	034.53	0
034	Selenium (ppm)	0169	0.5700	0.0200	0.5504	0.1397	0.0436	16	0.14	034.04	0
034	Selenium (ppm)	0560	0.5720	0.0000	0.5504	0.1397	0.0436	16	0.15	034.53	0
034	Selenium (ppm)	0208	0.5940	0.1080	0.5504	0.1397	0.0436	16	0.31	034.52	0
034	Selenium (ppm)	0910	0.6250	0.0500	0.5504	0.1397	0.0436	16	0.53	034.52	0
034	Selenium (ppm)	0407	0.6608	0.0612	0.5504	0.1397	0.0436	16	0.79	034.53	0
034	Selenium (ppm)	0032	0.7100	0.0000	0.5504	0.1397	0.0436	16	1.14	034.53	0
034	Selenium (ppm)	0186	0.7188	0.0001	0.5504	0.1397	0.0436	16	1.20	034.52	0
034	Selenium (ppm)	0563	1.139	0.0648	0.5504	0.1397	0.0436	16	4.21	034.04	0
034	Selenium (ppm)	0692	0.0000	0.0000	0.5504	0.1397	0.0436	16		034.42	4
034	Selenium (ppm)	0682	< 5		0.5504	0.1397	0.0436	16		034.43	5
035	Sodium (%)	0884	0.1850	0.0100	0.3837	0.0271	0.0117	95	-7.32	035.02	0
035	Sodium (%)	2246	0.2350	0.0100	0.3837	0.0271	0.0117	95	-5.48	035.31	0
035	Sodium (%)	2302	0.2700	0.0200	0.3837	0.0271	0.0117	95	-4.19	035.99	0
035	Sodium (%)	2318	0.3200	0.0200	0.3837	0.0271	0.0117	95	-2.35	035.31	0
035	Sodium (%)	0169	0.3350	0.0100	0.3837	0.0271	0.0117	95	-1.79	035.32	0
035	Sodium (%)	0520	0.3417	0.0016	0.3837	0.0271	0.0117	95	-1.55	035.41	0
035	Sodium (%)	0948	0.3480	0.0120	0.3837	0.0271	0.0117	95	-1.32	035.31	0
035	Sodium (%)	0278	0.3500	0.0000	0.3837	0.0271	0.0117	95	-1.24	035.42	0
035	Sodium (%)	0297	0.3500	0.0000	0.3837	0.0271	0.0117	95	-1.24	035.43	0
035	Sodium (%)	2192	0.3500	0.0000	0.3837	0.0271	0.0117	95	-1.24	035.43	0
035	Sodium (%)	0242	0.3500	0.0000	0.3837	0.0271	0.0117	95	-1.24	035.99	0
035	Sodium (%)	2259	0.3530	0.0180	0.3837	0.0271	0.0117	95	-1.13	035.41	0
035	Sodium (%)	2129	0.3535	0.0410	0.3837	0.0271	0.0117	95	-1.11	035.42	0
035	Sodium (%)	2109	0.3540	0.0140	0.3837	0.0271	0.0117	95	-1.09	035.01	0
035	Sodium (%)	0910	0.3550	0.0500	0.3837	0.0271	0.0117	95	-1.06	035.41	0
035	Sodium (%)	0265	0.3550	0.0100	0.3837	0.0271	0.0117	95	-1.06	035.42	0
035	Sodium (%)	0019	0.3600	0.0000	0.3837	0.0271	0.0117	95	-0.87	035.41	0
035	Sodium (%)	0144	0.3600	0.0200	0.3837	0.0271	0.0117	95	-0.87	035.41	0
035	Sodium (%)	0148	0.3610	0.0380	0.3837	0.0271	0.0117	95	-0.84	035.41	0
035	Sodium (%)	0037	0.3635	0.0030	0.3837	0.0271	0.0117	95	-0.74	035.42	0
035	Sodium (%)	0563	0.3639	0.0022	0.3837	0.0271	0.0117	95	-0.73	035.31	0
035	Sodium (%)	0572	0.3640	0.0320	0.3837	0.0271	0.0117	95	-0.73	035.53	0
035	Sodium (%)	0154	0.3643	0.0099	0.3837	0.0271	0.0117	95	-0.72	035.52	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
035	Sodium (%)	0004	0.3650	0.0100	0.3837	0.0271	0.0117	95	-0.69	035.41	0
035	Sodium (%)	0354	0.3650	0.0100	0.3837	0.0271	0.0117	95	-0.69	035.41	0
035	Sodium (%)	0294	0.3650	0.0100	0.3837	0.0271	0.0117	95	-0.69	035.42	0
035	Sodium (%)	0045	0.3670	0.0080	0.3837	0.0271	0.0117	95	-0.62	035.42	0
035	Sodium (%)	0300	0.3670	0.0200	0.3837	0.0271	0.0117	95	-0.62	035.43	0
035	Sodium (%)	0357	0.3694	0.0018	0.3837	0.0271	0.0117	95	-0.53	035.42	0
035	Sodium (%)	0038	0.3695	0.0180	0.3837	0.0271	0.0117	95	-0.52	035.31	0
035	Sodium (%)	0229	0.3700	0.0200	0.3837	0.0271	0.0117	95	-0.51	035.41	0
035	Sodium (%)	0682	0.3700	0.0000	0.3837	0.0271	0.0117	95	-0.51	035.43	0
035	Sodium (%)	0553	0.3705	0.0350	0.3837	0.0271	0.0117	95	-0.49	035.53	0
035	Sodium (%)	0171	0.3735	0.0030	0.3837	0.0271	0.0117	95	-0.38	035.41	0
035	Sodium (%)	0619	0.3740	0.0040	0.3837	0.0271	0.0117	95	-0.36	035.41	0
035	Sodium (%)	0049	0.3750	0.0100	0.3837	0.0271	0.0117	95	-0.32	035.41	0
035	Sodium (%)	0870	0.3759	0.0139	0.3837	0.0271	0.0117	95	-0.29	035.42	0
035	Sodium (%)	0918	0.3765	0.0070	0.3837	0.0271	0.0117	95	-0.27	035.43	0
035	Sodium (%)	0263	0.3771	0.0030	0.3837	0.0271	0.0117	95	-0.24	035.42	0
035	Sodium (%)	0653	0.3795	0.0010	0.3837	0.0271	0.0117	95	-0.16	035.41	0
035	Sodium (%)	2196	0.3800	0.0000	0.3837	0.0271	0.0117	95	-0.14	035.31	0
035	Sodium (%)	0298	0.3800	0.0200	0.3837	0.0271	0.0117	95	-0.14	035.41	0
035	Sodium (%)	0190	0.3800	0.0200	0.3837	0.0271	0.0117	95	-0.14	035.42	0
035	Sodium (%)	0033	0.3800	0.0000	0.3837	0.0271	0.0117	95	-0.14	035.43	0
035	Sodium (%)	0098	0.3800	0.0200	0.3837	0.0271	0.0117	95	-0.14	035.43	0
035	Sodium (%)	0610	0.3800	0.0000	0.3837	0.0271	0.0117	95	-0.14	035.43	0
035	Sodium (%)	0675	0.3800	0.0000	0.3837	0.0271	0.0117	95	-0.14	035.43	0
035	Sodium (%)	0345	0.3835	0.0050	0.3837	0.0271	0.0117	95	-0.01	035.43	0
035	Sodium (%)	2146	0.3850	0.0100	0.3837	0.0271	0.0117	95	0.05	035.31	0
035	Sodium (%)	0208	0.3850	0.0040	0.3837	0.0271	0.0117	95	0.05	035.41	0
035	Sodium (%)	0726	0.3850	0.0100	0.3837	0.0271	0.0117	95	0.05	035.42	0
035	Sodium (%)	0142	0.3899	0.0055	0.3837	0.0271	0.0117	95	0.23	035.31	0
035	Sodium (%)	0098	0.3900	0.0000	0.3837	0.0271	0.0117	95	0.23	035.41	0
035	Sodium (%)	0164	0.3900	0.0020	0.3837	0.0271	0.0117	95	0.23	035.41	0
035	Sodium (%)	0035	0.3900	0.0000	0.3837	0.0271	0.0117	95	0.23	035.43	0
035	Sodium (%)	0083	0.3900	0.0000	0.3837	0.0271	0.0117	95	0.23	035.43	0
035	Sodium (%)	0353	0.3900	0.0400	0.3837	0.0271	0.0117	95	0.23	035.43	0
035	Sodium (%)	0407	0.3904	0.0125	0.3837	0.0271	0.0117	95	0.24	035.53	0
035	Sodium (%)	2319	0.3905	0.0010	0.3837	0.0271	0.0117	95	0.25	035.42	0
035	Sodium (%)	0510	0.3905	0.0010	0.3837	0.0271	0.0117	95	0.25	035.43	0
035	Sodium (%)	0668	0.3925	0.0110	0.3837	0.0271	0.0117	95	0.32	035.43	0
035	Sodium (%)	0598	0.3934	0.0008	0.3837	0.0271	0.0117	95	0.36	035.41	0
035	Sodium (%)	0964	0.3942	0.0185	0.3837	0.0271	0.0117	95	0.38	035.43	0
035	Sodium (%)	0878	0.3950	0.0100	0.3837	0.0271	0.0117	95	0.42	035.41	0
035	Sodium (%)	0870	0.3954	0.0266	0.3837	0.0271	0.0117	95	0.43	035.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
035	Sodium (%)	0208	0.3975	0.0230	0.3837	0.0271	0.0117	95	0.51	035.31	0
035	Sodium (%)	0560	0.3978	0.0040	0.3837	0.0271	0.0117	95	0.52	035.52	0
035	Sodium (%)	0693	0.3990	0.0120	0.3837	0.0271	0.0117	95	0.56	035.42	0
035	Sodium (%)	0529	0.4000	0.0100	0.3837	0.0271	0.0117	95	0.60	035.31	0
035	Sodium (%)	0035	0.4000	0.0000	0.3837	0.0271	0.0117	95	0.60	035.42	0
035	Sodium (%)	2089	0.4000	0.0000	0.3837	0.0271	0.0117	95	0.60	035.43	0
035	Sodium (%)	0590	0.4000	0.0000	0.3837	0.0271	0.0117	95	0.60	035.99	0
035	Sodium (%)	0868	0.4020	0.0100	0.3837	0.0271	0.0117	95	0.67	035.01	0
035	Sodium (%)	0868	0.4050	0.0100	0.3837	0.0271	0.0117	95	0.78	035.31	0
035	Sodium (%)	0010	0.4050	0.0100	0.3837	0.0271	0.0117	95	0.78	035.43	0
035	Sodium (%)	0425	0.4050	0.0300	0.3837	0.0271	0.0117	95	0.78	035.43	0
035	Sodium (%)	0505	0.4050	0.0500	0.3837	0.0271	0.0117	95	0.78	035.43	0
035	Sodium (%)	0407	0.4053	0.0103	0.3837	0.0271	0.0117	95	0.79	035.41	0
035	Sodium (%)	0407	0.4088	0.0002	0.3837	0.0271	0.0117	95	0.92	035.43	0
035	Sodium (%)	0226	0.4100	0.0000	0.3837	0.0271	0.0117	95	0.97	035.41	0
035	Sodium (%)	0100	0.4100	0.0400	0.3837	0.0271	0.0117	95	0.97	035.99	0
035	Sodium (%)	0202	0.4115	0.0050	0.3837	0.0271	0.0117	95	1.02	035.43	0
035	Sodium (%)	0939	0.4150	0.0100	0.3837	0.0271	0.0117	95	1.15	035.31	0
035	Sodium (%)	0358	0.4150	0.0300	0.3837	0.0271	0.0117	95	1.15	035.41	0
035	Sodium (%)	0123	0.4200	0.0000	0.3837	0.0271	0.0117	95	1.34	035.41	0
035	Sodium (%)	2234	0.4200	0.0000	0.3837	0.0271	0.0117	95	1.34	035.43	0
035	Sodium (%)	0042	0.4230	0.0320	0.3837	0.0271	0.0117	95	1.45	035.42	0
035	Sodium (%)	0186	0.4241	0.0058	0.3837	0.0271	0.0117	95	1.49	035.52	0
035	Sodium (%)	0939	0.4250	0.0100	0.3837	0.0271	0.0117	95	1.52	035.53	0
035	Sodium (%)	0066	0.4280	0.0040	0.3837	0.0271	0.0117	95	1.63	035.41	0
035	Sodium (%)	0692	0.4350	0.0300	0.3837	0.0271	0.0117	95	1.89	035.42	0
035	Sodium (%)	0536	0.4400	0.0200	0.3837	0.0271	0.0117	95	2.07	035.31	0
035	Sodium (%)	0186	0.4421	0.0139	0.3837	0.0271	0.0117	95	2.15	035.42	0
035	Sodium (%)	0089	0.4600	0.0000	0.3837	0.0271	0.0117	95	2.81	035.43	0
035	Sodium (%)	0689	0.4650	0.0300	0.3837	0.0271	0.0117	95	2.99	035.31	0
035	Sodium (%)	0108	0.4650	0.1900	0.3837	0.0271	0.0117	95	2.99	035.05	1
036	Sulfur (%)	0242	0.1750	0.0100	0.2092	0.0174	0.0062	49	-1.97	036.99	0
036	Sulfur (%)	0278	0.1800	0.0000	0.2092	0.0174	0.0062	49	-1.68	036.42	0
036	Sulfur (%)	0297	0.1800	0.0000	0.2092	0.0174	0.0062	49	-1.68	036.43	0
036	Sulfur (%)	0870	0.1840	0.0008	0.2092	0.0174	0.0062	49	-1.45	036.42	0
036	Sulfur (%)	0692	0.1850	0.0100	0.2092	0.0174	0.0062	49	-1.40	036.42	0
036	Sulfur (%)	0353	0.1850	0.0100	0.2092	0.0174	0.0062	49	-1.40	036.43	0
036	Sulfur (%)	2129	0.1870	0.0120	0.2092	0.0174	0.0062	49	-1.28	036.42	0
036	Sulfur (%)	0045	0.1885	0.0050	0.2092	0.0174	0.0062	49	-1.19	036.42	0
036	Sulfur (%)	0910	0.1921	0.0018	0.2092	0.0174	0.0062	49	-0.99	036.52	0
036	Sulfur (%)	0407	0.1923	0.0134	0.2092	0.0174	0.0062	49	-0.98	036.43	0
036	Sulfur (%)	0265	0.1950	0.0100	0.2092	0.0174	0.0062	49	-0.82	036.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
036	Sulfur (%)	0357	0.1967	0.0002	0.2092	0.0174	0.0062	49	-0.72	036.42	0
036	Sulfur (%)	0226	0.2000	0.0000	0.2092	0.0174	0.0062	49	-0.53	036.04	0
036	Sulfur (%)	0229	0.2000	0.0200	0.2092	0.0174	0.0062	49	-0.53	036.04	0
036	Sulfur (%)	0035	0.2000	0.0000	0.2092	0.0174	0.0062	49	-0.53	036.42	0
036	Sulfur (%)	0407	0.2043	0.0200	0.2092	0.0174	0.0062	49	-0.28	036.42	0
036	Sulfur (%)	0171	0.2045	0.0010	0.2092	0.0174	0.0062	49	-0.27	036.42	0
036	Sulfur (%)	0693	0.2045	0.0010	0.2092	0.0174	0.0062	49	-0.27	036.42	0
036	Sulfur (%)	0870	0.2052	0.0098	0.2092	0.0174	0.0062	49	-0.23	036.43	0
036	Sulfur (%)	0186	0.2071	0.0044	0.2092	0.0174	0.0062	49	-0.12	036.42	0
036	Sulfur (%)	0964	0.2078	0.0138	0.2092	0.0174	0.0062	49	-0.08	036.43	0
036	Sulfur (%)	0553	0.2085	0.0170	0.2092	0.0174	0.0062	49	-0.04	036.53	0
036	Sulfur (%)	0164	0.2100	0.0000	0.2092	0.0174	0.0062	49	0.04	036.42	0
036	Sulfur (%)	0726	0.2100	0.0000	0.2092	0.0174	0.0062	49	0.04	036.42	0
036	Sulfur (%)	0010	0.2100	0.0000	0.2092	0.0174	0.0062	49	0.04	036.43	0
036	Sulfur (%)	0083	0.2100	0.0000	0.2092	0.0174	0.0062	49	0.04	036.43	0
036	Sulfur (%)	0027	0.2125	0.0010	0.2092	0.0174	0.0062	49	0.19	036.43	0
036	Sulfur (%)	0042	0.2135	0.0170	0.2092	0.0174	0.0062	49	0.25	036.42	0
036	Sulfur (%)	0345	0.2135	0.0050	0.2092	0.0174	0.0062	49	0.25	036.43	0
036	Sulfur (%)	0098	0.2149	0.0167	0.2092	0.0174	0.0062	49	0.32	036.43	0
036	Sulfur (%)	2234	0.2150	0.0100	0.2092	0.0174	0.0062	49	0.33	036.43	0
036	Sulfur (%)	0148	0.2175	0.0010	0.2092	0.0174	0.0062	49	0.48	036.04	0
036	Sulfur (%)	0918	0.2180	0.0000	0.2092	0.0174	0.0062	49	0.50	036.43	0
036	Sulfur (%)	0033	0.2190	0.0080	0.2092	0.0174	0.0062	49	0.56	036.43	0
036	Sulfur (%)	0066	0.2190	0.0000	0.2092	0.0174	0.0062	49	0.56	036.43	0
036	Sulfur (%)	0668	0.2195	0.0030	0.2092	0.0174	0.0062	49	0.59	036.43	0
036	Sulfur (%)	0032	0.2200	0.0000	0.2092	0.0174	0.0062	49	0.62	036.43	0
036	Sulfur (%)	0035	0.2200	0.0000	0.2092	0.0174	0.0062	49	0.62	036.43	0
036	Sulfur (%)	2089	0.2200	0.0200	0.2092	0.0174	0.0062	49	0.62	036.43	0
036	Sulfur (%)	0186	0.2210	0.0016	0.2092	0.0174	0.0062	49	0.68	036.52	0
036	Sulfur (%)	0190	0.2250	0.0100	0.2092	0.0174	0.0062	49	0.91	036.42	0
036	Sulfur (%)	0294	0.2250	0.0100	0.2092	0.0174	0.0062	49	0.91	036.42	0
036	Sulfur (%)	0169	0.2250	0.0100	0.2092	0.0174	0.0062	49	0.91	036.43	0
036	Sulfur (%)	0037	0.2275	0.0130	0.2092	0.0174	0.0062	49	1.05	036.42	0
036	Sulfur (%)	0682	0.2300	0.0000	0.2092	0.0174	0.0062	49	1.20	036.43	0
036	Sulfur (%)	0202	0.2340	0.0080	0.2092	0.0174	0.0062	49	1.43	036.43	0
036	Sulfur (%)	0878	0.2400	0.0000	0.2092	0.0174	0.0062	49	1.77	036.43	0
036	Sulfur (%)	0510	0.2450	0.0100	0.2092	0.0174	0.0062	49	2.06	036.43	0
036	Sulfur (%)	0560	0.2627	0.0015	0.2092	0.0174	0.0062	49	3.08	036.52	0
036	Sulfur (%)	0038	0.2428	0.0764	0.2092	0.0174	0.0062	49	1.93	036.43	1
036	Sulfur (%)	0505	0.3000	0.0600	0.2092	0.0174	0.0062	49	5.23	036.43	1
036	Sulfur (%)	0708	0.4195	0.0030	0.2092	0.0174	0.0062	49	12.11	036.42	2
037	Zinc (ppm)	0870	95.65	1.050	130.0	11.22	4.972	92	-3.07	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0520	99.50	5.000	130.0	11.22	4.972	92	-2.72	037.41	0
037	Zinc (ppm)	2246	102.0	6.600	130.0	11.22	4.972	92	-2.50	037.31	0
037	Zinc (ppm)	0226	107.6	1.830	130.0	11.22	4.972	92	-2.00	037.41	0
037	Zinc (ppm)	0870	109.2	0.7000	130.0	11.22	4.972	92	-1.86	037.43	0
037	Zinc (ppm)	0294	110.9	1.100	130.0	11.22	4.972	92	-1.71	037.42	0
037	Zinc (ppm)	0066	111.4	2.428	130.0	11.22	4.972	92	-1.66	037.44	0
037	Zinc (ppm)	2318	114.0	0.0000	130.0	11.22	4.972	92	-1.43	037.31	0
037	Zinc (ppm)	0297	114.0	4.000	130.0	11.22	4.972	92	-1.43	037.43	0
037	Zinc (ppm)	0425	115.4	15.10	130.0	11.22	4.972	92	-1.31	037.43	0
037	Zinc (ppm)	0045	117.5	3.000	130.0	11.22	4.972	92	-1.12	037.42	0
037	Zinc (ppm)	0939	118.0	12.00	130.0	11.22	4.972	92	-1.07	037.53	0
037	Zinc (ppm)	0263	118.1	1.790	130.0	11.22	4.972	92	-1.06	037.42	0
037	Zinc (ppm)	0009	118.2	0.1000	130.0	11.22	4.972	92	-1.05	037.42	0
037	Zinc (ppm)	0910	119.0	2.000	130.0	11.22	4.972	92	-0.98	037.41	0
037	Zinc (ppm)	0242	119.0	2.000	130.0	11.22	4.972	92	-0.98	037.99	0
037	Zinc (ppm)	0265	121.0	2.000	130.0	11.22	4.972	92	-0.81	037.42	0
037	Zinc (ppm)	0692	121.0	8.000	130.0	11.22	4.972	92	-0.81	037.42	0
037	Zinc (ppm)	2129	121.5	4.000	130.0	11.22	4.972	92	-0.76	037.42	0
037	Zinc (ppm)	0354	121.7	0.7300	130.0	11.22	4.972	92	-0.75	037.41	0
037	Zinc (ppm)	0529	122.0	1.200	130.0	11.22	4.972	92	-0.72	037.31	0
037	Zinc (ppm)	0208	123.3	3.400	130.0	11.22	4.972	92	-0.60	037.41	0
037	Zinc (ppm)	0868	123.5	1.000	130.0	11.22	4.972	92	-0.58	037.31	0
037	Zinc (ppm)	0675	123.6	3.640	130.0	11.22	4.972	92	-0.58	037.43	0
037	Zinc (ppm)	0918	123.7	0.1200	130.0	11.22	4.972	92	-0.56	037.43	0
037	Zinc (ppm)	2089	124.0	7.200	130.0	11.22	4.972	92	-0.54	037.43	0
037	Zinc (ppm)	0083	125.0	4.000	130.0	11.22	4.972	92	-0.45	037.43	0
037	Zinc (ppm)	0668	125.0	4.000	130.0	11.22	4.972	92	-0.45	037.43	0
037	Zinc (ppm)	0572	125.0	0.0000	130.0	11.22	4.972	92	-0.45	037.53	0
037	Zinc (ppm)	0171	125.3	0.2000	130.0	11.22	4.972	92	-0.42	037.41	0
037	Zinc (ppm)	0653	125.4	2.500	130.0	11.22	4.972	92	-0.42	037.41	0
037	Zinc (ppm)	0186	125.5	21.00	130.0	11.22	4.972	92	-0.40	037.42	0
037	Zinc (ppm)	0619	126.0	2.600	130.0	11.22	4.972	92	-0.36	037.41	0
037	Zinc (ppm)	2319	126.2	5.100	130.0	11.22	4.972	92	-0.35	037.42	0
037	Zinc (ppm)	0148	126.7	22.72	130.0	11.22	4.972	92	-0.30	037.41	0
037	Zinc (ppm)	0553	127.0	10.00	130.0	11.22	4.972	92	-0.27	037.53	0
037	Zinc (ppm)	0074	127.5	7.000	130.0	11.22	4.972	92	-0.23	037.41	0
037	Zinc (ppm)	0560	127.7	6.500	130.0	11.22	4.972	92	-0.21	037.52	0
037	Zinc (ppm)	2234	128.1	10.76	130.0	11.22	4.972	92	-0.17	037.43	0
037	Zinc (ppm)	0848	128.4	1.600	130.0	11.22	4.972	92	-0.15	037.41	0
037	Zinc (ppm)	0964	128.5	7.666	130.0	11.22	4.972	92	-0.14	037.43	0
037	Zinc (ppm)	0019	128.7	0.7000	130.0	11.22	4.972	92	-0.12	037.41	0
037	Zinc (ppm)	0693	128.7	6.684	130.0	11.22	4.972	92	-0.12	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0001	129.1	2.500	130.0	11.22	4.972	92	-0.09	037.31	0
037	Zinc (ppm)	0510	129.5	1.000	130.0	11.22	4.972	92	-0.05	037.43	0
037	Zinc (ppm)	0968	129.5	1.000	130.0	11.22	4.972	92	-0.05	037.43	0
037	Zinc (ppm)	0164	130.0	4.000	130.0	11.22	4.972	92	0.00	037.44	0
037	Zinc (ppm)	0590	130.0	4.000	130.0	11.22	4.972	92	0.00	037.99	0
037	Zinc (ppm)	0357	130.2	1.796	130.0	11.22	4.972	92	0.01	037.42	0
037	Zinc (ppm)	2302	130.5	7.000	130.0	11.22	4.972	92	0.04	037.99	0
037	Zinc (ppm)	0407	130.7	0.2968	130.0	11.22	4.972	92	0.06	037.53	0
037	Zinc (ppm)	0610	131.0	8.000	130.0	11.22	4.972	92	0.09	037.43	0
037	Zinc (ppm)	0345	131.3	1.340	130.0	11.22	4.972	92	0.12	037.43	0
037	Zinc (ppm)	0049	132.0	25.64	130.0	11.22	4.972	92	0.17	037.41	0
037	Zinc (ppm)	0878	132.0	8.000	130.0	11.22	4.972	92	0.18	037.41	0
037	Zinc (ppm)	0278	132.1	2.700	130.0	11.22	4.972	92	0.18	037.42	0
037	Zinc (ppm)	0682	132.1	0.0000	130.0	11.22	4.972	92	0.18	037.43	0
037	Zinc (ppm)	0098	132.8	13.30	130.0	11.22	4.972	92	0.24	037.41	0
037	Zinc (ppm)	0948	132.9	2.130	130.0	11.22	4.972	92	0.26	037.33	0
037	Zinc (ppm)	0033	133.5	7.000	130.0	11.22	4.972	92	0.31	037.43	0
037	Zinc (ppm)	2196	134.3	0.0000	130.0	11.22	4.972	92	0.38	037.31	0
037	Zinc (ppm)	0921	134.5	1.990	130.0	11.22	4.972	92	0.40	037.31	0
037	Zinc (ppm)	0202	134.9	0.5000	130.0	11.22	4.972	92	0.43	037.43	0
037	Zinc (ppm)	2022	135.1	1.450	130.0	11.22	4.972	92	0.45	037.33	0
037	Zinc (ppm)	0939	135.2	1.900	130.0	11.22	4.972	92	0.46	037.31	0
037	Zinc (ppm)	0505	135.4	5.900	130.0	11.22	4.972	92	0.47	037.43	0
037	Zinc (ppm)	0186	135.5	3.000	130.0	11.22	4.972	92	0.49	037.52	0
037	Zinc (ppm)	0229	136.2	2.000	130.0	11.22	4.972	92	0.55	037.41	0
037	Zinc (ppm)	0353	136.5	15.00	130.0	11.22	4.972	92	0.58	037.43	0
037	Zinc (ppm)	0038	137.1	12.43	130.0	11.22	4.972	92	0.63	037.32	0
037	Zinc (ppm)	0598	137.2	0.2000	130.0	11.22	4.972	92	0.64	037.41	0
037	Zinc (ppm)	0032	138.0	0.0000	130.0	11.22	4.972	92	0.71	037.43	0
037	Zinc (ppm)	0407	138.1	2.679	130.0	11.22	4.972	92	0.72	037.41	0
037	Zinc (ppm)	0004	138.2	1.780	130.0	11.22	4.972	92	0.73	037.41	0
037	Zinc (ppm)	0358	139.0	2.020	130.0	11.22	4.972	92	0.80	037.41	0
037	Zinc (ppm)	0042	139.0	4.000	130.0	11.22	4.972	92	0.80	037.42	0
037	Zinc (ppm)	0035	139.5	1.000	130.0	11.22	4.972	92	0.84	037.42	0
037	Zinc (ppm)	0689	140.2	7.500	130.0	11.22	4.972	92	0.90	037.31	0
037	Zinc (ppm)	0098	142.7	10.00	130.0	11.22	4.972	92	1.13	037.43	0
037	Zinc (ppm)	0047	143.9	6.000	130.0	11.22	4.972	92	1.24	037.52	0
037	Zinc (ppm)	0169	144.0	4.000	130.0	11.22	4.972	92	1.24	037.43	0
037	Zinc (ppm)	0726	145.8	6.300	130.0	11.22	4.972	92	1.40	037.42	0
037	Zinc (ppm)	0208	147.5	13.00	130.0	11.22	4.972	92	1.56	037.31	0
037	Zinc (ppm)	0035	148.5	1.000	130.0	11.22	4.972	92	1.65	037.43	0
037	Zinc (ppm)	0190	149.9	1.700	130.0	11.22	4.972	92	1.77	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0407	150.1	2.055	130.0	11.22	4.972	92	1.79	037.43	0
037	Zinc (ppm)	0027	153.2	17.17	130.0	11.22	4.972	92	2.06	037.43	0
037	Zinc (ppm)	0563	153.5	0.2663	130.0	11.22	4.972	92	2.09	037.31	0
037	Zinc (ppm)	0100	157.0	14.00	130.0	11.22	4.972	92	2.40	037.99	0
037	Zinc (ppm)	2188	163.8	1.800	130.0	11.22	4.972	92	3.01	037.31	0
037	Zinc (ppm)	0037	165.6	3.100	130.0	11.22	4.972	92	3.17	037.42	0
037	Zinc (ppm)	2192	185.5	21.00	130.0	11.22	4.972	92	4.94	037.43	0
037	Zinc (ppm)	0010	155.0	50.00	130.0	11.22	4.972	92	2.23	037.33	1
037	Zinc (ppm)	0536	12.44	0.0400	130.0	11.22	4.972	92	-10.48	037.31	2
038	Molybdenum (ppm)	0353	1.639	0.0682	2.054	0.2630	0.1500	20	-1.58	038.43	0
038	Molybdenum (ppm)	0171	1.675	0.0300	2.054	0.2630	0.1500	20	-1.44	038.41	0
038	Molybdenum (ppm)	0278	1.750	0.1000	2.054	0.2630	0.1500	20	-1.16	038.42	0
038	Molybdenum (ppm)	0693	1.796	0.3060	2.054	0.2630	0.1500	20	-0.98	038.42	0
038	Molybdenum (ppm)	0083	1.900	0.0000	2.054	0.2630	0.1500	20	-0.59	038.43	0
038	Molybdenum (ppm)	0345	1.940	0.0200	2.054	0.2630	0.1500	20	-0.43	038.43	0
038	Molybdenum (ppm)	0918	1.982	0.1995	2.054	0.2630	0.1500	20	-0.28	038.53	0
038	Molybdenum (ppm)	0226	1.990	0.0200	2.054	0.2630	0.1500	20	-0.24	038.41	0
038	Molybdenum (ppm)	0407	2.022	0.1550	2.054	0.2630	0.1500	20	-0.12	038.41	0
038	Molybdenum (ppm)	0964	2.028	0.0700	2.054	0.2630	0.1500	20	-0.10	038.43	0
038	Molybdenum (ppm)	0164	2.030	0.0200	2.054	0.2630	0.1500	20	-0.09	038.53	0
038	Molybdenum (ppm)	0407	2.094	0.0274	2.054	0.2630	0.1500	20	0.15	038.43	0
038	Molybdenum (ppm)	0910	2.120	0.2800	2.054	0.2630	0.1500	20	0.25	038.52	0
038	Molybdenum (ppm)	0265	2.190	0.8600	2.054	0.2630	0.1500	20	0.52	038.42	0
038	Molybdenum (ppm)	0186	2.190	0.0800	2.054	0.2630	0.1500	20	0.52	038.52	0
038	Molybdenum (ppm)	0169	2.220	0.1800	2.054	0.2630	0.1500	20	0.63	038.43	0
038	Molybdenum (ppm)	0553	2.230	0.1200	2.054	0.2630	0.1500	20	0.67	038.53	0
038	Molybdenum (ppm)	0407	2.374	0.1048	2.054	0.2630	0.1500	20	1.21	038.53	0
038	Molybdenum (ppm)	0045	2.480	0.2600	2.054	0.2630	0.1500	20	1.62	038.42	0
038	Molybdenum (ppm)	0510	2.750	0.1000	2.054	0.2630	0.1500	20	2.65	038.43	0
038	Molybdenum (ppm)	0297	1.600	1.040	2.054	0.2630	0.1500	20	-1.73	038.43	1
040	Barium (ppm)	0918	4.499	0.2646	5.769	0.9243	0.2978	4		040.53	0
040	Barium (ppm)	2055	5.710	0.4600	5.769	0.9243	0.2978	4		040.53	0
040	Barium (ppm)	0560	6.260	0.4400	5.769	0.9243	0.2978	4		040.52	0
040	Barium (ppm)	0407	6.609	0.0264	5.769	0.9243	0.2978	4		040.53	0
041	Vanadium (ppm)	0553	1.810	0.0600				3		041.53	0
041	Vanadium (ppm)	0407	1.813	0.0296				3		041.53	0
041	Vanadium (ppm)	2055	3.395	0.6100				3		041.53	0
042	Chloride (%)	0171	0.6500	0.0000	0.7117	0.0628	0.0164	7	-0.98	042.01	0
042	Chloride (%)	0619	0.6560	0.0180	0.7117	0.0628	0.0164	7	-0.89	042.00	0
042	Chloride (%)	0948	0.7000	0.0000	0.7117	0.0628	0.0164	7	-0.19	042.00	0
042	Chloride (%)	2319	0.7000	0.0000	0.7117	0.0628	0.0164	7	-0.19	042.00	0
042	Chloride (%)	0297	0.7100	0.0200	0.7117	0.0628	0.0164	7	-0.03	042.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
042	Chloride (%)	2318	0.7600	0.0200	0.7117	0.0628	0.0164	7	0.77	042.00	0
042	Chloride (%)	0066	0.8205	0.0570	0.7117	0.0628	0.0164	7	1.73	042.99	0
099	Menadione (form) (ppm)	2319	0.6000	0.0800				1		099.01	0
101	Choline Chloride (ppm)	0160	1,900	60.00				2		101.99	0
101	Choline Chloride (ppm)	0227	2,355	70.00				2		101.99	0
102	Niacin (ppm)	0010	5.300	1.400	79.11	51.07	2.125	4		102.02	0
102	Niacin (ppm)	2319	84.45	1.700	79.11	51.07	2.125	4		102.02	0
102	Niacin (ppm)	0227	112.0	2.000	79.11	51.07	2.125	4		102.01	0
102	Niacin (ppm)	0939	114.7	3.400	79.11	51.07	2.125	4		102.02	0
103	Pantothenic Acid (ppm)	0227	34.30	0.6000				3		103.01	0
103	Pantothenic Acid (ppm)	0939	37.36	1.580				3		103.02	0
103	Pantothenic Acid (ppm)	0010	39.05	0.3000				3		103.02	0
103	Pantothenic Acid (ppm)	0160	69.65	3.100				3		103.99	2
104	Riboflavin (ppm)	0910	10.85	2.700	14.45	2.917	0.8986	7	-1.23	104.03	0
104	Riboflavin (ppm)	2319	12.79	0.0400	14.45	2.917	0.8986	7	-0.57	104.03	0
104	Riboflavin (ppm)	0227	13.45	0.3000	14.45	2.917	0.8986	7	-0.34	104.00	0
104	Riboflavin (ppm)	0939	14.06	1.080	14.45	2.917	0.8986	7	-0.13	104.03	0
104	Riboflavin (ppm)	0010	14.55	0.3000	14.45	2.917	0.8986	7	0.04	104.03	0
104	Riboflavin (ppm)	0171	16.82	1.270	14.45	2.917	0.8986	7	0.81	104.00	0
104	Riboflavin (ppm)	2192	18.60	0.6000	14.45	2.917	0.8986	7	1.42	104.03	0
105	Thiamine (ppm)	0010	3.800	0.4000	6.726	2.534	0.6017	6	-1.15	105.00	0
105	Thiamine (ppm)	2319	5.600	0.0000	6.726	2.534	0.6017	6	-0.44	105.00	0
105	Thiamine (ppm)	0227	6.400	0.0000	6.726	2.534	0.6017	6	-0.13	105.01	0
105	Thiamine (ppm)	0910	6.415	0.4100	6.726	2.534	0.6017	6	-0.12	105.00	0
105	Thiamine (ppm)	0939	7.665	0.6100	6.726	2.534	0.6017	6	0.37	105.00	0
105	Thiamine (ppm)	0171	10.48	2.190	6.726	2.534	0.6017	6	1.48	105.00	0
106	Vitamin A (KU / kg)	0036	1.650	0.1000	2.814	0.6533	0.2509	19	-1.78	106.02	0
106	Vitamin A (KU / kg)	0148	2.205	0.0500	2.814	0.6533	0.2509	19	-0.93	106.02	0
106	Vitamin A (KU / kg)	0004	2.310	0.0000	2.814	0.6533	0.2509	19	-0.77	106.02	0
106	Vitamin A (KU / kg)	0905	2.430	0.0800	2.814	0.6533	0.2509	19	-0.59	106.02	0
106	Vitamin A (KU / kg)	0689	2.450	0.5000	2.814	0.6533	0.2509	19	-0.56	106.02	0
106	Vitamin A (KU / kg)	0610	2.500	0.2000	2.814	0.6533	0.2509	19	-0.48	106.02	0
106	Vitamin A (KU / kg)	0676	2.515	0.1300	2.814	0.6533	0.2509	19	-0.46	106.02	0
106	Vitamin A (KU / kg)	0941	2.544	0.5360	2.814	0.6533	0.2509	19	-0.41	106.02	0
106	Vitamin A (KU / kg)	0910	2.550	0.1000	2.814	0.6533	0.2509	19	-0.40	106.02	0
106	Vitamin A (KU / kg)	0208	2.602	0.3970	2.814	0.6533	0.2509	19	-0.33	106.02	0
106	Vitamin A (KU / kg)	0675	2.685	0.4500	2.814	0.6533	0.2509	19	-0.20	106.02	0
106	Vitamin A (KU / kg)	0227	2.710	0.0000	2.814	0.6533	0.2509	19	-0.16	106.00	0
106	Vitamin A (KU / kg)	2319	2.885	0.1500	2.814	0.6533	0.2509	19	0.11	106.02	0
106	Vitamin A (KU / kg)	0638	3.100	0.0000	2.814	0.6533	0.2509	19	0.44	106.02	0
106	Vitamin A (KU / kg)	0098	3.170	0.2600	2.814	0.6533	0.2509	19	0.54	106.01	0
106	Vitamin A (KU / kg)	0563	3.624	0.3701	2.814	0.6533	0.2509	19	1.24	106.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
106	Vitamin A (KU / kg)	0171	3.770	0.6800	2.814	0.6533	0.2509	19	1.46	106.00	0
106	Vitamin A (KU / kg)	0038	4.127	0.3940	2.814	0.6533	0.2509	19	2.01	106.02	0
106	Vitamin A (KU / kg)	0619	4.775	0.3700	2.814	0.6533	0.2509	19	3.00	106.02	0
107	Vitamin B12 (ppb)	0227	33.35	4.100				2		107.00	0
107	Vitamin B12 (ppb)	0160	159.5	17.00				2		107.99	0
108	Vitamin D3 (KU / kg)	0010	1.730	0.4000	2.075	0.4661	0.3071	7	-0.74	108.99	0
108	Vitamin D3 (KU / kg)	0619	1.745	0.1500	2.075	0.4661	0.3071	7	-0.71	108.99	0
108	Vitamin D3 (KU / kg)	2319	1.895	0.1500	2.075	0.4661	0.3071	7	-0.39	108.02	0
108	Vitamin D3 (KU / kg)	0227	1.905	0.2500	2.075	0.4661	0.3071	7	-0.36	108.02	0
108	Vitamin D3 (KU / kg)	0910	1.920	0.1200	2.075	0.4661	0.3071	7	-0.33	108.02	0
108	Vitamin D3 (KU / kg)	0675	2.620	0.0600	2.075	0.4661	0.3071	7	1.17	108.02	0
108	Vitamin D3 (KU / kg)	0208	2.710	1.020	2.075	0.4661	0.3071	7	1.36	108.02	0
109	Vitamin E (IU / kg)	0038	103.7	21.74	197.1	43.82	9.636	18	-2.13	109.02	0
109	Vitamin E (IU / kg)	0590	107.0	4.000	197.1	43.82	9.636	18	-2.06	109.02	0
109	Vitamin E (IU / kg)	0027	160.4	4.050	197.1	43.82	9.636	18	-0.84	109.02	0
109	Vitamin E (IU / kg)	0208	166.7	3.645	197.1	43.82	9.636	18	-0.69	109.02	0
109	Vitamin E (IU / kg)	0610	179.5	17.00	197.1	43.82	9.636	18	-0.40	109.02	0
109	Vitamin E (IU / kg)	0910	183.5	3.000	197.1	43.82	9.636	18	-0.31	109.02	0
109	Vitamin E (IU / kg)	0619	186.0	14.00	197.1	43.82	9.636	18	-0.25	109.02	0
109	Vitamin E (IU / kg)	0148	187.8	10.36	197.1	43.82	9.636	18	-0.21	109.02	0
109	Vitamin E (IU / kg)	0171	188.0	26.00	197.1	43.82	9.636	18	-0.21	109.99	0
109	Vitamin E (IU / kg)	0098	190.5	27.00	197.1	43.82	9.636	18	-0.15	109.02	0
109	Vitamin E (IU / kg)	0036	190.9	12.00	197.1	43.82	9.636	18	-0.14	109.02	0
109	Vitamin E (IU / kg)	0638	211.8	0.0000	197.1	43.82	9.636	18	0.34	109.02	0
109	Vitamin E (IU / kg)	2319	212.5	5.000	197.1	43.82	9.636	18	0.35	109.02	0
109	Vitamin E (IU / kg)	0676	215.9	0.6300	197.1	43.82	9.636	18	0.43	109.02	0
109	Vitamin E (IU / kg)	0941	237.2	0.7000	197.1	43.82	9.636	18	0.91	109.02	0
109	Vitamin E (IU / kg)	0227	255.0	14.00	197.1	43.82	9.636	18	1.32	109.02	0
109	Vitamin E (IU / kg)	0905	256.4	1.350	197.1	43.82	9.636	18	1.35	109.02	0
109	Vitamin E (IU / kg)	0675	286.3	8.970	197.1	43.82	9.636	18	2.04	109.02	0
109	Vitamin E (IU / kg)	0563	269.7	71.26	197.1	43.82	9.636	18	1.66	109.02	1
111	Vitamin C, Phosphorylated (ppm)	0227	< 4.4					0		111.00	5
112	Pyridoxine (µg / g)	0010	5.600	0.4000	8.324	2.090	0.2625	4		112.01	0
112	Pyridoxine (µg / g)	2319	7.830	0.3000	8.324	2.090	0.2625	4		112.01	0
112	Pyridoxine (µg / g)	0227	9.565	0.2500	8.324	2.090	0.2625	4		112.01	0
112	Pyridoxine (µg / g)	0939	10.30	0.1000	8.324	2.090	0.2625	4		112.01	0
113	Folic Acid (ppm)	0939	1.715	0.0900				3		113.02	0
113	Folic Acid (ppm)	2319	1.850	0.1000				3		113.02	0
113	Folic Acid (ppm)	0227	2.675	0.2300				3		113.99	0
114	Biotin (ppm)	0010	0.3500	0.1000				3		114.99	0
114	Biotin (ppm)	0227	0.4910	0.0380				3		114.01	0
114	Biotin (ppm)	0160	1.330	0.2600				3		114.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
115	Non Protein N (NPN) (%)	0098	0.2900	0.0000				1		115.00	0
118	Peroxide value (meq/kg)	2081	5.490	3.420				1		118.99	0
120	Alanine (%)	2246	0.6650	0.0300	0.7193	0.0261	0.0138	34	-2.08	120.05	0
120	Alanine (%)	0610	0.6800	0.0000	0.7193	0.0261	0.0138	34	-1.51	120.05	0
120	Alanine (%)	0354	0.6815	0.0010	0.7193	0.0261	0.0138	34	-1.45	120.00	0
120	Alanine (%)	2196	0.6820	0.0000	0.7193	0.0261	0.0138	34	-1.43	120.05	0
120	Alanine (%)	0968	0.6900	0.0000	0.7193	0.0261	0.0138	34	-1.13	120.00	0
120	Alanine (%)	2319	0.6900	0.0200	0.7193	0.0261	0.0138	34	-1.13	120.05	0
120	Alanine (%)	0619	0.6920	0.0300	0.7193	0.0261	0.0138	34	-1.05	120.00	0
120	Alanine (%)	0676	0.6950	0.0100	0.7193	0.0261	0.0138	34	-0.93	120.05	0
120	Alanine (%)	0171	0.6950	0.0500	0.7193	0.0261	0.0138	34	-0.93	120.00	0
120	Alanine (%)	0918	0.7012	0.0025	0.7193	0.0261	0.0138	34	-0.70	120.00	0
120	Alanine (%)	0652	0.7050	0.0100	0.7193	0.0261	0.0138	34	-0.55	120.00	0
120	Alanine (%)	0353	0.7200	0.0200	0.7193	0.0261	0.0138	34	0.03	120.00	0
120	Alanine (%)	2144	0.7200	0.0200	0.7193	0.0261	0.0138	34	0.03	120.99	0
120	Alanine (%)	0682	0.7230	0.0000	0.7193	0.0261	0.0138	34	0.14	120.00	0
120	Alanine (%)	0868	0.7230	0.0020	0.7193	0.0261	0.0138	34	0.14	120.00	0
120	Alanine (%)	0571	0.7250	0.0120	0.7193	0.0261	0.0138	34	0.22	120.00	0
120	Alanine (%)	0675	0.7250	0.0500	0.7193	0.0261	0.0138	34	0.22	120.00	0
120	Alanine (%)	0148	0.7250	0.0100	0.7193	0.0261	0.0138	34	0.22	120.05	0
120	Alanine (%)	0859	0.7264	0.0112	0.7193	0.0261	0.0138	34	0.27	120.00	0
120	Alanine (%)	0626	0.7265	0.0050	0.7193	0.0261	0.0138	34	0.27	120.05	0
120	Alanine (%)	0644	0.7270	0.0040	0.7193	0.0261	0.0138	34	0.29	120.00	0
120	Alanine (%)	0878	0.7275	0.0030	0.7193	0.0261	0.0138	34	0.31	120.00	0
120	Alanine (%)	0684	0.7300	0.0200	0.7193	0.0261	0.0138	34	0.41	120.00	0
120	Alanine (%)	0227	0.7300	0.0000	0.7193	0.0261	0.0138	34	0.41	120.99	0
120	Alanine (%)	2146	0.7300	0.0000	0.7193	0.0261	0.0138	34	0.41	120.99	0
120	Alanine (%)	0872	0.7315	0.0050	0.7193	0.0261	0.0138	34	0.47	120.00	0
120	Alanine (%)	0098	0.7390	0.0060	0.7193	0.0261	0.0138	34	0.75	120.02	0
120	Alanine (%)	0870	0.7393	0.0014	0.7193	0.0261	0.0138	34	0.77	120.00	0
120	Alanine (%)	2059	0.7395	0.0010	0.7193	0.0261	0.0138	34	0.77	120.00	0
120	Alanine (%)	0226	0.7430	0.0259	0.7193	0.0261	0.0138	34	0.91	120.00	0
120	Alanine (%)	0208	0.7500	0.0200	0.7193	0.0261	0.0138	34	1.18	120.00	0
120	Alanine (%)	0941	0.7515	0.0290	0.7193	0.0261	0.0138	34	1.23	120.00	0
120	Alanine (%)	0910	0.7550	0.0700	0.7193	0.0261	0.0138	34	1.37	120.00	0
120	Alanine (%)	2188	0.7980	0.0000	0.7193	0.0261	0.0138	34	3.02	120.05	0
120	Alanine (%)	0407	0.7895	0.1110	0.7193	0.0261	0.0138	34	2.69	120.05	1
121	Arginine (%)	2246	0.7250	0.0100	0.9250	0.0367	0.0193	33	-5.44	121.05	0
121	Arginine (%)	0918	0.8573	0.0016	0.9250	0.0367	0.0193	33	-1.84	121.00	0
121	Arginine (%)	0675	0.8750	0.0300	0.9250	0.0367	0.0193	33	-1.36	121.00	0
121	Arginine (%)	0682	0.8860	0.0000	0.9250	0.0367	0.0193	33	-1.06	121.00	0
121	Arginine (%)	0354	0.8870	0.0300	0.9250	0.0367	0.0193	33	-1.04	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
121	Arginine (%)	0859	0.8894	0.0207	0.9250	0.0367	0.0193	33	-0.97	121.00	0
121	Arginine (%)	0870	0.8905	0.0019	0.9250	0.0367	0.0193	33	-0.94	121.00	0
121	Arginine (%)	0353	0.9000	0.0200	0.9250	0.0367	0.0193	33	-0.68	121.00	0
121	Arginine (%)	0098	0.9010	0.0140	0.9250	0.0367	0.0193	33	-0.65	121.02	0
121	Arginine (%)	0619	0.9045	0.0410	0.9250	0.0367	0.0193	33	-0.56	121.00	0
121	Arginine (%)	0968	0.9050	0.0100	0.9250	0.0367	0.0193	33	-0.55	121.00	0
121	Arginine (%)	0684	0.9100	0.0000	0.9250	0.0367	0.0193	33	-0.41	121.00	0
121	Arginine (%)	0148	0.9100	0.0200	0.9250	0.0367	0.0193	33	-0.41	121.05	0
121	Arginine (%)	0652	0.9150	0.0100	0.9250	0.0367	0.0193	33	-0.27	121.00	0
121	Arginine (%)	0227	0.9150	0.0100	0.9250	0.0367	0.0193	33	-0.27	121.99	0
121	Arginine (%)	0226	0.9165	0.0529	0.9250	0.0367	0.0193	33	-0.23	121.00	0
121	Arginine (%)	2319	0.9250	0.0300	0.9250	0.0367	0.0193	33	0.00	121.05	0
121	Arginine (%)	2199	0.9300	0.0940	0.9250	0.0367	0.0193	33	0.13	121.00	0
121	Arginine (%)	0610	0.9350	0.0100	0.9250	0.0367	0.0193	33	0.27	121.05	0
121	Arginine (%)	0626	0.9380	0.0040	0.9250	0.0367	0.0193	33	0.35	121.05	0
121	Arginine (%)	0171	0.9400	0.0600	0.9250	0.0367	0.0193	33	0.41	121.00	0
121	Arginine (%)	0868	0.9420	0.0060	0.9250	0.0367	0.0193	33	0.46	121.00	0
121	Arginine (%)	2196	0.9420	0.0000	0.9250	0.0367	0.0193	33	0.46	121.05	0
121	Arginine (%)	0644	0.9435	0.0050	0.9250	0.0367	0.0193	33	0.50	121.00	0
121	Arginine (%)	0571	0.9515	0.0110	0.9250	0.0367	0.0193	33	0.72	121.00	0
121	Arginine (%)	0878	0.9570	0.0080	0.9250	0.0367	0.0193	33	0.87	121.00	0
121	Arginine (%)	0872	0.9575	0.0050	0.9250	0.0367	0.0193	33	0.88	121.00	0
121	Arginine (%)	0208	0.9600	0.0000	0.9250	0.0367	0.0193	33	0.95	121.00	0
121	Arginine (%)	2059	0.9600	0.0060	0.9250	0.0367	0.0193	33	0.95	121.00	0
121	Arginine (%)	0676	0.9650	0.0500	0.9250	0.0367	0.0193	33	1.09	121.05	0
121	Arginine (%)	0910	0.9750	0.0500	0.9250	0.0367	0.0193	33	1.36	121.00	0
121	Arginine (%)	0941	0.9965	0.0270	0.9250	0.0367	0.0193	33	1.94	121.00	0
121	Arginine (%)	2188	1.052	0.0000	0.9250	0.0367	0.0193	33	3.45	121.05	0
121	Arginine (%)	0407	1.383	0.8790	0.9250	0.0367	0.0193	33	12.45	121.05	2
122	Aspartic (%)	0407	1.280	0.0220	1.493	0.0607	0.0320	35	-3.51	122.05	0
122	Aspartic (%)	2246	1.335	0.0900	1.493	0.0607	0.0320	35	-2.60	122.05	0
122	Aspartic (%)	2146	1.375	0.0300	1.493	0.0607	0.0320	35	-1.95	122.99	0
122	Aspartic (%)	0354	1.399	0.0580	1.493	0.0607	0.0320	35	-1.55	122.00	0
122	Aspartic (%)	0171	1.435	0.1300	1.493	0.0607	0.0320	35	-0.96	122.00	0
122	Aspartic (%)	0610	1.445	0.0100	1.493	0.0607	0.0320	35	-0.79	122.05	0
122	Aspartic (%)	0226	1.446	0.0471	1.493	0.0607	0.0320	35	-0.77	122.00	0
122	Aspartic (%)	0676	1.455	0.0700	1.493	0.0607	0.0320	35	-0.63	122.05	0
122	Aspartic (%)	0859	1.457	0.0354	1.493	0.0607	0.0320	35	-0.60	122.00	0
122	Aspartic (%)	0968	1.460	0.0200	1.493	0.0607	0.0320	35	-0.55	122.00	0
122	Aspartic (%)	0918	1.462	0.0082	1.493	0.0607	0.0320	35	-0.51	122.00	0
122	Aspartic (%)	2319	1.465	0.0300	1.493	0.0607	0.0320	35	-0.46	122.05	0
122	Aspartic (%)	0682	1.472	0.0000	1.493	0.0607	0.0320	35	-0.35	122.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
122	Aspartic (%)	0619	1.485	0.0500	1.493	0.0607	0.0320	35	-0.13	122.00	0
122	Aspartic (%)	0684	1.485	0.0300	1.493	0.0607	0.0320	35	-0.13	122.00	0
122	Aspartic (%)	0644	1.486	0.0020	1.493	0.0607	0.0320	35	-0.12	122.00	0
122	Aspartic (%)	0870	1.488	0.0033	1.493	0.0607	0.0320	35	-0.08	122.00	0
122	Aspartic (%)	0098	1.489	0.0100	1.493	0.0607	0.0320	35	-0.07	122.02	0
122	Aspartic (%)	0652	1.490	0.0200	1.493	0.0607	0.0320	35	-0.05	122.00	0
122	Aspartic (%)	0227	1.490	0.0000	1.493	0.0607	0.0320	35	-0.05	122.99	0
122	Aspartic (%)	0208	1.500	0.0400	1.493	0.0607	0.0320	35	0.11	122.00	0
122	Aspartic (%)	0675	1.500	0.0400	1.493	0.0607	0.0320	35	0.11	122.00	0
122	Aspartic (%)	0571	1.506	0.0410	1.493	0.0607	0.0320	35	0.20	122.00	0
122	Aspartic (%)	2188	1.512	0.0000	1.493	0.0607	0.0320	35	0.31	122.05	0
122	Aspartic (%)	2059	1.518	0.0190	1.493	0.0607	0.0320	35	0.40	122.00	0
122	Aspartic (%)	0868	1.536	0.0010	1.493	0.0607	0.0320	35	0.70	122.00	0
122	Aspartic (%)	0872	1.537	0.0100	1.493	0.0607	0.0320	35	0.72	122.00	0
122	Aspartic (%)	0878	1.543	0.0130	1.493	0.0607	0.0320	35	0.81	122.00	0
122	Aspartic (%)	0910	1.550	0.1400	1.493	0.0607	0.0320	35	0.94	122.00	0
122	Aspartic (%)	0941	1.551	0.0630	1.493	0.0607	0.0320	35	0.94	122.00	0
122	Aspartic (%)	0626	1.570	0.0160	1.493	0.0607	0.0320	35	1.27	122.05	0
122	Aspartic (%)	2196	1.572	0.0000	1.493	0.0607	0.0320	35	1.30	122.05	0
122	Aspartic (%)	0148	1.580	0.0200	1.493	0.0607	0.0320	35	1.43	122.05	0
122	Aspartic (%)	0353	1.630	0.0400	1.493	0.0607	0.0320	35	2.25	122.00	0
122	Aspartic (%)	2144	1.725	0.0100	1.493	0.0607	0.0320	35	3.82	122.99	0
124	Cysteine/Cystine (%)	2146	0.1650	0.0300	0.2608	0.0297	0.0079	34	-3.22	124.99	0
124	Cysteine/Cystine (%)	0407	0.1733	0.0057	0.2608	0.0297	0.0079	34	-2.94	124.05	0
124	Cysteine/Cystine (%)	0870	0.1938	0.0104	0.2608	0.0297	0.0079	34	-2.25	124.00	0
124	Cysteine/Cystine (%)	0227	0.2250	0.0100	0.2608	0.0297	0.0079	34	-1.20	124.99	0
124	Cysteine/Cystine (%)	0859	0.2313	0.0043	0.2608	0.0297	0.0079	34	-0.99	124.00	0
124	Cysteine/Cystine (%)	0918	0.2350	0.0100	0.2608	0.0297	0.0079	34	-0.87	124.00	0
124	Cysteine/Cystine (%)	0644	0.2385	0.0010	0.2608	0.0297	0.0079	34	-0.75	124.00	0
124	Cysteine/Cystine (%)	0652	0.2400	0.0000	0.2608	0.0297	0.0079	34	-0.70	124.00	0
124	Cysteine/Cystine (%)	2196	0.2410	0.0000	0.2608	0.0297	0.0079	34	-0.66	124.05	0
124	Cysteine/Cystine (%)	0878	0.2460	0.0000	0.2608	0.0297	0.0079	34	-0.50	124.00	0
124	Cysteine/Cystine (%)	2059	0.2475	0.0030	0.2608	0.0297	0.0079	34	-0.45	124.00	0
124	Cysteine/Cystine (%)	2319	0.2500	0.0200	0.2608	0.0297	0.0079	34	-0.36	124.05	0
124	Cysteine/Cystine (%)	0619	0.2515	0.0230	0.2608	0.0297	0.0079	34	-0.31	124.00	0
124	Cysteine/Cystine (%)	2188	0.2530	0.0000	0.2608	0.0297	0.0079	34	-0.26	124.05	0
124	Cysteine/Cystine (%)	0910	0.2600	0.0200	0.2608	0.0297	0.0079	34	-0.03	124.00	0
124	Cysteine/Cystine (%)	0676	0.2600	0.0000	0.2608	0.0297	0.0079	34	-0.03	124.05	0
124	Cysteine/Cystine (%)	0354	0.2605	0.0010	0.2608	0.0297	0.0079	34	-0.01	124.00	0
124	Cysteine/Cystine (%)	0098	0.2625	0.0010	0.2608	0.0297	0.0079	34	0.06	124.02	0
124	Cysteine/Cystine (%)	0571	0.2630	0.0100	0.2608	0.0297	0.0079	34	0.08	124.00	0
124	Cysteine/Cystine (%)	0941	0.2630	0.0080	0.2608	0.0297	0.0079	34	0.08	124.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
124	Cysteine/Cystine (%)	0872	0.2640	0.0060	0.2608	0.0297	0.0079	34	0.11	124.00	0
124	Cysteine/Cystine (%)	0208	0.2665	0.0090	0.2608	0.0297	0.0079	34	0.19	124.00	0
124	Cysteine/Cystine (%)	0682	0.2680	0.0000	0.2608	0.0297	0.0079	34	0.24	124.00	0
124	Cysteine/Cystine (%)	0968	0.2700	0.0000	0.2608	0.0297	0.0079	34	0.31	124.00	0
124	Cysteine/Cystine (%)	0610	0.2700	0.0000	0.2608	0.0297	0.0079	34	0.31	124.05	0
124	Cysteine/Cystine (%)	0353	0.2750	0.0100	0.2608	0.0297	0.0079	34	0.48	124.00	0
124	Cysteine/Cystine (%)	0868	0.2750	0.0080	0.2608	0.0297	0.0079	34	0.48	124.00	0
124	Cysteine/Cystine (%)	0226	0.2872	0.0057	0.2608	0.0297	0.0079	34	0.89	124.00	0
124	Cysteine/Cystine (%)	0675	0.2900	0.0200	0.2608	0.0297	0.0079	34	0.98	124.00	0
124	Cysteine/Cystine (%)	0148	0.3025	0.0090	0.2608	0.0297	0.0079	34	1.40	124.05	0
124	Cysteine/Cystine (%)	2144	0.3100	0.0200	0.2608	0.0297	0.0079	34	1.66	124.99	0
124	Cysteine/Cystine (%)	2199	0.3640	0.0020	0.2608	0.0297	0.0079	34	3.47	124.00	0
124	Cysteine/Cystine (%)	0684	0.5550	0.0100	0.2608	0.0297	0.0079	34	9.89	124.00	0
124	Cysteine/Cystine (%)	2246	0.6450	0.0100	0.2608	0.0297	0.0079	34	12.92	124.05	0
124	Cysteine/Cystine (%)	0171	0.3150	0.0500	0.2608	0.0297	0.0079	34	1.82	124.00	1
125	Glutamic (%)	0676	2.195	0.0100	2.487	0.1148	0.0471	35	-2.54	125.05	0
125	Glutamic (%)	2146	2.265	0.0100	2.487	0.1148	0.0471	35	-1.93	125.99	0
125	Glutamic (%)	2144	2.325	0.0100	2.487	0.1148	0.0471	35	-1.41	125.99	0
125	Glutamic (%)	0918	2.353	0.0157	2.487	0.1148	0.0471	35	-1.17	125.00	0
125	Glutamic (%)	0354	2.354	0.2050	2.487	0.1148	0.0471	35	-1.16	125.00	0
125	Glutamic (%)	0407	2.384	0.0270	2.487	0.1148	0.0471	35	-0.90	125.05	0
125	Glutamic (%)	2246	2.400	0.1000	2.487	0.1148	0.0471	35	-0.76	125.05	0
125	Glutamic (%)	0682	2.408	0.0000	2.487	0.1148	0.0471	35	-0.69	125.00	0
125	Glutamic (%)	0652	2.420	0.0600	2.487	0.1148	0.0471	35	-0.58	125.00	0
125	Glutamic (%)	2319	2.420	0.0400	2.487	0.1148	0.0471	35	-0.58	125.05	0
125	Glutamic (%)	0610	2.425	0.0100	2.487	0.1148	0.0471	35	-0.54	125.05	0
125	Glutamic (%)	0868	2.428	0.0070	2.487	0.1148	0.0471	35	-0.52	125.00	0
125	Glutamic (%)	0171	2.430	0.1200	2.487	0.1148	0.0471	35	-0.50	125.00	0
125	Glutamic (%)	0859	2.446	0.0636	2.487	0.1148	0.0471	35	-0.35	125.00	0
125	Glutamic (%)	0968	2.455	0.0100	2.487	0.1148	0.0471	35	-0.28	125.00	0
125	Glutamic (%)	0098	2.463	0.0250	2.487	0.1148	0.0471	35	-0.21	125.02	0
125	Glutamic (%)	0571	2.492	0.0150	2.487	0.1148	0.0471	35	0.04	125.00	0
125	Glutamic (%)	2059	2.498	0.0130	2.487	0.1148	0.0471	35	0.09	125.00	0
125	Glutamic (%)	0684	2.500	0.0600	2.487	0.1148	0.0471	35	0.11	125.00	0
125	Glutamic (%)	0227	2.500	0.0000	2.487	0.1148	0.0471	35	0.11	125.99	0
125	Glutamic (%)	2196	2.502	0.0000	2.487	0.1148	0.0471	35	0.13	125.05	0
125	Glutamic (%)	0872	2.506	0.0050	2.487	0.1148	0.0471	35	0.16	125.00	0
125	Glutamic (%)	0675	2.510	0.1800	2.487	0.1148	0.0471	35	0.20	125.00	0
125	Glutamic (%)	0644	2.511	0.0150	2.487	0.1148	0.0471	35	0.20	125.00	0
125	Glutamic (%)	2188	2.558	0.0000	2.487	0.1148	0.0471	35	0.62	125.05	0
125	Glutamic (%)	0226	2.564	0.1114	2.487	0.1148	0.0471	35	0.67	125.00	0
125	Glutamic (%)	0878	2.567	0.0150	2.487	0.1148	0.0471	35	0.69	125.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
125	Glutamic (%)	0910	2.575	0.1900	2.487	0.1148	0.0471	35	0.77	125.00	0
125	Glutamic (%)	0619	2.600	0.0800	2.487	0.1148	0.0471	35	0.98	125.00	0
125	Glutamic (%)	0870	2.601	0.0121	2.487	0.1148	0.0471	35	0.99	125.00	0
125	Glutamic (%)	0941	2.603	0.0960	2.487	0.1148	0.0471	35	1.01	125.00	0
125	Glutamic (%)	0626	2.643	0.0240	2.487	0.1148	0.0471	35	1.36	125.05	0
125	Glutamic (%)	0148	2.660	0.0400	2.487	0.1148	0.0471	35	1.51	125.05	0
125	Glutamic (%)	0353	2.720	0.0200	2.487	0.1148	0.0471	35	2.03	125.00	0
125	Glutamic (%)	0208	2.800	0.0600	2.487	0.1148	0.0471	35	2.73	125.00	0
126	Glycine (%)	2246	0.6250	0.0100	0.7801	0.0239	0.0127	34	-6.49	126.05	0
126	Glycine (%)	0354	0.7355	0.0190	0.7801	0.0239	0.0127	34	-1.87	126.00	0
126	Glycine (%)	0171	0.7450	0.0500	0.7801	0.0239	0.0127	34	-1.47	126.00	0
126	Glycine (%)	0148	0.7450	0.0100	0.7801	0.0239	0.0127	34	-1.47	126.05	0
126	Glycine (%)	0682	0.7550	0.0000	0.7801	0.0239	0.0127	34	-1.05	126.00	0
126	Glycine (%)	0918	0.7564	0.0086	0.7801	0.0239	0.0127	34	-0.99	126.00	0
126	Glycine (%)	0968	0.7600	0.0000	0.7801	0.0239	0.0127	34	-0.84	126.00	0
126	Glycine (%)	0859	0.7638	0.0203	0.7801	0.0239	0.0127	34	-0.69	126.00	0
126	Glycine (%)	0652	0.7650	0.0100	0.7801	0.0239	0.0127	34	-0.63	126.00	0
126	Glycine (%)	2146	0.7650	0.0100	0.7801	0.0239	0.0127	34	-0.63	126.99	0
126	Glycine (%)	0870	0.7683	0.0001	0.7801	0.0239	0.0127	34	-0.50	126.00	0
126	Glycine (%)	0676	0.7700	0.0600	0.7801	0.0239	0.0127	34	-0.42	126.05	0
126	Glycine (%)	0684	0.7750	0.0100	0.7801	0.0239	0.0127	34	-0.21	126.00	0
126	Glycine (%)	0610	0.7750	0.0100	0.7801	0.0239	0.0127	34	-0.21	126.05	0
126	Glycine (%)	0619	0.7780	0.0240	0.7801	0.0239	0.0127	34	-0.09	126.00	0
126	Glycine (%)	0226	0.7811	0.0022	0.7801	0.0239	0.0127	34	0.04	126.00	0
126	Glycine (%)	0868	0.7825	0.0050	0.7801	0.0239	0.0127	34	0.10	126.00	0
126	Glycine (%)	0208	0.7850	0.0100	0.7801	0.0239	0.0127	34	0.20	126.00	0
126	Glycine (%)	0675	0.7850	0.0300	0.7801	0.0239	0.0127	34	0.20	126.00	0
126	Glycine (%)	0878	0.7850	0.0080	0.7801	0.0239	0.0127	34	0.20	126.00	0
126	Glycine (%)	0227	0.7850	0.0100	0.7801	0.0239	0.0127	34	0.20	126.99	0
126	Glycine (%)	0571	0.7875	0.0110	0.7801	0.0239	0.0127	34	0.31	126.00	0
126	Glycine (%)	0644	0.7880	0.0100	0.7801	0.0239	0.0127	34	0.33	126.00	0
126	Glycine (%)	0098	0.7900	0.0080	0.7801	0.0239	0.0127	34	0.41	126.02	0
126	Glycine (%)	2196	0.7940	0.0000	0.7801	0.0239	0.0127	34	0.58	126.05	0
126	Glycine (%)	0910	0.7950	0.0300	0.7801	0.0239	0.0127	34	0.62	126.00	0
126	Glycine (%)	2144	0.7950	0.0100	0.7801	0.0239	0.0127	34	0.62	126.99	0
126	Glycine (%)	2319	0.8000	0.0000	0.7801	0.0239	0.0127	34	0.83	126.05	0
126	Glycine (%)	2059	0.8040	0.0000	0.7801	0.0239	0.0127	34	1.00	126.00	0
126	Glycine (%)	0872	0.8045	0.0010	0.7801	0.0239	0.0127	34	1.02	126.00	0
126	Glycine (%)	0353	0.8050	0.0100	0.7801	0.0239	0.0127	34	1.04	126.00	0
126	Glycine (%)	0941	0.8210	0.0300	0.7801	0.0239	0.0127	34	1.71	126.00	0
126	Glycine (%)	0626	0.8430	0.0160	0.7801	0.0239	0.0127	34	2.63	126.05	0
126	Glycine (%)	2188	0.8490	0.0000	0.7801	0.0239	0.0127	34	2.88	126.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
126	Glycine (%)	0407	0.4400	0.1040	0.7801	0.0239	0.0127	34	-14.24	126.05	2
127	Histidine (%)	2246	0.3000	0.0000	0.3866	0.0212	0.0106	36	-4.09	127.05	0
127	Histidine (%)	2146	0.3500	0.0000	0.3866	0.0212	0.0106	36	-1.73	127.99	0
127	Histidine (%)	0226	0.3508	0.0016	0.3866	0.0212	0.0106	36	-1.69	127.00	0
127	Histidine (%)	0354	0.3560	0.0040	0.3866	0.0212	0.0106	36	-1.45	127.00	0
127	Histidine (%)	0859	0.3561	0.0098	0.3866	0.0212	0.0106	36	-1.44	127.00	0
127	Histidine (%)	0676	0.3600	0.0400	0.3866	0.0212	0.0106	36	-1.26	127.05	0
127	Histidine (%)	0610	0.3700	0.0000	0.3866	0.0212	0.0106	36	-0.78	127.05	0
127	Histidine (%)	2188	0.3740	0.0000	0.3866	0.0212	0.0106	36	-0.60	127.05	0
127	Histidine (%)	0968	0.3750	0.0100	0.3866	0.0212	0.0106	36	-0.55	127.00	0
127	Histidine (%)	0918	0.3783	0.0091	0.3866	0.0212	0.0106	36	-0.39	127.00	0
127	Histidine (%)	0684	0.3800	0.0000	0.3866	0.0212	0.0106	36	-0.31	127.00	0
127	Histidine (%)	0407	0.3800	0.0300	0.3866	0.0212	0.0106	36	-0.31	127.05	0
127	Histidine (%)	2319	0.3800	0.0200	0.3866	0.0212	0.0106	36	-0.31	127.05	0
127	Histidine (%)	2144	0.3800	0.0200	0.3866	0.0212	0.0106	36	-0.31	127.99	0
127	Histidine (%)	0571	0.3840	0.0000	0.3866	0.0212	0.0106	36	-0.12	127.00	0
127	Histidine (%)	0098	0.3845	0.0010	0.3866	0.0212	0.0106	36	-0.10	127.02	0
127	Histidine (%)	0353	0.3850	0.0100	0.3866	0.0212	0.0106	36	-0.08	127.00	0
127	Histidine (%)	0675	0.3850	0.0500	0.3866	0.0212	0.0106	36	-0.08	127.00	0
127	Histidine (%)	0870	0.3856	0.0034	0.3866	0.0212	0.0106	36	-0.05	127.00	0
127	Histidine (%)	0878	0.3885	0.0090	0.3866	0.0212	0.0106	36	0.09	127.00	0
127	Histidine (%)	0148	0.3900	0.0000	0.3866	0.0212	0.0106	36	0.16	127.05	0
127	Histidine (%)	0644	0.3915	0.0010	0.3866	0.0212	0.0106	36	0.23	127.00	0
127	Histidine (%)	2059	0.3925	0.0110	0.3866	0.0212	0.0106	36	0.28	127.00	0
127	Histidine (%)	0626	0.3935	0.0110	0.3866	0.0212	0.0106	36	0.33	127.05	0
127	Histidine (%)	0208	0.3950	0.0100	0.3866	0.0212	0.0106	36	0.40	127.00	0
127	Histidine (%)	0652	0.3950	0.0100	0.3866	0.0212	0.0106	36	0.40	127.00	0
127	Histidine (%)	0872	0.4005	0.0030	0.3866	0.0212	0.0106	36	0.66	127.00	0
127	Histidine (%)	0910	0.4050	0.0300	0.3866	0.0212	0.0106	36	0.87	127.00	0
127	Histidine (%)	0227	0.4050	0.0100	0.3866	0.0212	0.0106	36	0.87	127.99	0
127	Histidine (%)	0868	0.4055	0.0010	0.3866	0.0212	0.0106	36	0.89	127.00	0
127	Histidine (%)	0619	0.4085	0.0090	0.3866	0.0212	0.0106	36	1.04	127.00	0
127	Histidine (%)	0941	0.4085	0.0050	0.3866	0.0212	0.0106	36	1.04	127.00	0
127	Histidine (%)	0682	0.4110	0.0000	0.3866	0.0212	0.0106	36	1.15	127.00	0
127	Histidine (%)	2196	0.4130	0.0000	0.3866	0.0212	0.0106	36	1.25	127.05	0
127	Histidine (%)	0171	0.4450	0.0300	0.3866	0.0212	0.0106	36	2.76	127.00	0
127	Histidine (%)	2199	0.5130	0.0320	0.3866	0.0212	0.0106	36	5.97	127.00	0
128	Isoleucine (%)	2319	0.4950	0.0700	0.5975	0.0389	0.0161	35	-2.64	128.05	0
128	Isoleucine (%)	0407	0.5030	0.0420	0.5975	0.0389	0.0161	35	-2.43	128.05	0
128	Isoleucine (%)	0354	0.5315	0.0110	0.5975	0.0389	0.0161	35	-1.70	128.00	0
128	Isoleucine (%)	0682	0.5410	0.0000	0.5975	0.0389	0.0161	35	-1.45	128.00	0
128	Isoleucine (%)	2199	0.5450	0.0300	0.5975	0.0389	0.0161	35	-1.35	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
128	Isoleucine (%)	0918	0.5567	0.0070	0.5975	0.0389	0.0161	35	-1.05	128.00	0
128	Isoleucine (%)	0353	0.5650	0.0100	0.5975	0.0389	0.0161	35	-0.84	128.00	0
128	Isoleucine (%)	0226	0.5776	0.0551	0.5975	0.0389	0.0161	35	-0.51	128.00	0
128	Isoleucine (%)	0968	0.5800	0.0000	0.5975	0.0389	0.0161	35	-0.45	128.00	0
128	Isoleucine (%)	0676	0.5800	0.0200	0.5975	0.0389	0.0161	35	-0.45	128.05	0
128	Isoleucine (%)	0870	0.5802	0.0053	0.5975	0.0389	0.0161	35	-0.45	128.00	0
128	Isoleucine (%)	0859	0.5812	0.0116	0.5975	0.0389	0.0161	35	-0.42	128.00	0
128	Isoleucine (%)	0652	0.5850	0.0100	0.5975	0.0389	0.0161	35	-0.32	128.00	0
128	Isoleucine (%)	0227	0.5850	0.0100	0.5975	0.0389	0.0161	35	-0.32	128.99	0
128	Isoleucine (%)	0619	0.5900	0.0300	0.5975	0.0389	0.0161	35	-0.19	128.00	0
128	Isoleucine (%)	2246	0.5900	0.0200	0.5975	0.0389	0.0161	35	-0.19	128.05	0
128	Isoleucine (%)	0868	0.5910	0.0140	0.5975	0.0389	0.0161	35	-0.17	128.00	0
128	Isoleucine (%)	0626	0.5965	0.0130	0.5975	0.0389	0.0161	35	-0.03	128.05	0
128	Isoleucine (%)	0208	0.6000	0.0200	0.5975	0.0389	0.0161	35	0.06	128.00	0
128	Isoleucine (%)	0675	0.6000	0.0600	0.5975	0.0389	0.0161	35	0.06	128.00	0
128	Isoleucine (%)	0684	0.6000	0.0000	0.5975	0.0389	0.0161	35	0.06	128.00	0
128	Isoleucine (%)	0878	0.6130	0.0060	0.5975	0.0389	0.0161	35	0.40	128.00	0
128	Isoleucine (%)	0571	0.6145	0.0030	0.5975	0.0389	0.0161	35	0.44	128.00	0
128	Isoleucine (%)	0610	0.6150	0.0100	0.5975	0.0389	0.0161	35	0.45	128.05	0
128	Isoleucine (%)	0098	0.6215	0.0130	0.5975	0.0389	0.0161	35	0.62	128.02	0
128	Isoleucine (%)	0872	0.6290	0.0080	0.5975	0.0389	0.0161	35	0.81	128.00	0
128	Isoleucine (%)	0148	0.6300	0.0200	0.5975	0.0389	0.0161	35	0.83	128.05	0
128	Isoleucine (%)	0644	0.6335	0.0010	0.5975	0.0389	0.0161	35	0.92	128.00	0
128	Isoleucine (%)	2196	0.6360	0.0000	0.5975	0.0389	0.0161	35	0.99	128.05	0
128	Isoleucine (%)	0941	0.6370	0.0140	0.5975	0.0389	0.0161	35	1.01	128.00	0
128	Isoleucine (%)	0910	0.6400	0.0400	0.5975	0.0389	0.0161	35	1.09	128.00	0
128	Isoleucine (%)	2146	0.6400	0.0000	0.5975	0.0389	0.0161	35	1.09	128.99	0
128	Isoleucine (%)	2059	0.6410	0.0000	0.5975	0.0389	0.0161	35	1.12	128.00	0
128	Isoleucine (%)	2188	0.6460	0.0000	0.5975	0.0389	0.0161	35	1.25	128.05	0
128	Isoleucine (%)	2144	0.7050	0.0100	0.5975	0.0389	0.0161	35	2.76	128.99	0
128	Isoleucine (%)	0171	0.5650	0.1300	0.5975	0.0389	0.0161	35	-0.84	128.00	1
129	Leucine (%)	2319	1.045	0.0500	1.150	0.0369	0.0186	35	-2.84	129.05	0
129	Leucine (%)	0171	1.065	0.0700	1.150	0.0369	0.0186	35	-2.30	129.00	0
129	Leucine (%)	0407	1.085	0.0090	1.150	0.0369	0.0186	35	-1.77	129.05	0
129	Leucine (%)	0354	1.096	0.0290	1.150	0.0369	0.0186	35	-1.47	129.00	0
129	Leucine (%)	0682	1.109	0.0000	1.150	0.0369	0.0186	35	-1.10	129.00	0
129	Leucine (%)	0652	1.115	0.0100	1.150	0.0369	0.0186	35	-0.94	129.00	0
129	Leucine (%)	0968	1.115	0.0100	1.150	0.0369	0.0186	35	-0.94	129.00	0
129	Leucine (%)	0226	1.120	0.0395	1.150	0.0369	0.0186	35	-0.80	129.00	0
129	Leucine (%)	0676	1.125	0.0100	1.150	0.0369	0.0186	35	-0.67	129.05	0
129	Leucine (%)	2196	1.126	0.0000	1.150	0.0369	0.0186	35	-0.64	129.05	0
129	Leucine (%)	0870	1.126	0.0016	1.150	0.0369	0.0186	35	-0.64	129.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
129	Leucine (%)	0619	1.130	0.0600	1.150	0.0369	0.0186	35	-0.53	129.00	0
129	Leucine (%)	0684	1.135	0.0100	1.150	0.0369	0.0186	35	-0.40	129.00	0
129	Leucine (%)	0610	1.140	0.0000	1.150	0.0369	0.0186	35	-0.26	129.05	0
129	Leucine (%)	0626	1.144	0.0050	1.150	0.0369	0.0186	35	-0.17	129.05	0
129	Leucine (%)	0859	1.154	0.0089	1.150	0.0369	0.0186	35	0.11	129.00	0
129	Leucine (%)	2246	1.155	0.0100	1.150	0.0369	0.0186	35	0.15	129.05	0
129	Leucine (%)	0227	1.155	0.0100	1.150	0.0369	0.0186	35	0.15	129.99	0
129	Leucine (%)	0571	1.159	0.0000	1.150	0.0369	0.0186	35	0.25	129.00	0
129	Leucine (%)	0208	1.160	0.0200	1.150	0.0369	0.0186	35	0.28	129.00	0
129	Leucine (%)	0918	1.164	0.0051	1.150	0.0369	0.0186	35	0.38	129.00	0
129	Leucine (%)	0098	1.164	0.0000	1.150	0.0369	0.0186	35	0.39	129.02	0
129	Leucine (%)	2146	1.165	0.0100	1.150	0.0369	0.0186	35	0.42	129.99	0
129	Leucine (%)	0644	1.166	0.0000	1.150	0.0369	0.0186	35	0.44	129.00	0
129	Leucine (%)	0878	1.168	0.0030	1.150	0.0369	0.0186	35	0.48	129.00	0
129	Leucine (%)	0148	1.170	0.0400	1.150	0.0369	0.0186	35	0.55	129.05	0
129	Leucine (%)	2059	1.175	0.0050	1.150	0.0369	0.0186	35	0.67	129.00	0
129	Leucine (%)	0675	1.175	0.1100	1.150	0.0369	0.0186	35	0.69	129.00	0
129	Leucine (%)	0872	1.181	0.0010	1.150	0.0369	0.0186	35	0.84	129.00	0
129	Leucine (%)	0868	1.182	0.0160	1.150	0.0369	0.0186	35	0.88	129.00	0
129	Leucine (%)	2144	1.185	0.0100	1.150	0.0369	0.0186	35	0.96	129.99	0
129	Leucine (%)	2188	1.192	0.0000	1.150	0.0369	0.0186	35	1.15	129.05	0
129	Leucine (%)	0910	1.200	0.0600	1.150	0.0369	0.0186	35	1.37	129.00	0
129	Leucine (%)	0941	1.201	0.0280	1.150	0.0369	0.0186	35	1.39	129.00	0
129	Leucine (%)	0353	1.285	0.0100	1.150	0.0369	0.0186	35	3.67	129.00	0
129	Leucine (%)	2199	1.094	0.1300	1.150	0.0369	0.0186	35	-1.51	129.00	1
130	L-Lysine (%)	0848	0.6900	0.0200	0.8259	0.0326	0.0197	38	-4.16	130.00	0
130	L-Lysine (%)	0171	0.7450	0.0500	0.8259	0.0326	0.0197	38	-2.48	130.00	0
130	L-Lysine (%)	0407	0.7535	0.0290	0.8259	0.0326	0.0197	38	-2.22	130.05	0
130	L-Lysine (%)	2144	0.7800	0.0000	0.8259	0.0326	0.0197	38	-1.41	130.99	0
130	L-Lysine (%)	2146	0.7900	0.0200	0.8259	0.0326	0.0197	38	-1.10	130.99	0
130	L-Lysine (%)	0619	0.7935	0.0350	0.8259	0.0326	0.0197	38	-0.99	130.00	0
130	L-Lysine (%)	0652	0.7950	0.0100	0.8259	0.0326	0.0197	38	-0.95	130.00	0
130	L-Lysine (%)	2246	0.7950	0.0100	0.8259	0.0326	0.0197	38	-0.95	130.05	0
130	L-Lysine (%)	0610	0.8000	0.0000	0.8259	0.0326	0.0197	38	-0.79	130.05	0
130	L-Lysine (%)	0859	0.8002	0.0122	0.8259	0.0326	0.0197	38	-0.79	130.00	0
130	L-Lysine (%)	0354	0.8035	0.0130	0.8259	0.0326	0.0197	38	-0.69	130.00	0
130	L-Lysine (%)	0208	0.8050	0.0100	0.8259	0.0326	0.0197	38	-0.64	130.00	0
130	L-Lysine (%)	0226	0.8056	0.0111	0.8259	0.0326	0.0197	38	-0.62	130.00	0
130	L-Lysine (%)	0872	0.8155	0.0030	0.8259	0.0326	0.0197	38	-0.32	130.00	0
130	L-Lysine (%)	0684	0.8200	0.0000	0.8259	0.0326	0.0197	38	-0.18	130.00	0
130	L-Lysine (%)	0910	0.8250	0.0500	0.8259	0.0326	0.0197	38	-0.03	130.00	0
130	L-Lysine (%)	2199	0.8265	0.0830	0.8259	0.0326	0.0197	38	0.02	130.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
130	L-Lysine (%)	0878	0.8295	0.0130	0.8259	0.0326	0.0197	38	0.11	130.00	0
130	L-Lysine (%)	0918	0.8304	0.0046	0.8259	0.0326	0.0197	38	0.14	130.00	0
130	L-Lysine (%)	0571	0.8335	0.0110	0.8259	0.0326	0.0197	38	0.23	130.00	0
130	L-Lysine (%)	0644	0.8345	0.0050	0.8259	0.0326	0.0197	38	0.26	130.00	0
130	L-Lysine (%)	0870	0.8349	0.0011	0.8259	0.0326	0.0197	38	0.27	130.00	0
130	L-Lysine (%)	0148	0.8350	0.0300	0.8259	0.0326	0.0197	38	0.28	130.05	0
130	L-Lysine (%)	2196	0.8360	0.0000	0.8259	0.0326	0.0197	38	0.31	130.05	0
130	L-Lysine (%)	0868	0.8385	0.0070	0.8259	0.0326	0.0197	38	0.39	130.00	0
130	L-Lysine (%)	2059	0.8390	0.0060	0.8259	0.0326	0.0197	38	0.40	130.00	0
130	L-Lysine (%)	0014	0.8435	0.0090	0.8259	0.0326	0.0197	38	0.54	130.05	0
130	L-Lysine (%)	2319	0.8450	0.0300	0.8259	0.0326	0.0197	38	0.58	130.05	0
130	L-Lysine (%)	0682	0.8460	0.0000	0.8259	0.0326	0.0197	38	0.62	130.00	0
130	L-Lysine (%)	0941	0.8475	0.0270	0.8259	0.0326	0.0197	38	0.66	130.00	0
130	L-Lysine (%)	0968	0.8500	0.0400	0.8259	0.0326	0.0197	38	0.74	130.00	0
130	L-Lysine (%)	0676	0.8500	0.0200	0.8259	0.0326	0.0197	38	0.74	130.05	0
130	L-Lysine (%)	0626	0.8555	0.0110	0.8259	0.0326	0.0197	38	0.91	130.05	0
130	L-Lysine (%)	2188	0.8610	0.0000	0.8259	0.0326	0.0197	38	1.07	130.05	0
130	L-Lysine (%)	0353	0.8650	0.0100	0.8259	0.0326	0.0197	38	1.20	130.00	0
130	L-Lysine (%)	0227	0.8900	0.0800	0.8259	0.0326	0.0197	38	1.96	130.99	0
130	L-Lysine (%)	0675	0.9200	0.0800	0.8259	0.0326	0.0197	38	2.88	130.00	0
130	L-Lysine (%)	0098	0.9215	0.0070	0.8259	0.0326	0.0197	38	2.93	130.02	0
131	Methionine (%)	0626	0.1995	0.0050	0.3035	0.0286	0.0101	37	-3.64	131.05	0
131	Methionine (%)	2146	0.2550	0.0100	0.3035	0.0286	0.0101	37	-1.70	131.99	0
131	Methionine (%)	0148	0.2700	0.0400	0.3035	0.0286	0.0101	37	-1.17	131.05	0
131	Methionine (%)	2319	0.2700	0.0000	0.3035	0.0286	0.0101	37	-1.17	131.05	0
131	Methionine (%)	0682	0.2730	0.0000	0.3035	0.0286	0.0101	37	-1.07	131.00	0
131	Methionine (%)	0675	0.2750	0.0100	0.3035	0.0286	0.0101	37	-1.00	131.00	0
131	Methionine (%)	2246	0.2750	0.0100	0.3035	0.0286	0.0101	37	-1.00	131.05	0
131	Methionine (%)	0859	0.2836	0.0067	0.3035	0.0286	0.0101	37	-0.70	131.00	0
131	Methionine (%)	2188	0.2840	0.0000	0.3035	0.0286	0.0101	37	-0.68	131.05	0
131	Methionine (%)	0652	0.2850	0.0100	0.3035	0.0286	0.0101	37	-0.65	131.00	0
131	Methionine (%)	0968	0.2900	0.0000	0.3035	0.0286	0.0101	37	-0.47	131.00	0
131	Methionine (%)	0354	0.2935	0.0150	0.3035	0.0286	0.0101	37	-0.35	131.00	0
131	Methionine (%)	0848	0.2950	0.0100	0.3035	0.0286	0.0101	37	-0.30	131.00	0
131	Methionine (%)	0610	0.2950	0.0100	0.3035	0.0286	0.0101	37	-0.30	131.05	0
131	Methionine (%)	2144	0.2950	0.0100	0.3035	0.0286	0.0101	37	-0.30	131.99	0
131	Methionine (%)	2196	0.2970	0.0000	0.3035	0.0286	0.0101	37	-0.23	131.05	0
131	Methionine (%)	0870	0.2985	0.0076	0.3035	0.0286	0.0101	37	-0.18	131.00	0
131	Methionine (%)	0098	0.2985	0.0010	0.3035	0.0286	0.0101	37	-0.18	131.02	0
131	Methionine (%)	0619	0.2995	0.0050	0.3035	0.0286	0.0101	37	-0.14	131.00	0
131	Methionine (%)	0918	0.3000	0.0200	0.3035	0.0286	0.0101	37	-0.12	131.00	0
131	Methionine (%)	0941	0.3005	0.0090	0.3035	0.0286	0.0101	37	-0.11	131.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
131	Methionine (%)	0878	0.3030	0.0040	0.3035	0.0286	0.0101	37	-0.02	131.00	0
131	Methionine (%)	0868	0.3080	0.0020	0.3035	0.0286	0.0101	37	0.16	131.00	0
131	Methionine (%)	0208	0.3090	0.0100	0.3035	0.0286	0.0101	37	0.19	131.00	0
131	Methionine (%)	0171	0.3100	0.0200	0.3035	0.0286	0.0101	37	0.23	131.00	0
131	Methionine (%)	0227	0.3100	0.0200	0.3035	0.0286	0.0101	37	0.23	131.99	0
131	Methionine (%)	2059	0.3170	0.0000	0.3035	0.0286	0.0101	37	0.47	131.00	0
131	Methionine (%)	0910	0.3250	0.0300	0.3035	0.0286	0.0101	37	0.75	131.00	0
131	Methionine (%)	0571	0.3265	0.0030	0.3035	0.0286	0.0101	37	0.80	131.00	0
131	Methionine (%)	0644	0.3280	0.0020	0.3035	0.0286	0.0101	37	0.86	131.00	0
131	Methionine (%)	0872	0.3295	0.0030	0.3035	0.0286	0.0101	37	0.91	131.00	0
131	Methionine (%)	0014	0.3330	0.0280	0.3035	0.0286	0.0101	37	1.03	131.05	0
131	Methionine (%)	0226	0.3811	0.0222	0.3035	0.0286	0.0101	37	2.71	131.00	0
131	Methionine (%)	0676	0.3950	0.0100	0.3035	0.0286	0.0101	37	3.20	131.05	0
131	Methionine (%)	0353	0.4050	0.0100	0.3035	0.0286	0.0101	37	3.55	131.00	0
131	Methionine (%)	0407	0.4706	0.0107	0.3035	0.0286	0.0101	37	5.84	131.05	0
131	Methionine (%)	0684	0.6100	0.0200	0.3035	0.0286	0.0101	37	10.72	131.00	0
132	Phenylalanine (%)	0171	0.5800	0.0400	0.6920	0.0352	0.0169	35	-3.18	132.00	0
132	Phenylalanine (%)	0682	0.6160	0.0000	0.6920	0.0352	0.0169	35	-2.16	132.00	0
132	Phenylalanine (%)	2188	0.6220	0.0000	0.6920	0.0352	0.0169	35	-1.99	132.05	0
132	Phenylalanine (%)	2246	0.6300	0.0000	0.6920	0.0352	0.0169	35	-1.76	132.05	0
132	Phenylalanine (%)	0407	0.6570	0.0640	0.6920	0.0352	0.0169	35	-0.99	132.05	0
132	Phenylalanine (%)	2196	0.6590	0.0000	0.6920	0.0352	0.0169	35	-0.94	132.05	0
132	Phenylalanine (%)	2146	0.6650	0.0100	0.6920	0.0352	0.0169	35	-0.77	132.99	0
132	Phenylalanine (%)	0968	0.6700	0.0200	0.6920	0.0352	0.0169	35	-0.63	132.00	0
132	Phenylalanine (%)	2319	0.6750	0.0300	0.6920	0.0352	0.0169	35	-0.48	132.05	0
132	Phenylalanine (%)	0870	0.6759	0.0041	0.6920	0.0352	0.0169	35	-0.46	132.00	0
132	Phenylalanine (%)	0619	0.6790	0.0080	0.6920	0.0352	0.0169	35	-0.37	132.00	0
132	Phenylalanine (%)	0652	0.6800	0.0200	0.6920	0.0352	0.0169	35	-0.34	132.00	0
132	Phenylalanine (%)	0684	0.6800	0.0400	0.6920	0.0352	0.0169	35	-0.34	132.00	0
132	Phenylalanine (%)	0872	0.6820	0.0240	0.6920	0.0352	0.0169	35	-0.28	132.00	0
132	Phenylalanine (%)	0226	0.6865	0.0129	0.6920	0.0352	0.0169	35	-0.16	132.00	0
132	Phenylalanine (%)	0098	0.6890	0.0020	0.6920	0.0352	0.0169	35	-0.09	132.02	0
132	Phenylalanine (%)	0610	0.6900	0.0000	0.6920	0.0352	0.0169	35	-0.06	132.05	0
132	Phenylalanine (%)	0227	0.6900	0.0000	0.6920	0.0352	0.0169	35	-0.06	132.99	0
132	Phenylalanine (%)	0868	0.6940	0.0180	0.6920	0.0352	0.0169	35	0.06	132.00	0
132	Phenylalanine (%)	0626	0.6950	0.0060	0.6920	0.0352	0.0169	35	0.09	132.05	0
132	Phenylalanine (%)	2059	0.7000	0.0060	0.6920	0.0352	0.0169	35	0.23	132.00	0
132	Phenylalanine (%)	2144	0.7000	0.0200	0.6920	0.0352	0.0169	35	0.23	132.99	0
132	Phenylalanine (%)	0354	0.7005	0.0110	0.6920	0.0352	0.0169	35	0.24	132.00	0
132	Phenylalanine (%)	0878	0.7005	0.0030	0.6920	0.0352	0.0169	35	0.24	132.00	0
132	Phenylalanine (%)	0208	0.7050	0.0100	0.6920	0.0352	0.0169	35	0.37	132.00	0
132	Phenylalanine (%)	0910	0.7050	0.0300	0.6920	0.0352	0.0169	35	0.37	132.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
132	Phenylalanine (%)	0644	0.7065	0.0030	0.6920	0.0352	0.0169	35	0.41	132.00	0
132	Phenylalanine (%)	0571	0.7090	0.0160	0.6920	0.0352	0.0169	35	0.48	132.00	0
132	Phenylalanine (%)	0148	0.7150	0.0500	0.6920	0.0352	0.0169	35	0.65	132.05	0
132	Phenylalanine (%)	0675	0.7400	0.0400	0.6920	0.0352	0.0169	35	1.36	132.00	0
132	Phenylalanine (%)	0676	0.7400	0.0200	0.6920	0.0352	0.0169	35	1.36	132.05	0
132	Phenylalanine (%)	0859	0.7413	0.0207	0.6920	0.0352	0.0169	35	1.40	132.00	0
132	Phenylalanine (%)	0941	0.7435	0.0210	0.6920	0.0352	0.0169	35	1.46	132.00	0
132	Phenylalanine (%)	0353	0.7650	0.0300	0.6920	0.0352	0.0169	35	2.07	132.00	0
132	Phenylalanine (%)	0918	0.7789	0.0116	0.6920	0.0352	0.0169	35	2.47	132.00	0
133	Proline (%)	0859	0.5273	0.0119	0.8606	0.0562	0.0186	34	-5.93	133.00	0
133	Proline (%)	0354	0.7860	0.0380	0.8606	0.0562	0.0186	34	-1.33	133.00	0
133	Proline (%)	0910	0.8000	0.0200	0.8606	0.0562	0.0186	34	-1.08	133.00	0
133	Proline (%)	2246	0.8000	0.0200	0.8606	0.0562	0.0186	34	-1.08	133.05	0
133	Proline (%)	0870	0.8051	0.0091	0.8606	0.0562	0.0186	34	-0.99	133.00	0
133	Proline (%)	0171	0.8100	0.0400	0.8606	0.0562	0.0186	34	-0.90	133.00	0
133	Proline (%)	0676	0.8150	0.0100	0.8606	0.0562	0.0186	34	-0.81	133.05	0
133	Proline (%)	2146	0.8250	0.0100	0.8606	0.0562	0.0186	34	-0.63	133.99	0
133	Proline (%)	0407	0.8255	0.0090	0.8606	0.0562	0.0186	34	-0.63	133.05	0
133	Proline (%)	0610	0.8300	0.0000	0.8606	0.0562	0.0186	34	-0.55	133.05	0
133	Proline (%)	0968	0.8350	0.0100	0.8606	0.0562	0.0186	34	-0.46	133.00	0
133	Proline (%)	0148	0.8350	0.0300	0.8606	0.0562	0.0186	34	-0.46	133.05	0
133	Proline (%)	0868	0.8370	0.0020	0.8606	0.0562	0.0186	34	-0.42	133.00	0
133	Proline (%)	0675	0.8450	0.0300	0.8606	0.0562	0.0186	34	-0.28	133.00	0
133	Proline (%)	2059	0.8470	0.0100	0.8606	0.0562	0.0186	34	-0.24	133.00	0
133	Proline (%)	0652	0.8500	0.0000	0.8606	0.0562	0.0186	34	-0.19	133.00	0
133	Proline (%)	0571	0.8505	0.0030	0.8606	0.0562	0.0186	34	-0.18	133.00	0
133	Proline (%)	0619	0.8530	0.0680	0.8606	0.0562	0.0186	34	-0.14	133.00	0
133	Proline (%)	0644	0.8545	0.0270	0.8606	0.0562	0.0186	34	-0.11	133.00	0
133	Proline (%)	2319	0.8550	0.0100	0.8606	0.0562	0.0186	34	-0.10	133.05	0
133	Proline (%)	0684	0.8600	0.0200	0.8606	0.0562	0.0186	34	-0.01	133.00	0
133	Proline (%)	0878	0.8605	0.0050	0.8606	0.0562	0.0186	34	0.00	133.00	0
133	Proline (%)	0872	0.8740	0.0500	0.8606	0.0562	0.0186	34	0.24	133.00	0
133	Proline (%)	0227	0.8850	0.0300	0.8606	0.0562	0.0186	34	0.43	133.99	0
133	Proline (%)	0941	0.8910	0.0580	0.8606	0.0562	0.0186	34	0.54	133.00	0
133	Proline (%)	2196	0.8950	0.0000	0.8606	0.0562	0.0186	34	0.61	133.05	0
133	Proline (%)	0226	0.8968	0.0136	0.8606	0.0562	0.0186	34	0.64	133.00	0
133	Proline (%)	0208	0.9050	0.0500	0.8606	0.0562	0.0186	34	0.79	133.00	0
133	Proline (%)	2144	0.9350	0.0100	0.8606	0.0562	0.0186	34	1.32	133.99	0
133	Proline (%)	0353	0.9450	0.0100	0.8606	0.0562	0.0186	34	1.50	133.00	0
133	Proline (%)	2188	0.9500	0.0000	0.8606	0.0562	0.0186	34	1.59	133.05	0
133	Proline (%)	0918	0.9536	0.0163	0.8606	0.0562	0.0186	34	1.65	133.00	0
133	Proline (%)	0682	0.9600	0.0000	0.8606	0.0562	0.0186	34	1.77	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
133	Proline (%)	0626	0.9715	0.0110	0.8606	0.0562	0.0186	34	1.97	133.05	0
134	Serine (%)	0407	0.5440	0.0240	0.7516	0.0408	0.0135	35	-5.09	134.05	0
134	Serine (%)	0098	0.6780	0.0060	0.7516	0.0408	0.0135	35	-1.80	134.02	0
134	Serine (%)	0610	0.6800	0.0000	0.7516	0.0408	0.0135	35	-1.76	134.05	0
134	Serine (%)	2144	0.6950	0.0100	0.7516	0.0408	0.0135	35	-1.39	134.99	0
134	Serine (%)	2146	0.7100	0.0000	0.7516	0.0408	0.0135	35	-1.02	134.99	0
134	Serine (%)	0644	0.7170	0.0000	0.7516	0.0408	0.0135	35	-0.85	134.00	0
134	Serine (%)	2246	0.7200	0.0000	0.7516	0.0408	0.0135	35	-0.77	134.05	0
134	Serine (%)	0619	0.7290	0.0020	0.7516	0.0408	0.0135	35	-0.55	134.00	0
134	Serine (%)	0675	0.7300	0.0400	0.7516	0.0408	0.0135	35	-0.53	134.00	0
134	Serine (%)	0872	0.7345	0.0130	0.7516	0.0408	0.0135	35	-0.42	134.00	0
134	Serine (%)	0968	0.7350	0.0100	0.7516	0.0408	0.0135	35	-0.41	134.00	0
134	Serine (%)	2059	0.7355	0.0010	0.7516	0.0408	0.0135	35	-0.39	134.00	0
134	Serine (%)	0918	0.7373	0.0188	0.7516	0.0408	0.0135	35	-0.35	134.00	0
134	Serine (%)	0354	0.7400	0.0420	0.7516	0.0408	0.0135	35	-0.28	134.00	0
134	Serine (%)	0684	0.7400	0.0400	0.7516	0.0408	0.0135	35	-0.28	134.00	0
134	Serine (%)	0859	0.7434	0.0192	0.7516	0.0408	0.0135	35	-0.20	134.00	0
134	Serine (%)	2196	0.7470	0.0000	0.7516	0.0408	0.0135	35	-0.11	134.05	0
134	Serine (%)	0208	0.7500	0.0000	0.7516	0.0408	0.0135	35	-0.04	134.00	0
134	Serine (%)	0652	0.7500	0.0200	0.7516	0.0408	0.0135	35	-0.04	134.00	0
134	Serine (%)	0571	0.7535	0.0090	0.7516	0.0408	0.0135	35	0.05	134.00	0
134	Serine (%)	0148	0.7550	0.0300	0.7516	0.0408	0.0135	35	0.08	134.05	0
134	Serine (%)	0676	0.7550	0.0300	0.7516	0.0408	0.0135	35	0.08	134.05	0
134	Serine (%)	0878	0.7600	0.0020	0.7516	0.0408	0.0135	35	0.21	134.00	0
134	Serine (%)	0226	0.7619	0.0163	0.7516	0.0408	0.0135	35	0.25	134.00	0
134	Serine (%)	0868	0.7640	0.0020	0.7516	0.0408	0.0135	35	0.31	134.00	0
134	Serine (%)	0227	0.7700	0.0000	0.7516	0.0408	0.0135	35	0.45	134.99	0
134	Serine (%)	0682	0.7810	0.0000	0.7516	0.0408	0.0135	35	0.72	134.00	0
134	Serine (%)	0910	0.7850	0.0500	0.7516	0.0408	0.0135	35	0.82	134.00	0
134	Serine (%)	0941	0.7885	0.0330	0.7516	0.0408	0.0135	35	0.91	134.00	0
134	Serine (%)	2319	0.7950	0.0100	0.7516	0.0408	0.0135	35	1.07	134.05	0
134	Serine (%)	0171	0.8000	0.0200	0.7516	0.0408	0.0135	35	1.19	134.00	0
134	Serine (%)	0870	0.8140	0.0014	0.7516	0.0408	0.0135	35	1.53	134.00	0
134	Serine (%)	0626	0.8290	0.0120	0.7516	0.0408	0.0135	35	1.90	134.05	0
134	Serine (%)	0353	0.8650	0.0100	0.7516	0.0408	0.0135	35	2.78	134.00	0
134	Serine (%)	2188	0.8670	0.0000	0.7516	0.0408	0.0135	35	2.83	134.05	0
135	Threonine (%)	0407	0.4165	0.0110	0.5584	0.0156	0.0116	34	-9.09	135.05	0
135	Threonine (%)	2196	0.4970	0.0000	0.5584	0.0156	0.0116	34	-3.94	135.05	0
135	Threonine (%)	0652	0.5150	0.0100	0.5584	0.0156	0.0116	34	-2.78	135.00	0
135	Threonine (%)	0610	0.5350	0.0100	0.5584	0.0156	0.0116	34	-1.50	135.05	0
135	Threonine (%)	0226	0.5427	0.0253	0.5584	0.0156	0.0116	34	-1.01	135.00	0
135	Threonine (%)	2246	0.5450	0.0100	0.5584	0.0156	0.0116	34	-0.86	135.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
135	Threonine (%)	2146	0.5450	0.0100	0.5584	0.0156	0.0116	34	-0.86	135.99	0
135	Threonine (%)	0859	0.5464	0.0152	0.5584	0.0156	0.0116	34	-0.77	135.00	0
135	Threonine (%)	0918	0.5471	0.0031	0.5584	0.0156	0.0116	34	-0.73	135.00	0
135	Threonine (%)	0644	0.5480	0.0040	0.5584	0.0156	0.0116	34	-0.67	135.00	0
135	Threonine (%)	0098	0.5500	0.0020	0.5584	0.0156	0.0116	34	-0.54	135.02	0
135	Threonine (%)	0675	0.5550	0.0300	0.5584	0.0156	0.0116	34	-0.22	135.00	0
135	Threonine (%)	0968	0.5550	0.0100	0.5584	0.0156	0.0116	34	-0.22	135.00	0
135	Threonine (%)	2319	0.5550	0.0100	0.5584	0.0156	0.0116	34	-0.22	135.05	0
135	Threonine (%)	0354	0.5560	0.0120	0.5584	0.0156	0.0116	34	-0.16	135.00	0
135	Threonine (%)	0571	0.5580	0.0080	0.5584	0.0156	0.0116	34	-0.03	135.00	0
135	Threonine (%)	0171	0.5600	0.0200	0.5584	0.0156	0.0116	34	0.10	135.00	0
135	Threonine (%)	0148	0.5600	0.0200	0.5584	0.0156	0.0116	34	0.10	135.05	0
135	Threonine (%)	0676	0.5600	0.0200	0.5584	0.0156	0.0116	34	0.10	135.05	0
135	Threonine (%)	0619	0.5605	0.0110	0.5584	0.0156	0.0116	34	0.13	135.00	0
135	Threonine (%)	2059	0.5605	0.0070	0.5584	0.0156	0.0116	34	0.13	135.00	0
135	Threonine (%)	0684	0.5650	0.0300	0.5584	0.0156	0.0116	34	0.42	135.00	0
135	Threonine (%)	0868	0.5650	0.0000	0.5584	0.0156	0.0116	34	0.42	135.00	0
135	Threonine (%)	0682	0.5680	0.0000	0.5584	0.0156	0.0116	34	0.61	135.00	0
135	Threonine (%)	0878	0.5690	0.0100	0.5584	0.0156	0.0116	34	0.68	135.00	0
135	Threonine (%)	0872	0.5700	0.0060	0.5584	0.0156	0.0116	34	0.74	135.00	0
135	Threonine (%)	2144	0.5700	0.0000	0.5584	0.0156	0.0116	34	0.74	135.99	0
135	Threonine (%)	0870	0.5715	0.0062	0.5584	0.0156	0.0116	34	0.84	135.00	0
135	Threonine (%)	0941	0.5745	0.0230	0.5584	0.0156	0.0116	34	1.03	135.00	0
135	Threonine (%)	0208	0.5750	0.0100	0.5584	0.0156	0.0116	34	1.06	135.00	0
135	Threonine (%)	0910	0.5750	0.0500	0.5584	0.0156	0.0116	34	1.06	135.00	0
135	Threonine (%)	0626	0.5760	0.0020	0.5584	0.0156	0.0116	34	1.12	135.05	0
135	Threonine (%)	2188	0.5910	0.0000	0.5584	0.0156	0.0116	34	2.09	135.05	0
135	Threonine (%)	0353	0.6050	0.0100	0.5584	0.0156	0.0116	34	2.98	135.00	0
135	Threonine (%)	0227	0.6150	0.0900	0.5584	0.0156	0.0116	34	3.62	135.99	1
136	Tryptophan (%)	2246	0.0550	0.0100	0.1938	0.0255	0.0035	23	-5.45	136.05	0
136	Tryptophan (%)	0208	0.1570	0.0060	0.1938	0.0255	0.0035	23	-1.44	136.01	0
136	Tryptophan (%)	0910	0.1600	0.0200	0.1938	0.0255	0.0035	23	-1.33	136.00	0
136	Tryptophan (%)	0148	0.1750	0.0000	0.1938	0.0255	0.0035	23	-0.74	136.03	0
136	Tryptophan (%)	0682	0.1760	0.0000	0.1938	0.0255	0.0035	23	-0.70	136.00	0
136	Tryptophan (%)	0098	0.1785	0.0030	0.1938	0.0255	0.0035	23	-0.60	136.02	0
136	Tryptophan (%)	0941	0.1815	0.0050	0.1938	0.0255	0.0035	23	-0.48	136.00	0
136	Tryptophan (%)	0878	0.1870	0.0000	0.1938	0.0255	0.0035	23	-0.27	136.01	0
136	Tryptophan (%)	0872	0.1895	0.0010	0.1938	0.0255	0.0035	23	-0.17	136.03	0
136	Tryptophan (%)	2319	0.1900	0.0000	0.1938	0.0255	0.0035	23	-0.15	136.05	0
136	Tryptophan (%)	0610	0.1900	0.0000	0.1938	0.0255	0.0035	23	-0.15	136.99	0
136	Tryptophan (%)	0859	0.1912	0.0002	0.1938	0.0255	0.0035	23	-0.10	136.03	0
136	Tryptophan (%)	2059	0.1920	0.0020	0.1938	0.0255	0.0035	23	-0.07	136.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
136	Tryptophan (%)	0644	0.1935	0.0010	0.1938	0.0255	0.0035	23	-0.01	136.01	0
136	Tryptophan (%)	0571	0.1945	0.0010	0.1938	0.0255	0.0035	23	0.03	136.03	0
136	Tryptophan (%)	0868	0.1985	0.0030	0.1938	0.0255	0.0035	23	0.19	136.01	0
136	Tryptophan (%)	0619	0.2050	0.0020	0.1938	0.0255	0.0035	23	0.44	136.00	0
136	Tryptophan (%)	0684	0.2100	0.0000	0.1938	0.0255	0.0035	23	0.64	136.00	0
136	Tryptophan (%)	0870	0.2132	0.0017	0.1938	0.0255	0.0035	23	0.76	136.00	0
136	Tryptophan (%)	0353	0.2250	0.0100	0.1938	0.0255	0.0035	23	1.23	136.03	0
136	Tryptophan (%)	0227	0.2300	0.0000	0.1938	0.0255	0.0035	23	1.42	136.00	0
136	Tryptophan (%)	0918	0.2550	0.0100	0.1938	0.0255	0.0035	23	2.40	136.00	0
136	Tryptophan (%)	0407	0.2940	0.0040	0.1938	0.0255	0.0035	23	3.93	136.05	0
136	Tryptophan (%)	0171	0.1550	0.0300	0.1938	0.0255	0.0035	23	-1.52	136.00	1
137	Tyrosine (%)	2246	0.2900	0.0400	0.5127	0.0724	0.0169	28	-3.07	137.05	0
137	Tyrosine (%)	0682	0.3890	0.0000	0.5127	0.0724	0.0169	28	-1.71	137.00	0
137	Tyrosine (%)	0171	0.4000	0.0400	0.5127	0.0724	0.0169	28	-1.56	137.00	0
137	Tyrosine (%)	0626	0.4450	0.0200	0.5127	0.0724	0.0169	28	-0.93	137.05	0
137	Tyrosine (%)	2319	0.4450	0.0100	0.5127	0.0724	0.0169	28	-0.93	137.05	0
137	Tyrosine (%)	0675	0.4500	0.0600	0.5127	0.0724	0.0169	28	-0.87	137.00	0
137	Tyrosine (%)	0870	0.4549	0.0099	0.5127	0.0724	0.0169	28	-0.80	137.00	0
137	Tyrosine (%)	0968	0.4800	0.0200	0.5127	0.0724	0.0169	28	-0.45	137.00	0
137	Tyrosine (%)	0227	0.4900	0.0200	0.5127	0.0724	0.0169	28	-0.31	137.99	0
137	Tyrosine (%)	0354	0.4920	0.0100	0.5127	0.0724	0.0169	28	-0.29	137.00	0
137	Tyrosine (%)	0684	0.4950	0.0100	0.5127	0.0724	0.0169	28	-0.24	137.00	0
137	Tyrosine (%)	0407	0.4955	0.0350	0.5127	0.0724	0.0169	28	-0.24	137.05	0
137	Tyrosine (%)	0098	0.4975	0.0030	0.5127	0.0724	0.0169	28	-0.21	137.02	0
137	Tyrosine (%)	2146	0.5050	0.0100	0.5127	0.0724	0.0169	28	-0.11	137.99	0
137	Tyrosine (%)	2144	0.5100	0.0000	0.5127	0.0724	0.0169	28	-0.04	137.99	0
137	Tyrosine (%)	0644	0.5280	0.0060	0.5127	0.0724	0.0169	28	0.21	137.00	0
137	Tyrosine (%)	0941	0.5285	0.0730	0.5127	0.0724	0.0169	28	0.22	137.00	0
137	Tyrosine (%)	0226	0.5297	0.0194	0.5127	0.0724	0.0169	28	0.24	137.00	0
137	Tyrosine (%)	0918	0.5476	0.0044	0.5127	0.0724	0.0169	28	0.48	137.00	0
137	Tyrosine (%)	0872	0.5480	0.0160	0.5127	0.0724	0.0169	28	0.49	137.00	0
137	Tyrosine (%)	0610	0.5500	0.0000	0.5127	0.0724	0.0169	28	0.52	137.05	0
137	Tyrosine (%)	0676	0.5550	0.0300	0.5127	0.0724	0.0169	28	0.58	137.05	0
137	Tyrosine (%)	2196	0.5630	0.0000	0.5127	0.0724	0.0169	28	0.69	137.05	0
137	Tyrosine (%)	2059	0.5655	0.0070	0.5127	0.0724	0.0169	28	0.73	137.00	0
137	Tyrosine (%)	0148	0.6050	0.0300	0.5127	0.0724	0.0169	28	1.27	137.05	0
137	Tyrosine (%)	0208	0.6200	0.0000	0.5127	0.0724	0.0169	28	1.48	137.00	0
137	Tyrosine (%)	0353	0.6400	0.0000	0.5127	0.0724	0.0169	28	1.76	137.00	0
137	Tyrosine (%)	2188	0.6420	0.0000	0.5127	0.0724	0.0169	28	1.79	137.05	0
137	Tyrosine (%)	0910	0.3250	0.1100	0.5127	0.0724	0.0169	28	-2.59	137.00	1
138	Valine (%)	2319	0.5250	0.0700	0.6956	0.0385	0.0153	35	-4.43	138.05	0
138	Valine (%)	0226	0.5776	0.0551	0.6956	0.0385	0.0153	35	-3.06	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
138	Valine (%)	0682	0.6030	0.0000	0.6956	0.0385	0.0153	35	-2.40	138.00	0
138	Valine (%)	0171	0.6350	0.0500	0.6956	0.0385	0.0153	35	-1.57	138.00	0
138	Valine (%)	2246	0.6350	0.0300	0.6956	0.0385	0.0153	35	-1.57	138.05	0
138	Valine (%)	0354	0.6425	0.0130	0.6956	0.0385	0.0153	35	-1.38	138.00	0
138	Valine (%)	0870	0.6508	0.0068	0.6956	0.0385	0.0153	35	-1.16	138.00	0
138	Valine (%)	0652	0.6650	0.0300	0.6956	0.0385	0.0153	35	-0.79	138.00	0
138	Valine (%)	0619	0.6690	0.0440	0.6956	0.0385	0.0153	35	-0.69	138.00	0
138	Valine (%)	0918	0.6839	0.0002	0.6956	0.0385	0.0153	35	-0.30	138.00	0
138	Valine (%)	0868	0.6845	0.0090	0.6956	0.0385	0.0153	35	-0.29	138.00	0
138	Valine (%)	2146	0.6850	0.0100	0.6956	0.0385	0.0153	35	-0.27	138.99	0
138	Valine (%)	0941	0.6935	0.0010	0.6956	0.0385	0.0153	35	-0.05	138.00	0
138	Valine (%)	0859	0.6950	0.0186	0.6956	0.0385	0.0153	35	-0.01	138.00	0
138	Valine (%)	0407	0.6965	0.0050	0.6956	0.0385	0.0153	35	0.02	138.05	0
138	Valine (%)	2196	0.6970	0.0000	0.6956	0.0385	0.0153	35	0.04	138.05	0
138	Valine (%)	0968	0.7000	0.0000	0.6956	0.0385	0.0153	35	0.12	138.00	0
138	Valine (%)	0208	0.7050	0.0100	0.6956	0.0385	0.0153	35	0.25	138.00	0
138	Valine (%)	0353	0.7050	0.0100	0.6956	0.0385	0.0153	35	0.25	138.00	0
138	Valine (%)	0684	0.7050	0.0100	0.6956	0.0385	0.0153	35	0.25	138.00	0
138	Valine (%)	0675	0.7100	0.0200	0.6956	0.0385	0.0153	35	0.37	138.00	0
138	Valine (%)	0676	0.7100	0.0200	0.6956	0.0385	0.0153	35	0.37	138.05	0
138	Valine (%)	2188	0.7140	0.0000	0.6956	0.0385	0.0153	35	0.48	138.05	0
138	Valine (%)	2144	0.7150	0.0100	0.6956	0.0385	0.0153	35	0.50	138.99	0
138	Valine (%)	0571	0.7155	0.0090	0.6956	0.0385	0.0153	35	0.52	138.00	0
138	Valine (%)	0878	0.7155	0.0010	0.6956	0.0385	0.0153	35	0.52	138.00	0
138	Valine (%)	0227	0.7200	0.0000	0.6956	0.0385	0.0153	35	0.63	138.99	0
138	Valine (%)	0610	0.7250	0.0100	0.6956	0.0385	0.0153	35	0.76	138.05	0
138	Valine (%)	0626	0.7260	0.0100	0.6956	0.0385	0.0153	35	0.79	138.05	0
138	Valine (%)	0644	0.7285	0.0010	0.6956	0.0385	0.0153	35	0.86	138.00	0
138	Valine (%)	0098	0.7305	0.0110	0.6956	0.0385	0.0153	35	0.91	138.02	0
138	Valine (%)	0872	0.7335	0.0110	0.6956	0.0385	0.0153	35	0.99	138.00	0
138	Valine (%)	0910	0.7400	0.0400	0.6956	0.0385	0.0153	35	1.15	138.00	0
138	Valine (%)	2059	0.7445	0.0010	0.6956	0.0385	0.0153	35	1.27	138.00	0
138	Valine (%)	0148	0.7500	0.0200	0.6956	0.0385	0.0153	35	1.41	138.05	0
139	Taurine (%)	0407	0.0095	0.0010				3		139.05	0
139	Taurine (%)	0682	0.0840	0.0000				3		139.00	0
139	Taurine (%)	0941	0.1615	0.0090				3		139.00	0
139	Taurine (%)	2319	< 0.0005					3		139.05	5
139	Taurine (%)	0098	< 0.01					3		139.02	5
139	Taurine (%)	0227	< 0.01					3		139.99	5
160	Fructose (%)	0297	0.2660	0.0720				3		160.10	0
160	Fructose (%)	0619	0.3065	0.0010				3		160.99	0
160	Fructose (%)	0227	0.6200	0.0000				3		160.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
161	Galactose (%)	0297	0.0000	0.0000				0		161.10	4
162	Glucose (%)	0297	0.1400	0.0280				3		162.10	0
162	Glucose (%)	0619	0.1775	0.0010				3		162.99	0
162	Glucose (%)	0227	0.2850	0.0100				3		162.99	0
162	Glucose (%)	2246	13.51	0.0000				3		162.99	2
163	Lactose (%)	0297	0.0000	0.0000				0		163.10	4
163	Lactose (%)	0619	0.0000	0.0000				0		163.99	4
163	Lactose (%)	0227	< 0.15					0		163.99	5
164	Maltose (%)	0297	0.1050	0.0000				1		164.10	0
164	Maltose (%)	0227	< 0.15					1		164.99	5
165	Sucrose (%)	0297	2.625	0.0760				3		165.10	0
165	Sucrose (%)	0619	2.730	0.0200				3		165.99	0
165	Sucrose (%)	0227	2.755	0.0700				3		165.99	0
166	Raffinose (%)	0619	0.3800	0.0100				3		166.99	0
166	Raffinose (%)	0227	0.4050	0.0300				3		166.99	0
166	Raffinose (%)	0297	0.4520	0.0200				3		166.10	0
167	Stachyose (%)	0619	0.9845	0.0150				3		167.99	0
167	Stachyose (%)	0297	1.063	0.0080				3		167.10	0
167	Stachyose (%)	0227	1.095	0.0300				3		167.99	0
400	Water Activity (Units)	0843	0.4550	0.0020	0.5068	0.0295	0.0039	13	-1.76	400.01	0
400	Water Activity (Units)	0843	0.4635	0.0030	0.5068	0.0295	0.0039	13	-1.47	400.99	0
400	Water Activity (Units)	2174	0.4870	0.0020	0.5068	0.0295	0.0039	13	-0.67	400.01	0
400	Water Activity (Units)	2168	0.4940	0.0040	0.5068	0.0295	0.0039	13	-0.44	400.01	0
400	Water Activity (Units)	0407	0.5024	0.0003	0.5068	0.0295	0.0039	13	-0.15	400.01	0
400	Water Activity (Units)	0942	0.5025	0.0030	0.5068	0.0295	0.0039	13	-0.15	400.01	0
400	Water Activity (Units)	2303	0.5045	0.0034	0.5068	0.0295	0.0039	13	-0.08	400.01	0
400	Water Activity (Units)	0589	0.5110	0.0000	0.5068	0.0295	0.0039	13	0.14	400.01	0
400	Water Activity (Units)	2268	0.5245	0.0070	0.5068	0.0295	0.0039	13	0.60	400.01	0
400	Water Activity (Units)	0668	0.5250	0.0100	0.5068	0.0295	0.0039	13	0.62	400.01	0
400	Water Activity (Units)	2181	0.5280	0.0009	0.5068	0.0295	0.0039	13	0.72	400.01	0
400	Water Activity (Units)	2073	0.5345	0.0110	0.5068	0.0295	0.0039	13	0.94	400.99	0
400	Water Activity (Units)	2109	0.5492	0.0038	0.5068	0.0295	0.0039	13	1.44	400.01	0
516	Arsenic, Total (ppm)	0171	0.1580	0.0100	0.1682	0.0105	0.0082	8	-0.97	516.00	0
516	Arsenic, Total (ppm)	0186	0.1585	0.0010	0.1682	0.0105	0.0082	8	-0.92	516.52	0
516	Arsenic, Total (ppm)	0918	0.1600	0.0083	0.1682	0.0105	0.0082	8	-0.78	516.53	0
516	Arsenic, Total (ppm)	0553	0.1625	0.0010	0.1682	0.0105	0.0082	8	-0.54	516.53	0
516	Arsenic, Total (ppm)	0227	0.1740	0.0000	0.1682	0.0105	0.0082	8	0.55	516.53	0
516	Arsenic, Total (ppm)	0045	0.1755	0.0130	0.1682	0.0105	0.0082	8	0.69	516.00	0
516	Arsenic, Total (ppm)	0407	0.1772	0.0126	0.1682	0.0105	0.0082	8	0.85	516.53	0
516	Arsenic, Total (ppm)	0910	0.1800	0.0200	0.1682	0.0105	0.0082	8	1.12	516.52	0
516	Arsenic, Total (ppm)	0682	< 10		0.1682	0.0105	0.0082	8		516.43	5
518	Cadmium (ppm)	0171	0.0985	0.0010	0.1246	0.0189	0.0058	10	-1.38	518.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
518	Cadmium (ppm)	0407	0.1041	0.0011	0.1246	0.0189	0.0058	10	-1.09	518.41	0
518	Cadmium (ppm)	0918	0.1048	0.0079	0.1246	0.0189	0.0058	10	-1.05	518.53	0
518	Cadmium (ppm)	0407	0.1188	0.0056	0.1246	0.0189	0.0058	10	-0.31	518.53	0
518	Cadmium (ppm)	0227	0.1310	0.0140	0.1246	0.0189	0.0058	10	0.34	518.53	0
518	Cadmium (ppm)	0186	0.1330	0.0020	0.1246	0.0189	0.0058	10	0.44	518.52	0
518	Cadmium (ppm)	0407	0.1367	0.0037	0.1246	0.0189	0.0058	10	0.64	518.43	0
518	Cadmium (ppm)	0553	0.1380	0.0020	0.1246	0.0189	0.0058	10	0.71	518.53	0
518	Cadmium (ppm)	0910	0.1400	0.0200	0.1246	0.0189	0.0058	10	0.82	518.52	0
518	Cadmium (ppm)	0968	0.1415	0.0010	0.1246	0.0189	0.0058	10	0.89	518.43	0
518	Cadmium (ppm)	0682	< 0.2		0.1246	0.0189	0.0058	10		518.43	5
520	Chromium (ppm)	0171	2.264	0.0240	3.418	0.7901	0.0825	13	-1.46	520.41	0
520	Chromium (ppm)	0968	2.512	0.0590	3.418	0.7901	0.0825	13	-1.15	520.43	0
520	Chromium (ppm)	0186	2.605	0.0300	3.418	0.7901	0.0825	13	-1.03	520.52	0
520	Chromium (ppm)	0918	3.008	0.2279	3.418	0.7901	0.0825	13	-0.52	520.53	0
520	Chromium (ppm)	0407	3.236	0.0175	3.418	0.7901	0.0825	13	-0.23	520.41	0
520	Chromium (ppm)	0164	3.330	0.0200	3.418	0.7901	0.0825	13	-0.11	520.53	0
520	Chromium (ppm)	0693	3.386	0.1010	3.418	0.7901	0.0825	13	-0.04	520.42	0
520	Chromium (ppm)	0553	3.575	0.0700	3.418	0.7901	0.0825	13	0.20	520.53	0
520	Chromium (ppm)	0407	3.752	0.0678	3.418	0.7901	0.0825	13	0.42	520.53	0
520	Chromium (ppm)	0045	3.905	0.1100	3.418	0.7901	0.0825	13	0.62	520.42	0
520	Chromium (ppm)	0407	4.054	0.2551	3.418	0.7901	0.0825	13	0.80	520.43	0
520	Chromium (ppm)	0510	4.205	0.0900	3.418	0.7901	0.0825	13	1.00	520.43	0
520	Chromium (ppm)	0682	5.600	0.0000	3.418	0.7901	0.0825	13	2.76	520.43	0
526	Lead (ppm)	0171	0.0680	0.0100	0.1281	0.0460	0.0072	9	-1.31	526.41	0
526	Lead (ppm)	0918	0.0814	0.0011	0.1281	0.0460	0.0072	9	-1.02	526.53	0
526	Lead (ppm)	0407	0.1151	0.0008	0.1281	0.0460	0.0072	9	-0.28	526.53	0
526	Lead (ppm)	0227	0.1165	0.0030	0.1281	0.0460	0.0072	9	-0.25	526.53	0
526	Lead (ppm)	0553	0.1245	0.0070	0.1281	0.0460	0.0072	9	-0.08	526.53	0
526	Lead (ppm)	0910	0.1350	0.0100	0.1281	0.0460	0.0072	9	0.15	526.52	0
526	Lead (ppm)	0186	0.1390	0.0000	0.1281	0.0460	0.0072	9	0.24	526.52	0
526	Lead (ppm)	0407	0.1862	0.0141	0.1281	0.0460	0.0072	9	1.26	526.41	0
526	Lead (ppm)	0407	0.1873	0.0187	0.1281	0.0460	0.0072	9	1.29	526.43	0
526	Lead (ppm)	0682	< 3		0.1281	0.0460	0.0072	9		526.43	5
529	Mercury (ppb)	0407	0.9413	0.0607				1		529.99	0
529	Mercury (ppb)	0227	< 10					1		529.99	5
529	Mercury (ppb)	0682	< 10000					1		529.99	5
539	Nickel (ppm)	0682	1.620	0.0000	2.063	0.3751	0.0575	8	-1.18	539.43	0
539	Nickel (ppm)	0171	1.639	0.0050	2.063	0.3751	0.0575	8	-1.13	539.41	0
539	Nickel (ppm)	0186	1.930	0.0400	2.063	0.3751	0.0575	8	-0.35	539.52	0
539	Nickel (ppm)	0407	1.936	0.0516	2.063	0.3751	0.0575	8	-0.34	539.41	0
539	Nickel (ppm)	0407	2.229	0.0141	2.063	0.3751	0.0575	8	0.44	539.43	0
539	Nickel (ppm)	0918	2.308	0.1872	2.063	0.3751	0.0575	8	0.65	539.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
539	Nickel (ppm)	0407	2.341	0.0619	2.063	0.3751	0.0575	8	0.74	539.53	0
539	Nickel (ppm)	0553	2.500	0.1000	2.063	0.3751	0.0575	8	1.17	539.53	0
702	Butyric Acid (4:0) (%)	0164	< 0.02					0		702.00	5
704	Caproic Acid (6:0) (%)	0164	< 0.02					0		704.00	5
706	Caprylic acid (8:0) (%) (w/w))	0164	< 0.02					0		706.99	5
708	Capric acid (10:0) (%) (w/w))	0164	< 0.02					0		708.99	5
710	Lauric Acid (12:0) (%) (w/w))	0676	0.0010	0.0000				1		710.99	0
710	Lauric Acid (12:0) (%) (w/w))	0226	< 0.005					1		710.99	5
710	Lauric Acid (12:0) (%) (w/w))	0164	< 0.02					1		710.99	5
714	Myristic Acid (14:0) (%) (w/w))	0164	0.0200	0.0000				1		714.99	0
714	Myristic Acid (14:0) (%) (w/w))	0226	< 0.005					1		714.99	5
716	Palmitic Acid (16:0) (%) (w/w))	0910	0.3650	0.0100				3		716.99	0
716	Palmitic Acid (16:0) (%) (w/w))	0226	0.4730	0.0060				3		716.99	0
716	Palmitic Acid (16:0) (%) (w/w))	0164	0.6650	0.0100				3		716.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w))	0226	0.0055	0.0010				2		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w))	0676	0.0065	0.0010				2		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w))	0164	< 0.02					2		718.99	5
720	Margaric acid (17:0) (%) (w/w))	0164	< 0.02					0		720.99	5
722	Stearic Acid (18:0) (%) (w/w))	0910	0.0800	0.0000				3		722.99	0
722	Stearic Acid (18:0) (%) (w/w))	0226	0.1100	0.0020				3		722.99	0
722	Stearic Acid (18:0) (%) (w/w))	0164	0.1400	0.0000				3		722.99	0
724	Oleic Acid (9c-18:1) (%) (w/w))	0910	0.5200	0.0200				3		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w))	0226	0.6715	0.0430				3		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w))	0164	0.8550	0.0100				3		724.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w))	0910	1.190	0.0000	1.703	0.4003	0.0528	6	-1.28	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w))	0226	1.541	0.1160	1.703	0.4003	0.0528	6	-0.40	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w))	0148	1.610	0.0200	1.703	0.4003	0.0528	6	-0.23	726.02	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w))	0164	1.745	0.0100	1.703	0.4003	0.0528	6	0.11	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w))	0676	1.890	0.0110	1.703	0.4003	0.0528	6	0.47	726.99	0
726	Linoleic Acid (9c,12c-18:2) (%) (w/w))	0610	2.240	0.1600	1.703	0.4003	0.0528	6	1.34	726.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/v)	0910	0.1400	0.0000				3		728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/v)	0164	0.2000	0.0000				3		728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/v)	0676	0.2190	0.0000				3		728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (%) (w/v)	0226	0.1785	0.0170				3		728.99	1
730	Arachidic Acid (20:0) (%) (w/w))	0910	0.0100	0.0000				3		730.99	0
730	Arachidic Acid (20:0) (%) (w/w))	0226	0.0125	0.0010				3		730.99	0
730	Arachidic Acid (20:0) (%) (w/w))	0164	0.0250	0.0100				3		730.99	0
732	Gondoic Acid (11c-20:1) (%) (w/w))	0226	0.0105	0.0030				1		732.99	0
732	Gondoic Acid (11c-20:1) (%) (w/w))	0164	< 0.02					1		732.99	5
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (%) (w/v)	0676	0.0000	0.0000				0		736.99	4
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (%) (w/v)	0164	< 0.02					0		736.99	5
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c)	0226	0.0000	0.0000				0		740.99	4

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c)	0676	0.0000	0.0000				0	740.99	4	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c)	0164	< 0.02					0	740.99	5	
742	Behenic Acid (22:0) (% (w/w))	0226	0.0095	0.0010				3	742.99	0	
742	Behenic Acid (22:0) (% (w/w))	0910	0.0100	0.0000				3	742.99	0	
742	Behenic Acid (22:0) (% (w/w))	0164	0.0200	0.0000				3	742.99	0	
744	Erucic Acid (13c-22:1) (% (w/w))	0226	< 0.005					0	744.99	5	
744	Erucic Acid (13c-22:1) (% (w/w))	0164	< 0.02					0	744.99	5	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c)	0226	0.0000	0.0000				0	746.99	4	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c)	0676	0.0000	0.0000				0	746.99	4	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c)	0164	< 0.02					0	746.99	5	
748	Lignoceric Acid (24:0) (% (w/w))	0226	0.0075	0.0010				2	748.99	0	
748	Lignoceric Acid (24:0) (% (w/w))	0910	0.0100	0.0000				2	748.99	0	
748	Lignoceric Acid (24:0) (% (w/w))	0164	< 0.02					2	748.99	5	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c)	0226	0.0000	0.0000				0	750.99	4	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c)	0676	0.0000	0.0000				0	750.99	4	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c)	0164	< 0.02					0	750.99	5	
752	Nervonic Acid (24:1) isomers (% (w/w))	0226	< 0.005					0	752.99	5	
752	Nervonic Acid (24:1) isomers (% (w/w))	0164	< 0.02					0	752.99	5	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0610	0.2000	0.0000	0.2132	0.0146	0.0036	5	754.99	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0148	0.2010	0.0080	0.2132	0.0146	0.0036	5	754.02	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0164	0.2100	0.0000	0.2132	0.0146	0.0036	5	754.99	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0676	0.2200	0.0000	0.2132	0.0146	0.0036	5	754.99	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0910	0.2350	0.0100	0.2132	0.0146	0.0036	5	754.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0148	1.610	0.0200	1.820	0.1770	0.0100	4	756.01	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0164	1.755	0.0100	1.820	0.1770	0.0100	4	756.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0676	1.895	0.0100	1.820	0.1770	0.0100	4	756.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0910	2.020	0.0000	1.820	0.1770	0.0100	4	756.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0610	2.250	0.1000	1.820	0.1770	0.0100	4	756.99	1	
758	Total Saturated Fatty Acids (% (w/w))	0910	0.4850	0.0100				2	758.99	0	
758	Total Saturated Fatty Acids (% (w/w))	0164	0.9000	0.0000				2	758.99	0	
762	Total Monounsaturated Fatty Acids (% (w/w))	0910	0.5450	0.0100				1	762.99	0	
764	Total cis Monounsaturated Fatty Acids (% (w/w))	0164	0.9450	0.0100				1	764.99	0	
766	Total Polyunsaturated Fatty Acids (% (w/w))	0910	1.330	0.0000				1	766.99	0	
768	Total cis Polyunsaturated Fatty Acids (% (w/w))	0164	1.970	0.0000				1	768.99	0	
770	Total Fat (equivalent to NLEA) (% (w/w))	0164	4.005	0.0100				1	770.99	0	
772	Total Fatty Acids (% (w/w))	0226	3.025	0.1900				2	772.99	0	
772	Total Fatty Acids (% (w/w))	0164	3.830	0.0000				2	772.99	0	

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 5 = A reporting limit and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in the case of 4 or 5 labs reporting Means and SD's may be reported based on Raw Data with obvious blunders removed (Mandel h and k exclusions apply; Grey). Flag 3 indicates not used in statistics.