

AAFCO Check Sample Program
All Labs and All Methods Report
Sort by Method
Proficiency Testing
Sample # 201422
Swine Grower, Medicated



AAFCO
CHECK SAMPLE PROGRAM

Robust statistics not used if < 6 labs reporting, in this case the Z Scores are included for information only (Grey).

Issue Date : 03/31/2014

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
000	Urea (%)	0920	0.01300	0.00800			0.00800	1			
001	Loss on Drying (%)	0618	5.2000	0.12000	9.6256	0.36948	0.09102	51	-11.98	001.07	0
001	Loss on Drying (%)	2048	7.5200	0.02800	9.6256	0.36948	0.09102	51	-5.70	001.00	0
001	Loss on Drying (%)	0581	7.5850	0.15000	9.6256	0.36948	0.09102	51	-5.52	001.07	0
001	Loss on Drying (%)	0618	7.6500	0.04000	9.6256	0.36948	0.09102	51	-5.35	001.99	0
001	Loss on Drying (%)	0852	8.8450	0.23000	9.6256	0.36948	0.09102	51	-2.11	001.99	0
001	Loss on Drying (%)	0609	8.8500	0.10000	9.6256	0.36948	0.09102	51	-2.10	001.07	0
001	Loss on Drying (%)	0186	9.1200	0.00000	9.6256	0.36948	0.09102	51	-1.37	001.03	0
001	Loss on Drying (%)	0940	9.1700	0.26000	9.6256	0.36948	0.09102	51	-1.23	001.99	0
001	Loss on Drying (%)	2058	9.1700	0.06000	9.6256	0.36948	0.09102	51	-1.23	001.99	0
001	Loss on Drying (%)	0038	9.2000	0.16000	9.6256	0.36948	0.09102	51	-1.15	001.07	0
001	Loss on Drying (%)	0845	9.2550	0.05000	9.6256	0.36948	0.09102	51	-1.00	001.07	0
001	Loss on Drying (%)	0004	9.3750	0.21000	9.6256	0.36948	0.09102	51	-0.68	001.99	0
001	Loss on Drying (%)	0683	9.3850	0.07000	9.6256	0.36948	0.09102	51	-0.65	001.07	0
001	Loss on Drying (%)	0089	9.3900	0.00000	9.6256	0.36948	0.09102	51	-0.64	001.07	0
001	Loss on Drying (%)	0913	9.4250	0.05000	9.6256	0.36948	0.09102	51	-0.54	001.07	0
001	Loss on Drying (%)	0675	9.4450	0.03000	9.6256	0.36948	0.09102	51	-0.49	001.07	0
001	Loss on Drying (%)	2059	9.4700	0.02000	9.6256	0.36948	0.09102	51	-0.42	001.07	0
001	Loss on Drying (%)	0345	9.5300	0.14000	9.6256	0.36948	0.09102	51	-0.26	001.00	0
001	Loss on Drying (%)	0297	9.5500	0.00000	9.6256	0.36948	0.09102	51	-0.20	001.07	0
001	Loss on Drying (%)	0619	9.5750	0.09000	9.6256	0.36948	0.09102	51	-0.14	001.03	0
001	Loss on Drying (%)	0083	9.6000	0.16000	9.6256	0.36948	0.09102	51	-0.07	001.07	0
001	Loss on Drying (%)	0171	9.6100	0.10000	9.6256	0.36948	0.09102	51	-0.04	001.07	0
001	Loss on Drying (%)	2063	9.6150	0.01000	9.6256	0.36948	0.09102	51	-0.03	001.03	0
001	Loss on Drying (%)	0868	9.6350	0.01000	9.6256	0.36948	0.09102	51	0.03	001.03	0
001	Loss on Drying (%)	0139	9.6400	0.06000	9.6256	0.36948	0.09102	51	0.04	001.07	0
001	Loss on Drying (%)	0413	9.6500	0.10000	9.6256	0.36948	0.09102	51	0.07	001.07	0
001	Loss on Drying (%)	0610	9.7000	0.16000	9.6256	0.36948	0.09102	51	0.20	001.05	0
001	Loss on Drying (%)	0592	9.7150	0.05000	9.6256	0.36948	0.09102	51	0.24	001.07	0
001	Loss on Drying (%)	0015	9.7200	0.08000	9.6256	0.36948	0.09102	51	0.26	001.07	0
001	Loss on Drying (%)	0065	9.7350	0.06000	9.6256	0.36948	0.09102	51	0.30	001.07	0
001	Loss on Drying (%)	0895	9.8000	0.00000	9.6256	0.36948	0.09102	51	0.47	001.03	0
001	Loss on Drying (%)	0590	9.8200	0.16000	9.6256	0.36948	0.09102	51	0.53	001.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
001	Loss on Drying (%)	0897	9.8250	0.01000	9.6256	0.36948	0.09102	51	0.54	001.03	0
001	Loss on Drying (%)	0337	9.8250	0.37000	9.6256	0.36948	0.09102	51	0.54	001.08	0
001	Loss on Drying (%)	0035	9.8350	0.15000	9.6256	0.36948	0.09102	51	0.57	001.07	0
001	Loss on Drying (%)	0505	9.8400	0.02000	9.6256	0.36948	0.09102	51	0.58	001.99	0
001	Loss on Drying (%)	0187	9.8450	0.03000	9.6256	0.36948	0.09102	51	0.59	001.07	0
001	Loss on Drying (%)	0689	9.8500	0.10000	9.6256	0.36948	0.09102	51	0.61	001.07	0
001	Loss on Drying (%)	0918	9.8650	0.11000	9.6256	0.36948	0.09102	51	0.65	001.99	0
001	Loss on Drying (%)	0849	9.8980	0.04400	9.6256	0.36948	0.09102	51	0.74	001.07	0
001	Loss on Drying (%)	0510	9.9000	0.20000	9.6256	0.36948	0.09102	51	0.74	001.99	0
001	Loss on Drying (%)	0903	9.9150	0.01000	9.6256	0.36948	0.09102	51	0.78	001.03	0
001	Loss on Drying (%)	0878	9.9200	0.06000	9.6256	0.36948	0.09102	51	0.80	001.03	0
001	Loss on Drying (%)	0629	9.9200	0.02000	9.6256	0.36948	0.09102	51	0.80	001.99	0
001	Loss on Drying (%)	0872	9.9500	0.02000	9.6256	0.36948	0.09102	51	0.88	001.07	0
001	Loss on Drying (%)	0693	9.9650	0.27000	9.6256	0.36948	0.09102	51	0.92	001.07	0
001	Loss on Drying (%)	0045	10.025	0.35000	9.6256	0.36948	0.09102	51	1.08	001.07	0
001	Loss on Drying (%)	0169	10.140	0.06000	9.6256	0.36948	0.09102	51	1.39	001.00	0
001	Loss on Drying (%)	0049	10.140	0.02000	9.6256	0.36948	0.09102	51	1.39	001.07	0
001	Loss on Drying (%)	0098	10.190	0.04000	9.6256	0.36948	0.09102	51	1.53	001.07	0
001	Loss on Drying (%)	0142	10.200	0.00000	9.6256	0.36948	0.09102	51	1.55	001.07	0
001	Loss on Drying (%)	0843	9.5500	0.60000	9.6256	0.36948	0.09102	51	-0.20	001.07	1
001	Loss on Drying (%)	0353	90.160	0.10000	9.6256	0.36948	0.09102	51	217.97	001.07	2
002	Protein (%)	0876	14.790	0.16000	17.455	0.24922	0.10145	151	-10.69	002.06	0
002	Protein (%)	0233	16.110	0.02000	17.455	0.24922	0.10145	151	-5.40	002.06	0
002	Protein (%)	0187	16.295	0.05000	17.455	0.24922	0.10145	151	-4.65	002.04	0
002	Protein (%)	2063	16.490	0.02000	17.455	0.24922	0.10145	151	-3.87	002.05	0
002	Protein (%)	0405	16.515	0.17000	17.455	0.24922	0.10145	151	-3.77	002.04	0
002	Protein (%)	0848	16.847	0.06600	17.455	0.24922	0.10145	151	-2.44	002.01	0
002	Protein (%)	0089	16.855	0.01000	17.455	0.24922	0.10145	151	-2.41	002.06	0
002	Protein (%)	0006	16.864	0.06800	17.455	0.24922	0.10145	151	-2.37	002.06	0
002	Protein (%)	0921	16.870	0.00000	17.455	0.24922	0.10145	151	-2.35	002.05	0
002	Protein (%)	0042	16.915	0.15000	17.455	0.24922	0.10145	151	-2.17	002.02	0
002	Protein (%)	0194	16.990	0.02000	17.455	0.24922	0.10145	151	-1.86	002.05	0
002	Protein (%)	0199	17.005	0.03000	17.455	0.24922	0.10145	151	-1.80	002.01	0
002	Protein (%)	0940	17.020	0.00000	17.455	0.24922	0.10145	151	-1.74	002.00	0
002	Protein (%)	0144	17.040	0.16000	17.455	0.24922	0.10145	151	-1.66	002.06	0
002	Protein (%)	0955	17.050	0.10000	17.455	0.24922	0.10145	151	-1.62	002.05	0
002	Protein (%)	0407	17.085	0.01000	17.455	0.24922	0.10145	151	-1.48	002.06	0
002	Protein (%)	0066	17.095	0.07000	17.455	0.24922	0.10145	151	-1.44	002.02	0
002	Protein (%)	0651	17.129	0.05700	17.455	0.24922	0.10145	151	-1.31	002.05	0
002	Protein (%)	2068	17.140	0.06000	17.455	0.24922	0.10145	151	-1.26	002.01	0
002	Protein (%)	0510	17.150	0.10000	17.455	0.24922	0.10145	151	-1.22	002.06	0
002	Protein (%)	0242	17.170	0.10000	17.455	0.24922	0.10145	151	-1.14	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0968	17.223	0.01600	17.455	0.24922	0.10145	151	-0.93	002.01	0
002	Protein (%)	0653	17.225	0.03000	17.455	0.24922	0.10145	151	-0.92	002.01	0
002	Protein (%)	0622	17.230	0.00000	17.455	0.24922	0.10145	151	-0.90	002.05	0
002	Protein (%)	0049	17.235	0.29000	17.455	0.24922	0.10145	151	-0.88	002.06	0
002	Protein (%)	0036	17.241	0.07280	17.455	0.24922	0.10145	151	-0.86	002.02	0
002	Protein (%)	0683	17.250	0.06000	17.455	0.24922	0.10145	151	-0.82	002.05	0
002	Protein (%)	0955	17.250	0.50000	17.455	0.24922	0.10145	151	-0.82	002.06	0
002	Protein (%)	0552	17.265	0.01000	17.455	0.24922	0.10145	151	-0.76	002.05	0
002	Protein (%)	0952	17.265	0.07000	17.455	0.24922	0.10145	151	-0.76	002.05	0
002	Protein (%)	0626	17.267	0.12500	17.455	0.24922	0.10145	151	-0.76	002.06	0
002	Protein (%)	0083	17.270	0.20000	17.455	0.24922	0.10145	151	-0.74	002.06	0
002	Protein (%)	0885	17.275	0.13000	17.455	0.24922	0.10145	151	-0.72	002.05	0
002	Protein (%)	0505	17.280	0.02000	17.455	0.24922	0.10145	151	-0.70	002.06	0
002	Protein (%)	0354	17.285	0.03000	17.455	0.24922	0.10145	151	-0.68	002.05	0
002	Protein (%)	0878	17.290	0.10000	17.455	0.24922	0.10145	151	-0.66	002.05	0
002	Protein (%)	0857	17.295	0.07000	17.455	0.24922	0.10145	151	-0.64	002.06	0
002	Protein (%)	0849	17.297	0.03300	17.455	0.24922	0.10145	151	-0.64	002.05	0
002	Protein (%)	0265	17.300	0.00000	17.455	0.24922	0.10145	151	-0.62	002.06	0
002	Protein (%)	0619	17.300	0.00000	17.455	0.24922	0.10145	151	-0.62	002.06	0
002	Protein (%)	2048	17.301	0.17100	17.455	0.24922	0.10145	151	-0.62	002.05	0
002	Protein (%)	0169	17.310	0.02000	17.455	0.24922	0.10145	151	-0.58	002.02	0
002	Protein (%)	0098	17.315	0.03000	17.455	0.24922	0.10145	151	-0.56	002.01	0
002	Protein (%)	0609	17.335	0.03000	17.455	0.24922	0.10145	151	-0.48	002.06	0
002	Protein (%)	0723	17.340	0.00000	17.455	0.24922	0.10145	151	-0.46	002.01	0
002	Protein (%)	0620	17.341	0.02990	17.455	0.24922	0.10145	151	-0.46	002.05	0
002	Protein (%)	0028	17.345	0.09000	17.455	0.24922	0.10145	151	-0.44	002.00	0
002	Protein (%)	0689	17.350	0.30000	17.455	0.24922	0.10145	151	-0.42	002.05	0
002	Protein (%)	0017	17.350	0.10000	17.455	0.24922	0.10145	151	-0.42	002.06	0
002	Protein (%)	0202	17.350	0.04000	17.455	0.24922	0.10145	151	-0.42	002.06	0
002	Protein (%)	0910	17.350	0.10000	17.455	0.24922	0.10145	151	-0.42	002.06	0
002	Protein (%)	0263	17.357	0.05100	17.455	0.24922	0.10145	151	-0.39	002.06	0
002	Protein (%)	0868	17.360	0.02000	17.455	0.24922	0.10145	151	-0.38	002.06	0
002	Protein (%)	0539	17.375	0.08800	17.455	0.24922	0.10145	151	-0.32	002.06	0
002	Protein (%)	0650	17.375	0.05000	17.455	0.24922	0.10145	151	-0.32	002.06	0
002	Protein (%)	0042	17.380	0.14000	17.455	0.24922	0.10145	151	-0.30	002.06	0
002	Protein (%)	0693	17.385	0.17000	17.455	0.24922	0.10145	151	-0.28	002.06	0
002	Protein (%)	0921	17.385	0.05000	17.455	0.24922	0.10145	151	-0.28	002.06	0
002	Protein (%)	0868	17.390	0.00000	17.455	0.24922	0.10145	151	-0.26	002.05	0
002	Protein (%)	0897	17.400	0.00000	17.455	0.24922	0.10145	151	-0.22	002.05	0
002	Protein (%)	0142	17.400	0.00000	17.455	0.24922	0.10145	151	-0.22	002.06	0
002	Protein (%)	0294	17.400	0.00000	17.455	0.24922	0.10145	151	-0.22	002.06	0
002	Protein (%)	0903	17.405	0.01000	17.455	0.24922	0.10145	151	-0.20	002.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0589	17.405	0.25000	17.455	0.24922	0.10145	151	-0.20	002.06	0
002	Protein (%)	0968	17.409	0.01300	17.455	0.24922	0.10145	151	-0.19	002.06	0
002	Protein (%)	0106	17.410	0.06000	17.455	0.24922	0.10145	151	-0.18	002.00	0
002	Protein (%)	0298	17.410	0.02000	17.455	0.24922	0.10145	151	-0.18	002.06	0
002	Protein (%)	0139	17.415	0.01000	17.455	0.24922	0.10145	151	-0.16	002.06	0
002	Protein (%)	0033	17.420	0.04000	17.455	0.24922	0.10145	151	-0.14	002.01	0
002	Protein (%)	0208	17.420	0.04000	17.455	0.24922	0.10145	151	-0.14	002.06	0
002	Protein (%)	0913	17.420	0.06000	17.455	0.24922	0.10145	151	-0.14	002.06	0
002	Protein (%)	2058	17.420	0.08000	17.455	0.24922	0.10145	151	-0.14	002.06	0
002	Protein (%)	0353	17.435	0.11000	17.455	0.24922	0.10145	151	-0.08	002.06	0
002	Protein (%)	0675	17.440	0.02000	17.455	0.24922	0.10145	151	-0.06	002.05	0
002	Protein (%)	0035	17.440	0.02000	17.455	0.24922	0.10145	151	-0.06	002.06	0
002	Protein (%)	2023	17.440	0.00000	17.455	0.24922	0.10145	151	-0.06	002.01	0
002	Protein (%)	0674	17.450	0.00000	17.455	0.24922	0.10145	151	-0.02	002.05	0
002	Protein (%)	0010	17.450	0.10000	17.455	0.24922	0.10145	151	-0.02	002.06	0
002	Protein (%)	0148	17.455	0.01000	17.455	0.24922	0.10145	151	0.00	002.06	0
002	Protein (%)	0618	17.465	0.00700	17.455	0.24922	0.10145	151	0.04	002.06	0
002	Protein (%)	0009	17.465	0.07000	17.455	0.24922	0.10145	151	0.04	002.06	0
002	Protein (%)	0726	17.469	0.00900	17.455	0.24922	0.10145	151	0.06	002.06	0
002	Protein (%)	2023	17.470	0.00000	17.455	0.24922	0.10145	151	0.06	002.06	0
002	Protein (%)	0297	17.480	0.06000	17.455	0.24922	0.10145	151	0.10	002.06	0
002	Protein (%)	2059	17.494	0.11250	17.455	0.24922	0.10145	151	0.16	002.06	0
002	Protein (%)	0199	17.495	0.13000	17.455	0.24922	0.10145	151	0.16	002.06	0
002	Protein (%)	0843	17.495	0.33000	17.455	0.24922	0.10145	151	0.16	002.06	0
002	Protein (%)	0610	17.500	0.00000	17.455	0.24922	0.10145	151	0.18	002.01	0
002	Protein (%)	0619	17.500	0.00000	17.455	0.24922	0.10145	151	0.18	002.05	0
002	Protein (%)	0008	17.500	0.02000	17.455	0.24922	0.10145	151	0.18	002.06	0
002	Protein (%)	0629	17.500	0.00000	17.455	0.24922	0.10145	151	0.18	002.10	0
002	Protein (%)	2006	17.505	0.01000	17.455	0.24922	0.10145	151	0.20	002.05	0
002	Protein (%)	0598	17.510	0.04000	17.455	0.24922	0.10145	151	0.22	002.06	0
002	Protein (%)	0512	17.515	0.15000	17.455	0.24922	0.10145	151	0.24	002.06	0
002	Protein (%)	0205	17.535	0.03000	17.455	0.24922	0.10145	151	0.32	002.06	0
002	Protein (%)	0508	17.546	0.11800	17.455	0.24922	0.10145	151	0.37	002.06	0
002	Protein (%)	0610	17.550	0.10000	17.455	0.24922	0.10145	151	0.38	002.06	0
002	Protein (%)	0208	17.550	0.10000	17.455	0.24922	0.10145	151	0.38	002.08	0
002	Protein (%)	0852	17.555	0.09000	17.455	0.24922	0.10145	151	0.40	002.05	0
002	Protein (%)	0004	17.555	0.15000	17.455	0.24922	0.10145	151	0.40	002.06	0
002	Protein (%)	0171	17.555	0.13000	17.455	0.24922	0.10145	151	0.40	002.06	0
002	Protein (%)	0065	17.564	0.02750	17.455	0.24922	0.10145	151	0.44	002.06	0
002	Protein (%)	0674	17.570	0.00000	17.455	0.24922	0.10145	151	0.46	002.06	0
002	Protein (%)	0164	17.575	0.01000	17.455	0.24922	0.10145	151	0.48	002.06	0
002	Protein (%)	0861	17.575	0.21000	17.455	0.24922	0.10145	151	0.48	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0660	17.580	0.12000	17.455	0.24922	0.10145	151	0.50	002.06	0
002	Protein (%)	0354	17.590	0.02000	17.455	0.24922	0.10145	151	0.54	002.06	0
002	Protein (%)	0001	17.600	0.26000	17.455	0.24922	0.10145	151	0.58	002.06	0
002	Protein (%)	0014	17.600	0.60000	17.455	0.24922	0.10145	151	0.58	002.06	0
002	Protein (%)	0047	17.600	0.60000	17.455	0.24922	0.10145	151	0.58	002.06	0
002	Protein (%)	0074	17.600	0.14000	17.455	0.24922	0.10145	151	0.58	002.06	0
002	Protein (%)	0413	17.600	0.00000	17.455	0.24922	0.10145	151	0.58	002.06	0
002	Protein (%)	0229	17.620	0.08000	17.455	0.24922	0.10145	151	0.66	002.06	0
002	Protein (%)	0034	17.630	0.40000	17.455	0.24922	0.10145	151	0.70	002.06	0
002	Protein (%)	0541	17.630	0.18000	17.455	0.24922	0.10145	151	0.70	002.06	0
002	Protein (%)	0038	17.630	0.08000	17.455	0.24922	0.10145	151	0.70	002.06	0
002	Protein (%)	0553	17.630	0.20000	17.455	0.24922	0.10145	151	0.70	002.06	0
002	Protein (%)	0895	17.640	0.02000	17.455	0.24922	0.10145	151	0.74	002.05	0
002	Protein (%)	0003	17.645	0.55000	17.455	0.24922	0.10145	151	0.76	002.06	0
002	Protein (%)	0300	17.646	0.13400	17.455	0.24922	0.10145	151	0.77	002.06	0
002	Protein (%)	0045	17.650	0.10000	17.455	0.24922	0.10145	151	0.78	002.06	0
002	Protein (%)	0953	17.670	0.30000	17.455	0.24922	0.10145	151	0.86	002.06	0
002	Protein (%)	0138	17.675	0.07300	17.455	0.24922	0.10145	151	0.88	002.06	0
002	Protein (%)	0504	17.675	0.11000	17.455	0.24922	0.10145	151	0.88	002.06	0
002	Protein (%)	0036	17.680	0.10000	17.455	0.24922	0.10145	151	0.90	002.06	0
002	Protein (%)	2006	17.705	0.21000	17.455	0.24922	0.10145	151	1.00	002.06	0
002	Protein (%)	0032	17.710	0.12000	17.455	0.24922	0.10145	151	1.02	002.06	0
002	Protein (%)	0345	17.725	0.09000	17.455	0.24922	0.10145	151	1.08	002.06	0
002	Protein (%)	0590	17.750	0.10000	17.455	0.24922	0.10145	151	1.18	002.06	0
002	Protein (%)	0190	17.785	0.07000	17.455	0.24922	0.10145	151	1.33	002.06	0
002	Protein (%)	0019	17.790	0.08000	17.455	0.24922	0.10145	151	1.35	002.06	0
002	Protein (%)	0592	17.794	0.08800	17.455	0.24922	0.10145	151	1.36	002.06	0
002	Protein (%)	0529	17.800	0.06000	17.455	0.24922	0.10145	151	1.39	002.06	0
002	Protein (%)	0956	17.800	0.40000	17.455	0.24922	0.10145	151	1.39	002.06	0
002	Protein (%)	0051	17.850	0.10000	17.455	0.24922	0.10145	151	1.59	002.06	0
002	Protein (%)	0964	17.855	0.23000	17.455	0.24922	0.10145	151	1.61	002.06	0
002	Protein (%)	0872	17.865	0.01000	17.455	0.24922	0.10145	151	1.65	002.06	0
002	Protein (%)	2057	17.870	0.40000	17.455	0.24922	0.10145	151	1.67	002.04	0
002	Protein (%)	0015	17.885	0.05000	17.455	0.24922	0.10145	151	1.73	002.05	0
002	Protein (%)	2003	17.945	0.11000	17.455	0.24922	0.10145	151	1.97	002.06	0
002	Protein (%)	0520	17.965	0.31000	17.455	0.24922	0.10145	151	2.05	002.06	0
002	Protein (%)	0643	17.975	0.01000	17.455	0.24922	0.10145	151	2.09	002.99	0
002	Protein (%)	2053	17.980	0.08000	17.455	0.24922	0.10145	151	2.11	002.06	0
002	Protein (%)	0845	18.125	0.35000	17.455	0.24922	0.10145	151	2.69	002.00	0
002	Protein (%)	0018	18.200	0.16000	17.455	0.24922	0.10145	151	2.99	002.06	0
002	Protein (%)	0297	18.310	0.08000	17.455	0.24922	0.10145	151	3.43	002.11	0
002	Protein (%)	0685	18.350	0.02000	17.455	0.24922	0.10145	151	3.59	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
002	Protein (%)	0553	18.505	0.21000	17.455	0.24922	0.10145	151	4.21	002.11	0
002	Protein (%)	0885	18.660	0.14000	17.455	0.24922	0.10145	151	4.84	002.11	0
002	Protein (%)	0918	19.090	0.24000	17.455	0.24922	0.10145	151	6.56	002.06	0
002	Protein (%)	0889	19.615	0.13000	17.455	0.24922	0.10145	151	8.67	002.11	0
002	Protein (%)	0098	16.950	0.70000	17.455	0.24922	0.10145	151	-2.03	002.06	1
002	Protein (%)	0581	17.105	0.99000	17.455	0.24922	0.10145	151	-1.40	002.00	1
002	Protein (%)	0912	17.350	0.90000	17.455	0.24922	0.10145	151	-0.42	002.06	1
002	Protein (%)	0337	17.520	0.72000	17.455	0.24922	0.10145	151	0.26	002.06	1
003	Fat (%)	0142	2.2000	0.20000	3.4238	0.18042	0.07499	111	-6.78	003.00	0
003	Fat (%)	0074	2.8350	0.07000	3.4238	0.18042	0.07499	111	-3.26	003.06	0
003	Fat (%)	0683	2.8850	0.05000	3.4238	0.18042	0.07499	111	-2.99	003.14	0
003	Fat (%)	0413	2.9500	0.10000	3.4238	0.18042	0.07499	111	-2.63	003.14	0
003	Fat (%)	0001	3.0070	0.22600	3.4238	0.18042	0.07499	111	-2.31	003.14	0
003	Fat (%)	0889	3.0850	0.13000	3.4238	0.18042	0.07499	111	-1.88	003.11	0
003	Fat (%)	0202	3.0850	0.03000	3.4238	0.18042	0.07499	111	-1.88	003.14	0
003	Fat (%)	0553	3.1450	0.01000	3.4238	0.18042	0.07499	111	-1.55	003.11	0
003	Fat (%)	0297	3.1500	0.02000	3.4238	0.18042	0.07499	111	-1.52	003.06	0
003	Fat (%)	0229	3.1700	0.06000	3.4238	0.18042	0.07499	111	-1.41	003.14	0
003	Fat (%)	0208	3.1800	0.10000	3.4238	0.18042	0.07499	111	-1.35	003.13	0
003	Fat (%)	0042	3.1850	0.35000	3.4238	0.18042	0.07499	111	-1.32	003.10	0
003	Fat (%)	0952	3.1850	0.01000	3.4238	0.18042	0.07499	111	-1.32	003.10	0
003	Fat (%)	0940	3.2050	0.11000	3.4238	0.18042	0.07499	111	-1.21	003.12	0
003	Fat (%)	0693	3.2150	0.27000	3.4238	0.18042	0.07499	111	-1.16	003.10	0
003	Fat (%)	0066	3.2300	0.10000	3.4238	0.18042	0.07499	111	-1.07	003.14	0
003	Fat (%)	0674	3.2300	0.02000	3.4238	0.18042	0.07499	111	-1.07	003.09	0
003	Fat (%)	0033	3.2450	0.07000	3.4238	0.18042	0.07499	111	-0.99	003.13	0
003	Fat (%)	2068	3.2700	0.00000	3.4238	0.18042	0.07499	111	-0.85	003.09	0
003	Fat (%)	0004	3.2750	0.21000	3.4238	0.18042	0.07499	111	-0.82	003.09	0
003	Fat (%)	0407	3.2800	0.00000	3.4238	0.18042	0.07499	111	-0.80	003.14	0
003	Fat (%)	0171	3.2800	0.08000	3.4238	0.18042	0.07499	111	-0.80	003.12	0
003	Fat (%)	0300	3.2810	0.18200	3.4238	0.18042	0.07499	111	-0.79	003.14	0
003	Fat (%)	0885	3.2850	0.01000	3.4238	0.18042	0.07499	111	-0.77	003.00	0
003	Fat (%)	0553	3.3050	0.01000	3.4238	0.18042	0.07499	111	-0.66	003.10	0
003	Fat (%)	0629	3.3050	0.01000	3.4238	0.18042	0.07499	111	-0.66	003.10	0
003	Fat (%)	0955	3.3050	0.03000	3.4238	0.18042	0.07499	111	-0.66	003.14	0
003	Fat (%)	0169	3.3100	0.00000	3.4238	0.18042	0.07499	111	-0.63	003.14	0
003	Fat (%)	0187	3.3200	0.02000	3.4238	0.18042	0.07499	111	-0.58	003.13	0
003	Fat (%)	0660	3.3200	0.24000	3.4238	0.18042	0.07499	111	-0.58	003.13	0
003	Fat (%)	0520	3.3250	0.39000	3.4238	0.18042	0.07499	111	-0.55	003.14	0
003	Fat (%)	0148	3.3300	0.02000	3.4238	0.18042	0.07499	111	-0.52	003.06	0
003	Fat (%)	0164	3.3300	0.08000	3.4238	0.18042	0.07499	111	-0.52	003.06	0
003	Fat (%)	0861	3.3300	0.02000	3.4238	0.18042	0.07499	111	-0.52	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0529	3.3300	0.00000	3.4238	0.18042	0.07499	111	-0.52	003.14	0
003	Fat (%)	0051	3.3400	0.20000	3.4238	0.18042	0.07499	111	-0.46	003.09	0
003	Fat (%)	0298	3.3400	0.02000	3.4238	0.18042	0.07499	111	-0.46	003.10	0
003	Fat (%)	0598	3.3400	0.02000	3.4238	0.18042	0.07499	111	-0.46	003.14	0
003	Fat (%)	2058	3.3450	0.03000	3.4238	0.18042	0.07499	111	-0.44	003.00	0
003	Fat (%)	0689	3.3500	0.30000	3.4238	0.18042	0.07499	111	-0.41	003.06	0
003	Fat (%)	2003	3.3500	0.00000	3.4238	0.18042	0.07499	111	-0.41	003.10	0
003	Fat (%)	0337	3.3600	0.12000	3.4238	0.18042	0.07499	111	-0.35	003.00	0
003	Fat (%)	0098	3.3650	0.03000	3.4238	0.18042	0.07499	111	-0.33	003.10	0
003	Fat (%)	0609	3.3700	0.02000	3.4238	0.18042	0.07499	111	-0.30	003.10	0
003	Fat (%)	0294	3.3750	0.01000	3.4238	0.18042	0.07499	111	-0.27	003.06	0
003	Fat (%)	0897	3.3750	0.01000	3.4238	0.18042	0.07499	111	-0.27	003.12	0
003	Fat (%)	0910	3.3800	0.14000	3.4238	0.18042	0.07499	111	-0.24	003.06	0
003	Fat (%)	2063	3.3800	0.02000	3.4238	0.18042	0.07499	111	-0.24	003.06	0
003	Fat (%)	0913	3.3800	0.04000	3.4238	0.18042	0.07499	111	-0.24	003.14	0
003	Fat (%)	0263	3.3900	0.00660	3.4238	0.18042	0.07499	111	-0.19	003.09	0
003	Fat (%)	0878	3.3950	0.29000	3.4238	0.18042	0.07499	111	-0.16	003.14	0
003	Fat (%)	0049	3.4000	0.20000	3.4238	0.18042	0.07499	111	-0.13	003.14	0
003	Fat (%)	0098	3.4050	0.03000	3.4238	0.18042	0.07499	111	-0.10	003.09	0
003	Fat (%)	0903	3.4050	0.01000	3.4238	0.18042	0.07499	111	-0.10	003.12	0
003	Fat (%)	0015	3.4150	0.01000	3.4238	0.18042	0.07499	111	-0.05	003.14	0
003	Fat (%)	0038	3.4200	0.02000	3.4238	0.18042	0.07499	111	-0.02	003.09	0
003	Fat (%)	0045	3.4200	0.04000	3.4238	0.18042	0.07499	111	-0.02	003.10	0
003	Fat (%)	0089	3.4200	0.00000	3.4238	0.18042	0.07499	111	-0.02	003.14	0
003	Fat (%)	0619	3.4250	0.01000	3.4238	0.18042	0.07499	111	0.01	003.10	0
003	Fat (%)	0653	3.4350	0.01000	3.4238	0.18042	0.07499	111	0.06	003.09	0
003	Fat (%)	0552	3.4400	0.00000	3.4238	0.18042	0.07499	111	0.09	003.06	0
003	Fat (%)	0199	3.4500	0.02000	3.4238	0.18042	0.07499	111	0.15	003.06	0
003	Fat (%)	0689	3.4500	0.10000	3.4238	0.18042	0.07499	111	0.15	003.10	0
003	Fat (%)	0242	3.4550	0.11000	3.4238	0.18042	0.07499	111	0.17	003.10	0
003	Fat (%)	0968	3.4580	0.00200	3.4238	0.18042	0.07499	111	0.19	003.09	0
003	Fat (%)	0205	3.4590	0.07600	3.4238	0.18042	0.07499	111	0.20	003.13	0
003	Fat (%)	0512	3.4610	0.07000	3.4238	0.18042	0.07499	111	0.21	003.09	0
003	Fat (%)	0868	3.4650	0.01000	3.4238	0.18042	0.07499	111	0.23	003.10	0
003	Fat (%)	2006	3.4650	0.01000	3.4238	0.18042	0.07499	111	0.23	003.12	0
003	Fat (%)	0895	3.4700	0.02000	3.4238	0.18042	0.07499	111	0.26	003.12	0
003	Fat (%)	0144	3.4700	0.08000	3.4238	0.18042	0.07499	111	0.26	003.14	0
003	Fat (%)	0035	3.4750	0.01000	3.4238	0.18042	0.07499	111	0.28	003.00	0
003	Fat (%)	0034	3.4750	0.01000	3.4238	0.18042	0.07499	111	0.28	003.10	0
003	Fat (%)	0508	3.4771	0.10040	3.4238	0.18042	0.07499	111	0.30	003.09	0
003	Fat (%)	0354	3.4900	0.06000	3.4238	0.18042	0.07499	111	0.37	003.09	0
003	Fat (%)	0505	3.5000	0.02000	3.4238	0.18042	0.07499	111	0.42	003.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
003	Fat (%)	0956	3.5000	0.00000	3.4238	0.18042	0.07499	111	0.42	003.14	0
003	Fat (%)	0083	3.5050	0.03000	3.4238	0.18042	0.07499	111	0.45	003.06	0
003	Fat (%)	0353	3.5150	0.01000	3.4238	0.18042	0.07499	111	0.51	003.09	0
003	Fat (%)	0675	3.5350	0.03000	3.4238	0.18042	0.07499	111	0.62	003.09	0
003	Fat (%)	0233	3.5350	0.05000	3.4238	0.18042	0.07499	111	0.62	003.10	0
003	Fat (%)	0106	3.5400	0.02000	3.4238	0.18042	0.07499	111	0.64	003.01	0
003	Fat (%)	2053	3.5450	0.03000	3.4238	0.18042	0.07499	111	0.67	003.00	0
003	Fat (%)	0017	3.5500	0.10000	3.4238	0.18042	0.07499	111	0.70	003.00	0
003	Fat (%)	0300	3.5500	0.18000	3.4238	0.18042	0.07499	111	0.70	003.06	0
003	Fat (%)	0354	3.5650	0.03000	3.4238	0.18042	0.07499	111	0.78	003.00	0
003	Fat (%)	0885	3.5750	0.03000	3.4238	0.18042	0.07499	111	0.84	003.11	0
003	Fat (%)	0964	3.5800	0.16000	3.4238	0.18042	0.07499	111	0.87	003.09	0
003	Fat (%)	0003	3.5800	0.32000	3.4238	0.18042	0.07499	111	0.87	003.14	0
003	Fat (%)	0065	3.5888	0.01750	3.4238	0.18042	0.07499	111	0.91	003.00	0
003	Fat (%)	0019	3.5950	0.11000	3.4238	0.18042	0.07499	111	0.95	003.14	0
003	Fat (%)	0510	3.6000	0.00000	3.4238	0.18042	0.07499	111	0.98	003.09	0
003	Fat (%)	0685	3.6150	0.01000	3.4238	0.18042	0.07499	111	1.06	003.09	0
003	Fat (%)	0009	3.6200	0.22000	3.4238	0.18042	0.07499	111	1.09	003.14	0
003	Fat (%)	0139	3.6300	0.08000	3.4238	0.18042	0.07499	111	1.14	003.00	0
003	Fat (%)	0848	3.6550	0.07000	3.4238	0.18042	0.07499	111	1.28	003.14	0
003	Fat (%)	0723	3.6600	0.00000	3.4238	0.18042	0.07499	111	1.31	003.09	0
003	Fat (%)	0028	3.6700	0.04000	3.4238	0.18042	0.07499	111	1.36	003.13	0
003	Fat (%)	0726	3.6825	0.03300	3.4238	0.18042	0.07499	111	1.43	003.14	0
003	Fat (%)	0297	3.6900	0.12000	3.4238	0.18042	0.07499	111	1.48	003.11	0
003	Fat (%)	0265	3.7500	0.10000	3.4238	0.18042	0.07499	111	1.81	003.14	0
003	Fat (%)	0918	3.7850	0.25000	3.4238	0.18042	0.07499	111	2.00	003.06	0
003	Fat (%)	0190	3.8050	0.01000	3.4238	0.18042	0.07499	111	2.11	003.14	0
003	Fat (%)	0194	3.8150	0.03000	3.4238	0.18042	0.07499	111	2.17	003.00	0
003	Fat (%)	0345	3.8400	0.20000	3.4238	0.18042	0.07499	111	2.31	003.00	0
003	Fat (%)	0047	3.9000	0.00000	3.4238	0.18042	0.07499	111	2.64	003.99	0
003	Fat (%)	2048	4.0250	0.03000	3.4238	0.18042	0.07499	111	3.33	003.13	0
003	Fat (%)	0876	4.1950	0.19000	3.4238	0.18042	0.07499	111	4.27	003.00	0
003	Fat (%)	0590	4.3100	0.08000	3.4238	0.18042	0.07499	111	4.91	003.09	0
003	Fat (%)	0852	4.4450	0.05000	3.4238	0.18042	0.07499	111	5.66	003.06	0
003	Fat (%)	0618	6.6000	0.18000	3.4238	0.18042	0.07499	111	17.60	003.10	0
003	Fat (%)	0912	3.6100	0.84000	3.4238	0.18042	0.07499	111	1.03	003.14	1
003	Fat (%)	0581	7.4700	0.08000	3.4238	0.18042	0.07499	111	22.43	003.14	2
004	Fiber (%)	0345	3.1300	0.14000	4.2465	0.38442	0.10752	92	-2.90	004.00	0
004	Fiber (%)	0265	3.4500	0.10000	4.2465	0.38442	0.10752	92	-2.07	004.07	0
004	Fiber (%)	0505	3.4850	0.13000	4.2465	0.38442	0.10752	92	-1.98	004.07	0
004	Fiber (%)	0034	3.5000	0.00000	4.2465	0.38442	0.10752	92	-1.94	004.00	0
004	Fiber (%)	0066	3.5350	0.11000	4.2465	0.38442	0.10752	92	-1.85	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0955	3.5350	0.05000	4.2465	0.38442	0.10752	92	-1.85	004.07	0
004	Fiber (%)	0035	3.6200	0.04000	4.2465	0.38442	0.10752	92	-1.63	004.07	0
004	Fiber (%)	0553	3.6450	0.37000	4.2465	0.38442	0.10752	92	-1.56	004.07	0
004	Fiber (%)	2022	3.6800	0.12000	4.2465	0.38442	0.10752	92	-1.47	004.06	0
004	Fiber (%)	0297	3.7500	0.04000	4.2465	0.38442	0.10752	92	-1.29	004.07	0
004	Fiber (%)	0407	3.7600	0.10000	4.2465	0.38442	0.10752	92	-1.27	004.07	0
004	Fiber (%)	0098	3.7700	0.10000	4.2465	0.38442	0.10752	92	-1.24	004.07	0
004	Fiber (%)	0033	3.7850	0.01000	4.2465	0.38442	0.10752	92	-1.20	004.07	0
004	Fiber (%)	0619	3.8100	0.02000	4.2465	0.38442	0.10752	92	-1.14	004.07	0
004	Fiber (%)	0144	3.8650	0.01000	4.2465	0.38442	0.10752	92	-0.99	004.07	0
004	Fiber (%)	0202	3.8700	0.04000	4.2465	0.38442	0.10752	92	-0.98	004.07	0
004	Fiber (%)	0897	3.8950	0.01000	4.2465	0.38442	0.10752	92	-0.91	004.06	0
004	Fiber (%)	0038	3.9250	0.17000	4.2465	0.38442	0.10752	92	-0.84	004.06	0
004	Fiber (%)	0083	3.9400	0.14000	4.2465	0.38442	0.10752	92	-0.80	004.07	0
004	Fiber (%)	0169	3.9450	0.07000	4.2465	0.38442	0.10752	92	-0.78	004.00	0
004	Fiber (%)	0298	3.9700	0.02000	4.2465	0.38442	0.10752	92	-0.72	004.00	0
004	Fiber (%)	0553	3.9700	0.06000	4.2465	0.38442	0.10752	92	-0.72	004.11	0
004	Fiber (%)	0903	4.0050	0.01000	4.2465	0.38442	0.10752	92	-0.63	004.06	0
004	Fiber (%)	0520	4.0050	0.07000	4.2465	0.38442	0.10752	92	-0.63	004.07	0
004	Fiber (%)	2053	4.0100	0.00000	4.2465	0.38442	0.10752	92	-0.62	004.07	0
004	Fiber (%)	0089	4.0200	0.02000	4.2465	0.38442	0.10752	92	-0.59	004.07	0
004	Fiber (%)	0918	4.0250	0.13000	4.2465	0.38442	0.10752	92	-0.58	004.06	0
004	Fiber (%)	0620	4.0404	0.00920	4.2465	0.38442	0.10752	92	-0.54	004.06	0
004	Fiber (%)	0194	4.0450	0.03000	4.2465	0.38442	0.10752	92	-0.52	004.00	0
004	Fiber (%)	0643	4.0450	0.07000	4.2465	0.38442	0.10752	92	-0.52	004.07	0
004	Fiber (%)	0413	4.0500	0.10000	4.2465	0.38442	0.10752	92	-0.51	004.07	0
004	Fiber (%)	0510	4.0500	0.10000	4.2465	0.38442	0.10752	92	-0.51	004.07	0
004	Fiber (%)	0592	4.0950	0.23000	4.2465	0.38442	0.10752	92	-0.39	004.07	0
004	Fiber (%)	0940	4.0950	0.51000	4.2465	0.38442	0.10752	92	-0.39	004.99	0
004	Fiber (%)	0512	4.1380	0.18800	4.2465	0.38442	0.10752	92	-0.28	004.06	0
004	Fiber (%)	0910	4.1500	0.30000	4.2465	0.38442	0.10752	92	-0.25	004.07	0
004	Fiber (%)	0956	4.1500	0.10000	4.2465	0.38442	0.10752	92	-0.25	004.07	0
004	Fiber (%)	0849	4.1525	0.02500	4.2465	0.38442	0.10752	92	-0.24	004.07	0
004	Fiber (%)	0723	4.1600	0.00000	4.2465	0.38442	0.10752	92	-0.23	004.07	0
004	Fiber (%)	0885	4.1700	0.00000	4.2465	0.38442	0.10752	92	-0.20	004.06	0
004	Fiber (%)	0861	4.1800	0.26000	4.2465	0.38442	0.10752	92	-0.17	004.07	0
004	Fiber (%)	0098	4.2150	0.17000	4.2465	0.38442	0.10752	92	-0.08	004.06	0
004	Fiber (%)	0015	4.2150	0.09000	4.2465	0.38442	0.10752	92	-0.08	004.07	0
004	Fiber (%)	0675	4.2200	0.26000	4.2465	0.38442	0.10752	92	-0.07	004.06	0
004	Fiber (%)	0885	4.2250	0.03000	4.2465	0.38442	0.10752	92	-0.06	004.11	0
004	Fiber (%)	2068	4.2450	0.05000	4.2465	0.38442	0.10752	92	0.00	004.03	0
004	Fiber (%)	0590	4.2600	0.32000	4.2465	0.38442	0.10752	92	0.04	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0848	4.2800	0.12000	4.2465	0.38442	0.10752	92	0.09	004.07	0
004	Fiber (%)	0878	4.3050	0.11000	4.2465	0.38442	0.10752	92	0.15	004.06	0
004	Fiber (%)	0529	4.3100	0.02000	4.2465	0.38442	0.10752	92	0.17	004.07	0
004	Fiber (%)	0353	4.3200	0.16000	4.2465	0.38442	0.10752	92	0.19	004.00	0
004	Fiber (%)	0009	4.3250	0.05000	4.2465	0.38442	0.10752	92	0.20	004.07	0
004	Fiber (%)	0008	4.3250	0.23000	4.2465	0.38442	0.10752	92	0.20	004.07	0
004	Fiber (%)	0895	4.3450	0.01000	4.2465	0.38442	0.10752	92	0.26	004.06	0
004	Fiber (%)	0164	4.3500	0.10000	4.2465	0.38442	0.10752	92	0.27	004.00	0
004	Fiber (%)	0294	4.3500	0.10000	4.2465	0.38442	0.10752	92	0.27	004.07	0
004	Fiber (%)	0003	4.3550	0.55000	4.2465	0.38442	0.10752	92	0.28	004.07	0
004	Fiber (%)	0354	4.3600	0.06000	4.2465	0.38442	0.10752	92	0.30	004.07	0
004	Fiber (%)	0190	4.3750	0.05000	4.2465	0.38442	0.10752	92	0.33	004.07	0
004	Fiber (%)	0199	4.3800	0.08000	4.2465	0.38442	0.10752	92	0.35	004.06	0
004	Fiber (%)	0726	4.3835	0.01300	4.2465	0.38442	0.10752	92	0.36	004.07	0
004	Fiber (%)	0723	4.3850	0.00000	4.2465	0.38442	0.10752	92	0.36	004.06	0
004	Fiber (%)	0964	4.4100	0.18000	4.2465	0.38442	0.10752	92	0.43	004.06	0
004	Fiber (%)	0004	4.4150	0.09000	4.2465	0.38442	0.10752	92	0.44	004.07	0
004	Fiber (%)	0683	4.4500	0.20000	4.2465	0.38442	0.10752	92	0.53	004.07	0
004	Fiber (%)	0653	4.4600	0.02000	4.2465	0.38442	0.10752	92	0.56	004.06	0
004	Fiber (%)	0019	4.4850	0.19000	4.2465	0.38442	0.10752	92	0.62	004.07	0
004	Fiber (%)	0229	4.5000	0.20000	4.2465	0.38442	0.10752	92	0.66	004.07	0
004	Fiber (%)	0354	4.5050	0.07000	4.2465	0.38442	0.10752	92	0.67	004.00	0
004	Fiber (%)	0171	4.5200	0.06000	4.2465	0.38442	0.10752	92	0.71	004.00	0
004	Fiber (%)	0952	4.5450	0.07000	4.2465	0.38442	0.10752	92	0.78	004.06	0
004	Fiber (%)	0629	4.5500	0.10000	4.2465	0.38442	0.10752	92	0.79	004.99	0
004	Fiber (%)	0626	4.5900	0.02000	4.2465	0.38442	0.10752	92	0.89	004.03	0
004	Fiber (%)	0552	4.5900	0.14000	4.2465	0.38442	0.10752	92	0.89	004.06	0
004	Fiber (%)	0208	4.5950	0.11000	4.2465	0.38442	0.10752	92	0.91	004.00	0
004	Fiber (%)	0074	4.6050	0.11000	4.2465	0.38442	0.10752	92	0.93	004.07	0
004	Fiber (%)	2023	4.6100	0.08000	4.2465	0.38442	0.10752	92	0.95	004.00	0
004	Fiber (%)	2063	4.6400	0.02000	4.2465	0.38442	0.10752	92	1.02	004.06	0
004	Fiber (%)	2058	4.6450	0.05000	4.2465	0.38442	0.10752	92	1.04	004.03	0
004	Fiber (%)	0868	4.6650	0.05000	4.2465	0.38442	0.10752	92	1.09	004.06	0
004	Fiber (%)	0242	4.6900	0.28000	4.2465	0.38442	0.10752	92	1.15	004.07	0
004	Fiber (%)	0693	4.6950	0.01000	4.2465	0.38442	0.10752	92	1.17	004.03	0
004	Fiber (%)	0205	4.7050	0.33000	4.2465	0.38442	0.10752	92	1.19	004.06	0
004	Fiber (%)	0689	4.7500	0.10000	4.2465	0.38442	0.10752	92	1.31	004.06	0
004	Fiber (%)	0968	4.7635	0.09700	4.2465	0.38442	0.10752	92	1.34	004.06	0
004	Fiber (%)	0913	4.8200	0.14000	4.2465	0.38442	0.10752	92	1.49	004.07	0
004	Fiber (%)	0674	4.8450	0.01000	4.2465	0.38442	0.10752	92	1.56	004.06	0
004	Fiber (%)	0045	4.8500	0.20000	4.2465	0.38442	0.10752	92	1.57	004.01	0
004	Fiber (%)	0876	4.9250	0.15000	4.2465	0.38442	0.10752	92	1.76	004.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
004	Fiber (%)	0598	5.0950	0.05000	4.2465	0.38442	0.10752	92	2.21	004.07	0
004	Fiber (%)	2006	5.2800	0.06000	4.2465	0.38442	0.10752	92	2.69	004.06	0
004	Fiber (%)	0609	5.7850	0.13000	4.2465	0.38442	0.10752	92	4.00	004.06	0
004	Fiber (%)	0337	6.2150	1.3300	4.2465	0.38442	0.10752	92	5.12	004.00	1
004	Fiber (%)	0581	0.00000	0.00000	4.2465	0.38442	0.10752	92	-11.05	004.07	2
005	Ash (%)	0885	5.8150	0.01000	6.4001	0.17987	0.05341	96	-3.25	005.11	0
005	Ash (%)	0169	5.8950	0.13000	6.4001	0.17987	0.05341	96	-2.81	005.00	0
005	Ash (%)	2048	5.9700	0.04000	6.4001	0.17987	0.05341	96	-2.39	005.00	0
005	Ash (%)	0202	6.0350	0.01000	6.4001	0.17987	0.05341	96	-2.03	005.99	0
005	Ash (%)	0912	6.0500	0.10000	6.4001	0.17987	0.05341	96	-1.95	005.03	0
005	Ash (%)	0918	6.0600	0.24000	6.4001	0.17987	0.05341	96	-1.89	005.00	0
005	Ash (%)	0065	6.0844	0.02880	6.4001	0.17987	0.05341	96	-1.76	005.00	0
005	Ash (%)	0142	6.1000	0.00000	6.4001	0.17987	0.05341	96	-1.67	005.00	0
005	Ash (%)	0539	6.1100	0.18000	6.4001	0.17987	0.05341	96	-1.61	005.00	0
005	Ash (%)	0194	6.1200	0.02000	6.4001	0.17987	0.05341	96	-1.56	005.00	0
005	Ash (%)	0049	6.1250	0.05000	6.4001	0.17987	0.05341	96	-1.53	005.00	0
005	Ash (%)	0650	6.1250	0.05000	6.4001	0.17987	0.05341	96	-1.53	005.00	0
005	Ash (%)	0861	6.1500	0.06000	6.4001	0.17987	0.05341	96	-1.39	005.00	0
005	Ash (%)	0205	6.1590	0.03000	6.4001	0.17987	0.05341	96	-1.34	005.00	0
005	Ash (%)	0001	6.1600	0.03480	6.4001	0.17987	0.05341	96	-1.34	005.00	0
005	Ash (%)	0337	6.1650	0.17000	6.4001	0.17987	0.05341	96	-1.31	005.00	0
005	Ash (%)	0520	6.1650	0.01000	6.4001	0.17987	0.05341	96	-1.31	005.00	0
005	Ash (%)	0897	6.2000	0.04000	6.4001	0.17987	0.05341	96	-1.11	005.05	0
005	Ash (%)	0139	6.2050	0.03000	6.4001	0.17987	0.05341	96	-1.08	005.00	0
005	Ash (%)	0541	6.2050	0.03000	6.4001	0.17987	0.05341	96	-1.08	005.00	0
005	Ash (%)	0015	6.2100	0.10000	6.4001	0.17987	0.05341	96	-1.06	005.00	0
005	Ash (%)	0089	6.2100	0.00000	6.4001	0.17987	0.05341	96	-1.06	005.00	0
005	Ash (%)	0598	6.2400	0.02000	6.4001	0.17987	0.05341	96	-0.89	005.00	0
005	Ash (%)	0510	6.2800	0.04000	6.4001	0.17987	0.05341	96	-0.67	005.00	0
005	Ash (%)	0354	6.2850	0.01000	6.4001	0.17987	0.05341	96	-0.64	005.00	0
005	Ash (%)	0968	6.2945	0.01500	6.4001	0.17987	0.05341	96	-0.59	005.00	0
005	Ash (%)	0038	6.2950	0.13000	6.4001	0.17987	0.05341	96	-0.58	005.00	0
005	Ash (%)	0651	6.3000	0.07000	6.4001	0.17987	0.05341	96	-0.56	005.00	0
005	Ash (%)	0868	6.3000	0.02000	6.4001	0.17987	0.05341	96	-0.56	005.05	0
005	Ash (%)	2067	6.3030	0.01000	6.4001	0.17987	0.05341	96	-0.54	005.00	0
005	Ash (%)	0553	6.3200	0.08000	6.4001	0.17987	0.05341	96	-0.45	005.00	0
005	Ash (%)	2006	6.3200	0.12000	6.4001	0.17987	0.05341	96	-0.45	005.00	0
005	Ash (%)	2022	6.3250	0.03000	6.4001	0.17987	0.05341	96	-0.42	005.00	0
005	Ash (%)	0265	6.3250	0.01000	6.4001	0.17987	0.05341	96	-0.42	005.00	0
005	Ash (%)	0674	6.3400	0.02000	6.4001	0.17987	0.05341	96	-0.33	005.00	0
005	Ash (%)	0609	6.3500	0.04000	6.4001	0.17987	0.05341	96	-0.28	005.00	0
005	Ash (%)	0242	6.3550	0.25000	6.4001	0.17987	0.05341	96	-0.25	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0953	6.3550	0.03000	6.4001	0.17987	0.05341	96	-0.25	005.00	0
005	Ash (%)	0552	6.3650	0.17000	6.4001	0.17987	0.05341	96	-0.20	005.00	0
005	Ash (%)	0660	6.3650	0.07000	6.4001	0.17987	0.05341	96	-0.20	005.00	0
005	Ash (%)	0045	6.3700	0.10000	6.4001	0.17987	0.05341	96	-0.17	005.00	0
005	Ash (%)	0643	6.3800	0.06000	6.4001	0.17987	0.05341	96	-0.11	005.00	0
005	Ash (%)	0407	6.3850	0.11000	6.4001	0.17987	0.05341	96	-0.08	005.00	0
005	Ash (%)	0098	6.4050	0.01000	6.4001	0.17987	0.05341	96	0.03	005.00	0
005	Ash (%)	0004	6.4100	0.00000	6.4001	0.17987	0.05341	96	0.05	005.00	0
005	Ash (%)	0298	6.4100	0.02000	6.4001	0.17987	0.05341	96	0.05	005.00	0
005	Ash (%)	0066	6.4200	0.04000	6.4001	0.17987	0.05341	96	0.11	005.00	0
005	Ash (%)	0689	6.4200	0.06000	6.4001	0.17987	0.05341	96	0.11	005.05	0
005	Ash (%)	0148	6.4350	0.03000	6.4001	0.17987	0.05341	96	0.19	005.00	0
005	Ash (%)	0845	6.4350	0.09000	6.4001	0.17987	0.05341	96	0.19	005.00	0
005	Ash (%)	0913	6.4350	0.03000	6.4001	0.17987	0.05341	96	0.19	005.00	0
005	Ash (%)	0171	6.4450	0.03000	6.4001	0.17987	0.05341	96	0.25	005.00	0
005	Ash (%)	0723	6.4500	0.00000	6.4001	0.17987	0.05341	96	0.28	005.00	0
005	Ash (%)	0033	6.4500	0.10000	6.4001	0.17987	0.05341	96	0.28	005.05	0
005	Ash (%)	0589	6.4650	0.01000	6.4001	0.17987	0.05341	96	0.36	005.00	0
005	Ash (%)	0263	6.4650	0.00340	6.4001	0.17987	0.05341	96	0.36	005.05	0
005	Ash (%)	2063	6.4650	0.03000	6.4001	0.17987	0.05341	96	0.36	005.05	0
005	Ash (%)	0622	6.4699	0.02560	6.4001	0.17987	0.05341	96	0.39	005.00	0
005	Ash (%)	0505	6.4800	0.02000	6.4001	0.17987	0.05341	96	0.44	005.00	0
005	Ash (%)	0683	6.4800	0.04000	6.4001	0.17987	0.05341	96	0.44	005.05	0
005	Ash (%)	0940	6.4800	0.02000	6.4001	0.17987	0.05341	96	0.44	005.05	0
005	Ash (%)	0083	6.4950	0.05000	6.4001	0.17987	0.05341	96	0.53	005.00	0
005	Ash (%)	0353	6.4950	0.11000	6.4001	0.17987	0.05341	96	0.53	005.00	0
005	Ash (%)	0138	6.4995	0.02300	6.4001	0.17987	0.05341	96	0.55	005.00	0
005	Ash (%)	0675	6.5000	0.04000	6.4001	0.17987	0.05341	96	0.56	005.00	0
005	Ash (%)	0903	6.5050	0.01000	6.4001	0.17987	0.05341	96	0.58	005.05	0
005	Ash (%)	0187	6.5100	0.02000	6.4001	0.17987	0.05341	96	0.61	005.00	0
005	Ash (%)	0848	6.5150	0.01000	6.4001	0.17987	0.05341	96	0.64	005.00	0
005	Ash (%)	0878	6.5200	0.06000	6.4001	0.17987	0.05341	96	0.67	005.05	0
005	Ash (%)	0035	6.5250	0.01000	6.4001	0.17987	0.05341	96	0.69	005.00	0
005	Ash (%)	2058	6.5250	0.03000	6.4001	0.17987	0.05341	96	0.69	005.05	0
005	Ash (%)	0693	6.5300	0.14000	6.4001	0.17987	0.05341	96	0.72	005.00	0
005	Ash (%)	0590	6.5350	0.03000	6.4001	0.17987	0.05341	96	0.75	005.05	0
005	Ash (%)	0051	6.5450	0.03000	6.4001	0.17987	0.05341	96	0.81	005.00	0
005	Ash (%)	0164	6.5450	0.01000	6.4001	0.17987	0.05341	96	0.81	005.00	0
005	Ash (%)	0229	6.5450	0.03000	6.4001	0.17987	0.05341	96	0.81	005.00	0
005	Ash (%)	0619	6.5450	0.07000	6.4001	0.17987	0.05341	96	0.81	005.05	0
005	Ash (%)	0895	6.5450	0.01000	6.4001	0.17987	0.05341	96	0.81	005.05	0
005	Ash (%)	0849	6.5490	0.01800	6.4001	0.17987	0.05341	96	0.83	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
005	Ash (%)	0852	6.5500	0.10000	6.4001	0.17987	0.05341	96	0.83	005.00	0
005	Ash (%)	0294	6.5500	0.10000	6.4001	0.17987	0.05341	96	0.83	005.05	0
005	Ash (%)	0620	6.5600	0.00000	6.4001	0.17987	0.05341	96	0.89	005.00	0
005	Ash (%)	0610	6.5600	0.00000	6.4001	0.17987	0.05341	96	0.89	005.02	0
005	Ash (%)	0592	6.5750	0.03000	6.4001	0.17987	0.05341	96	0.97	005.05	0
005	Ash (%)	0208	6.5750	0.17000	6.4001	0.17987	0.05341	96	0.97	005.00	0
005	Ash (%)	0581	6.5750	0.09000	6.4001	0.17987	0.05341	96	0.97	005.00	0
005	Ash (%)	0885	6.5850	0.05000	6.4001	0.17987	0.05341	96	1.03	005.05	0
005	Ash (%)	0629	6.5850	0.07000	6.4001	0.17987	0.05341	96	1.03	005.99	0
005	Ash (%)	0618	6.6165	0.05900	6.4001	0.17987	0.05341	96	1.20	005.00	0
005	Ash (%)	0921	6.6200	0.00000	6.4001	0.17987	0.05341	96	1.22	005.05	0
005	Ash (%)	0297	6.6500	0.10000	6.4001	0.17987	0.05341	96	1.39	005.00	0
005	Ash (%)	2023	6.6550	0.01000	6.4001	0.17987	0.05341	96	1.42	005.99	0
005	Ash (%)	0144	6.6600	0.10000	6.4001	0.17987	0.05341	96	1.44	005.00	0
005	Ash (%)	0345	6.6950	0.09000	6.4001	0.17987	0.05341	96	1.64	005.00	0
005	Ash (%)	0008	7.5650	0.01000	6.4001	0.17987	0.05341	96	6.48	005.00	0
005	Ash (%)	0297	8.0000	0.12000	6.4001	0.17987	0.05341	96	8.89	005.11	0
005	Ash (%)	0956	6.3000	0.40000	6.4001	0.17987	0.05341	96	-0.56	005.00	1
005	Ash (%)	0413	6.5000	0.40000	6.4001	0.17987	0.05341	96	0.56	005.05	1
005	Ash (%)	0889	7.3600	0.38000	6.4001	0.17987	0.05341	96	5.34	005.11	1
005	Ash (%)	0186	7.5950	0.37000	6.4001	0.17987	0.05341	96	6.64	005.00	1
006	Total sugars (%)	0910	6.5250	0.19000	8.1667	1.8806	0.23556	9	-0.87	006.00	0
006	Total sugars (%)	0689	6.5500	0.30000	8.1667	1.8806	0.23556	9	-0.86	006.01	0
006	Total sugars (%)	0921	6.6350	0.51000	8.1667	1.8806	0.23556	9	-0.81	006.00	0
006	Total sugars (%)	0227	6.7200	0.14000	8.1667	1.8806	0.23556	9	-0.77	006.99	0
006	Total sugars (%)	0407	8.6000	0.08000	8.1667	1.8806	0.23556	9	0.23	006.01	0
006	Total sugars (%)	0956	8.6000	0.40000	8.1667	1.8806	0.23556	9	0.23	006.99	0
006	Total sugars (%)	0723	8.7300	0.00000	8.1667	1.8806	0.23556	9	0.30	006.99	0
006	Total sugars (%)	0912	10.500	0.00000	8.1667	1.8806	0.23556	9	1.24	006.99	0
006	Total sugars (%)	0066	10.640	0.50000	8.1667	1.8806	0.23556	9	1.32	006.00	0
008	Fiber (%)	0685	3.9600	0.02000	6.3388	0.65222	0.21647	34	-3.65	008.02	0
008	Fiber (%)	0405	4.2250	0.05000	6.3388	0.65222	0.21647	34	-3.24	008.02	0
008	Fiber (%)	0407	5.4800	0.40000	6.3388	0.65222	0.21647	34	-1.32	008.08	0
008	Fiber (%)	0294	5.6500	0.10000	6.3388	0.65222	0.21647	34	-1.06	008.08	0
008	Fiber (%)	0861	5.6900	0.46000	6.3388	0.65222	0.21647	34	-0.99	008.08	0
008	Fiber (%)	0918	5.7400	0.70000	6.3388	0.65222	0.21647	34	-0.92	008.08	0
008	Fiber (%)	0968	5.7550	0.19000	6.3388	0.65222	0.21647	34	-0.90	008.08	0
008	Fiber (%)	0033	5.7650	0.17000	6.3388	0.65222	0.21647	34	-0.88	008.08	0
008	Fiber (%)	0723	5.8000	0.00000	6.3388	0.65222	0.21647	34	-0.83	008.08	0
008	Fiber (%)	0912	5.8500	0.02000	6.3388	0.65222	0.21647	34	-0.75	008.08	0
008	Fiber (%)	0265	6.1000	0.40000	6.3388	0.65222	0.21647	34	-0.37	008.05	0
008	Fiber (%)	0083	6.1250	0.37000	6.3388	0.65222	0.21647	34	-0.33	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
008	Fiber (%)	0353	6.1450	0.23000	6.3388	0.65222	0.21647	34	-0.30	008.02	0
008	Fiber (%)	0049	6.2100	0.10000	6.3388	0.65222	0.21647	34	-0.20	008.08	0
008	Fiber (%)	0038	6.2400	0.10000	6.3388	0.65222	0.21647	34	-0.15	008.02	0
008	Fiber (%)	0581	6.2850	0.27000	6.3388	0.65222	0.21647	34	-0.08	008.08	0
008	Fiber (%)	0001	6.3700	0.54000	6.3388	0.65222	0.21647	34	0.05	008.08	0
008	Fiber (%)	0035	6.3850	0.01000	6.3388	0.65222	0.21647	34	0.07	008.08	0
008	Fiber (%)	0148	6.3900	0.02000	6.3388	0.65222	0.21647	34	0.08	008.08	0
008	Fiber (%)	0164	6.4000	0.00000	6.3388	0.65222	0.21647	34	0.09	008.08	0
008	Fiber (%)	0413	6.4000	0.20000	6.3388	0.65222	0.21647	34	0.09	008.08	0
008	Fiber (%)	0297	6.4400	0.40000	6.3388	0.65222	0.21647	34	0.16	008.08	0
008	Fiber (%)	0956	6.5500	0.70000	6.3388	0.65222	0.21647	34	0.32	008.08	0
008	Fiber (%)	0098	6.5850	0.41000	6.3388	0.65222	0.21647	34	0.38	008.02	0
008	Fiber (%)	0148	6.6900	0.04000	6.3388	0.65222	0.21647	34	0.54	008.02	0
008	Fiber (%)	0675	6.7950	0.13000	6.3388	0.65222	0.21647	34	0.70	008.02	0
008	Fiber (%)	0354	6.7950	0.03000	6.3388	0.65222	0.21647	34	0.70	008.08	0
008	Fiber (%)	0106	6.9200	0.06000	6.3388	0.65222	0.21647	34	0.89	008.08	0
008	Fiber (%)	0045	6.9250	0.23000	6.3388	0.65222	0.21647	34	0.90	008.08	0
008	Fiber (%)	0187	7.1950	0.01000	6.3388	0.65222	0.21647	34	1.31	008.02	0
008	Fiber (%)	0592	7.2150	0.33000	6.3388	0.65222	0.21647	34	1.34	008.08	0
008	Fiber (%)	0693	7.2750	0.45000	6.3388	0.65222	0.21647	34	1.44	008.08	0
008	Fiber (%)	0609	7.3900	0.02000	6.3388	0.65222	0.21647	34	1.61	008.02	0
008	Fiber (%)	0510	7.7000	0.20000	6.3388	0.65222	0.21647	34	2.09	008.08	0
009	Fiber (%)	0038	8.8650	0.15000	11.240	1.3168	0.19077	26	-1.80	009.07	0
009	Fiber (%)	0001	9.5900	0.36000	11.240	1.3168	0.19077	26	-1.25	009.09	0
009	Fiber (%)	0187	9.7500	0.04000	11.240	1.3168	0.19077	26	-1.13	009.07	0
009	Fiber (%)	0294	9.8000	0.00000	11.240	1.3168	0.19077	26	-1.09	009.09	0
009	Fiber (%)	0083	9.8300	0.08000	11.240	1.3168	0.19077	26	-1.07	009.09	0
009	Fiber (%)	0353	10.190	0.22000	11.240	1.3168	0.19077	26	-0.80	009.07	0
009	Fiber (%)	0861	10.200	0.38000	11.240	1.3168	0.19077	26	-0.79	009.09	0
009	Fiber (%)	0164	10.400	0.00000	11.240	1.3168	0.19077	26	-0.64	009.09	0
009	Fiber (%)	0693	10.740	0.74000	11.240	1.3168	0.19077	26	-0.38	009.09	0
009	Fiber (%)	0912	10.785	0.29000	11.240	1.3168	0.19077	26	-0.35	009.09	0
009	Fiber (%)	0413	10.800	0.20000	11.240	1.3168	0.19077	26	-0.33	009.09	0
009	Fiber (%)	0581	11.040	0.10000	11.240	1.3168	0.19077	26	-0.15	009.09	0
009	Fiber (%)	0297	11.220	0.08000	11.240	1.3168	0.19077	26	-0.01	009.09	0
009	Fiber (%)	0045	11.250	0.30000	11.240	1.3168	0.19077	26	0.01	009.09	0
009	Fiber (%)	0407	11.290	0.04000	11.240	1.3168	0.19077	26	0.04	009.09	0
009	Fiber (%)	0098	11.500	0.00000	11.240	1.3168	0.19077	26	0.20	009.07	0
009	Fiber (%)	0723	11.740	0.00000	11.240	1.3168	0.19077	26	0.38	009.09	0
009	Fiber (%)	0956	11.800	0.40000	11.240	1.3168	0.19077	26	0.43	009.09	0
009	Fiber (%)	0354	11.900	0.02000	11.240	1.3168	0.19077	26	0.50	009.09	0
009	Fiber (%)	0918	12.240	0.52000	11.240	1.3168	0.19077	26	0.76	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
009	Fiber (%)	0265	12.600	0.20000	11.240	1.3168	0.19077	26	1.03	009.09	0
009	Fiber (%)	0510	12.650	0.10000	11.240	1.3168	0.19077	26	1.07	009.09	0
009	Fiber (%)	0592	12.770	0.25000	11.240	1.3168	0.19077	26	1.16	009.09	0
009	Fiber (%)	0609	12.805	0.07000	11.240	1.3168	0.19077	26	1.19	009.07	0
009	Fiber (%)	0106	12.860	0.10000	11.240	1.3168	0.19077	26	1.23	009.09	0
009	Fiber (%)	0675	13.270	0.32000	11.240	1.3168	0.19077	26	1.54	009.07	0
009	Fiber (%)	0049	11.350	1.3000	11.240	1.3168	0.19077	26	0.08	009.09	1
010	Moisture (%)	0843	8.9000	0.06000	9.8002	0.70847	0.11500	6	-1.27	010.03	0
010	Moisture (%)	0164	9.5350	0.17000	9.8002	0.70847	0.11500	6	-0.37	010.03	0
010	Moisture (%)	0952	9.6050	0.01000	9.8002	0.70847	0.11500	6	-0.28	010.99	0
010	Moisture (%)	0208	9.7450	0.35000	9.8002	0.70847	0.11500	6	-0.08	010.03	0
010	Moisture (%)	0885	10.390	0.08000	9.8002	0.70847	0.11500	6	0.83	010.11	0
010	Moisture (%)	0405	10.640	0.02000	9.8002	0.70847	0.11500	6	1.19	010.99	0
010	Moisture (%)	0889	93.770	6.0200	9.8002	0.70847	0.11500	6	118.52	010.11	1
011	Loss on Drying (%)	0541	9.4800	0.10000	10.420	0.21815	0.08132	50	-4.31	011.99	0
011	Loss on Drying (%)	0407	9.6750	0.01000	10.420	0.21815	0.08132	50	-3.41	011.01	0
011	Loss on Drying (%)	0298	9.9700	0.02000	10.420	0.21815	0.08132	50	-2.06	011.01	0
011	Loss on Drying (%)	0848	10.040	0.10000	10.420	0.21815	0.08132	50	-1.74	011.01	0
011	Loss on Drying (%)	0033	10.095	0.13000	10.420	0.21815	0.08132	50	-1.49	011.01	0
011	Loss on Drying (%)	0650	10.130	0.06000	10.420	0.21815	0.08132	50	-1.33	011.01	0
011	Loss on Drying (%)	0552	10.145	0.19000	10.420	0.21815	0.08132	50	-1.26	011.01	0
011	Loss on Drying (%)	0651	10.156	0.12700	10.420	0.21815	0.08132	50	-1.21	011.01	0
011	Loss on Drying (%)	0857	10.200	0.20000	10.420	0.21815	0.08132	50	-1.01	011.99	0
011	Loss on Drying (%)	0852	10.235	0.11000	10.420	0.21815	0.08132	50	-0.85	011.99	0
011	Loss on Drying (%)	2006	10.240	0.14000	10.420	0.21815	0.08132	50	-0.82	011.01	0
011	Loss on Drying (%)	0138	10.276	0.03100	10.420	0.21815	0.08132	50	-0.66	011.01	0
011	Loss on Drying (%)	0066	10.285	0.07000	10.420	0.21815	0.08132	50	-0.62	011.01	0
011	Loss on Drying (%)	0622	10.306	0.09760	10.420	0.21815	0.08132	50	-0.52	011.01	0
011	Loss on Drying (%)	0148	10.315	0.03000	10.420	0.21815	0.08132	50	-0.48	011.01	0
011	Loss on Drying (%)	0294	10.350	0.10000	10.420	0.21815	0.08132	50	-0.32	011.01	0
011	Loss on Drying (%)	0598	10.355	0.03000	10.420	0.21815	0.08132	50	-0.30	011.01	0
011	Loss on Drying (%)	0164	10.360	0.02000	10.420	0.21815	0.08132	50	-0.27	011.01	0
011	Loss on Drying (%)	0953	10.365	0.09000	10.420	0.21815	0.08132	50	-0.25	011.01	0
011	Loss on Drying (%)	0539	10.375	0.25000	10.420	0.21815	0.08132	50	-0.21	011.01	0
011	Loss on Drying (%)	0674	10.380	0.10000	10.420	0.21815	0.08132	50	-0.18	011.01	0
011	Loss on Drying (%)	0144	10.400	0.28000	10.420	0.21815	0.08132	50	-0.09	011.01	0
011	Loss on Drying (%)	0208	10.400	0.40000	10.420	0.21815	0.08132	50	-0.09	011.01	0
011	Loss on Drying (%)	0265	10.400	0.00000	10.420	0.21815	0.08132	50	-0.09	011.01	0
011	Loss on Drying (%)	0675	10.405	0.01000	10.420	0.21815	0.08132	50	-0.07	011.01	0
011	Loss on Drying (%)	0968	10.410	0.01400	10.420	0.21815	0.08132	50	-0.05	011.01	0
011	Loss on Drying (%)	2022	10.430	0.00000	10.420	0.21815	0.08132	50	0.05	011.01	0
011	Loss on Drying (%)	0620	10.441	0.02640	10.420	0.21815	0.08132	50	0.10	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
011	Loss on Drying (%)	0553	10.460	0.28000	10.420	0.21815	0.08132	50	0.18	011.01	0
011	Loss on Drying (%)	0653	10.475	0.03000	10.420	0.21815	0.08132	50	0.25	011.01	0
011	Loss on Drying (%)	0589	10.480	0.00000	10.420	0.21815	0.08132	50	0.28	011.01	0
011	Loss on Drying (%)	0242	10.490	0.06000	10.420	0.21815	0.08132	50	0.32	011.01	0
011	Loss on Drying (%)	0520	10.495	0.05000	10.420	0.21815	0.08132	50	0.34	011.01	0
011	Loss on Drying (%)	0843	10.500	0.00000	10.420	0.21815	0.08132	50	0.37	011.01	0
011	Loss on Drying (%)	0233	10.510	0.02000	10.420	0.21815	0.08132	50	0.41	011.01	0
011	Loss on Drying (%)	0354	10.525	0.01000	10.420	0.21815	0.08132	50	0.48	011.01	0
011	Loss on Drying (%)	0510	10.550	0.10000	10.420	0.21815	0.08132	50	0.60	011.01	0
011	Loss on Drying (%)	0723	10.570	0.00000	10.420	0.21815	0.08132	50	0.69	011.01	0
011	Loss on Drying (%)	0205	10.580	0.10000	10.420	0.21815	0.08132	50	0.73	011.01	0
011	Loss on Drying (%)	0051	10.605	0.17000	10.420	0.21815	0.08132	50	0.85	011.01	0
011	Loss on Drying (%)	0194	10.610	0.02000	10.420	0.21815	0.08132	50	0.87	011.01	0
011	Loss on Drying (%)	0942	10.630	0.00000	10.420	0.21815	0.08132	50	0.96	011.02	0
011	Loss on Drying (%)	0660	10.655	0.13000	10.420	0.21815	0.08132	50	1.08	011.01	0
011	Loss on Drying (%)	2023	10.715	0.01000	10.420	0.21815	0.08132	50	1.35	011.02	0
011	Loss on Drying (%)	0229	10.720	0.00000	10.420	0.21815	0.08132	50	1.38	011.01	0
011	Loss on Drying (%)	0541	10.730	0.08000	10.420	0.21815	0.08132	50	1.42	011.01	0
011	Loss on Drying (%)	0861	10.745	0.01000	10.420	0.21815	0.08132	50	1.49	011.01	0
011	Loss on Drying (%)	0202	10.900	0.04000	10.420	0.21815	0.08132	50	2.20	011.01	0
011	Loss on Drying (%)	0098	10.915	0.13000	10.420	0.21815	0.08132	50	2.27	011.01	0
011	Loss on Drying (%)	0913	11.035	0.09000	10.420	0.21815	0.08132	50	2.82	011.01	0
011	Loss on Drying (%)	0008	10.265	0.63000	10.420	0.21815	0.08132	50	-0.71	011.01	1
012	Starch (%)	0885	31.520	0.52000	38.369	2.0560	0.39019	21	-3.33	012.03	0
012	Starch (%)	0918	34.468	1.4640	38.369	2.0560	0.39019	21	-1.90	012.01	0
012	Starch (%)	0297	34.550	0.64000	38.369	2.0560	0.39019	21	-1.86	012.11	0
012	Starch (%)	0407	35.920	0.92000	38.369	2.0560	0.39019	21	-1.19	012.03	0
012	Starch (%)	0265	36.050	0.10000	38.369	2.0560	0.39019	21	-1.13	012.01	0
012	Starch (%)	0510	37.300	0.20000	38.369	2.0560	0.39019	21	-0.52	012.04	0
012	Starch (%)	0885	37.390	0.56000	38.369	2.0560	0.39019	21	-0.48	012.11	0
012	Starch (%)	0098	37.500	0.20000	38.369	2.0560	0.39019	21	-0.42	012.03	0
012	Starch (%)	0353	37.825	0.07000	38.369	2.0560	0.39019	21	-0.26	012.04	0
012	Starch (%)	0878	38.400	0.20000	38.369	2.0560	0.39019	21	0.01	012.00	0
012	Starch (%)	0619	38.550	0.10000	38.369	2.0560	0.39019	21	0.09	012.00	0
012	Starch (%)	0297	38.850	0.06000	38.369	2.0560	0.39019	21	0.23	012.03	0
012	Starch (%)	0683	39.390	0.46000	38.369	2.0560	0.39019	21	0.50	012.00	0
012	Starch (%)	0920	39.415	0.11000	38.369	2.0560	0.39019	21	0.51	012.00	0
012	Starch (%)	0889	39.585	0.65000	38.369	2.0560	0.39019	21	0.59	012.11	0
012	Starch (%)	0723	39.650	0.00000	38.369	2.0560	0.39019	21	0.62	012.00	0
012	Starch (%)	0354	39.860	0.26000	38.369	2.0560	0.39019	21	0.73	012.00	0
012	Starch (%)	0689	40.000	0.40000	38.369	2.0560	0.39019	21	0.79	012.00	0
012	Starch (%)	2023	40.100	0.20000	38.369	2.0560	0.39019	21	0.84	012.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
012	Starch (%)	0106	41.830	1.0800	38.369	2.0560	0.39019	21	1.68	012.04	0
012	Starch (%)	0609	42.290	0.00000	38.369	2.0560	0.39019	21	1.91	012.00	0
012	Starch (%)	0956	36.050	2.3000	38.369	2.0560	0.39019	21	-1.13	012.01	1
013	Fat (%)	0618	3.0420	0.05000	4.4269	0.40048	0.15017	35	-3.46	013.08	0
013	Fat (%)	0845	3.1450	0.23000	4.4269	0.40048	0.15017	35	-3.20	013.10	0
013	Fat (%)	0297	3.5100	0.02000	4.4269	0.40048	0.15017	35	-2.29	013.00	0
013	Fat (%)	0083	3.7250	0.03000	4.4269	0.40048	0.15017	35	-1.75	013.00	0
013	Fat (%)	0033	3.8350	0.07000	4.4269	0.40048	0.15017	35	-1.48	013.10	0
013	Fat (%)	0229	4.0000	0.20000	4.4269	0.40048	0.15017	35	-1.07	013.00	0
013	Fat (%)	0610	4.0650	0.01000	4.4269	0.40048	0.15017	35	-0.90	013.10	0
013	Fat (%)	2003	4.0750	0.01000	4.4269	0.40048	0.15017	35	-0.88	013.10	0
013	Fat (%)	0148	4.1150	0.11000	4.4269	0.40048	0.15017	35	-0.78	013.02	0
013	Fat (%)	0910	4.1750	0.25000	4.4269	0.40048	0.15017	35	-0.63	013.00	0
013	Fat (%)	0689	4.2000	0.00000	4.4269	0.40048	0.15017	35	-0.57	013.00	0
013	Fat (%)	0955	4.2650	0.05000	4.4269	0.40048	0.15017	35	-0.40	013.13	0
013	Fat (%)	0968	4.3460	0.27600	4.4269	0.40048	0.15017	35	-0.20	013.10	0
013	Fat (%)	2058	4.3700	0.18000	4.4269	0.40048	0.15017	35	-0.14	013.02	0
013	Fat (%)	0675	4.4250	0.05000	4.4269	0.40048	0.15017	35	0.00	013.02	0
013	Fat (%)	2057	4.4600	0.20000	4.4269	0.40048	0.15017	35	0.08	013.02	0
013	Fat (%)	0660	4.4700	0.28000	4.4269	0.40048	0.15017	35	0.11	013.10	0
013	Fat (%)	0353	4.4800	0.28000	4.4269	0.40048	0.15017	35	0.13	013.10	0
013	Fat (%)	0242	4.4950	0.11000	4.4269	0.40048	0.15017	35	0.17	013.00	0
013	Fat (%)	0337	4.5200	0.66000	4.4269	0.40048	0.15017	35	0.23	013.02	0
013	Fat (%)	0643	4.5600	0.16000	4.4269	0.40048	0.15017	35	0.33	013.02	0
013	Fat (%)	0164	4.5650	0.07000	4.4269	0.40048	0.15017	35	0.34	013.02	0
013	Fat (%)	0861	4.5750	0.07000	4.4269	0.40048	0.15017	35	0.37	013.00	0
013	Fat (%)	0650	4.5850	0.03000	4.4269	0.40048	0.15017	35	0.39	013.02	0
013	Fat (%)	0208	4.5950	0.27000	4.4269	0.40048	0.15017	35	0.42	013.02	0
013	Fat (%)	0354	4.6000	0.02000	4.4269	0.40048	0.15017	35	0.43	013.02	0
013	Fat (%)	0921	4.7000	0.12000	4.4269	0.40048	0.15017	35	0.68	013.02	0
013	Fat (%)	0171	4.7250	0.01000	4.4269	0.40048	0.15017	35	0.74	013.02	0
013	Fat (%)	2023	4.7600	0.02000	4.4269	0.40048	0.15017	35	0.83	013.00	0
013	Fat (%)	0265	4.8500	0.10000	4.4269	0.40048	0.15017	35	1.06	013.13	0
013	Fat (%)	0504	4.8600	0.14000	4.4269	0.40048	0.15017	35	1.08	013.00	0
013	Fat (%)	0202	4.8900	0.00000	4.4269	0.40048	0.15017	35	1.16	013.00	0
013	Fat (%)	0008	4.9000	0.28000	4.4269	0.40048	0.15017	35	1.18	013.02	0
013	Fat (%)	0581	5.0100	0.52000	4.4269	0.40048	0.15017	35	1.46	013.13	0
013	Fat (%)	0016	5.0200	0.38000	4.4269	0.40048	0.15017	35	1.48	013.02	0
013	Fat (%)	0051	4.7700	0.72000	4.4269	0.40048	0.15017	35	0.86	013.02	1
014	Fiber, total dietary (TDF) (%)	2066	14.000	0.60000			0.60000	1			
015	Aluminum (mg / kg (ppm))	0912	0.19400	0.00800	188.87	28.307	5.8893	14	-6.67	015.53	0
015	Aluminum (mg / kg (ppm))	0049	155.12	0.75000	188.87	28.307	5.8893	14	-1.19	015.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
015	Aluminum (mg / kg (ppm))	0164	168.00	0.00000	188.87	28.307	5.8893	14	-0.74	015.41	0
015	Aluminum (mg / kg (ppm))	0918	169.30	20.294	188.87	28.307	5.8893	14	-0.69	015.43	0
015	Aluminum (mg / kg (ppm))	0169	172.50	1.0000	188.87	28.307	5.8893	14	-0.58	015.43	0
015	Aluminum (mg / kg (ppm))	0510	180.00	2.0000	188.87	28.307	5.8893	14	-0.31	015.43	0
015	Aluminum (mg / kg (ppm))	0297	183.50	1.0000	188.87	28.307	5.8893	14	-0.19	015.43	0
015	Aluminum (mg / kg (ppm))	0011	191.41	0.92800	188.87	28.307	5.8893	14	0.09	015.41	0
015	Aluminum (mg / kg (ppm))	0353	198.55	1.5000	188.87	28.307	5.8893	14	0.34	015.43	0
015	Aluminum (mg / kg (ppm))	0171	204.50	3.0000	188.87	28.307	5.8893	14	0.55	015.41	0
015	Aluminum (mg / kg (ppm))	0345	204.50	13.000	188.87	28.307	5.8893	14	0.55	015.43	0
015	Aluminum (mg / kg (ppm))	0520	215.75	3.5000	188.87	28.307	5.8893	14	0.95	015.41	0
015	Aluminum (mg / kg (ppm))	0964	226.11	10.470	188.87	28.307	5.8893	14	1.32	015.41	0
015	Aluminum (mg / kg (ppm))	0553	231.50	25.000	188.87	28.307	5.8893	14	1.51	015.53	0
017	Boron (mg / kg (ppm))	0297	6.0000	0.00000	9.7885	0.81571	0.35500	10	-4.64	017.43	0
017	Boron (mg / kg (ppm))	0693	9.1100	0.08000	9.7885	0.81571	0.35500	10	-0.83	017.42	0
017	Boron (mg / kg (ppm))	0918	9.2450	1.1500	9.7885	0.81571	0.35500	10	-0.67	017.43	0
017	Boron (mg / kg (ppm))	0345	9.6000	0.40000	9.7885	0.81571	0.35500	10	-0.23	017.43	0
017	Boron (mg / kg (ppm))	0912	9.7000	0.20000	9.7885	0.81571	0.35500	10	-0.11	017.53	0
017	Boron (mg / kg (ppm))	0049	9.7250	0.39000	9.7885	0.81571	0.35500	10	-0.08	017.41	0
017	Boron (mg / kg (ppm))	0510	10.000	0.00000	9.7885	0.81571	0.35500	10	0.26	017.43	0
017	Boron (mg / kg (ppm))	0045	10.250	0.10000	9.7885	0.81571	0.35500	10	0.57	017.42	0
017	Boron (mg / kg (ppm))	0353	10.955	1.1900	9.7885	0.81571	0.35500	10	1.43	017.43	0
017	Boron (mg / kg (ppm))	0294	12.320	0.04000	9.7885	0.81571	0.35500	10	3.10	017.42	0
019	Calcium (%)	0852	0.72500	0.01000	1.2191	0.06200	0.02632	115	-7.97	019.08	0
019	Calcium (%)	0852	0.73500	0.01000	1.2191	0.06200	0.02632	115	-7.81	019.99	0
019	Calcium (%)	0889	0.99545	0.00830	1.2191	0.06200	0.02632	115	-3.61	019.99	0
019	Calcium (%)	0142	1.0100	0.02000	1.2191	0.06200	0.02632	115	-3.37	019.31	0
019	Calcium (%)	0553	1.0600	0.02000	1.2191	0.06200	0.02632	115	-2.57	019.41	0
019	Calcium (%)	0337	1.0800	0.10000	1.2191	0.06200	0.02632	115	-2.24	019.00	0
019	Calcium (%)	0139	1.0850	0.05000	1.2191	0.06200	0.02632	115	-2.16	019.31	0
019	Calcium (%)	0683	1.0850	0.09000	1.2191	0.06200	0.02632	115	-2.16	019.34	0
019	Calcium (%)	0035	1.1250	0.01400	1.2191	0.06200	0.02632	115	-1.52	019.42	0
019	Calcium (%)	0265	1.1250	0.01000	1.2191	0.06200	0.02632	115	-1.52	019.42	0
019	Calcium (%)	0242	1.1250	0.03000	1.2191	0.06200	0.02632	115	-1.52	019.99	0
019	Calcium (%)	0622	1.1367	0.00040	1.2191	0.06200	0.02632	115	-1.33	019.00	0
019	Calcium (%)	0154	1.1391	0.02950	1.2191	0.06200	0.02632	115	-1.29	019.52	0
019	Calcium (%)	0552	1.1400	0.02000	1.2191	0.06200	0.02632	115	-1.28	019.00	0
019	Calcium (%)	0300	1.1440	0.04400	1.2191	0.06200	0.02632	115	-1.21	019.41	0
019	Calcium (%)	0910	1.1450	0.03000	1.2191	0.06200	0.02632	115	-1.19	019.41	0
019	Calcium (%)	0510	1.1550	0.01000	1.2191	0.06200	0.02632	115	-1.03	019.43	0
019	Calcium (%)	0693	1.1600	0.02000	1.2191	0.06200	0.02632	115	-0.95	019.42	0
019	Calcium (%)	0033	1.1625	0.00100	1.2191	0.06200	0.02632	115	-0.91	019.43	0
019	Calcium (%)	0354	1.1650	0.01000	1.2191	0.06200	0.02632	115	-0.87	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0205	1.1650	0.05000	1.2191	0.06200	0.02632	115	-0.87	019.42	0
019	Calcium (%)	0065	1.1693	0.00440	1.2191	0.06200	0.02632	115	-0.80	019.31	0
019	Calcium (%)	0651	1.1700	0.06000	1.2191	0.06200	0.02632	115	-0.79	019.00	0
019	Calcium (%)	0045	1.1700	0.02000	1.2191	0.06200	0.02632	115	-0.79	019.42	0
019	Calcium (%)	0017	1.1700	0.12000	1.2191	0.06200	0.02632	115	-0.79	019.43	0
019	Calcium (%)	0038	1.1700	0.10000	1.2191	0.06200	0.02632	115	-0.79	019.43	0
019	Calcium (%)	0723	1.1735	0.00000	1.2191	0.06200	0.02632	115	-0.74	019.31	0
019	Calcium (%)	0897	1.1750	0.01000	1.2191	0.06200	0.02632	115	-0.71	019.00	0
019	Calcium (%)	0675	1.1750	0.01000	1.2191	0.06200	0.02632	115	-0.71	019.43	0
019	Calcium (%)	2006	1.1775	0.00700	1.2191	0.06200	0.02632	115	-0.67	019.09	0
019	Calcium (%)	2067	1.1795	0.00100	1.2191	0.06200	0.02632	115	-0.64	019.00	0
019	Calcium (%)	0590	1.1800	0.00000	1.2191	0.06200	0.02632	115	-0.63	019.08	0
019	Calcium (%)	0620	1.1809	0.02510	1.2191	0.06200	0.02632	115	-0.62	019.00	0
019	Calcium (%)	0051	1.1827	0.05360	1.2191	0.06200	0.02632	115	-0.59	019.41	0
019	Calcium (%)	0921	1.1840	0.00000	1.2191	0.06200	0.02632	115	-0.57	019.31	0
019	Calcium (%)	0001	1.1940	0.05400	1.2191	0.06200	0.02632	115	-0.40	019.31	0
019	Calcium (%)	2006	1.1945	0.02700	1.2191	0.06200	0.02632	115	-0.40	019.00	0
019	Calcium (%)	0885	1.1950	0.01000	1.2191	0.06200	0.02632	115	-0.39	019.08	0
019	Calcium (%)	0038	1.2000	0.00000	1.2191	0.06200	0.02632	115	-0.31	019.31	0
019	Calcium (%)	0505	1.2000	0.02000	1.2191	0.06200	0.02632	115	-0.31	019.31	0
019	Calcium (%)	0199	1.2000	0.00000	1.2191	0.06200	0.02632	115	-0.31	019.43	0
019	Calcium (%)	0011	1.2003	0.00180	1.2191	0.06200	0.02632	115	-0.30	019.41	0
019	Calcium (%)	0263	1.2023	0.00350	1.2191	0.06200	0.02632	115	-0.27	019.32	0
019	Calcium (%)	0194	1.2050	0.01000	1.2191	0.06200	0.02632	115	-0.23	019.00	0
019	Calcium (%)	0895	1.2050	0.01000	1.2191	0.06200	0.02632	115	-0.23	019.00	0
019	Calcium (%)	0903	1.2050	0.01000	1.2191	0.06200	0.02632	115	-0.23	019.00	0
019	Calcium (%)	0233	1.2050	0.03000	1.2191	0.06200	0.02632	115	-0.23	019.31	0
019	Calcium (%)	0019	1.2050	0.07000	1.2191	0.06200	0.02632	115	-0.23	019.41	0
019	Calcium (%)	0878	1.2100	0.02000	1.2191	0.06200	0.02632	115	-0.15	019.00	0
019	Calcium (%)	0208	1.2100	0.02000	1.2191	0.06200	0.02632	115	-0.15	019.31	0
019	Calcium (%)	0004	1.2100	0.08000	1.2191	0.06200	0.02632	115	-0.15	019.41	0
019	Calcium (%)	0089	1.2100	0.00000	1.2191	0.06200	0.02632	115	-0.15	019.41	0
019	Calcium (%)	0849	1.2130	0.01400	1.2191	0.06200	0.02632	115	-0.10	019.08	0
019	Calcium (%)	0683	1.2150	0.01000	1.2191	0.06200	0.02632	115	-0.07	019.00	0
019	Calcium (%)	0868	1.2150	0.03000	1.2191	0.06200	0.02632	115	-0.07	019.31	0
019	Calcium (%)	0083	1.2150	0.01000	1.2191	0.06200	0.02632	115	-0.07	019.41	0
019	Calcium (%)	0148	1.2180	0.01200	1.2191	0.06200	0.02632	115	-0.02	019.41	0
019	Calcium (%)	0940	1.2200	0.02000	1.2191	0.06200	0.02632	115	0.01	019.08	0
019	Calcium (%)	2063	1.2200	0.02000	1.2191	0.06200	0.02632	115	0.01	019.08	0
019	Calcium (%)	0014	1.2200	0.04000	1.2191	0.06200	0.02632	115	0.01	019.31	0
019	Calcium (%)	2022	1.2200	0.00000	1.2191	0.06200	0.02632	115	0.01	019.31	0
019	Calcium (%)	0298	1.2200	0.02000	1.2191	0.06200	0.02632	115	0.01	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0008	1.2200	0.02000	1.2191	0.06200	0.02632	115	0.01	019.43	0
019	Calcium (%)	0674	1.2250	0.03000	1.2191	0.06200	0.02632	115	0.10	019.31	0
019	Calcium (%)	0049	1.2250	0.01000	1.2191	0.06200	0.02632	115	0.10	019.41	0
019	Calcium (%)	0171	1.2250	0.05000	1.2191	0.06200	0.02632	115	0.10	019.41	0
019	Calcium (%)	0229	1.2250	0.01000	1.2191	0.06200	0.02632	115	0.10	019.41	0
019	Calcium (%)	0610	1.2250	0.01000	1.2191	0.06200	0.02632	115	0.10	019.41	0
019	Calcium (%)	0345	1.2270	0.02000	1.2191	0.06200	0.02632	115	0.13	019.43	0
019	Calcium (%)	0164	1.2300	0.02000	1.2191	0.06200	0.02632	115	0.18	019.41	0
019	Calcium (%)	0407	1.2300	0.00000	1.2191	0.06200	0.02632	115	0.18	019.41	0
019	Calcium (%)	0297	1.2300	0.04000	1.2191	0.06200	0.02632	115	0.18	019.43	0
019	Calcium (%)	0036	1.2304	0.00900	1.2191	0.06200	0.02632	115	0.18	019.43	0
019	Calcium (%)	0098	1.2350	0.01000	1.2191	0.06200	0.02632	115	0.26	019.41	0
019	Calcium (%)	0668	1.2350	0.09000	1.2191	0.06200	0.02632	115	0.26	019.43	0
019	Calcium (%)	0208	1.2410	0.09400	1.2191	0.06200	0.02632	115	0.35	019.41	0
019	Calcium (%)	0018	1.2450	0.03000	1.2191	0.06200	0.02632	115	0.42	019.41	0
019	Calcium (%)	0619	1.2450	0.01000	1.2191	0.06200	0.02632	115	0.42	019.41	0
019	Calcium (%)	2023	1.2450	0.03000	1.2191	0.06200	0.02632	115	0.42	019.41	0
019	Calcium (%)	2053	1.2450	0.01000	1.2191	0.06200	0.02632	115	0.42	019.42	0
019	Calcium (%)	0968	1.2475	0.03700	1.2191	0.06200	0.02632	115	0.46	019.43	0
019	Calcium (%)	0848	1.2500	0.02000	1.2191	0.06200	0.02632	115	0.50	019.41	0
019	Calcium (%)	0186	1.2500	0.02000	1.2191	0.06200	0.02632	115	0.50	019.42	0
019	Calcium (%)	0035	1.2510	0.02400	1.2191	0.06200	0.02632	115	0.51	019.32	0
019	Calcium (%)	0512	1.2515	0.00100	1.2191	0.06200	0.02632	115	0.52	019.41	0
019	Calcium (%)	0609	1.2550	0.03000	1.2191	0.06200	0.02632	115	0.58	019.32	0
019	Calcium (%)	0190	1.2550	0.03000	1.2191	0.06200	0.02632	115	0.58	019.42	0
019	Calcium (%)	0202	1.2550	0.01000	1.2191	0.06200	0.02632	115	0.58	019.42	0
019	Calcium (%)	0138	1.2575	0.00900	1.2191	0.06200	0.02632	115	0.62	019.08	0
019	Calcium (%)	0013	1.2600	0.10000	1.2191	0.06200	0.02632	115	0.66	019.32	0
019	Calcium (%)	0629	1.2600	0.00000	1.2191	0.06200	0.02632	115	0.66	019.43	0
019	Calcium (%)	0629	1.2700	0.00000	1.2191	0.06200	0.02632	115	0.82	019.08	0
019	Calcium (%)	0169	1.2700	0.00000	1.2191	0.06200	0.02632	115	0.82	019.32	0
019	Calcium (%)	0726	1.2730	0.00200	1.2191	0.06200	0.02632	115	0.87	019.42	0
019	Calcium (%)	0003	1.2800	0.06000	1.2191	0.06200	0.02632	115	0.98	019.41	0
019	Calcium (%)	0042	1.2850	0.07000	1.2191	0.06200	0.02632	115	1.06	019.42	0
019	Calcium (%)	0036	1.2862	0.00210	1.2191	0.06200	0.02632	115	1.08	019.03	0
019	Calcium (%)	0009	1.2950	0.09000	1.2191	0.06200	0.02632	115	1.22	019.42	0
019	Calcium (%)	0413	1.3000	0.00000	1.2191	0.06200	0.02632	115	1.31	019.41	0
019	Calcium (%)	0878	1.3000	0.00000	1.2191	0.06200	0.02632	115	1.31	019.41	0
019	Calcium (%)	0685	1.3000	0.00000	1.2191	0.06200	0.02632	115	1.31	019.44	0
019	Calcium (%)	0912	1.3050	0.09000	1.2191	0.06200	0.02632	115	1.39	019.53	0
019	Calcium (%)	2068	1.3100	0.00000	1.2191	0.06200	0.02632	115	1.47	019.00	0
019	Calcium (%)	0405	1.3100	0.02000	1.2191	0.06200	0.02632	115	1.47	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
019	Calcium (%)	0294	1.3100	0.02000	1.2191	0.06200	0.02632	115	1.47	019.42	0
019	Calcium (%)	0964	1.3135	0.00300	1.2191	0.06200	0.02632	115	1.52	019.41	0
019	Calcium (%)	0106	1.3150	0.05000	1.2191	0.06200	0.02632	115	1.55	019.42	0
019	Calcium (%)	0098	1.3150	0.03000	1.2191	0.06200	0.02632	115	1.55	019.43	0
019	Calcium (%)	0598	1.3195	0.00900	1.2191	0.06200	0.02632	115	1.62	019.41	0
019	Calcium (%)	0520	1.3200	0.06000	1.2191	0.06200	0.02632	115	1.63	019.41	0
019	Calcium (%)	0003	1.3200	0.02000	1.2191	0.06200	0.02632	115	1.63	019.43	0
019	Calcium (%)	0689	1.3350	0.03000	1.2191	0.06200	0.02632	115	1.87	019.08	0
019	Calcium (%)	0187	1.3400	0.02000	1.2191	0.06200	0.02632	115	1.95	019.42	0
019	Calcium (%)	0160	1.3568	0.06650	1.2191	0.06200	0.02632	115	2.22	019.42	0
019	Calcium (%)	0066	1.5300	0.08000	1.2191	0.06200	0.02632	115	5.01	019.31	0
019	Calcium (%)	0918	1.1890	0.12800	1.2191	0.06200	0.02632	115	-0.49	019.43	1
019	Calcium (%)	0353	1.3350	0.13000	1.2191	0.06200	0.02632	115	1.87	019.43	1
021	Cobalt (mg / kg (ppm))	0918	0.53790	0.02120	1.1476	0.31962	0.09054	19	-1.91	021.53	0
021	Cobalt (mg / kg (ppm))	0912	0.64000	0.20000	1.1476	0.31962	0.09054	19	-1.59	021.53	0
021	Cobalt (mg / kg (ppm))	0619	0.68150	0.03300	1.1476	0.31962	0.09054	19	-1.46	021.41	0
021	Cobalt (mg / kg (ppm))	0693	0.79500	0.07000	1.1476	0.31962	0.09054	19	-1.10	021.00	0
021	Cobalt (mg / kg (ppm))	0098	0.89200	0.08800	1.1476	0.31962	0.09054	19	-0.80	021.52	0
021	Cobalt (mg / kg (ppm))	0345	0.93500	0.03000	1.1476	0.31962	0.09054	19	-0.67	021.43	0
021	Cobalt (mg / kg (ppm))	0106	1.0000	0.00000	1.1476	0.31962	0.09054	19	-0.46	021.42	0
021	Cobalt (mg / kg (ppm))	0171	1.0950	0.03000	1.1476	0.31962	0.09054	19	-0.16	021.41	0
021	Cobalt (mg / kg (ppm))	0169	1.1500	0.08000	1.1476	0.31962	0.09054	19	0.01	021.43	0
021	Cobalt (mg / kg (ppm))	0011	1.1935	0.06400	1.1476	0.31962	0.09054	19	0.14	021.41	0
021	Cobalt (mg / kg (ppm))	0553	1.2200	0.34000	1.1476	0.31962	0.09054	19	0.23	021.53	0
021	Cobalt (mg / kg (ppm))	0164	1.3000	0.20000	1.1476	0.31962	0.09054	19	0.48	021.31	0
021	Cobalt (mg / kg (ppm))	0199	1.3300	0.26000	1.1476	0.31962	0.09054	19	0.57	021.53	0
021	Cobalt (mg / kg (ppm))	0510	1.3500	0.04000	1.1476	0.31962	0.09054	19	0.63	021.43	0
021	Cobalt (mg / kg (ppm))	0964	1.3740	0.16400	1.1476	0.31962	0.09054	19	0.71	021.41	0
021	Cobalt (mg / kg (ppm))	0038	1.4000	0.00000	1.1476	0.31962	0.09054	19	0.79	021.43	0
021	Cobalt (mg / kg (ppm))	0610	1.4600	0.02000	1.1476	0.31962	0.09054	19	0.98	021.34	0
021	Cobalt (mg / kg (ppm))	0003	1.4800	0.08000	1.1476	0.31962	0.09054	19	1.04	021.43	0
021	Cobalt (mg / kg (ppm))	2022	2.4700	0.00000	1.1476	0.31962	0.09054	19	4.14	021.31	0
022	Copper (mg / kg (ppm))	2022	117.90	12.400	184.32	17.892	5.6970	65	-3.71	022.31	0
022	Copper (mg / kg (ppm))	0619	141.00	8.0000	184.32	17.892	5.6970	65	-2.42	022.41	0
022	Copper (mg / kg (ppm))	0003	144.50	3.0000	184.32	17.892	5.6970	65	-2.23	022.41	0
022	Copper (mg / kg (ppm))	0354	145.25	0.71000	184.32	17.892	5.6970	65	-2.18	022.31	0
022	Copper (mg / kg (ppm))	0674	146.42	4.1600	184.32	17.892	5.6970	65	-2.12	022.31	0
022	Copper (mg / kg (ppm))	0004	148.00	0.00000	184.32	17.892	5.6970	65	-2.03	022.41	0
022	Copper (mg / kg (ppm))	0049	148.86	10.900	184.32	17.892	5.6970	65	-1.98	022.41	0
022	Copper (mg / kg (ppm))	0598	156.45	4.9000	184.32	17.892	5.6970	65	-1.56	022.41	0
022	Copper (mg / kg (ppm))	0520	158.00	12.000	184.32	17.892	5.6970	65	-1.47	022.41	0
022	Copper (mg / kg (ppm))	0051	158.61	5.5900	184.32	17.892	5.6970	65	-1.44	022.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0553	160.00	0.00000	184.32	17.892	5.6970	65	-1.36	022.41	0
022	Copper (mg / kg (ppm))	0353	160.42	3.4300	184.32	17.892	5.6970	65	-1.34	022.43	0
022	Copper (mg / kg (ppm))	0171	164.50	11.000	184.32	17.892	5.6970	65	-1.11	022.41	0
022	Copper (mg / kg (ppm))	0164	165.00	4.0000	184.32	17.892	5.6970	65	-1.08	022.41	0
022	Copper (mg / kg (ppm))	0590	170.00	0.00000	184.32	17.892	5.6970	65	-0.80	022.31	0
022	Copper (mg / kg (ppm))	0878	170.00	0.00000	184.32	17.892	5.6970	65	-0.80	022.41	0
022	Copper (mg / kg (ppm))	0512	173.10	3.4000	184.32	17.892	5.6970	65	-0.63	022.41	0
022	Copper (mg / kg (ppm))	0723	174.40	0.00000	184.32	17.892	5.6970	65	-0.55	022.31	0
022	Copper (mg / kg (ppm))	0668	174.50	1.0000	184.32	17.892	5.6970	65	-0.55	022.43	0
022	Copper (mg / kg (ppm))	0918	174.65	24.380	184.32	17.892	5.6970	65	-0.54	022.43	0
022	Copper (mg / kg (ppm))	0629	175.50	5.0000	184.32	17.892	5.6970	65	-0.49	022.31	0
022	Copper (mg / kg (ppm))	0505	176.00	2.0000	184.32	17.892	5.6970	65	-0.47	022.31	0
022	Copper (mg / kg (ppm))	0265	176.00	2.0000	184.32	17.892	5.6970	65	-0.47	022.42	0
022	Copper (mg / kg (ppm))	0229	177.00	8.0000	184.32	17.892	5.6970	65	-0.41	022.41	0
022	Copper (mg / kg (ppm))	0066	180.74	6.5500	184.32	17.892	5.6970	65	-0.20	022.31	0
022	Copper (mg / kg (ppm))	0675	181.08	0.66000	184.32	17.892	5.6970	65	-0.18	022.43	0
022	Copper (mg / kg (ppm))	0242	182.00	8.0000	184.32	17.892	5.6970	65	-0.13	022.99	0
022	Copper (mg / kg (ppm))	0148	183.15	1.9000	184.32	17.892	5.6970	65	-0.07	022.41	0
022	Copper (mg / kg (ppm))	0968	183.50	1.0000	184.32	17.892	5.6970	65	-0.05	022.43	0
022	Copper (mg / kg (ppm))	0098	183.75	7.7000	184.32	17.892	5.6970	65	-0.03	022.41	0
022	Copper (mg / kg (ppm))	0208	186.50	13.000	184.32	17.892	5.6970	65	0.12	022.41	0
022	Copper (mg / kg (ppm))	0964	186.95	13.930	184.32	17.892	5.6970	65	0.15	022.41	0
022	Copper (mg / kg (ppm))	0868	187.50	1.0000	184.32	17.892	5.6970	65	0.18	022.31	0
022	Copper (mg / kg (ppm))	0910	187.50	15.000	184.32	17.892	5.6970	65	0.18	022.41	0
022	Copper (mg / kg (ppm))	0199	187.50	4.4000	184.32	17.892	5.6970	65	0.18	022.53	0
022	Copper (mg / kg (ppm))	2023	187.50	5.0000	184.32	17.892	5.6970	65	0.18	022.53	0
022	Copper (mg / kg (ppm))	0510	188.50	3.0000	184.32	17.892	5.6970	65	0.23	022.43	0
022	Copper (mg / kg (ppm))	0912	190.00	20.000	184.32	17.892	5.6970	65	0.32	022.53	0
022	Copper (mg / kg (ppm))	0693	190.50	11.000	184.32	17.892	5.6970	65	0.35	022.42	0
022	Copper (mg / kg (ppm))	0038	192.00	4.0000	184.32	17.892	5.6970	65	0.43	022.43	0
022	Copper (mg / kg (ppm))	0609	192.50	5.0000	184.32	17.892	5.6970	65	0.46	022.32	0
022	Copper (mg / kg (ppm))	0083	192.50	1.0000	184.32	17.892	5.6970	65	0.46	022.41	0
022	Copper (mg / kg (ppm))	0042	192.50	7.0000	184.32	17.892	5.6970	65	0.46	022.42	0
022	Copper (mg / kg (ppm))	0169	192.50	1.0000	184.32	17.892	5.6970	65	0.46	022.43	0
022	Copper (mg / kg (ppm))	0033	192.95	6.1000	184.32	17.892	5.6970	65	0.48	022.43	0
022	Copper (mg / kg (ppm))	0098	193.70	5.4000	184.32	17.892	5.6970	65	0.52	022.43	0
022	Copper (mg / kg (ppm))	0011	194.81	0.54500	184.32	17.892	5.6970	65	0.59	022.41	0
022	Copper (mg / kg (ppm))	0297	195.50	1.0000	184.32	17.892	5.6970	65	0.62	022.43	0
022	Copper (mg / kg (ppm))	0003	195.65	10.300	184.32	17.892	5.6970	65	0.63	022.43	0
022	Copper (mg / kg (ppm))	0035	195.80	14.600	184.32	17.892	5.6970	65	0.64	022.42	0
022	Copper (mg / kg (ppm))	0407	196.82	6.8500	184.32	17.892	5.6970	65	0.70	022.41	0
022	Copper (mg / kg (ppm))	0045	198.00	8.0000	184.32	17.892	5.6970	65	0.76	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
022	Copper (mg / kg (ppm))	0035	199.10	11.000	184.32	17.892	5.6970	65	0.83	022.32	0
022	Copper (mg / kg (ppm))	0345	199.50	3.0000	184.32	17.892	5.6970	65	0.85	022.43	0
022	Copper (mg / kg (ppm))	0202	201.00	2.0100	184.32	17.892	5.6970	65	0.93	022.42	0
022	Copper (mg / kg (ppm))	0413	202.00	2.0000	184.32	17.892	5.6970	65	0.99	022.42	0
022	Copper (mg / kg (ppm))	0038	203.00	4.0000	184.32	17.892	5.6970	65	1.04	022.32	0
022	Copper (mg / kg (ppm))	0629	203.00	4.0000	184.32	17.892	5.6970	65	1.04	022.43	0
022	Copper (mg / kg (ppm))	0160	205.50	11.000	184.32	17.892	5.6970	65	1.18	022.42	0
022	Copper (mg / kg (ppm))	0294	206.51	13.820	184.32	17.892	5.6970	65	1.24	022.42	0
022	Copper (mg / kg (ppm))	0186	207.50	3.0000	184.32	17.892	5.6970	65	1.30	022.42	0
022	Copper (mg / kg (ppm))	0009	208.04	2.1300	184.32	17.892	5.6970	65	1.33	022.42	0
022	Copper (mg / kg (ppm))	0187	211.63	0.54000	184.32	17.892	5.6970	65	1.53	022.42	0
022	Copper (mg / kg (ppm))	0106	214.50	3.0000	184.32	17.892	5.6970	65	1.69	022.42	0
022	Copper (mg / kg (ppm))	0405	216.00	2.0000	184.32	17.892	5.6970	65	1.77	022.41	0
022	Copper (mg / kg (ppm))	0008	197.50	35.000	184.32	17.892	5.6970	65	0.74	022.43	1
025	Iron (mg / kg (ppm))	0186	163.00	2.0000	374.83	29.450	9.0901	65	-7.19	025.42	0
025	Iron (mg / kg (ppm))	0405	282.50	5.0000	374.83	29.450	9.0901	65	-3.14	025.41	0
025	Iron (mg / kg (ppm))	0675	293.56	4.2600	374.83	29.450	9.0901	65	-2.76	025.43	0
025	Iron (mg / kg (ppm))	0505	297.50	15.000	374.83	29.450	9.0901	65	-2.63	025.31	0
025	Iron (mg / kg (ppm))	0609	317.50	15.000	374.83	29.450	9.0901	65	-1.95	025.32	0
025	Iron (mg / kg (ppm))	0619	321.50	15.000	374.83	29.450	9.0901	65	-1.81	025.41	0
025	Iron (mg / kg (ppm))	2023	327.00	4.0000	374.83	29.450	9.0901	65	-1.62	025.43	0
025	Iron (mg / kg (ppm))	0199	338.50	17.000	374.83	29.450	9.0901	65	-1.23	025.53	0
025	Iron (mg / kg (ppm))	0918	339.99	40.570	374.83	29.450	9.0901	65	-1.18	025.43	0
025	Iron (mg / kg (ppm))	0553	342.50	1.0000	374.83	29.450	9.0901	65	-1.10	025.41	0
025	Iron (mg / kg (ppm))	0265	346.00	0.00000	374.83	29.450	9.0901	65	-0.98	025.42	0
025	Iron (mg / kg (ppm))	0169	350.50	15.000	374.83	29.450	9.0901	65	-0.83	025.43	0
025	Iron (mg / kg (ppm))	0187	353.90	3.0800	374.83	29.450	9.0901	65	-0.71	025.42	0
025	Iron (mg / kg (ppm))	0610	355.00	8.0000	374.83	29.450	9.0901	65	-0.67	025.41	0
025	Iron (mg / kg (ppm))	0968	356.00	2.0000	374.83	29.450	9.0901	65	-0.64	025.43	0
025	Iron (mg / kg (ppm))	0598	357.40	9.8000	374.83	29.450	9.0901	65	-0.59	025.41	0
025	Iron (mg / kg (ppm))	0629	358.00	10.000	374.83	29.450	9.0901	65	-0.57	025.31	0
025	Iron (mg / kg (ppm))	0190	358.10	6.0000	374.83	29.450	9.0901	65	-0.57	025.42	0
025	Iron (mg / kg (ppm))	0106	359.00	6.0000	374.83	29.450	9.0901	65	-0.54	025.42	0
025	Iron (mg / kg (ppm))	0098	359.65	31.500	374.83	29.450	9.0901	65	-0.52	025.43	0
025	Iron (mg / kg (ppm))	0297	360.00	4.0000	374.83	29.450	9.0901	65	-0.50	025.43	0
025	Iron (mg / kg (ppm))	0345	360.50	11.000	374.83	29.450	9.0901	65	-0.49	025.43	0
025	Iron (mg / kg (ppm))	0242	360.50	1.0000	374.83	29.450	9.0901	65	-0.49	025.99	0
025	Iron (mg / kg (ppm))	0510	361.00	6.0000	374.83	29.450	9.0901	65	-0.47	025.43	0
025	Iron (mg / kg (ppm))	0910	364.50	1.0000	374.83	29.450	9.0901	65	-0.35	025.41	0
025	Iron (mg / kg (ppm))	0051	365.00	2.0000	374.83	29.450	9.0901	65	-0.33	025.41	0
025	Iron (mg / kg (ppm))	0098	365.60	1.8000	374.83	29.450	9.0901	65	-0.31	025.41	0
025	Iron (mg / kg (ppm))	0693	367.00	24.000	374.83	29.450	9.0901	65	-0.27	025.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
025	Iron (mg / kg (ppm))	0629	369.00	6.0000	374.83	29.450	9.0901	65	-0.20	025.43	0
025	Iron (mg / kg (ppm))	2022	369.65	5.1000	374.83	29.450	9.0901	65	-0.18	025.31	0
025	Iron (mg / kg (ppm))	0912	370.00	0.00000	374.83	29.450	9.0901	65	-0.16	025.53	0
025	Iron (mg / kg (ppm))	0011	373.63	7.9250	374.83	29.450	9.0901	65	-0.04	025.41	0
025	Iron (mg / kg (ppm))	0049	374.56	10.820	374.83	29.450	9.0901	65	-0.01	025.41	0
025	Iron (mg / kg (ppm))	0083	375.50	1.0000	374.83	29.450	9.0901	65	0.02	025.41	0
025	Iron (mg / kg (ppm))	0407	376.20	1.8900	374.83	29.450	9.0901	65	0.05	025.41	0
025	Iron (mg / kg (ppm))	0004	377.00	20.000	374.83	29.450	9.0901	65	0.07	025.41	0
025	Iron (mg / kg (ppm))	0294	377.40	1.6000	374.83	29.450	9.0901	65	0.09	025.42	0
025	Iron (mg / kg (ppm))	0164	377.50	5.0000	374.83	29.450	9.0901	65	0.09	025.41	0
025	Iron (mg / kg (ppm))	0033	377.80	8.8000	374.83	29.450	9.0901	65	0.10	025.43	0
025	Iron (mg / kg (ppm))	0726	379.15	0.70000	374.83	29.450	9.0901	65	0.15	025.42	0
025	Iron (mg / kg (ppm))	0723	381.00	0.00000	374.83	29.450	9.0901	65	0.21	025.31	0
025	Iron (mg / kg (ppm))	0354	381.53	2.1000	374.83	29.450	9.0901	65	0.23	025.31	0
025	Iron (mg / kg (ppm))	0148	384.30	5.2000	374.83	29.450	9.0901	65	0.32	025.41	0
025	Iron (mg / kg (ppm))	0868	385.00	2.0000	374.83	29.450	9.0901	65	0.35	025.31	0
025	Iron (mg / kg (ppm))	0035	391.45	4.3000	374.83	29.450	9.0901	65	0.56	025.32	0
025	Iron (mg / kg (ppm))	0208	392.00	6.0000	374.83	29.450	9.0901	65	0.58	025.31	0
025	Iron (mg / kg (ppm))	0512	392.35	1.9000	374.83	29.450	9.0901	65	0.59	025.41	0
025	Iron (mg / kg (ppm))	0229	395.00	10.000	374.83	29.450	9.0901	65	0.68	025.41	0
025	Iron (mg / kg (ppm))	0171	395.50	13.000	374.83	29.450	9.0901	65	0.70	025.41	0
025	Iron (mg / kg (ppm))	0008	398.00	20.000	374.83	29.450	9.0901	65	0.79	025.43	0
025	Iron (mg / kg (ppm))	0520	400.00	8.0000	374.83	29.450	9.0901	65	0.85	025.41	0
025	Iron (mg / kg (ppm))	0208	401.50	7.0000	374.83	29.450	9.0901	65	0.91	025.41	0
025	Iron (mg / kg (ppm))	0035	403.95	2.7000	374.83	29.450	9.0901	65	0.99	025.42	0
025	Iron (mg / kg (ppm))	0413	404.50	9.0000	374.83	29.450	9.0901	65	1.01	025.42	0
025	Iron (mg / kg (ppm))	0878	405.00	10.000	374.83	29.450	9.0901	65	1.02	025.41	0
025	Iron (mg / kg (ppm))	0038	408.00	16.000	374.83	29.450	9.0901	65	1.13	025.43	0
025	Iron (mg / kg (ppm))	0038	409.00	16.000	374.83	29.450	9.0901	65	1.16	025.31	0
025	Iron (mg / kg (ppm))	0042	417.00	34.000	374.83	29.450	9.0901	65	1.43	025.42	0
025	Iron (mg / kg (ppm))	0353	422.00	8.4000	374.83	29.450	9.0901	65	1.60	025.43	0
025	Iron (mg / kg (ppm))	0964	424.85	17.560	374.83	29.450	9.0901	65	1.70	025.41	0
025	Iron (mg / kg (ppm))	0066	444.65	18.940	374.83	29.450	9.0901	65	2.37	025.31	0
025	Iron (mg / kg (ppm))	0045	447.00	12.000	374.83	29.450	9.0901	65	2.45	025.42	0
025	Iron (mg / kg (ppm))	0003	470.50	29.000	374.83	29.450	9.0901	65	3.25	025.41	0
025	Iron (mg / kg (ppm))	0337	490.11	5.1100	374.83	29.450	9.0901	65	3.91	025.32	0
025	Iron (mg / kg (ppm))	0003	495.80	2.8000	374.83	29.450	9.0901	65	4.11	025.43	0
025	Iron (mg / kg (ppm))	0154	328.45	60.470	374.83	29.450	9.0901	65	-1.57	025.52	1
027	Magnesium (%)	0889	0.15650	0.00100	0.20702	0.01298	0.00476	63	-3.89	027.99	0
027	Magnesium (%)	0142	0.18000	0.02000	0.20702	0.01298	0.00476	63	-2.08	027.31	0
027	Magnesium (%)	0553	0.18150	0.00700	0.20702	0.01298	0.00476	63	-1.97	027.41	0
027	Magnesium (%)	2022	0.18400	0.00200	0.20702	0.01298	0.00476	63	-1.77	027.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0510	0.19000	0.00000	0.20702	0.01298	0.00476	63	-1.31	027.43	0
027	Magnesium (%)	0629	0.19000	0.00000	0.20702	0.01298	0.00476	63	-1.31	027.43	0
027	Magnesium (%)	0345	0.19200	0.00200	0.20702	0.01298	0.00476	63	-1.16	027.43	0
027	Magnesium (%)	0918	0.19250	0.01900	0.20702	0.01298	0.00476	63	-1.12	027.43	0
027	Magnesium (%)	0668	0.19400	0.00600	0.20702	0.01298	0.00476	63	-1.00	027.43	0
027	Magnesium (%)	0035	0.19405	0.00610	0.20702	0.01298	0.00476	63	-1.00	027.42	0
027	Magnesium (%)	0609	0.19500	0.01000	0.20702	0.01298	0.00476	63	-0.93	027.32	0
027	Magnesium (%)	0300	0.19500	0.00400	0.20702	0.01298	0.00476	63	-0.93	027.41	0
027	Magnesium (%)	0265	0.19500	0.01000	0.20702	0.01298	0.00476	63	-0.93	027.42	0
027	Magnesium (%)	0051	0.19605	0.00370	0.20702	0.01298	0.00476	63	-0.84	027.41	0
027	Magnesium (%)	0065	0.19865	0.00110	0.20702	0.01298	0.00476	63	-0.64	027.31	0
027	Magnesium (%)	0354	0.20000	0.00000	0.20702	0.01298	0.00476	63	-0.54	027.31	0
027	Magnesium (%)	0049	0.20000	0.00000	0.20702	0.01298	0.00476	63	-0.54	027.41	0
027	Magnesium (%)	0171	0.20000	0.00000	0.20702	0.01298	0.00476	63	-0.54	027.41	0
027	Magnesium (%)	0033	0.20000	0.00000	0.20702	0.01298	0.00476	63	-0.54	027.43	0
027	Magnesium (%)	0675	0.20000	0.00000	0.20702	0.01298	0.00476	63	-0.54	027.43	0
027	Magnesium (%)	0242	0.20000	0.00000	0.20702	0.01298	0.00476	63	-0.54	027.99	0
027	Magnesium (%)	0038	0.20100	0.00600	0.20702	0.01298	0.00476	63	-0.46	027.31	0
027	Magnesium (%)	0868	0.20150	0.00100	0.20702	0.01298	0.00476	63	-0.43	027.31	0
027	Magnesium (%)	0154	0.20235	0.00490	0.20702	0.01298	0.00476	63	-0.36	027.52	0
027	Magnesium (%)	0186	0.20400	0.00200	0.20702	0.01298	0.00476	63	-0.23	027.42	0
027	Magnesium (%)	0148	0.20450	0.00100	0.20702	0.01298	0.00476	63	-0.19	027.41	0
027	Magnesium (%)	0968	0.20450	0.00100	0.20702	0.01298	0.00476	63	-0.19	027.43	0
027	Magnesium (%)	0008	0.20500	0.00000	0.20702	0.01298	0.00476	63	-0.16	027.43	0
027	Magnesium (%)	0038	0.20500	0.00200	0.20702	0.01298	0.00476	63	-0.16	027.43	0
027	Magnesium (%)	0405	0.20500	0.01000	0.20702	0.01298	0.00476	63	-0.16	027.41	0
027	Magnesium (%)	0045	0.20500	0.01000	0.20702	0.01298	0.00476	63	-0.16	027.42	0
027	Magnesium (%)	0139	0.20565	0.00270	0.20702	0.01298	0.00476	63	-0.11	027.31	0
027	Magnesium (%)	0164	0.20650	0.00500	0.20702	0.01298	0.00476	63	-0.04	027.41	0
027	Magnesium (%)	0035	0.20675	0.00110	0.20702	0.01298	0.00476	63	-0.02	027.32	0
027	Magnesium (%)	0208	0.20750	0.00700	0.20702	0.01298	0.00476	63	0.04	027.31	0
027	Magnesium (%)	0003	0.21000	0.00000	0.20702	0.01298	0.00476	63	0.23	027.41	0
027	Magnesium (%)	0083	0.21000	0.00000	0.20702	0.01298	0.00476	63	0.23	027.41	0
027	Magnesium (%)	0009	0.21000	0.00000	0.20702	0.01298	0.00476	63	0.23	027.42	0
027	Magnesium (%)	0202	0.21000	0.00000	0.20702	0.01298	0.00476	63	0.23	027.42	0
027	Magnesium (%)	0098	0.21000	0.00000	0.20702	0.01298	0.00476	63	0.23	027.43	0
027	Magnesium (%)	0297	0.21000	0.00000	0.20702	0.01298	0.00476	63	0.23	027.43	0
027	Magnesium (%)	0229	0.21000	0.02000	0.20702	0.01298	0.00476	63	0.23	027.41	0
027	Magnesium (%)	0407	0.21350	0.00100	0.20702	0.01298	0.00476	63	0.50	027.41	0
027	Magnesium (%)	0011	0.21375	0.00050	0.20702	0.01298	0.00476	63	0.52	027.41	0
027	Magnesium (%)	0263	0.21390	0.00320	0.20702	0.01298	0.00476	63	0.53	027.32	0
027	Magnesium (%)	0160	0.21475	0.01650	0.20702	0.01298	0.00476	63	0.60	027.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
027	Magnesium (%)	0098	0.21500	0.01000	0.20702	0.01298	0.00476	63	0.61	027.41	0
027	Magnesium (%)	0413	0.21500	0.01000	0.20702	0.01298	0.00476	63	0.61	027.41	0
027	Magnesium (%)	0208	0.21550	0.01300	0.20702	0.01298	0.00476	63	0.65	027.41	0
027	Magnesium (%)	0598	0.21795	0.00030	0.20702	0.01298	0.00476	63	0.84	027.41	0
027	Magnesium (%)	2023	0.21900	0.00000	0.20702	0.01298	0.00476	63	0.92	027.41	0
027	Magnesium (%)	0169	0.22000	0.00000	0.20702	0.01298	0.00476	63	1.00	027.32	0
027	Magnesium (%)	0294	0.22000	0.00000	0.20702	0.01298	0.00476	63	1.00	027.42	0
027	Magnesium (%)	0042	0.22100	0.02000	0.20702	0.01298	0.00476	63	1.08	027.42	0
027	Magnesium (%)	0964	0.22350	0.00300	0.20702	0.01298	0.00476	63	1.27	027.41	0
027	Magnesium (%)	0520	0.22500	0.01000	0.20702	0.01298	0.00476	63	1.38	027.41	0
027	Magnesium (%)	0878	0.22500	0.01000	0.20702	0.01298	0.00476	63	1.38	027.41	0
027	Magnesium (%)	0693	0.22500	0.01000	0.20702	0.01298	0.00476	63	1.38	027.42	0
027	Magnesium (%)	0003	0.22500	0.01000	0.20702	0.01298	0.00476	63	1.38	027.43	0
027	Magnesium (%)	0353	0.22500	0.01000	0.20702	0.01298	0.00476	63	1.38	027.43	0
027	Magnesium (%)	0619	0.22800	0.00200	0.20702	0.01298	0.00476	63	1.62	027.41	0
027	Magnesium (%)	0106	0.22800	0.00200	0.20702	0.01298	0.00476	63	1.62	027.42	0
027	Magnesium (%)	0187	0.23730	0.00260	0.20702	0.01298	0.00476	63	2.33	027.42	0
027	Magnesium (%)	0912	0.21500	0.03000	0.20702	0.01298	0.00476	63	0.61	027.53	1
028	Manganese (mg / kg (ppm))	0049	53.015	6.3900	67.466	4.0286	2.5949	69	-3.59	028.41	0
028	Manganese (mg / kg (ppm))	0619	58.800	3.0000	67.466	4.0286	2.5949	69	-2.15	028.41	0
028	Manganese (mg / kg (ppm))	0294	59.750	1.5000	67.466	4.0286	2.5949	69	-1.92	028.42	0
028	Manganese (mg / kg (ppm))	0553	60.550	3.3000	67.466	4.0286	2.5949	69	-1.72	028.41	0
028	Manganese (mg / kg (ppm))	0051	61.045	0.13000	67.466	4.0286	2.5949	69	-1.59	028.41	0
028	Manganese (mg / kg (ppm))	0505	62.200	4.6000	67.466	4.0286	2.5949	69	-1.31	028.31	0
028	Manganese (mg / kg (ppm))	0668	62.300	2.4000	67.466	4.0286	2.5949	69	-1.28	028.43	0
028	Manganese (mg / kg (ppm))	0910	62.500	5.0000	67.466	4.0286	2.5949	69	-1.23	028.41	0
028	Manganese (mg / kg (ppm))	0169	62.600	3.6000	67.466	4.0286	2.5949	69	-1.21	028.43	0
028	Manganese (mg / kg (ppm))	0918	62.600	9.9200	67.466	4.0286	2.5949	69	-1.21	028.43	0
028	Manganese (mg / kg (ppm))	2023	63.100	2.2000	67.466	4.0286	2.5949	69	-1.08	028.44	0
028	Manganese (mg / kg (ppm))	2022	63.450	0.30000	67.466	4.0286	2.5949	69	-1.00	028.31	0
028	Manganese (mg / kg (ppm))	0164	63.500	1.0000	67.466	4.0286	2.5949	69	-0.98	028.41	0
028	Manganese (mg / kg (ppm))	0675	64.050	4.4200	67.466	4.0286	2.5949	69	-0.85	028.43	0
028	Manganese (mg / kg (ppm))	0590	64.500	1.0000	67.466	4.0286	2.5949	69	-0.74	028.31	0
028	Manganese (mg / kg (ppm))	0265	64.500	1.0000	67.466	4.0286	2.5949	69	-0.74	028.42	0
028	Manganese (mg / kg (ppm))	0723	64.700	0.00000	67.466	4.0286	2.5949	69	-0.69	028.31	0
028	Manganese (mg / kg (ppm))	0354	64.745	0.11000	67.466	4.0286	2.5949	69	-0.68	028.31	0
028	Manganese (mg / kg (ppm))	0171	65.000	3.8000	67.466	4.0286	2.5949	69	-0.61	028.41	0
028	Manganese (mg / kg (ppm))	0968	65.000	0.00000	67.466	4.0286	2.5949	69	-0.61	028.43	0
028	Manganese (mg / kg (ppm))	0629	65.200	1.6000	67.466	4.0286	2.5949	69	-0.56	028.31	0
028	Manganese (mg / kg (ppm))	0520	65.400	2.8000	67.466	4.0286	2.5949	69	-0.51	028.41	0
028	Manganese (mg / kg (ppm))	0912	65.500	3.0000	67.466	4.0286	2.5949	69	-0.49	028.53	0
028	Manganese (mg / kg (ppm))	0011	65.528	0.42500	67.466	4.0286	2.5949	69	-0.48	028.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0199	65.750	0.30000	67.466	4.0286	2.5949	69	-0.43	028.53	0
028	Manganese (mg / kg (ppm))	0629	66.100	1.4000	67.466	4.0286	2.5949	69	-0.34	028.43	0
028	Manganese (mg / kg (ppm))	0066	66.270	2.3600	67.466	4.0286	2.5949	69	-0.30	028.31	0
028	Manganese (mg / kg (ppm))	0208	66.500	7.0000	67.466	4.0286	2.5949	69	-0.24	028.41	0
028	Manganese (mg / kg (ppm))	0008	66.550	0.30000	67.466	4.0286	2.5949	69	-0.23	028.43	0
028	Manganese (mg / kg (ppm))	0693	66.645	2.8300	67.466	4.0286	2.5949	69	-0.20	028.42	0
028	Manganese (mg / kg (ppm))	0610	67.000	0.00000	67.466	4.0286	2.5949	69	-0.12	028.41	0
028	Manganese (mg / kg (ppm))	0878	67.000	4.0000	67.466	4.0286	2.5949	69	-0.12	028.41	0
028	Manganese (mg / kg (ppm))	0035	67.100	6.7400	67.466	4.0286	2.5949	69	-0.09	028.42	0
028	Manganese (mg / kg (ppm))	0003	67.500	1.0000	67.466	4.0286	2.5949	69	0.01	028.41	0
028	Manganese (mg / kg (ppm))	0083	67.500	1.0000	67.466	4.0286	2.5949	69	0.01	028.41	0
028	Manganese (mg / kg (ppm))	0242	67.500	3.0000	67.466	4.0286	2.5949	69	0.01	028.99	0
028	Manganese (mg / kg (ppm))	0098	67.600	2.8000	67.466	4.0286	2.5949	69	0.03	028.41	0
028	Manganese (mg / kg (ppm))	0413	67.900	0.40000	67.466	4.0286	2.5949	69	0.11	028.42	0
028	Manganese (mg / kg (ppm))	0510	68.000	2.0000	67.466	4.0286	2.5949	69	0.13	028.43	0
028	Manganese (mg / kg (ppm))	0598	68.220	1.7200	67.466	4.0286	2.5949	69	0.19	028.41	0
028	Manganese (mg / kg (ppm))	0148	68.295	0.09000	67.466	4.0286	2.5949	69	0.21	028.41	0
028	Manganese (mg / kg (ppm))	0512	68.345	3.4100	67.466	4.0286	2.5949	69	0.22	028.41	0
028	Manganese (mg / kg (ppm))	0407	68.400	2.6600	67.466	4.0286	2.5949	69	0.23	028.41	0
028	Manganese (mg / kg (ppm))	0229	68.500	1.0000	67.466	4.0286	2.5949	69	0.26	028.41	0
028	Manganese (mg / kg (ppm))	0190	68.980	0.16000	67.466	4.0286	2.5949	69	0.38	028.42	0
028	Manganese (mg / kg (ppm))	0964	69.079	2.6250	67.466	4.0286	2.5949	69	0.40	028.41	0
028	Manganese (mg / kg (ppm))	0868	69.150	0.30000	67.466	4.0286	2.5949	69	0.42	028.31	0
028	Manganese (mg / kg (ppm))	0345	69.450	2.5000	67.466	4.0286	2.5949	69	0.49	028.43	0
028	Manganese (mg / kg (ppm))	0208	69.500	3.0000	67.466	4.0286	2.5949	69	0.50	028.31	0
028	Manganese (mg / kg (ppm))	0186	69.500	3.0000	67.466	4.0286	2.5949	69	0.50	028.42	0
028	Manganese (mg / kg (ppm))	0004	70.000	10.000	67.466	4.0286	2.5949	69	0.63	028.41	0
028	Manganese (mg / kg (ppm))	0297	70.000	2.0000	67.466	4.0286	2.5949	69	0.63	028.43	0
028	Manganese (mg / kg (ppm))	0098	70.050	1.5600	67.466	4.0286	2.5949	69	0.64	028.43	0
028	Manganese (mg / kg (ppm))	0038	70.300	0.40000	67.466	4.0286	2.5949	69	0.70	028.32	0
028	Manganese (mg / kg (ppm))	0035	70.765	1.4500	67.466	4.0286	2.5949	69	0.82	028.32	0
028	Manganese (mg / kg (ppm))	0009	70.885	4.8700	67.466	4.0286	2.5949	69	0.85	028.42	0
028	Manganese (mg / kg (ppm))	0033	70.925	3.0300	67.466	4.0286	2.5949	69	0.86	028.43	0
028	Manganese (mg / kg (ppm))	0038	72.000	2.0000	67.466	4.0286	2.5949	69	1.13	028.43	0
028	Manganese (mg / kg (ppm))	0045	72.100	0.60000	67.466	4.0286	2.5949	69	1.15	028.42	0
028	Manganese (mg / kg (ppm))	0726	72.445	0.13000	67.466	4.0286	2.5949	69	1.24	028.42	0
028	Manganese (mg / kg (ppm))	0202	72.495	0.93000	67.466	4.0286	2.5949	69	1.25	028.42	0
028	Manganese (mg / kg (ppm))	0042	73.800	6.6000	67.466	4.0286	2.5949	69	1.57	028.42	0
028	Manganese (mg / kg (ppm))	0003	74.080	2.5600	67.466	4.0286	2.5949	69	1.64	028.43	0
028	Manganese (mg / kg (ppm))	0160	74.850	8.7000	67.466	4.0286	2.5949	69	1.83	028.42	0
028	Manganese (mg / kg (ppm))	0187	76.920	0.10000	67.466	4.0286	2.5949	69	2.35	028.42	0
028	Manganese (mg / kg (ppm))	0106	78.000	3.0000	67.466	4.0286	2.5949	69	2.61	028.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
028	Manganese (mg / kg (ppm))	0405	80.500	1.0000	67.466	4.0286	2.5949	69	3.24	028.41	0
028	Manganese (mg / kg (ppm))	0353	81.235	3.0300	67.466	4.0286	2.5949	69	3.42	028.43	0
028	Manganese (mg / kg (ppm))	0609	90.000	10.000	67.466	4.0286	2.5949	69	5.59	028.32	0
031	Phosphorus (%)	0852	0.65000	0.02000	0.76014	0.03204	0.01255	110	-3.44	031.99	0
031	Phosphorus (%)	0889	0.67555	0.00030	0.76014	0.03204	0.01255	110	-2.64	031.99	0
031	Phosphorus (%)	0553	0.69300	0.02600	0.76014	0.03204	0.01255	110	-2.10	031.41	0
031	Phosphorus (%)	0885	0.70000	0.00000	0.76014	0.03204	0.01255	110	-1.88	031.01	0
031	Phosphorus (%)	0009	0.71000	0.04000	0.76014	0.03204	0.01255	110	-1.56	031.42	0
031	Phosphorus (%)	0017	0.71000	0.02000	0.76014	0.03204	0.01255	110	-1.56	031.43	0
031	Phosphorus (%)	0035	0.71150	0.00660	0.76014	0.03204	0.01255	110	-1.52	031.42	0
031	Phosphorus (%)	0685	0.71500	0.01000	0.76014	0.03204	0.01255	110	-1.41	031.41	0
031	Phosphorus (%)	0619	0.71650	0.02100	0.76014	0.03204	0.01255	110	-1.36	031.41	0
031	Phosphorus (%)	0011	0.71800	0.00460	0.76014	0.03204	0.01255	110	-1.32	031.41	0
031	Phosphorus (%)	0033	0.71950	0.04100	0.76014	0.03204	0.01255	110	-1.27	031.43	0
031	Phosphorus (%)	0668	0.71950	0.02900	0.76014	0.03204	0.01255	110	-1.27	031.43	0
031	Phosphorus (%)	0675	0.72000	0.00000	0.76014	0.03204	0.01255	110	-1.25	031.43	0
031	Phosphorus (%)	0065	0.72125	0.01750	0.76014	0.03204	0.01255	110	-1.21	031.01	0
031	Phosphorus (%)	0910	0.72500	0.05000	0.76014	0.03204	0.01255	110	-1.10	031.41	0
031	Phosphorus (%)	0552	0.72500	0.01000	0.76014	0.03204	0.01255	110	-1.10	031.99	0
031	Phosphorus (%)	0016	0.73000	0.00400	0.76014	0.03204	0.01255	110	-0.94	031.01	0
031	Phosphorus (%)	0047	0.73000	0.00000	0.76014	0.03204	0.01255	110	-0.94	031.03	0
031	Phosphorus (%)	0298	0.73000	0.02000	0.76014	0.03204	0.01255	110	-0.94	031.41	0
031	Phosphorus (%)	0265	0.73000	0.04000	0.76014	0.03204	0.01255	110	-0.94	031.42	0
031	Phosphorus (%)	0242	0.73000	0.00000	0.76014	0.03204	0.01255	110	-0.94	031.99	0
031	Phosphorus (%)	0300	0.73300	0.00400	0.76014	0.03204	0.01255	110	-0.85	031.41	0
031	Phosphorus (%)	2023	0.73450	0.01300	0.76014	0.03204	0.01255	110	-0.80	031.43	0
031	Phosphorus (%)	0089	0.73500	0.01000	0.76014	0.03204	0.01255	110	-0.78	031.41	0
031	Phosphorus (%)	0190	0.73500	0.01000	0.76014	0.03204	0.01255	110	-0.78	031.42	0
031	Phosphorus (%)	0918	0.73500	0.05800	0.76014	0.03204	0.01255	110	-0.78	031.43	0
031	Phosphorus (%)	0921	0.73800	0.00000	0.76014	0.03204	0.01255	110	-0.69	031.01	0
031	Phosphorus (%)	0045	0.73800	0.03600	0.76014	0.03204	0.01255	110	-0.69	031.42	0
031	Phosphorus (%)	0142	0.74000	0.02000	0.76014	0.03204	0.01255	110	-0.63	031.01	0
031	Phosphorus (%)	0169	0.74000	0.00000	0.76014	0.03204	0.01255	110	-0.63	031.03	0
031	Phosphorus (%)	0693	0.74000	0.04000	0.76014	0.03204	0.01255	110	-0.63	031.42	0
031	Phosphorus (%)	0042	0.74300	0.00600	0.76014	0.03204	0.01255	110	-0.54	031.42	0
031	Phosphorus (%)	0723	0.74420	0.00000	0.76014	0.03204	0.01255	110	-0.50	031.01	0
031	Phosphorus (%)	0622	0.74435	0.00910	0.76014	0.03204	0.01255	110	-0.49	031.01	0
031	Phosphorus (%)	0186	0.74450	0.00100	0.76014	0.03204	0.01255	110	-0.49	031.42	0
031	Phosphorus (%)	0233	0.74500	0.01000	0.76014	0.03204	0.01255	110	-0.47	031.01	0
031	Phosphorus (%)	0354	0.74500	0.01000	0.76014	0.03204	0.01255	110	-0.47	031.01	0
031	Phosphorus (%)	0138	0.74800	0.01400	0.76014	0.03204	0.01255	110	-0.38	031.06	0
031	Phosphorus (%)	0194	0.75000	0.02000	0.76014	0.03204	0.01255	110	-0.32	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0674	0.75000	0.00000	0.76014	0.03204	0.01255	110	-0.32	031.01	0
031	Phosphorus (%)	0202	0.75000	0.00000	0.76014	0.03204	0.01255	110	-0.32	031.42	0
031	Phosphorus (%)	0294	0.75000	0.00000	0.76014	0.03204	0.01255	110	-0.32	031.42	0
031	Phosphorus (%)	0620	0.75100	0.00260	0.76014	0.03204	0.01255	110	-0.29	031.01	0
031	Phosphorus (%)	0626	0.75200	0.00400	0.76014	0.03204	0.01255	110	-0.25	031.01	0
031	Phosphorus (%)	0263	0.75480	0.00640	0.76014	0.03204	0.01255	110	-0.17	031.01	0
031	Phosphorus (%)	0878	0.75500	0.01000	0.76014	0.03204	0.01255	110	-0.16	031.01	0
031	Phosphorus (%)	2022	0.75500	0.01000	0.76014	0.03204	0.01255	110	-0.16	031.01	0
031	Phosphorus (%)	0004	0.75500	0.03000	0.76014	0.03204	0.01255	110	-0.16	031.41	0
031	Phosphorus (%)	0049	0.75500	0.03000	0.76014	0.03204	0.01255	110	-0.16	031.41	0
031	Phosphorus (%)	0848	0.75500	0.01000	0.76014	0.03204	0.01255	110	-0.16	031.41	0
031	Phosphorus (%)	0297	0.75500	0.03000	0.76014	0.03204	0.01255	110	-0.16	031.43	0
031	Phosphorus (%)	0035	0.75900	0.00000	0.76014	0.03204	0.01255	110	-0.04	031.01	0
031	Phosphorus (%)	0651	0.75900	0.00800	0.76014	0.03204	0.01255	110	-0.04	031.01	0
031	Phosphorus (%)	0629	0.76000	0.00000	0.76014	0.03204	0.01255	110	0.00	031.01	0
031	Phosphorus (%)	0849	0.76000	0.00400	0.76014	0.03204	0.01255	110	0.00	031.01	0
031	Phosphorus (%)	0505	0.76000	0.00000	0.76014	0.03204	0.01255	110	0.00	031.02	0
031	Phosphorus (%)	2053	0.76000	0.00000	0.76014	0.03204	0.01255	110	0.00	031.02	0
031	Phosphorus (%)	0229	0.76000	0.00000	0.76014	0.03204	0.01255	110	0.00	031.41	0
031	Phosphorus (%)	0590	0.76000	0.00000	0.76014	0.03204	0.01255	110	0.00	031.99	0
031	Phosphorus (%)	0011	0.76140	0.00040	0.76014	0.03204	0.01255	110	0.04	031.02	0
031	Phosphorus (%)	0038	0.76250	0.00500	0.76014	0.03204	0.01255	110	0.07	031.01	0
031	Phosphorus (%)	0205	0.76400	0.00600	0.76014	0.03204	0.01255	110	0.12	031.42	0
031	Phosphorus (%)	0726	0.76485	0.00010	0.76014	0.03204	0.01255	110	0.15	031.42	0
031	Phosphorus (%)	0683	0.76500	0.01000	0.76014	0.03204	0.01255	110	0.15	031.01	0
031	Phosphorus (%)	0098	0.76500	0.01000	0.76014	0.03204	0.01255	110	0.15	031.41	0
031	Phosphorus (%)	0148	0.76500	0.00600	0.76014	0.03204	0.01255	110	0.15	031.41	0
031	Phosphorus (%)	0171	0.76500	0.03000	0.76014	0.03204	0.01255	110	0.15	031.41	0
031	Phosphorus (%)	0003	0.76500	0.01000	0.76014	0.03204	0.01255	110	0.15	031.43	0
031	Phosphorus (%)	0968	0.76950	0.00100	0.76014	0.03204	0.01255	110	0.29	031.43	0
031	Phosphorus (%)	0008	0.77050	0.00100	0.76014	0.03204	0.01255	110	0.32	031.43	0
031	Phosphorus (%)	0208	0.77100	0.00000	0.76014	0.03204	0.01255	110	0.34	031.01	0
031	Phosphorus (%)	0629	0.77200	0.00400	0.76014	0.03204	0.01255	110	0.37	031.43	0
031	Phosphorus (%)	0868	0.77250	0.00700	0.76014	0.03204	0.01255	110	0.39	031.01	0
031	Phosphorus (%)	0051	0.77275	0.01730	0.76014	0.03204	0.01255	110	0.39	031.41	0
031	Phosphorus (%)	2006	0.77300	0.01200	0.76014	0.03204	0.01255	110	0.40	031.01	0
031	Phosphorus (%)	0066	0.77500	0.01000	0.76014	0.03204	0.01255	110	0.46	031.01	0
031	Phosphorus (%)	0689	0.77500	0.01000	0.76014	0.03204	0.01255	110	0.46	031.01	0
031	Phosphorus (%)	0897	0.77500	0.01000	0.76014	0.03204	0.01255	110	0.46	031.01	0
031	Phosphorus (%)	0083	0.77500	0.01000	0.76014	0.03204	0.01255	110	0.46	031.41	0
031	Phosphorus (%)	0407	0.77950	0.02700	0.76014	0.03204	0.01255	110	0.60	031.41	0
031	Phosphorus (%)	0895	0.78000	0.00000	0.76014	0.03204	0.01255	110	0.62	031.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
031	Phosphorus (%)	0609	0.78000	0.02000	0.76014	0.03204	0.01255	110	0.62	031.04	0
031	Phosphorus (%)	0164	0.78000	0.02000	0.76014	0.03204	0.01255	110	0.62	031.41	0
031	Phosphorus (%)	0001	0.78250	0.00100	0.76014	0.03204	0.01255	110	0.70	031.03	0
031	Phosphorus (%)	0014	0.78250	0.02900	0.76014	0.03204	0.01255	110	0.70	031.42	0
031	Phosphorus (%)	0036	0.78295	0.00190	0.76014	0.03204	0.01255	110	0.71	031.03	0
031	Phosphorus (%)	0036	0.78485	0.00170	0.76014	0.03204	0.01255	110	0.77	031.43	0
031	Phosphorus (%)	0903	0.78500	0.01000	0.76014	0.03204	0.01255	110	0.78	031.01	0
031	Phosphorus (%)	2063	0.78500	0.01000	0.76014	0.03204	0.01255	110	0.78	031.01	0
031	Phosphorus (%)	0413	0.78500	0.01000	0.76014	0.03204	0.01255	110	0.78	031.41	0
031	Phosphorus (%)	0139	0.79250	0.01300	0.76014	0.03204	0.01255	110	1.01	031.01	0
031	Phosphorus (%)	0512	0.79355	0.00810	0.76014	0.03204	0.01255	110	1.04	031.41	0
031	Phosphorus (%)	0353	0.79500	0.01000	0.76014	0.03204	0.01255	110	1.09	031.43	0
031	Phosphorus (%)	2067	0.79750	0.00300	0.76014	0.03204	0.01255	110	1.17	031.01	0
031	Phosphorus (%)	0160	0.79795	0.06610	0.76014	0.03204	0.01255	110	1.18	031.42	0
031	Phosphorus (%)	0610	0.80000	0.02000	0.76014	0.03204	0.01255	110	1.24	031.41	0
031	Phosphorus (%)	0199	0.80000	0.00000	0.76014	0.03204	0.01255	110	1.24	031.53	0
031	Phosphorus (%)	0187	0.80485	0.00910	0.76014	0.03204	0.01255	110	1.40	031.42	0
031	Phosphorus (%)	2068	0.80500	0.01000	0.76014	0.03204	0.01255	110	1.40	031.01	0
031	Phosphorus (%)	0510	0.80500	0.01000	0.76014	0.03204	0.01255	110	1.40	031.43	0
031	Phosphorus (%)	0038	0.80700	0.06800	0.76014	0.03204	0.01255	110	1.46	031.43	0
031	Phosphorus (%)	0964	0.81175	0.02010	0.76014	0.03204	0.01255	110	1.61	031.41	0
031	Phosphorus (%)	0345	0.81200	0.00200	0.76014	0.03204	0.01255	110	1.62	031.43	0
031	Phosphorus (%)	0003	0.81500	0.01000	0.76014	0.03204	0.01255	110	1.71	031.41	0
031	Phosphorus (%)	0598	0.83400	0.00340	0.76014	0.03204	0.01255	110	2.30	031.41	0
031	Phosphorus (%)	0337	0.84500	0.01000	0.76014	0.03204	0.01255	110	2.65	031.01	0
031	Phosphorus (%)	0520	0.85000	0.02000	0.76014	0.03204	0.01255	110	2.80	031.41	0
031	Phosphorus (%)	0098	0.85000	0.02000	0.76014	0.03204	0.01255	110	2.80	031.43	0
031	Phosphorus (%)	0106	0.87950	0.00100	0.76014	0.03204	0.01255	110	3.72	031.42	0
031	Phosphorus (%)	0940	0.90000	0.02000	0.76014	0.03204	0.01255	110	4.36	031.01	0
031	Phosphorus (%)	0019	0.73500	0.07000	0.76014	0.03204	0.01255	110	-0.78	031.41	1
031	Phosphorus (%)	0208	0.82300	0.07200	0.76014	0.03204	0.01255	110	1.96	031.41	1
031	Phosphorus (%)	0912	0.82500	0.11000	0.76014	0.03204	0.01255	110	2.02	031.53	1
031	Phosphorus (%)	0018	0.32650	0.00100	0.76014	0.03204	0.01255	110	-13.53	031.01	2
031	Phosphorus (%)	0405	1.1650	0.03000	0.76014	0.03204	0.01255	110	12.64	031.41	2
032	Potassium (%)	0889	0.66605	0.00150	0.82493	0.04549	0.02191	66	-3.49	032.99	0
032	Potassium (%)	2006	0.68550	0.02100	0.82493	0.04549	0.02191	66	-3.07	032.08	0
032	Potassium (%)	0968	0.70350	0.00100	0.82493	0.04549	0.02191	66	-2.67	032.43	0
032	Potassium (%)	0142	0.73000	0.00000	0.82493	0.04549	0.02191	66	-2.09	032.31	0
032	Potassium (%)	2023	0.73300	0.02000	0.82493	0.04549	0.02191	66	-2.02	032.43	0
032	Potassium (%)	0035	0.73695	0.02330	0.82493	0.04549	0.02191	66	-1.93	032.42	0
032	Potassium (%)	0045	0.76450	0.02700	0.82493	0.04549	0.02191	66	-1.33	032.42	0
032	Potassium (%)	0505	0.76500	0.01000	0.82493	0.04549	0.02191	66	-1.32	032.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0049	0.76500	0.03000	0.82493	0.04549	0.02191	66	-1.32	032.41	0
032	Potassium (%)	0208	0.77350	0.12100	0.82493	0.04549	0.02191	66	-1.13	032.41	0
032	Potassium (%)	0354	0.77500	0.01000	0.82493	0.04549	0.02191	66	-1.10	032.31	0
032	Potassium (%)	0242	0.78500	0.01000	0.82493	0.04549	0.02191	66	-0.88	032.99	0
032	Potassium (%)	0918	0.78700	0.08800	0.82493	0.04549	0.02191	66	-0.83	032.43	0
032	Potassium (%)	0300	0.78850	0.00900	0.82493	0.04549	0.02191	66	-0.80	032.41	0
032	Potassium (%)	0675	0.79000	0.00000	0.82493	0.04549	0.02191	66	-0.77	032.43	0
032	Potassium (%)	0668	0.79300	0.01200	0.82493	0.04549	0.02191	66	-0.70	032.43	0
032	Potassium (%)	0265	0.79500	0.01000	0.82493	0.04549	0.02191	66	-0.66	032.42	0
032	Potassium (%)	0083	0.80000	0.02000	0.82493	0.04549	0.02191	66	-0.55	032.41	0
032	Potassium (%)	0229	0.80000	0.04000	0.82493	0.04549	0.02191	66	-0.55	032.41	0
032	Potassium (%)	0033	0.80000	0.04000	0.82493	0.04549	0.02191	66	-0.55	032.43	0
032	Potassium (%)	0009	0.80500	0.03000	0.82493	0.04549	0.02191	66	-0.44	032.42	0
032	Potassium (%)	0405	0.80500	0.01000	0.82493	0.04549	0.02191	66	-0.44	032.41	0
032	Potassium (%)	0065	0.80750	0.00100	0.82493	0.04549	0.02191	66	-0.38	032.31	0
032	Potassium (%)	0154	0.81105	0.02410	0.82493	0.04549	0.02191	66	-0.31	032.52	0
032	Potassium (%)	0011	0.81330	0.00140	0.82493	0.04549	0.02191	66	-0.26	032.41	0
032	Potassium (%)	0171	0.81500	0.03000	0.82493	0.04549	0.02191	66	-0.22	032.41	0
032	Potassium (%)	0693	0.81500	0.01000	0.82493	0.04549	0.02191	66	-0.22	032.42	0
032	Potassium (%)	0598	0.81795	0.01970	0.82493	0.04549	0.02191	66	-0.15	032.41	0
032	Potassium (%)	0868	0.81800	0.00000	0.82493	0.04549	0.02191	66	-0.15	032.31	0
032	Potassium (%)	0629	0.82000	0.00000	0.82493	0.04549	0.02191	66	-0.11	032.31	0
032	Potassium (%)	0164	0.82000	0.02000	0.82493	0.04549	0.02191	66	-0.11	032.41	0
032	Potassium (%)	0205	0.82350	0.01300	0.82493	0.04549	0.02191	66	-0.03	032.42	0
032	Potassium (%)	0038	0.82400	0.00000	0.82493	0.04549	0.02191	66	-0.02	032.31	0
032	Potassium (%)	0609	0.82500	0.01000	0.82493	0.04549	0.02191	66	0.00	032.32	0
032	Potassium (%)	0148	0.82900	0.00400	0.82493	0.04549	0.02191	66	0.09	032.41	0
032	Potassium (%)	0345	0.83000	0.00200	0.82493	0.04549	0.02191	66	0.11	032.43	0
032	Potassium (%)	0139	0.83050	0.03300	0.82493	0.04549	0.02191	66	0.12	032.02	0
032	Potassium (%)	0008	0.83300	0.00600	0.82493	0.04549	0.02191	66	0.18	032.43	0
032	Potassium (%)	0294	0.83500	0.01000	0.82493	0.04549	0.02191	66	0.22	032.42	0
032	Potassium (%)	0042	0.83650	0.05100	0.82493	0.04549	0.02191	66	0.25	032.42	0
032	Potassium (%)	0051	0.83665	0.04570	0.82493	0.04549	0.02191	66	0.26	032.41	0
032	Potassium (%)	0187	0.83685	0.00050	0.82493	0.04549	0.02191	66	0.26	032.42	0
032	Potassium (%)	0964	0.83790	0.02300	0.82493	0.04549	0.02191	66	0.29	032.41	0
032	Potassium (%)	0407	0.83800	0.01200	0.82493	0.04549	0.02191	66	0.29	032.41	0
032	Potassium (%)	0629	0.84100	0.00400	0.82493	0.04549	0.02191	66	0.35	032.43	0
032	Potassium (%)	0878	0.84500	0.03000	0.82493	0.04549	0.02191	66	0.44	032.41	0
032	Potassium (%)	0202	0.84500	0.01000	0.82493	0.04549	0.02191	66	0.44	032.42	0
032	Potassium (%)	0510	0.84500	0.01000	0.82493	0.04549	0.02191	66	0.44	032.43	0
032	Potassium (%)	0619	0.85200	0.00400	0.82493	0.04549	0.02191	66	0.60	032.41	0
032	Potassium (%)	0038	0.85300	0.07200	0.82493	0.04549	0.02191	66	0.62	032.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
032	Potassium (%)	0098	0.86000	0.02000	0.82493	0.04549	0.02191	66	0.77	032.41	0
032	Potassium (%)	0413	0.86000	0.02000	0.82493	0.04549	0.02191	66	0.77	032.41	0
032	Potassium (%)	0208	0.86450	0.02500	0.82493	0.04549	0.02191	66	0.87	032.31	0
032	Potassium (%)	0035	0.86450	0.03440	0.82493	0.04549	0.02191	66	0.87	032.32	0
032	Potassium (%)	0186	0.86800	0.00800	0.82493	0.04549	0.02191	66	0.95	032.42	0
032	Potassium (%)	0683	0.88000	0.00000	0.82493	0.04549	0.02191	66	1.21	032.31	0
032	Potassium (%)	0003	0.88000	0.00000	0.82493	0.04549	0.02191	66	1.21	032.41	0
032	Potassium (%)	0098	0.88000	0.04000	0.82493	0.04549	0.02191	66	1.21	032.43	0
032	Potassium (%)	0353	0.88000	0.02000	0.82493	0.04549	0.02191	66	1.21	032.43	0
032	Potassium (%)	0160	0.88810	0.12220	0.82493	0.04549	0.02191	66	1.39	032.42	0
032	Potassium (%)	0169	0.89000	0.00000	0.82493	0.04549	0.02191	66	1.43	032.32	0
032	Potassium (%)	0912	0.89500	0.09000	0.82493	0.04549	0.02191	66	1.54	032.53	0
032	Potassium (%)	0106	0.92600	0.01600	0.82493	0.04549	0.02191	66	2.22	032.42	0
032	Potassium (%)	0003	0.94500	0.01000	0.82493	0.04549	0.02191	66	2.64	032.43	0
032	Potassium (%)	0520	0.95000	0.06000	0.82493	0.04549	0.02191	66	2.75	032.41	0
032	Potassium (%)	0199	1.0000	0.00000	0.82493	0.04549	0.02191	66	3.85	032.53	0
032	Potassium (%)	0297	0.47200	0.77600	0.82493	0.04549	0.02191	66	-7.76	032.43	1
033	Salt as chloride (%)	0265	0.02000	0.00000	0.62580	0.04330	0.01270	65	-13.99	033.03	0
033	Salt as chloride (%)	2053	0.43200	0.01200	0.62580	0.04330	0.01270	65	-4.48	033.01	0
033	Salt as chloride (%)	0653	0.45300	0.00000	0.62580	0.04330	0.01270	65	-3.99	033.00	0
033	Salt as chloride (%)	0017	0.45500	0.01000	0.62580	0.04330	0.01270	65	-3.94	033.99	0
033	Salt as chloride (%)	0848	0.46500	0.03000	0.62580	0.04330	0.01270	65	-3.71	033.03	0
033	Salt as chloride (%)	2006	0.47800	0.02400	0.62580	0.04330	0.01270	65	-3.41	033.00	0
033	Salt as chloride (%)	0895	0.50500	0.01000	0.62580	0.04330	0.01270	65	-2.79	033.00	0
033	Salt as chloride (%)	0903	0.50500	0.01000	0.62580	0.04330	0.01270	65	-2.79	033.00	0
033	Salt as chloride (%)	2068	0.50500	0.01000	0.62580	0.04330	0.01270	65	-2.79	033.00	0
033	Salt as chloride (%)	0964	0.51500	0.02720	0.62580	0.04330	0.01270	65	-2.56	033.99	0
033	Salt as chloride (%)	2063	0.52500	0.01000	0.62580	0.04330	0.01270	65	-2.33	033.00	0
033	Salt as chloride (%)	0868	0.55500	0.01000	0.62580	0.04330	0.01270	65	-1.64	033.00	0
033	Salt as chloride (%)	0878	0.56500	0.03000	0.62580	0.04330	0.01270	65	-1.40	033.00	0
033	Salt as chloride (%)	0298	0.57000	0.02000	0.62580	0.04330	0.01270	65	-1.29	033.00	0
033	Salt as chloride (%)	2006	0.57000	0.03000	0.62580	0.04330	0.01270	65	-1.29	033.01	0
033	Salt as chloride (%)	2006	0.57000	0.03000	0.62580	0.04330	0.01270	65	-1.29	033.05	0
033	Salt as chloride (%)	2022	0.57900	0.00000	0.62580	0.04330	0.01270	65	-1.08	033.00	0
033	Salt as chloride (%)	0045	0.58100	0.00000	0.62580	0.04330	0.01270	65	-1.03	033.00	0
033	Salt as chloride (%)	0016	0.59100	0.03200	0.62580	0.04330	0.01270	65	-0.80	033.00	0
033	Salt as chloride (%)	0723	0.60000	0.00000	0.62580	0.04330	0.01270	65	-0.60	033.00	0
033	Salt as chloride (%)	0910	0.60000	0.02000	0.62580	0.04330	0.01270	65	-0.60	033.00	0
033	Salt as chloride (%)	0897	0.60500	0.01000	0.62580	0.04330	0.01270	65	-0.48	033.00	0
033	Salt as chloride (%)	0849	0.61150	0.00300	0.62580	0.04330	0.01270	65	-0.33	033.00	0
033	Salt as chloride (%)	0675	0.61500	0.01000	0.62580	0.04330	0.01270	65	-0.25	033.00	0
033	Salt as chloride (%)	0629	0.61500	0.00000	0.62580	0.04330	0.01270	65	-0.25	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0004	0.61500	0.01000	0.62580	0.04330	0.01270	65	-0.25	033.05	0
033	Salt as chloride (%)	0885	0.62000	0.00000	0.62580	0.04330	0.01270	65	-0.13	033.00	0
033	Salt as chloride (%)	0683	0.63000	0.04000	0.62580	0.04330	0.01270	65	0.10	033.00	0
033	Salt as chloride (%)	0354	0.63000	0.02000	0.62580	0.04330	0.01270	65	0.10	033.01	0
033	Salt as chloride (%)	0190	0.63000	0.02000	0.62580	0.04330	0.01270	65	0.10	033.03	0
033	Salt as chloride (%)	0106	0.63200	0.00000	0.62580	0.04330	0.01270	65	0.14	033.01	0
033	Salt as chloride (%)	0955	0.63400	0.00200	0.62580	0.04330	0.01270	65	0.19	033.00	0
033	Salt as chloride (%)	2023	0.63500	0.01000	0.62580	0.04330	0.01270	65	0.21	033.01	0
033	Salt as chloride (%)	0726	0.63500	0.01000	0.62580	0.04330	0.01270	65	0.21	033.03	0
033	Salt as chloride (%)	0552	0.63500	0.01000	0.62580	0.04330	0.01270	65	0.21	033.99	0
033	Salt as chloride (%)	0353	0.64000	0.00000	0.62580	0.04330	0.01270	65	0.33	033.00	0
033	Salt as chloride (%)	0242	0.64000	0.00000	0.62580	0.04330	0.01270	65	0.33	033.01	0
033	Salt as chloride (%)	0590	0.64000	0.02000	0.62580	0.04330	0.01270	65	0.33	033.01	0
033	Salt as chloride (%)	0683	0.64000	0.00000	0.62580	0.04330	0.01270	65	0.33	033.01	0
033	Salt as chloride (%)	0689	0.64000	0.00000	0.62580	0.04330	0.01270	65	0.33	033.05	0
033	Salt as chloride (%)	0964	0.64050	0.01300	0.62580	0.04330	0.01270	65	0.34	033.05	0
033	Salt as chloride (%)	0083	0.64500	0.01000	0.62580	0.04330	0.01270	65	0.44	033.01	0
033	Salt as chloride (%)	0413	0.64500	0.01000	0.62580	0.04330	0.01270	65	0.44	033.01	0
033	Salt as chloride (%)	0861	0.64500	0.03000	0.62580	0.04330	0.01270	65	0.44	033.01	0
033	Salt as chloride (%)	0505	0.64500	0.05000	0.62580	0.04330	0.01270	65	0.44	033.03	0
033	Salt as chloride (%)	0148	0.64700	0.00200	0.62580	0.04330	0.01270	65	0.49	033.01	0
033	Salt as chloride (%)	0205	0.64750	0.00700	0.62580	0.04330	0.01270	65	0.50	033.01	0
033	Salt as chloride (%)	0229	0.65000	0.00000	0.62580	0.04330	0.01270	65	0.56	033.01	0
033	Salt as chloride (%)	0539	0.65500	0.03000	0.62580	0.04330	0.01270	65	0.67	033.00	0
033	Salt as chloride (%)	0001	0.65500	0.01000	0.62580	0.04330	0.01270	65	0.67	033.01	0
033	Salt as chloride (%)	0011	0.65620	0.00540	0.62580	0.04330	0.01270	65	0.70	033.01	0
033	Salt as chloride (%)	0407	0.65750	0.00100	0.62580	0.04330	0.01270	65	0.73	033.01	0
033	Salt as chloride (%)	0164	0.66000	0.00000	0.62580	0.04330	0.01270	65	0.79	033.01	0
033	Salt as chloride (%)	0510	0.66000	0.00000	0.62580	0.04330	0.01270	65	0.79	033.01	0
033	Salt as chloride (%)	0619	0.66200	0.01200	0.62580	0.04330	0.01270	65	0.84	033.99	0
033	Salt as chloride (%)	0098	0.66500	0.01000	0.62580	0.04330	0.01270	65	0.91	033.01	0
033	Salt as chloride (%)	0194	0.66500	0.01000	0.62580	0.04330	0.01270	65	0.91	033.01	0
033	Salt as chloride (%)	0199	0.66500	0.03000	0.62580	0.04330	0.01270	65	0.91	033.01	0
033	Salt as chloride (%)	0650	0.67500	0.03000	0.62580	0.04330	0.01270	65	1.14	033.01	0
033	Salt as chloride (%)	0171	0.69000	0.02000	0.62580	0.04330	0.01270	65	1.48	033.05	0
033	Salt as chloride (%)	0208	0.69150	0.05500	0.62580	0.04330	0.01270	65	1.52	033.99	0
033	Salt as chloride (%)	0003	0.70000	0.00000	0.62580	0.04330	0.01270	65	1.71	033.01	0
033	Salt as chloride (%)	0921	0.71500	0.01000	0.62580	0.04330	0.01270	65	2.06	033.00	0
033	Salt as chloride (%)	0019	0.77000	0.00000	0.62580	0.04330	0.01270	65	3.33	033.01	0
033	Salt as chloride (%)	0674	0.96000	0.00000	0.62580	0.04330	0.01270	65	7.72	033.01	0
033	Salt as chloride (%)	0144	0.50500	0.13000	0.62580	0.04330	0.01270	65	-2.79	033.03	1
033	Salt as chloride (%)	0693	0.64500	0.11000	0.62580	0.04330	0.01270	65	0.44	033.00	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
033	Salt as chloride (%)	0337	0.66500	0.09000	0.62580	0.04330	0.01270	65	0.91	033.01	1
034	Selenium (mg / kg (ppm))	0190	0.32000	0.00000	0.55995	0.15433	0.02426	20	-1.55	034.42	0
034	Selenium (mg / kg (ppm))	0685	0.34000	0.02000	0.55995	0.15433	0.02426	20	-1.43	034.41	0
034	Selenium (mg / kg (ppm))	0964	0.39485	0.06390	0.55995	0.15433	0.02426	20	-1.07	034.43	0
034	Selenium (mg / kg (ppm))	0199	0.40000	0.00000	0.55995	0.15433	0.02426	20	-1.04	034.53	0
034	Selenium (mg / kg (ppm))	0171	0.46000	0.00000	0.55995	0.15433	0.02426	20	-0.65	034.04	0
034	Selenium (mg / kg (ppm))	0629	0.46000	0.00000	0.55995	0.15433	0.02426	20	-0.65	034.43	0
034	Selenium (mg / kg (ppm))	0208	0.50250	0.00300	0.55995	0.15433	0.02426	20	-0.37	034.04	0
034	Selenium (mg / kg (ppm))	0619	0.50350	0.00900	0.55995	0.15433	0.02426	20	-0.37	034.41	0
034	Selenium (mg / kg (ppm))	0164	0.54500	0.01000	0.55995	0.15433	0.02426	20	-0.10	034.04	0
034	Selenium (mg / kg (ppm))	0169	0.55550	0.03500	0.55995	0.15433	0.02426	20	-0.03	034.04	0
034	Selenium (mg / kg (ppm))	0038	0.58250	0.01900	0.55995	0.15433	0.02426	20	0.15	034.01	0
034	Selenium (mg / kg (ppm))	0610	0.59000	0.02000	0.55995	0.15433	0.02426	20	0.19	034.04	0
034	Selenium (mg / kg (ppm))	0098	0.59200	0.04200	0.55995	0.15433	0.02426	20	0.21	034.01	0
034	Selenium (mg / kg (ppm))	0912	0.59500	0.03000	0.55995	0.15433	0.02426	20	0.23	034.53	0
034	Selenium (mg / kg (ppm))	0098	0.62700	0.07200	0.55995	0.15433	0.02426	20	0.43	034.52	0
034	Selenium (mg / kg (ppm))	0553	0.65900	0.09000	0.55995	0.15433	0.02426	20	0.64	034.53	0
034	Selenium (mg / kg (ppm))	2023	0.70000	0.00000	0.55995	0.15433	0.02426	20	0.91	034.53	0
034	Selenium (mg / kg (ppm))	0918	0.75610	0.01120	0.55995	0.15433	0.02426	20	1.27	034.53	0
034	Selenium (mg / kg (ppm))	0047	0.84000	0.00000	0.55995	0.15433	0.02426	20	1.81	034.52	0
034	Selenium (mg / kg (ppm))	0693	1.8300	0.06000	0.55995	0.15433	0.02426	20	8.23	034.42	0
034	Selenium (mg / kg (ppm))	0003	0.38000	0.60000	0.55995	0.15433	0.02426	20	-1.17	034.43	1
035	Sodium (%)	0106	0.16800	0.00200	0.20702	0.01320	0.00695	71	-2.96	035.42	0
035	Sodium (%)	0035	0.16885	0.00970	0.20702	0.01320	0.00695	71	-2.89	035.42	0
035	Sodium (%)	0208	0.18000	0.00000	0.20702	0.01320	0.00695	71	-2.05	035.31	0
035	Sodium (%)	0505	0.18000	0.00400	0.20702	0.01320	0.00695	71	-2.05	035.31	0
035	Sodium (%)	2006	0.18450	0.01300	0.20702	0.01320	0.00695	71	-1.71	035.01	0
035	Sodium (%)	0668	0.18450	0.00300	0.20702	0.01320	0.00695	71	-1.71	035.43	0
035	Sodium (%)	0298	0.19000	0.02000	0.20702	0.01320	0.00695	71	-1.29	035.41	0
035	Sodium (%)	0045	0.19150	0.01100	0.20702	0.01320	0.00695	71	-1.18	035.42	0
035	Sodium (%)	0918	0.19150	0.01900	0.20702	0.01320	0.00695	71	-1.18	035.43	0
035	Sodium (%)	0233	0.19500	0.01000	0.20702	0.01320	0.00695	71	-0.91	035.31	0
035	Sodium (%)	0609	0.19500	0.01000	0.20702	0.01320	0.00695	71	-0.91	035.32	0
035	Sodium (%)	0294	0.19500	0.01000	0.20702	0.01320	0.00695	71	-0.91	035.42	0
035	Sodium (%)	0693	0.19500	0.01000	0.20702	0.01320	0.00695	71	-0.91	035.42	0
035	Sodium (%)	0033	0.19500	0.01000	0.20702	0.01320	0.00695	71	-0.91	035.43	0
035	Sodium (%)	0553	0.19550	0.00900	0.20702	0.01320	0.00695	71	-0.87	035.41	0
035	Sodium (%)	0300	0.19750	0.00100	0.20702	0.01320	0.00695	71	-0.72	035.41	0
035	Sodium (%)	0205	0.19750	0.00100	0.20702	0.01320	0.00695	71	-0.72	035.42	0
035	Sodium (%)	0011	0.19810	0.00060	0.20702	0.01320	0.00695	71	-0.68	035.41	0
035	Sodium (%)	0142	0.20000	0.00000	0.20702	0.01320	0.00695	71	-0.53	035.31	0
035	Sodium (%)	0089	0.20000	0.00000	0.20702	0.01320	0.00695	71	-0.53	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0164	0.20000	0.00000	0.20702	0.01320	0.00695	71	-0.53	035.41	0
035	Sodium (%)	0265	0.20000	0.00000	0.20702	0.01320	0.00695	71	-0.53	035.42	0
035	Sodium (%)	0297	0.20000	0.00000	0.20702	0.01320	0.00695	71	-0.53	035.43	0
035	Sodium (%)	0038	0.20050	0.02500	0.20702	0.01320	0.00695	71	-0.49	035.43	0
035	Sodium (%)	0139	0.20100	0.00400	0.20702	0.01320	0.00695	71	-0.46	035.05	0
035	Sodium (%)	0008	0.20150	0.00100	0.20702	0.01320	0.00695	71	-0.42	035.43	0
035	Sodium (%)	0154	0.20235	0.00390	0.20702	0.01320	0.00695	71	-0.35	035.52	0
035	Sodium (%)	0964	0.20255	0.01070	0.20702	0.01320	0.00695	71	-0.34	035.41	0
035	Sodium (%)	0049	0.20500	0.01000	0.20702	0.01320	0.00695	71	-0.15	035.41	0
035	Sodium (%)	0083	0.20500	0.01000	0.20702	0.01320	0.00695	71	-0.15	035.41	0
035	Sodium (%)	0171	0.20500	0.01000	0.20702	0.01320	0.00695	71	-0.15	035.41	0
035	Sodium (%)	0199	0.20500	0.01000	0.20702	0.01320	0.00695	71	-0.15	035.53	0
035	Sodium (%)	0242	0.20500	0.01000	0.20702	0.01320	0.00695	71	-0.15	035.99	0
035	Sodium (%)	0407	0.20550	0.00300	0.20702	0.01320	0.00695	71	-0.12	035.41	0
035	Sodium (%)	0138	0.20600	0.00400	0.20702	0.01320	0.00695	71	-0.08	035.01	0
035	Sodium (%)	0148	0.20650	0.00300	0.20702	0.01320	0.00695	71	-0.04	035.41	0
035	Sodium (%)	0723	0.20660	0.00000	0.20702	0.01320	0.00695	71	-0.03	035.31	0
035	Sodium (%)	0345	0.20700	0.00200	0.20702	0.01320	0.00695	71	0.00	035.43	0
035	Sodium (%)	0038	0.20800	0.00400	0.20702	0.01320	0.00695	71	0.07	035.31	0
035	Sodium (%)	0921	0.20800	0.00000	0.20702	0.01320	0.00695	71	0.07	035.31	0
035	Sodium (%)	0510	0.20800	0.00200	0.20702	0.01320	0.00695	71	0.07	035.43	0
035	Sodium (%)	0868	0.20850	0.00100	0.20702	0.01320	0.00695	71	0.11	035.31	0
035	Sodium (%)	0051	0.20895	0.01470	0.20702	0.01320	0.00695	71	0.15	035.41	0
035	Sodium (%)	0354	0.21000	0.00000	0.20702	0.01320	0.00695	71	0.23	035.31	0
035	Sodium (%)	0629	0.21000	0.00000	0.20702	0.01320	0.00695	71	0.23	035.31	0
035	Sodium (%)	0878	0.21000	0.00000	0.20702	0.01320	0.00695	71	0.23	035.41	0
035	Sodium (%)	0202	0.21000	0.00000	0.20702	0.01320	0.00695	71	0.23	035.42	0
035	Sodium (%)	0675	0.21150	0.00100	0.20702	0.01320	0.00695	71	0.34	035.43	0
035	Sodium (%)	0186	0.21350	0.00500	0.20702	0.01320	0.00695	71	0.49	035.42	0
035	Sodium (%)	0098	0.21500	0.01000	0.20702	0.01320	0.00695	71	0.60	035.41	0
035	Sodium (%)	0229	0.21500	0.01000	0.20702	0.01320	0.00695	71	0.60	035.41	0
035	Sodium (%)	0098	0.21500	0.01000	0.20702	0.01320	0.00695	71	0.60	035.43	0
035	Sodium (%)	0353	0.21500	0.01000	0.20702	0.01320	0.00695	71	0.60	035.43	0
035	Sodium (%)	0598	0.21545	0.01690	0.20702	0.01320	0.00695	71	0.64	035.41	0
035	Sodium (%)	0208	0.21750	0.00500	0.20702	0.01320	0.00695	71	0.79	035.41	0
035	Sodium (%)	0160	0.21770	0.02240	0.20702	0.01320	0.00695	71	0.81	035.42	0
035	Sodium (%)	0868	0.21900	0.00600	0.20702	0.01320	0.00695	71	0.91	035.01	0
035	Sodium (%)	0629	0.21950	0.00300	0.20702	0.01320	0.00695	71	0.95	035.43	0
035	Sodium (%)	0413	0.22000	0.00000	0.20702	0.01320	0.00695	71	0.98	035.41	0
035	Sodium (%)	0520	0.22000	0.02000	0.20702	0.01320	0.00695	71	0.98	035.41	0
035	Sodium (%)	0065	0.22220	0.00560	0.20702	0.01320	0.00695	71	1.15	035.31	0
035	Sodium (%)	0263	0.22650	0.00600	0.20702	0.01320	0.00695	71	1.48	035.32	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
035	Sodium (%)	0042	0.22650	0.01100	0.20702	0.01320	0.00695	71	1.48	035.42	0
035	Sodium (%)	0035	0.22725	0.00590	0.20702	0.01320	0.00695	71	1.53	035.32	0
035	Sodium (%)	0337	0.22740	0.02880	0.20702	0.01320	0.00695	71	1.54	035.05	0
035	Sodium (%)	0405	0.23250	0.00500	0.20702	0.01320	0.00695	71	1.93	035.41	0
035	Sodium (%)	2023	0.23400	0.00600	0.20702	0.01320	0.00695	71	2.04	035.41	0
035	Sodium (%)	0169	0.23500	0.01000	0.20702	0.01320	0.00695	71	2.12	035.32	0
035	Sodium (%)	0619	0.23800	0.01400	0.20702	0.01320	0.00695	71	2.35	035.41	0
035	Sodium (%)	0187	0.24260	0.00020	0.20702	0.01320	0.00695	71	2.70	035.42	0
035	Sodium (%)	0683	0.27500	0.01000	0.20702	0.01320	0.00695	71	5.15	035.31	0
035	Sodium (%)	0912	0.21500	0.03000	0.20702	0.01320	0.00695	71	0.60	035.53	1
035	Sodium (%)	0889	0.90830	0.00800	0.20702	0.01320	0.00695	71	53.15	035.99	2
036	Sulfur (%)	0889	0.24335	0.00030	0.28289	0.01429	0.00909	28	-2.77	036.99	0
036	Sulfur (%)	0629	0.24900	0.00200	0.28289	0.01429	0.00909	28	-2.37	036.43	0
036	Sulfur (%)	0918	0.25250	0.03300	0.28289	0.01429	0.00909	28	-2.13	036.43	0
036	Sulfur (%)	0265	0.26000	0.02000	0.28289	0.01429	0.00909	28	-1.60	036.42	0
036	Sulfur (%)	0693	0.26000	0.02000	0.28289	0.01429	0.00909	28	-1.60	036.42	0
036	Sulfur (%)	0045	0.27350	0.00100	0.28289	0.01429	0.00909	28	-0.66	036.42	0
036	Sulfur (%)	0106	0.27350	0.00300	0.28289	0.01429	0.00909	28	-0.66	036.42	0
036	Sulfur (%)	0229	0.27500	0.01000	0.28289	0.01429	0.00909	28	-0.55	036.04	0
036	Sulfur (%)	0042	0.27850	0.02100	0.28289	0.01429	0.00909	28	-0.31	036.42	0
036	Sulfur (%)	0171	0.28000	0.00000	0.28289	0.01429	0.00909	28	-0.20	036.42	0
036	Sulfur (%)	0202	0.28000	0.00000	0.28289	0.01429	0.00909	28	-0.20	036.42	0
036	Sulfur (%)	0297	0.28000	0.00000	0.28289	0.01429	0.00909	28	-0.20	036.43	0
036	Sulfur (%)	0242	0.28000	0.00000	0.28289	0.01429	0.00909	28	-0.20	036.99	0
036	Sulfur (%)	0186	0.28200	0.01600	0.28289	0.01429	0.00909	28	-0.06	036.42	0
036	Sulfur (%)	0187	0.28205	0.00010	0.28289	0.01429	0.00909	28	-0.06	036.42	0
036	Sulfur (%)	0160	0.28455	0.01510	0.28289	0.01429	0.00909	28	0.12	036.42	0
036	Sulfur (%)	0912	0.28500	0.03000	0.28289	0.01429	0.00909	28	0.15	036.53	0
036	Sulfur (%)	0345	0.28900	0.00200	0.28289	0.01429	0.00909	28	0.43	036.43	0
036	Sulfur (%)	0038	0.28900	0.03600	0.28289	0.01429	0.00909	28	0.43	036.43	0
036	Sulfur (%)	0164	0.29000	0.00000	0.28289	0.01429	0.00909	28	0.50	036.42	0
036	Sulfur (%)	0033	0.29300	0.00000	0.28289	0.01429	0.00909	28	0.71	036.43	0
036	Sulfur (%)	0407	0.29350	0.00500	0.28289	0.01429	0.00909	28	0.74	036.42	0
036	Sulfur (%)	0353	0.29500	0.01000	0.28289	0.01429	0.00909	28	0.85	036.43	0
036	Sulfur (%)	0098	0.30000	0.00000	0.28289	0.01429	0.00909	28	1.20	036.04	0
036	Sulfur (%)	0294	0.30000	0.00000	0.28289	0.01429	0.00909	28	1.20	036.42	0
036	Sulfur (%)	0169	0.30000	0.02000	0.28289	0.01429	0.00909	28	1.20	036.43	0
036	Sulfur (%)	0510	0.30500	0.01000	0.28289	0.01429	0.00909	28	1.55	036.43	0
036	Sulfur (%)	0098	0.31000	0.00000	0.28289	0.01429	0.00909	28	1.90	036.43	0
037	Zinc (mg / kg (ppm))	0619	159.50	7.0000	265.84	17.511	8.5336	76	-6.07	037.41	0
037	Zinc (mg / kg (ppm))	0199	184.00	6.0000	265.84	17.511	8.5336	76	-4.67	037.53	0
037	Zinc (mg / kg (ppm))	0405	186.00	6.0000	265.84	17.511	8.5336	76	-4.56	037.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0685	216.12	0.13000	265.84	17.511	8.5336	76	-2.84	037.41	0
037	Zinc (mg / kg (ppm))	0889	218.00	2.0000	265.84	17.511	8.5336	76	-2.73	037.99	0
037	Zinc (mg / kg (ppm))	2022	230.90	18.800	265.84	17.511	8.5336	76	-2.00	037.31	0
037	Zinc (mg / kg (ppm))	0019	231.50	23.200	265.84	17.511	8.5336	76	-1.96	037.41	0
037	Zinc (mg / kg (ppm))	0848	238.25	0.93000	265.84	17.511	8.5336	76	-1.58	037.41	0
037	Zinc (mg / kg (ppm))	0609	238.27	1.1000	265.84	17.511	8.5336	76	-1.57	037.32	0
037	Zinc (mg / kg (ppm))	0553	240.00	2.0000	265.84	17.511	8.5336	76	-1.48	037.41	0
037	Zinc (mg / kg (ppm))	0265	244.00	16.000	265.84	17.511	8.5336	76	-1.25	037.42	0
037	Zinc (mg / kg (ppm))	0354	247.50	1.2300	265.84	17.511	8.5336	76	-1.05	037.31	0
037	Zinc (mg / kg (ppm))	0187	247.89	9.9300	265.84	17.511	8.5336	76	-1.03	037.42	0
037	Zinc (mg / kg (ppm))	0353	251.30	2.2000	265.84	17.511	8.5336	76	-0.83	037.43	0
037	Zinc (mg / kg (ppm))	0164	251.50	3.0000	265.84	17.511	8.5336	76	-0.82	037.41	0
037	Zinc (mg / kg (ppm))	0033	253.25	14.300	265.84	17.511	8.5336	76	-0.72	037.43	0
037	Zinc (mg / kg (ppm))	0968	253.50	1.0000	265.84	17.511	8.5336	76	-0.70	037.43	0
037	Zinc (mg / kg (ppm))	0049	255.51	45.870	265.84	17.511	8.5336	76	-0.59	037.41	0
037	Zinc (mg / kg (ppm))	0629	257.00	0.00000	265.84	17.511	8.5336	76	-0.50	037.43	0
037	Zinc (mg / kg (ppm))	0009	257.06	1.3100	265.84	17.511	8.5336	76	-0.50	037.42	0
037	Zinc (mg / kg (ppm))	0629	257.50	3.0000	265.84	17.511	8.5336	76	-0.48	037.31	0
037	Zinc (mg / kg (ppm))	0918	258.18	44.260	265.84	17.511	8.5336	76	-0.44	037.43	0
037	Zinc (mg / kg (ppm))	0675	258.22	3.2500	265.84	17.511	8.5336	76	-0.44	037.43	0
037	Zinc (mg / kg (ppm))	0045	258.50	15.000	265.84	17.511	8.5336	76	-0.42	037.42	0
037	Zinc (mg / kg (ppm))	0693	259.00	6.0000	265.84	17.511	8.5336	76	-0.39	037.42	0
037	Zinc (mg / kg (ppm))	0668	259.50	13.000	265.84	17.511	8.5336	76	-0.36	037.43	0
037	Zinc (mg / kg (ppm))	0051	259.59	12.720	265.84	17.511	8.5336	76	-0.36	037.41	0
037	Zinc (mg / kg (ppm))	0912	260.00	0.00000	265.84	17.511	8.5336	76	-0.33	037.53	0
037	Zinc (mg / kg (ppm))	2023	260.50	7.0000	265.84	17.511	8.5336	76	-0.30	037.43	0
037	Zinc (mg / kg (ppm))	0098	260.80	2.0000	265.84	17.511	8.5336	76	-0.29	037.41	0
037	Zinc (mg / kg (ppm))	0294	261.37	3.6700	265.84	17.511	8.5336	76	-0.26	037.42	0
037	Zinc (mg / kg (ppm))	0190	262.13	1.6500	265.84	17.511	8.5336	76	-0.21	037.42	0
037	Zinc (mg / kg (ppm))	0148	263.30	2.0000	265.84	17.511	8.5336	76	-0.14	037.41	0
037	Zinc (mg / kg (ppm))	0001	264.35	2.5000	265.84	17.511	8.5336	76	-0.08	037.31	0
037	Zinc (mg / kg (ppm))	0004	264.50	15.000	265.84	17.511	8.5336	76	-0.08	037.41	0
037	Zinc (mg / kg (ppm))	0868	265.00	2.0000	265.84	17.511	8.5336	76	-0.05	037.31	0
037	Zinc (mg / kg (ppm))	0208	265.00	12.000	265.84	17.511	8.5336	76	-0.05	037.41	0
037	Zinc (mg / kg (ppm))	0014	265.50	3.0000	265.84	17.511	8.5336	76	-0.02	037.31	0
037	Zinc (mg / kg (ppm))	0505	265.50	3.0000	265.84	17.511	8.5336	76	-0.02	037.31	0
037	Zinc (mg / kg (ppm))	0038	268.00	18.000	265.84	17.511	8.5336	76	0.12	037.43	0
037	Zinc (mg / kg (ppm))	0910	268.50	7.0000	265.84	17.511	8.5336	76	0.15	037.41	0
037	Zinc (mg / kg (ppm))	0242	268.50	17.000	265.84	17.511	8.5336	76	0.15	037.99	0
037	Zinc (mg / kg (ppm))	0008	269.00	20.000	265.84	17.511	8.5336	76	0.18	037.43	0
037	Zinc (mg / kg (ppm))	0169	269.00	12.000	265.84	17.511	8.5336	76	0.18	037.43	0
037	Zinc (mg / kg (ppm))	0723	269.40	0.00000	265.84	17.511	8.5336	76	0.20	037.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
037	Zinc (mg / kg (ppm))	0878	270.00	0.00000	265.84	17.511	8.5336	76	0.24	037.41	0
037	Zinc (mg / kg (ppm))	0345	270.50	7.0000	265.84	17.511	8.5336	76	0.27	037.43	0
037	Zinc (mg / kg (ppm))	0510	270.50	3.0000	265.84	17.511	8.5336	76	0.27	037.43	0
037	Zinc (mg / kg (ppm))	0297	272.00	6.0000	265.84	17.511	8.5336	76	0.35	037.43	0
037	Zinc (mg / kg (ppm))	0003	272.30	13.640	265.84	17.511	8.5336	76	0.37	037.43	0
037	Zinc (mg / kg (ppm))	0229	273.00	2.0000	265.84	17.511	8.5336	76	0.41	037.41	0
037	Zinc (mg / kg (ppm))	0186	273.00	10.000	265.84	17.511	8.5336	76	0.41	037.42	0
037	Zinc (mg / kg (ppm))	0610	274.00	0.00000	265.84	17.511	8.5336	76	0.47	037.41	0
037	Zinc (mg / kg (ppm))	0066	276.43	7.2600	265.84	17.511	8.5336	76	0.60	037.31	0
037	Zinc (mg / kg (ppm))	0520	276.50	11.000	265.84	17.511	8.5336	76	0.61	037.41	0
037	Zinc (mg / kg (ppm))	0013	278.00	2.0000	265.84	17.511	8.5336	76	0.69	037.32	0
037	Zinc (mg / kg (ppm))	0038	278.00	4.0000	265.84	17.511	8.5336	76	0.69	037.32	0
037	Zinc (mg / kg (ppm))	0035	278.40	0.40000	265.84	17.511	8.5336	76	0.72	037.32	0
037	Zinc (mg / kg (ppm))	0598	278.75	2.7000	265.84	17.511	8.5336	76	0.74	037.41	0
037	Zinc (mg / kg (ppm))	0512	279.05	7.3000	265.84	17.511	8.5336	76	0.75	037.41	0
037	Zinc (mg / kg (ppm))	0011	279.32	1.8550	265.84	17.511	8.5336	76	0.77	037.41	0
037	Zinc (mg / kg (ppm))	0202	279.53	1.0000	265.84	17.511	8.5336	76	0.78	037.42	0
037	Zinc (mg / kg (ppm))	2053	280.00	20.000	265.84	17.511	8.5336	76	0.81	037.42	0
037	Zinc (mg / kg (ppm))	0083	282.00	2.0000	265.84	17.511	8.5336	76	0.92	037.41	0
037	Zinc (mg / kg (ppm))	0413	284.00	2.0000	265.84	17.511	8.5336	76	1.04	037.42	0
037	Zinc (mg / kg (ppm))	0003	285.00	12.000	265.84	17.511	8.5336	76	1.09	037.41	0
037	Zinc (mg / kg (ppm))	0726	285.35	0.30000	265.84	17.511	8.5336	76	1.11	037.42	0
037	Zinc (mg / kg (ppm))	0964	286.37	10.190	265.84	17.511	8.5336	76	1.17	037.41	0
037	Zinc (mg / kg (ppm))	0160	288.00	16.000	265.84	17.511	8.5336	76	1.27	037.42	0
037	Zinc (mg / kg (ppm))	0407	288.60	2.2700	265.84	17.511	8.5336	76	1.30	037.41	0
037	Zinc (mg / kg (ppm))	0171	292.00	30.000	265.84	17.511	8.5336	76	1.49	037.41	0
037	Zinc (mg / kg (ppm))	0017	294.00	40.000	265.84	17.511	8.5336	76	1.61	037.43	0
037	Zinc (mg / kg (ppm))	0098	294.90	1.0000	265.84	17.511	8.5336	76	1.66	037.43	0
037	Zinc (mg / kg (ppm))	0035	298.05	24.700	265.84	17.511	8.5336	76	1.84	037.42	0
037	Zinc (mg / kg (ppm))	0674	303.37	16.890	265.84	17.511	8.5336	76	2.14	037.31	0
037	Zinc (mg / kg (ppm))	0106	315.50	5.0000	265.84	17.511	8.5336	76	2.84	037.42	0
037	Zinc (mg / kg (ppm))	0208	311.50	59.000	265.84	17.511	8.5336	76	2.61	037.31	1
037	Zinc (mg / kg (ppm))	0042	318.50	57.000	265.84	17.511	8.5336	76	3.01	037.42	1
038	Molybdenum (mg / kg (ppm))	0297	0.19500	0.13000	0.92725	0.20354	0.07294	13	-3.60	038.43	0
038	Molybdenum (mg / kg (ppm))	0169	0.61000	0.06000	0.92725	0.20354	0.07294	13	-1.56	038.43	0
038	Molybdenum (mg / kg (ppm))	0098	0.72050	0.14700	0.92725	0.20354	0.07294	13	-1.02	038.52	0
038	Molybdenum (mg / kg (ppm))	0353	0.82000	0.04000	0.92725	0.20354	0.07294	13	-0.53	038.43	0
038	Molybdenum (mg / kg (ppm))	0345	0.84500	0.03000	0.92725	0.20354	0.07294	13	-0.40	038.43	0
038	Molybdenum (mg / kg (ppm))	0912	0.91000	0.02000	0.92725	0.20354	0.07294	13	-0.08	038.53	0
038	Molybdenum (mg / kg (ppm))	0918	0.95270	0.03220	0.92725	0.20354	0.07294	13	0.13	038.53	0
038	Molybdenum (mg / kg (ppm))	0510	1.0000	0.00000	0.92725	0.20354	0.07294	13	0.36	038.43	0
038	Molybdenum (mg / kg (ppm))	0964	1.0235	0.01900	0.92725	0.20354	0.07294	13	0.47	038.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
038	Molybdenum (mg / kg (ppm))	0038	1.0350	0.13000	0.92725	0.20354	0.07294	13	0.53	038.43	0
038	Molybdenum (mg / kg (ppm))	2023	1.0950	0.07000	0.92725	0.20354	0.07294	13	0.82	038.53	0
038	Molybdenum (mg / kg (ppm))	0553	1.1050	0.11000	0.92725	0.20354	0.07294	13	0.87	038.53	0
038	Molybdenum (mg / kg (ppm))	0003	1.2400	0.16000	0.92725	0.20354	0.07294	13	1.54	038.43	0
038	Molybdenum (mg / kg (ppm))	0693	0.83000	0.52000	0.92725	0.20354	0.07294	13	-0.48	038.42	1
040	Barium (mg / kg (ppm))	0918	3.0062	0.19860			0.19860	1			
041	Vanadium (mg / kg (ppm))	0553	2.1600	0.22000			0.22000	1			
042	Chloride (%)	0297	0.35000	0.00000			0.00000	1			
050	Carbadox (mg / kg (ppm))	0964	0.00545	0.00050	41.771	23.485	1.5161	5	-1.78	050.01	0
050	Carbadox (mg / kg (ppm))	2053	47.950	2.5000	41.771	23.485	1.5161	5	0.26	050.01	0
050	Carbadox (mg / kg (ppm))	0875	52.700	1.2000	41.771	23.485	1.5161	5	0.47	050.01	0
050	Carbadox (mg / kg (ppm))	0001	53.800	3.4800	41.771	23.485	1.5161	5	0.51	050.01	0
050	Carbadox (mg / kg (ppm))	0036	54.400	0.40000	41.771	23.485	1.5161	5	0.54	050.01	0
057	Ethoxyquin (mg / kg (ppm))	0875	3.3000	0.40000	4.9066	1.8974	0.17960	3	-0.85	057.99	0
057	Ethoxyquin (mg / kg (ppm))	0008	4.4198	0.13880	4.9066	1.8974	0.17960	3	-0.26	057.99	0
057	Ethoxyquin (mg / kg (ppm))	0227	7.0000	0.00000	4.9066	1.8974	0.17960	3	1.10	057.01	0
065	Monensin (mg / kg (ppm))	0148	2.7700	0.06000			0.06000	1			
077	Pyrantel Tartrate (mg / kg (ppm))	2053	99.650	1.5000			1.5000	1			
101	Choline Chloride (mg / kg (ppm))	0051	1,181.6	133.30			133.30	1			
102	Niacin (mg / kg (ppm))	0227	91.700	2.8000			2.8000	1			
103	Pantothenic Acid (mg / kg (ppm))	0227	25.500	1.6000			1.6000	1			
104	Riboflavin (mg / kg (ppm))	2023	5.5400	0.30000	7.0883	2.4769	0.18333	3	-0.63	104.03	0
104	Riboflavin (mg / kg (ppm))	0171	5.7800	0.14000	7.0883	2.4769	0.18333	3	-0.53	104.00	0
104	Riboflavin (mg / kg (ppm))	0227	9.9450	0.11000	7.0883	2.4769	0.18333	3	1.15	104.00	0
105	Thiamine (mg / kg (ppm))	2023	1.9750	0.05000			0.05000	1			
106	Vitamin A (KU / kg)	0004	0.83450	0.06300	3.5533	2.1197	0.29193	15	-1.28	106.02	0
106	Vitamin A (KU / kg)	0675	1.7500	0.10000	3.5533	2.1197	0.29193	15	-0.85	106.02	0
106	Vitamin A (KU / kg)	0910	1.8600	0.10000	3.5533	2.1197	0.29193	15	-0.80	106.02	0
106	Vitamin A (KU / kg)	0098	1.8800	0.28000	3.5533	2.1197	0.29193	15	-0.79	106.01	0
106	Vitamin A (KU / kg)	0619	2.0600	0.02000	3.5533	2.1197	0.29193	15	-0.70	106.02	0
106	Vitamin A (KU / kg)	2023	2.3850	0.59000	3.5533	2.1197	0.29193	15	-0.55	106.02	0
106	Vitamin A (KU / kg)	0171	2.5000	0.00000	3.5533	2.1197	0.29193	15	-0.50	106.00	0
106	Vitamin A (KU / kg)	0905	3.5745	0.55700	3.5533	2.1197	0.29193	15	0.01	106.02	0
106	Vitamin A (KU / kg)	0199	3.9500	0.90000	3.5533	2.1197	0.29193	15	0.19	106.01	0
106	Vitamin A (KU / kg)	0610	4.3000	0.00000	3.5533	2.1197	0.29193	15	0.35	106.02	0
106	Vitamin A (KU / kg)	2058	4.4000	0.14000	3.5533	2.1197	0.29193	15	0.40	106.02	0
106	Vitamin A (KU / kg)	0861	4.4550	0.59000	3.5533	2.1197	0.29193	15	0.43	106.02	0
106	Vitamin A (KU / kg)	0227	5.8850	0.17000	3.5533	2.1197	0.29193	15	1.10	106.02	0
106	Vitamin A (KU / kg)	0689	7.8500	0.70000	3.5533	2.1197	0.29193	15	2.03	106.02	0
106	Vitamin A (KU / kg)	2067	23.487	0.16900	3.5533	2.1197	0.29193	15	9.40	106.02	0
107	Vitamin B12 (µg / kg (ppb))	0227	46.300	0.40000			0.40000	1			
108	Vitamin D3 (KU / kg)	2023	0.43500	0.01000	0.89333	0.53086	0.08000	3	-0.86	108.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
108	Vitamin D3 (KU / kg)	0675	0.77000	0.12000	0.89333	0.53086	0.08000	3	-0.23	108.02	0
108	Vitamin D3 (KU / kg)	0227	1.4750	0.11000	0.89333	0.53086	0.08000	3	1.10	108.02	0
109	Vitamin E (mg / kg (ppm))	0098	44.300	12.800	58.638	8.2360	3.5964	11	-1.74	109.02	0
109	Vitamin E (mg / kg (ppm))	0619	44.545	0.00000	58.638	8.2360	3.5964	11	-1.71	109.02	0
109	Vitamin E (mg / kg (ppm))	0675	51.690	3.2600	58.638	8.2360	3.5964	11	-0.84	109.02	0
109	Vitamin E (mg / kg (ppm))	0199	55.100	6.0000	58.638	8.2360	3.5964	11	-0.43	109.02	0
109	Vitamin E (mg / kg (ppm))	2023	57.600	0.40000	58.638	8.2360	3.5964	11	-0.13	109.02	0
109	Vitamin E (mg / kg (ppm))	0610	59.500	0.00000	58.638	8.2360	3.5964	11	0.10	109.02	0
109	Vitamin E (mg / kg (ppm))	0905	60.500	5.0000	58.638	8.2360	3.5964	11	0.23	109.02	0
109	Vitamin E (mg / kg (ppm))	0861	62.500	1.0000	58.638	8.2360	3.5964	11	0.47	109.02	0
109	Vitamin E (mg / kg (ppm))	0910	64.500	6.4000	58.638	8.2360	3.5964	11	0.71	109.02	0
109	Vitamin E (mg / kg (ppm))	0227	66.250	2.7000	58.638	8.2360	3.5964	11	0.92	109.02	0
109	Vitamin E (mg / kg (ppm))	2067	76.000	2.0000	58.638	8.2360	3.5964	11	2.11	109.02	0
111	Vitamin C, phosphorylated (mg / kg (ppm))	2066	5.7000	1.0000			1.0000	1			
113	Folic Acid (mg / kg (ppm))	0227	1.6700	0.04000			0.04000	1			
114	Biotin (mg / kg (ppm))	0227	0.51500	0.00400			0.00400	1			
120	Alanine (%)	0619	0.79800	0.01800	0.88722	0.01822	0.01088	16	-4.90	120.00	0
120	Alanine (%)	0297	0.81850	0.01500	0.88722	0.01822	0.01088	16	-3.77	120.01	0
120	Alanine (%)	0644	0.86950	0.00900	0.88722	0.01822	0.01088	16	-0.97	120.00	0
120	Alanine (%)	0918	0.87225	0.01350	0.88722	0.01822	0.01088	16	-0.82	120.00	0
120	Alanine (%)	0675	0.87500	0.01000	0.88722	0.01822	0.01088	16	-0.67	120.00	0
120	Alanine (%)	0878	0.87650	0.00700	0.88722	0.01822	0.01088	16	-0.59	120.00	0
120	Alanine (%)	2059	0.88700	0.00400	0.88722	0.01822	0.01088	16	-0.01	120.00	0
120	Alanine (%)	0968	0.88950	0.00700	0.88722	0.01822	0.01088	16	0.12	120.00	0
120	Alanine (%)	0227	0.89000	0.02000	0.88722	0.01822	0.01088	16	0.15	120.00	0
120	Alanine (%)	2023	0.89000	0.00000	0.88722	0.01822	0.01088	16	0.15	120.02	0
120	Alanine (%)	0872	0.89450	0.00500	0.88722	0.01822	0.01088	16	0.40	120.00	0
120	Alanine (%)	0504	0.89500	0.01000	0.88722	0.01822	0.01088	16	0.43	120.00	0
120	Alanine (%)	0684	0.90000	0.00200	0.88722	0.01822	0.01088	16	0.70	120.00	0
120	Alanine (%)	0626	0.90000	0.00200	0.88722	0.01822	0.01088	16	0.70	120.05	0
120	Alanine (%)	0098	0.92785	0.00150	0.88722	0.01822	0.01088	16	2.23	120.02	0
120	Alanine (%)	2022	0.96500	0.05000	0.88722	0.01822	0.01088	16	4.27	120.00	0
120	Alanine (%)	0008	0.94650	0.13900	0.88722	0.01822	0.01088	16	3.25	120.05	1
120	Alanine (%)	0171	0.13000	0.00000	0.88722	0.01822	0.01088	16	-41.56	120.00	2
121	Arginine (%)	0878	0.97150	0.03300	1.0448	0.03065	0.01606	17	-2.39	121.00	0
121	Arginine (%)	0227	0.99000	0.00000	1.0448	0.03065	0.01606	17	-1.79	121.00	0
121	Arginine (%)	0504	1.0100	0.02000	1.0448	0.03065	0.01606	17	-1.13	121.00	0
121	Arginine (%)	0098	1.0245	0.01710	1.0448	0.03065	0.01606	17	-0.66	121.02	0
121	Arginine (%)	0675	1.0250	0.01000	1.0448	0.03065	0.01606	17	-0.64	121.00	0
121	Arginine (%)	0684	1.0365	0.00700	1.0448	0.03065	0.01606	17	-0.27	121.00	0
121	Arginine (%)	0297	1.0380	0.01400	1.0448	0.03065	0.01606	17	-0.22	121.01	0
121	Arginine (%)	0968	1.0395	0.01300	1.0448	0.03065	0.01606	17	-0.17	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
121	Arginine (%)	2059	1.0420	0.00400	1.0448	0.03065	0.01606	17	-0.09	121.00	0
121	Arginine (%)	0872	1.0430	0.01200	1.0448	0.03065	0.01606	17	-0.06	121.00	0
121	Arginine (%)	0644	1.0485	0.00900	1.0448	0.03065	0.01606	17	0.12	121.00	0
121	Arginine (%)	0626	1.0520	0.02200	1.0448	0.03065	0.01606	17	0.24	121.05	0
121	Arginine (%)	0619	1.0750	0.01000	1.0448	0.03065	0.01606	17	0.99	121.00	0
121	Arginine (%)	0008	1.0790	0.07200	1.0448	0.03065	0.01606	17	1.12	121.05	0
121	Arginine (%)	2023	1.0800	0.00000	1.0448	0.03065	0.01606	17	1.15	121.02	0
121	Arginine (%)	0171	1.0900	0.02000	1.0448	0.03065	0.01606	17	1.48	121.00	0
121	Arginine (%)	2022	1.1450	0.01000	1.0448	0.03065	0.01606	17	3.27	121.00	0
121	Arginine (%)	0918	1.0251	0.08990	1.0448	0.03065	0.01606	17	-0.64	121.00	1
122	Aspartic (%)	0626	1.3825	0.01700	1.4630	0.03316	0.01528	17	-2.43	122.05	0
122	Aspartic (%)	0297	1.4135	0.00700	1.4630	0.03316	0.01528	17	-1.49	122.01	0
122	Aspartic (%)	0619	1.4400	0.02000	1.4630	0.03316	0.01528	17	-0.69	122.00	0
122	Aspartic (%)	0644	1.4420	0.00200	1.4630	0.03316	0.01528	17	-0.63	122.00	0
122	Aspartic (%)	2059	1.4425	0.01300	1.4630	0.03316	0.01528	17	-0.62	122.00	0
122	Aspartic (%)	0504	1.4450	0.01000	1.4630	0.03316	0.01528	17	-0.54	122.00	0
122	Aspartic (%)	0675	1.4450	0.01000	1.4630	0.03316	0.01528	17	-0.54	122.00	0
122	Aspartic (%)	0872	1.4615	0.01500	1.4630	0.03316	0.01528	17	-0.04	122.00	0
122	Aspartic (%)	0684	1.4625	0.00300	1.4630	0.03316	0.01528	17	-0.01	122.00	0
122	Aspartic (%)	0918	1.4660	0.08600	1.4630	0.03316	0.01528	17	0.09	122.00	0
122	Aspartic (%)	0878	1.4660	0.00200	1.4630	0.03316	0.01528	17	0.09	122.00	0
122	Aspartic (%)	0098	1.4691	0.00870	1.4630	0.03316	0.01528	17	0.18	122.02	0
122	Aspartic (%)	0227	1.4700	0.02000	1.4630	0.03316	0.01528	17	0.21	122.00	0
122	Aspartic (%)	0968	1.5040	0.00600	1.4630	0.03316	0.01528	17	1.24	122.00	0
122	Aspartic (%)	2023	1.5400	0.00000	1.4630	0.03316	0.01528	17	2.32	122.02	0
122	Aspartic (%)	2022	1.6150	0.03000	1.4630	0.03316	0.01528	17	4.59	122.00	0
122	Aspartic (%)	0171	1.6250	0.01000	1.4630	0.03316	0.01528	17	4.89	122.00	0
122	Aspartic (%)	0008	1.5605	0.20900	1.4630	0.03316	0.01528	17	2.94	122.05	1
124	Cysteine/Cystine (%)	0008	0.21650	0.01500	0.35558	0.03021	0.00869	17	-4.60	124.99	0
124	Cysteine/Cystine (%)	0297	0.32400	0.00800	0.35558	0.03021	0.00869	17	-1.05	124.01	0
124	Cysteine/Cystine (%)	0675	0.32500	0.01000	0.35558	0.03021	0.00869	17	-1.01	124.00	0
124	Cysteine/Cystine (%)	0644	0.32800	0.00000	0.35558	0.03021	0.00869	17	-0.91	124.00	0
124	Cysteine/Cystine (%)	0872	0.33650	0.00100	0.35558	0.03021	0.00869	17	-0.63	124.00	0
124	Cysteine/Cystine (%)	0684	0.34450	0.01900	0.35558	0.03021	0.00869	17	-0.37	124.00	0
124	Cysteine/Cystine (%)	0504	0.34500	0.01000	0.35558	0.03021	0.00869	17	-0.35	124.00	0
124	Cysteine/Cystine (%)	0968	0.34900	0.00200	0.35558	0.03021	0.00869	17	-0.22	124.00	0
124	Cysteine/Cystine (%)	0227	0.35000	0.00000	0.35558	0.03021	0.00869	17	-0.18	124.00	0
124	Cysteine/Cystine (%)	0878	0.35650	0.00500	0.35558	0.03021	0.00869	17	0.03	124.00	0
124	Cysteine/Cystine (%)	0098	0.36965	0.00170	0.35558	0.03021	0.00869	17	0.47	124.02	0
124	Cysteine/Cystine (%)	2022	0.37000	0.02000	0.35558	0.03021	0.00869	17	0.48	124.00	0
124	Cysteine/Cystine (%)	2023	0.37500	0.03000	0.35558	0.03021	0.00869	17	0.64	124.02	0
124	Cysteine/Cystine (%)	2059	0.37850	0.00100	0.35558	0.03021	0.00869	17	0.76	124.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
124	Cysteine/Cystine (%)	0171	0.38500	0.01000	0.35558	0.03021	0.00869	17	0.97	124.00	0
124	Cysteine/Cystine (%)	0619	0.42850	0.01500	0.35558	0.03021	0.00869	17	2.41	124.00	0
124	Cysteine/Cystine (%)	0918	0.48000	0.00000	0.35558	0.03021	0.00869	17	4.12	124.00	0
125	Glutamic (%)	0626	2.8375	0.00300	3.0212	0.09981	0.03736	17	-1.84	125.05	0
125	Glutamic (%)	0918	2.9036	0.12880	3.0212	0.09981	0.03736	17	-1.18	125.00	0
125	Glutamic (%)	2059	2.9350	0.02000	3.0212	0.09981	0.03736	17	-0.86	125.00	0
125	Glutamic (%)	0872	2.9570	0.02000	3.0212	0.09981	0.03736	17	-0.64	125.00	0
125	Glutamic (%)	0227	2.9600	0.06000	3.0212	0.09981	0.03736	17	-0.61	125.00	0
125	Glutamic (%)	0098	2.9664	0.01230	3.0212	0.09981	0.03736	17	-0.55	125.02	0
125	Glutamic (%)	0619	2.9850	0.05000	3.0212	0.09981	0.03736	17	-0.36	125.00	0
125	Glutamic (%)	0504	2.9850	0.01000	3.0212	0.09981	0.03736	17	-0.36	125.00	0
125	Glutamic (%)	0644	2.9865	0.00100	3.0212	0.09981	0.03736	17	-0.35	125.00	0
125	Glutamic (%)	0878	3.0320	0.00200	3.0212	0.09981	0.03736	17	0.11	125.00	0
125	Glutamic (%)	0968	3.0535	0.05300	3.0212	0.09981	0.03736	17	0.32	125.00	0
125	Glutamic (%)	0297	3.0580	0.00800	3.0212	0.09981	0.03736	17	0.37	125.01	0
125	Glutamic (%)	2023	3.1250	0.01000	3.0212	0.09981	0.03736	17	1.04	125.02	0
125	Glutamic (%)	0675	3.1750	0.01000	3.0212	0.09981	0.03736	17	1.54	125.00	0
125	Glutamic (%)	0684	3.1785	0.01700	3.0212	0.09981	0.03736	17	1.58	125.00	0
125	Glutamic (%)	2022	3.3400	0.10000	3.0212	0.09981	0.03736	17	3.19	125.00	0
125	Glutamic (%)	0171	3.8450	0.13000	3.0212	0.09981	0.03736	17	8.25	125.00	0
125	Glutamic (%)	0008	3.3120	0.54000	3.0212	0.09981	0.03736	17	2.91	125.05	1
126	Glycine (%)	0918	0.79705	0.03790	0.82243	0.02230	0.01162	17	-1.14	126.00	0
126	Glycine (%)	0297	0.79800	0.00400	0.82243	0.02230	0.01162	17	-1.10	126.01	0
126	Glycine (%)	0968	0.80000	0.01600	0.82243	0.02230	0.01162	17	-1.01	126.00	0
126	Glycine (%)	0644	0.80150	0.01300	0.82243	0.02230	0.01162	17	-0.94	126.00	0
126	Glycine (%)	0675	0.80500	0.01000	0.82243	0.02230	0.01162	17	-0.78	126.00	0
126	Glycine (%)	0684	0.81450	0.02300	0.82243	0.02230	0.01162	17	-0.36	126.00	0
126	Glycine (%)	0878	0.81500	0.00200	0.82243	0.02230	0.01162	17	-0.33	126.00	0
126	Glycine (%)	2059	0.81650	0.00100	0.82243	0.02230	0.01162	17	-0.27	126.00	0
126	Glycine (%)	0872	0.81950	0.00700	0.82243	0.02230	0.01162	17	-0.13	126.00	0
126	Glycine (%)	0227	0.82000	0.02000	0.82243	0.02230	0.01162	17	-0.11	126.00	0
126	Glycine (%)	2023	0.82500	0.01000	0.82243	0.02230	0.01162	17	0.12	126.02	0
126	Glycine (%)	0619	0.83450	0.00700	0.82243	0.02230	0.01162	17	0.54	126.00	0
126	Glycine (%)	0504	0.83500	0.01000	0.82243	0.02230	0.01162	17	0.56	126.00	0
126	Glycine (%)	0098	0.83775	0.00170	0.82243	0.02230	0.01162	17	0.69	126.02	0
126	Glycine (%)	0626	0.85850	0.00500	0.82243	0.02230	0.01162	17	1.62	126.05	0
126	Glycine (%)	0171	0.89000	0.00000	0.82243	0.02230	0.01162	17	3.03	126.00	0
126	Glycine (%)	2022	0.90500	0.03000	0.82243	0.02230	0.01162	17	3.70	126.00	0
126	Glycine (%)	0008	0.90500	0.14200	0.82243	0.02230	0.01162	17	3.70	126.05	1
127	Histidine (%)	0297	0.35800	0.01000	0.46373	0.02024	0.00959	17	-5.22	127.01	0
127	Histidine (%)	2023	0.38000	0.00000	0.46373	0.02024	0.00959	17	-4.14	127.02	0
127	Histidine (%)	0675	0.41500	0.01000	0.46373	0.02024	0.00959	17	-2.41	127.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
127	Histidine (%)	0504	0.45000	0.00000	0.46373	0.02024	0.00959	17	-0.68	127.00	0
127	Histidine (%)	0684	0.45450	0.00700	0.46373	0.02024	0.00959	17	-0.46	127.00	0
127	Histidine (%)	0644	0.45750	0.00300	0.46373	0.02024	0.00959	17	-0.31	127.00	0
127	Histidine (%)	0227	0.46000	0.02000	0.46373	0.02024	0.00959	17	-0.18	127.00	0
127	Histidine (%)	0626	0.46150	0.01100	0.46373	0.02024	0.00959	17	-0.11	127.05	0
127	Histidine (%)	0918	0.46200	0.03400	0.46373	0.02024	0.00959	17	-0.09	127.00	0
127	Histidine (%)	0098	0.46805	0.00410	0.46373	0.02024	0.00959	17	0.21	127.02	0
127	Histidine (%)	0872	0.47000	0.00600	0.46373	0.02024	0.00959	17	0.31	127.00	0
127	Histidine (%)	2059	0.47250	0.00300	0.46373	0.02024	0.00959	17	0.43	127.00	0
127	Histidine (%)	0968	0.47750	0.00500	0.46373	0.02024	0.00959	17	0.68	127.00	0
127	Histidine (%)	0878	0.48150	0.00100	0.46373	0.02024	0.00959	17	0.88	127.00	0
127	Histidine (%)	2022	0.48500	0.03000	0.46373	0.02024	0.00959	17	1.05	127.00	0
127	Histidine (%)	0171	0.49500	0.01000	0.46373	0.02024	0.00959	17	1.55	127.00	0
127	Histidine (%)	0619	0.50450	0.00900	0.46373	0.02024	0.00959	17	2.01	127.00	0
127	Histidine (%)	0008	0.51350	0.06900	0.46373	0.02024	0.00959	17	2.46	127.05	1
128	Isoleucine (%)	2023	0.67000	0.00000	0.70018	0.02095	0.00674	17	-1.44	128.02	0
128	Isoleucine (%)	0227	0.67500	0.01000	0.70018	0.02095	0.00674	17	-1.20	128.00	0
128	Isoleucine (%)	0675	0.67500	0.01000	0.70018	0.02095	0.00674	17	-1.20	128.00	0
128	Isoleucine (%)	0918	0.68330	0.01740	0.70018	0.02095	0.00674	17	-0.81	128.00	0
128	Isoleucine (%)	0878	0.68700	0.00000	0.70018	0.02095	0.00674	17	-0.63	128.00	0
128	Isoleucine (%)	0644	0.69100	0.00600	0.70018	0.02095	0.00674	17	-0.44	128.00	0
128	Isoleucine (%)	0619	0.69600	0.00800	0.70018	0.02095	0.00674	17	-0.20	128.00	0
128	Isoleucine (%)	0872	0.69650	0.00300	0.70018	0.02095	0.00674	17	-0.18	128.00	0
128	Isoleucine (%)	0968	0.69700	0.00200	0.70018	0.02095	0.00674	17	-0.15	128.00	0
128	Isoleucine (%)	2059	0.70300	0.01000	0.70018	0.02095	0.00674	17	0.13	128.00	0
128	Isoleucine (%)	0098	0.70780	0.00420	0.70018	0.02095	0.00674	17	0.36	128.02	0
128	Isoleucine (%)	0504	0.71000	0.00000	0.70018	0.02095	0.00674	17	0.47	128.00	0
128	Isoleucine (%)	0626	0.71500	0.00000	0.70018	0.02095	0.00674	17	0.71	128.05	0
128	Isoleucine (%)	0008	0.72050	0.01500	0.70018	0.02095	0.00674	17	0.97	128.05	0
128	Isoleucine (%)	0297	0.72350	0.00900	0.70018	0.02095	0.00674	17	1.11	128.01	0
128	Isoleucine (%)	0171	0.72500	0.01000	0.70018	0.02095	0.00674	17	1.18	128.00	0
128	Isoleucine (%)	2022	0.76500	0.01000	0.70018	0.02095	0.00674	17	3.09	128.00	0
128	Isoleucine (%)	0684	0.69300	0.03600	0.70018	0.02095	0.00674	17	-0.34	128.00	1
129	Leucine (%)	0918	1.3095	0.03500	1.4107	0.04095	0.01329	17	-2.47	129.00	0
129	Leucine (%)	0878	1.3680	0.01200	1.4107	0.04095	0.01329	17	-1.04	129.00	0
129	Leucine (%)	0619	1.3750	0.01000	1.4107	0.04095	0.01329	17	-0.87	129.00	0
129	Leucine (%)	0297	1.3790	0.01000	1.4107	0.04095	0.01329	17	-0.77	129.01	0
129	Leucine (%)	0227	1.3800	0.02000	1.4107	0.04095	0.01329	17	-0.75	129.00	0
129	Leucine (%)	0675	1.3950	0.01000	1.4107	0.04095	0.01329	17	-0.38	129.00	0
129	Leucine (%)	0872	1.3960	0.01200	1.4107	0.04095	0.01329	17	-0.36	129.00	0
129	Leucine (%)	2059	1.4005	0.02500	1.4107	0.04095	0.01329	17	-0.25	129.00	0
129	Leucine (%)	0644	1.4025	0.00100	1.4107	0.04095	0.01329	17	-0.20	129.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
129	Leucine (%)	0968	1.4030	0.00000	1.4107	0.04095	0.01329	17	-0.19	129.00	0
129	Leucine (%)	0684	1.4180	0.01200	1.4107	0.04095	0.01329	17	0.18	129.00	0
129	Leucine (%)	0626	1.4345	0.00100	1.4107	0.04095	0.01329	17	0.58	129.05	0
129	Leucine (%)	0098	1.4443	0.00800	1.4107	0.04095	0.01329	17	0.82	129.02	0
129	Leucine (%)	0504	1.4450	0.01000	1.4107	0.04095	0.01329	17	0.84	129.00	0
129	Leucine (%)	2023	1.4700	0.00000	1.4107	0.04095	0.01329	17	1.45	129.02	0
129	Leucine (%)	0171	1.4800	0.02000	1.4107	0.04095	0.01329	17	1.69	129.00	0
129	Leucine (%)	2022	1.5400	0.04000	1.4107	0.04095	0.01329	17	3.16	129.00	0
129	Leucine (%)	0008	1.5240	0.21400	1.4107	0.04095	0.01329	17	2.77	129.05	1
130	L-Lysine (%)	0918	0.94510	0.05180	1.0017	0.04545	0.01698	25	-1.25	130.00	0
130	L-Lysine (%)	0684	0.95000	0.02000	1.0017	0.04545	0.01698	25	-1.14	130.00	0
130	L-Lysine (%)	0512	0.95635	0.00930	1.0017	0.04545	0.01698	25	-1.00	130.00	0
130	L-Lysine (%)	0955	0.95800	0.00600	1.0017	0.04545	0.01698	25	-0.96	130.00	0
130	L-Lysine (%)	0297	0.96550	0.00900	1.0017	0.04545	0.01698	25	-0.80	130.01	0
130	L-Lysine (%)	0872	0.96600	0.03800	1.0017	0.04545	0.01698	25	-0.79	130.00	0
130	L-Lysine (%)	0878	0.96900	0.00000	1.0017	0.04545	0.01698	25	-0.72	130.00	0
130	L-Lysine (%)	0644	0.97450	0.00700	1.0017	0.04545	0.01698	25	-0.60	130.00	0
130	L-Lysine (%)	0675	0.97500	0.01000	1.0017	0.04545	0.01698	25	-0.59	130.00	0
130	L-Lysine (%)	0848	0.97500	0.01000	1.0017	0.04545	0.01698	25	-0.59	130.00	0
130	L-Lysine (%)	0626	0.98500	0.00200	1.0017	0.04545	0.01698	25	-0.37	130.05	0
130	L-Lysine (%)	2059	0.98850	0.00700	1.0017	0.04545	0.01698	25	-0.29	130.00	0
130	L-Lysine (%)	0723	0.99300	0.00000	1.0017	0.04545	0.01698	25	-0.19	130.05	0
130	L-Lysine (%)	0610	0.99500	0.01000	1.0017	0.04545	0.01698	25	-0.15	130.05	0
130	L-Lysine (%)	0910	1.0050	0.07000	1.0017	0.04545	0.01698	25	0.07	130.00	0
130	L-Lysine (%)	0968	1.0055	0.01100	1.0017	0.04545	0.01698	25	0.08	130.00	0
130	L-Lysine (%)	0504	1.0250	0.01000	1.0017	0.04545	0.01698	25	0.51	130.00	0
130	L-Lysine (%)	2023	1.0250	0.01000	1.0017	0.04545	0.01698	25	0.51	130.02	0
130	L-Lysine (%)	0098	1.0346	0.00930	1.0017	0.04545	0.01698	25	0.72	130.02	0
130	L-Lysine (%)	0171	1.0350	0.01000	1.0017	0.04545	0.01698	25	0.73	130.00	0
130	L-Lysine (%)	0619	1.0600	0.04000	1.0017	0.04545	0.01698	25	1.28	130.00	0
130	L-Lysine (%)	0227	1.0650	0.03000	1.0017	0.04545	0.01698	25	1.39	130.00	0
130	L-Lysine (%)	2022	1.0800	0.00000	1.0017	0.04545	0.01698	25	1.72	130.00	0
130	L-Lysine (%)	2053	1.0850	0.05000	1.0017	0.04545	0.01698	25	1.83	130.99	0
130	L-Lysine (%)	0035	1.1060	0.00400	1.0017	0.04545	0.01698	25	2.29	130.01	0
130	L-Lysine (%)	0008	1.0235	0.11100	1.0017	0.04545	0.01698	25	0.48	130.05	1
131	Methionine (%)	0918	0.30160	0.00920	0.32902	0.01266	0.00490	17	-2.17	131.00	0
131	Methionine (%)	2023	0.30500	0.01000	0.32902	0.01266	0.00490	17	-1.90	131.02	0
131	Methionine (%)	2059	0.31850	0.00300	0.32902	0.01266	0.00490	17	-0.83	131.00	0
131	Methionine (%)	0227	0.32000	0.00000	0.32902	0.01266	0.00490	17	-0.71	131.00	0
131	Methionine (%)	0619	0.32050	0.00500	0.32902	0.01266	0.00490	17	-0.67	131.00	0
131	Methionine (%)	0968	0.32200	0.00200	0.32902	0.01266	0.00490	17	-0.55	131.00	0
131	Methionine (%)	0878	0.32450	0.01100	0.32902	0.01266	0.00490	17	-0.36	131.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
131	Methionine (%)	0171	0.32500	0.01000	0.32902	0.01266	0.00490	17	-0.32	131.00	0
131	Methionine (%)	0504	0.33000	0.00000	0.32902	0.01266	0.00490	17	0.08	131.00	0
131	Methionine (%)	0098	0.33035	0.00410	0.32902	0.01266	0.00490	17	0.11	131.02	0
131	Methionine (%)	0684	0.33200	0.01000	0.32902	0.01266	0.00490	17	0.24	131.00	0
131	Methionine (%)	0675	0.33500	0.01000	0.32902	0.01266	0.00490	17	0.47	131.00	0
131	Methionine (%)	0626	0.33500	0.00400	0.32902	0.01266	0.00490	17	0.47	131.05	0
131	Methionine (%)	0872	0.33600	0.00200	0.32902	0.01266	0.00490	17	0.55	131.00	0
131	Methionine (%)	0297	0.34450	0.00300	0.32902	0.01266	0.00490	17	1.22	131.01	0
131	Methionine (%)	2022	0.36000	0.00000	0.32902	0.01266	0.00490	17	2.45	131.00	0
131	Methionine (%)	0644	0.36400	0.00000	0.32902	0.01266	0.00490	17	2.76	131.00	0
131	Methionine (%)	0008	0.25950	0.04900	0.32902	0.01266	0.00490	17	-5.49	131.99	1
132	Phenylalanine (%)	0918	0.66600	0.00400	0.76404	0.03289	0.00634	17	-2.98	132.00	0
132	Phenylalanine (%)	0878	0.70250	0.00900	0.76404	0.03289	0.00634	17	-1.87	132.00	0
132	Phenylalanine (%)	0675	0.72500	0.01000	0.76404	0.03289	0.00634	17	-1.19	132.00	0
132	Phenylalanine (%)	0227	0.74000	0.00000	0.76404	0.03289	0.00634	17	-0.73	132.00	0
132	Phenylalanine (%)	0684	0.75450	0.01300	0.76404	0.03289	0.00634	17	-0.29	132.00	0
132	Phenylalanine (%)	0098	0.75580	0.00380	0.76404	0.03289	0.00634	17	-0.25	132.02	0
132	Phenylalanine (%)	0968	0.75650	0.00500	0.76404	0.03289	0.00634	17	-0.23	132.00	0
132	Phenylalanine (%)	0644	0.75850	0.00100	0.76404	0.03289	0.00634	17	-0.17	132.00	0
132	Phenylalanine (%)	2059	0.76200	0.01600	0.76404	0.03289	0.00634	17	-0.06	132.00	0
132	Phenylalanine (%)	0872	0.76300	0.00200	0.76404	0.03289	0.00634	17	-0.03	132.00	0
132	Phenylalanine (%)	0619	0.77700	0.00400	0.76404	0.03289	0.00634	17	0.39	132.00	0
132	Phenylalanine (%)	0626	0.78200	0.03000	0.76404	0.03289	0.00634	17	0.55	132.05	0
132	Phenylalanine (%)	0297	0.78900	0.00000	0.76404	0.03289	0.00634	17	0.76	132.01	0
132	Phenylalanine (%)	2023	0.79000	0.00000	0.76404	0.03289	0.00634	17	0.79	132.02	0
132	Phenylalanine (%)	0504	0.79500	0.01000	0.76404	0.03289	0.00634	17	0.94	132.00	0
132	Phenylalanine (%)	0171	0.80000	0.00000	0.76404	0.03289	0.00634	17	1.09	132.00	0
132	Phenylalanine (%)	2022	0.83000	0.00000	0.76404	0.03289	0.00634	17	2.01	132.00	0
132	Phenylalanine (%)	0008	0.81850	0.08300	0.76404	0.03289	0.00634	17	1.66	132.05	1
133	Proline (%)	0675	0.98500	0.01000	1.1144	0.06049	0.01762	13	-2.14	133.00	0
133	Proline (%)	0878	1.0405	0.01700	1.1144	0.06049	0.01762	13	-1.22	133.00	0
133	Proline (%)	0684	1.0700	0.00600	1.1144	0.06049	0.01762	13	-0.73	133.00	0
133	Proline (%)	0227	1.0850	0.01000	1.1144	0.06049	0.01762	13	-0.49	133.00	0
133	Proline (%)	0644	1.0985	0.00100	1.1144	0.06049	0.01762	13	-0.26	133.00	0
133	Proline (%)	0968	1.1050	0.00400	1.1144	0.06049	0.01762	13	-0.16	133.00	0
133	Proline (%)	2059	1.1105	0.03100	1.1144	0.06049	0.01762	13	-0.06	133.00	0
133	Proline (%)	0872	1.1140	0.00800	1.1144	0.06049	0.01762	13	-0.01	133.00	0
133	Proline (%)	0504	1.1150	0.01000	1.1144	0.06049	0.01762	13	0.01	133.00	0
133	Proline (%)	0918	1.1465	0.11100	1.1144	0.06049	0.01762	13	0.53	133.00	0
133	Proline (%)	0626	1.1945	0.00100	1.1144	0.06049	0.01762	13	1.32	133.05	0
133	Proline (%)	0171	1.2000	0.00000	1.1144	0.06049	0.01762	13	1.42	133.00	0
133	Proline (%)	0619	1.2400	0.02000	1.1144	0.06049	0.01762	13	2.08	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
133	Proline (%)	0008	1.2095	0.19900	1.1144	0.06049	0.01762	13	1.57	133.05	1
134	Serine (%)	0918	0.59295	0.09790	0.79093	0.04402	0.01688	17	-4.50	134.00	0
134	Serine (%)	0098	0.71155	0.01310	0.79093	0.04402	0.01688	17	-1.80	134.02	0
134	Serine (%)	0504	0.73500	0.03000	0.79093	0.04402	0.01688	17	-1.27	134.00	0
134	Serine (%)	0619	0.76500	0.00800	0.79093	0.04402	0.01688	17	-0.59	134.00	0
134	Serine (%)	0644	0.76500	0.00200	0.79093	0.04402	0.01688	17	-0.59	134.00	0
134	Serine (%)	0878	0.76700	0.00400	0.79093	0.04402	0.01688	17	-0.54	134.00	0
134	Serine (%)	0684	0.77600	0.03600	0.79093	0.04402	0.01688	17	-0.34	134.00	0
134	Serine (%)	0872	0.78350	0.01500	0.79093	0.04402	0.01688	17	-0.17	134.00	0
134	Serine (%)	2059	0.79100	0.00600	0.79093	0.04402	0.01688	17	0.00	134.00	0
134	Serine (%)	0968	0.80200	0.00200	0.79093	0.04402	0.01688	17	0.25	134.00	0
134	Serine (%)	0227	0.80500	0.01000	0.79093	0.04402	0.01688	17	0.32	134.00	0
134	Serine (%)	0297	0.80850	0.00300	0.79093	0.04402	0.01688	17	0.40	134.01	0
134	Serine (%)	0675	0.81500	0.01000	0.79093	0.04402	0.01688	17	0.55	134.00	0
134	Serine (%)	0626	0.82000	0.00000	0.79093	0.04402	0.01688	17	0.66	134.05	0
134	Serine (%)	2022	0.85000	0.02000	0.79093	0.04402	0.01688	17	1.34	134.00	0
134	Serine (%)	2023	0.85500	0.01000	0.79093	0.04402	0.01688	17	1.46	134.02	0
134	Serine (%)	0171	0.88000	0.02000	0.79093	0.04402	0.01688	17	2.02	134.00	0
134	Serine (%)	0008	0.88650	0.21700	0.79093	0.04402	0.01688	17	2.17	134.05	1
135	Threonine (%)	0918	0.66640	0.03720	0.71664	0.02450	0.01294	17	-2.05	135.00	0
135	Threonine (%)	0619	0.67700	0.01800	0.71664	0.02450	0.01294	17	-1.62	135.00	0
135	Threonine (%)	0878	0.69350	0.00100	0.71664	0.02450	0.01294	17	-0.94	135.00	0
135	Threonine (%)	0297	0.69400	0.00400	0.71664	0.02450	0.01294	17	-0.92	135.01	0
135	Threonine (%)	2059	0.70500	0.00400	0.71664	0.02450	0.01294	17	-0.48	135.00	0
135	Threonine (%)	0968	0.70600	0.01000	0.71664	0.02450	0.01294	17	-0.43	135.00	0
135	Threonine (%)	0872	0.71150	0.00700	0.71664	0.02450	0.01294	17	-0.21	135.00	0
135	Threonine (%)	0675	0.71500	0.01000	0.71664	0.02450	0.01294	17	-0.07	135.00	0
135	Threonine (%)	0098	0.71500	0.00780	0.71664	0.02450	0.01294	17	-0.07	135.02	0
135	Threonine (%)	0227	0.72000	0.02000	0.71664	0.02450	0.01294	17	0.14	135.00	0
135	Threonine (%)	0626	0.72250	0.00100	0.71664	0.02450	0.01294	17	0.24	135.05	0
135	Threonine (%)	0644	0.72700	0.00200	0.71664	0.02450	0.01294	17	0.42	135.00	0
135	Threonine (%)	0684	0.73000	0.01800	0.71664	0.02450	0.01294	17	0.55	135.00	0
135	Threonine (%)	0504	0.73500	0.01000	0.71664	0.02450	0.01294	17	0.75	135.00	0
135	Threonine (%)	0171	0.75500	0.01000	0.71664	0.02450	0.01294	17	1.57	135.00	0
135	Threonine (%)	2023	0.75500	0.01000	0.71664	0.02450	0.01294	17	1.57	135.02	0
135	Threonine (%)	2022	0.81500	0.05000	0.71664	0.02450	0.01294	17	4.01	135.00	0
135	Threonine (%)	0008	0.78000	0.16000	0.71664	0.02450	0.01294	17	2.59	135.05	1
136	Tryptophan (%)	0918	0.11110	0.00000	0.21575	0.01618	0.00483	12	-6.47	136.00	0
136	Tryptophan (%)	2023	0.18000	0.00000	0.21575	0.01618	0.00483	12	-2.21	136.02	0
136	Tryptophan (%)	0878	0.20050	0.00500	0.21575	0.01618	0.00483	12	-0.94	136.01	0
136	Tryptophan (%)	0297	0.20650	0.00300	0.21575	0.01618	0.00483	12	-0.57	136.03	0
136	Tryptophan (%)	0008	0.21050	0.00500	0.21575	0.01618	0.00483	12	-0.32	136.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
136	Tryptophan (%)	0872	0.21400	0.00200	0.21575	0.01618	0.00483	12	-0.11	136.03	0
136	Tryptophan (%)	0098	0.22000	0.01000	0.21575	0.01618	0.00483	12	0.26	136.02	0
136	Tryptophan (%)	0868	0.22100	0.00600	0.21575	0.01618	0.00483	12	0.32	136.01	0
136	Tryptophan (%)	0619	0.22350	0.00100	0.21575	0.01618	0.00483	12	0.48	136.03	0
136	Tryptophan (%)	0644	0.22500	0.00200	0.21575	0.01618	0.00483	12	0.57	136.01	0
136	Tryptophan (%)	0227	0.24500	0.01000	0.21575	0.01618	0.00483	12	1.81	136.00	0
136	Tryptophan (%)	0684	0.24500	0.01400	0.21575	0.01618	0.00483	12	1.81	136.00	0
137	Tyrosine (%)	0918	0.38535	0.01870	0.53220	0.03148	0.01296	13	-4.66	137.00	0
137	Tyrosine (%)	2023	0.45500	0.01000	0.53220	0.03148	0.01296	13	-2.45	137.02	0
137	Tyrosine (%)	0227	0.47500	0.01000	0.53220	0.03148	0.01296	13	-1.82	137.00	0
137	Tyrosine (%)	0098	0.50810	0.01580	0.53220	0.03148	0.01296	13	-0.77	137.02	0
137	Tyrosine (%)	0626	0.52850	0.03100	0.53220	0.03148	0.01296	13	-0.12	137.05	0
137	Tyrosine (%)	0504	0.53500	0.01000	0.53220	0.03148	0.01296	13	0.09	137.00	0
137	Tyrosine (%)	0644	0.53600	0.00800	0.53220	0.03148	0.01296	13	0.12	137.00	0
137	Tyrosine (%)	0968	0.53750	0.00100	0.53220	0.03148	0.01296	13	0.17	137.00	0
137	Tyrosine (%)	0684	0.54500	0.01200	0.53220	0.03148	0.01296	13	0.41	137.00	0
137	Tyrosine (%)	0872	0.54900	0.00400	0.53220	0.03148	0.01296	13	0.53	137.00	0
137	Tyrosine (%)	0297	0.55500	0.02800	0.53220	0.03148	0.01296	13	0.72	137.01	0
137	Tyrosine (%)	0675	0.56500	0.01000	0.53220	0.03148	0.01296	13	1.04	137.00	0
137	Tyrosine (%)	0171	0.90500	0.01000	0.53220	0.03148	0.01296	13	11.84	137.00	0
137	Tyrosine (%)	0008	0.44250	0.09500	0.53220	0.03148	0.01296	13	-2.85	137.05	1
138	Valine (%)	0619	0.80800	0.01000	0.86439	0.02919	0.00901	17	-1.93	138.00	0
138	Valine (%)	0675	0.83500	0.01000	0.86439	0.02919	0.00901	17	-1.01	138.00	0
138	Valine (%)	2023	0.83500	0.01000	0.86439	0.02919	0.00901	17	-1.01	138.02	0
138	Valine (%)	0644	0.84050	0.01100	0.86439	0.02919	0.00901	17	-0.82	138.00	0
138	Valine (%)	2059	0.84350	0.00900	0.86439	0.02919	0.00901	17	-0.72	138.00	0
138	Valine (%)	0504	0.85000	0.00000	0.86439	0.02919	0.00901	17	-0.49	138.00	0
138	Valine (%)	0878	0.85400	0.00000	0.86439	0.02919	0.00901	17	-0.36	138.00	0
138	Valine (%)	0872	0.85950	0.00500	0.86439	0.02919	0.00901	17	-0.17	138.00	0
138	Valine (%)	0918	0.86180	0.01640	0.86439	0.02919	0.00901	17	-0.09	138.00	0
138	Valine (%)	0171	0.87000	0.02000	0.86439	0.02919	0.00901	17	0.19	138.00	0
138	Valine (%)	0968	0.87000	0.00000	0.86439	0.02919	0.00901	17	0.19	138.00	0
138	Valine (%)	0227	0.87500	0.01000	0.86439	0.02919	0.00901	17	0.36	138.00	0
138	Valine (%)	0626	0.88050	0.00500	0.86439	0.02919	0.00901	17	0.55	138.05	0
138	Valine (%)	0098	0.88895	0.01370	0.86439	0.02919	0.00901	17	0.84	138.02	0
138	Valine (%)	0297	0.93450	0.01100	0.86439	0.02919	0.00901	17	2.40	138.01	0
138	Valine (%)	0008	0.93800	0.02200	0.86439	0.02919	0.00901	17	2.52	138.05	0
138	Valine (%)	2022	0.99000	0.00000	0.86439	0.02919	0.00901	17	4.30	138.00	0
138	Valine (%)	0684	0.78000	0.05600	0.86439	0.02919	0.00901	17	-2.89	138.00	1
139	Taurine (%)	0098	0.00000	0.00000	0.05500	0.09526	0.00333	3	-0.58	139.02	0
139	Taurine (%)	2023	0.00000	0.00000	0.05500	0.09526	0.00333	3	-0.58	139.02	0
139	Taurine (%)	0504	0.16500	0.01000	0.05500	0.09526	0.00333	3	1.15	139.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
143	Lysine Available (%)	0685	1.1700	0.00000			0.00000	1			
160	Fructose (%)	0297	0.08550	0.00500	0.12683	0.05557	0.00500	3	-0.74	160.99	0
160	Fructose (%)	0148	0.10500	0.01000	0.12683	0.05557	0.00500	3	-0.39	160.99	0
160	Fructose (%)	0227	0.19000	0.00000	0.12683	0.05557	0.00500	3	1.14	160.99	0
161	Galactose (%)	0297	0.00000	0.00000			0.00000	1			
162	Glucose (%)	0148	0.07500	0.03000	0.45325	0.44141	0.03050	4	-0.86	162.99	0
162	Glucose (%)	0297	0.28800	0.05200	0.45325	0.44141	0.03050	4	-0.37	162.99	0
162	Glucose (%)	0227	0.36000	0.04000	0.45325	0.44141	0.03050	4	-0.21	162.99	0
162	Glucose (%)	0629	1.0900	0.00000	0.45325	0.44141	0.03050	4	1.44	162.99	0
163	Lactose (%)	0629	2.3100	0.00000	3.1330	0.65314	0.11080	5	-1.26	163.99	0
163	Lactose (%)	0199	2.6000	0.40000	3.1330	0.65314	0.11080	5	-0.82	163.99	0
163	Lactose (%)	0227	3.3050	0.03000	3.1330	0.65314	0.11080	5	0.26	163.99	0
163	Lactose (%)	0297	3.6400	0.10400	3.1330	0.65314	0.11080	5	0.78	163.99	0
163	Lactose (%)	0148	3.8100	0.02000	3.1330	0.65314	0.11080	5	1.04	163.99	0
164	Maltose (%)	0148	0.05500	0.01000	0.42738	0.40764	0.03975	4	-0.91	164.99	0
164	Maltose (%)	0227	0.22000	0.06000	0.42738	0.40764	0.03975	4	-0.51	164.99	0
164	Maltose (%)	0297	0.44450	0.08900	0.42738	0.40764	0.03975	4	0.04	164.99	0
164	Maltose (%)	0629	0.99000	0.00000	0.42738	0.40764	0.03975	4	1.38	164.99	0
165	Sucrose (%)	0199	2.1000	0.40000	2.4390	0.23715	0.11600	4	-1.43	165.99	0
165	Sucrose (%)	0629	2.4700	0.00000	2.4390	0.23715	0.11600	4	0.13	165.99	0
165	Sucrose (%)	0297	2.5410	0.05400	2.4390	0.23715	0.11600	4	0.43	165.99	0
165	Sucrose (%)	0227	2.6450	0.01000	2.4390	0.23715	0.11600	4	0.87	165.99	0
166	Raffinose (%)	0297	0.28350	0.02500			0.02500	1			
167	Stachyose (%)	0297	0.72200	0.04200			0.04200	1			
400	Water activity (Units)	0942	0.51000	0.00000	0.52242	0.01410	0.00237	3	-0.88	400.01	0
400	Water activity (Units)	0589	0.51950	0.00300	0.52242	0.01410	0.00237	3	-0.21	400.01	0
400	Water activity (Units)	0552	0.53775	0.00410	0.52242	0.01410	0.00237	3	1.09	400.99	0
516	Arsenic, total (mg / kg (ppm))	0199	0.17000	0.02000	0.26613	0.08773	0.03006	8	-1.10	516.53	0
516	Arsenic, total (mg / kg (ppm))	0912	0.17500	0.01600	0.26613	0.08773	0.03006	8	-1.04	516.53	0
516	Arsenic, total (mg / kg (ppm))	0098	0.24150	0.03900	0.26613	0.08773	0.03006	8	-0.28	516.52	0
516	Arsenic, total (mg / kg (ppm))	0227	0.25000	0.02000	0.26613	0.08773	0.03006	8	-0.18	516.53	0
516	Arsenic, total (mg / kg (ppm))	0553	0.26450	0.01900	0.26613	0.08773	0.03006	8	-0.02	516.53	0
516	Arsenic, total (mg / kg (ppm))	0171	0.28000	0.04000	0.26613	0.08773	0.03006	8	0.16	516.00	0
516	Arsenic, total (mg / kg (ppm))	0964	0.53305	0.00650	0.26613	0.08773	0.03006	8	3.04	516.43	0
516	Arsenic, total (mg / kg (ppm))	0003	0.64000	0.08000	0.26613	0.08773	0.03006	8	4.26	516.43	0
518	Cadmium (mg / kg (ppm))	0171	0.03700	0.00200	0.09410	0.01312	0.00464	9	-4.35	518.41	0
518	Cadmium (mg / kg (ppm))	0199	0.06500	0.01000	0.09410	0.01312	0.00464	9	-2.22	518.53	0
518	Cadmium (mg / kg (ppm))	0011	0.08675	0.00450	0.09410	0.01312	0.00464	9	-0.56	518.41	0
518	Cadmium (mg / kg (ppm))	0227	0.09250	0.00500	0.09410	0.01312	0.00464	9	-0.12	518.53	0
518	Cadmium (mg / kg (ppm))	0912	0.09370	0.00260	0.09410	0.01312	0.00464	9	-0.03	518.53	0
518	Cadmium (mg / kg (ppm))	0964	0.09935	0.01070	0.09410	0.01312	0.00464	9	0.40	518.43	0
518	Cadmium (mg / kg (ppm))	0968	0.10000	0.00000	0.09410	0.01312	0.00464	9	0.45	518.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO CS Z Score	Your Method	Flag
			Value	Range	Rob Mean	Rob SD	R-bar	# Labs			
518	Cadmium (mg / kg (ppm))	0553	0.10900	0.00200	0.09410	0.01312	0.00464	9	1.14	518.53	0
518	Cadmium (mg / kg (ppm))	0098	0.11350	0.00500	0.09410	0.01312	0.00464	9	1.48	518.52	0
518	Cadmium (mg / kg (ppm))	0003	0.10000	0.04000	0.09410	0.01312	0.00464	9	0.45	518.43	1
520	Chromium (mg / kg (ppm))	0912	2.0665	0.43900	4.5111	1.4949	0.39714	7	-1.64	520.53	0
520	Chromium (mg / kg (ppm))	0011	3.7820	0.38500	4.5111	1.4949	0.39714	7	-0.49	520.41	0
520	Chromium (mg / kg (ppm))	0171	3.8700	0.40000	4.5111	1.4949	0.39714	7	-0.43	520.41	0
520	Chromium (mg / kg (ppm))	2023	4.3300	0.18000	4.5111	1.4949	0.39714	7	-0.12	520.53	0
520	Chromium (mg / kg (ppm))	0968	5.1950	0.05000	4.5111	1.4949	0.39714	7	0.46	520.99	0
520	Chromium (mg / kg (ppm))	0964	5.7410	1.0860	4.5111	1.4949	0.39714	7	0.82	520.43	0
520	Chromium (mg / kg (ppm))	0510	7.0600	0.24000	4.5111	1.4949	0.39714	7	1.71	520.43	0
520	Chromium (mg / kg (ppm))	0003	7.6600	2.2800	4.5111	1.4949	0.39714	7	2.11	520.43	1
526	Lead (mg / kg (ppm))	0171	0.00000	0.00000	0.16456	0.02483	0.01691	7	-6.63	526.41	0
526	Lead (mg / kg (ppm))	0921	0.08090	0.00000	0.16456	0.02483	0.01691	7	-3.37	526.31	0
526	Lead (mg / kg (ppm))	0964	0.11080	0.05040	0.16456	0.02483	0.01691	7	-2.17	526.43	0
526	Lead (mg / kg (ppm))	0912	0.17500	0.01400	0.16456	0.02483	0.01691	7	0.42	526.53	0
526	Lead (mg / kg (ppm))	0199	0.18000	0.02000	0.16456	0.02483	0.01691	7	0.62	526.53	0
526	Lead (mg / kg (ppm))	0098	0.18200	0.01400	0.16456	0.02483	0.01691	7	0.70	526.52	0
526	Lead (mg / kg (ppm))	0227	0.19000	0.02000	0.16456	0.02483	0.01691	7	1.02	526.53	0
526	Lead (mg / kg (ppm))	0003	0.18000	0.20000	0.16456	0.02483	0.01691	7	0.62	526.43	1
529	Mercury (µg / kg (ppb))	0171	19.000	4.0000			4.0000	1			
539	Nickel (mg / kg (ppm))	0912	1.2715	0.17700	2.1958	0.38921	0.28883	6	-2.37	539.53	0
539	Nickel (mg / kg (ppm))	0553	2.0200	0.72000	2.1958	0.38921	0.28883	6	-0.45	539.53	0
539	Nickel (mg / kg (ppm))	0011	2.0425	0.03900	2.1958	0.38921	0.28883	6	-0.39	539.41	0
539	Nickel (mg / kg (ppm))	2023	2.3100	0.14000	2.1958	0.38921	0.28883	6	0.29	539.53	0
539	Nickel (mg / kg (ppm))	0964	2.4495	0.01700	2.1958	0.38921	0.28883	6	0.65	539.43	0
539	Nickel (mg / kg (ppm))	0003	4.0000	0.64000	2.1958	0.38921	0.28883	6	4.64	539.43	0
600	Total Aflatoxin (µg / kg (ppb))	0689	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0042	0.00000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0028	1.1000	0.20000							
600	Total Aflatoxin (µg / kg (ppb))	0723	1.5000	0.00000							
600	Total Aflatoxin (µg / kg (ppb))	0589	1.5000	1.0000							
601	AB1 (µg / kg (ppb))	2066	2.4800	0.20000							
610	Deoxynivalenol (µg / kg (ppb))	0689	230.00	20.000							
610	Deoxynivalenol (µg / kg (ppb))	2066	270.00	20.000							
610	Deoxynivalenol (µg / kg (ppb))	0028	350.00	100.00							
620	Total Fumonisin (µg / kg (ppb))	0227	650.00	500.00							
620	Total Fumonisin (µg / kg (ppb))	0589	1,050.0	100.00							
630	Ochratoxin A (µg / kg (ppb))	2066	3.2150	0.19000							
640	T-2 (µg / kg (ppb))	0227	88.500	3.0000							
650	Zearalenone (µg / kg (ppb))	0689	30.350	3.5000							
650	Zearalenone (µg / kg (ppb))	0227	32.500	1.0000							
650	Zearalenone (µg / kg (ppb))	2066	87.300	5.2000							