



Pheasant & Turkey Feed

Animal Feed Scheme

# Labs Reporting: 195

Test Material Code # 201729

Analyte Proficiency Testing Report

Issue Date : 10/31/2017

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.50000	0.00000				1		000.02	0
001	Loss on Drying (%)	0618	6.5300	0.04000	9.4013	0.40757	0.13591	74	-7.05	001.07	0
001	Loss on Drying (%)	0618	7.8300	0.20000	9.4013	0.40757	0.13591	74	-3.86	001.99	0
001	Loss on Drying (%)	0034	8.1850	0.19000	9.4013	0.40757	0.13591	74	-2.98	001.00	0
001	Loss on Drying (%)	0017	8.4000	0.20000	9.4013	0.40757	0.13591	74	-2.46	001.00	0
001	Loss on Drying (%)	0038	8.4500	0.12000	9.4013	0.40757	0.13591	74	-2.33	001.07	0
001	Loss on Drying (%)	0510	8.4500	0.10000	9.4013	0.40757	0.13591	74	-2.33	001.99	0
001	Loss on Drying (%)	2155	8.4600	0.58000	9.4013	0.40757	0.13591	74	-2.31	001.99	0
001	Loss on Drying (%)	0226	8.6250	0.13000	9.4013	0.40757	0.13591	74	-1.90	001.07	0
001	Loss on Drying (%)	0940	8.7000	0.28000	9.4013	0.40757	0.13591	74	-1.72	001.99	0
001	Loss on Drying (%)	0845	8.7250	0.19000	9.4013	0.40757	0.13591	74	-1.66	001.07	0
001	Loss on Drying (%)	0612	8.8400	0.18000	9.4013	0.40757	0.13591	74	-1.38	001.99	0
001	Loss on Drying (%)	0407	8.8800	0.00440	9.4013	0.40757	0.13591	74	-1.28	001.07	0
001	Loss on Drying (%)	0889	8.8800	0.02000	9.4013	0.40757	0.13591	74	-1.28	001.99	0
001	Loss on Drying (%)	0609	8.9500	0.10000	9.4013	0.40757	0.13591	74	-1.11	001.07	0
001	Loss on Drying (%)	0852	8.9650	0.07000	9.4013	0.40757	0.13591	74	-1.07	001.99	0
001	Loss on Drying (%)	2149	9.0450	0.39000	9.4013	0.40757	0.13591	74	-0.87	001.99	0
001	Loss on Drying (%)	0918	9.0500	0.10000	9.4013	0.40757	0.13591	74	-0.86	001.99	0
001	Loss on Drying (%)	0083	9.1050	0.15000	9.4013	0.40757	0.13591	74	-0.73	001.07	0
001	Loss on Drying (%)	0171	9.1900	0.00000	9.4013	0.40757	0.13591	74	-0.52	001.07	0
001	Loss on Drying (%)	0045	9.1900	0.28000	9.4013	0.40757	0.13591	74	-0.52	001.07	0
001	Loss on Drying (%)	0413	9.2000	0.20000	9.4013	0.40757	0.13591	74	-0.49	001.07	0
001	Loss on Drying (%)	0049	9.2650	0.83000	9.4013	0.40757	0.13591	74	-0.33	001.07	0
001	Loss on Drying (%)	0610	9.2750	0.03000	9.4013	0.40757	0.13591	74	-0.31	001.05	0
001	Loss on Drying (%)	0693	9.3200	0.62000	9.4013	0.40757	0.13591	74	-0.20	001.07	0
001	Loss on Drying (%)	0675	9.3400	0.12000	9.4013	0.40757	0.13591	74	-0.15	001.07	0
001	Loss on Drying (%)	0536	9.3550	0.15000	9.4013	0.40757	0.13591	74	-0.11	001.99	0
001	Loss on Drying (%)	0590	9.3800	0.02000	9.4013	0.40757	0.13591	74	-0.05	001.07	0
001	Loss on Drying (%)	0098	9.3850	0.05000	9.4013	0.40757	0.13591	74	-0.04	001.07	0
001	Loss on Drying (%)	2009	9.3893	0.00580	9.4013	0.40757	0.13591	74	-0.03	001.07	0
001	Loss on Drying (%)	0142	9.4050	0.05000	9.4013	0.40757	0.13591	74	0.01	001.07	0
001	Loss on Drying (%)	0683	9.4300	0.04000	9.4013	0.40757	0.13591	74	0.07	001.07	0
001	Loss on Drying (%)	0720	9.4450	0.09000	9.4013	0.40757	0.13591	74	0.11	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0066	9.4550	0.11000	9.4013	0.40757	0.13591	74	0.13	001.07	0
001	Loss on Drying (%)	0187	9.4600	0.00000	9.4013	0.40757	0.13591	74	0.14	001.07	0
001	Loss on Drying (%)	0089	9.4800	0.02000	9.4013	0.40757	0.13591	74	0.19	001.07	0
001	Loss on Drying (%)	0948	9.4800	0.08000	9.4013	0.40757	0.13591	74	0.19	001.99	0
001	Loss on Drying (%)	0644	9.4850	0.03000	9.4013	0.40757	0.13591	74	0.21	001.05	0
001	Loss on Drying (%)	2012	9.4850	0.03000	9.4013	0.40757	0.13591	74	0.21	001.07	0
001	Loss on Drying (%)	0297	9.4900	0.14000	9.4013	0.40757	0.13591	74	0.22	001.07	0
001	Loss on Drying (%)	0504	9.4950	0.43000	9.4013	0.40757	0.13591	74	0.23	001.00	0
001	Loss on Drying (%)	0003	9.5000	0.08000	9.4013	0.40757	0.13591	74	0.24	001.07	0
001	Loss on Drying (%)	0895	9.5050	0.01000	9.4013	0.40757	0.13591	74	0.25	001.03	0
001	Loss on Drying (%)	0619	9.5150	0.09000	9.4013	0.40757	0.13591	74	0.28	001.03	0
001	Loss on Drying (%)	0872	9.5150	0.05000	9.4013	0.40757	0.13591	74	0.28	001.07	0
001	Loss on Drying (%)	2053	9.5150	0.03000	9.4013	0.40757	0.13591	74	0.28	001.07	0
001	Loss on Drying (%)	0849	9.5285	0.11700	9.4013	0.40757	0.13591	74	0.31	001.07	0
001	Loss on Drying (%)	0037	9.5400	0.04000	9.4013	0.40757	0.13591	74	0.34	001.99	0
001	Loss on Drying (%)	0903	9.5500	0.02000	9.4013	0.40757	0.13591	74	0.36	001.03	0
001	Loss on Drying (%)	0910	9.5500	0.10000	9.4013	0.40757	0.13591	74	0.36	001.99	0
001	Loss on Drying (%)	0630	9.5650	0.01000	9.4013	0.40757	0.13591	74	0.40	001.99	0
001	Loss on Drying (%)	0309	9.5800	0.06000	9.4013	0.40757	0.13591	74	0.44	001.00	0
001	Loss on Drying (%)	2059	9.5800	0.04000	9.4013	0.40757	0.13591	74	0.44	001.07	0
001	Loss on Drying (%)	0571	9.5900	0.06000	9.4013	0.40757	0.13591	74	0.46	001.07	0
001	Loss on Drying (%)	2109	9.6000	0.38000	9.4013	0.40757	0.13591	74	0.49	001.07	0
001	Loss on Drying (%)	0652	9.6000	0.00000	9.4013	0.40757	0.13591	74	0.49	001.08	0
001	Loss on Drying (%)	0074	9.6100	0.78000	9.4013	0.40757	0.13591	74	0.51	001.07	0
001	Loss on Drying (%)	0139	9.6450	0.07000	9.4013	0.40757	0.13591	74	0.60	001.07	0
001	Loss on Drying (%)	0629	9.6600	0.10000	9.4013	0.40757	0.13591	74	0.63	001.99	0
001	Loss on Drying (%)	0186	9.6613	0.02760	9.4013	0.40757	0.13591	74	0.64	001.03	0
001	Loss on Drying (%)	0357	9.6915	0.08830	9.4013	0.40757	0.13591	74	0.71	001.99	0
001	Loss on Drying (%)	0035	9.7000	0.12000	9.4013	0.40757	0.13591	74	0.73	001.07	0
001	Loss on Drying (%)	0689	9.7500	0.10000	9.4013	0.40757	0.13591	74	0.86	001.07	0
001	Loss on Drying (%)	0581	9.7650	0.07000	9.4013	0.40757	0.13591	74	0.89	001.07	0
001	Loss on Drying (%)	0912	9.7900	0.00000	9.4013	0.40757	0.13591	74	0.95	001.99	0
001	Loss on Drying (%)	0676	9.8400	0.04000	9.4013	0.40757	0.13591	74	1.08	001.99	0
001	Loss on Drying (%)	0027	9.8420	0.05400	9.4013	0.40757	0.13591	74	1.08	001.00	0
001	Loss on Drying (%)	0638	9.8500	0.10000	9.4013	0.40757	0.13591	74	1.10	001.07	0
001	Loss on Drying (%)	0843	9.8800	0.34000	9.4013	0.40757	0.13591	74	1.17	001.07	0
001	Loss on Drying (%)	0893	9.8900	0.00000	9.4013	0.40757	0.13591	74	1.20	001.03	0
001	Loss on Drying (%)	0366	9.9000	0.40000	9.4013	0.40757	0.13591	74	1.22	001.07	0
001	Loss on Drying (%)	0505	9.9500	0.02000	9.4013	0.40757	0.13591	74	1.35	001.99	0
001	Loss on Drying (%)	0278	10.000	0.18000	9.4013	0.40757	0.13591	74	1.47	001.07	0
001	Loss on Drying (%)	0019	10.135	0.03000	9.4013	0.40757	0.13591	74	1.80	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
001	Loss on Drying (%)	0529	10.640	0.08000	9.4013	0.40757	0.13591	74	3.04	001.07	0
001	Loss on Drying (%)	0019	8.0000	1.8000	9.4013	0.40757	0.13591	74	-3.44	001.07	1
001	Loss on Drying (%)	0353	90.755	0.09000	9.4013	0.40757	0.13591	74	199.61	001.07	2
002	Protein (%)	2105	19.280	0.00000	20.828	0.31727	0.14775	185	-4.88	002.99	0
002	Protein (%)	0874	19.955	0.23000	20.828	0.31727	0.14775	185	-2.75	002.04	0
002	Protein (%)	0852	19.970	0.08000	20.828	0.31727	0.14775	185	-2.70	002.11	0
002	Protein (%)	0918	20.020	0.12000	20.828	0.31727	0.14775	185	-2.55	002.06	0
002	Protein (%)	0592	20.105	0.17000	20.828	0.31727	0.14775	185	-2.28	002.06	0
002	Protein (%)	0921	20.130	0.00000	20.828	0.31727	0.14775	185	-2.20	002.05	0
002	Protein (%)	0345	20.150	0.10000	20.828	0.31727	0.14775	185	-2.14	002.06	0
002	Protein (%)	0622	20.190	0.20070	20.828	0.31727	0.14775	185	-2.01	002.05	0
002	Protein (%)	0720	20.225	0.07000	20.828	0.31727	0.14775	185	-1.90	002.06	0
002	Protein (%)	0552	20.290	0.04000	20.828	0.31727	0.14775	185	-1.69	002.05	0
002	Protein (%)	0910	20.300	0.00000	20.828	0.31727	0.14775	185	-1.66	002.01	0
002	Protein (%)	0629	20.300	0.00000	20.828	0.31727	0.14775	185	-1.66	002.10	0
002	Protein (%)	0876	20.310	0.36000	20.828	0.31727	0.14775	185	-1.63	002.06	0
002	Protein (%)	0968	20.377	0.01600	20.828	0.31727	0.14775	185	-1.42	002.01	0
002	Protein (%)	0653	20.385	0.03000	20.828	0.31727	0.14775	185	-1.40	002.01	0
002	Protein (%)	0619	20.400	0.20000	20.828	0.31727	0.14775	185	-1.35	002.05	0
002	Protein (%)	0870	20.415	0.43000	20.828	0.31727	0.14775	185	-1.30	002.01	0
002	Protein (%)	2109	20.415	0.09000	20.828	0.31727	0.14775	185	-1.30	002.05	0
002	Protein (%)	0242	20.425	0.05000	20.828	0.31727	0.14775	185	-1.27	002.06	0
002	Protein (%)	0139	20.435	0.01000	20.828	0.31727	0.14775	185	-1.24	002.06	0
002	Protein (%)	0358	20.440	0.28000	20.828	0.31727	0.14775	185	-1.22	002.06	0
002	Protein (%)	0202	20.442	0.28500	20.828	0.31727	0.14775	185	-1.22	002.06	0
002	Protein (%)	0652	20.450	0.30000	20.828	0.31727	0.14775	185	-1.19	002.01	0
002	Protein (%)	0722	20.455	0.04440	20.828	0.31727	0.14775	185	-1.17	002.05	0
002	Protein (%)	2012	20.460	0.28000	20.828	0.31727	0.14775	185	-1.16	002.05	0
002	Protein (%)	0860	20.467	0.03800	20.828	0.31727	0.14775	185	-1.14	002.01	0
002	Protein (%)	0354	20.475	0.01000	20.828	0.31727	0.14775	185	-1.11	002.05	0
002	Protein (%)	0685	20.480	0.02000	20.828	0.31727	0.14775	185	-1.10	002.01	0
002	Protein (%)	0885	20.523	0.06370	20.828	0.31727	0.14775	185	-0.96	002.05	0
002	Protein (%)	2145	20.530	0.02000	20.828	0.31727	0.14775	185	-0.94	002.99	0
002	Protein (%)	0171	20.535	0.07000	20.828	0.31727	0.14775	185	-0.92	002.06	0
002	Protein (%)	0100	20.540	0.08000	20.828	0.31727	0.14775	185	-0.91	002.06	0
002	Protein (%)	0208	20.550	0.10000	20.828	0.31727	0.14775	185	-0.88	002.06	0
002	Protein (%)	0956	20.550	0.10000	20.828	0.31727	0.14775	185	-0.88	002.06	0
002	Protein (%)	2155	20.555	0.05000	20.828	0.31727	0.14775	185	-0.86	002.06	0
002	Protein (%)	2144	20.555	0.17000	20.828	0.31727	0.14775	185	-0.86	002.99	0
002	Protein (%)	0019	20.560	0.04000	20.828	0.31727	0.14775	185	-0.84	002.06	0
002	Protein (%)	0011	20.560	0.60000	20.828	0.31727	0.14775	185	-0.84	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0675	20.565	0.13000	20.828	0.31727	0.14775	185	-0.83	002.05	0
002	Protein (%)	0618	20.566	0.06600	20.828	0.31727	0.14775	185	-0.82	002.06	0
002	Protein (%)	0066	20.575	0.03000	20.828	0.31727	0.14775	185	-0.80	002.02	0
002	Protein (%)	0940	20.580	0.00000	20.828	0.31727	0.14775	185	-0.78	002.00	0
002	Protein (%)	0889	20.595	0.05000	20.828	0.31727	0.14775	185	-0.73	002.01	0
002	Protein (%)	0536	20.605	0.01000	20.828	0.31727	0.14775	185	-0.70	002.05	0
002	Protein (%)	0683	20.620	0.12000	20.828	0.31727	0.14775	185	-0.65	002.05	0
002	Protein (%)	0226	20.620	0.06000	20.828	0.31727	0.14775	185	-0.65	002.06	0
002	Protein (%)	0298	20.620	0.02000	20.828	0.31727	0.14775	185	-0.65	002.06	0
002	Protein (%)	0650	20.630	0.16000	20.828	0.31727	0.14775	185	-0.62	002.06	0
002	Protein (%)	0074	20.650	0.12000	20.828	0.31727	0.14775	185	-0.56	002.06	0
002	Protein (%)	0175	20.650	0.10000	20.828	0.31727	0.14775	185	-0.56	002.06	0
002	Protein (%)	0018	20.655	0.03000	20.828	0.31727	0.14775	185	-0.54	002.06	0
002	Protein (%)	0164	20.675	0.05000	20.828	0.31727	0.14775	185	-0.48	002.01	0
002	Protein (%)	0049	20.675	0.37000	20.828	0.31727	0.14775	185	-0.48	002.06	0
002	Protein (%)	0529	20.675	0.29000	20.828	0.31727	0.14775	185	-0.48	002.06	0
002	Protein (%)	0108	20.685	0.23000	20.828	0.31727	0.14775	185	-0.45	002.06	0
002	Protein (%)	0098	20.690	0.12000	20.828	0.31727	0.14775	185	-0.43	002.08	0
002	Protein (%)	0187	20.695	0.07000	20.828	0.31727	0.14775	185	-0.42	002.04	0
002	Protein (%)	0638	20.700	0.00000	20.828	0.31727	0.14775	185	-0.40	002.04	0
002	Protein (%)	2004	20.700	0.00000	20.828	0.31727	0.14775	185	-0.40	002.99	0
002	Protein (%)	0903	20.700	0.02000	20.828	0.31727	0.14775	185	-0.40	002.05	0
002	Protein (%)	0505	20.700	0.06000	20.828	0.31727	0.14775	185	-0.40	002.06	0
002	Protein (%)	2150	20.705	0.10800	20.828	0.31727	0.14775	185	-0.39	002.06	0
002	Protein (%)	0508	20.709	0.49400	20.828	0.31727	0.14775	185	-0.37	002.06	0
002	Protein (%)	0893	20.710	0.00000	20.828	0.31727	0.14775	185	-0.37	002.05	0
002	Protein (%)	0682	20.720	0.00000	20.828	0.31727	0.14775	185	-0.34	002.06	0
002	Protein (%)	0425	20.725	0.05000	20.828	0.31727	0.14775	185	-0.32	002.06	0
002	Protein (%)	0728	20.735	0.11000	20.828	0.31727	0.14775	185	-0.29	002.04	0
002	Protein (%)	0895	20.735	0.01000	20.828	0.31727	0.14775	185	-0.29	002.05	0
002	Protein (%)	0036	20.739	0.11110	20.828	0.31727	0.14775	185	-0.28	002.02	0
002	Protein (%)	0849	20.740	0.04000	20.828	0.31727	0.14775	185	-0.28	002.05	0
002	Protein (%)	0164	20.740	0.04000	20.828	0.31727	0.14775	185	-0.28	002.06	0
002	Protein (%)	0123	20.745	0.07000	20.828	0.31727	0.14775	185	-0.26	002.06	0
002	Protein (%)	0229	20.750	0.08000	20.828	0.31727	0.14775	185	-0.24	002.06	0
002	Protein (%)	0278	20.750	0.10000	20.828	0.31727	0.14775	185	-0.24	002.06	0
002	Protein (%)	0038	20.752	0.24200	20.828	0.31727	0.14775	185	-0.24	002.06	0
002	Protein (%)	0004	20.755	0.17000	20.828	0.31727	0.14775	185	-0.23	002.06	0
002	Protein (%)	0205	20.760	0.06000	20.828	0.31727	0.14775	185	-0.21	002.06	0
002	Protein (%)	0687	20.760	0.12000	20.828	0.31727	0.14775	185	-0.21	002.06	0
002	Protein (%)	0028	20.765	0.07000	20.828	0.31727	0.14775	185	-0.20	002.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0017	20.775	0.25000	20.828	0.31727	0.14775	185	-0.17	002.06	0
002	Protein (%)	0941	20.780	0.08000	20.828	0.31727	0.14775	185	-0.15	002.05	0
002	Protein (%)	2009	20.795	0.03010	20.828	0.31727	0.14775	185	-0.10	002.05	0
002	Protein (%)	0144	20.795	0.01000	20.828	0.31727	0.14775	185	-0.10	002.06	0
002	Protein (%)	0413	20.800	0.20000	20.828	0.31727	0.14775	185	-0.09	002.06	0
002	Protein (%)	0897	20.800	0.10000	20.828	0.31727	0.14775	185	-0.09	002.05	0
002	Protein (%)	0948	20.800	0.04000	20.828	0.31727	0.14775	185	-0.09	002.05	0
002	Protein (%)	0510	20.800	0.00000	20.828	0.31727	0.14775	185	-0.09	002.06	0
002	Protein (%)	0619	20.800	0.00000	20.828	0.31727	0.14775	185	-0.09	002.06	0
002	Protein (%)	0357	20.813	0.12500	20.828	0.31727	0.14775	185	-0.05	002.06	0
002	Protein (%)	0027	20.815	0.10800	20.828	0.31727	0.14775	185	-0.04	002.06	0
002	Protein (%)	0009	20.820	0.28000	20.828	0.31727	0.14775	185	-0.02	002.06	0
002	Protein (%)	2075	20.825	0.55000	20.828	0.31727	0.14775	185	-0.01	002.06	0
002	Protein (%)	0504	20.830	0.08000	20.828	0.31727	0.14775	185	0.01	002.04	0
002	Protein (%)	0848	20.830	0.02000	20.828	0.31727	0.14775	185	0.01	002.06	0
002	Protein (%)	2081	20.830	0.44000	20.828	0.31727	0.14775	185	0.01	002.06	0
002	Protein (%)	0297	20.835	0.07000	20.828	0.31727	0.14775	185	0.02	002.06	0
002	Protein (%)	0870	20.839	0.22430	20.828	0.31727	0.14775	185	0.04	002.06	0
002	Protein (%)	2073	20.840	0.18000	20.828	0.31727	0.14775	185	0.04	002.05	0
002	Protein (%)	0589	20.845	0.03000	20.828	0.31727	0.14775	185	0.05	002.06	0
002	Protein (%)	0598	20.845	0.05000	20.828	0.31727	0.14775	185	0.05	002.06	0
002	Protein (%)	2149	20.850	0.10000	20.828	0.31727	0.14775	185	0.07	002.02	0
002	Protein (%)	0035	20.850	0.18000	20.828	0.31727	0.14775	185	0.07	002.06	0
002	Protein (%)	0098	20.850	0.10000	20.828	0.31727	0.14775	185	0.07	002.06	0
002	Protein (%)	0520	20.850	0.10000	20.828	0.31727	0.14775	185	0.07	002.06	0
002	Protein (%)	0590	20.850	0.10000	20.828	0.31727	0.14775	185	0.07	002.06	0
002	Protein (%)	0626	20.856	0.07000	20.828	0.31727	0.14775	185	0.09	002.06	0
002	Protein (%)	0309	20.867	0.10550	20.828	0.31727	0.14775	185	0.12	002.06	0
002	Protein (%)	0939	20.880	0.04000	20.828	0.31727	0.14775	185	0.16	002.05	0
002	Protein (%)	0037	20.880	0.28000	20.828	0.31727	0.14775	185	0.16	002.06	0
002	Protein (%)	0354	20.880	0.00000	20.828	0.31727	0.14775	185	0.16	002.06	0
002	Protein (%)	0644	20.883	0.43800	20.828	0.31727	0.14775	185	0.17	002.06	0
002	Protein (%)	0186	20.895	0.04100	20.828	0.31727	0.14775	185	0.21	002.06	0
002	Protein (%)	0089	20.895	0.01000	20.828	0.31727	0.14775	185	0.21	002.06	0
002	Protein (%)	0353	20.895	0.07000	20.828	0.31727	0.14775	185	0.21	002.06	0
002	Protein (%)	0045	20.900	0.40000	20.828	0.31727	0.14775	185	0.23	002.06	0
002	Protein (%)	0233	20.900	0.20000	20.828	0.31727	0.14775	185	0.23	002.06	0
002	Protein (%)	0910	20.900	0.40000	20.828	0.31727	0.14775	185	0.23	002.06	0
002	Protein (%)	0026	20.905	0.05000	20.828	0.31727	0.14775	185	0.24	002.06	0
002	Protein (%)	2053	20.905	0.05000	20.828	0.31727	0.14775	185	0.24	002.06	0
002	Protein (%)	0941	20.915	0.05000	20.828	0.31727	0.14775	185	0.28	002.06	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0726	20.935	0.05000	20.828	0.31727	0.14775	185	0.34	002.06	0
002	Protein (%)	0043	20.946	0.26800	20.828	0.31727	0.14775	185	0.37	002.06	0
002	Protein (%)	0610	20.950	0.10000	20.828	0.31727	0.14775	185	0.39	002.01	0
002	Protein (%)	0010	20.950	0.10000	20.828	0.31727	0.14775	185	0.39	002.06	0
002	Protein (%)	0014	20.950	0.10000	20.828	0.31727	0.14775	185	0.39	002.06	0
002	Protein (%)	0033	20.950	0.30000	20.828	0.31727	0.14775	185	0.39	002.06	0
002	Protein (%)	0300	20.955	0.65000	20.828	0.31727	0.14775	185	0.40	002.06	0
002	Protein (%)	0148	20.960	0.14000	20.828	0.31727	0.14775	185	0.42	002.06	0
002	Protein (%)	0142	20.965	0.07000	20.828	0.31727	0.14775	185	0.43	002.06	0
002	Protein (%)	0265	20.965	0.27000	20.828	0.31727	0.14775	185	0.43	002.06	0
002	Protein (%)	0675	20.965	0.13000	20.828	0.31727	0.14775	185	0.43	002.06	0
002	Protein (%)	0036	20.970	0.02000	20.828	0.31727	0.14775	185	0.45	002.06	0
002	Protein (%)	0190	20.985	0.01000	20.828	0.31727	0.14775	185	0.50	002.06	0
002	Protein (%)	0541	20.990	0.16000	20.828	0.31727	0.14775	185	0.51	002.06	0
002	Protein (%)	0689	21.000	0.20000	20.828	0.31727	0.14775	185	0.54	002.05	0
002	Protein (%)	0852	21.000	0.40000	20.828	0.31727	0.14775	185	0.54	002.05	0
002	Protein (%)	0610	21.000	0.20000	20.828	0.31727	0.14775	185	0.54	002.06	0
002	Protein (%)	0964	21.023	0.13700	20.828	0.31727	0.14775	185	0.61	002.06	0
002	Protein (%)	0857	21.025	0.11000	20.828	0.31727	0.14775	185	0.62	002.06	0
002	Protein (%)	0034	21.027	0.23900	20.828	0.31727	0.14775	185	0.63	002.06	0
002	Protein (%)	0003	21.030	0.36000	20.828	0.31727	0.14775	185	0.64	002.06	0
002	Protein (%)	0511	21.030	0.24000	20.828	0.31727	0.14775	185	0.64	002.06	0
002	Protein (%)	0872	21.036	0.29100	20.828	0.31727	0.14775	185	0.66	002.06	0
002	Protein (%)	2076	21.050	0.03000	20.828	0.31727	0.14775	185	0.70	002.06	0
002	Protein (%)	0683	21.065	0.07000	20.828	0.31727	0.14775	185	0.75	002.06	0
002	Protein (%)	0630	21.075	0.07000	20.828	0.31727	0.14775	185	0.78	002.06	0
002	Protein (%)	0563	21.082	0.45000	20.828	0.31727	0.14775	185	0.80	002.08	0
002	Protein (%)	2006	21.085	0.03000	20.828	0.31727	0.14775	185	0.81	002.05	0
002	Protein (%)	0001	21.085	0.27000	20.828	0.31727	0.14775	185	0.81	002.06	0
002	Protein (%)	0948	21.085	0.05000	20.828	0.31727	0.14775	185	0.81	002.06	0
002	Protein (%)	0955	21.100	0.20000	20.828	0.31727	0.14775	185	0.86	002.06	0
002	Protein (%)	0843	21.130	0.30000	20.828	0.31727	0.14775	185	0.95	002.06	0
002	Protein (%)	0574	21.135	0.07000	20.828	0.31727	0.14775	185	0.97	002.06	0
002	Protein (%)	0720	21.140	0.04000	20.828	0.31727	0.14775	185	0.98	002.11	0
002	Protein (%)	0047	21.150	0.50000	20.828	0.31727	0.14775	185	1.02	002.06	0
002	Protein (%)	0294	21.150	0.10000	20.828	0.31727	0.14775	185	1.02	002.06	0
002	Protein (%)	0504	21.165	0.11000	20.828	0.31727	0.14775	185	1.06	002.06	0
002	Protein (%)	0939	21.165	0.17000	20.828	0.31727	0.14775	185	1.06	002.06	0
002	Protein (%)	0083	21.190	0.34000	20.828	0.31727	0.14775	185	1.14	002.06	0
002	Protein (%)	0693	21.194	0.04000	20.828	0.31727	0.14775	185	1.16	002.06	0
002	Protein (%)	0859	21.195	0.06400	20.828	0.31727	0.14775	185	1.16	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
002	Protein (%)	0889	21.195	0.13000	20.828	0.31727	0.14775	185	1.16	002.11	0
002	Protein (%)	0955	21.200	0.00000	20.828	0.31727	0.14775	185	1.17	002.05	0
002	Protein (%)	0297	21.205	0.07000	20.828	0.31727	0.14775	185	1.19	002.11	0
002	Protein (%)	0609	21.245	0.15000	20.828	0.31727	0.14775	185	1.32	002.06	0
002	Protein (%)	0615	21.270	0.24000	20.828	0.31727	0.14775	185	1.39	002.06	0
002	Protein (%)	2089	21.300	0.02000	20.828	0.31727	0.14775	185	1.49	002.06	0
002	Protein (%)	2059	21.308	0.15940	20.828	0.31727	0.14775	185	1.51	002.06	0
002	Protein (%)	0571	21.335	0.19000	20.828	0.31727	0.14775	185	1.60	002.06	0
002	Protein (%)	2006	21.360	0.02000	20.828	0.31727	0.14775	185	1.68	002.06	0
002	Protein (%)	0006	21.385	0.39000	20.828	0.31727	0.14775	185	1.76	002.06	0
002	Protein (%)	0861	21.395	0.33000	20.828	0.31727	0.14775	185	1.79	002.06	0
002	Protein (%)	0263	21.416	0.02930	20.828	0.31727	0.14775	185	1.86	002.06	0
002	Protein (%)	2012	21.420	0.72000	20.828	0.31727	0.14775	185	1.87	002.06	0
002	Protein (%)	2146	21.425	0.09000	20.828	0.31727	0.14775	185	1.88	002.99	0
002	Protein (%)	0845	21.460	0.02000	20.828	0.31727	0.14775	185	1.99	002.00	0
002	Protein (%)	0953	21.650	0.68000	20.828	0.31727	0.14775	185	2.59	002.06	0
002	Protein (%)	2022	21.755	0.09000	20.828	0.31727	0.14775	185	2.92	002.05	0
002	Protein (%)	0563	21.758	0.21800	20.828	0.31727	0.14775	185	2.93	002.06	0
002	Protein (%)	0011	22.070	0.00000	20.828	0.31727	0.14775	185	3.92	002.11	0
002	Protein (%)	0407	22.249	0.70700	20.828	0.31727	0.14775	185	4.48	002.06	0
002	Protein (%)	2121	22.275	0.53000	20.828	0.31727	0.14775	185	4.56	002.11	0
002	Protein (%)	2120	22.400	0.22000	20.828	0.31727	0.14775	185	4.96	002.11	0
002	Protein (%)	0643	22.435	0.47000	20.828	0.31727	0.14775	185	5.07	002.99	0
002	Protein (%)	0405	24.635	0.03000	20.828	0.31727	0.14775	185	12.00	002.04	0
002	Protein (%)	0676	20.160	1.0600	20.828	0.31727	0.14775	185	-2.10	002.06	1
002	Protein (%)	2129	20.985	0.85000	20.828	0.31727	0.14775	185	0.50	002.06	1
002	Protein (%)	0366	21.350	1.1000	20.828	0.31727	0.14775	185	1.65	002.06	1
002	Protein (%)	0581	31.310	0.02000	20.828	0.31727	0.14775	185	33.04	002.07	2
003	Fat (%)	2120	2.1150	0.03000	2.8507	0.26519	0.10593	146	-2.77	003.11	0
003	Fat (%)	0049	2.2700	0.18000	2.8507	0.26519	0.10593	146	-2.19	003.14	0
003	Fat (%)	2073	2.2850	0.41000	2.8507	0.26519	0.10593	146	-2.13	003.10	0
003	Fat (%)	0357	2.3000	0.00000	2.8507	0.26519	0.10593	146	-2.08	003.14	0
003	Fat (%)	2155	2.3230	0.46000	2.8507	0.26519	0.10593	146	-1.99	003.10	0
003	Fat (%)	0843	2.3350	0.69000	2.8507	0.26519	0.10593	146	-1.94	003.14	0
003	Fat (%)	0278	2.3500	0.30000	2.8507	0.26519	0.10593	146	-1.89	003.14	0
003	Fat (%)	0893	2.4000	0.00000	2.8507	0.26519	0.10593	146	-1.70	003.12	0
003	Fat (%)	0885	2.4020	0.13590	2.8507	0.26519	0.10593	146	-1.69	003.00	0
003	Fat (%)	2121	2.4700	0.02000	2.8507	0.26519	0.10593	146	-1.44	003.11	0
003	Fat (%)	0108	2.4750	0.31000	2.8507	0.26519	0.10593	146	-1.42	003.14	0
003	Fat (%)	0037	2.5050	0.03000	2.8507	0.26519	0.10593	146	-1.30	003.14	0
003	Fat (%)	0581	2.5100	0.16000	2.8507	0.26519	0.10593	146	-1.28	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	2129	2.5350	0.11000	2.8507	0.26519	0.10593	146	-1.19	003.14	0
003	Fat (%)	0186	2.5450	0.03000	2.8507	0.26519	0.10593	146	-1.15	003.14	0
003	Fat (%)	0675	2.5500	0.02000	2.8507	0.26519	0.10593	146	-1.13	003.09	0
003	Fat (%)	0019	2.5500	0.06000	2.8507	0.26519	0.10593	146	-1.13	003.14	0
003	Fat (%)	0529	2.5550	0.11000	2.8507	0.26519	0.10593	146	-1.12	003.14	0
003	Fat (%)	0876	2.5550	0.03000	2.8507	0.26519	0.10593	146	-1.12	003.14	0
003	Fat (%)	0948	2.5550	0.09000	2.8507	0.26519	0.10593	146	-1.12	003.14	0
003	Fat (%)	2022	2.5700	0.10000	2.8507	0.26519	0.10593	146	-1.06	003.10	0
003	Fat (%)	0144	2.5850	0.09000	2.8507	0.26519	0.10593	146	-1.00	003.14	0
003	Fat (%)	0175	2.5900	0.06000	2.8507	0.26519	0.10593	146	-0.98	003.14	0
003	Fat (%)	0728	2.6100	0.02000	2.8507	0.26519	0.10593	146	-0.91	003.10	0
003	Fat (%)	0175	2.6300	0.10000	2.8507	0.26519	0.10593	146	-0.83	003.00	0
003	Fat (%)	0202	2.6365	0.04700	2.8507	0.26519	0.10593	146	-0.81	003.14	0
003	Fat (%)	0298	2.6400	0.02000	2.8507	0.26519	0.10593	146	-0.79	003.10	0
003	Fat (%)	0034	2.6450	0.19000	2.8507	0.26519	0.10593	146	-0.78	003.14	0
003	Fat (%)	0083	2.6500	0.08000	2.8507	0.26519	0.10593	146	-0.76	003.06	0
003	Fat (%)	0042	2.6500	0.14000	2.8507	0.26519	0.10593	146	-0.76	003.10	0
003	Fat (%)	0939	2.6600	0.08000	2.8507	0.26519	0.10593	146	-0.72	003.00	0
003	Fat (%)	0242	2.6600	0.06000	2.8507	0.26519	0.10593	146	-0.72	003.10	0
003	Fat (%)	0541	2.6700	0.12000	2.8507	0.26519	0.10593	146	-0.68	003.10	0
003	Fat (%)	0940	2.6800	0.70000	2.8507	0.26519	0.10593	146	-0.64	003.12	0
003	Fat (%)	0619	2.6850	0.11000	2.8507	0.26519	0.10593	146	-0.62	003.10	0
003	Fat (%)	0520	2.6950	0.23000	2.8507	0.26519	0.10593	146	-0.59	003.14	0
003	Fat (%)	0619	2.6950	0.11000	2.8507	0.26519	0.10593	146	-0.59	003.14	0
003	Fat (%)	0956	2.7000	0.00000	2.8507	0.26519	0.10593	146	-0.57	003.14	0
003	Fat (%)	0358	2.7100	0.08000	2.8507	0.26519	0.10593	146	-0.53	003.14	0
003	Fat (%)	0683	2.7100	0.04000	2.8507	0.26519	0.10593	146	-0.53	003.14	0
003	Fat (%)	0618	2.7120	0.02000	2.8507	0.26519	0.10593	146	-0.52	003.10	0
003	Fat (%)	0598	2.7150	0.17000	2.8507	0.26519	0.10593	146	-0.51	003.14	0
003	Fat (%)	0720	2.7250	0.07000	2.8507	0.26519	0.10593	146	-0.47	003.11	0
003	Fat (%)	0098	2.7350	0.03000	2.8507	0.26519	0.10593	146	-0.44	003.10	0
003	Fat (%)	0074	2.7350	0.03000	2.8507	0.26519	0.10593	146	-0.44	003.14	0
003	Fat (%)	0047	2.7350	0.01000	2.8507	0.26519	0.10593	146	-0.44	003.99	0
003	Fat (%)	0033	2.7450	0.11000	2.8507	0.26519	0.10593	146	-0.40	003.13	0
003	Fat (%)	0870	2.7483	0.02160	2.8507	0.26519	0.10593	146	-0.39	003.10	0
003	Fat (%)	0036	2.7491	0.08330	2.8507	0.26519	0.10593	146	-0.38	003.10	0
003	Fat (%)	0689	2.7500	0.10000	2.8507	0.26519	0.10593	146	-0.38	003.06	0
003	Fat (%)	0903	2.7550	0.01000	2.8507	0.26519	0.10593	146	-0.36	003.12	0
003	Fat (%)	2009	2.7598	0.06470	2.8507	0.26519	0.10593	146	-0.34	003.10	0
003	Fat (%)	0208	2.7600	0.16000	2.8507	0.26519	0.10593	146	-0.34	003.13	0
003	Fat (%)	0897	2.7650	0.01000	2.8507	0.26519	0.10593	146	-0.32	003.10	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	0895	2.7650	0.03000	2.8507	0.26519	0.10593	146	-0.32	003.12	0
003	Fat (%)	0011	2.7650	0.09000	2.8507	0.26519	0.10593	146	-0.32	003.12	0
003	Fat (%)	0955	2.7700	0.12000	2.8507	0.26519	0.10593	146	-0.30	003.14	0
003	Fat (%)	0693	2.7757	0.05580	2.8507	0.26519	0.10593	146	-0.28	003.10	0
003	Fat (%)	0263	2.7798	0.03360	2.8507	0.26519	0.10593	146	-0.27	003.09	0
003	Fat (%)	0098	2.7800	0.04000	2.8507	0.26519	0.10593	146	-0.27	003.13	0
003	Fat (%)	0629	2.7800	0.02000	2.8507	0.26519	0.10593	146	-0.27	003.10	0
003	Fat (%)	0720	2.7800	0.06000	2.8507	0.26519	0.10593	146	-0.27	003.10	0
003	Fat (%)	0089	2.7850	0.01000	2.8507	0.26519	0.10593	146	-0.25	003.14	0
003	Fat (%)	0171	2.7950	0.01000	2.8507	0.26519	0.10593	146	-0.21	003.12	0
003	Fat (%)	0026	2.8050	0.01000	2.8507	0.26519	0.10593	146	-0.17	003.00	0
003	Fat (%)	0574	2.8050	0.17000	2.8507	0.26519	0.10593	146	-0.17	003.14	0
003	Fat (%)	0045	2.8100	0.50000	2.8507	0.26519	0.10593	146	-0.15	003.10	0
003	Fat (%)	0100	2.8100	0.04000	2.8507	0.26519	0.10593	146	-0.15	003.10	0
003	Fat (%)	0912	2.8150	0.15000	2.8507	0.26519	0.10593	146	-0.13	003.14	0
003	Fat (%)	0226	2.8250	0.03000	2.8507	0.26519	0.10593	146	-0.10	003.09	0
003	Fat (%)	0849	2.8265	0.03300	2.8507	0.26519	0.10593	146	-0.09	003.06	0
003	Fat (%)	0644	2.8300	0.01400	2.8507	0.26519	0.10593	146	-0.08	003.06	0
003	Fat (%)	0407	2.8302	0.09370	2.8507	0.26519	0.10593	146	-0.08	003.14	0
003	Fat (%)	0297	2.8350	0.01000	2.8507	0.26519	0.10593	146	-0.06	003.06	0
003	Fat (%)	0511	2.8400	0.06000	2.8507	0.26519	0.10593	146	-0.04	003.06	0
003	Fat (%)	0653	2.8450	0.01000	2.8507	0.26519	0.10593	146	-0.02	003.00	0
003	Fat (%)	2109	2.8500	0.06000	2.8507	0.26519	0.10593	146	0.00	003.00	0
003	Fat (%)	0366	2.8500	0.10000	2.8507	0.26519	0.10593	146	0.00	003.10	0
003	Fat (%)	0009	2.8500	0.10000	2.8507	0.26519	0.10593	146	0.00	003.14	0
003	Fat (%)	0233	2.8600	0.10000	2.8507	0.26519	0.10593	146	0.04	003.10	0
003	Fat (%)	0861	2.8650	0.21000	2.8507	0.26519	0.10593	146	0.05	003.10	0
003	Fat (%)	0889	2.8650	0.07000	2.8507	0.26519	0.10593	146	0.05	003.11	0
003	Fat (%)	0066	2.8700	0.02000	2.8507	0.26519	0.10593	146	0.07	003.14	0
003	Fat (%)	0968	2.8715	0.07500	2.8507	0.26519	0.10593	146	0.08	003.14	0
003	Fat (%)	0563	2.8723	0.32620	2.8507	0.26519	0.10593	146	0.08	003.06	0
003	Fat (%)	0309	2.8747	0.02010	2.8507	0.26519	0.10593	146	0.09	003.00	0
003	Fat (%)	0948	2.8750	0.01000	2.8507	0.26519	0.10593	146	0.09	003.09	0
003	Fat (%)	0098	2.8800	0.14000	2.8507	0.26519	0.10593	146	0.11	003.09	0
003	Fat (%)	0205	2.8900	0.16000	2.8507	0.26519	0.10593	146	0.15	003.13	0
003	Fat (%)	0027	2.8960	0.01000	2.8507	0.26519	0.10593	146	0.17	003.09	0
003	Fat (%)	0689	2.9000	0.00000	2.8507	0.26519	0.10593	146	0.19	003.10	0
003	Fat (%)	0505	2.9000	0.02000	2.8507	0.26519	0.10593	146	0.19	003.09	0
003	Fat (%)	0294	2.9050	0.01000	2.8507	0.26519	0.10593	146	0.20	003.06	0
003	Fat (%)	2006	2.9050	0.01000	2.8507	0.26519	0.10593	146	0.20	003.13	0
003	Fat (%)	0676	2.9100	0.18000	2.8507	0.26519	0.10593	146	0.22	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	0001	2.9100	0.03200	2.8507	0.26519	0.10593	146	0.22	003.14	0
003	Fat (%)	0504	2.9100	0.02000	2.8507	0.26519	0.10593	146	0.22	003.99	0
003	Fat (%)	0148	2.9150	0.01000	2.8507	0.26519	0.10593	146	0.24	003.06	0
003	Fat (%)	0004	2.9150	0.03000	2.8507	0.26519	0.10593	146	0.24	003.09	0
003	Fat (%)	0910	2.9250	0.09000	2.8507	0.26519	0.10593	146	0.28	003.06	0
003	Fat (%)	0889	2.9250	0.03000	2.8507	0.26519	0.10593	146	0.28	003.10	0
003	Fat (%)	0682	2.9400	0.00000	2.8507	0.26519	0.10593	146	0.34	003.06	0
003	Fat (%)	2075	2.9450	0.03000	2.8507	0.26519	0.10593	146	0.36	003.14	0
003	Fat (%)	0638	2.9500	0.00000	2.8507	0.26519	0.10593	146	0.37	003.09	0
003	Fat (%)	0425	2.9550	0.03000	2.8507	0.26519	0.10593	146	0.39	003.06	0
003	Fat (%)	0354	2.9550	0.01000	2.8507	0.26519	0.10593	146	0.39	003.09	0
003	Fat (%)	0508	2.9594	0.04060	2.8507	0.26519	0.10593	146	0.41	003.09	0
003	Fat (%)	0004	2.9700	0.26000	2.8507	0.26519	0.10593	146	0.45	003.14	0
003	Fat (%)	0687	2.9750	0.25000	2.8507	0.26519	0.10593	146	0.47	003.06	0
003	Fat (%)	0123	2.9800	0.14000	2.8507	0.26519	0.10593	146	0.49	003.13	0
003	Fat (%)	2012	3.0050	0.15000	2.8507	0.26519	0.10593	146	0.58	003.09	0
003	Fat (%)	0918	3.0100	0.20000	2.8507	0.26519	0.10593	146	0.60	003.06	0
003	Fat (%)	0015	3.0100	0.06000	2.8507	0.26519	0.10593	146	0.60	003.14	0
003	Fat (%)	0345	3.0250	0.15000	2.8507	0.26519	0.10593	146	0.66	003.00	0
003	Fat (%)	0353	3.0250	0.23000	2.8507	0.26519	0.10593	146	0.66	003.09	0
003	Fat (%)	2053	3.0350	0.01000	2.8507	0.26519	0.10593	146	0.69	003.00	0
003	Fat (%)	0510	3.0500	0.10000	2.8507	0.26519	0.10593	146	0.75	003.09	0
003	Fat (%)	0164	3.0650	0.03000	2.8507	0.26519	0.10593	146	0.81	003.06	0
003	Fat (%)	0726	3.0900	0.02000	2.8507	0.26519	0.10593	146	0.90	003.14	0
003	Fat (%)	0722	3.0920	0.12930	2.8507	0.26519	0.10593	146	0.91	003.09	0
003	Fat (%)	2145	3.1250	0.07000	2.8507	0.26519	0.10593	146	1.03	003.99	0
003	Fat (%)	0187	3.1350	0.03000	2.8507	0.26519	0.10593	146	1.07	003.13	0
003	Fat (%)	2144	3.1450	0.01000	2.8507	0.26519	0.10593	146	1.11	003.99	0
003	Fat (%)	0536	3.2050	0.03000	2.8507	0.26519	0.10593	146	1.34	003.99	0
003	Fat (%)	0190	3.2100	0.22000	2.8507	0.26519	0.10593	146	1.35	003.14	0
003	Fat (%)	2146	3.2200	0.24000	2.8507	0.26519	0.10593	146	1.39	003.99	0
003	Fat (%)	0142	3.2350	0.27000	2.8507	0.26519	0.10593	146	1.45	003.00	0
003	Fat (%)	0552	3.2400	0.32000	2.8507	0.26519	0.10593	146	1.47	003.06	0
003	Fat (%)	0229	3.2450	0.09000	2.8507	0.26519	0.10593	146	1.49	003.14	0
003	Fat (%)	0685	3.2750	0.05000	2.8507	0.26519	0.10593	146	1.60	003.09	0
003	Fat (%)	2089	3.2750	0.29000	2.8507	0.26519	0.10593	146	1.60	003.13	0
003	Fat (%)	0229	3.2950	0.01000	2.8507	0.26519	0.10593	146	1.68	003.06	0
003	Fat (%)	0590	3.3100	0.12000	2.8507	0.26519	0.10593	146	1.73	003.09	0
003	Fat (%)	0630	3.3100	0.04000	2.8507	0.26519	0.10593	146	1.73	003.09	0
003	Fat (%)	0297	3.3200	0.00000	2.8507	0.26519	0.10593	146	1.77	003.11	0
003	Fat (%)	0265	3.3250	0.33000	2.8507	0.26519	0.10593	146	1.79	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
003	Fat (%)	2105	3.3450	0.21000	2.8507	0.26519	0.10593	146	1.86	003.99	0
003	Fat (%)	0596	3.3750	0.05000	2.8507	0.26519	0.10593	146	1.98	003.00	0
003	Fat (%)	0852	3.3750	0.01000	2.8507	0.26519	0.10593	146	1.98	003.11	0
003	Fat (%)	0941	3.4150	0.19000	2.8507	0.26519	0.10593	146	2.13	003.99	0
003	Fat (%)	0017	3.5500	0.30000	2.8507	0.26519	0.10593	146	2.64	003.00	0
003	Fat (%)	0609	3.6100	0.02000	2.8507	0.26519	0.10593	146	2.86	003.10	0
003	Fat (%)	0011	3.6500	0.00000	2.8507	0.26519	0.10593	146	3.01	003.11	0
003	Fat (%)	0413	3.7000	0.20000	2.8507	0.26519	0.10593	146	3.20	003.14	0
003	Fat (%)	0848	3.8000	0.14000	2.8507	0.26519	0.10593	146	3.58	003.14	0
003	Fat (%)	0615	4.5200	0.52000	2.8507	0.26519	0.10593	146	6.29	003.00	0
003	Fat (%)	0003	1.8200	2.0200	2.8507	0.26519	0.10593	146	-3.89	003.14	1
003	Fat (%)	0028	3.3550	1.0900	2.8507	0.26519	0.10593	146	1.90	003.13	1
004	Fiber (%)	0682	2.8300	0.00000	4.8617	0.41258	0.16180	121	-4.92	004.07	0
004	Fiber (%)	2089	3.2650	0.57000	4.8617	0.41258	0.16180	121	-3.87	004.03	0
004	Fiber (%)	0265	3.7450	0.01000	4.8617	0.41258	0.16180	121	-2.71	004.07	0
004	Fiber (%)	0505	4.0550	0.19000	4.8617	0.41258	0.16180	121	-1.96	004.07	0
004	Fiber (%)	0202	4.0565	0.34500	4.8617	0.41258	0.16180	121	-1.95	004.07	0
004	Fiber (%)	0510	4.1000	0.00000	4.8617	0.41258	0.16180	121	-1.85	004.07	0
004	Fiber (%)	0123	4.1550	0.05000	4.8617	0.41258	0.16180	121	-1.71	004.07	0
004	Fiber (%)	0619	4.2050	0.23000	4.8617	0.41258	0.16180	121	-1.59	004.07	0
004	Fiber (%)	2012	4.2400	0.02000	4.8617	0.41258	0.16180	121	-1.51	004.07	0
004	Fiber (%)	0294	4.2500	0.10000	4.8617	0.41258	0.16180	121	-1.48	004.07	0
004	Fiber (%)	0726	4.2700	0.06000	4.8617	0.41258	0.16180	121	-1.43	004.07	0
004	Fiber (%)	0536	4.3200	0.82000	4.8617	0.41258	0.16180	121	-1.31	004.07	0
004	Fiber (%)	2146	4.3400	0.20000	4.8617	0.41258	0.16180	121	-1.26	004.99	0
004	Fiber (%)	0278	4.3500	0.10000	4.8617	0.41258	0.16180	121	-1.24	004.07	0
004	Fiber (%)	0708	4.3700	0.02000	4.8617	0.41258	0.16180	121	-1.19	004.07	0
004	Fiber (%)	2121	4.3750	0.09000	4.8617	0.41258	0.16180	121	-1.18	004.11	0
004	Fiber (%)	0171	4.3800	0.08000	4.8617	0.41258	0.16180	121	-1.17	004.00	0
004	Fiber (%)	0042	4.3900	0.40000	4.8617	0.41258	0.16180	121	-1.14	004.07	0
004	Fiber (%)	0297	4.3950	0.05000	4.8617	0.41258	0.16180	121	-1.13	004.07	0
004	Fiber (%)	0653	4.4000	0.04000	4.8617	0.41258	0.16180	121	-1.12	004.07	0
004	Fiber (%)	0683	4.4250	0.21000	4.8617	0.41258	0.16180	121	-1.06	004.07	0
004	Fiber (%)	0889	4.4300	0.02000	4.8617	0.41258	0.16180	121	-1.05	004.11	0
004	Fiber (%)	0939	4.4500	0.06000	4.8617	0.41258	0.16180	121	-1.00	004.07	0
004	Fiber (%)	2009	4.4599	0.00750	4.8617	0.41258	0.16180	121	-0.97	004.07	0
004	Fiber (%)	0035	4.4700	0.26000	4.8617	0.41258	0.16180	121	-0.95	004.07	0
004	Fiber (%)	2145	4.5050	0.05000	4.8617	0.41258	0.16180	121	-0.86	004.99	0
004	Fiber (%)	0144	4.5150	0.23000	4.8617	0.41258	0.16180	121	-0.84	004.07	0
004	Fiber (%)	0644	4.5245	0.07300	4.8617	0.41258	0.16180	121	-0.82	004.07	0
004	Fiber (%)	0190	4.6000	0.20000	4.8617	0.41258	0.16180	121	-0.63	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	2076	4.6390	0.03200	4.8617	0.41258	0.16180	121	-0.54	004.00	0
004	Fiber (%)	0956	4.6500	0.30000	4.8617	0.41258	0.16180	121	-0.51	004.07	0
004	Fiber (%)	0629	4.6500	0.10000	4.8617	0.41258	0.16180	121	-0.51	004.99	0
004	Fiber (%)	0849	4.6550	0.01000	4.8617	0.41258	0.16180	121	-0.50	004.07	0
004	Fiber (%)	2073	4.6600	0.22000	4.8617	0.41258	0.16180	121	-0.49	004.00	0
004	Fiber (%)	0875	4.6750	0.49000	4.8617	0.41258	0.16180	121	-0.45	004.06	0
004	Fiber (%)	2109	4.6800	0.22000	4.8617	0.41258	0.16180	121	-0.44	004.07	0
004	Fiber (%)	0033	4.6850	0.07000	4.8617	0.41258	0.16180	121	-0.43	004.07	0
004	Fiber (%)	0026	4.7000	0.20000	4.8617	0.41258	0.16180	121	-0.39	004.07	0
004	Fiber (%)	0852	4.7000	0.12000	4.8617	0.41258	0.16180	121	-0.39	004.11	0
004	Fiber (%)	0425	4.7000	0.00000	4.8617	0.41258	0.16180	121	-0.39	004.00	0
004	Fiber (%)	0520	4.7000	0.00000	4.8617	0.41258	0.16180	121	-0.39	004.07	0
004	Fiber (%)	0897	4.7100	0.02000	4.8617	0.41258	0.16180	121	-0.37	004.06	0
004	Fiber (%)	2120	4.7200	0.04000	4.8617	0.41258	0.16180	121	-0.34	004.11	0
004	Fiber (%)	0885	4.7295	0.16440	4.8617	0.41258	0.16180	121	-0.32	004.06	0
004	Fiber (%)	0876	4.7300	0.20000	4.8617	0.41258	0.16180	121	-0.32	004.07	0
004	Fiber (%)	2053	4.7400	0.04000	4.8617	0.41258	0.16180	121	-0.29	004.07	0
004	Fiber (%)	0581	4.7500	0.10000	4.8617	0.41258	0.16180	121	-0.27	004.07	0
004	Fiber (%)	2006	4.7550	0.07000	4.8617	0.41258	0.16180	121	-0.26	004.06	0
004	Fiber (%)	0848	4.7600	0.06000	4.8617	0.41258	0.16180	121	-0.25	004.07	0
004	Fiber (%)	2144	4.7600	0.08000	4.8617	0.41258	0.16180	121	-0.25	004.99	0
004	Fiber (%)	0263	4.7633	0.04660	4.8617	0.41258	0.16180	121	-0.24	004.07	0
004	Fiber (%)	0098	4.7700	0.04000	4.8617	0.41258	0.16180	121	-0.22	004.06	0
004	Fiber (%)	0009	4.7950	0.11000	4.8617	0.41258	0.16180	121	-0.16	004.07	0
004	Fiber (%)	0968	4.8060	0.07200	4.8617	0.41258	0.16180	121	-0.14	004.07	0
004	Fiber (%)	0098	4.8350	0.69000	4.8617	0.41258	0.16180	121	-0.06	004.07	0
004	Fiber (%)	0011	4.8400	0.00000	4.8617	0.41258	0.16180	121	-0.05	004.11	0
004	Fiber (%)	2004	4.8700	0.10000	4.8617	0.41258	0.16180	121	0.02	004.00	0
004	Fiber (%)	0354	4.8850	0.01000	4.8617	0.41258	0.16180	121	0.06	004.00	0
004	Fiber (%)	0354	4.8850	0.03000	4.8617	0.41258	0.16180	121	0.06	004.07	0
004	Fiber (%)	0529	4.8850	0.03000	4.8617	0.41258	0.16180	121	0.06	004.07	0
004	Fiber (%)	0413	4.9000	0.00000	4.8617	0.41258	0.16180	121	0.09	004.07	0
004	Fiber (%)	0242	4.9400	0.50000	4.8617	0.41258	0.16180	121	0.19	004.07	0
004	Fiber (%)	0870	4.9426	0.14730	4.8617	0.41258	0.16180	121	0.20	004.07	0
004	Fiber (%)	2022	4.9500	0.08000	4.8617	0.41258	0.16180	121	0.21	004.06	0
004	Fiber (%)	0205	4.9550	0.15000	4.8617	0.41258	0.16180	121	0.23	004.06	0
004	Fiber (%)	2105	4.9600	0.04000	4.8617	0.41258	0.16180	121	0.24	004.99	0
004	Fiber (%)	0590	4.9650	0.05000	4.8617	0.41258	0.16180	121	0.25	004.06	0
004	Fiber (%)	0861	4.9650	0.57000	4.8617	0.41258	0.16180	121	0.25	004.07	0
004	Fiber (%)	0845	4.9700	0.58000	4.8617	0.41258	0.16180	121	0.26	004.06	0
004	Fiber (%)	0598	4.9700	0.14000	4.8617	0.41258	0.16180	121	0.26	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	0298	4.9800	0.02000	4.8617	0.41258	0.16180	121	0.29	004.00	0
004	Fiber (%)	0100	4.9800	0.06000	4.8617	0.41258	0.16180	121	0.29	004.07	0
004	Fiber (%)	0229	4.9850	0.05000	4.8617	0.41258	0.16180	121	0.30	004.07	0
004	Fiber (%)	0552	4.9850	1.1100	4.8617	0.41258	0.16180	121	0.30	004.07	0
004	Fiber (%)	0039	4.9867	0.86550	4.8617	0.41258	0.16180	121	0.30	004.07	0
004	Fiber (%)	0968	4.9935	0.06300	4.8617	0.41258	0.16180	121	0.32	004.06	0
004	Fiber (%)	0066	4.9950	0.09000	4.8617	0.41258	0.16180	121	0.32	004.07	0
004	Fiber (%)	0089	4.9950	0.01000	4.8617	0.41258	0.16180	121	0.32	004.07	0
004	Fiber (%)	0563	4.9952	0.06040	4.8617	0.41258	0.16180	121	0.32	004.07	0
004	Fiber (%)	0164	5.0000	0.00000	4.8617	0.41258	0.16180	121	0.34	004.00	0
004	Fiber (%)	0689	5.0000	0.00000	4.8617	0.41258	0.16180	121	0.34	004.06	0
004	Fiber (%)	0353	5.0100	0.42000	4.8617	0.41258	0.16180	121	0.36	004.03	0
004	Fiber (%)	0948	5.0250	0.01000	4.8617	0.41258	0.16180	121	0.40	004.06	0
004	Fiber (%)	0893	5.0300	0.00000	4.8617	0.41258	0.16180	121	0.41	004.06	0
004	Fiber (%)	0208	5.0400	0.06000	4.8617	0.41258	0.16180	121	0.43	004.00	0
004	Fiber (%)	2149	5.0550	0.03000	4.8617	0.41258	0.16180	121	0.47	004.06	0
004	Fiber (%)	0720	5.0600	0.14000	4.8617	0.41258	0.16180	121	0.48	004.06	0
004	Fiber (%)	0948	5.0950	0.21000	4.8617	0.41258	0.16180	121	0.57	004.07	0
004	Fiber (%)	0017	5.1000	0.00000	4.8617	0.41258	0.16180	121	0.58	004.00	0
004	Fiber (%)	0941	5.1000	0.30000	4.8617	0.41258	0.16180	121	0.58	004.06	0
004	Fiber (%)	0003	5.1100	0.12000	4.8617	0.41258	0.16180	121	0.60	004.07	0
004	Fiber (%)	0034	5.1200	0.10000	4.8617	0.41258	0.16180	121	0.63	004.07	0
004	Fiber (%)	0504	5.1400	0.04000	4.8617	0.41258	0.16180	121	0.67	004.00	0
004	Fiber (%)	0638	5.1500	0.10000	4.8617	0.41258	0.16180	121	0.70	004.06	0
004	Fiber (%)	0910	5.1500	0.50000	4.8617	0.41258	0.16180	121	0.70	004.07	0
004	Fiber (%)	0175	5.1600	0.04000	4.8617	0.41258	0.16180	121	0.72	004.00	0
004	Fiber (%)	0226	5.1650	0.09000	4.8617	0.41258	0.16180	121	0.74	004.00	0
004	Fiber (%)	0407	5.1899	0.25810	4.8617	0.41258	0.16180	121	0.80	004.07	0
004	Fiber (%)	0903	5.1950	0.01000	4.8617	0.41258	0.16180	121	0.81	004.06	0
004	Fiber (%)	0511	5.2000	0.20000	4.8617	0.41258	0.16180	121	0.82	004.00	0
004	Fiber (%)	0345	5.2050	0.09000	4.8617	0.41258	0.16180	121	0.83	004.00	0
004	Fiber (%)	0309	5.2241	0.07220	4.8617	0.41258	0.16180	121	0.88	004.00	0
004	Fiber (%)	0045	5.2800	0.14000	4.8617	0.41258	0.16180	121	1.01	004.07	0
004	Fiber (%)	0027	5.3010	0.02000	4.8617	0.41258	0.16180	121	1.06	004.06	0
004	Fiber (%)	0895	5.3050	0.01000	4.8617	0.41258	0.16180	121	1.07	004.06	0
004	Fiber (%)	0074	5.3150	0.33000	4.8617	0.41258	0.16180	121	1.10	004.07	0
004	Fiber (%)	0004	5.3300	0.08000	4.8617	0.41258	0.16180	121	1.14	004.07	0
004	Fiber (%)	0643	5.3350	0.05000	4.8617	0.41258	0.16180	121	1.15	004.07	0
004	Fiber (%)	0626	5.3450	0.05000	4.8617	0.41258	0.16180	121	1.17	004.07	0
004	Fiber (%)	0860	5.4010	0.28200	4.8617	0.41258	0.16180	121	1.31	004.06	0
004	Fiber (%)	0955	5.4500	0.42000	4.8617	0.41258	0.16180	121	1.43	004.07	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
004	Fiber (%)	0015	5.4550	0.09000	4.8617	0.41258	0.16180	121	1.44	004.07	0
004	Fiber (%)	0609	5.4900	0.10000	4.8617	0.41258	0.16180	121	1.52	004.06	0
004	Fiber (%)	0918	5.4900	0.36000	4.8617	0.41258	0.16180	121	1.52	004.06	0
004	Fiber (%)	0693	5.5745	0.26840	4.8617	0.41258	0.16180	121	1.73	004.03	0
004	Fiber (%)	0019	5.6000	0.34000	4.8617	0.41258	0.16180	121	1.79	004.07	0
004	Fiber (%)	0676	5.8450	0.27000	4.8617	0.41258	0.16180	121	2.38	004.06	0
004	Fiber (%)	0366	5.8500	0.90000	4.8617	0.41258	0.16180	121	2.40	004.01	0
004	Fiber (%)	0675	5.9050	0.07000	4.8617	0.41258	0.16180	121	2.53	004.06	0
004	Fiber (%)	0083	6.9450	0.17000	4.8617	0.41258	0.16180	121	5.05	004.07	0
004	Fiber (%)	0720	7.9500	0.10000	4.8617	0.41258	0.16180	121	7.49	004.11	0
004	Fiber (%)	0940	4.7250	1.2300	4.8617	0.41258	0.16180	121	-0.33	004.99	1
004	Fiber (%)	0964	4.8775	2.6250	4.8617	0.41258	0.16180	121	0.04	004.06	1
004	Fiber (%)	0028	5.0500	1.3000	4.8617	0.41258	0.16180	121	0.46	004.07	1
005	Ash (%)	0720	2.6550	0.17000	7.1679	0.28778	0.08298	134	-15.68	005.11	0
005	Ash (%)	0889	6.1000	0.04000	7.1679	0.28778	0.08298	134	-3.71	005.11	0
005	Ash (%)	0278	6.1700	0.04000	7.1679	0.28778	0.08298	134	-3.47	005.00	0
005	Ash (%)	0574	6.4300	0.22000	7.1679	0.28778	0.08298	134	-2.56	005.99	0
005	Ash (%)	0148	6.6100	0.26000	7.1679	0.28778	0.08298	134	-1.94	005.00	0
005	Ash (%)	0520	6.6200	0.16000	7.1679	0.28778	0.08298	134	-1.90	005.00	0
005	Ash (%)	0049	6.6700	0.26000	7.1679	0.28778	0.08298	134	-1.73	005.00	0
005	Ash (%)	0208	6.6700	0.20000	7.1679	0.28778	0.08298	134	-1.73	005.00	0
005	Ash (%)	0650	6.6700	0.12000	7.1679	0.28778	0.08298	134	-1.73	005.00	0
005	Ash (%)	0027	6.6925	0.02300	7.1679	0.28778	0.08298	134	-1.65	005.00	0
005	Ash (%)	0953	6.7150	0.15000	7.1679	0.28778	0.08298	134	-1.57	005.00	0
005	Ash (%)	0205	6.7180	0.02800	7.1679	0.28778	0.08298	134	-1.56	005.00	0
005	Ash (%)	0693	6.7346	0.06780	7.1679	0.28778	0.08298	134	-1.51	005.00	0
005	Ash (%)	0511	6.7450	0.05000	7.1679	0.28778	0.08298	134	-1.47	005.00	0
005	Ash (%)	0912	6.8000	0.00000	7.1679	0.28778	0.08298	134	-1.28	005.03	0
005	Ash (%)	0874	6.8150	0.09000	7.1679	0.28778	0.08298	134	-1.23	005.00	0
005	Ash (%)	0358	6.8200	0.00000	7.1679	0.28778	0.08298	134	-1.21	005.00	0
005	Ash (%)	0941	6.8250	0.13000	7.1679	0.28778	0.08298	134	-1.19	005.05	0
005	Ash (%)	0164	6.8500	0.04000	7.1679	0.28778	0.08298	134	-1.10	005.00	0
005	Ash (%)	0297	6.8500	0.10000	7.1679	0.28778	0.08298	134	-1.10	005.00	0
005	Ash (%)	0003	6.8500	0.02000	7.1679	0.28778	0.08298	134	-1.10	005.05	0
005	Ash (%)	0186	6.8589	0.08030	7.1679	0.28778	0.08298	134	-1.07	005.00	0
005	Ash (%)	0598	6.8600	0.00000	7.1679	0.28778	0.08298	134	-1.07	005.00	0
005	Ash (%)	0004	6.8650	0.03000	7.1679	0.28778	0.08298	134	-1.05	005.00	0
005	Ash (%)	2073	6.8700	0.04000	7.1679	0.28778	0.08298	134	-1.04	005.00	0
005	Ash (%)	0596	6.8750	0.01000	7.1679	0.28778	0.08298	134	-1.02	005.00	0
005	Ash (%)	0682	6.9000	0.00000	7.1679	0.28778	0.08298	134	-0.93	005.00	0
005	Ash (%)	0848	6.9000	0.12000	7.1679	0.28778	0.08298	134	-0.93	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0893	6.9000	0.00000	7.1679	0.28778	0.08298	134	-0.93	005.05	0
005	Ash (%)	0066	6.9100	0.02000	7.1679	0.28778	0.08298	134	-0.90	005.05	0
005	Ash (%)	0425	6.9500	0.12000	7.1679	0.28778	0.08298	134	-0.76	005.00	0
005	Ash (%)	0638	6.9600	0.20000	7.1679	0.28778	0.08298	134	-0.72	005.05	0
005	Ash (%)	0108	6.9650	0.45000	7.1679	0.28778	0.08298	134	-0.71	005.00	0
005	Ash (%)	0175	6.9700	0.10000	7.1679	0.28778	0.08298	134	-0.69	005.00	0
005	Ash (%)	0001	6.9960	0.03000	7.1679	0.28778	0.08298	134	-0.60	005.00	0
005	Ash (%)	0083	7.0100	0.12000	7.1679	0.28778	0.08298	134	-0.55	005.00	0
005	Ash (%)	0552	7.0150	0.03000	7.1679	0.28778	0.08298	134	-0.53	005.00	0
005	Ash (%)	0876	7.0200	0.02000	7.1679	0.28778	0.08298	134	-0.51	005.00	0
005	Ash (%)	0726	7.0250	0.05000	7.1679	0.28778	0.08298	134	-0.50	005.05	0
005	Ash (%)	0870	7.0332	0.05710	7.1679	0.28778	0.08298	134	-0.47	005.00	0
005	Ash (%)	0510	7.0350	0.17000	7.1679	0.28778	0.08298	134	-0.46	005.00	0
005	Ash (%)	0861	7.0350	0.11000	7.1679	0.28778	0.08298	134	-0.46	005.00	0
005	Ash (%)	0042	7.0450	0.03000	7.1679	0.28778	0.08298	134	-0.43	005.00	0
005	Ash (%)	0413	7.0500	0.10000	7.1679	0.28778	0.08298	134	-0.41	005.05	0
005	Ash (%)	0618	7.0536	0.10850	7.1679	0.28778	0.08298	134	-0.40	005.00	0
005	Ash (%)	2150	7.0600	0.10000	7.1679	0.28778	0.08298	134	-0.38	005.00	0
005	Ash (%)	0643	7.0650	0.01000	7.1679	0.28778	0.08298	134	-0.36	005.00	0
005	Ash (%)	2097	7.0877	0.08220	7.1679	0.28778	0.08298	134	-0.28	005.00	0
005	Ash (%)	0298	7.1000	0.02000	7.1679	0.28778	0.08298	134	-0.24	005.00	0
005	Ash (%)	0849	7.1000	0.06000	7.1679	0.28778	0.08298	134	-0.24	005.05	0
005	Ash (%)	0035	7.1050	0.03000	7.1679	0.28778	0.08298	134	-0.22	005.00	0
005	Ash (%)	0407	7.1073	0.07120	7.1679	0.28778	0.08298	134	-0.21	005.00	0
005	Ash (%)	2012	7.1100	0.20000	7.1679	0.28778	0.08298	134	-0.20	005.00	0
005	Ash (%)	0038	7.1350	0.01000	7.1679	0.28778	0.08298	134	-0.11	005.00	0
005	Ash (%)	0309	7.1350	0.19000	7.1679	0.28778	0.08298	134	-0.11	005.00	0
005	Ash (%)	0263	7.1430	0.00000	7.1679	0.28778	0.08298	134	-0.09	005.05	0
005	Ash (%)	0505	7.1450	0.09000	7.1679	0.28778	0.08298	134	-0.08	005.00	0
005	Ash (%)	2009	7.1612	0.03100	7.1679	0.28778	0.08298	134	-0.02	005.05	0
005	Ash (%)	2006	7.1650	0.05000	7.1679	0.28778	0.08298	134	-0.01	005.00	0
005	Ash (%)	0589	7.1700	0.24000	7.1679	0.28778	0.08298	134	0.01	005.00	0
005	Ash (%)	0609	7.1700	0.02000	7.1679	0.28778	0.08298	134	0.01	005.00	0
005	Ash (%)	0187	7.1750	0.03000	7.1679	0.28778	0.08298	134	0.02	005.00	0
005	Ash (%)	0968	7.1780	0.07400	7.1679	0.28778	0.08298	134	0.03	005.00	0
005	Ash (%)	0622	7.1784	0.04250	7.1679	0.28778	0.08298	134	0.04	005.00	0
005	Ash (%)	0144	7.1800	0.02000	7.1679	0.28778	0.08298	134	0.04	005.00	0
005	Ash (%)	0171	7.1850	0.03000	7.1679	0.28778	0.08298	134	0.06	005.00	0
005	Ash (%)	0354	7.1900	0.04000	7.1679	0.28778	0.08298	134	0.08	005.00	0
005	Ash (%)	0098	7.1900	0.42000	7.1679	0.28778	0.08298	134	0.08	005.00	0
005	Ash (%)	0529	7.2000	0.30000	7.1679	0.28778	0.08298	134	0.11	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	2053	7.2000	0.04000	7.1679	0.28778	0.08298	134	0.11	005.00	0
005	Ash (%)	0629	7.2050	0.09000	7.1679	0.28778	0.08298	134	0.13	005.99	0
005	Ash (%)	2146	7.2200	0.02000	7.1679	0.28778	0.08298	134	0.18	005.99	0
005	Ash (%)	0683	7.2250	0.05000	7.1679	0.28778	0.08298	134	0.20	005.05	0
005	Ash (%)	0226	7.2300	0.02000	7.1679	0.28778	0.08298	134	0.22	005.00	0
005	Ash (%)	0366	7.2500	0.10000	7.1679	0.28778	0.08298	134	0.29	005.00	0
005	Ash (%)	0903	7.2500	0.00000	7.1679	0.28778	0.08298	134	0.29	005.05	0
005	Ash (%)	0653	7.2550	0.07000	7.1679	0.28778	0.08298	134	0.30	005.00	0
005	Ash (%)	0897	7.2550	0.07000	7.1679	0.28778	0.08298	134	0.30	005.05	0
005	Ash (%)	2109	7.2550	0.09000	7.1679	0.28778	0.08298	134	0.30	005.05	0
005	Ash (%)	0265	7.2600	0.12000	7.1679	0.28778	0.08298	134	0.32	005.00	0
005	Ash (%)	0675	7.2600	0.02000	7.1679	0.28778	0.08298	134	0.32	005.00	0
005	Ash (%)	0895	7.2600	0.02000	7.1679	0.28778	0.08298	134	0.32	005.05	0
005	Ash (%)	0563	7.2679	0.11000	7.1679	0.28778	0.08298	134	0.35	005.00	0
005	Ash (%)	0722	7.2698	0.07150	7.1679	0.28778	0.08298	134	0.35	005.00	0
005	Ash (%)	0889	7.2750	0.05000	7.1679	0.28778	0.08298	134	0.37	005.05	0
005	Ash (%)	2089	7.2850	0.17000	7.1679	0.28778	0.08298	134	0.41	005.00	0
005	Ash (%)	0610	7.2850	0.05000	7.1679	0.28778	0.08298	134	0.41	005.05	0
005	Ash (%)	0590	7.2900	0.16000	7.1679	0.28778	0.08298	134	0.42	005.05	0
005	Ash (%)	0845	7.2950	0.07000	7.1679	0.28778	0.08298	134	0.44	005.00	0
005	Ash (%)	0845	7.2950	0.07000	7.1679	0.28778	0.08298	134	0.44	005.05	0
005	Ash (%)	0939	7.2950	0.03000	7.1679	0.28778	0.08298	134	0.44	005.05	0
005	Ash (%)	0294	7.3000	0.00000	7.1679	0.28778	0.08298	134	0.46	005.05	0
005	Ash (%)	2022	7.3200	0.08000	7.1679	0.28778	0.08298	134	0.53	005.00	0
005	Ash (%)	0940	7.3200	0.08000	7.1679	0.28778	0.08298	134	0.53	005.05	0
005	Ash (%)	2129	7.3250	0.13000	7.1679	0.28778	0.08298	134	0.55	005.05	0
005	Ash (%)	0202	7.3280	0.23200	7.1679	0.28778	0.08298	134	0.56	005.99	0
005	Ash (%)	0142	7.3300	0.08000	7.1679	0.28778	0.08298	134	0.56	005.00	0
005	Ash (%)	0504	7.3300	0.04000	7.1679	0.28778	0.08298	134	0.56	005.00	0
005	Ash (%)	0689	7.3300	0.02000	7.1679	0.28778	0.08298	134	0.56	005.05	0
005	Ash (%)	0123	7.3400	0.16000	7.1679	0.28778	0.08298	134	0.60	005.00	0
005	Ash (%)	0353	7.3400	0.12000	7.1679	0.28778	0.08298	134	0.60	005.00	0
005	Ash (%)	2145	7.3400	0.02000	7.1679	0.28778	0.08298	134	0.60	005.99	0
005	Ash (%)	0652	7.3500	0.10000	7.1679	0.28778	0.08298	134	0.63	005.99	0
005	Ash (%)	0615	7.3550	0.05000	7.1679	0.28778	0.08298	134	0.65	005.00	0
005	Ash (%)	2105	7.3550	0.01000	7.1679	0.28778	0.08298	134	0.65	005.99	0
005	Ash (%)	0619	7.3800	0.08000	7.1679	0.28778	0.08298	134	0.74	005.05	0
005	Ash (%)	0139	7.3850	0.07000	7.1679	0.28778	0.08298	134	0.75	005.00	0
005	Ash (%)	0728	7.3860	0.12600	7.1679	0.28778	0.08298	134	0.76	005.99	0
005	Ash (%)	0047	7.4000	0.00000	7.1679	0.28778	0.08298	134	0.81	005.00	0
005	Ash (%)	0229	7.4000	0.20000	7.1679	0.28778	0.08298	134	0.81	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
005	Ash (%)	0357	7.4000	0.00000	7.1679	0.28778	0.08298	134	0.81	005.00	0
005	Ash (%)	0910	7.4000	0.00000	7.1679	0.28778	0.08298	134	0.81	005.99	0
005	Ash (%)	0644	7.4050	0.05000	7.1679	0.28778	0.08298	134	0.82	005.02	0
005	Ash (%)	0630	7.4200	0.02000	7.1679	0.28778	0.08298	134	0.88	005.00	0
005	Ash (%)	2149	7.4300	0.00000	7.1679	0.28778	0.08298	134	0.91	005.05	0
005	Ash (%)	0885	7.4413	0.03430	7.1679	0.28778	0.08298	134	0.95	005.05	0
005	Ash (%)	0921	7.4600	0.00000	7.1679	0.28778	0.08298	134	1.01	005.05	0
005	Ash (%)	0345	7.4800	0.10000	7.1679	0.28778	0.08298	134	1.08	005.00	0
005	Ash (%)	0190	7.4850	0.03000	7.1679	0.28778	0.08298	134	1.10	005.05	0
005	Ash (%)	0581	7.4950	0.09000	7.1679	0.28778	0.08298	134	1.14	005.00	0
005	Ash (%)	0100	7.5200	0.20000	7.1679	0.28778	0.08298	134	1.22	005.00	0
005	Ash (%)	0242	7.5350	0.09000	7.1679	0.28778	0.08298	134	1.28	005.00	0
005	Ash (%)	2004	7.5550	0.01000	7.1679	0.28778	0.08298	134	1.34	005.99	0
005	Ash (%)	0045	7.5650	0.05000	7.1679	0.28778	0.08298	134	1.38	005.00	0
005	Ash (%)	0852	7.5750	0.11000	7.1679	0.28778	0.08298	134	1.41	005.00	0
005	Ash (%)	0685	7.5800	0.00000	7.1679	0.28778	0.08298	134	1.43	005.05	0
005	Ash (%)	0720	7.6000	0.08000	7.1679	0.28778	0.08298	134	1.50	005.05	0
005	Ash (%)	0676	7.6050	0.05000	7.1679	0.28778	0.08298	134	1.52	005.99	0
005	Ash (%)	0948	7.7650	0.01000	7.1679	0.28778	0.08298	134	2.07	005.00	0
005	Ash (%)	2120	8.0300	0.14000	7.1679	0.28778	0.08298	134	3.00	005.11	0
005	Ash (%)	0536	8.0800	0.08000	7.1679	0.28778	0.08298	134	3.17	005.99	0
005	Ash (%)	2121	8.1600	0.10000	7.1679	0.28778	0.08298	134	3.45	005.11	0
005	Ash (%)	0852	8.5950	0.07000	7.1679	0.28778	0.08298	134	4.96	005.11	0
005	Ash (%)	0297	8.6550	0.39000	7.1679	0.28778	0.08298	134	5.17	005.11	0
005	Ash (%)	0019	6.7500	0.50000	7.1679	0.28778	0.08298	134	-1.45	005.00	1
005	Ash (%)	0918	6.8600	0.66000	7.1679	0.28778	0.08298	134	-1.07	005.00	1
005	Ash (%)	0541	6.8800	0.54000	7.1679	0.28778	0.08298	134	-1.00	005.00	1
005	Ash (%)	0956	7.0000	0.60000	7.1679	0.28778	0.08298	134	-0.58	005.00	1
005	Ash (%)	0683	0.26000	0.00000	7.1679	0.28778	0.08298	134	-24.00	005.04	2
006	Total sugars (%)	0407	4.3100	0.08000				2		006.01	0
006	Total sugars (%)	0956	4.9500	0.10000				2		006.99	0
006	Total sugars (%)	0910	4.4950	0.51000				2		006.00	1
006	Total sugars (%)	0720	0.68000	0.04000				2		006.99	2
008	Fiber (%)	0720	2.7700	0.04000	6.4062	0.57717	0.16784	61	-6.30	008.99	0
008	Fiber (%)	0676	4.8300	0.04000	6.4062	0.57717	0.16784	61	-2.73	008.02	0
008	Fiber (%)	2012	5.3800	0.10000	6.4062	0.57717	0.16784	61	-1.78	008.08	0
008	Fiber (%)	0529	5.4000	0.30000	6.4062	0.57717	0.16784	61	-1.74	008.08	0
008	Fiber (%)	0910	5.5450	0.41000	6.4062	0.57717	0.16784	61	-1.49	008.08	0
008	Fiber (%)	0049	5.6350	0.25000	6.4062	0.57717	0.16784	61	-1.34	008.08	0
008	Fiber (%)	0870	5.6629	0.05380	6.4062	0.57717	0.16784	61	-1.29	008.08	0
008	Fiber (%)	2004	5.7400	0.06000	6.4062	0.57717	0.16784	61	-1.15	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
008	Fiber (%)	0590	5.7500	0.10000	6.4062	0.57717	0.16784	61	-1.14	008.02	0
008	Fiber (%)	0294	5.8000	0.20000	6.4062	0.57717	0.16784	61	-1.05	008.08	0
008	Fiber (%)	0357	5.8500	0.10000	6.4062	0.57717	0.16784	61	-0.96	008.08	0
008	Fiber (%)	0848	5.9000	0.12000	6.4062	0.57717	0.16784	61	-0.88	008.08	0
008	Fiber (%)	0358	5.9050	0.15000	6.4062	0.57717	0.16784	61	-0.87	008.08	0
008	Fiber (%)	0035	5.9500	0.08000	6.4062	0.57717	0.16784	61	-0.79	008.08	0
008	Fiber (%)	0033	5.9800	0.44000	6.4062	0.57717	0.16784	61	-0.74	008.08	0
008	Fiber (%)	0619	6.0050	0.41000	6.4062	0.57717	0.16784	61	-0.70	008.08	0
008	Fiber (%)	0354	6.0300	0.36000	6.4062	0.57717	0.16784	61	-0.65	008.08	0
008	Fiber (%)	0653	6.0500	0.16000	6.4062	0.57717	0.16784	61	-0.62	008.08	0
008	Fiber (%)	0956	6.0500	0.10000	6.4062	0.57717	0.16784	61	-0.62	008.08	0
008	Fiber (%)	0610	6.0500	0.20000	6.4062	0.57717	0.16784	61	-0.62	008.99	0
008	Fiber (%)	0504	6.0550	0.31000	6.4062	0.57717	0.16784	61	-0.61	008.02	0
008	Fiber (%)	0098	6.0800	0.00000	6.4062	0.57717	0.16784	61	-0.57	008.02	0
008	Fiber (%)	0413	6.2000	0.20000	6.4062	0.57717	0.16784	61	-0.36	008.08	0
008	Fiber (%)	0226	6.2900	0.18000	6.4062	0.57717	0.16784	61	-0.20	008.02	0
008	Fiber (%)	0190	6.3100	0.20000	6.4062	0.57717	0.16784	61	-0.17	008.08	0
008	Fiber (%)	0208	6.3400	0.04000	6.4062	0.57717	0.16784	61	-0.11	008.02	0
008	Fiber (%)	0366	6.4000	0.20000	6.4062	0.57717	0.16784	61	-0.01	008.08	0
008	Fiber (%)	0263	6.4465	0.05300	6.4062	0.57717	0.16784	61	0.07	008.08	0
008	Fiber (%)	0510	6.5000	0.40000	6.4062	0.57717	0.16784	61	0.16	008.08	0
008	Fiber (%)	0511	6.5000	0.20000	6.4062	0.57717	0.16784	61	0.16	008.99	0
008	Fiber (%)	0726	6.5150	0.01000	6.4062	0.57717	0.16784	61	0.19	008.08	0
008	Fiber (%)	2129	6.5250	0.35000	6.4062	0.57717	0.16784	61	0.21	008.08	0
008	Fiber (%)	0353	6.5350	0.07000	6.4062	0.57717	0.16784	61	0.22	008.02	0
008	Fiber (%)	0037	6.5550	0.15000	6.4062	0.57717	0.16784	61	0.26	008.08	0
008	Fiber (%)	0309	6.5971	0.07360	6.4062	0.57717	0.16784	61	0.33	008.02	0
008	Fiber (%)	0164	6.6000	0.20000	6.4062	0.57717	0.16784	61	0.34	008.08	0
008	Fiber (%)	0407	6.6078	0.01110	6.4062	0.57717	0.16784	61	0.35	008.08	0
008	Fiber (%)	0148	6.6450	0.07000	6.4062	0.57717	0.16784	61	0.41	008.08	0
008	Fiber (%)	0083	6.6600	0.30000	6.4062	0.57717	0.16784	61	0.44	008.08	0
008	Fiber (%)	0148	6.6800	0.00000	6.4062	0.57717	0.16784	61	0.47	008.02	0
008	Fiber (%)	0889	6.6950	0.33000	6.4062	0.57717	0.16784	61	0.50	008.08	0
008	Fiber (%)	0675	6.7150	0.33000	6.4062	0.57717	0.16784	61	0.54	008.02	0
008	Fiber (%)	0948	6.7150	0.05000	6.4062	0.57717	0.16784	61	0.54	008.02	0
008	Fiber (%)	0693	6.7227	0.20270	6.4062	0.57717	0.16784	61	0.55	008.08	0
008	Fiber (%)	0581	6.7500	0.04000	6.4062	0.57717	0.16784	61	0.60	008.08	0
008	Fiber (%)	0066	6.7650	0.07000	6.4062	0.57717	0.16784	61	0.62	008.08	0
008	Fiber (%)	0860	6.7660	0.01000	6.4062	0.57717	0.16784	61	0.62	008.08	0
008	Fiber (%)	0689	6.8000	0.00000	6.4062	0.57717	0.16784	61	0.68	008.02	0
008	Fiber (%)	0187	6.8150	0.09000	6.4062	0.57717	0.16784	61	0.71	008.02	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
008	Fiber (%)	0001	6.8400	0.10000	6.4062	0.57717	0.16784	61	0.75	008.08	0
008	Fiber (%)	0536	6.8400	0.12000	6.4062	0.57717	0.16784	61	0.75	008.08	0
008	Fiber (%)	0297	6.8700	0.10000	6.4062	0.57717	0.16784	61	0.80	008.08	0
008	Fiber (%)	0278	6.9500	0.10000	6.4062	0.57717	0.16784	61	0.94	008.08	0
008	Fiber (%)	0861	6.9650	0.15000	6.4062	0.57717	0.16784	61	0.97	008.08	0
008	Fiber (%)	0941	7.0750	0.31000	6.4062	0.57717	0.16784	61	1.16	008.99	0
008	Fiber (%)	0045	7.1000	0.60000	6.4062	0.57717	0.16784	61	1.20	008.08	0
008	Fiber (%)	0265	7.2000	0.20000	6.4062	0.57717	0.16784	61	1.38	008.05	0
008	Fiber (%)	0968	7.2900	0.05400	6.4062	0.57717	0.16784	61	1.53	008.08	0
008	Fiber (%)	0035	7.6150	0.41000	6.4062	0.57717	0.16784	61	2.09	008.99	0
008	Fiber (%)	0345	7.6500	0.10000	6.4062	0.57717	0.16784	61	2.16	008.02	0
008	Fiber (%)	0609	8.8900	0.18000	6.4062	0.57717	0.16784	61	4.30	008.02	0
008	Fiber (%)	0918	7.0817	0.88590	6.4062	0.57717	0.16784	61	1.17	008.08	1
008	Fiber (%)	0939	7.2200	1.0600	6.4062	0.57717	0.16784	61	1.41	008.02	1
009	Fiber (%)	0619	11.850	0.10000	14.886	1.3984	0.29292	58	-2.17	009.09	0
009	Fiber (%)	0910	12.700	0.00000	14.886	1.3984	0.29292	58	-1.56	009.07	0
009	Fiber (%)	0870	12.743	0.63000	14.886	1.3984	0.29292	58	-1.53	009.09	0
009	Fiber (%)	0098	13.050	0.30000	14.886	1.3984	0.29292	58	-1.31	009.07	0
009	Fiber (%)	2004	13.100	0.20000	14.886	1.3984	0.29292	58	-1.28	009.09	0
009	Fiber (%)	0598	13.235	0.39000	14.886	1.3984	0.29292	58	-1.18	009.09	0
009	Fiber (%)	0861	13.240	0.18000	14.886	1.3984	0.29292	58	-1.18	009.09	0
009	Fiber (%)	0049	13.265	0.71000	14.886	1.3984	0.29292	58	-1.16	009.09	0
009	Fiber (%)	0294	13.450	0.10000	14.886	1.3984	0.29292	58	-1.03	009.09	0
009	Fiber (%)	0413	13.500	0.00000	14.886	1.3984	0.29292	58	-0.99	009.09	0
009	Fiber (%)	2022	13.730	0.10000	14.886	1.3984	0.29292	58	-0.83	009.09	0
009	Fiber (%)	0187	13.745	0.03000	14.886	1.3984	0.29292	58	-0.82	009.07	0
009	Fiber (%)	0263	13.853	0.05340	14.886	1.3984	0.29292	58	-0.74	009.09	0
009	Fiber (%)	0148	13.855	0.05000	14.886	1.3984	0.29292	58	-0.74	009.09	0
009	Fiber (%)	0357	13.900	0.40000	14.886	1.3984	0.29292	58	-0.71	009.09	0
009	Fiber (%)	0001	13.920	0.26000	14.886	1.3984	0.29292	58	-0.69	009.09	0
009	Fiber (%)	0083	14.020	0.48000	14.886	1.3984	0.29292	58	-0.62	009.09	0
009	Fiber (%)	0581	14.030	0.22000	14.886	1.3984	0.29292	58	-0.61	009.09	0
009	Fiber (%)	0693	14.090	0.18980	14.886	1.3984	0.29292	58	-0.57	009.09	0
009	Fiber (%)	2012	14.315	0.17000	14.886	1.3984	0.29292	58	-0.41	009.09	0
009	Fiber (%)	0939	14.510	0.22000	14.886	1.3984	0.29292	58	-0.27	009.09	0
009	Fiber (%)	0037	14.545	0.01000	14.886	1.3984	0.29292	58	-0.24	009.09	0
009	Fiber (%)	0956	14.550	0.30000	14.886	1.3984	0.29292	58	-0.24	009.09	0
009	Fiber (%)	0297	14.570	1.5000	14.886	1.3984	0.29292	58	-0.23	009.09	0
009	Fiber (%)	0407	14.587	0.41310	14.886	1.3984	0.29292	58	-0.21	009.09	0
009	Fiber (%)	0504	14.615	0.05000	14.886	1.3984	0.29292	58	-0.19	009.04	0
009	Fiber (%)	0918	14.675	0.51410	14.886	1.3984	0.29292	58	-0.15	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
009	Fiber (%)	0536	14.705	0.51000	14.886	1.3984	0.29292	58	-0.13	009.09	0
009	Fiber (%)	0265	14.750	0.10000	14.886	1.3984	0.29292	58	-0.10	009.09	0
009	Fiber (%)	2129	14.790	0.58000	14.886	1.3984	0.29292	58	-0.07	009.09	0
009	Fiber (%)	0638	14.800	0.20000	14.886	1.3984	0.29292	58	-0.06	009.99	0
009	Fiber (%)	0066	14.830	0.10000	14.886	1.3984	0.29292	58	-0.04	009.09	0
009	Fiber (%)	0354	14.840	0.82000	14.886	1.3984	0.29292	58	-0.03	009.09	0
009	Fiber (%)	0676	15.090	0.60000	14.886	1.3984	0.29292	58	0.15	009.07	0
009	Fiber (%)	0353	15.135	0.09000	14.886	1.3984	0.29292	58	0.18	009.07	0
009	Fiber (%)	0510	15.150	0.30000	14.886	1.3984	0.29292	58	0.19	009.09	0
009	Fiber (%)	0366	15.200	0.80000	14.886	1.3984	0.29292	58	0.22	009.09	0
009	Fiber (%)	0345	15.335	0.27000	14.886	1.3984	0.29292	58	0.32	009.07	0
009	Fiber (%)	0226	15.455	0.01000	14.886	1.3984	0.29292	58	0.41	009.07	0
009	Fiber (%)	0968	15.607	0.07300	14.886	1.3984	0.29292	58	0.52	009.09	0
009	Fiber (%)	0653	15.675	0.13000	14.886	1.3984	0.29292	58	0.56	009.09	0
009	Fiber (%)	0045	15.800	0.60000	14.886	1.3984	0.29292	58	0.65	009.09	0
009	Fiber (%)	0590	15.900	0.40000	14.886	1.3984	0.29292	58	0.73	009.07	0
009	Fiber (%)	0675	16.040	0.26000	14.886	1.3984	0.29292	58	0.83	009.07	0
009	Fiber (%)	0164	16.050	0.50000	14.886	1.3984	0.29292	58	0.83	009.09	0
009	Fiber (%)	0610	16.150	1.1000	14.886	1.3984	0.29292	58	0.90	009.07	0
009	Fiber (%)	0726	16.245	0.11000	14.886	1.3984	0.29292	58	0.97	009.09	0
009	Fiber (%)	0941	16.310	0.00000	14.886	1.3984	0.29292	58	1.02	009.99	0
009	Fiber (%)	0309	16.319	0.06120	14.886	1.3984	0.29292	58	1.02	009.07	0
009	Fiber (%)	0848	16.340	0.10000	14.886	1.3984	0.29292	58	1.04	009.09	0
009	Fiber (%)	0948	16.385	0.11000	14.886	1.3984	0.29292	58	1.07	009.09	0
009	Fiber (%)	0889	16.403	0.02500	14.886	1.3984	0.29292	58	1.08	009.99	0
009	Fiber (%)	0190	16.690	0.28000	14.886	1.3984	0.29292	58	1.29	009.09	0
009	Fiber (%)	0689	16.750	0.10000	14.886	1.3984	0.29292	58	1.33	009.07	0
009	Fiber (%)	0208	18.350	0.10000	14.886	1.3984	0.29292	58	2.48	009.07	0
009	Fiber (%)	0278	18.550	0.50000	14.886	1.3984	0.29292	58	2.62	009.09	0
009	Fiber (%)	0720	19.290	0.30000	14.886	1.3984	0.29292	58	3.15	009.99	0
009	Fiber (%)	0609	19.595	0.29000	14.886	1.3984	0.29292	58	3.37	009.07	0
009	Fiber (%)	0889	15.795	2.1300	14.886	1.3984	0.29292	58	0.65	009.09	1
010	Moisture (%)	0722	8.8682	0.06870	9.8134	0.61909	0.07357	24	-1.53	010.99	0
010	Moisture (%)	2089	9.1850	0.07000	9.8134	0.61909	0.07357	24	-1.02	010.99	0
010	Moisture (%)	2144	9.1900	0.00000	9.8134	0.61909	0.07357	24	-1.01	010.99	0
010	Moisture (%)	2004	9.2800	0.08000	9.8134	0.61909	0.07357	24	-0.86	010.99	0
010	Moisture (%)	0964	9.3085	0.33700	9.8134	0.61909	0.07357	24	-0.82	010.99	0
010	Moisture (%)	2145	9.3600	0.02000	9.8134	0.61909	0.07357	24	-0.73	010.99	0
010	Moisture (%)	2146	9.3950	0.03000	9.8134	0.61909	0.07357	24	-0.68	010.99	0
010	Moisture (%)	0917	9.4500	0.10000	9.8134	0.61909	0.07357	24	-0.59	010.99	0
010	Moisture (%)	2120	9.4800	0.14000	9.8134	0.61909	0.07357	24	-0.54	010.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
010	Moisture (%)	0948	9.4800	0.08000	9.8134	0.61909	0.07357	24	-0.54	010.99	0
010	Moisture (%)	0939	9.5450	0.07000	9.8134	0.61909	0.07357	24	-0.43	010.99	0
010	Moisture (%)	2121	9.6450	0.11000	9.8134	0.61909	0.07357	24	-0.27	010.11	0
010	Moisture (%)	0208	9.7400	0.06000	9.8134	0.61909	0.07357	24	-0.12	010.03	0
010	Moisture (%)	0889	9.9000	0.02000	9.8134	0.61909	0.07357	24	0.14	010.11	0
010	Moisture (%)	0921	9.9200	0.00000	9.8134	0.61909	0.07357	24	0.17	010.99	0
010	Moisture (%)	0190	9.9800	0.06000	9.8134	0.61909	0.07357	24	0.27	010.99	0
010	Moisture (%)	0164	10.215	0.11000	9.8134	0.61909	0.07357	24	0.65	010.03	0
010	Moisture (%)	0843	10.250	0.22000	9.8134	0.61909	0.07357	24	0.71	010.03	0
010	Moisture (%)	0726	10.335	0.01000	9.8134	0.61909	0.07357	24	0.84	010.99	0
010	Moisture (%)	2076	10.370	0.02000	9.8134	0.61909	0.07357	24	0.90	010.99	0
010	Moisture (%)	0720	10.535	0.01000	9.8134	0.61909	0.07357	24	1.17	010.11	0
010	Moisture (%)	2105	10.590	0.10000	9.8134	0.61909	0.07357	24	1.25	010.99	0
010	Moisture (%)	0852	11.000	0.02000	9.8134	0.61909	0.07357	24	1.92	010.11	0
010	Moisture (%)	0405	11.075	0.03000	9.8134	0.61909	0.07357	24	2.04	010.99	0
010	Moisture (%)	2129	9.1100	0.64000	9.8134	0.61909	0.07357	24	-1.14	010.99	1
011	Loss on Drying (%)	0345	7.7000	0.16000	10.322	0.44513	0.12590	67	-5.89	011.01	0
011	Loss on Drying (%)	0598	8.0600	0.00000	10.322	0.44513	0.12590	67	-5.08	011.01	0
011	Loss on Drying (%)	0848	9.0950	0.07000	10.322	0.44513	0.12590	67	-2.76	011.01	0
011	Loss on Drying (%)	0874	9.1300	0.32000	10.322	0.44513	0.12590	67	-2.68	011.01	0
011	Loss on Drying (%)	0536	9.3550	0.15000	10.322	0.44513	0.12590	67	-2.17	011.01	0
011	Loss on Drying (%)	0876	9.4400	0.06000	10.322	0.44513	0.12590	67	-1.98	011.01	0
011	Loss on Drying (%)	0942	9.5700	0.34000	10.322	0.44513	0.12590	67	-1.69	011.02	0
011	Loss on Drying (%)	0857	9.6000	0.20000	10.322	0.44513	0.12590	67	-1.62	011.99	0
011	Loss on Drying (%)	0108	9.6350	0.07000	10.322	0.44513	0.12590	67	-1.54	011.01	0
011	Loss on Drying (%)	2073	9.8650	0.33000	10.322	0.44513	0.12590	67	-1.03	011.01	0
011	Loss on Drying (%)	2006	9.9000	0.02000	10.322	0.44513	0.12590	67	-0.95	011.01	0
011	Loss on Drying (%)	0574	9.9150	0.05000	10.322	0.44513	0.12590	67	-0.92	011.01	0
011	Loss on Drying (%)	0953	9.9500	0.06000	10.322	0.44513	0.12590	67	-0.84	011.01	0
011	Loss on Drying (%)	2075	9.9650	0.15000	10.322	0.44513	0.12590	67	-0.80	011.02	0
011	Loss on Drying (%)	0860	10.033	0.00700	10.322	0.44513	0.12590	67	-0.65	011.01	0
011	Loss on Drying (%)	0643	10.050	0.10000	10.322	0.44513	0.12590	67	-0.61	011.01	0
011	Loss on Drying (%)	0685	10.055	0.05000	10.322	0.44513	0.12590	67	-0.60	011.01	0
011	Loss on Drying (%)	0968	10.090	0.38800	10.322	0.44513	0.12590	67	-0.52	011.01	0
011	Loss on Drying (%)	0175	10.100	0.00000	10.322	0.44513	0.12590	67	-0.50	011.01	0
011	Loss on Drying (%)	0510	10.100	0.20000	10.322	0.44513	0.12590	67	-0.50	011.01	0
011	Loss on Drying (%)	0100	10.135	0.07000	10.322	0.44513	0.12590	67	-0.42	011.01	0
011	Loss on Drying (%)	0226	10.150	0.10000	10.322	0.44513	0.12590	67	-0.39	011.01	0
011	Loss on Drying (%)	0208	10.200	0.20000	10.322	0.44513	0.12590	67	-0.28	011.01	0
011	Loss on Drying (%)	0675	10.210	0.02000	10.322	0.44513	0.12590	67	-0.25	011.01	0
011	Loss on Drying (%)	0722	10.213	0.12070	10.322	0.44513	0.12590	67	-0.25	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	0552	10.215	0.35000	10.322	0.44513	0.12590	67	-0.24	011.01	0
011	Loss on Drying (%)	0354	10.245	0.01000	10.322	0.44513	0.12590	67	-0.17	011.01	0
011	Loss on Drying (%)	0622	10.246	0.31650	10.322	0.44513	0.12590	67	-0.17	011.01	0
011	Loss on Drying (%)	0294	10.250	0.10000	10.322	0.44513	0.12590	67	-0.16	011.01	0
011	Loss on Drying (%)	0653	10.280	0.06000	10.322	0.44513	0.12590	67	-0.10	011.01	0
011	Loss on Drying (%)	0425	10.295	0.05000	10.322	0.44513	0.12590	67	-0.06	011.02	0
011	Loss on Drying (%)	0066	10.305	0.09000	10.322	0.44513	0.12590	67	-0.04	011.01	0
011	Loss on Drying (%)	0144	10.335	0.07000	10.322	0.44513	0.12590	67	0.03	011.01	0
011	Loss on Drying (%)	0047	10.350	0.30000	10.322	0.44513	0.12590	67	0.06	011.01	0
011	Loss on Drying (%)	0870	10.367	0.04400	10.322	0.44513	0.12590	67	0.10	011.01	0
011	Loss on Drying (%)	0541	10.370	0.20000	10.322	0.44513	0.12590	67	0.11	011.99	0
011	Loss on Drying (%)	0164	10.380	0.06000	10.322	0.44513	0.12590	67	0.13	011.01	0
011	Loss on Drying (%)	0171	10.395	0.01000	10.322	0.44513	0.12590	67	0.16	011.01	0
011	Loss on Drying (%)	0229	10.425	0.01000	10.322	0.44513	0.12590	67	0.23	011.01	0
011	Loss on Drying (%)	0511	10.435	0.07000	10.322	0.44513	0.12590	67	0.25	011.01	0
011	Loss on Drying (%)	0263	10.450	0.10000	10.322	0.44513	0.12590	67	0.29	011.01	0
011	Loss on Drying (%)	0520	10.450	0.10000	10.322	0.44513	0.12590	67	0.29	011.01	0
011	Loss on Drying (%)	0682	10.480	0.00000	10.322	0.44513	0.12590	67	0.35	011.01	0
011	Loss on Drying (%)	0033	10.500	0.00000	10.322	0.44513	0.12590	67	0.40	011.01	0
011	Loss on Drying (%)	0265	10.500	0.20000	10.322	0.44513	0.12590	67	0.40	011.01	0
011	Loss on Drying (%)	0298	10.500	0.02000	10.322	0.44513	0.12590	67	0.40	011.01	0
011	Loss on Drying (%)	0202	10.508	0.19300	10.322	0.44513	0.12590	67	0.42	011.01	0
011	Loss on Drying (%)	0233	10.510	0.04000	10.322	0.44513	0.12590	67	0.42	011.01	0
011	Loss on Drying (%)	0541	10.525	0.01000	10.322	0.44513	0.12590	67	0.45	011.01	0
011	Loss on Drying (%)	0123	10.555	0.03000	10.322	0.44513	0.12590	67	0.52	011.01	0
011	Loss on Drying (%)	0098	10.580	0.44000	10.322	0.44513	0.12590	67	0.58	011.01	0
011	Loss on Drying (%)	0148	10.655	0.17000	10.322	0.44513	0.12590	67	0.75	011.01	0
011	Loss on Drying (%)	0615	10.660	0.06000	10.322	0.44513	0.12590	67	0.76	011.01	0
011	Loss on Drying (%)	0407	10.681	0.00540	10.322	0.44513	0.12590	67	0.81	011.01	0
011	Loss on Drying (%)	0596	10.705	0.21000	10.322	0.44513	0.12590	67	0.86	011.01	0
011	Loss on Drying (%)	0859	10.772	0.01100	10.322	0.44513	0.12590	67	1.01	011.01	0
011	Loss on Drying (%)	0358	10.790	0.18000	10.322	0.44513	0.12590	67	1.05	011.01	0
011	Loss on Drying (%)	0589	10.800	0.72000	10.322	0.44513	0.12590	67	1.07	011.01	0
011	Loss on Drying (%)	0309	10.810	0.02000	10.322	0.44513	0.12590	67	1.10	011.01	0
011	Loss on Drying (%)	0242	10.825	0.05000	10.322	0.44513	0.12590	67	1.13	011.01	0
011	Loss on Drying (%)	2022	10.860	0.06000	10.322	0.44513	0.12590	67	1.21	011.01	0
011	Loss on Drying (%)	0852	10.865	0.07000	10.322	0.44513	0.12590	67	1.22	011.99	0
011	Loss on Drying (%)	0861	10.950	0.08000	10.322	0.44513	0.12590	67	1.41	011.01	0
011	Loss on Drying (%)	0843	11.090	0.26000	10.322	0.44513	0.12590	67	1.72	011.02	0
011	Loss on Drying (%)	0205	11.110	0.18000	10.322	0.44513	0.12590	67	1.77	011.01	0
011	Loss on Drying (%)	0004	11.130	0.08000	10.322	0.44513	0.12590	67	1.81	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
011	Loss on Drying (%)	0728	11.205	0.17000	10.322	0.44513	0.12590	67	1.98	011.01	0
011	Loss on Drying (%)	0650	10.525	1.3900	10.322	0.44513	0.12590	67	0.45	011.01	1
012	Starch (%)	0918	23.771	0.51400	33.369	1.7834	0.54268	37	-5.38	012.01	0
012	Starch (%)	0510	30.750	0.30000	33.369	1.7834	0.54268	37	-1.47	012.04	0
012	Starch (%)	0353	31.030	0.34000	33.369	1.7834	0.54268	37	-1.31	012.04	0
012	Starch (%)	0609	31.210	0.00000	33.369	1.7834	0.54268	37	-1.21	012.00	0
012	Starch (%)	0160	31.355	1.2500	33.369	1.7834	0.54268	37	-1.13	012.04	0
012	Starch (%)	0278	31.450	0.50000	33.369	1.7834	0.54268	37	-1.08	012.04	0
012	Starch (%)	0870	31.830	0.33940	33.369	1.7834	0.54268	37	-0.86	012.01	0
012	Starch (%)	0676	31.915	0.17000	33.369	1.7834	0.54268	37	-0.82	012.01	0
012	Starch (%)	0956	31.950	1.1000	33.369	1.7834	0.54268	37	-0.80	012.01	0
012	Starch (%)	0407	32.033	1.1650	33.369	1.7834	0.54268	37	-0.75	012.03	0
012	Starch (%)	0098	32.300	0.20000	33.369	1.7834	0.54268	37	-0.60	012.03	0
012	Starch (%)	0148	32.420	0.16000	33.369	1.7834	0.54268	37	-0.53	012.03	0
012	Starch (%)	0045	32.750	1.3000	33.369	1.7834	0.54268	37	-0.35	012.01	0
012	Starch (%)	0265	32.950	0.70000	33.369	1.7834	0.54268	37	-0.23	012.01	0
012	Starch (%)	2004	33.000	0.40000	33.369	1.7834	0.54268	37	-0.21	012.01	0
012	Starch (%)	0208	33.100	0.60000	33.369	1.7834	0.54268	37	-0.15	012.04	0
012	Starch (%)	0948	33.120	0.02000	33.369	1.7834	0.54268	37	-0.14	012.04	0
012	Starch (%)	0689	33.300	0.60000	33.369	1.7834	0.54268	37	-0.04	012.00	0
012	Starch (%)	0955	33.350	1.3000	33.369	1.7834	0.54268	37	-0.01	012.03	0
012	Starch (%)	0693	33.379	1.0269	33.369	1.7834	0.54268	37	0.01	012.01	0
012	Starch (%)	0889	33.440	0.14000	33.369	1.7834	0.54268	37	0.04	012.11	0
012	Starch (%)	0552	33.480	0.22000	33.369	1.7834	0.54268	37	0.06	012.00	0
012	Starch (%)	0638	33.600	0.00000	33.369	1.7834	0.54268	37	0.13	012.00	0
012	Starch (%)	0164	33.750	0.70000	33.369	1.7834	0.54268	37	0.21	012.01	0
012	Starch (%)	0164	34.300	1.0000	33.369	1.7834	0.54268	37	0.52	012.00	0
012	Starch (%)	0354	34.335	0.01000	33.369	1.7834	0.54268	37	0.54	012.00	0
012	Starch (%)	2006	34.375	1.1640	33.369	1.7834	0.54268	37	0.56	012.00	0
012	Starch (%)	0610	34.550	0.10000	33.369	1.7834	0.54268	37	0.66	012.00	0
012	Starch (%)	0297	34.550	0.10000	33.369	1.7834	0.54268	37	0.66	012.11	0
012	Starch (%)	0619	34.600	0.60000	33.369	1.7834	0.54268	37	0.69	012.00	0
012	Starch (%)	0910	35.050	0.90000	33.369	1.7834	0.54268	37	0.94	012.00	0
012	Starch (%)	0852	35.195	0.05000	33.369	1.7834	0.54268	37	1.02	012.11	0
012	Starch (%)	0683	35.465	0.59000	33.369	1.7834	0.54268	37	1.18	012.00	0
012	Starch (%)	0297	35.945	2.0500	33.369	1.7834	0.54268	37	1.44	012.03	0
012	Starch (%)	0889	36.065	0.13000	33.369	1.7834	0.54268	37	1.51	012.03	0
012	Starch (%)	0720	37.525	0.19000	33.369	1.7834	0.54268	37	2.33	012.11	0
012	Starch (%)	2089	37.695	0.15000	33.369	1.7834	0.54268	37	2.43	012.01	0
013	Fat (%)	0618	2.1683	0.19260	3.8593	0.62595	0.11209	50	-2.70	013.08	0
013	Fat (%)	0875	2.3700	0.10000	3.8593	0.62595	0.11209	50	-2.38	013.10	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat (%)	2149	2.6300	0.16000	3.8593	0.62595	0.11209	50	-1.96	013.00	0
013	Fat (%)	0845	2.6700	0.44000	3.8593	0.62595	0.11209	50	-1.90	013.10	0
013	Fat (%)	0615	2.9250	0.01000	3.8593	0.62595	0.11209	50	-1.49	013.00	0
013	Fat (%)	0618	3.0009	0.05980	3.8593	0.62595	0.11209	50	-1.37	013.00	0
013	Fat (%)	0036	3.1271	0.05830	3.8593	0.62595	0.11209	50	-1.17	013.10	0
013	Fat (%)	0689	3.2000	0.40000	3.8593	0.62595	0.11209	50	-1.05	013.00	0
013	Fat (%)	0083	3.2100	0.04000	3.8593	0.62595	0.11209	50	-1.04	013.00	0
013	Fat (%)	0297	3.2250	0.03000	3.8593	0.62595	0.11209	50	-1.01	013.00	0
013	Fat (%)	0504	3.3800	0.14000	3.8593	0.62595	0.11209	50	-0.77	013.00	0
013	Fat (%)	0242	3.4050	0.19000	3.8593	0.62595	0.11209	50	-0.73	013.00	0
013	Fat (%)	0968	3.5185	0.02300	3.8593	0.62595	0.11209	50	-0.54	013.13	0
013	Fat (%)	0638	3.5500	0.10000	3.8593	0.62595	0.11209	50	-0.49	013.10	0
013	Fat (%)	0910	3.5900	0.14000	3.8593	0.62595	0.11209	50	-0.43	013.00	0
013	Fat (%)	0610	3.6000	0.16000	3.8593	0.62595	0.11209	50	-0.41	013.10	0
013	Fat (%)	0948	3.6050	0.01000	3.8593	0.62595	0.11209	50	-0.41	013.00	0
013	Fat (%)	2073	3.6250	0.01000	3.8593	0.62595	0.11209	50	-0.37	013.02	0
013	Fat (%)	0148	3.6700	0.00000	3.8593	0.62595	0.11209	50	-0.30	013.02	0
013	Fat (%)	0098	3.6750	0.11000	3.8593	0.62595	0.11209	50	-0.29	013.00	0
013	Fat (%)	2004	3.7000	0.00000	3.8593	0.62595	0.11209	50	-0.25	013.00	0
013	Fat (%)	0541	3.7450	0.29000	3.8593	0.62595	0.11209	50	-0.18	013.00	0
013	Fat (%)	0652	3.8000	0.00000	3.8593	0.62595	0.11209	50	-0.09	013.00	0
013	Fat (%)	0309	3.8613	0.02960	3.8593	0.62595	0.11209	50	0.00	013.00	0
013	Fat (%)	0208	3.8950	0.13000	3.8593	0.62595	0.11209	50	0.06	013.02	0
013	Fat (%)	2006	3.9050	0.01000	3.8593	0.62595	0.11209	50	0.07	013.10	0
013	Fat (%)	0581	3.9050	0.25000	3.8593	0.62595	0.11209	50	0.07	013.13	0
013	Fat (%)	0171	4.0200	0.04000	3.8593	0.62595	0.11209	50	0.26	013.02	0
013	Fat (%)	0139	4.0700	0.00000	3.8593	0.62595	0.11209	50	0.34	013.00	0
013	Fat (%)	0229	4.0900	0.02000	3.8593	0.62595	0.11209	50	0.37	013.00	0
013	Fat (%)	0955	4.1100	0.04000	3.8593	0.62595	0.11209	50	0.40	013.13	0
013	Fat (%)	0643	4.1150	0.13000	3.8593	0.62595	0.11209	50	0.41	013.02	0
013	Fat (%)	0870	4.1341	0.04180	3.8593	0.62595	0.11209	50	0.44	013.02	0
013	Fat (%)	0682	4.2000	0.00000	3.8593	0.62595	0.11209	50	0.54	013.02	0
013	Fat (%)	0354	4.2200	0.02000	3.8593	0.62595	0.11209	50	0.58	013.02	0
013	Fat (%)	0407	4.2378	0.32450	3.8593	0.62595	0.11209	50	0.60	013.13	0
013	Fat (%)	0353	4.2400	0.32000	3.8593	0.62595	0.11209	50	0.61	013.10	0
013	Fat (%)	0202	4.2980	0.16800	3.8593	0.62595	0.11209	50	0.70	013.00	0
013	Fat (%)	2150	4.3050	0.15000	3.8593	0.62595	0.11209	50	0.71	013.02	0
013	Fat (%)	0675	4.3350	0.17000	3.8593	0.62595	0.11209	50	0.76	013.02	0
013	Fat (%)	0676	4.3600	0.04000	3.8593	0.62595	0.11209	50	0.80	013.02	0
013	Fat (%)	0164	4.3850	0.05000	3.8593	0.62595	0.11209	50	0.84	013.02	0
013	Fat (%)	0100	4.4100	0.06000	3.8593	0.62595	0.11209	50	0.88	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
013	Fat (%)	0650	4.4800	0.10000	3.8593	0.62595	0.11209	50	0.99	013.02	0
013	Fat (%)	2076	4.4849	0.20670	3.8593	0.62595	0.11209	50	1.00	013.00	0
013	Fat (%)	0921	4.5100	0.00000	3.8593	0.62595	0.11209	50	1.04	013.02	0
013	Fat (%)	0843	4.7650	0.19000	3.8593	0.62595	0.11209	50	1.45	013.13	0
013	Fat (%)	0874	4.8100	0.28000	3.8593	0.62595	0.11209	50	1.52	013.02	0
013	Fat (%)	0861	5.1550	0.17000	3.8593	0.62595	0.11209	50	2.07	013.02	0
013	Fat (%)	0265	6.1000	0.00000	3.8593	0.62595	0.11209	50	3.58	013.13	0
015	Aluminum (mg / kg (ppm))	0186	89.161	3.9299	111.72	21.480	5.2472	11	-1.05	015.52	0
015	Aluminum (mg / kg (ppm))	0520	89.750	7.1000	111.72	21.480	5.2472	11	-1.02	015.41	0
015	Aluminum (mg / kg (ppm))	0049	91.800	5.0600	111.72	21.480	5.2472	11	-0.93	015.41	0
015	Aluminum (mg / kg (ppm))	0297	99.500	5.0000	111.72	21.480	5.2472	11	-0.57	015.43	0
015	Aluminum (mg / kg (ppm))	0560	107.00	2.8000	111.72	21.480	5.2472	11	-0.22	015.42	0
015	Aluminum (mg / kg (ppm))	0918	110.85	7.5290	111.72	21.480	5.2472	11	-0.04	015.43	0
015	Aluminum (mg / kg (ppm))	0510	111.00	0.00000	111.72	21.480	5.2472	11	-0.03	015.43	0
015	Aluminum (mg / kg (ppm))	0164	119.50	5.0000	111.72	21.480	5.2472	11	0.36	015.41	0
015	Aluminum (mg / kg (ppm))	0034	132.05	8.5000	111.72	21.480	5.2472	11	0.95	015.43	0
015	Aluminum (mg / kg (ppm))	0171	134.40	6.8000	111.72	21.480	5.2472	11	1.06	015.41	0
015	Aluminum (mg / kg (ppm))	0345	146.00	6.0000	111.72	21.480	5.2472	11	1.60	015.43	0
015	Aluminum (mg / kg (ppm))	0353	115.50	27.000	111.72	21.480	5.2472	11	0.18	015.43	1
017	Boron (mg / kg (ppm))	0297	2.5000	1.0000	11.028	1.0272	0.50656	14	-8.30	017.43	0
017	Boron (mg / kg (ppm))	0345	9.9500	0.10000	11.028	1.0272	0.50656	14	-1.05	017.43	0
017	Boron (mg / kg (ppm))	0358	10.270	0.86000	11.028	1.0272	0.50656	14	-0.74	017.41	0
017	Boron (mg / kg (ppm))	0693	10.567	0.41190	11.028	1.0272	0.50656	14	-0.45	017.42	0
017	Boron (mg / kg (ppm))	0560	10.640	0.10000	11.028	1.0272	0.50656	14	-0.38	017.42	0
017	Boron (mg / kg (ppm))	0045	10.750	1.1000	11.028	1.0272	0.50656	14	-0.27	017.42	0
017	Boron (mg / kg (ppm))	0229	10.820	1.8600	11.028	1.0272	0.50656	14	-0.20	017.41	0
017	Boron (mg / kg (ppm))	0918	10.900	0.10000	11.028	1.0272	0.50656	14	-0.13	017.43	0
017	Boron (mg / kg (ppm))	0510	11.000	0.00000	11.028	1.0272	0.50656	14	-0.03	017.43	0
017	Boron (mg / kg (ppm))	0032	11.250	0.10000	11.028	1.0272	0.50656	14	0.22	017.53	0
017	Boron (mg / kg (ppm))	0049	11.700	0.24000	11.028	1.0272	0.50656	14	0.65	017.41	0
017	Boron (mg / kg (ppm))	2053	11.925	0.07000	11.028	1.0272	0.50656	14	0.87	017.42	0
017	Boron (mg / kg (ppm))	0294	13.530	1.0600	11.028	1.0272	0.50656	14	2.44	017.42	0
017	Boron (mg / kg (ppm))	0226	16.195	0.09000	11.028	1.0272	0.50656	14	5.03	017.41	0
017	Boron (mg / kg (ppm))	0353	12.000	4.0000	11.028	1.0272	0.50656	14	0.95	017.43	1
019	Calcium (%)	2129	1.2000	0.02000	1.5519	0.08012	0.03622	137	-4.39	019.42	0
019	Calcium (%)	0889	1.2680	0.03400	1.5519	0.08012	0.03622	137	-3.54	019.99	0
019	Calcium (%)	0175	1.3550	0.03000	1.5519	0.08012	0.03622	137	-2.46	019.31	0
019	Calcium (%)	0622	1.3557	0.00000	1.5519	0.08012	0.03622	137	-2.45	019.00	0
019	Calcium (%)	0720	1.3650	0.01000	1.5519	0.08012	0.03622	137	-2.33	019.41	0
019	Calcium (%)	0144	1.3900	0.02000	1.5519	0.08012	0.03622	137	-2.02	019.41	0
019	Calcium (%)	0552	1.3900	0.10000	1.5519	0.08012	0.03622	137	-2.02	019.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0638	1.4250	0.01000	1.5519	0.08012	0.03622	137	-1.58	019.31	0
019	Calcium (%)	0676	1.4300	0.04000	1.5519	0.08012	0.03622	137	-1.52	019.99	0
019	Calcium (%)	0036	1.4329	0.00460	1.5519	0.08012	0.03622	137	-1.49	019.43	0
019	Calcium (%)	2109	1.4385	0.02700	1.5519	0.08012	0.03622	137	-1.42	019.00	0
019	Calcium (%)	0032	1.4400	0.08000	1.5519	0.08012	0.03622	137	-1.40	019.43	0
019	Calcium (%)	0043	1.4500	0.00000	1.5519	0.08012	0.03622	137	-1.27	019.43	0
019	Calcium (%)	0300	1.4550	0.03000	1.5519	0.08012	0.03622	137	-1.21	019.33	0
019	Calcium (%)	0205	1.4550	0.03000	1.5519	0.08012	0.03622	137	-1.21	019.42	0
019	Calcium (%)	0612	1.4700	0.06000	1.5519	0.08012	0.03622	137	-1.02	019.32	0
019	Calcium (%)	0510	1.4700	0.02000	1.5519	0.08012	0.03622	137	-1.02	019.43	0
019	Calcium (%)	0675	1.4750	0.01000	1.5519	0.08012	0.03622	137	-0.96	019.43	0
019	Calcium (%)	0968	1.4770	0.00400	1.5519	0.08012	0.03622	137	-0.94	019.43	0
019	Calcium (%)	0893	1.4800	0.00000	1.5519	0.08012	0.03622	137	-0.90	019.00	0
019	Calcium (%)	0139	1.4800	0.00000	1.5519	0.08012	0.03622	137	-0.90	019.41	0
019	Calcium (%)	0848	1.4800	0.04000	1.5519	0.08012	0.03622	137	-0.90	019.41	0
019	Calcium (%)	2004	1.4800	0.00000	1.5519	0.08012	0.03622	137	-0.90	019.44	0
019	Calcium (%)	0563	1.4860	0.01400	1.5519	0.08012	0.03622	137	-0.82	019.31	0
019	Calcium (%)	0590	1.4900	0.02000	1.5519	0.08012	0.03622	137	-0.77	019.08	0
019	Calcium (%)	0940	1.4900	0.00000	1.5519	0.08012	0.03622	137	-0.77	019.08	0
019	Calcium (%)	0910	1.4900	0.04000	1.5519	0.08012	0.03622	137	-0.77	019.41	0
019	Calcium (%)	0861	1.4900	0.00000	1.5519	0.08012	0.03622	137	-0.77	019.43	0
019	Calcium (%)	0693	1.4927	0.03900	1.5519	0.08012	0.03622	137	-0.74	019.42	0
019	Calcium (%)	0018	1.4950	0.01000	1.5519	0.08012	0.03622	137	-0.71	019.41	0
019	Calcium (%)	2012	1.4950	0.01000	1.5519	0.08012	0.03622	137	-0.71	019.41	0
019	Calcium (%)	0045	1.4950	0.09000	1.5519	0.08012	0.03622	137	-0.71	019.42	0
019	Calcium (%)	0849	1.4985	0.00300	1.5519	0.08012	0.03622	137	-0.67	019.08	0
019	Calcium (%)	0683	1.5000	0.04000	1.5519	0.08012	0.03622	137	-0.65	019.00	0
019	Calcium (%)	0687	1.5000	0.10000	1.5519	0.08012	0.03622	137	-0.65	019.31	0
019	Calcium (%)	0035	1.5000	0.00000	1.5519	0.08012	0.03622	137	-0.65	019.42	0
019	Calcium (%)	0083	1.5000	0.04000	1.5519	0.08012	0.03622	137	-0.65	019.43	0
019	Calcium (%)	0038	1.5035	0.01500	1.5519	0.08012	0.03622	137	-0.60	019.31	0
019	Calcium (%)	0939	1.5050	0.03000	1.5519	0.08012	0.03622	137	-0.59	019.31	0
019	Calcium (%)	0019	1.5050	0.01000	1.5519	0.08012	0.03622	137	-0.59	019.41	0
019	Calcium (%)	0405	1.5050	0.01000	1.5519	0.08012	0.03622	137	-0.59	019.41	0
019	Calcium (%)	0278	1.5050	0.05000	1.5519	0.08012	0.03622	137	-0.59	019.42	0
019	Calcium (%)	0009	1.5098	0.04160	1.5519	0.08012	0.03622	137	-0.53	019.42	0
019	Calcium (%)	0164	1.5100	0.00000	1.5519	0.08012	0.03622	137	-0.52	019.41	0
019	Calcium (%)	0918	1.5110	0.06400	1.5519	0.08012	0.03622	137	-0.51	019.43	0
019	Calcium (%)	2097	1.5111	0.00800	1.5519	0.08012	0.03622	137	-0.51	019.31	0
019	Calcium (%)	0233	1.5150	0.01000	1.5519	0.08012	0.03622	137	-0.46	019.31	0
019	Calcium (%)	0948	1.5150	0.01000	1.5519	0.08012	0.03622	137	-0.46	019.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0366	1.5200	0.18000	1.5519	0.08012	0.03622	137	-0.40	019.42	0
019	Calcium (%)	0038	1.5200	0.02000	1.5519	0.08012	0.03622	137	-0.40	019.43	0
019	Calcium (%)	0682	1.5200	0.00000	1.5519	0.08012	0.03622	137	-0.40	019.43	0
019	Calcium (%)	2009	1.5239	0.00370	1.5519	0.08012	0.03622	137	-0.35	019.08	0
019	Calcium (%)	0895	1.5250	0.01000	1.5519	0.08012	0.03622	137	-0.34	019.00	0
019	Calcium (%)	0354	1.5250	0.01000	1.5519	0.08012	0.03622	137	-0.34	019.31	0
019	Calcium (%)	0098	1.5250	0.07000	1.5519	0.08012	0.03622	137	-0.34	019.41	0
019	Calcium (%)	0089	1.5250	0.01000	1.5519	0.08012	0.03622	137	-0.34	019.43	0
019	Calcium (%)	0242	1.5300	0.00000	1.5519	0.08012	0.03622	137	-0.27	019.99	0
019	Calcium (%)	0011	1.5306	0.04710	1.5519	0.08012	0.03622	137	-0.27	019.41	0
019	Calcium (%)	0520	1.5350	0.11000	1.5519	0.08012	0.03622	137	-0.21	019.41	0
019	Calcium (%)	2145	1.5350	0.03000	1.5519	0.08012	0.03622	137	-0.21	019.41	0
019	Calcium (%)	0033	1.5350	0.05000	1.5519	0.08012	0.03622	137	-0.21	019.43	0
019	Calcium (%)	0903	1.5400	0.02000	1.5519	0.08012	0.03622	137	-0.15	019.00	0
019	Calcium (%)	0619	1.5400	0.02000	1.5519	0.08012	0.03622	137	-0.15	019.41	0
019	Calcium (%)	0425	1.5400	0.02000	1.5519	0.08012	0.03622	137	-0.15	019.43	0
019	Calcium (%)	0870	1.5425	0.01300	1.5519	0.08012	0.03622	137	-0.12	019.42	0
019	Calcium (%)	0263	1.5440	0.00270	1.5519	0.08012	0.03622	137	-0.10	019.42	0
019	Calcium (%)	0229	1.5440	0.08800	1.5519	0.08012	0.03622	137	-0.10	019.41	0
019	Calcium (%)	0668	1.5450	0.01000	1.5519	0.08012	0.03622	137	-0.09	019.43	0
019	Calcium (%)	0885	1.5485	0.01130	1.5519	0.08012	0.03622	137	-0.04	019.08	0
019	Calcium (%)	0407	1.5491	0.01060	1.5519	0.08012	0.03622	137	-0.04	019.41	0
019	Calcium (%)	0689	1.5500	0.00000	1.5519	0.08012	0.03622	137	-0.02	019.08	0
019	Calcium (%)	0123	1.5500	0.08000	1.5519	0.08012	0.03622	137	-0.02	019.41	0
019	Calcium (%)	0148	1.5500	0.04000	1.5519	0.08012	0.03622	137	-0.02	019.41	0
019	Calcium (%)	2053	1.5500	0.06000	1.5519	0.08012	0.03622	137	-0.02	019.42	0
019	Calcium (%)	0560	1.5525	0.05300	1.5519	0.08012	0.03622	137	0.01	019.42	0
019	Calcium (%)	0629	1.5550	0.03000	1.5519	0.08012	0.03622	137	0.04	019.08	0
019	Calcium (%)	0171	1.5600	0.00000	1.5519	0.08012	0.03622	137	0.10	019.41	0
019	Calcium (%)	0298	1.5600	0.02000	1.5519	0.08012	0.03622	137	0.10	019.41	0
019	Calcium (%)	0297	1.5600	0.08000	1.5519	0.08012	0.03622	137	0.10	019.43	0
019	Calcium (%)	2089	1.5600	0.02000	1.5519	0.08012	0.03622	137	0.10	019.43	0
019	Calcium (%)	0598	1.5615	0.02500	1.5519	0.08012	0.03622	137	0.12	019.41	0
019	Calcium (%)	0897	1.5650	0.01000	1.5519	0.08012	0.03622	137	0.16	019.00	0
019	Calcium (%)	2055	1.5696	0.02870	1.5519	0.08012	0.03622	137	0.22	019.53	0
019	Calcium (%)	0187	1.5700	0.00000	1.5519	0.08012	0.03622	137	0.23	019.42	0
019	Calcium (%)	0265	1.5750	0.11000	1.5519	0.08012	0.03622	137	0.29	019.42	0
019	Calcium (%)	0035	1.5750	0.07000	1.5519	0.08012	0.03622	137	0.29	019.32	0
019	Calcium (%)	0003	1.5800	0.02000	1.5519	0.08012	0.03622	137	0.35	019.41	0
019	Calcium (%)	0074	1.5800	0.04000	1.5519	0.08012	0.03622	137	0.35	019.41	0
019	Calcium (%)	0345	1.5800	0.02000	1.5519	0.08012	0.03622	137	0.35	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0036	1.5807	0.01350	1.5519	0.08012	0.03622	137	0.36	019.03	0
019	Calcium (%)	2022	1.5835	0.00700	1.5519	0.08012	0.03622	137	0.39	019.31	0
019	Calcium (%)	0142	1.5843	0.01970	1.5519	0.08012	0.03622	137	0.40	019.31	0
019	Calcium (%)	0154	1.5844	0.19020	1.5519	0.08012	0.03622	137	0.41	019.52	0
019	Calcium (%)	0208	1.5865	0.08100	1.5519	0.08012	0.03622	137	0.43	019.31	0
019	Calcium (%)	0629	1.5900	0.02000	1.5519	0.08012	0.03622	137	0.48	019.43	0
019	Calcium (%)	2144	1.5900	0.00000	1.5519	0.08012	0.03622	137	0.48	019.99	0
019	Calcium (%)	0186	1.5930	0.03980	1.5519	0.08012	0.03622	137	0.51	019.52	0
019	Calcium (%)	0529	1.5950	0.01000	1.5519	0.08012	0.03622	137	0.54	019.31	0
019	Calcium (%)	0047	1.5950	0.01000	1.5519	0.08012	0.03622	137	0.54	019.52	0
019	Calcium (%)	0413	1.6000	0.00000	1.5519	0.08012	0.03622	137	0.60	019.41	0
019	Calcium (%)	0006	1.6040	0.03000	1.5519	0.08012	0.03622	137	0.65	019.43	0
019	Calcium (%)	0357	1.6047	0.03150	1.5519	0.08012	0.03622	137	0.66	019.42	0
019	Calcium (%)	0874	1.6050	0.05000	1.5519	0.08012	0.03622	137	0.66	019.31	0
019	Calcium (%)	0037	1.6050	0.01000	1.5519	0.08012	0.03622	137	0.66	019.42	0
019	Calcium (%)	0042	1.6050	0.09000	1.5519	0.08012	0.03622	137	0.66	019.42	0
019	Calcium (%)	0294	1.6050	0.15000	1.5519	0.08012	0.03622	137	0.66	019.42	0
019	Calcium (%)	0964	1.6053	0.07870	1.5519	0.08012	0.03622	137	0.67	019.43	0
019	Calcium (%)	0208	1.6070	0.09800	1.5519	0.08012	0.03622	137	0.69	019.41	0
019	Calcium (%)	0511	1.6100	0.12000	1.5519	0.08012	0.03622	137	0.72	019.41	0
019	Calcium (%)	0049	1.6150	0.05000	1.5519	0.08012	0.03622	137	0.79	019.41	0
019	Calcium (%)	0590	1.6150	0.05000	1.5519	0.08012	0.03622	137	0.79	019.99	0
019	Calcium (%)	0098	1.6200	0.04000	1.5519	0.08012	0.03622	137	0.85	019.43	0
019	Calcium (%)	0202	1.6255	0.07100	1.5519	0.08012	0.03622	137	0.92	019.43	0
019	Calcium (%)	0027	1.6270	0.03800	1.5519	0.08012	0.03622	137	0.94	019.43	0
019	Calcium (%)	0100	1.6300	0.04000	1.5519	0.08012	0.03622	137	0.97	019.99	0
019	Calcium (%)	0572	1.6350	0.05000	1.5519	0.08012	0.03622	137	1.04	019.53	0
019	Calcium (%)	0014	1.6400	0.10000	1.5519	0.08012	0.03622	137	1.10	019.31	0
019	Calcium (%)	0034	1.6400	0.03400	1.5519	0.08012	0.03622	137	1.10	019.53	0
019	Calcium (%)	0010	1.6500	0.02000	1.5519	0.08012	0.03622	137	1.22	019.33	0
019	Calcium (%)	0039	1.6510	0.02200	1.5519	0.08012	0.03622	137	1.24	019.44	0
019	Calcium (%)	0001	1.6545	0.01700	1.5519	0.08012	0.03622	137	1.28	019.31	0
019	Calcium (%)	0358	1.6650	0.01000	1.5519	0.08012	0.03622	137	1.41	019.41	0
019	Calcium (%)	0722	1.6737	0.03550	1.5519	0.08012	0.03622	137	1.52	019.31	0
019	Calcium (%)	0504	1.6740	0.01600	1.5519	0.08012	0.03622	137	1.52	019.42	0
019	Calcium (%)	0186	1.6756	0.12480	1.5519	0.08012	0.03622	137	1.54	019.42	0
019	Calcium (%)	0226	1.7100	0.02000	1.5519	0.08012	0.03622	137	1.97	019.41	0
019	Calcium (%)	0726	1.7135	0.01300	1.5519	0.08012	0.03622	137	2.02	019.42	0
019	Calcium (%)	2006	1.7145	0.01100	1.5519	0.08012	0.03622	137	2.03	019.00	0
019	Calcium (%)	2006	1.7205	0.15300	1.5519	0.08012	0.03622	137	2.10	019.09	0
019	Calcium (%)	0609	1.7250	0.01000	1.5519	0.08012	0.03622	137	2.16	019.32	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
019	Calcium (%)	0190	1.7300	0.04000	1.5519	0.08012	0.03622	137	2.22	019.42	0
019	Calcium (%)	0035	1.7450	0.01000	1.5519	0.08012	0.03622	137	2.41	019.43	0
019	Calcium (%)	0108	1.7500	0.02000	1.5519	0.08012	0.03622	137	2.47	019.31	0
019	Calcium (%)	0536	1.7950	0.03000	1.5519	0.08012	0.03622	137	3.03	019.02	0
019	Calcium (%)	0650	1.8750	0.03000	1.5519	0.08012	0.03622	137	4.03	019.31	0
019	Calcium (%)	0610	1.9050	0.09000	1.5519	0.08012	0.03622	137	4.41	019.43	0
019	Calcium (%)	0852	2.1500	0.10000	1.5519	0.08012	0.03622	137	7.47	019.08	0
019	Calcium (%)	0353	1.3850	0.23000	1.5519	0.08012	0.03622	137	-2.08	019.43	1
019	Calcium (%)	0043	1.4000	0.20000	1.5519	0.08012	0.03622	137	-1.90	019.00	1
019	Calcium (%)	0017	1.5680	0.25000	1.5519	0.08012	0.03622	137	0.20	019.43	1
019	Calcium (%)	0536	0.77500	0.03000	1.5519	0.08012	0.03622	137	-9.70	019.31	2
021	Cobalt (mg / kg (ppm))	0619	0.46900	0.01400	0.72846	0.14120	0.06782	25	-1.84	021.41	0
021	Cobalt (mg / kg (ppm))	0918	0.51790	0.05400	0.72846	0.14120	0.06782	25	-1.49	021.53	0
021	Cobalt (mg / kg (ppm))	0693	0.53175	0.07830	0.72846	0.14120	0.06782	25	-1.39	021.42	0
021	Cobalt (mg / kg (ppm))	0047	0.57000	0.06000	0.72846	0.14120	0.06782	25	-1.12	021.52	0
021	Cobalt (mg / kg (ppm))	0910	0.58500	0.05000	0.72846	0.14120	0.06782	25	-1.02	021.52	0
021	Cobalt (mg / kg (ppm))	0186	0.61580	0.16620	0.72846	0.14120	0.06782	25	-0.80	021.52	0
021	Cobalt (mg / kg (ppm))	0675	0.64000	0.06000	0.72846	0.14120	0.06782	25	-0.63	021.43	0
021	Cobalt (mg / kg (ppm))	0345	0.66000	0.10000	0.72846	0.14120	0.06782	25	-0.48	021.43	0
021	Cobalt (mg / kg (ppm))	0045	0.72350	0.09900	0.72846	0.14120	0.06782	25	-0.04	021.42	0
021	Cobalt (mg / kg (ppm))	0171	0.72650	0.00300	0.72846	0.14120	0.06782	25	-0.01	021.41	0
021	Cobalt (mg / kg (ppm))	0964	0.73280	0.09400	0.72846	0.14120	0.06782	25	0.03	021.43	0
021	Cobalt (mg / kg (ppm))	0098	0.73500	0.02600	0.72846	0.14120	0.06782	25	0.05	021.53	0
021	Cobalt (mg / kg (ppm))	0011	0.74450	0.05500	0.72846	0.14120	0.06782	25	0.11	021.41	0
021	Cobalt (mg / kg (ppm))	0032	0.74850	0.01900	0.72846	0.14120	0.06782	25	0.14	021.53	0
021	Cobalt (mg / kg (ppm))	0689	0.75000	0.10000	0.72846	0.14120	0.06782	25	0.15	021.31	0
021	Cobalt (mg / kg (ppm))	0939	0.75500	0.03000	0.72846	0.14120	0.06782	25	0.19	021.31	0
021	Cobalt (mg / kg (ppm))	0043	0.76650	0.14700	0.72846	0.14120	0.06782	25	0.27	021.43	0
021	Cobalt (mg / kg (ppm))	2033	0.77300	0.02800	0.72846	0.14120	0.06782	25	0.32	021.43	0
021	Cobalt (mg / kg (ppm))	0560	0.80000	0.16000	0.72846	0.14120	0.06782	25	0.51	021.42	0
021	Cobalt (mg / kg (ppm))	0610	0.83000	0.00000	0.72846	0.14120	0.06782	25	0.72	021.34	0
021	Cobalt (mg / kg (ppm))	0038	0.84355	0.01210	0.72846	0.14120	0.06782	25	0.82	021.43	0
021	Cobalt (mg / kg (ppm))	0164	0.85000	0.10000	0.72846	0.14120	0.06782	25	0.86	021.31	0
021	Cobalt (mg / kg (ppm))	0148	0.91500	0.09000	0.72846	0.14120	0.06782	25	1.32	021.41	0
021	Cobalt (mg / kg (ppm))	0510	1.0750	0.01000	0.72846	0.14120	0.06782	25	2.45	021.43	0
021	Cobalt (mg / kg (ppm))	0208	1.1300	0.14000	0.72846	0.14120	0.06782	25	2.84	021.31	0
022	Copper (mg / kg (ppm))	0405	10.045	0.09000	17.532	1.6499	0.84092	86	-4.54	022.41	0
022	Copper (mg / kg (ppm))	0520	12.700	1.0000	17.532	1.6499	0.84092	86	-2.93	022.41	0
022	Copper (mg / kg (ppm))	0358	13.615	1.0500	17.532	1.6499	0.84092	86	-2.37	022.41	0
022	Copper (mg / kg (ppm))	0720	13.720	0.20000	17.532	1.6499	0.84092	86	-2.31	022.41	0
022	Copper (mg / kg (ppm))	0009	14.950	0.92000	17.532	1.6499	0.84092	86	-1.56	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0032	15.235	0.41000	17.532	1.6499	0.84092	86	-1.39	022.43	0
022	Copper (mg / kg (ppm))	0638	15.450	0.30000	17.532	1.6499	0.84092	86	-1.26	022.31	0
022	Copper (mg / kg (ppm))	0208	15.550	0.30000	17.532	1.6499	0.84092	86	-1.20	022.31	0
022	Copper (mg / kg (ppm))	0598	15.785	1.4900	17.532	1.6499	0.84092	86	-1.06	022.41	0
022	Copper (mg / kg (ppm))	0017	15.866	5.3370	17.532	1.6499	0.84092	86	-1.01	022.43	0
022	Copper (mg / kg (ppm))	0939	15.870	0.24000	17.532	1.6499	0.84092	86	-1.01	022.31	0
022	Copper (mg / kg (ppm))	2097	16.000	0.00000	17.532	1.6499	0.84092	86	-0.93	022.31	0
022	Copper (mg / kg (ppm))	0910	16.000	0.00000	17.532	1.6499	0.84092	86	-0.93	022.41	0
022	Copper (mg / kg (ppm))	0045	16.000	0.40000	17.532	1.6499	0.84092	86	-0.93	022.42	0
022	Copper (mg / kg (ppm))	0265	16.000	0.00000	17.532	1.6499	0.84092	86	-0.93	022.42	0
022	Copper (mg / kg (ppm))	2055	16.000	2.0000	17.532	1.6499	0.84092	86	-0.93	022.53	0
022	Copper (mg / kg (ppm))	0407	16.082	0.26830	17.532	1.6499	0.84092	86	-0.88	022.41	0
022	Copper (mg / kg (ppm))	0504	16.150	0.90000	17.532	1.6499	0.84092	86	-0.84	022.32	0
022	Copper (mg / kg (ppm))	0205	16.300	0.20000	17.532	1.6499	0.84092	86	-0.75	022.42	0
022	Copper (mg / kg (ppm))	0629	16.500	0.00000	17.532	1.6499	0.84092	86	-0.63	022.31	0
022	Copper (mg / kg (ppm))	0164	16.500	1.0000	17.532	1.6499	0.84092	86	-0.63	022.41	0
022	Copper (mg / kg (ppm))	0511	16.500	1.0000	17.532	1.6499	0.84092	86	-0.63	022.41	0
022	Copper (mg / kg (ppm))	0610	16.500	1.0000	17.532	1.6499	0.84092	86	-0.63	022.43	0
022	Copper (mg / kg (ppm))	0629	16.500	0.00000	17.532	1.6499	0.84092	86	-0.63	022.43	0
022	Copper (mg / kg (ppm))	0968	16.500	1.0000	17.532	1.6499	0.84092	86	-0.63	022.43	0
022	Copper (mg / kg (ppm))	0345	16.600	0.80000	17.532	1.6499	0.84092	86	-0.56	022.43	0
022	Copper (mg / kg (ppm))	0049	16.605	0.59000	17.532	1.6499	0.84092	86	-0.56	022.41	0
022	Copper (mg / kg (ppm))	0918	16.625	0.59000	17.532	1.6499	0.84092	86	-0.55	022.43	0
022	Copper (mg / kg (ppm))	0278	16.700	0.60000	17.532	1.6499	0.84092	86	-0.50	022.42	0
022	Copper (mg / kg (ppm))	0263	16.705	0.13800	17.532	1.6499	0.84092	86	-0.50	022.42	0
022	Copper (mg / kg (ppm))	0043	16.800	1.2000	17.532	1.6499	0.84092	86	-0.44	022.43	0
022	Copper (mg / kg (ppm))	0668	16.950	0.10000	17.532	1.6499	0.84092	86	-0.35	022.43	0
022	Copper (mg / kg (ppm))	0038	17.000	0.18000	17.532	1.6499	0.84092	86	-0.32	022.43	0
022	Copper (mg / kg (ppm))	0083	17.000	0.00000	17.532	1.6499	0.84092	86	-0.32	022.43	0
022	Copper (mg / kg (ppm))	0100	17.000	0.00000	17.532	1.6499	0.84092	86	-0.32	022.99	0
022	Copper (mg / kg (ppm))	0098	17.025	2.6100	17.532	1.6499	0.84092	86	-0.31	022.41	0
022	Copper (mg / kg (ppm))	0572	17.050	0.50000	17.532	1.6499	0.84092	86	-0.29	022.53	0
022	Copper (mg / kg (ppm))	0590	17.050	0.10000	17.532	1.6499	0.84092	86	-0.29	022.99	0
022	Copper (mg / kg (ppm))	2053	17.165	0.27000	17.532	1.6499	0.84092	86	-0.22	022.42	0
022	Copper (mg / kg (ppm))	0682	17.200	0.00000	17.532	1.6499	0.84092	86	-0.20	022.43	0
022	Copper (mg / kg (ppm))	0229	17.355	1.2300	17.532	1.6499	0.84092	86	-0.11	022.41	0
022	Copper (mg / kg (ppm))	0563	17.379	0.78120	17.532	1.6499	0.84092	86	-0.09	022.31	0
022	Copper (mg / kg (ppm))	0619	17.400	1.4000	17.532	1.6499	0.84092	86	-0.08	022.41	0
022	Copper (mg / kg (ppm))	0208	17.420	0.14000	17.532	1.6499	0.84092	86	-0.07	022.41	0
022	Copper (mg / kg (ppm))	0171	17.500	0.20000	17.532	1.6499	0.84092	86	-0.02	022.41	0
022	Copper (mg / kg (ppm))	0242	17.500	1.0000	17.532	1.6499	0.84092	86	-0.02	022.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0098	17.520	0.84000	17.532	1.6499	0.84092	86	-0.01	022.43	0
022	Copper (mg / kg (ppm))	0948	17.753	0.04300	17.532	1.6499	0.84092	86	0.13	022.33	0
022	Copper (mg / kg (ppm))	0870	17.770	0.18000	17.532	1.6499	0.84092	86	0.14	022.42	0
022	Copper (mg / kg (ppm))	0861	17.850	0.50000	17.532	1.6499	0.84092	86	0.19	022.43	0
022	Copper (mg / kg (ppm))	0726	17.875	0.11000	17.532	1.6499	0.84092	86	0.21	022.42	0
022	Copper (mg / kg (ppm))	0186	17.924	1.1280	17.532	1.6499	0.84092	86	0.24	022.52	0
022	Copper (mg / kg (ppm))	2149	17.985	0.05000	17.532	1.6499	0.84092	86	0.27	022.31	0
022	Copper (mg / kg (ppm))	0035	18.000	0.00000	17.532	1.6499	0.84092	86	0.28	022.42	0
022	Copper (mg / kg (ppm))	0297	18.000	0.00000	17.532	1.6499	0.84092	86	0.28	022.43	0
022	Copper (mg / kg (ppm))	0425	18.000	0.00000	17.532	1.6499	0.84092	86	0.28	022.43	0
022	Copper (mg / kg (ppm))	0510	18.000	0.00000	17.532	1.6499	0.84092	86	0.28	022.43	0
022	Copper (mg / kg (ppm))	2004	18.050	0.10000	17.532	1.6499	0.84092	86	0.31	022.44	0
022	Copper (mg / kg (ppm))	0560	18.150	0.50000	17.532	1.6499	0.84092	86	0.37	022.42	0
022	Copper (mg / kg (ppm))	0693	18.155	0.27540	17.532	1.6499	0.84092	86	0.38	022.42	0
022	Copper (mg / kg (ppm))	0964	18.175	0.10920	17.532	1.6499	0.84092	86	0.39	022.43	0
022	Copper (mg / kg (ppm))	0019	18.205	1.0300	17.532	1.6499	0.84092	86	0.41	022.41	0
022	Copper (mg / kg (ppm))	0190	18.280	0.48000	17.532	1.6499	0.84092	86	0.45	022.42	0
022	Copper (mg / kg (ppm))	2089	18.370	5.2000	17.532	1.6499	0.84092	86	0.51	022.43	0
022	Copper (mg / kg (ppm))	0366	18.500	3.0000	17.532	1.6499	0.84092	86	0.59	022.42	0
022	Copper (mg / kg (ppm))	0354	18.550	0.26000	17.532	1.6499	0.84092	86	0.62	022.31	0
022	Copper (mg / kg (ppm))	0413	18.550	1.9000	17.532	1.6499	0.84092	86	0.62	022.42	0
022	Copper (mg / kg (ppm))	0074	19.000	0.00000	17.532	1.6499	0.84092	86	0.89	022.41	0
022	Copper (mg / kg (ppm))	0529	19.050	0.90000	17.532	1.6499	0.84092	86	0.92	022.31	0
022	Copper (mg / kg (ppm))	0685	19.055	0.39000	17.532	1.6499	0.84092	86	0.92	022.42	0
022	Copper (mg / kg (ppm))	2033	19.150	1.5000	17.532	1.6499	0.84092	86	0.98	022.53	0
022	Copper (mg / kg (ppm))	0357	19.165	0.37800	17.532	1.6499	0.84092	86	0.99	022.42	0
022	Copper (mg / kg (ppm))	0675	19.235	1.9100	17.532	1.6499	0.84092	86	1.03	022.43	0
022	Copper (mg / kg (ppm))	0202	19.376	1.7110	17.532	1.6499	0.84092	86	1.12	022.43	0
022	Copper (mg / kg (ppm))	0294	19.390	1.3800	17.532	1.6499	0.84092	86	1.13	022.42	0
022	Copper (mg / kg (ppm))	0003	20.000	0.00000	17.532	1.6499	0.84092	86	1.50	022.41	0
022	Copper (mg / kg (ppm))	0148	20.000	1.2000	17.532	1.6499	0.84092	86	1.50	022.41	0
022	Copper (mg / kg (ppm))	0035	20.000	0.00000	17.532	1.6499	0.84092	86	1.50	022.43	0
022	Copper (mg / kg (ppm))	0175	21.000	2.0000	17.532	1.6499	0.84092	86	2.10	022.31	0
022	Copper (mg / kg (ppm))	0689	21.900	1.2000	17.532	1.6499	0.84092	86	2.65	022.31	0
022	Copper (mg / kg (ppm))	0186	22.400	1.8000	17.532	1.6499	0.84092	86	2.95	022.42	0
022	Copper (mg / kg (ppm))	0042	23.650	4.7000	17.532	1.6499	0.84092	86	3.71	022.42	0
022	Copper (mg / kg (ppm))	0035	24.000	4.0000	17.532	1.6499	0.84092	86	3.92	022.32	0
022	Copper (mg / kg (ppm))	2012	24.595	1.4500	17.532	1.6499	0.84092	86	4.28	022.41	0
022	Copper (mg / kg (ppm))	0187	27.130	0.06000	17.532	1.6499	0.84092	86	5.82	022.42	0
022	Copper (mg / kg (ppm))	0037	27.350	0.50000	17.532	1.6499	0.84092	86	5.95	022.42	0
022	Copper (mg / kg (ppm))	0353	19.000	8.0000	17.532	1.6499	0.84092	86	0.89	022.43	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
022	Copper (mg / kg (ppm))	0226	22.000	6.2000	17.532	1.6499	0.84092	86	2.71	022.41	1
022	Copper (mg / kg (ppm))	0609	87.500	5.0000	17.532	1.6499	0.84092	86	42.41	022.32	2
023	Fluorine (mg / kg (ppm))	0910	13.700	0.80000				1		023.01	0
024	Iodine (mg / kg (ppm))	0171	1.1000	0.20000				2		024.03	0
024	Iodine (mg / kg (ppm))	2033	1.6850	0.43000				2		024.53	0
025	Iron (mg / kg (ppm))	0186	163.10	13.800	231.95	20.033	8.8095	89	-3.44	025.52	0
025	Iron (mg / kg (ppm))	0186	166.50	3.0000	231.95	20.033	8.8095	89	-3.27	025.42	0
025	Iron (mg / kg (ppm))	0720	189.65	3.1000	231.95	20.033	8.8095	89	-2.11	025.41	0
025	Iron (mg / kg (ppm))	0520	192.50	15.000	231.95	20.033	8.8095	89	-1.97	025.41	0
025	Iron (mg / kg (ppm))	0619	198.50	7.0000	231.95	20.033	8.8095	89	-1.67	025.41	0
025	Iron (mg / kg (ppm))	0598	200.05	1.9000	231.95	20.033	8.8095	89	-1.59	025.41	0
025	Iron (mg / kg (ppm))	0596	200.50	16.200	231.95	20.033	8.8095	89	-1.57	025.31	0
025	Iron (mg / kg (ppm))	0043	204.00	4.0000	231.95	20.033	8.8095	89	-1.40	025.43	0
025	Iron (mg / kg (ppm))	0407	206.04	1.5262	231.95	20.033	8.8095	89	-1.29	025.41	0
025	Iron (mg / kg (ppm))	0638	206.50	13.000	231.95	20.033	8.8095	89	-1.27	025.31	0
025	Iron (mg / kg (ppm))	0187	208.23	13.140	231.95	20.033	8.8095	89	-1.18	025.42	0
025	Iron (mg / kg (ppm))	0265	209.50	9.0000	231.95	20.033	8.8095	89	-1.12	025.42	0
025	Iron (mg / kg (ppm))	0968	209.50	1.0000	231.95	20.033	8.8095	89	-1.12	025.43	0
025	Iron (mg / kg (ppm))	0560	210.70	7.4000	231.95	20.033	8.8095	89	-1.06	025.42	0
025	Iron (mg / kg (ppm))	0017	213.05	15.609	231.95	20.033	8.8095	89	-0.94	025.43	0
025	Iron (mg / kg (ppm))	0668	213.50	21.000	231.95	20.033	8.8095	89	-0.92	025.43	0
025	Iron (mg / kg (ppm))	2022	215.50	1.0000	231.95	20.033	8.8095	89	-0.82	025.31	0
025	Iron (mg / kg (ppm))	0675	216.76	13.220	231.95	20.033	8.8095	89	-0.76	025.43	0
025	Iron (mg / kg (ppm))	0226	217.45	10.500	231.95	20.033	8.8095	89	-0.72	025.41	0
025	Iron (mg / kg (ppm))	0278	217.50	7.0000	231.95	20.033	8.8095	89	-0.72	025.42	0
025	Iron (mg / kg (ppm))	0039	217.88	5.2620	231.95	20.033	8.8095	89	-0.70	025.99	0
025	Iron (mg / kg (ppm))	2053	218.00	3.4000	231.95	20.033	8.8095	89	-0.70	025.42	0
025	Iron (mg / kg (ppm))	2012	218.29	5.1200	231.95	20.033	8.8095	89	-0.68	025.41	0
025	Iron (mg / kg (ppm))	0511	218.50	9.0000	231.95	20.033	8.8095	89	-0.67	025.41	0
025	Iron (mg / kg (ppm))	0563	218.56	10.485	231.95	20.033	8.8095	89	-0.67	025.31	0
025	Iron (mg / kg (ppm))	0939	220.48	1.0700	231.95	20.033	8.8095	89	-0.57	025.31	0
025	Iron (mg / kg (ppm))	0353	221.00	8.0000	231.95	20.033	8.8095	89	-0.55	025.43	0
025	Iron (mg / kg (ppm))	0682	221.22	0.00000	231.95	20.033	8.8095	89	-0.54	025.43	0
025	Iron (mg / kg (ppm))	0510	221.50	5.0000	231.95	20.033	8.8095	89	-0.52	025.43	0
025	Iron (mg / kg (ppm))	0045	222.50	21.000	231.95	20.033	8.8095	89	-0.47	025.42	0
025	Iron (mg / kg (ppm))	0032	225.40	4.8000	231.95	20.033	8.8095	89	-0.33	025.43	0
025	Iron (mg / kg (ppm))	0693	225.53	13.503	231.95	20.033	8.8095	89	-0.32	025.42	0
025	Iron (mg / kg (ppm))	0870	225.90	13.000	231.95	20.033	8.8095	89	-0.30	025.42	0
025	Iron (mg / kg (ppm))	0083	226.00	8.0000	231.95	20.033	8.8095	89	-0.30	025.43	0
025	Iron (mg / kg (ppm))	0154	226.23	6.5200	231.95	20.033	8.8095	89	-0.29	025.52	0
025	Iron (mg / kg (ppm))	0405	226.46	0.22000	231.95	20.033	8.8095	89	-0.27	025.41	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0263	226.50	1.6766	231.95	20.033	8.8095	89	-0.27	025.42	0
025	Iron (mg / kg (ppm))	0629	227.00	4.0000	231.95	20.033	8.8095	89	-0.25	025.31	0
025	Iron (mg / kg (ppm))	0629	227.50	3.0000	231.95	20.033	8.8095	89	-0.22	025.43	0
025	Iron (mg / kg (ppm))	0590	228.50	9.0000	231.95	20.033	8.8095	89	-0.17	025.99	0
025	Iron (mg / kg (ppm))	0413	229.50	9.0000	231.95	20.033	8.8095	89	-0.12	025.42	0
025	Iron (mg / kg (ppm))	0297	229.50	15.000	231.95	20.033	8.8095	89	-0.12	025.43	0
025	Iron (mg / kg (ppm))	0049	229.71	7.5200	231.95	20.033	8.8095	89	-0.11	025.41	0
025	Iron (mg / kg (ppm))	0242	230.50	5.0000	231.95	20.033	8.8095	89	-0.07	025.99	0
025	Iron (mg / kg (ppm))	0504	231.10	5.4000	231.95	20.033	8.8095	89	-0.04	025.33	0
025	Iron (mg / kg (ppm))	0164	233.00	4.0000	231.95	20.033	8.8095	89	0.05	025.41	0
025	Iron (mg / kg (ppm))	0910	234.50	3.0000	231.95	20.033	8.8095	89	0.13	025.41	0
025	Iron (mg / kg (ppm))	0610	234.50	5.0000	231.95	20.033	8.8095	89	0.13	025.43	0
025	Iron (mg / kg (ppm))	0208	234.65	26.500	231.95	20.033	8.8095	89	0.13	025.41	0
025	Iron (mg / kg (ppm))	0874	235.00	10.000	231.95	20.033	8.8095	89	0.15	025.31	0
025	Iron (mg / kg (ppm))	0529	236.30	4.4000	231.95	20.033	8.8095	89	0.22	025.31	0
025	Iron (mg / kg (ppm))	0034	237.50	10.200	231.95	20.033	8.8095	89	0.28	025.53	0
025	Iron (mg / kg (ppm))	0098	238.55	18.300	231.95	20.033	8.8095	89	0.33	025.41	0
025	Iron (mg / kg (ppm))	0726	238.85	0.30000	231.95	20.033	8.8095	89	0.34	025.42	0
025	Iron (mg / kg (ppm))	0074	239.50	9.0000	231.95	20.033	8.8095	89	0.38	025.41	0
025	Iron (mg / kg (ppm))	2004	239.50	1.0000	231.95	20.033	8.8095	89	0.38	025.41	0
025	Iron (mg / kg (ppm))	0019	240.50	13.400	231.95	20.033	8.8095	89	0.43	025.41	0
025	Iron (mg / kg (ppm))	0100	240.50	1.0000	231.95	20.033	8.8095	89	0.43	025.99	0
025	Iron (mg / kg (ppm))	0011	240.51	5.0200	231.95	20.033	8.8095	89	0.43	025.41	0
025	Iron (mg / kg (ppm))	0038	240.98	1.2200	231.95	20.033	8.8095	89	0.45	025.43	0
025	Iron (mg / kg (ppm))	0358	241.54	5.8000	231.95	20.033	8.8095	89	0.48	025.41	0
025	Iron (mg / kg (ppm))	0354	242.15	0.77000	231.95	20.033	8.8095	89	0.51	025.31	0
025	Iron (mg / kg (ppm))	0964	243.46	17.553	231.95	20.033	8.8095	89	0.57	025.43	0
025	Iron (mg / kg (ppm))	0229	243.87	3.4700	231.95	20.033	8.8095	89	0.59	025.41	0
025	Iron (mg / kg (ppm))	0190	244.65	0.90000	231.95	20.033	8.8095	89	0.63	025.42	0
025	Iron (mg / kg (ppm))	0689	244.70	8.2000	231.95	20.033	8.8095	89	0.64	025.31	0
025	Iron (mg / kg (ppm))	0861	245.00	6.0000	231.95	20.033	8.8095	89	0.65	025.43	0
025	Iron (mg / kg (ppm))	2033	245.50	31.000	231.95	20.033	8.8095	89	0.68	025.43	0
025	Iron (mg / kg (ppm))	0208	246.50	5.0000	231.95	20.033	8.8095	89	0.73	025.31	0
025	Iron (mg / kg (ppm))	0504	246.75	5.7000	231.95	20.033	8.8095	89	0.74	025.32	0
025	Iron (mg / kg (ppm))	0148	247.45	6.3000	231.95	20.033	8.8095	89	0.77	025.41	0
025	Iron (mg / kg (ppm))	0037	248.90	3.8000	231.95	20.033	8.8095	89	0.85	025.42	0
025	Iron (mg / kg (ppm))	0918	249.24	41.590	231.95	20.033	8.8095	89	0.86	025.43	0
025	Iron (mg / kg (ppm))	0035	249.50	5.0000	231.95	20.033	8.8095	89	0.88	025.42	0
025	Iron (mg / kg (ppm))	0171	250.45	9.9000	231.95	20.033	8.8095	89	0.92	025.41	0
025	Iron (mg / kg (ppm))	0366	250.50	31.000	231.95	20.033	8.8095	89	0.93	025.42	0
025	Iron (mg / kg (ppm))	0425	251.50	3.0000	231.95	20.033	8.8095	89	0.98	025.43	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
025	Iron (mg / kg (ppm))	0294	252.27	7.7400	231.95	20.033	8.8095	89	1.01	025.42	0
025	Iron (mg / kg (ppm))	0035	252.50	7.0000	231.95	20.033	8.8095	89	1.03	025.32	0
025	Iron (mg / kg (ppm))	0098	254.30	4.8000	231.95	20.033	8.8095	89	1.12	025.43	0
025	Iron (mg / kg (ppm))	0042	258.50	3.0000	231.95	20.033	8.8095	89	1.33	025.42	0
025	Iron (mg / kg (ppm))	0345	261.00	8.0000	231.95	20.033	8.8095	89	1.45	025.43	0
025	Iron (mg / kg (ppm))	0035	274.00	2.0000	231.95	20.033	8.8095	89	2.10	025.43	0
025	Iron (mg / kg (ppm))	0175	277.50	15.000	231.95	20.033	8.8095	89	2.27	025.31	0
025	Iron (mg / kg (ppm))	0609	287.50	25.000	231.95	20.033	8.8095	89	2.77	025.32	0
025	Iron (mg / kg (ppm))	2097	295.00	16.000	231.95	20.033	8.8095	89	3.15	025.31	0
025	Iron (mg / kg (ppm))	0948	315.63	1.4540	231.95	20.033	8.8095	89	4.18	025.33	0
025	Iron (mg / kg (ppm))	2089	322.80	43.310	231.95	20.033	8.8095	89	4.53	025.43	0
025	Iron (mg / kg (ppm))	0536	394.03	2.0500	231.95	20.033	8.8095	89	8.09	025.31	0
025	Iron (mg / kg (ppm))	0003	337.50	227.00	231.95	20.033	8.8095	89	5.27	025.41	1
027	Magnesium (%)	0536	0.16000	0.00000	0.21226	0.01242	0.00655	100	-4.21	027.31	0
027	Magnesium (%)	0187	0.16605	0.00070	0.21226	0.01242	0.00655	100	-3.72	027.42	0
027	Magnesium (%)	0609	0.18000	0.00000	0.21226	0.01242	0.00655	100	-2.60	027.32	0
027	Magnesium (%)	0032	0.18500	0.01000	0.21226	0.01242	0.00655	100	-2.19	027.43	0
027	Magnesium (%)	2022	0.19000	0.00000	0.21226	0.01242	0.00655	100	-1.79	027.31	0
027	Magnesium (%)	0720	0.19000	0.00000	0.21226	0.01242	0.00655	100	-1.79	027.41	0
027	Magnesium (%)	0510	0.19000	0.00000	0.21226	0.01242	0.00655	100	-1.79	027.43	0
027	Magnesium (%)	0038	0.19450	0.00500	0.21226	0.01242	0.00655	100	-1.43	027.43	0
027	Magnesium (%)	0939	0.19500	0.01000	0.21226	0.01242	0.00655	100	-1.39	027.31	0
027	Magnesium (%)	0358	0.19500	0.01000	0.21226	0.01242	0.00655	100	-1.39	027.41	0
027	Magnesium (%)	0889	0.19500	0.01000	0.21226	0.01242	0.00655	100	-1.39	027.99	0
027	Magnesium (%)	0345	0.19550	0.00300	0.21226	0.01242	0.00655	100	-1.35	027.43	0
027	Magnesium (%)	0407	0.19615	0.00010	0.21226	0.01242	0.00655	100	-1.30	027.41	0
027	Magnesium (%)	0520	0.19650	0.00900	0.21226	0.01242	0.00655	100	-1.27	027.41	0
027	Magnesium (%)	0918	0.19950	0.00300	0.21226	0.01242	0.00655	100	-1.03	027.43	0
027	Magnesium (%)	0354	0.20000	0.00000	0.21226	0.01242	0.00655	100	-0.99	027.31	0
027	Magnesium (%)	0638	0.20000	0.00000	0.21226	0.01242	0.00655	100	-0.99	027.31	0
027	Magnesium (%)	0910	0.20000	0.00000	0.21226	0.01242	0.00655	100	-0.99	027.41	0
027	Magnesium (%)	2089	0.20000	0.02000	0.21226	0.01242	0.00655	100	-0.99	027.43	0
027	Magnesium (%)	0870	0.20245	0.00290	0.21226	0.01242	0.00655	100	-0.79	027.42	0
027	Magnesium (%)	0017	0.20350	0.04100	0.21226	0.01242	0.00655	100	-0.71	027.43	0
027	Magnesium (%)	0968	0.20500	0.00200	0.21226	0.01242	0.00655	100	-0.58	027.43	0
027	Magnesium (%)	0629	0.20500	0.01000	0.21226	0.01242	0.00655	100	-0.58	027.31	0
027	Magnesium (%)	0083	0.20500	0.01000	0.21226	0.01242	0.00655	100	-0.58	027.43	0
027	Magnesium (%)	0242	0.20500	0.01000	0.21226	0.01242	0.00655	100	-0.58	027.99	0
027	Magnesium (%)	0598	0.20520	0.00220	0.21226	0.01242	0.00655	100	-0.57	027.41	0
027	Magnesium (%)	0505	0.20600	0.00400	0.21226	0.01242	0.00655	100	-0.50	027.31	0
027	Magnesium (%)	0043	0.20600	0.00400	0.21226	0.01242	0.00655	100	-0.50	027.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0164	0.20650	0.00300	0.21226	0.01242	0.00655	100	-0.46	027.41	0
027	Magnesium (%)	0668	0.20650	0.00500	0.21226	0.01242	0.00655	100	-0.46	027.43	0
027	Magnesium (%)	0229	0.20650	0.01500	0.21226	0.01242	0.00655	100	-0.46	027.41	0
027	Magnesium (%)	0563	0.20805	0.00570	0.21226	0.01242	0.00655	100	-0.34	027.31	0
027	Magnesium (%)	2055	0.20830	0.02720	0.21226	0.01242	0.00655	100	-0.32	027.53	0
027	Magnesium (%)	0142	0.20850	0.00060	0.21226	0.01242	0.00655	100	-0.30	027.31	0
027	Magnesium (%)	0038	0.20975	0.00050	0.21226	0.01242	0.00655	100	-0.20	027.31	0
027	Magnesium (%)	0003	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.41	0
027	Magnesium (%)	0019	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.41	0
027	Magnesium (%)	0049	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.41	0
027	Magnesium (%)	2012	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.41	0
027	Magnesium (%)	0035	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.42	0
027	Magnesium (%)	0278	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.42	0
027	Magnesium (%)	2053	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.42	0
027	Magnesium (%)	0590	0.21000	0.00000	0.21226	0.01242	0.00655	100	-0.18	027.99	0
027	Magnesium (%)	0098	0.21000	0.02000	0.21226	0.01242	0.00655	100	-0.18	027.41	0
027	Magnesium (%)	0511	0.21000	0.02000	0.21226	0.01242	0.00655	100	-0.18	027.41	0
027	Magnesium (%)	0297	0.21000	0.02000	0.21226	0.01242	0.00655	100	-0.18	027.43	0
027	Magnesium (%)	0425	0.21000	0.02000	0.21226	0.01242	0.00655	100	-0.18	027.43	0
027	Magnesium (%)	0560	0.21005	0.00010	0.21226	0.01242	0.00655	100	-0.18	027.42	0
027	Magnesium (%)	0202	0.21100	0.01200	0.21226	0.01242	0.00655	100	-0.10	027.43	0
027	Magnesium (%)	0154	0.21115	0.00190	0.21226	0.01242	0.00655	100	-0.09	027.52	0
027	Magnesium (%)	0011	0.21150	0.00540	0.21226	0.01242	0.00655	100	-0.06	027.41	0
027	Magnesium (%)	0139	0.21215	0.00030	0.21226	0.01242	0.00655	100	-0.01	027.41	0
027	Magnesium (%)	0171	0.21250	0.00300	0.21226	0.01242	0.00655	100	0.02	027.41	0
027	Magnesium (%)	0039	0.21250	0.00300	0.21226	0.01242	0.00655	100	0.02	027.44	0
027	Magnesium (%)	0045	0.21250	0.01900	0.21226	0.01242	0.00655	100	0.02	027.42	0
027	Magnesium (%)	0874	0.21300	0.00000	0.21226	0.01242	0.00655	100	0.06	027.31	0
027	Magnesium (%)	0619	0.21300	0.00000	0.21226	0.01242	0.00655	100	0.06	027.41	0
027	Magnesium (%)	0263	0.21390	0.00100	0.21226	0.01242	0.00655	100	0.13	027.42	0
027	Magnesium (%)	0042	0.21450	0.00500	0.21226	0.01242	0.00655	100	0.18	027.42	0
027	Magnesium (%)	0175	0.21500	0.01000	0.21226	0.01242	0.00655	100	0.22	027.31	0
027	Magnesium (%)	0529	0.21500	0.01000	0.21226	0.01242	0.00655	100	0.22	027.31	0
027	Magnesium (%)	0610	0.21500	0.01000	0.21226	0.01242	0.00655	100	0.22	027.43	0
027	Magnesium (%)	0629	0.21500	0.01000	0.21226	0.01242	0.00655	100	0.22	027.43	0
027	Magnesium (%)	0685	0.21550	0.00300	0.21226	0.01242	0.00655	100	0.26	027.42	0
027	Magnesium (%)	2097	0.21555	0.00530	0.21226	0.01242	0.00655	100	0.26	027.31	0
027	Magnesium (%)	2004	0.21600	0.00200	0.21226	0.01242	0.00655	100	0.30	027.44	0
027	Magnesium (%)	0208	0.21700	0.00600	0.21226	0.01242	0.00655	100	0.38	027.31	0
027	Magnesium (%)	0572	0.21750	0.00100	0.21226	0.01242	0.00655	100	0.42	027.53	0
027	Magnesium (%)	0964	0.21805	0.00370	0.21226	0.01242	0.00655	100	0.47	027.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
027	Magnesium (%)	0074	0.21850	0.00500	0.21226	0.01242	0.00655	100	0.50	027.41	0
027	Magnesium (%)	0186	0.21990	0.01180	0.21226	0.01242	0.00655	100	0.61	027.42	0
027	Magnesium (%)	0689	0.22000	0.00000	0.21226	0.01242	0.00655	100	0.62	027.31	0
027	Magnesium (%)	0035	0.22000	0.02000	0.21226	0.01242	0.00655	100	0.62	027.32	0
027	Magnesium (%)	0148	0.22000	0.02000	0.21226	0.01242	0.00655	100	0.62	027.41	0
027	Magnesium (%)	0413	0.22000	0.00000	0.21226	0.01242	0.00655	100	0.62	027.41	0
027	Magnesium (%)	0037	0.22000	0.00000	0.21226	0.01242	0.00655	100	0.62	027.42	0
027	Magnesium (%)	0265	0.22000	0.00000	0.21226	0.01242	0.00655	100	0.62	027.42	0
027	Magnesium (%)	0035	0.22000	0.00000	0.21226	0.01242	0.00655	100	0.62	027.43	0
027	Magnesium (%)	0098	0.22000	0.00000	0.21226	0.01242	0.00655	100	0.62	027.43	0
027	Magnesium (%)	0353	0.22000	0.04000	0.21226	0.01242	0.00655	100	0.62	027.43	0
027	Magnesium (%)	0861	0.22250	0.00100	0.21226	0.01242	0.00655	100	0.82	027.43	0
027	Magnesium (%)	0357	0.22265	0.00090	0.21226	0.01242	0.00655	100	0.84	027.42	0
027	Magnesium (%)	0034	0.22485	0.00510	0.21226	0.01242	0.00655	100	1.01	027.53	0
027	Magnesium (%)	0366	0.22500	0.03000	0.21226	0.01242	0.00655	100	1.03	027.42	0
027	Magnesium (%)	0226	0.22500	0.01000	0.21226	0.01242	0.00655	100	1.03	027.41	0
027	Magnesium (%)	0190	0.22500	0.01000	0.21226	0.01242	0.00655	100	1.03	027.42	0
027	Magnesium (%)	0006	0.22500	0.00400	0.21226	0.01242	0.00655	100	1.03	027.43	0
027	Magnesium (%)	0675	0.22500	0.01000	0.21226	0.01242	0.00655	100	1.03	027.43	0
027	Magnesium (%)	0726	0.22920	0.00020	0.21226	0.01242	0.00655	100	1.36	027.42	0
027	Magnesium (%)	0405	0.22950	0.00100	0.21226	0.01242	0.00655	100	1.39	027.41	0
027	Magnesium (%)	0948	0.23000	0.00000	0.21226	0.01242	0.00655	100	1.43	027.33	0
027	Magnesium (%)	0294	0.23000	0.00000	0.21226	0.01242	0.00655	100	1.43	027.42	0
027	Magnesium (%)	0693	0.23055	0.00730	0.21226	0.01242	0.00655	100	1.47	027.42	0
027	Magnesium (%)	0208	0.23100	0.02000	0.21226	0.01242	0.00655	100	1.51	027.41	0
027	Magnesium (%)	0100	0.23500	0.01000	0.21226	0.01242	0.00655	100	1.83	027.99	0
027	Magnesium (%)	0186	0.23785	0.00170	0.21226	0.01242	0.00655	100	2.06	027.52	0
027	Magnesium (%)	2033	0.23800	0.01600	0.21226	0.01242	0.00655	100	2.07	027.43	0
027	Magnesium (%)	0089	0.24000	0.00000	0.21226	0.01242	0.00655	100	2.23	027.43	0
027	Magnesium (%)	0682	0.24000	0.00000	0.21226	0.01242	0.00655	100	2.23	027.43	0
027	Magnesium (%)	0650	0.24050	0.01500	0.21226	0.01242	0.00655	100	2.27	027.31	0
027	Magnesium (%)	0921	1,661.1	0.00000	0.21226	0.01242	0.00655	100	133688.78	027.31	2
027	Magnesium (%)	2144	2,051.0	30.000	0.21226	0.01242	0.00655	100	165072.75	027.99	2
028	Manganese (mg / kg (ppm))	0405	83.485	0.03000	108.22	7.7412	3.7561	92	-3.20	028.41	0
028	Manganese (mg / kg (ppm))	0720	83.885	1.4100	108.22	7.7412	3.7561	92	-3.14	028.41	0
028	Manganese (mg / kg (ppm))	0619	89.950	2.5000	108.22	7.7412	3.7561	92	-2.36	028.41	0
028	Manganese (mg / kg (ppm))	0870	92.480	2.8400	108.22	7.7412	3.7561	92	-2.03	028.42	0
028	Manganese (mg / kg (ppm))	0226	93.450	10.700	108.22	7.7412	3.7561	92	-1.91	028.41	0
028	Manganese (mg / kg (ppm))	0353	95.500	9.0000	108.22	7.7412	3.7561	92	-1.64	028.43	0
028	Manganese (mg / kg (ppm))	2145	97.425	2.8700	108.22	7.7412	3.7561	92	-1.40	028.41	0
028	Manganese (mg / kg (ppm))	0510	97.500	1.0000	108.22	7.7412	3.7561	92	-1.39	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	2129	97.750	3.4000	108.22	7.7412	3.7561	92	-1.35	028.99	0
028	Manganese (mg / kg (ppm))	0685	98.415	0.27000	108.22	7.7412	3.7561	92	-1.27	028.42	0
028	Manganese (mg / kg (ppm))	0037	99.850	8.9000	108.22	7.7412	3.7561	92	-1.08	028.42	0
028	Manganese (mg / kg (ppm))	0017	100.10	6.2430	108.22	7.7412	3.7561	92	-1.05	028.43	0
028	Manganese (mg / kg (ppm))	0598	100.48	3.4400	108.22	7.7412	3.7561	92	-1.00	028.41	0
028	Manganese (mg / kg (ppm))	2022	101.00	0.00000	108.22	7.7412	3.7561	92	-0.93	028.31	0
028	Manganese (mg / kg (ppm))	0610	101.00	4.0000	108.22	7.7412	3.7561	92	-0.93	028.43	0
028	Manganese (mg / kg (ppm))	0035	101.50	11.000	108.22	7.7412	3.7561	92	-0.87	028.42	0
028	Manganese (mg / kg (ppm))	0045	101.85	10.300	108.22	7.7412	3.7561	92	-0.82	028.42	0
028	Manganese (mg / kg (ppm))	0263	101.90	1.4154	108.22	7.7412	3.7561	92	-0.82	028.42	0
028	Manganese (mg / kg (ppm))	0047	101.90	1.8000	108.22	7.7412	3.7561	92	-0.82	028.52	0
028	Manganese (mg / kg (ppm))	0511	102.00	0.00000	108.22	7.7412	3.7561	92	-0.80	028.41	0
028	Manganese (mg / kg (ppm))	0590	102.00	4.0000	108.22	7.7412	3.7561	92	-0.80	028.99	0
028	Manganese (mg / kg (ppm))	0948	102.15	2.9620	108.22	7.7412	3.7561	92	-0.79	028.33	0
028	Manganese (mg / kg (ppm))	0039	102.43	3.0060	108.22	7.7412	3.7561	92	-0.75	028.44	0
028	Manganese (mg / kg (ppm))	2012	102.63	2.2900	108.22	7.7412	3.7561	92	-0.72	028.41	0
028	Manganese (mg / kg (ppm))	0038	103.14	2.5000	108.22	7.7412	3.7561	92	-0.66	028.43	0
028	Manganese (mg / kg (ppm))	0049	103.37	9.6300	108.22	7.7412	3.7561	92	-0.63	028.41	0
028	Manganese (mg / kg (ppm))	0407	103.76	1.9643	108.22	7.7412	3.7561	92	-0.58	028.41	0
028	Manganese (mg / kg (ppm))	2053	103.90	2.4000	108.22	7.7412	3.7561	92	-0.56	028.42	0
028	Manganese (mg / kg (ppm))	0035	104.00	2.0000	108.22	7.7412	3.7561	92	-0.55	028.32	0
028	Manganese (mg / kg (ppm))	0504	104.50	1.6000	108.22	7.7412	3.7561	92	-0.48	028.33	0
028	Manganese (mg / kg (ppm))	0413	104.50	3.0000	108.22	7.7412	3.7561	92	-0.48	028.42	0
028	Manganese (mg / kg (ppm))	0675	104.92	1.4800	108.22	7.7412	3.7561	92	-0.43	028.43	0
028	Manganese (mg / kg (ppm))	0278	105.00	6.0000	108.22	7.7412	3.7561	92	-0.42	028.42	0
028	Manganese (mg / kg (ppm))	0345	105.00	4.0000	108.22	7.7412	3.7561	92	-0.42	028.43	0
028	Manganese (mg / kg (ppm))	0186	105.18	4.2376	108.22	7.7412	3.7561	92	-0.39	028.52	0
028	Manganese (mg / kg (ppm))	0638	105.50	3.0000	108.22	7.7412	3.7561	92	-0.35	028.31	0
028	Manganese (mg / kg (ppm))	0668	105.50	3.0000	108.22	7.7412	3.7561	92	-0.35	028.43	0
028	Manganese (mg / kg (ppm))	0572	105.50	7.0000	108.22	7.7412	3.7561	92	-0.35	028.53	0
028	Manganese (mg / kg (ppm))	0208	105.75	1.5000	108.22	7.7412	3.7561	92	-0.32	028.41	0
028	Manganese (mg / kg (ppm))	0693	106.05	6.9343	108.22	7.7412	3.7561	92	-0.28	028.42	0
028	Manganese (mg / kg (ppm))	0003	106.50	1.0000	108.22	7.7412	3.7561	92	-0.22	028.41	0
028	Manganese (mg / kg (ppm))	0563	107.35	8.1756	108.22	7.7412	3.7561	92	-0.11	028.31	0
028	Manganese (mg / kg (ppm))	0939	107.39	2.1600	108.22	7.7412	3.7561	92	-0.11	028.31	0
028	Manganese (mg / kg (ppm))	0098	107.65	11.100	108.22	7.7412	3.7561	92	-0.07	028.41	0
028	Manganese (mg / kg (ppm))	0689	107.95	4.7000	108.22	7.7412	3.7561	92	-0.04	028.31	0
028	Manganese (mg / kg (ppm))	0242	108.00	6.0000	108.22	7.7412	3.7561	92	-0.03	028.99	0
028	Manganese (mg / kg (ppm))	0171	108.05	0.10000	108.22	7.7412	3.7561	92	-0.02	028.41	0
028	Manganese (mg / kg (ppm))	0032	108.30	2.4000	108.22	7.7412	3.7561	92	0.01	028.43	0
028	Manganese (mg / kg (ppm))	0596	108.55	5.3000	108.22	7.7412	3.7561	92	0.04	028.31	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0629	109.50	1.0000	108.22	7.7412	3.7561	92	0.16	028.31	0
028	Manganese (mg / kg (ppm))	0019	109.55	3.1000	108.22	7.7412	3.7561	92	0.17	028.41	0
028	Manganese (mg / kg (ppm))	2089	109.72	10.720	108.22	7.7412	3.7561	92	0.19	028.43	0
028	Manganese (mg / kg (ppm))	0560	109.85	2.7000	108.22	7.7412	3.7561	92	0.21	028.42	0
028	Manganese (mg / kg (ppm))	0035	110.00	4.0000	108.22	7.7412	3.7561	92	0.23	028.43	0
028	Manganese (mg / kg (ppm))	2144	110.06	3.7300	108.22	7.7412	3.7561	92	0.24	028.99	0
028	Manganese (mg / kg (ppm))	0354	110.15	0.81000	108.22	7.7412	3.7561	92	0.25	028.31	0
028	Manganese (mg / kg (ppm))	0083	110.50	3.0000	108.22	7.7412	3.7561	92	0.29	028.43	0
028	Manganese (mg / kg (ppm))	0229	110.78	12.110	108.22	7.7412	3.7561	92	0.33	028.41	0
028	Manganese (mg / kg (ppm))	2004	111.00	0.00000	108.22	7.7412	3.7561	92	0.36	028.44	0
028	Manganese (mg / kg (ppm))	0910	111.50	3.0000	108.22	7.7412	3.7561	92	0.42	028.41	0
028	Manganese (mg / kg (ppm))	0074	112.00	2.0000	108.22	7.7412	3.7561	92	0.49	028.41	0
028	Manganese (mg / kg (ppm))	0164	112.00	0.00000	108.22	7.7412	3.7561	92	0.49	028.41	0
028	Manganese (mg / kg (ppm))	0001	112.80	0.80000	108.22	7.7412	3.7561	92	0.59	028.31	0
028	Manganese (mg / kg (ppm))	0148	112.80	6.8000	108.22	7.7412	3.7561	92	0.59	028.41	0
028	Manganese (mg / kg (ppm))	0175	113.00	10.000	108.22	7.7412	3.7561	92	0.62	028.31	0
028	Manganese (mg / kg (ppm))	0034	113.05	4.5000	108.22	7.7412	3.7561	92	0.62	028.53	0
028	Manganese (mg / kg (ppm))	0964	113.31	7.8280	108.22	7.7412	3.7561	92	0.66	028.43	0
028	Manganese (mg / kg (ppm))	0366	113.50	1.0000	108.22	7.7412	3.7561	92	0.68	028.42	0
028	Manganese (mg / kg (ppm))	0297	113.50	5.0000	108.22	7.7412	3.7561	92	0.68	028.43	0
028	Manganese (mg / kg (ppm))	0187	113.71	0.41000	108.22	7.7412	3.7561	92	0.71	028.42	0
028	Manganese (mg / kg (ppm))	0629	114.00	0.00000	108.22	7.7412	3.7561	92	0.75	028.43	0
028	Manganese (mg / kg (ppm))	0038	114.03	7.2500	108.22	7.7412	3.7561	92	0.75	028.32	0
028	Manganese (mg / kg (ppm))	0529	114.30	1.0000	108.22	7.7412	3.7561	92	0.78	028.31	0
028	Manganese (mg / kg (ppm))	0358	114.40	4.2200	108.22	7.7412	3.7561	92	0.80	028.41	0
028	Manganese (mg / kg (ppm))	0861	115.00	2.0000	108.22	7.7412	3.7561	92	0.88	028.43	0
028	Manganese (mg / kg (ppm))	0098	115.50	1.8000	108.22	7.7412	3.7561	92	0.94	028.43	0
028	Manganese (mg / kg (ppm))	0425	115.50	1.0000	108.22	7.7412	3.7561	92	0.94	028.43	0
028	Manganese (mg / kg (ppm))	0968	115.50	1.0000	108.22	7.7412	3.7561	92	0.94	028.43	0
028	Manganese (mg / kg (ppm))	2097	116.00	6.0000	108.22	7.7412	3.7561	92	1.00	028.31	0
028	Manganese (mg / kg (ppm))	0265	116.50	9.0000	108.22	7.7412	3.7561	92	1.07	028.42	0
028	Manganese (mg / kg (ppm))	0190	116.95	3.9000	108.22	7.7412	3.7561	92	1.13	028.42	0
028	Manganese (mg / kg (ppm))	0682	117.20	0.00000	108.22	7.7412	3.7561	92	1.16	028.43	0
028	Manganese (mg / kg (ppm))	0357	117.79	0.98700	108.22	7.7412	3.7561	92	1.24	028.42	0
028	Manganese (mg / kg (ppm))	0208	118.00	4.0000	108.22	7.7412	3.7561	92	1.26	028.31	0
028	Manganese (mg / kg (ppm))	0042	118.00	2.0000	108.22	7.7412	3.7561	92	1.26	028.42	0
028	Manganese (mg / kg (ppm))	0100	120.00	6.0000	108.22	7.7412	3.7561	92	1.52	028.99	0
028	Manganese (mg / kg (ppm))	0726	120.75	0.10000	108.22	7.7412	3.7561	92	1.62	028.42	0
028	Manganese (mg / kg (ppm))	0202	120.93	0.44800	108.22	7.7412	3.7561	92	1.64	028.43	0
028	Manganese (mg / kg (ppm))	0186	121.75	4.9000	108.22	7.7412	3.7561	92	1.75	028.42	0
028	Manganese (mg / kg (ppm))	0609	125.00	10.000	108.22	7.7412	3.7561	92	2.17	028.32	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
028	Manganese (mg / kg (ppm))	0294	134.62	0.44000	108.22	7.7412	3.7561	92	3.41	028.42	0
028	Manganese (mg / kg (ppm))	0536	161.58	2.4500	108.22	7.7412	3.7561	92	6.89	028.31	0
028	Manganese (mg / kg (ppm))	0520	104.55	24.900	108.22	7.7412	3.7561	92	-0.47	028.41	1
028	Manganese (mg / kg (ppm))	0043	122.50	37.000	108.22	7.7412	3.7561	92	1.84	028.43	1
028	Manganese (mg / kg (ppm))	0918	122.86	27.940	108.22	7.7412	3.7561	92	1.89	028.43	1
028	Manganese (mg / kg (ppm))	0504	127.85	28.300	108.22	7.7412	3.7561	92	2.54	028.32	1
031	Phosphorus (%)	0536	0.59500	0.01000	0.74592	0.03384	0.01882	132	-4.46	031.06	0
031	Phosphorus (%)	0852	0.61500	0.01000	0.74592	0.03384	0.01882	132	-3.87	031.99	0
031	Phosphorus (%)	0889	0.63300	0.01000	0.74592	0.03384	0.01882	132	-3.34	031.99	0
031	Phosphorus (%)	0108	0.65000	0.02000	0.74592	0.03384	0.01882	132	-2.83	031.01	0
031	Phosphorus (%)	0032	0.65500	0.05000	0.74592	0.03384	0.01882	132	-2.69	031.43	0
031	Phosphorus (%)	0520	0.67250	0.04500	0.74592	0.03384	0.01882	132	-2.17	031.41	0
031	Phosphorus (%)	0043	0.67300	0.00600	0.74592	0.03384	0.01882	132	-2.15	031.43	0
031	Phosphorus (%)	0940	0.67500	0.07000	0.74592	0.03384	0.01882	132	-2.10	031.01	0
031	Phosphorus (%)	0278	0.67500	0.01000	0.74592	0.03384	0.01882	132	-2.10	031.42	0
031	Phosphorus (%)	0622	0.68300	0.00020	0.74592	0.03384	0.01882	132	-1.86	031.01	0
031	Phosphorus (%)	2089	0.68500	0.01000	0.74592	0.03384	0.01882	132	-1.80	031.43	0
031	Phosphorus (%)	0874	0.68710	0.01560	0.74592	0.03384	0.01882	132	-1.74	031.01	0
031	Phosphorus (%)	0186	0.68820	0.02860	0.74592	0.03384	0.01882	132	-1.71	031.42	0
031	Phosphorus (%)	0910	0.69000	0.04000	0.74592	0.03384	0.01882	132	-1.65	031.41	0
031	Phosphorus (%)	0685	0.70300	0.00200	0.74592	0.03384	0.01882	132	-1.27	031.41	0
031	Phosphorus (%)	0035	0.70500	0.05000	0.74592	0.03384	0.01882	132	-1.21	031.42	0
031	Phosphorus (%)	0405	0.70900	0.00200	0.74592	0.03384	0.01882	132	-1.09	031.41	0
031	Phosphorus (%)	0019	0.71000	0.02000	0.74592	0.03384	0.01882	132	-1.06	031.41	0
031	Phosphorus (%)	0144	0.71000	0.00000	0.74592	0.03384	0.01882	132	-1.06	031.41	0
031	Phosphorus (%)	0035	0.71000	0.00000	0.74592	0.03384	0.01882	132	-1.06	031.43	0
031	Phosphorus (%)	0009	0.71030	0.01880	0.74592	0.03384	0.01882	132	-1.05	031.42	0
031	Phosphorus (%)	0045	0.71250	0.08500	0.74592	0.03384	0.01882	132	-0.99	031.42	0
031	Phosphorus (%)	2109	0.71500	0.02000	0.74592	0.03384	0.01882	132	-0.91	031.01	0
031	Phosphorus (%)	0358	0.71500	0.03000	0.74592	0.03384	0.01882	132	-0.91	031.41	0
031	Phosphorus (%)	0870	0.71545	0.00310	0.74592	0.03384	0.01882	132	-0.90	031.42	0
031	Phosphorus (%)	2129	0.71550	0.02500	0.74592	0.03384	0.01882	132	-0.90	031.42	0
031	Phosphorus (%)	0619	0.71800	0.00200	0.74592	0.03384	0.01882	132	-0.83	031.41	0
031	Phosphorus (%)	0233	0.72000	0.00000	0.74592	0.03384	0.01882	132	-0.77	031.01	0
031	Phosphorus (%)	0187	0.72030	0.00280	0.74592	0.03384	0.01882	132	-0.76	031.42	0
031	Phosphorus (%)	0017	0.72100	0.10600	0.74592	0.03384	0.01882	132	-0.74	031.43	0
031	Phosphorus (%)	0563	0.72255	0.02730	0.74592	0.03384	0.01882	132	-0.69	031.01	0
031	Phosphorus (%)	0529	0.72500	0.01000	0.74592	0.03384	0.01882	132	-0.62	031.01	0
031	Phosphorus (%)	0848	0.72500	0.01000	0.74592	0.03384	0.01882	132	-0.62	031.41	0
031	Phosphorus (%)	0100	0.72500	0.01000	0.74592	0.03384	0.01882	132	-0.62	031.99	0
031	Phosphorus (%)	2144	0.72500	0.01000	0.74592	0.03384	0.01882	132	-0.62	031.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0011	0.72640	0.01100	0.74592	0.03384	0.01882	132	-0.58	031.41	0
031	Phosphorus (%)	0918	0.72650	0.01900	0.74592	0.03384	0.01882	132	-0.57	031.43	0
031	Phosphorus (%)	0407	0.72810	0.00080	0.74592	0.03384	0.01882	132	-0.53	031.41	0
031	Phosphorus (%)	0629	0.73000	0.02000	0.74592	0.03384	0.01882	132	-0.47	031.01	0
031	Phosphorus (%)	0638	0.73000	0.02000	0.74592	0.03384	0.01882	132	-0.47	031.01	0
031	Phosphorus (%)	0366	0.73000	0.10000	0.74592	0.03384	0.01882	132	-0.47	031.42	0
031	Phosphorus (%)	0682	0.73000	0.00000	0.74592	0.03384	0.01882	132	-0.47	031.43	0
031	Phosphorus (%)	0885	0.73050	0.01000	0.74592	0.03384	0.01882	132	-0.46	031.01	0
031	Phosphorus (%)	0590	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.01	0
031	Phosphorus (%)	0897	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.01	0
031	Phosphorus (%)	0939	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.01	0
031	Phosphorus (%)	0226	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.41	0
031	Phosphorus (%)	0037	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.42	0
031	Phosphorus (%)	0294	0.73500	0.05000	0.74592	0.03384	0.01882	132	-0.32	031.42	0
031	Phosphorus (%)	0242	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.99	0
031	Phosphorus (%)	0676	0.73500	0.01000	0.74592	0.03384	0.01882	132	-0.32	031.99	0
031	Phosphorus (%)	0849	0.73750	0.00500	0.74592	0.03384	0.01882	132	-0.25	031.01	0
031	Phosphorus (%)	0038	0.73750	0.01900	0.74592	0.03384	0.01882	132	-0.25	031.43	0
031	Phosphorus (%)	0861	0.73900	0.00400	0.74592	0.03384	0.01882	132	-0.20	031.43	0
031	Phosphorus (%)	0035	0.74000	0.04000	0.74592	0.03384	0.01882	132	-0.17	031.01	0
031	Phosphorus (%)	0689	0.74000	0.02000	0.74592	0.03384	0.01882	132	-0.17	031.01	0
031	Phosphorus (%)	2022	0.74000	0.00000	0.74592	0.03384	0.01882	132	-0.17	031.01	0
031	Phosphorus (%)	0650	0.74100	0.00200	0.74592	0.03384	0.01882	132	-0.15	031.01	0
031	Phosphorus (%)	0683	0.74500	0.01000	0.74592	0.03384	0.01882	132	-0.03	031.01	0
031	Phosphorus (%)	0123	0.74500	0.03000	0.74592	0.03384	0.01882	132	-0.03	031.41	0
031	Phosphorus (%)	0006	0.74750	0.03100	0.74592	0.03384	0.01882	132	0.05	031.43	0
031	Phosphorus (%)	0139	0.74850	0.00300	0.74592	0.03384	0.01882	132	0.08	031.41	0
031	Phosphorus (%)	2009	0.74895	0.00450	0.74592	0.03384	0.01882	132	0.09	031.01	0
031	Phosphorus (%)	0693	0.74995	0.02450	0.74592	0.03384	0.01882	132	0.12	031.42	0
031	Phosphorus (%)	0893	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.00	0
031	Phosphorus (%)	0354	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.01	0
031	Phosphorus (%)	0552	0.75000	0.08000	0.74592	0.03384	0.01882	132	0.12	031.01	0
031	Phosphorus (%)	0948	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.01	0
031	Phosphorus (%)	0504	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.03	0
031	Phosphorus (%)	0148	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.41	0
031	Phosphorus (%)	2012	0.75000	0.02000	0.74592	0.03384	0.01882	132	0.12	031.41	0
031	Phosphorus (%)	2145	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.41	0
031	Phosphorus (%)	0345	0.75000	0.01000	0.74592	0.03384	0.01882	132	0.12	031.43	0
031	Phosphorus (%)	0425	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.43	0
031	Phosphorus (%)	0629	0.75000	0.00000	0.74592	0.03384	0.01882	132	0.12	031.43	0
031	Phosphorus (%)	0229	0.75100	0.03200	0.74592	0.03384	0.01882	132	0.15	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	2006	0.75150	0.00500	0.74592	0.03384	0.01882	132	0.17	031.01	0
031	Phosphorus (%)	0001	0.75350	0.01700	0.74592	0.03384	0.01882	132	0.22	031.03	0
031	Phosphorus (%)	0968	0.75350	0.00100	0.74592	0.03384	0.01882	132	0.22	031.43	0
031	Phosphorus (%)	2004	0.75350	0.00300	0.74592	0.03384	0.01882	132	0.22	031.44	0
031	Phosphorus (%)	0205	0.75450	0.00300	0.74592	0.03384	0.01882	132	0.25	031.42	0
031	Phosphorus (%)	0560	0.75470	0.00520	0.74592	0.03384	0.01882	132	0.26	031.42	0
031	Phosphorus (%)	0049	0.75500	0.01000	0.74592	0.03384	0.01882	132	0.27	031.41	0
031	Phosphorus (%)	0164	0.75500	0.01000	0.74592	0.03384	0.01882	132	0.27	031.41	0
031	Phosphorus (%)	0610	0.75500	0.01000	0.74592	0.03384	0.01882	132	0.27	031.43	0
031	Phosphorus (%)	0186	0.75630	0.05380	0.74592	0.03384	0.01882	132	0.31	031.52	0
031	Phosphorus (%)	0036	0.75660	0.00600	0.74592	0.03384	0.01882	132	0.32	031.03	0
031	Phosphorus (%)	0043	0.75750	0.00500	0.74592	0.03384	0.01882	132	0.34	031.02	0
031	Phosphorus (%)	0142	0.75755	0.02570	0.74592	0.03384	0.01882	132	0.34	031.01	0
031	Phosphorus (%)	0626	0.75850	0.03100	0.74592	0.03384	0.01882	132	0.37	031.01	0
031	Phosphorus (%)	2053	0.76000	0.00000	0.74592	0.03384	0.01882	132	0.42	031.02	0
031	Phosphorus (%)	0298	0.76000	0.02000	0.74592	0.03384	0.01882	132	0.42	031.41	0
031	Phosphorus (%)	0083	0.76000	0.02000	0.74592	0.03384	0.01882	132	0.42	031.43	0
031	Phosphorus (%)	0675	0.76000	0.04000	0.74592	0.03384	0.01882	132	0.42	031.43	0
031	Phosphorus (%)	0042	0.76050	0.04100	0.74592	0.03384	0.01882	132	0.43	031.42	0
031	Phosphorus (%)	0208	0.76300	0.09600	0.74592	0.03384	0.01882	132	0.50	031.41	0
031	Phosphorus (%)	0014	0.76300	0.05200	0.74592	0.03384	0.01882	132	0.50	031.42	0
031	Phosphorus (%)	0687	0.76500	0.07000	0.74592	0.03384	0.01882	132	0.56	031.01	0
031	Phosphorus (%)	0208	0.76550	0.01300	0.74592	0.03384	0.01882	132	0.58	031.01	0
031	Phosphorus (%)	0039	0.76850	0.01300	0.74592	0.03384	0.01882	132	0.67	031.44	0
031	Phosphorus (%)	0609	0.77000	0.02000	0.74592	0.03384	0.01882	132	0.71	031.01	0
031	Phosphorus (%)	0505	0.77000	0.00000	0.74592	0.03384	0.01882	132	0.71	031.02	0
031	Phosphorus (%)	0171	0.77000	0.00000	0.74592	0.03384	0.01882	132	0.71	031.41	0
031	Phosphorus (%)	0413	0.77000	0.00000	0.74592	0.03384	0.01882	132	0.71	031.41	0
031	Phosphorus (%)	0074	0.77200	0.00800	0.74592	0.03384	0.01882	132	0.77	031.41	0
031	Phosphorus (%)	0895	0.77500	0.01000	0.74592	0.03384	0.01882	132	0.86	031.00	0
031	Phosphorus (%)	0175	0.77500	0.01000	0.74592	0.03384	0.01882	132	0.86	031.01	0
031	Phosphorus (%)	0511	0.77500	0.03000	0.74592	0.03384	0.01882	132	0.86	031.01	0
031	Phosphorus (%)	0720	0.77500	0.01000	0.74592	0.03384	0.01882	132	0.86	031.41	0
031	Phosphorus (%)	0098	0.77605	0.00030	0.74592	0.03384	0.01882	132	0.89	031.41	0
031	Phosphorus (%)	0036	0.77805	0.00110	0.74592	0.03384	0.01882	132	0.95	031.43	0
031	Phosphorus (%)	0668	0.77900	0.00800	0.74592	0.03384	0.01882	132	0.98	031.43	0
031	Phosphorus (%)	0903	0.78000	0.00000	0.74592	0.03384	0.01882	132	1.01	031.01	0
031	Phosphorus (%)	0265	0.78000	0.02000	0.74592	0.03384	0.01882	132	1.01	031.42	0
031	Phosphorus (%)	0033	0.78000	0.02000	0.74592	0.03384	0.01882	132	1.01	031.43	0
031	Phosphorus (%)	0089	0.78500	0.01000	0.74592	0.03384	0.01882	132	1.16	031.43	0
031	Phosphorus (%)	0353	0.78500	0.05000	0.74592	0.03384	0.01882	132	1.16	031.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
031	Phosphorus (%)	0034	0.78870	0.03280	0.74592	0.03384	0.01882	132	1.26	031.53	0
031	Phosphorus (%)	0202	0.79200	0.03800	0.74592	0.03384	0.01882	132	1.36	031.43	0
031	Phosphorus (%)	0263	0.79340	0.00320	0.74592	0.03384	0.01882	132	1.40	031.42	0
031	Phosphorus (%)	0598	0.79400	0.01000	0.74592	0.03384	0.01882	132	1.42	031.41	0
031	Phosphorus (%)	0504	0.79550	0.02500	0.74592	0.03384	0.01882	132	1.47	031.42	0
031	Phosphorus (%)	0297	0.80000	0.04000	0.74592	0.03384	0.01882	132	1.60	031.43	0
031	Phosphorus (%)	0964	0.80175	0.02630	0.74592	0.03384	0.01882	132	1.65	031.43	0
031	Phosphorus (%)	0003	0.81000	0.02000	0.74592	0.03384	0.01882	132	1.89	031.41	0
031	Phosphorus (%)	0190	0.81000	0.02000	0.74592	0.03384	0.01882	132	1.89	031.42	0
031	Phosphorus (%)	0098	0.81815	0.03830	0.74592	0.03384	0.01882	132	2.13	031.43	0
031	Phosphorus (%)	0726	0.82435	0.00870	0.74592	0.03384	0.01882	132	2.32	031.42	0
031	Phosphorus (%)	0510	0.82500	0.01000	0.74592	0.03384	0.01882	132	2.34	031.43	0
031	Phosphorus (%)	0154	0.83650	0.06000	0.74592	0.03384	0.01882	132	2.68	031.52	0
031	Phosphorus (%)	0357	0.85480	0.00460	0.74592	0.03384	0.01882	132	3.22	031.42	0
031	Phosphorus (%)	0722	1.2105	0.00430	0.74592	0.03384	0.01882	132	13.73	031.01	0
031	Phosphorus (%)	0572	8,440.0	400.00	0.74592	0.03384	0.01882	132	249419.36	031.53	2
032	Potassium (%)	0720	0.73500	0.01000	1.0574	0.05801	0.02251	96	-5.56	032.41	0
032	Potassium (%)	0089	0.79500	0.01000	1.0574	0.05801	0.02251	96	-4.52	032.43	0
032	Potassium (%)	0032	0.88500	0.05000	1.0574	0.05801	0.02251	96	-2.97	032.43	0
032	Potassium (%)	0563	0.92425	0.02950	1.0574	0.05801	0.02251	96	-2.30	032.31	0
032	Potassium (%)	0889	0.94350	0.00100	1.0574	0.05801	0.02251	96	-1.96	032.99	0
032	Potassium (%)	0683	0.97500	0.01000	1.0574	0.05801	0.02251	96	-1.42	032.31	0
032	Potassium (%)	0019	0.97500	0.05000	1.0574	0.05801	0.02251	96	-1.42	032.41	0
032	Potassium (%)	0003	0.98000	0.02000	1.0574	0.05801	0.02251	96	-1.33	032.41	0
032	Potassium (%)	0520	0.98950	0.04100	1.0574	0.05801	0.02251	96	-1.17	032.41	0
032	Potassium (%)	0609	0.99000	0.02000	1.0574	0.05801	0.02251	96	-1.16	032.32	0
032	Potassium (%)	0619	0.99100	0.00200	1.0574	0.05801	0.02251	96	-1.15	032.41	0
032	Potassium (%)	2022	0.99300	0.00600	1.0574	0.05801	0.02251	96	-1.11	032.31	0
032	Potassium (%)	0505	0.99500	0.01000	1.0574	0.05801	0.02251	96	-1.08	032.31	0
032	Potassium (%)	0638	0.99500	0.01000	1.0574	0.05801	0.02251	96	-1.08	032.31	0
032	Potassium (%)	0598	0.99725	0.01350	1.0574	0.05801	0.02251	96	-1.04	032.41	0
032	Potassium (%)	0035	1.0000	0.00000	1.0574	0.05801	0.02251	96	-0.99	032.43	0
032	Potassium (%)	0918	1.0005	0.05300	1.0574	0.05801	0.02251	96	-0.98	032.43	0
032	Potassium (%)	0629	1.0050	0.01000	1.0574	0.05801	0.02251	96	-0.90	032.31	0
032	Potassium (%)	0042	1.0085	0.02300	1.0574	0.05801	0.02251	96	-0.84	032.42	0
032	Potassium (%)	0144	1.0100	0.00000	1.0574	0.05801	0.02251	96	-0.82	032.41	0
032	Potassium (%)	0964	1.0129	0.00710	1.0574	0.05801	0.02251	96	-0.77	032.43	0
032	Potassium (%)	0049	1.0150	0.01000	1.0574	0.05801	0.02251	96	-0.73	032.41	0
032	Potassium (%)	0511	1.0150	0.03000	1.0574	0.05801	0.02251	96	-0.73	032.41	0
032	Potassium (%)	0910	1.0150	0.03000	1.0574	0.05801	0.02251	96	-0.73	032.41	0
032	Potassium (%)	0038	1.0150	0.01000	1.0574	0.05801	0.02251	96	-0.73	032.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0354	1.0250	0.01000	1.0574	0.05801	0.02251	96	-0.56	032.31	0
032	Potassium (%)	0948	1.0250	0.03000	1.0574	0.05801	0.02251	96	-0.56	032.31	0
032	Potassium (%)	2012	1.0250	0.03000	1.0574	0.05801	0.02251	96	-0.56	032.41	0
032	Potassium (%)	0035	1.0300	0.00000	1.0574	0.05801	0.02251	96	-0.47	032.42	0
032	Potassium (%)	0675	1.0300	0.02000	1.0574	0.05801	0.02251	96	-0.47	032.43	0
032	Potassium (%)	0529	1.0350	0.05000	1.0574	0.05801	0.02251	96	-0.39	032.31	0
032	Potassium (%)	0610	1.0400	0.02000	1.0574	0.05801	0.02251	96	-0.30	032.43	0
032	Potassium (%)	2004	1.0400	0.00000	1.0574	0.05801	0.02251	96	-0.30	032.44	0
032	Potassium (%)	0100	1.0400	0.02000	1.0574	0.05801	0.02251	96	-0.30	032.99	0
032	Potassium (%)	0870	1.0405	0.03500	1.0574	0.05801	0.02251	96	-0.29	032.42	0
032	Potassium (%)	0011	1.0441	0.01050	1.0574	0.05801	0.02251	96	-0.23	032.41	0
032	Potassium (%)	0693	1.0449	0.02980	1.0574	0.05801	0.02251	96	-0.22	032.42	0
032	Potassium (%)	0164	1.0450	0.01000	1.0574	0.05801	0.02251	96	-0.21	032.41	0
032	Potassium (%)	0037	1.0450	0.01000	1.0574	0.05801	0.02251	96	-0.21	032.42	0
032	Potassium (%)	0043	1.0450	0.01000	1.0574	0.05801	0.02251	96	-0.21	032.43	0
032	Potassium (%)	0353	1.0450	0.05000	1.0574	0.05801	0.02251	96	-0.21	032.43	0
032	Potassium (%)	2089	1.0450	0.03000	1.0574	0.05801	0.02251	96	-0.21	032.43	0
032	Potassium (%)	0229	1.0490	0.05200	1.0574	0.05801	0.02251	96	-0.15	032.41	0
032	Potassium (%)	0038	1.0493	0.01950	1.0574	0.05801	0.02251	96	-0.14	032.31	0
032	Potassium (%)	0650	1.0500	0.08000	1.0574	0.05801	0.02251	96	-0.13	032.31	0
032	Potassium (%)	0874	1.0500	0.00000	1.0574	0.05801	0.02251	96	-0.13	032.31	0
032	Potassium (%)	0171	1.0500	0.00000	1.0574	0.05801	0.02251	96	-0.13	032.41	0
032	Potassium (%)	0045	1.0500	0.06000	1.0574	0.05801	0.02251	96	-0.13	032.42	0
032	Potassium (%)	0083	1.0500	0.02000	1.0574	0.05801	0.02251	96	-0.13	032.43	0
032	Potassium (%)	0682	1.0500	0.00000	1.0574	0.05801	0.02251	96	-0.13	032.43	0
032	Potassium (%)	0208	1.0550	0.01000	1.0574	0.05801	0.02251	96	-0.04	032.31	0
032	Potassium (%)	0098	1.0550	0.09000	1.0574	0.05801	0.02251	96	-0.04	032.41	0
032	Potassium (%)	0278	1.0550	0.05000	1.0574	0.05801	0.02251	96	-0.04	032.42	0
032	Potassium (%)	0504	1.0600	0.00000	1.0574	0.05801	0.02251	96	0.04	032.02	0
032	Potassium (%)	0187	1.0600	0.00000	1.0574	0.05801	0.02251	96	0.04	032.42	0
032	Potassium (%)	0425	1.0600	0.02000	1.0574	0.05801	0.02251	96	0.04	032.43	0
032	Potassium (%)	0205	1.0650	0.01000	1.0574	0.05801	0.02251	96	0.13	032.42	0
032	Potassium (%)	0510	1.0650	0.01000	1.0574	0.05801	0.02251	96	0.13	032.43	0
032	Potassium (%)	0861	1.0650	0.07000	1.0574	0.05801	0.02251	96	0.13	032.43	0
032	Potassium (%)	0265	1.0700	0.04000	1.0574	0.05801	0.02251	96	0.22	032.42	0
032	Potassium (%)	0148	1.0750	0.01000	1.0574	0.05801	0.02251	96	0.30	032.41	0
032	Potassium (%)	0345	1.0750	0.01000	1.0574	0.05801	0.02251	96	0.30	032.43	0
032	Potassium (%)	0668	1.0750	0.03000	1.0574	0.05801	0.02251	96	0.30	032.43	0
032	Potassium (%)	0407	1.0796	0.00630	1.0574	0.05801	0.02251	96	0.38	032.41	0
032	Potassium (%)	0139	1.0800	0.00000	1.0574	0.05801	0.02251	96	0.39	032.41	0
032	Potassium (%)	0560	1.0815	0.00500	1.0574	0.05801	0.02251	96	0.41	032.42	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
032	Potassium (%)	0263	1.0847	0.00220	1.0574	0.05801	0.02251	96	0.47	032.42	0
032	Potassium (%)	0142	1.0863	0.02650	1.0574	0.05801	0.02251	96	0.50	032.31	0
032	Potassium (%)	0039	1.0870	0.00200	1.0574	0.05801	0.02251	96	0.51	032.44	0
032	Potassium (%)	0186	1.0893	0.01000	1.0574	0.05801	0.02251	96	0.55	032.42	0
032	Potassium (%)	0939	1.0900	0.00000	1.0574	0.05801	0.02251	96	0.56	032.31	0
032	Potassium (%)	0035	1.0900	0.04000	1.0574	0.05801	0.02251	96	0.56	032.32	0
032	Potassium (%)	0074	1.0900	0.00000	1.0574	0.05801	0.02251	96	0.56	032.41	0
032	Potassium (%)	0034	1.1020	0.00600	1.0574	0.05801	0.02251	96	0.77	032.53	0
032	Potassium (%)	0175	1.1050	0.05000	1.0574	0.05801	0.02251	96	0.82	032.31	0
032	Potassium (%)	0098	1.1050	0.05000	1.0574	0.05801	0.02251	96	0.82	032.43	0
032	Potassium (%)	0504	1.1080	0.03600	1.0574	0.05801	0.02251	96	0.87	032.42	0
032	Potassium (%)	0208	1.1085	0.01300	1.0574	0.05801	0.02251	96	0.88	032.41	0
032	Potassium (%)	0186	1.1099	0.00860	1.0574	0.05801	0.02251	96	0.90	032.52	0
032	Potassium (%)	0242	1.1100	0.00000	1.0574	0.05801	0.02251	96	0.91	032.99	0
032	Potassium (%)	0405	1.1150	0.01000	1.0574	0.05801	0.02251	96	0.99	032.41	0
032	Potassium (%)	0154	1.1197	0.04710	1.0574	0.05801	0.02251	96	1.07	032.52	0
032	Potassium (%)	0968	1.1220	0.00200	1.0574	0.05801	0.02251	96	1.11	032.43	0
032	Potassium (%)	0202	1.1265	0.02700	1.0574	0.05801	0.02251	96	1.19	032.43	0
032	Potassium (%)	0297	1.1350	0.01000	1.0574	0.05801	0.02251	96	1.34	032.43	0
032	Potassium (%)	0413	1.1400	0.02000	1.0574	0.05801	0.02251	96	1.42	032.41	0
032	Potassium (%)	0357	1.1420	0.01140	1.0574	0.05801	0.02251	96	1.46	032.42	0
032	Potassium (%)	0572	1.1500	0.06000	1.0574	0.05801	0.02251	96	1.60	032.53	0
032	Potassium (%)	0726	1.1545	0.00500	1.0574	0.05801	0.02251	96	1.67	032.42	0
032	Potassium (%)	2053	1.1550	0.01000	1.0574	0.05801	0.02251	96	1.68	032.31	0
032	Potassium (%)	0226	1.1600	0.02000	1.0574	0.05801	0.02251	96	1.77	032.41	0
032	Potassium (%)	0190	1.1700	0.04000	1.0574	0.05801	0.02251	96	1.94	032.42	0
032	Potassium (%)	0294	1.1850	0.03000	1.0574	0.05801	0.02251	96	2.20	032.42	0
032	Potassium (%)	2033	1.1900	0.10000	1.0574	0.05801	0.02251	96	2.28	032.43	0
032	Potassium (%)	0366	1.2000	0.08000	1.0574	0.05801	0.02251	96	2.46	032.42	0
032	Potassium (%)	0536	1.4350	0.03000	1.0574	0.05801	0.02251	96	6.51	032.31	0
032	Potassium (%)	0358	0.99500	0.25000	1.0574	0.05801	0.02251	96	-1.08	032.41	1
032	Potassium (%)	0017	1.1025	0.15500	1.0574	0.05801	0.02251	96	0.78	032.43	1
032	Potassium (%)	0629	1.1100	0.18000	1.0574	0.05801	0.02251	96	0.91	032.43	1
033	Salt as chloride (%)	0536	0.26500	0.01000	0.46661	0.03504	0.00956	66	-5.75	033.99	0
033	Salt as chloride (%)	0619	0.32800	0.00200	0.46661	0.03504	0.00956	66	-3.96	033.01	0
033	Salt as chloride (%)	0552	0.34000	0.02000	0.46661	0.03504	0.00956	66	-3.61	033.99	0
033	Salt as chloride (%)	2073	0.34500	0.01000	0.46661	0.03504	0.00956	66	-3.47	033.99	0
033	Salt as chloride (%)	0511	0.36500	0.03000	0.46661	0.03504	0.00956	66	-2.90	033.00	0
033	Salt as chloride (%)	0596	0.37050	0.00500	0.46661	0.03504	0.00956	66	-2.74	033.01	0
033	Salt as chloride (%)	0504	0.38985	0.00010	0.46661	0.03504	0.00956	66	-2.19	033.00	0
033	Salt as chloride (%)	0885	0.41125	0.01190	0.46661	0.03504	0.00956	66	-1.58	033.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	0897	0.41500	0.01000	0.46661	0.03504	0.00956	66	-1.47	033.00	0
033	Salt as chloride (%)	0298	0.42000	0.02000	0.46661	0.03504	0.00956	66	-1.33	033.00	0
033	Salt as chloride (%)	0045	0.43000	0.01000	0.46661	0.03504	0.00956	66	-1.04	033.00	0
033	Salt as chloride (%)	0726	0.43000	0.02000	0.46661	0.03504	0.00956	66	-1.04	033.03	0
033	Salt as chloride (%)	0903	0.44000	0.02000	0.46661	0.03504	0.00956	66	-0.76	033.00	0
033	Salt as chloride (%)	0190	0.44000	0.04000	0.46661	0.03504	0.00956	66	-0.76	033.03	0
033	Salt as chloride (%)	0265	0.44000	0.00000	0.46661	0.03504	0.00956	66	-0.76	033.03	0
033	Salt as chloride (%)	0171	0.44500	0.01000	0.46661	0.03504	0.00956	66	-0.62	033.00	0
033	Salt as chloride (%)	0353	0.44500	0.01000	0.46661	0.03504	0.00956	66	-0.62	033.00	0
033	Salt as chloride (%)	0171	0.44500	0.01000	0.46661	0.03504	0.00956	66	-0.62	033.05	0
033	Salt as chloride (%)	2022	0.45000	0.02000	0.46661	0.03504	0.00956	66	-0.47	033.00	0
033	Salt as chloride (%)	0682	0.45000	0.00000	0.46661	0.03504	0.00956	66	-0.47	033.99	0
033	Salt as chloride (%)	0910	0.45000	0.00000	0.46661	0.03504	0.00956	66	-0.47	033.99	0
033	Salt as chloride (%)	0693	0.45365	0.00470	0.46661	0.03504	0.00956	66	-0.37	033.00	0
033	Salt as chloride (%)	0366	0.45500	0.01000	0.46661	0.03504	0.00956	66	-0.33	033.00	0
033	Salt as chloride (%)	0505	0.45500	0.01000	0.46661	0.03504	0.00956	66	-0.33	033.03	0
033	Salt as chloride (%)	0083	0.46000	0.02000	0.46661	0.03504	0.00956	66	-0.19	033.01	0
033	Salt as chloride (%)	0004	0.46500	0.03000	0.46661	0.03504	0.00956	66	-0.05	033.01	0
033	Salt as chloride (%)	0689	0.46500	0.01000	0.46661	0.03504	0.00956	66	-0.05	033.05	0
033	Salt as chloride (%)	0309	0.46770	0.00280	0.46661	0.03504	0.00956	66	0.03	033.00	0
033	Salt as chloride (%)	0011	0.46985	0.00810	0.46661	0.03504	0.00956	66	0.09	033.01	0
033	Salt as chloride (%)	0895	0.47000	0.02000	0.46661	0.03504	0.00956	66	0.10	033.00	0
033	Salt as chloride (%)	0100	0.47000	0.02000	0.46661	0.03504	0.00956	66	0.10	033.01	0
033	Salt as chloride (%)	0939	0.47000	0.00000	0.46661	0.03504	0.00956	66	0.10	033.01	0
033	Salt as chloride (%)	2146	0.47000	0.00000	0.46661	0.03504	0.00956	66	0.10	033.01	0
033	Salt as chloride (%)	0144	0.47000	0.00000	0.46661	0.03504	0.00956	66	0.10	033.03	0
033	Salt as chloride (%)	0208	0.47300	0.01200	0.46661	0.03504	0.00956	66	0.18	033.99	0
033	Salt as chloride (%)	0001	0.47500	0.01000	0.46661	0.03504	0.00956	66	0.24	033.01	0
033	Salt as chloride (%)	0175	0.47500	0.01000	0.46661	0.03504	0.00956	66	0.24	033.01	0
033	Salt as chloride (%)	0861	0.47500	0.01000	0.46661	0.03504	0.00956	66	0.24	033.01	0
033	Salt as chloride (%)	0148	0.47600	0.00000	0.46661	0.03504	0.00956	66	0.27	033.01	0
033	Salt as chloride (%)	0226	0.47850	0.00000	0.46661	0.03504	0.00956	66	0.34	033.01	0
033	Salt as chloride (%)	2109	0.47900	0.00200	0.46661	0.03504	0.00956	66	0.35	033.01	0
033	Salt as chloride (%)	0242	0.48000	0.00000	0.46661	0.03504	0.00956	66	0.38	033.01	0
033	Salt as chloride (%)	0425	0.48000	0.00000	0.46661	0.03504	0.00956	66	0.38	033.01	0
033	Salt as chloride (%)	0510	0.48000	0.00000	0.46661	0.03504	0.00956	66	0.38	033.01	0
033	Salt as chloride (%)	0590	0.48000	0.02000	0.46661	0.03504	0.00956	66	0.38	033.01	0
033	Salt as chloride (%)	2009	0.48035	0.01550	0.46661	0.03504	0.00956	66	0.39	033.00	0
033	Salt as chloride (%)	0683	0.48500	0.01000	0.46661	0.03504	0.00956	66	0.52	033.01	0
033	Salt as chloride (%)	0205	0.48550	0.00700	0.46661	0.03504	0.00956	66	0.54	033.01	0
033	Salt as chloride (%)	0407	0.48550	0.00100	0.46661	0.03504	0.00956	66	0.54	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
033	Salt as chloride (%)	0098	0.49000	0.00000	0.46661	0.03504	0.00956	66	0.67	033.01	0
033	Salt as chloride (%)	0164	0.49000	0.00000	0.46661	0.03504	0.00956	66	0.67	033.01	0
033	Salt as chloride (%)	0354	0.49000	0.00000	0.46661	0.03504	0.00956	66	0.67	033.01	0
033	Salt as chloride (%)	0948	0.49000	0.00000	0.46661	0.03504	0.00956	66	0.67	033.01	0
033	Salt as chloride (%)	0278	0.49500	0.01000	0.46661	0.03504	0.00956	66	0.81	033.01	0
033	Salt as chloride (%)	0629	0.49500	0.01000	0.46661	0.03504	0.00956	66	0.81	033.01	0
033	Salt as chloride (%)	2145	0.49500	0.01000	0.46661	0.03504	0.00956	66	0.81	033.99	0
033	Salt as chloride (%)	0644	0.49540	0.00960	0.46661	0.03504	0.00956	66	0.82	033.01	0
033	Salt as chloride (%)	0003	0.50000	0.00000	0.46661	0.03504	0.00956	66	0.95	033.01	0
033	Salt as chloride (%)	0019	0.50500	0.01000	0.46661	0.03504	0.00956	66	1.10	033.01	0
033	Salt as chloride (%)	0675	0.51000	0.02000	0.46661	0.03504	0.00956	66	1.24	033.00	0
033	Salt as chloride (%)	0893	0.51000	0.00000	0.46661	0.03504	0.00956	66	1.24	033.00	0
033	Salt as chloride (%)	2129	0.51250	0.00300	0.46661	0.03504	0.00956	66	1.31	033.05	0
033	Salt as chloride (%)	0921	0.52000	0.00000	0.46661	0.03504	0.00956	66	1.52	033.00	0
033	Salt as chloride (%)	0964	0.52200	0.01600	0.46661	0.03504	0.00956	66	1.58	033.01	0
033	Salt as chloride (%)	0874	0.52800	0.00000	0.46661	0.03504	0.00956	66	1.75	033.01	0
033	Salt as chloride (%)	2144	0.56500	0.05000	0.46661	0.03504	0.00956	66	2.81	033.99	0
033	Salt as chloride (%)	0358	0.30500	0.07000	0.46661	0.03504	0.00956	66	-4.61	033.99	1
033	Salt as chloride (%)	0017	0.35900	0.07600	0.46661	0.03504	0.00956	66	-3.07	033.99	1
033	Salt as chloride (%)	0650	0.44000	0.08000	0.46661	0.03504	0.00956	66	-0.76	033.01	1
033	Salt as chloride (%)	0229	4.6050	0.03000	0.46661	0.03504	0.00956	66	118.10	033.01	2
034	Selenium (mg / kg (ppm))	0045	0.37400	0.09200	0.45181	0.05538	0.04435	19	-1.40	034.04	0
034	Selenium (mg / kg (ppm))	0638	0.39000	0.00000	0.45181	0.05538	0.04435	19	-1.12	034.01	0
034	Selenium (mg / kg (ppm))	0964	0.39360	0.11420	0.45181	0.05538	0.04435	19	-1.05	034.43	0
034	Selenium (mg / kg (ppm))	2055	0.39500	0.07000	0.45181	0.05538	0.04435	19	-1.03	034.53	0
034	Selenium (mg / kg (ppm))	0619	0.40250	0.02500	0.45181	0.05538	0.04435	19	-0.89	034.41	0
034	Selenium (mg / kg (ppm))	0171	0.42000	0.00000	0.45181	0.05538	0.04435	19	-0.57	034.04	0
034	Selenium (mg / kg (ppm))	0675	0.43500	0.07000	0.45181	0.05538	0.04435	19	-0.30	034.43	0
034	Selenium (mg / kg (ppm))	0563	0.43975	0.04750	0.45181	0.05538	0.04435	19	-0.22	034.04	0
034	Selenium (mg / kg (ppm))	0164	0.45000	0.04000	0.45181	0.05538	0.04435	19	-0.03	034.04	0
034	Selenium (mg / kg (ppm))	0038	0.45150	0.01900	0.45181	0.05538	0.04435	19	-0.01	034.01	0
034	Selenium (mg / kg (ppm))	0098	0.45850	0.08100	0.45181	0.05538	0.04435	19	0.12	034.53	0
034	Selenium (mg / kg (ppm))	0910	0.46000	0.06000	0.45181	0.05538	0.04435	19	0.15	034.52	0
034	Selenium (mg / kg (ppm))	0186	0.46620	0.09820	0.45181	0.05538	0.04435	19	0.26	034.52	0
034	Selenium (mg / kg (ppm))	0560	0.47350	0.00700	0.45181	0.05538	0.04435	19	0.39	034.52	0
034	Selenium (mg / kg (ppm))	0610	0.49000	0.00000	0.45181	0.05538	0.04435	19	0.69	034.04	0
034	Selenium (mg / kg (ppm))	0208	0.49500	0.01200	0.45181	0.05538	0.04435	19	0.78	034.52	0
034	Selenium (mg / kg (ppm))	0148	0.52000	0.00000	0.45181	0.05538	0.04435	19	1.23	034.41	0
034	Selenium (mg / kg (ppm))	0918	0.53780	0.06780	0.45181	0.05538	0.04435	19	1.55	034.53	0
034	Selenium (mg / kg (ppm))	0032	0.87650	0.03900	0.45181	0.05538	0.04435	19	7.67	034.53	0
035	Sodium (%)	0175	0.05500	0.01000	0.15236	0.01357	0.00844	98	-7.18	035.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0358	0.12000	0.02000	0.15236	0.01357	0.00844	98	-2.39	035.41	0
035	Sodium (%)	0032	0.12500	0.01000	0.15236	0.01357	0.00844	98	-2.02	035.43	0
035	Sodium (%)	0208	0.12550	0.00700	0.15236	0.01357	0.00844	98	-1.98	035.31	0
035	Sodium (%)	0035	0.13000	0.00000	0.15236	0.01357	0.00844	98	-1.65	035.43	0
035	Sodium (%)	0038	0.13350	0.00100	0.15236	0.01357	0.00844	98	-1.39	035.43	0
035	Sodium (%)	0510	0.13350	0.00300	0.15236	0.01357	0.00844	98	-1.39	035.43	0
035	Sodium (%)	0353	0.13500	0.03000	0.15236	0.01357	0.00844	98	-1.28	035.43	0
035	Sodium (%)	0889	0.13500	0.07000	0.15236	0.01357	0.00844	98	-1.28	035.99	0
035	Sodium (%)	0043	0.13750	0.00700	0.15236	0.01357	0.00844	98	-1.10	035.43	0
035	Sodium (%)	0918	0.13950	0.00300	0.15236	0.01357	0.00844	98	-0.95	035.43	0
035	Sodium (%)	0638	0.14000	0.00800	0.15236	0.01357	0.00844	98	-0.91	035.31	0
035	Sodium (%)	0035	0.14000	0.00000	0.15236	0.01357	0.00844	98	-0.91	035.42	0
035	Sodium (%)	0278	0.14000	0.00000	0.15236	0.01357	0.00844	98	-0.91	035.42	0
035	Sodium (%)	0682	0.14000	0.00000	0.15236	0.01357	0.00844	98	-0.91	035.43	0
035	Sodium (%)	0242	0.14000	0.00000	0.15236	0.01357	0.00844	98	-0.91	035.99	0
035	Sodium (%)	0520	0.14050	0.01300	0.15236	0.01357	0.00844	98	-0.87	035.41	0
035	Sodium (%)	0017	0.14100	0.03000	0.15236	0.01357	0.00844	98	-0.84	035.43	0
035	Sodium (%)	2097	0.14120	0.00280	0.15236	0.01357	0.00844	98	-0.82	035.31	0
035	Sodium (%)	0045	0.14150	0.00900	0.15236	0.01357	0.00844	98	-0.80	035.42	0
035	Sodium (%)	0870	0.14215	0.00010	0.15236	0.01357	0.00844	98	-0.75	035.42	0
035	Sodium (%)	0693	0.14420	0.00120	0.15236	0.01357	0.00844	98	-0.60	035.42	0
035	Sodium (%)	0164	0.14450	0.00300	0.15236	0.01357	0.00844	98	-0.58	035.41	0
035	Sodium (%)	0205	0.14500	0.00400	0.15236	0.01357	0.00844	98	-0.54	035.42	0
035	Sodium (%)	0683	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.31	0
035	Sodium (%)	0948	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.31	0
035	Sodium (%)	0609	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.32	0
035	Sodium (%)	0019	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.41	0
035	Sodium (%)	0144	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.41	0
035	Sodium (%)	0148	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.41	0
035	Sodium (%)	0910	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.41	0
035	Sodium (%)	0366	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.42	0
035	Sodium (%)	0083	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.43	0
035	Sodium (%)	0297	0.14500	0.01000	0.15236	0.01357	0.00844	98	-0.54	035.43	0
035	Sodium (%)	0598	0.14575	0.00870	0.15236	0.01357	0.00844	98	-0.49	035.41	0
035	Sodium (%)	0964	0.14575	0.00990	0.15236	0.01357	0.00844	98	-0.49	035.41	0
035	Sodium (%)	0042	0.14650	0.00100	0.15236	0.01357	0.00844	98	-0.43	035.42	0
035	Sodium (%)	0861	0.14650	0.00300	0.15236	0.01357	0.00844	98	-0.43	035.43	0
035	Sodium (%)	0572	0.14700	0.00400	0.15236	0.01357	0.00844	98	-0.40	035.53	0
035	Sodium (%)	0186	0.14815	0.01170	0.15236	0.01357	0.00844	98	-0.31	035.42	0
035	Sodium (%)	0560	0.14950	0.00300	0.15236	0.01357	0.00844	98	-0.21	035.42	0
035	Sodium (%)	0034	0.14950	0.00620	0.15236	0.01357	0.00844	98	-0.21	035.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0504	0.15000	0.00000	0.15236	0.01357	0.00844	98	-0.17	035.05	0
035	Sodium (%)	0233	0.15000	0.00000	0.15236	0.01357	0.00844	98	-0.17	035.31	0
035	Sodium (%)	2004	0.15000	0.00000	0.15236	0.01357	0.00844	98	-0.17	035.41	0
035	Sodium (%)	2012	0.15000	0.00000	0.15236	0.01357	0.00844	98	-0.17	035.41	0
035	Sodium (%)	0425	0.15000	0.00000	0.15236	0.01357	0.00844	98	-0.17	035.43	0
035	Sodium (%)	0100	0.15000	0.00000	0.15236	0.01357	0.00844	98	-0.17	035.99	0
035	Sodium (%)	0298	0.15000	0.02000	0.15236	0.01357	0.00844	98	-0.17	035.41	0
035	Sodium (%)	0265	0.15000	0.02000	0.15236	0.01357	0.00844	98	-0.17	035.42	0
035	Sodium (%)	0098	0.15000	0.02000	0.15236	0.01357	0.00844	98	-0.17	035.43	0
035	Sodium (%)	0610	0.15000	0.02000	0.15236	0.01357	0.00844	98	-0.17	035.43	0
035	Sodium (%)	2089	0.15000	0.02000	0.15236	0.01357	0.00844	98	-0.17	035.43	0
035	Sodium (%)	0039	0.15050	0.00100	0.15236	0.01357	0.00844	98	-0.14	035.99	0
035	Sodium (%)	2022	0.15100	0.00000	0.15236	0.01357	0.00844	98	-0.10	035.31	0
035	Sodium (%)	0668	0.15100	0.00000	0.15236	0.01357	0.00844	98	-0.10	035.43	0
035	Sodium (%)	0563	0.15250	0.01500	0.15236	0.01357	0.00844	98	0.01	035.31	0
035	Sodium (%)	0407	0.15375	0.00110	0.15236	0.01357	0.00844	98	0.10	035.41	0
035	Sodium (%)	0229	0.15400	0.01000	0.15236	0.01357	0.00844	98	0.12	035.41	0
035	Sodium (%)	0035	0.15500	0.01000	0.15236	0.01357	0.00844	98	0.19	035.32	0
035	Sodium (%)	0098	0.15500	0.01000	0.15236	0.01357	0.00844	98	0.19	035.41	0
035	Sodium (%)	0123	0.15500	0.01000	0.15236	0.01357	0.00844	98	0.19	035.41	0
035	Sodium (%)	0190	0.15500	0.01000	0.15236	0.01357	0.00844	98	0.19	035.42	0
035	Sodium (%)	0154	0.15720	0.01200	0.15236	0.01357	0.00844	98	0.36	035.52	0
035	Sodium (%)	0504	0.15800	0.00800	0.15236	0.01357	0.00844	98	0.42	035.42	0
035	Sodium (%)	0202	0.15800	0.01000	0.15236	0.01357	0.00844	98	0.42	035.43	0
035	Sodium (%)	0726	0.15880	0.00080	0.15236	0.01357	0.00844	98	0.47	035.42	0
035	Sodium (%)	0529	0.15950	0.01300	0.15236	0.01357	0.00844	98	0.53	035.31	0
035	Sodium (%)	0629	0.15950	0.00100	0.15236	0.01357	0.00844	98	0.53	035.43	0
035	Sodium (%)	0354	0.16000	0.00000	0.15236	0.01357	0.00844	98	0.56	035.31	0
035	Sodium (%)	0629	0.16000	0.00000	0.15236	0.01357	0.00844	98	0.56	035.31	0
035	Sodium (%)	0939	0.16000	0.00000	0.15236	0.01357	0.00844	98	0.56	035.31	0
035	Sodium (%)	0049	0.16000	0.02000	0.15236	0.01357	0.00844	98	0.56	035.41	0
035	Sodium (%)	0413	0.16000	0.00000	0.15236	0.01357	0.00844	98	0.56	035.41	0
035	Sodium (%)	0590	0.16000	0.00000	0.15236	0.01357	0.00844	98	0.56	035.99	0
035	Sodium (%)	0263	0.16045	0.00350	0.15236	0.01357	0.00844	98	0.60	035.42	0
035	Sodium (%)	0300	0.16050	0.01100	0.15236	0.01357	0.00844	98	0.60	035.33	0
035	Sodium (%)	0208	0.16250	0.02900	0.15236	0.01357	0.00844	98	0.75	035.41	0
035	Sodium (%)	0619	0.16300	0.00600	0.15236	0.01357	0.00844	98	0.78	035.41	0
035	Sodium (%)	0011	0.16335	0.00010	0.15236	0.01357	0.00844	98	0.81	035.41	0
035	Sodium (%)	0689	0.16500	0.01000	0.15236	0.01357	0.00844	98	0.93	035.01	0
035	Sodium (%)	0405	0.16500	0.01000	0.15236	0.01357	0.00844	98	0.93	035.41	0
035	Sodium (%)	0171	0.17000	0.00000	0.15236	0.01357	0.00844	98	1.30	035.41	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
035	Sodium (%)	0294	0.17000	0.00000	0.15236	0.01357	0.00844	98	1.30	035.42	0
035	Sodium (%)	0345	0.17000	0.00200	0.15236	0.01357	0.00844	98	1.30	035.43	0
035	Sodium (%)	0186	0.17425	0.00570	0.15236	0.01357	0.00844	98	1.61	035.52	0
035	Sodium (%)	0874	0.17500	0.02000	0.15236	0.01357	0.00844	98	1.67	035.31	0
035	Sodium (%)	0720	0.17500	0.01000	0.15236	0.01357	0.00844	98	1.67	035.41	0
035	Sodium (%)	0142	0.17540	0.00120	0.15236	0.01357	0.00844	98	1.70	035.31	0
035	Sodium (%)	0038	0.17855	0.00310	0.15236	0.01357	0.00844	98	1.93	035.31	0
035	Sodium (%)	0226	0.18000	0.01800	0.15236	0.01357	0.00844	98	2.04	035.41	0
035	Sodium (%)	2053	0.18000	0.00000	0.15236	0.01357	0.00844	98	2.04	035.42	0
035	Sodium (%)	0108	0.20000	0.02000	0.15236	0.01357	0.00844	98	3.51	035.05	0
035	Sodium (%)	0139	0.20150	0.00300	0.15236	0.01357	0.00844	98	3.62	035.41	0
035	Sodium (%)	0675	0.20500	0.01000	0.15236	0.01357	0.00844	98	3.88	035.43	0
035	Sodium (%)	0650	0.24350	0.03300	0.15236	0.01357	0.00844	98	6.72	035.31	0
035	Sodium (%)	0089	0.25000	0.00000	0.15236	0.01357	0.00844	98	7.20	035.43	0
035	Sodium (%)	0536	0.57000	0.02000	0.15236	0.01357	0.00844	98	30.79	035.31	0
035	Sodium (%)	2006	0.82550	1.3490	0.15236	0.01357	0.00844	98	49.62	035.01	1
035	Sodium (%)	2033	1.6700	0.16000	0.15236	0.01357	0.00844	98	111.88	035.43	2
036	Sulfur (%)	0032	0.28000	0.02000	0.35255	0.02712	0.01069	34	-2.68	036.43	0
036	Sulfur (%)	2089	0.31500	0.01000	0.35255	0.02712	0.01069	34	-1.38	036.43	0
036	Sulfur (%)	0045	0.31650	0.01300	0.35255	0.02712	0.01069	34	-1.33	036.42	0
036	Sulfur (%)	0870	0.31655	0.00030	0.35255	0.02712	0.01069	34	-1.33	036.42	0
036	Sulfur (%)	0278	0.32500	0.01000	0.35255	0.02712	0.01069	34	-1.02	036.42	0
036	Sulfur (%)	0366	0.33000	0.02000	0.35255	0.02712	0.01069	34	-0.83	036.42	0
036	Sulfur (%)	0038	0.33275	0.01050	0.35255	0.02712	0.01069	34	-0.73	036.43	0
036	Sulfur (%)	0708	0.33450	0.00100	0.35255	0.02712	0.01069	34	-0.67	036.42	0
036	Sulfur (%)	0229	0.33500	0.01000	0.35255	0.02712	0.01069	34	-0.65	036.04	0
036	Sulfur (%)	0171	0.33650	0.00500	0.35255	0.02712	0.01069	34	-0.59	036.42	0
036	Sulfur (%)	0693	0.34205	0.00410	0.35255	0.02712	0.01069	34	-0.39	036.42	0
036	Sulfur (%)	0345	0.34350	0.00300	0.35255	0.02712	0.01069	34	-0.33	036.43	0
036	Sulfur (%)	0202	0.34400	0.02600	0.35255	0.02712	0.01069	34	-0.32	036.43	0
036	Sulfur (%)	2053	0.34500	0.01000	0.35255	0.02712	0.01069	34	-0.28	036.04	0
036	Sulfur (%)	0164	0.34500	0.01000	0.35255	0.02712	0.01069	34	-0.28	036.42	0
036	Sulfur (%)	0242	0.34500	0.01000	0.35255	0.02712	0.01069	34	-0.28	036.99	0
036	Sulfur (%)	0407	0.34685	0.00290	0.35255	0.02712	0.01069	34	-0.21	036.42	0
036	Sulfur (%)	0353	0.35000	0.02000	0.35255	0.02712	0.01069	34	-0.09	036.43	0
036	Sulfur (%)	0918	0.35100	0.00600	0.35255	0.02712	0.01069	34	-0.06	036.43	0
036	Sulfur (%)	0668	0.35250	0.00700	0.35255	0.02712	0.01069	34	0.00	036.43	0
036	Sulfur (%)	0560	0.35900	0.00200	0.35255	0.02712	0.01069	34	0.24	036.42	0
036	Sulfur (%)	0297	0.36000	0.00000	0.35255	0.02712	0.01069	34	0.27	036.43	0
036	Sulfur (%)	0098	0.36195	0.04950	0.35255	0.02712	0.01069	34	0.35	036.43	0
036	Sulfur (%)	0186	0.36300	0.01740	0.35255	0.02712	0.01069	34	0.39	036.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
036	Sulfur (%)	0629	0.36750	0.00100	0.35255	0.02712	0.01069	34	0.55	036.43	0
036	Sulfur (%)	0964	0.36905	0.01630	0.35255	0.02712	0.01069	34	0.61	036.43	0
036	Sulfur (%)	0187	0.37165	0.00050	0.35255	0.02712	0.01069	34	0.70	036.42	0
036	Sulfur (%)	0357	0.37525	0.00030	0.35255	0.02712	0.01069	34	0.84	036.42	0
036	Sulfur (%)	0294	0.38500	0.03000	0.35255	0.02712	0.01069	34	1.20	036.42	0
036	Sulfur (%)	0186	0.38925	0.00370	0.35255	0.02712	0.01069	34	1.35	036.52	0
036	Sulfur (%)	0265	0.39000	0.02000	0.35255	0.02712	0.01069	34	1.38	036.42	0
036	Sulfur (%)	0510	0.39000	0.00000	0.35255	0.02712	0.01069	34	1.38	036.43	0
036	Sulfur (%)	0889	0.39600	0.00400	0.35255	0.02712	0.01069	34	1.60	036.99	0
036	Sulfur (%)	0226	0.41000	0.02000	0.35255	0.02712	0.01069	34	2.12	036.04	0
036	Sulfur (%)	0910	3,529.0	88.000	0.35255	0.02712	0.01069	34	130112.88	036.52	2
037	Zinc (mg / kg (ppm))	0358	14.415	0.41000	114.36	11.418	4.4423	97	-8.75	037.41	0
037	Zinc (mg / kg (ppm))	0405	78.500	0.20000	114.36	11.418	4.4423	97	-3.14	037.41	0
037	Zinc (mg / kg (ppm))	0047	84.700	2.8000	114.36	11.418	4.4423	97	-2.60	037.52	0
037	Zinc (mg / kg (ppm))	0009	87.300	4.0600	114.36	11.418	4.4423	97	-2.37	037.42	0
037	Zinc (mg / kg (ppm))	0921	89.330	0.00000	114.36	11.418	4.4423	97	-2.19	037.31	0
037	Zinc (mg / kg (ppm))	0870	89.575	0.01000	114.36	11.418	4.4423	97	-2.17	037.42	0
037	Zinc (mg / kg (ppm))	0186	96.611	1.8300	114.36	11.418	4.4423	97	-1.55	037.52	0
037	Zinc (mg / kg (ppm))	0689	97.950	1.7000	114.36	11.418	4.4423	97	-1.44	037.31	0
037	Zinc (mg / kg (ppm))	0520	99.950	2.1000	114.36	11.418	4.4423	97	-1.26	037.41	0
037	Zinc (mg / kg (ppm))	2055	100.00	2.0000	114.36	11.418	4.4423	97	-1.26	037.53	0
037	Zinc (mg / kg (ppm))	0889	100.00	0.00000	114.36	11.418	4.4423	97	-1.26	037.99	0
037	Zinc (mg / kg (ppm))	0504	100.66	1.6800	114.36	11.418	4.4423	97	-1.20	037.33	0
037	Zinc (mg / kg (ppm))	0278	101.05	1.1000	114.36	11.418	4.4423	97	-1.17	037.42	0
037	Zinc (mg / kg (ppm))	2144	101.15	0.03000	114.36	11.418	4.4423	97	-1.16	037.99	0
037	Zinc (mg / kg (ppm))	0263	101.54	2.0234	114.36	11.418	4.4423	97	-1.12	037.42	0
037	Zinc (mg / kg (ppm))	0186	102.80	4.4000	114.36	11.418	4.4423	97	-1.01	037.42	0
037	Zinc (mg / kg (ppm))	2097	104.00	4.0000	114.36	11.418	4.4423	97	-0.91	037.31	0
037	Zinc (mg / kg (ppm))	0610	104.00	12.000	114.36	11.418	4.4423	97	-0.91	037.43	0
037	Zinc (mg / kg (ppm))	0017	104.23	1.5680	114.36	11.418	4.4423	97	-0.89	037.43	0
037	Zinc (mg / kg (ppm))	0529	104.41	2.1900	114.36	11.418	4.4423	97	-0.87	037.31	0
037	Zinc (mg / kg (ppm))	0510	104.50	1.0000	114.36	11.418	4.4423	97	-0.86	037.43	0
037	Zinc (mg / kg (ppm))	0032	104.85	1.9000	114.36	11.418	4.4423	97	-0.83	037.43	0
037	Zinc (mg / kg (ppm))	0720	105.13	2.7100	114.36	11.418	4.4423	97	-0.81	037.41	0
037	Zinc (mg / kg (ppm))	0918	105.22	4.2300	114.36	11.418	4.4423	97	-0.80	037.43	0
037	Zinc (mg / kg (ppm))	0638	107.00	10.000	114.36	11.418	4.4423	97	-0.64	037.31	0
037	Zinc (mg / kg (ppm))	0045	109.00	0.00000	114.36	11.418	4.4423	97	-0.47	037.42	0
037	Zinc (mg / kg (ppm))	0366	109.00	4.0000	114.36	11.418	4.4423	97	-0.47	037.42	0
037	Zinc (mg / kg (ppm))	0345	109.00	4.0000	114.36	11.418	4.4423	97	-0.47	037.43	0
037	Zinc (mg / kg (ppm))	2089	109.99	2.9900	114.36	11.418	4.4423	97	-0.38	037.43	0
037	Zinc (mg / kg (ppm))	0968	110.00	0.00000	114.36	11.418	4.4423	97	-0.38	037.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0049	110.02	1.2400	114.36	11.418	4.4423	97	-0.38	037.41	0
037	Zinc (mg / kg (ppm))	2145	110.22	0.53000	114.36	11.418	4.4423	97	-0.36	037.41	0
037	Zinc (mg / kg (ppm))	0939	110.44	2.7200	114.36	11.418	4.4423	97	-0.34	037.31	0
037	Zinc (mg / kg (ppm))	0629	110.50	1.0000	114.36	11.418	4.4423	97	-0.34	037.31	0
037	Zinc (mg / kg (ppm))	0511	110.50	3.0000	114.36	11.418	4.4423	97	-0.34	037.41	0
037	Zinc (mg / kg (ppm))	0043	110.50	17.000	114.36	11.418	4.4423	97	-0.34	037.43	0
037	Zinc (mg / kg (ppm))	0668	111.50	9.0000	114.36	11.418	4.4423	97	-0.25	037.43	0
037	Zinc (mg / kg (ppm))	0242	112.00	4.0000	114.36	11.418	4.4423	97	-0.21	037.99	0
037	Zinc (mg / kg (ppm))	0294	112.08	9.7600	114.36	11.418	4.4423	97	-0.20	037.42	0
037	Zinc (mg / kg (ppm))	0560	112.15	6.5000	114.36	11.418	4.4423	97	-0.19	037.42	0
037	Zinc (mg / kg (ppm))	0682	112.29	0.00000	114.36	11.418	4.4423	97	-0.18	037.43	0
037	Zinc (mg / kg (ppm))	0164	112.50	1.0000	114.36	11.418	4.4423	97	-0.16	037.41	0
037	Zinc (mg / kg (ppm))	0001	112.65	2.5000	114.36	11.418	4.4423	97	-0.15	037.31	0
037	Zinc (mg / kg (ppm))	0208	112.85	11.900	114.36	11.418	4.4423	97	-0.13	037.41	0
037	Zinc (mg / kg (ppm))	0171	113.50	0.60000	114.36	11.418	4.4423	97	-0.08	037.41	0
037	Zinc (mg / kg (ppm))	0039	113.58	1.9620	114.36	11.418	4.4423	97	-0.07	037.44	0
037	Zinc (mg / kg (ppm))	0910	114.00	0.00000	114.36	11.418	4.4423	97	-0.03	037.41	0
037	Zinc (mg / kg (ppm))	0563	114.16	4.1462	114.36	11.418	4.4423	97	-0.02	037.31	0
037	Zinc (mg / kg (ppm))	0675	114.17	2.0600	114.36	11.418	4.4423	97	-0.02	037.43	0
037	Zinc (mg / kg (ppm))	2129	114.20	8.4000	114.36	11.418	4.4423	97	-0.01	037.99	0
037	Zinc (mg / kg (ppm))	0693	114.72	0.69050	114.36	11.418	4.4423	97	0.03	037.42	0
037	Zinc (mg / kg (ppm))	0619	115.00	4.0000	114.36	11.418	4.4423	97	0.06	037.41	0
037	Zinc (mg / kg (ppm))	2004	115.47	0.07000	114.36	11.418	4.4423	97	0.10	037.44	0
037	Zinc (mg / kg (ppm))	0874	115.50	1.0000	114.36	11.418	4.4423	97	0.10	037.31	0
037	Zinc (mg / kg (ppm))	0038	115.90	2.6000	114.36	11.418	4.4423	97	0.13	037.32	0
037	Zinc (mg / kg (ppm))	0083	116.00	4.0000	114.36	11.418	4.4423	97	0.14	037.43	0
037	Zinc (mg / kg (ppm))	0629	116.00	0.00000	114.36	11.418	4.4423	97	0.14	037.43	0
037	Zinc (mg / kg (ppm))	2022	116.50	1.0000	114.36	11.418	4.4423	97	0.19	037.31	0
037	Zinc (mg / kg (ppm))	2012	116.70	4.3700	114.36	11.418	4.4423	97	0.20	037.41	0
037	Zinc (mg / kg (ppm))	0598	117.50	3.2000	114.36	11.418	4.4423	97	0.28	037.41	0
037	Zinc (mg / kg (ppm))	0187	117.97	1.6700	114.36	11.418	4.4423	97	0.32	037.42	0
037	Zinc (mg / kg (ppm))	0148	118.05	3.5000	114.36	11.418	4.4423	97	0.32	037.41	0
037	Zinc (mg / kg (ppm))	0226	118.15	6.1000	114.36	11.418	4.4423	97	0.33	037.41	0
037	Zinc (mg / kg (ppm))	0098	118.75	19.900	114.36	11.418	4.4423	97	0.38	037.43	0
037	Zinc (mg / kg (ppm))	0038	119.06	7.0700	114.36	11.418	4.4423	97	0.41	037.43	0
037	Zinc (mg / kg (ppm))	0505	119.50	5.0000	114.36	11.418	4.4423	97	0.45	037.31	0
037	Zinc (mg / kg (ppm))	2053	119.55	1.9000	114.36	11.418	4.4423	97	0.45	037.42	0
037	Zinc (mg / kg (ppm))	0590	120.00	2.0000	114.36	11.418	4.4423	97	0.49	037.99	0
037	Zinc (mg / kg (ppm))	0964	120.42	5.4580	114.36	11.418	4.4423	97	0.53	037.43	0
037	Zinc (mg / kg (ppm))	0265	120.50	3.0000	114.36	11.418	4.4423	97	0.54	037.42	0
037	Zinc (mg / kg (ppm))	0208	121.00	2.0000	114.36	11.418	4.4423	97	0.58	037.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
037	Zinc (mg / kg (ppm))	0037	121.00	13.200	114.36	11.418	4.4423	97	0.58	037.42	0
037	Zinc (mg / kg (ppm))	2149	121.05	0.12000	114.36	11.418	4.4423	97	0.59	037.31	0
037	Zinc (mg / kg (ppm))	0861	121.50	9.0000	114.36	11.418	4.4423	97	0.63	037.43	0
037	Zinc (mg / kg (ppm))	0407	121.58	1.4668	114.36	11.418	4.4423	97	0.63	037.41	0
037	Zinc (mg / kg (ppm))	0353	122.00	32.000	114.36	11.418	4.4423	97	0.67	037.43	0
037	Zinc (mg / kg (ppm))	0019	122.05	2.7000	114.36	11.418	4.4423	97	0.67	037.41	0
037	Zinc (mg / kg (ppm))	0297	123.00	4.0000	114.36	11.418	4.4423	97	0.76	037.43	0
037	Zinc (mg / kg (ppm))	0098	123.15	1.5000	114.36	11.418	4.4423	97	0.77	037.41	0
037	Zinc (mg / kg (ppm))	0011	124.53	5.3300	114.36	11.418	4.4423	97	0.89	037.41	0
037	Zinc (mg / kg (ppm))	0425	125.00	8.0000	114.36	11.418	4.4423	97	0.93	037.43	0
037	Zinc (mg / kg (ppm))	0357	125.22	1.9370	114.36	11.418	4.4423	97	0.95	037.42	0
037	Zinc (mg / kg (ppm))	0354	125.56	4.4800	114.36	11.418	4.4423	97	0.98	037.31	0
037	Zinc (mg / kg (ppm))	0074	126.50	5.0000	114.36	11.418	4.4423	97	1.06	037.41	0
037	Zinc (mg / kg (ppm))	0202	127.09	15.712	114.36	11.418	4.4423	97	1.12	037.43	0
037	Zinc (mg / kg (ppm))	0229	128.14	14.830	114.36	11.418	4.4423	97	1.21	037.41	0
037	Zinc (mg / kg (ppm))	0413	130.00	10.000	114.36	11.418	4.4423	97	1.37	037.42	0
037	Zinc (mg / kg (ppm))	0572	130.00	12.000	114.36	11.418	4.4423	97	1.37	037.53	0
037	Zinc (mg / kg (ppm))	0726	131.75	0.30000	114.36	11.418	4.4423	97	1.52	037.42	0
037	Zinc (mg / kg (ppm))	0100	132.00	8.0000	114.36	11.418	4.4423	97	1.55	037.99	0
037	Zinc (mg / kg (ppm))	0035	132.50	1.0000	114.36	11.418	4.4423	97	1.59	037.42	0
037	Zinc (mg / kg (ppm))	0190	133.95	6.9000	114.36	11.418	4.4423	97	1.72	037.42	0
037	Zinc (mg / kg (ppm))	0035	136.50	13.000	114.36	11.418	4.4423	97	1.94	037.32	0
037	Zinc (mg / kg (ppm))	0948	139.25	1.6520	114.36	11.418	4.4423	97	2.18	037.33	0
037	Zinc (mg / kg (ppm))	0175	140.00	4.0000	114.36	11.418	4.4423	97	2.25	037.31	0
037	Zinc (mg / kg (ppm))	0035	141.50	9.0000	114.36	11.418	4.4423	97	2.38	037.43	0
037	Zinc (mg / kg (ppm))	0609	157.50	5.0000	114.36	11.418	4.4423	97	3.78	037.32	0
037	Zinc (mg / kg (ppm))	0003	178.00	72.000	114.36	11.418	4.4423	97	5.57	037.41	1
037	Zinc (mg / kg (ppm))	0042	260.00	82.000	114.36	11.418	4.4423	97	12.76	037.42	1
037	Zinc (mg / kg (ppm))	0536	2,348.5	3.5000	114.36	11.418	4.4423	97	195.67	037.31	2
038	Molybdenum (mg / kg (ppm))	0098	1.4140	0.62400	1.9697	0.25438	0.15889	18	-2.18	038.53	0
038	Molybdenum (mg / kg (ppm))	0345	1.5750	0.15000	1.9697	0.25438	0.15889	18	-1.55	038.43	0
038	Molybdenum (mg / kg (ppm))	0510	1.6000	0.20000	1.9697	0.25438	0.15889	18	-1.45	038.43	0
038	Molybdenum (mg / kg (ppm))	0171	1.8400	0.00000	1.9697	0.25438	0.15889	18	-0.51	038.41	0
038	Molybdenum (mg / kg (ppm))	0693	1.8514	0.32060	1.9697	0.25438	0.15889	18	-0.46	038.42	0
038	Molybdenum (mg / kg (ppm))	0353	1.8619	0.09210	1.9697	0.25438	0.15889	18	-0.42	038.43	0
038	Molybdenum (mg / kg (ppm))	0032	1.8890	0.07000	1.9697	0.25438	0.15889	18	-0.32	038.43	0
038	Molybdenum (mg / kg (ppm))	0910	1.9100	0.18000	1.9697	0.25438	0.15889	18	-0.23	038.52	0
038	Molybdenum (mg / kg (ppm))	0278	1.9300	0.02000	1.9697	0.25438	0.15889	18	-0.16	038.42	0
038	Molybdenum (mg / kg (ppm))	0964	2.0126	0.07520	1.9697	0.25438	0.15889	18	0.17	038.43	0
038	Molybdenum (mg / kg (ppm))	0186	2.1113	0.25330	1.9697	0.25438	0.15889	18	0.56	038.52	0
038	Molybdenum (mg / kg (ppm))	0038	2.1150	0.01000	1.9697	0.25438	0.15889	18	0.57	038.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
038	Molybdenum (mg / kg (ppm))	2055	2.1400	0.06000	1.9697	0.25438	0.15889	18	0.67	038.53	0
038	Molybdenum (mg / kg (ppm))	2053	2.1500	0.08000	1.9697	0.25438	0.15889	18	0.71	038.42	0
038	Molybdenum (mg / kg (ppm))	0226	2.1500	0.10000	1.9697	0.25438	0.15889	18	0.71	038.41	0
038	Molybdenum (mg / kg (ppm))	0918	2.1807	0.02490	1.9697	0.25438	0.15889	18	0.83	038.53	0
038	Molybdenum (mg / kg (ppm))	0297	2.1850	0.25000	1.9697	0.25438	0.15889	18	0.85	038.43	0
038	Molybdenum (mg / kg (ppm))	0045	2.3750	0.35000	1.9697	0.25438	0.15889	18	1.59	038.42	0
040	Barium (mg / kg (ppm))	0918	12.930	0.03190				2		040.53	0
040	Barium (mg / kg (ppm))	0560	13.230	0.18000				2		040.42	0
042	Chloride (%)	0948	0.29500	0.01000	0.31313	0.01434	0.01265	4		042.00	0
042	Chloride (%)	0186	0.31250	0.01060	0.31313	0.01434	0.01265	4		042.00	0
042	Chloride (%)	0413	0.31500	0.01000	0.31313	0.01434	0.01265	4		042.02	0
042	Chloride (%)	0297	0.33000	0.02000	0.31313	0.01434	0.01265	4		042.00	0
101	Choline Chloride (mg / kg (ppm))	2004	801.50	87.000	1,433.4	583.19	110.25	4		101.01	0
101	Choline Chloride (mg / kg (ppm))	0644	1,190.0	136.00	1,433.4	583.19	110.25	4		101.02	0
101	Choline Chloride (mg / kg (ppm))	0939	1,572.0	118.00	1,433.4	583.19	110.25	4		101.01	0
101	Choline Chloride (mg / kg (ppm))	0227	2,170.0	100.00	1,433.4	583.19	110.25	4		101.00	0
102	Niacin (mg / kg (ppm))	0675	23.390	0.24000				2		102.02	0
102	Niacin (mg / kg (ppm))	0227	108.00	8.0000				2		102.01	0
103	Pantothenic Acid (mg / kg (ppm))	0227	16.500	1.4000				1		103.01	0
104	Riboflavin (mg / kg (ppm))	0208	13.650	0.10000	16.090	2.8330	0.70000	4		104.03	0
104	Riboflavin (mg / kg (ppm))	0910	13.660	1.0000	16.090	2.8330	0.70000	4		104.03	0
104	Riboflavin (mg / kg (ppm))	2103	18.100	0.80000	16.090	2.8330	0.70000	4		104.03	0
104	Riboflavin (mg / kg (ppm))	0227	18.950	0.90000	16.090	2.8330	0.70000	4		104.00	0
105	Thiamine (mg / kg (ppm))	0208	2.0005	0.30700	3.5789	1.9309	0.21925	4		105.00	0
105	Thiamine (mg / kg (ppm))	0910	2.5100	0.20000	3.5789	1.9309	0.21925	4		105.00	0
105	Thiamine (mg / kg (ppm))	0629	3.4800	0.02000	3.5789	1.9309	0.21925	4		105.00	0
105	Thiamine (mg / kg (ppm))	0227	6.3250	0.35000	3.5789	1.9309	0.21925	4		105.01	0
106	Vitamin A (KU / kg)	2053	5.2900	0.42000	17.240	3.5289	1.1709	24	-3.39	106.02	0
106	Vitamin A (KU / kg)	0035	12.125	0.23000	17.240	3.5289	1.1709	24	-1.45	106.02	0
106	Vitamin A (KU / kg)	0905	14.258	0.91800	17.240	3.5289	1.1709	24	-0.85	106.02	0
106	Vitamin A (KU / kg)	0689	14.850	0.10000	17.240	3.5289	1.1709	24	-0.68	106.02	0
106	Vitamin A (KU / kg)	0910	14.850	1.1000	17.240	3.5289	1.1709	24	-0.68	106.02	0
106	Vitamin A (KU / kg)	0227	15.500	0.40000	17.240	3.5289	1.1709	24	-0.49	106.02	0
106	Vitamin A (KU / kg)	2103	15.520	2.4000	17.240	3.5289	1.1709	24	-0.49	106.02	0
106	Vitamin A (KU / kg)	2004	15.750	1.3000	17.240	3.5289	1.1709	24	-0.42	106.02	0
106	Vitamin A (KU / kg)	0003	15.885	1.1700	17.240	3.5289	1.1709	24	-0.38	106.02	0
106	Vitamin A (KU / kg)	0563	16.113	0.87400	17.240	3.5289	1.1709	24	-0.32	106.02	0
106	Vitamin A (KU / kg)	0676	16.200	0.80000	17.240	3.5289	1.1709	24	-0.29	106.02	0
106	Vitamin A (KU / kg)	0004	16.285	2.0300	17.240	3.5289	1.1709	24	-0.27	106.02	0
106	Vitamin A (KU / kg)	0861	16.612	3.6200	17.240	3.5289	1.1709	24	-0.18	106.02	0
106	Vitamin A (KU / kg)	0208	16.722	0.68300	17.240	3.5289	1.1709	24	-0.15	106.02	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
106	Vitamin A (KU / kg)	0638	17.500	0.00000	17.240	3.5289	1.1709	24	0.07	106.02	0
106	Vitamin A (KU / kg)	0027	17.598	1.4176	17.240	3.5289	1.1709	24	0.10	106.02	0
106	Vitamin A (KU / kg)	0610	17.600	0.60000	17.240	3.5289	1.1709	24	0.10	106.02	0
106	Vitamin A (KU / kg)	0148	18.320	0.76000	17.240	3.5289	1.1709	24	0.31	106.02	0
106	Vitamin A (KU / kg)	0098	18.350	1.9000	17.240	3.5289	1.1709	24	0.31	106.01	0
106	Vitamin A (KU / kg)	0014	21.650	3.9000	17.240	3.5289	1.1709	24	1.25	106.02	0
106	Vitamin A (KU / kg)	0675	26.070	2.0200	17.240	3.5289	1.1709	24	2.50	106.02	0
106	Vitamin A (KU / kg)	0038	26.220	0.86000	17.240	3.5289	1.1709	24	2.54	106.02	0
106	Vitamin A (KU / kg)	0019	26.930	0.59800	17.240	3.5289	1.1709	24	2.75	106.00	0
106	Vitamin A (KU / kg)	2066	52.300	0.00000	17.240	3.5289	1.1709	24	9.93	106.02	0
106	Vitamin A (KU / kg)	0017	22,488	1,343.0	17.240	3.5289	1.1709	24	6367.60	106.02	2
107	Vitamin B12 (µg / kg (ppb))	0227	29.050	1.7000				2		107.00	0
107	Vitamin B12 (µg / kg (ppb))	0160	102.75	6.5000				2		107.99	0
108	Vitamin D3 (KU / kg)	0675	2.6500	0.28000	3.9109	1.0156	0.62100	7	-1.24	108.02	0
108	Vitamin D3 (KU / kg)	0610	2.9500	0.50000	3.9109	1.0156	0.62100	7	-0.95	108.02	0
108	Vitamin D3 (KU / kg)	0676	3.8915	0.13700	3.9109	1.0156	0.62100	7	-0.02	108.01	0
108	Vitamin D3 (KU / kg)	0861	3.9000	1.1600	3.9109	1.0156	0.62100	7	-0.01	108.02	0
108	Vitamin D3 (KU / kg)	2004	4.1950	0.27000	3.9109	1.0156	0.62100	7	0.28	108.99	0
108	Vitamin D3 (KU / kg)	0227	4.5200	0.82000	3.9109	1.0156	0.62100	7	0.60	108.02	0
108	Vitamin D3 (KU / kg)	0208	5.2700	1.1800	3.9109	1.0156	0.62100	7	1.34	108.02	0
109	Vitamin E (IU/kg)	0905	35.500	1.0000	47.958	8.5373	1.9462	14	-1.46	109.02	0
109	Vitamin E (IU/kg)	2103	37.250	2.7000	47.958	8.5373	1.9462	14	-1.25	109.02	0
109	Vitamin E (IU/kg)	0208	41.591	0.27300	47.958	8.5373	1.9462	14	-0.75	109.02	0
109	Vitamin E (IU/kg)	0955	44.550	4.7000	47.958	8.5373	1.9462	14	-0.40	109.02	0
109	Vitamin E (IU/kg)	0610	44.750	3.5000	47.958	8.5373	1.9462	14	-0.38	109.02	0
109	Vitamin E (IU/kg)	0861	45.500	1.0000	47.958	8.5373	1.9462	14	-0.29	109.02	0
109	Vitamin E (IU/kg)	0563	47.514	5.7242	47.958	8.5373	1.9462	14	-0.05	109.02	0
109	Vitamin E (IU/kg)	0098	48.000	2.0000	47.958	8.5373	1.9462	14	0.00	109.02	0
109	Vitamin E (IU/kg)	0676	49.195	0.09000	47.958	8.5373	1.9462	14	0.14	109.02	0
109	Vitamin E (IU/kg)	0227	49.235	1.0100	47.958	8.5373	1.9462	14	0.15	109.02	0
109	Vitamin E (IU/kg)	0910	50.450	2.5000	47.958	8.5373	1.9462	14	0.29	109.02	0
109	Vitamin E (IU/kg)	0171	58.250	1.5000	47.958	8.5373	1.9462	14	1.21	109.99	0
109	Vitamin E (IU/kg)	0148	58.865	1.2500	47.958	8.5373	1.9462	14	1.28	109.02	0
109	Vitamin E (IU/kg)	0638	128.40	0.00000	47.958	8.5373	1.9462	14	9.42	109.02	0
109	Vitamin E (IU/kg)	0675	865.70	102.22	47.958	8.5373	1.9462	14	95.79	109.02	2
112	Pyridoxine (µg / g)	0227	10.540	1.1200				1		112.01	0
113	Folic Acid (mg / kg (ppm))	0227	10.750	0.90000				2		113.01	0
113	Folic Acid (mg / kg (ppm))	0160	12.450	3.9000				2		113.02	0
114	Biotin (mg / kg (ppm))	0227	0.62450	0.03500				3		114.01	0
114	Biotin (mg / kg (ppm))	0208	0.67900	0.02200				3		114.01	0
114	Biotin (mg / kg (ppm))	0027	0.98990	0.10140				3		114.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
120	Alanine (%)	0626	0.97450	0.01500	1.0290	0.03466	0.01733	24	-1.57	120.05	0
120	Alanine (%)	0227	0.97500	0.01000	1.0290	0.03466	0.01733	24	-1.56	120.00	0
120	Alanine (%)	0870	0.98905	0.00790	1.0290	0.03466	0.01733	24	-1.15	120.00	0
120	Alanine (%)	0610	1.0000	0.00000	1.0290	0.03466	0.01733	24	-0.84	120.05	0
120	Alanine (%)	0859	1.0071	0.00980	1.0290	0.03466	0.01733	24	-0.63	120.00	0
120	Alanine (%)	0226	1.0100	0.06000	1.0290	0.03466	0.01733	24	-0.55	120.00	0
120	Alanine (%)	0652	1.0100	0.02000	1.0290	0.03466	0.01733	24	-0.55	120.00	0
120	Alanine (%)	0941	1.0110	0.01200	1.0290	0.03466	0.01733	24	-0.52	120.00	0
120	Alanine (%)	0504	1.0150	0.01000	1.0290	0.03466	0.01733	24	-0.40	120.00	0
120	Alanine (%)	0910	1.0200	0.06000	1.0290	0.03466	0.01733	24	-0.26	120.00	0
120	Alanine (%)	0675	1.0250	0.01000	1.0290	0.03466	0.01733	24	-0.11	120.00	0
120	Alanine (%)	0354	1.0295	0.00100	1.0290	0.03466	0.01733	24	0.02	120.00	0
120	Alanine (%)	0644	1.0295	0.00300	1.0290	0.03466	0.01733	24	0.02	120.00	0
120	Alanine (%)	0098	1.0295	0.03700	1.0290	0.03466	0.01733	24	0.02	120.02	0
120	Alanine (%)	2059	1.0350	0.00000	1.0290	0.03466	0.01733	24	0.17	120.00	0
120	Alanine (%)	2146	1.0350	0.03000	1.0290	0.03466	0.01733	24	0.17	120.99	0
120	Alanine (%)	0571	1.0365	0.00700	1.0290	0.03466	0.01733	24	0.22	120.00	0
120	Alanine (%)	0968	1.0385	0.01300	1.0290	0.03466	0.01733	24	0.28	120.00	0
120	Alanine (%)	0872	1.0425	0.00100	1.0290	0.03466	0.01733	24	0.39	120.00	0
120	Alanine (%)	0684	1.0545	0.03300	1.0290	0.03466	0.01733	24	0.74	120.00	0
120	Alanine (%)	0918	1.0807	0.01630	1.0290	0.03466	0.01733	24	1.49	120.00	0
120	Alanine (%)	0955	1.0950	0.03000	1.0290	0.03466	0.01733	24	1.91	120.00	0
120	Alanine (%)	0676	1.0950	0.03000	1.0290	0.03466	0.01733	24	1.91	120.05	0
120	Alanine (%)	0619	1.1000	0.00000	1.0290	0.03466	0.01733	24	2.05	120.00	0
121	Arginine (%)	0626	1.2040	0.06800	1.3037	0.05268	0.02742	22	-1.89	121.05	0
121	Arginine (%)	0859	1.2303	0.01000	1.3037	0.05268	0.02742	22	-1.39	121.00	0
121	Arginine (%)	0870	1.2460	0.00110	1.3037	0.05268	0.02742	22	-1.10	121.00	0
121	Arginine (%)	0504	1.2600	0.00000	1.3037	0.05268	0.02742	22	-0.83	121.00	0
121	Arginine (%)	0918	1.2662	0.01820	1.3037	0.05268	0.02742	22	-0.71	121.00	0
121	Arginine (%)	0227	1.2750	0.01000	1.3037	0.05268	0.02742	22	-0.54	121.00	0
121	Arginine (%)	0675	1.2750	0.01000	1.3037	0.05268	0.02742	22	-0.54	121.00	0
121	Arginine (%)	0968	1.2865	0.00700	1.3037	0.05268	0.02742	22	-0.33	121.00	0
121	Arginine (%)	0941	1.2890	0.02000	1.3037	0.05268	0.02742	22	-0.28	121.00	0
121	Arginine (%)	0354	1.2900	0.00200	1.3037	0.05268	0.02742	22	-0.26	121.00	0
121	Arginine (%)	0652	1.2900	0.10000	1.3037	0.05268	0.02742	22	-0.26	121.00	0
121	Arginine (%)	0098	1.3015	0.03900	1.3037	0.05268	0.02742	22	-0.04	121.02	0
121	Arginine (%)	0684	1.3045	0.01100	1.3037	0.05268	0.02742	22	0.02	121.00	0
121	Arginine (%)	0644	1.3135	0.02300	1.3037	0.05268	0.02742	22	0.19	121.00	0
121	Arginine (%)	0872	1.3205	0.02500	1.3037	0.05268	0.02742	22	0.32	121.00	0
121	Arginine (%)	0571	1.3285	0.00500	1.3037	0.05268	0.02742	22	0.47	121.00	0
121	Arginine (%)	2059	1.3340	0.00400	1.3037	0.05268	0.02742	22	0.58	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
121	Arginine (%)	0610	1.3500	0.00000	1.3037	0.05268	0.02742	22	0.88	121.05	0
121	Arginine (%)	0676	1.3500	0.08000	1.3037	0.05268	0.02742	22	0.88	121.05	0
121	Arginine (%)	0955	1.3800	0.06000	1.3037	0.05268	0.02742	22	1.45	121.00	0
121	Arginine (%)	0619	1.4000	0.02000	1.3037	0.05268	0.02742	22	1.83	121.00	0
121	Arginine (%)	0226	1.4550	0.09000	1.3037	0.05268	0.02742	22	2.87	121.00	0
121	Arginine (%)	0910	1.2400	0.16000	1.3037	0.05268	0.02742	22	-1.21	121.00	1
122	Aspartic (%)	2146	1.7900	0.00000	1.9634	0.06163	0.02676	25	-2.81	122.99	0
122	Aspartic (%)	0859	1.8657	0.01280	1.9634	0.06163	0.02676	25	-1.58	122.00	0
122	Aspartic (%)	0626	1.8795	0.03300	1.9634	0.06163	0.02676	25	-1.36	122.05	0
122	Aspartic (%)	0941	1.8955	0.00900	1.9634	0.06163	0.02676	25	-1.10	122.00	0
122	Aspartic (%)	0354	1.9195	0.00300	1.9634	0.06163	0.02676	25	-0.71	122.00	0
122	Aspartic (%)	0675	1.9200	0.02000	1.9634	0.06163	0.02676	25	-0.70	122.00	0
122	Aspartic (%)	0504	1.9250	0.01000	1.9634	0.06163	0.02676	25	-0.62	122.00	0
122	Aspartic (%)	0870	1.9278	0.00070	1.9634	0.06163	0.02676	25	-0.58	122.00	0
122	Aspartic (%)	0872	1.9415	0.05700	1.9634	0.06163	0.02676	25	-0.36	122.00	0
122	Aspartic (%)	0226	1.9550	0.09000	1.9634	0.06163	0.02676	25	-0.14	122.00	0
122	Aspartic (%)	0571	1.9580	0.01000	1.9634	0.06163	0.02676	25	-0.09	122.00	0
122	Aspartic (%)	0644	1.9590	0.00200	1.9634	0.06163	0.02676	25	-0.07	122.00	0
122	Aspartic (%)	2059	1.9665	0.02300	1.9634	0.06163	0.02676	25	0.05	122.00	0
122	Aspartic (%)	0227	1.9700	0.04000	1.9634	0.06163	0.02676	25	0.11	122.00	0
122	Aspartic (%)	0955	1.9750	0.03000	1.9634	0.06163	0.02676	25	0.19	122.00	0
122	Aspartic (%)	0652	1.9850	0.07000	1.9634	0.06163	0.02676	25	0.35	122.00	0
122	Aspartic (%)	0684	1.9855	0.02500	1.9634	0.06163	0.02676	25	0.36	122.00	0
122	Aspartic (%)	0910	1.9900	0.00000	1.9634	0.06163	0.02676	25	0.43	122.00	0
122	Aspartic (%)	0676	1.9900	0.06000	1.9634	0.06163	0.02676	25	0.43	122.05	0
122	Aspartic (%)	0610	2.0050	0.01000	1.9634	0.06163	0.02676	25	0.68	122.05	0
122	Aspartic (%)	0098	2.0135	0.05500	1.9634	0.06163	0.02676	25	0.81	122.02	0
122	Aspartic (%)	0968	2.0140	0.03600	1.9634	0.06163	0.02676	25	0.82	122.00	0
122	Aspartic (%)	0918	2.0679	0.01240	1.9634	0.06163	0.02676	25	1.70	122.00	0
122	Aspartic (%)	0619	2.1300	0.02000	1.9634	0.06163	0.02676	25	2.70	122.00	0
122	Aspartic (%)	2144	2.5900	0.04000	1.9634	0.06163	0.02676	25	10.17	122.99	0
124	Cysteine/Cystine (%)	0870	0.27130	0.00800	0.31217	0.02090	0.00568	22	-1.96	124.00	0
124	Cysteine/Cystine (%)	0872	0.28950	0.00500	0.31217	0.02090	0.00568	22	-1.08	124.00	0
124	Cysteine/Cystine (%)	0227	0.29000	0.00000	0.31217	0.02090	0.00568	22	-1.06	124.00	0
124	Cysteine/Cystine (%)	2146	0.29000	0.00000	0.31217	0.02090	0.00568	22	-1.06	124.99	0
124	Cysteine/Cystine (%)	0918	0.29565	0.00710	0.31217	0.02090	0.00568	22	-0.79	124.00	0
124	Cysteine/Cystine (%)	0644	0.29950	0.00500	0.31217	0.02090	0.00568	22	-0.61	124.00	0
124	Cysteine/Cystine (%)	0910	0.30000	0.00000	0.31217	0.02090	0.00568	22	-0.58	124.00	0
124	Cysteine/Cystine (%)	0941	0.30700	0.01000	0.31217	0.02090	0.00568	22	-0.25	124.00	0
124	Cysteine/Cystine (%)	0859	0.30720	0.00780	0.31217	0.02090	0.00568	22	-0.24	124.00	0
124	Cysteine/Cystine (%)	0226	0.31000	0.02000	0.31217	0.02090	0.00568	22	-0.10	124.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
124	Cysteine/Cystine (%)	0652	0.31000	0.00000	0.31217	0.02090	0.00568	22	-0.10	124.00	0
124	Cysteine/Cystine (%)	0571	0.31100	0.01000	0.31217	0.02090	0.00568	22	-0.06	124.00	0
124	Cysteine/Cystine (%)	0968	0.31200	0.00200	0.31217	0.02090	0.00568	22	-0.01	124.00	0
124	Cysteine/Cystine (%)	0955	0.31500	0.00600	0.31217	0.02090	0.00568	22	0.14	124.00	0
124	Cysteine/Cystine (%)	0676	0.31500	0.01000	0.31217	0.02090	0.00568	22	0.14	124.05	0
124	Cysteine/Cystine (%)	0504	0.32000	0.00000	0.31217	0.02090	0.00568	22	0.37	124.00	0
124	Cysteine/Cystine (%)	0098	0.32050	0.01300	0.31217	0.02090	0.00568	22	0.40	124.02	0
124	Cysteine/Cystine (%)	0354	0.32400	0.00200	0.31217	0.02090	0.00568	22	0.57	124.00	0
124	Cysteine/Cystine (%)	0610	0.34000	0.00000	0.31217	0.02090	0.00568	22	1.33	124.05	0
124	Cysteine/Cystine (%)	0619	0.34400	0.00400	0.31217	0.02090	0.00568	22	1.52	124.00	0
124	Cysteine/Cystine (%)	0684	0.35250	0.00500	0.31217	0.02090	0.00568	22	1.93	124.00	0
124	Cysteine/Cystine (%)	0675	0.37500	0.01000	0.31217	0.02090	0.00568	22	3.01	124.00	0
124	Cysteine/Cystine (%)	2059	3.1050	0.01000	0.31217	0.02090	0.00568	22	133.63	124.00	2
125	Glutamic (%)	2146	2.8500	0.04000	3.3760	0.10673	0.04649	23	-4.93	125.99	0
125	Glutamic (%)	0941	3.1835	0.01700	3.3760	0.10673	0.04649	23	-1.80	125.00	0
125	Glutamic (%)	0859	3.1841	0.03210	3.3760	0.10673	0.04649	23	-1.80	125.00	0
125	Glutamic (%)	0626	3.2735	0.05100	3.3760	0.10673	0.04649	23	-0.96	125.05	0
125	Glutamic (%)	0504	3.3300	0.08000	3.3760	0.10673	0.04649	23	-0.43	125.00	0
125	Glutamic (%)	0870	3.3320	0.04820	3.3760	0.10673	0.04649	23	-0.41	125.00	0
125	Glutamic (%)	0227	3.3350	0.05000	3.3760	0.10673	0.04649	23	-0.38	125.00	0
125	Glutamic (%)	0354	3.3355	0.00700	3.3760	0.10673	0.04649	23	-0.38	125.00	0
125	Glutamic (%)	0644	3.3475	0.01100	3.3760	0.10673	0.04649	23	-0.27	125.00	0
125	Glutamic (%)	0571	3.3500	0.03400	3.3760	0.10673	0.04649	23	-0.24	125.00	0
125	Glutamic (%)	0652	3.3550	0.01000	3.3760	0.10673	0.04649	23	-0.20	125.00	0
125	Glutamic (%)	0872	3.3635	0.06900	3.3760	0.10673	0.04649	23	-0.12	125.00	0
125	Glutamic (%)	2059	3.3680	0.02000	3.3760	0.10673	0.04649	23	-0.07	125.00	0
125	Glutamic (%)	0918	3.3985	0.05290	3.3760	0.10673	0.04649	23	0.21	125.00	0
125	Glutamic (%)	0098	3.4055	0.10300	3.3760	0.10673	0.04649	23	0.28	125.02	0
125	Glutamic (%)	0610	3.4100	0.04000	3.3760	0.10673	0.04649	23	0.32	125.05	0
125	Glutamic (%)	0968	3.4205	0.02500	3.3760	0.10673	0.04649	23	0.42	125.00	0
125	Glutamic (%)	0910	3.4400	0.02000	3.3760	0.10673	0.04649	23	0.60	125.00	0
125	Glutamic (%)	0676	3.4700	0.10000	3.3760	0.10673	0.04649	23	0.88	125.05	0
125	Glutamic (%)	0675	3.4900	0.12000	3.3760	0.10673	0.04649	23	1.07	125.00	0
125	Glutamic (%)	0684	3.5035	0.03900	3.3760	0.10673	0.04649	23	1.19	125.00	0
125	Glutamic (%)	0955	3.7250	0.07000	3.3760	0.10673	0.04649	23	3.27	125.00	0
125	Glutamic (%)	0619	3.8750	0.03000	3.3760	0.10673	0.04649	23	4.68	125.00	0
125	Glutamic (%)	0226	3.5300	0.40000	3.3760	0.10673	0.04649	23	1.44	125.00	1
125	Glutamic (%)	2144	5.6400	0.20000	3.3760	0.10673	0.04649	23	21.21	125.99	2
126	Glycine (%)	0870	0.98875	0.00730	1.0498	0.03367	0.01484	24	-1.81	126.00	0
126	Glycine (%)	0859	0.99510	0.00740	1.0498	0.03367	0.01484	24	-1.62	126.00	0
126	Glycine (%)	0652	1.0050	0.01000	1.0498	0.03367	0.01484	24	-1.33	126.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
126	Glycine (%)	0941	1.0200	0.00200	1.0498	0.03367	0.01484	24	-0.88	126.00	0
126	Glycine (%)	0504	1.0250	0.01000	1.0498	0.03367	0.01484	24	-0.74	126.00	0
126	Glycine (%)	2146	1.0250	0.01000	1.0498	0.03367	0.01484	24	-0.74	126.99	0
126	Glycine (%)	0354	1.0265	0.00100	1.0498	0.03367	0.01484	24	-0.69	126.00	0
126	Glycine (%)	0227	1.0400	0.00000	1.0498	0.03367	0.01484	24	-0.29	126.00	0
126	Glycine (%)	0910	1.0400	0.00000	1.0498	0.03367	0.01484	24	-0.29	126.00	0
126	Glycine (%)	0626	1.0405	0.01500	1.0498	0.03367	0.01484	24	-0.28	126.05	0
126	Glycine (%)	0968	1.0460	0.00800	1.0498	0.03367	0.01484	24	-0.11	126.00	0
126	Glycine (%)	0675	1.0500	0.04000	1.0498	0.03367	0.01484	24	0.01	126.00	0
126	Glycine (%)	0571	1.0540	0.00200	1.0498	0.03367	0.01484	24	0.13	126.00	0
126	Glycine (%)	2059	1.0540	0.00200	1.0498	0.03367	0.01484	24	0.13	126.00	0
126	Glycine (%)	0918	1.0569	0.00050	1.0498	0.03367	0.01484	24	0.21	126.00	0
126	Glycine (%)	0644	1.0590	0.01400	1.0498	0.03367	0.01484	24	0.27	126.00	0
126	Glycine (%)	0872	1.0610	0.00800	1.0498	0.03367	0.01484	24	0.33	126.00	0
126	Glycine (%)	0684	1.0675	0.07100	1.0498	0.03367	0.01484	24	0.53	126.00	0
126	Glycine (%)	0098	1.0700	0.02800	1.0498	0.03367	0.01484	24	0.60	126.02	0
126	Glycine (%)	0610	1.0750	0.01000	1.0498	0.03367	0.01484	24	0.75	126.05	0
126	Glycine (%)	0955	1.0800	0.02000	1.0498	0.03367	0.01484	24	0.90	126.00	0
126	Glycine (%)	0619	1.1400	0.00000	1.0498	0.03367	0.01484	24	2.68	126.00	0
126	Glycine (%)	2144	1.1450	0.01000	1.0498	0.03367	0.01484	24	2.83	126.99	0
126	Glycine (%)	0676	1.1500	0.08000	1.0498	0.03367	0.01484	24	2.98	126.05	0
126	Glycine (%)	0226	1.0600	0.16000	1.0498	0.03367	0.01484	24	0.30	126.00	1
127	Histidine (%)	0226	0.39500	0.01000	0.49994	0.01943	0.00767	23	-5.40	127.00	0
127	Histidine (%)	2146	0.46000	0.00000	0.49994	0.01943	0.00767	23	-2.06	127.99	0
127	Histidine (%)	0859	0.46150	0.00760	0.49994	0.01943	0.00767	23	-1.98	127.00	0
127	Histidine (%)	0870	0.47950	0.01420	0.49994	0.01943	0.00767	23	-1.05	127.00	0
127	Histidine (%)	0626	0.48850	0.00100	0.49994	0.01943	0.00767	23	-0.59	127.05	0
127	Histidine (%)	0354	0.49100	0.00200	0.49994	0.01943	0.00767	23	-0.46	127.00	0
127	Histidine (%)	0571	0.49200	0.00200	0.49994	0.01943	0.00767	23	-0.41	127.00	0
127	Histidine (%)	0098	0.49400	0.01200	0.49994	0.01943	0.00767	23	-0.31	127.02	0
127	Histidine (%)	0227	0.49500	0.01000	0.49994	0.01943	0.00767	23	-0.25	127.00	0
127	Histidine (%)	0504	0.49500	0.01000	0.49994	0.01943	0.00767	23	-0.25	127.00	0
127	Histidine (%)	2059	0.49950	0.00300	0.49994	0.01943	0.00767	23	-0.02	127.00	0
127	Histidine (%)	0675	0.50000	0.02000	0.49994	0.01943	0.00767	23	0.00	127.00	0
127	Histidine (%)	0684	0.50050	0.00300	0.49994	0.01943	0.00767	23	0.03	127.00	0
127	Histidine (%)	0872	0.50350	0.00100	0.49994	0.01943	0.00767	23	0.18	127.00	0
127	Histidine (%)	0910	0.50500	0.01000	0.49994	0.01943	0.00767	23	0.26	127.00	0
127	Histidine (%)	0644	0.50550	0.00100	0.49994	0.01943	0.00767	23	0.29	127.00	0
127	Histidine (%)	0941	0.50700	0.01000	0.49994	0.01943	0.00767	23	0.36	127.00	0
127	Histidine (%)	0918	0.51265	0.00950	0.49994	0.01943	0.00767	23	0.65	127.00	0
127	Histidine (%)	0968	0.51850	0.00100	0.49994	0.01943	0.00767	23	0.96	127.00	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
127	Histidine (%)	0676	0.52000	0.02000	0.49994	0.01943	0.00767	23	1.03	127.05	0
127	Histidine (%)	0652	0.52500	0.01000	0.49994	0.01943	0.00767	23	1.29	127.00	0
127	Histidine (%)	0610	0.52500	0.01000	0.49994	0.01943	0.00767	23	1.29	127.05	0
127	Histidine (%)	0619	0.70750	0.00900	0.49994	0.01943	0.00767	23	10.68	127.00	0
128	Isoleucine (%)	0870	0.62655	0.01190	0.78668	0.03462	0.01303	23	-4.62	128.00	0
128	Isoleucine (%)	0684	0.73700	0.02800	0.78668	0.03462	0.01303	23	-1.43	128.00	0
128	Isoleucine (%)	0918	0.73710	0.00000	0.78668	0.03462	0.01303	23	-1.43	128.00	0
128	Isoleucine (%)	0676	0.75000	0.02000	0.78668	0.03462	0.01303	23	-1.06	128.05	0
128	Isoleucine (%)	0652	0.76000	0.02000	0.78668	0.03462	0.01303	23	-0.77	128.00	0
128	Isoleucine (%)	0626	0.76100	0.02200	0.78668	0.03462	0.01303	23	-0.74	128.05	0
128	Isoleucine (%)	2146	0.76500	0.03000	0.78668	0.03462	0.01303	23	-0.63	128.99	0
128	Isoleucine (%)	0872	0.77200	0.02200	0.78668	0.03462	0.01303	23	-0.42	128.00	0
128	Isoleucine (%)	0941	0.77350	0.01100	0.78668	0.03462	0.01303	23	-0.38	128.00	0
128	Isoleucine (%)	0859	0.78975	0.01170	0.78668	0.03462	0.01303	23	0.09	128.00	0
128	Isoleucine (%)	0227	0.79500	0.01000	0.78668	0.03462	0.01303	23	0.24	128.00	0
128	Isoleucine (%)	0675	0.79500	0.01000	0.78668	0.03462	0.01303	23	0.24	128.00	0
128	Isoleucine (%)	0910	0.79500	0.01000	0.78668	0.03462	0.01303	23	0.24	128.00	0
128	Isoleucine (%)	0354	0.79600	0.00200	0.78668	0.03462	0.01303	23	0.27	128.00	0
128	Isoleucine (%)	0968	0.79650	0.00700	0.78668	0.03462	0.01303	23	0.28	128.00	0
128	Isoleucine (%)	2059	0.79700	0.00800	0.78668	0.03462	0.01303	23	0.30	128.00	0
128	Isoleucine (%)	0619	0.80550	0.00300	0.78668	0.03462	0.01303	23	0.54	128.00	0
128	Isoleucine (%)	0098	0.80650	0.03500	0.78668	0.03462	0.01303	23	0.57	128.02	0
128	Isoleucine (%)	0571	0.80950	0.00300	0.78668	0.03462	0.01303	23	0.66	128.00	0
128	Isoleucine (%)	0610	0.82000	0.00000	0.78668	0.03462	0.01303	23	0.96	128.05	0
128	Isoleucine (%)	0644	0.82400	0.00000	0.78668	0.03462	0.01303	23	1.08	128.00	0
128	Isoleucine (%)	0504	0.83500	0.01000	0.78668	0.03462	0.01303	23	1.40	128.00	0
128	Isoleucine (%)	0955	0.90750	0.02500	0.78668	0.03462	0.01303	23	3.49	128.00	0
128	Isoleucine (%)	0226	0.76500	0.09000	0.78668	0.03462	0.01303	23	-0.63	128.00	1
129	Leucine (%)	0870	1.3739	0.02540	1.5289	0.04064	0.02511	23	-3.81	129.00	0
129	Leucine (%)	0626	1.4640	0.02200	1.5289	0.04064	0.02511	23	-1.60	129.05	0
129	Leucine (%)	0941	1.4805	0.02300	1.5289	0.04064	0.02511	23	-1.19	129.00	0
129	Leucine (%)	0652	1.4950	0.03000	1.5289	0.04064	0.02511	23	-0.84	129.00	0
129	Leucine (%)	0675	1.5000	0.04000	1.5289	0.04064	0.02511	23	-0.71	129.00	0
129	Leucine (%)	0354	1.5095	0.01500	1.5289	0.04064	0.02511	23	-0.48	129.00	0
129	Leucine (%)	0859	1.5138	0.01810	1.5289	0.04064	0.02511	23	-0.37	129.00	0
129	Leucine (%)	0227	1.5150	0.03000	1.5289	0.04064	0.02511	23	-0.34	129.00	0
129	Leucine (%)	0872	1.5150	0.01800	1.5289	0.04064	0.02511	23	-0.34	129.00	0
129	Leucine (%)	0676	1.5150	0.05000	1.5289	0.04064	0.02511	23	-0.34	129.05	0
129	Leucine (%)	2146	1.5250	0.01000	1.5289	0.04064	0.02511	23	-0.10	129.99	0
129	Leucine (%)	2059	1.5255	0.00100	1.5289	0.04064	0.02511	23	-0.08	129.00	0
129	Leucine (%)	0644	1.5290	0.00200	1.5289	0.04064	0.02511	23	0.00	129.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
129	Leucine (%)	0571	1.5345	0.00300	1.5289	0.04064	0.02511	23	0.14	129.00	0
129	Leucine (%)	0504	1.5350	0.01000	1.5289	0.04064	0.02511	23	0.15	129.00	0
129	Leucine (%)	0684	1.5355	0.02100	1.5289	0.04064	0.02511	23	0.16	129.00	0
129	Leucine (%)	0910	1.5450	0.01000	1.5289	0.04064	0.02511	23	0.40	129.00	0
129	Leucine (%)	0098	1.5480	0.04400	1.5289	0.04064	0.02511	23	0.47	129.02	0
129	Leucine (%)	0968	1.5600	0.03000	1.5289	0.04064	0.02511	23	0.76	129.00	0
129	Leucine (%)	0610	1.5800	0.02000	1.5289	0.04064	0.02511	23	1.26	129.05	0
129	Leucine (%)	0918	1.5886	0.05510	1.5289	0.04064	0.02511	23	1.47	129.00	0
129	Leucine (%)	0619	1.6350	0.01000	1.5289	0.04064	0.02511	23	2.61	129.00	0
129	Leucine (%)	0955	1.6850	0.09000	1.5289	0.04064	0.02511	23	3.84	129.00	0
129	Leucine (%)	0226	1.3800	0.16000	1.5289	0.04064	0.02511	23	-3.66	129.00	1
130	L-Lysine (%)	0848	0.94500	0.01000	1.0927	0.05482	0.01804	29	-2.69	130.00	0
130	L-Lysine (%)	0859	1.0171	0.01300	1.0927	0.05482	0.01804	29	-1.38	130.00	0
130	L-Lysine (%)	0652	1.0200	0.04000	1.0927	0.05482	0.01804	29	-1.33	130.00	0
130	L-Lysine (%)	0626	1.0270	0.02000	1.0927	0.05482	0.01804	29	-1.20	130.05	0
130	L-Lysine (%)	0014	1.0450	0.01000	1.0927	0.05482	0.01804	29	-0.87	130.05	0
130	L-Lysine (%)	0941	1.0470	0.02800	1.0927	0.05482	0.01804	29	-0.83	130.00	0
130	L-Lysine (%)	0870	1.0588	0.00350	1.0927	0.05482	0.01804	29	-0.62	130.00	0
130	L-Lysine (%)	0910	1.0650	0.01000	1.0927	0.05482	0.01804	29	-0.50	130.00	0
130	L-Lysine (%)	0872	1.0660	0.00800	1.0927	0.05482	0.01804	29	-0.49	130.00	0
130	L-Lysine (%)	0571	1.0685	0.01100	1.0927	0.05482	0.01804	29	-0.44	130.00	0
130	L-Lysine (%)	0684	1.0715	0.00900	1.0927	0.05482	0.01804	29	-0.39	130.00	0
130	L-Lysine (%)	0918	1.0763	0.00380	1.0927	0.05482	0.01804	29	-0.30	130.00	0
130	L-Lysine (%)	0675	1.0850	0.03000	1.0927	0.05482	0.01804	29	-0.14	130.00	0
130	L-Lysine (%)	0860	1.0878	0.01980	1.0927	0.05482	0.01804	29	-0.09	130.00	0
130	L-Lysine (%)	0610	1.0900	0.00000	1.0927	0.05482	0.01804	29	-0.05	130.05	0
130	L-Lysine (%)	2059	1.0905	0.00700	1.0927	0.05482	0.01804	29	-0.04	130.00	0
130	L-Lysine (%)	0354	1.0920	0.00800	1.0927	0.05482	0.01804	29	-0.01	130.00	0
130	L-Lysine (%)	0098	1.0925	0.01500	1.0927	0.05482	0.01804	29	0.00	130.02	0
130	L-Lysine (%)	0644	1.0995	0.00100	1.0927	0.05482	0.01804	29	0.12	130.00	0
130	L-Lysine (%)	0676	1.1100	0.04000	1.0927	0.05482	0.01804	29	0.32	130.05	0
130	L-Lysine (%)	0504	1.1200	0.02000	1.0927	0.05482	0.01804	29	0.50	130.00	0
130	L-Lysine (%)	0968	1.1280	0.00400	1.0927	0.05482	0.01804	29	0.64	130.00	0
130	L-Lysine (%)	2146	1.1400	0.02000	1.0927	0.05482	0.01804	29	0.86	130.99	0
130	L-Lysine (%)	0619	1.1500	0.00000	1.0927	0.05482	0.01804	29	1.05	130.00	0
130	L-Lysine (%)	0226	1.1600	0.04000	1.0927	0.05482	0.01804	29	1.23	130.00	0
130	L-Lysine (%)	0227	1.1600	0.02000	1.0927	0.05482	0.01804	29	1.23	130.00	0
130	L-Lysine (%)	0955	1.1600	0.04000	1.0927	0.05482	0.01804	29	1.23	130.00	0
130	L-Lysine (%)	0027	1.1860	0.08200	1.0927	0.05482	0.01804	29	1.70	130.05	0
130	L-Lysine (%)	2144	1.2550	0.01000	1.0927	0.05482	0.01804	29	2.96	130.99	0
130	L-Lysine (%)	2145	1.1650	0.11000	1.0927	0.05482	0.01804	29	1.32	130.99	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
131	Methionine (%)	0626	0.33750	0.01300	0.43031	0.01838	0.01063	27	-5.05	131.05	0
131	Methionine (%)	0014	0.38500	0.05000	0.43031	0.01838	0.01063	27	-2.47	131.05	0
131	Methionine (%)	0859	0.40125	0.00470	0.43031	0.01838	0.01063	27	-1.58	131.00	0
131	Methionine (%)	0098	0.40850	0.01700	0.43031	0.01838	0.01063	27	-1.19	131.02	0
131	Methionine (%)	0941	0.41200	0.00000	0.43031	0.01838	0.01063	27	-1.00	131.00	0
131	Methionine (%)	0955	0.41950	0.01500	0.43031	0.01838	0.01063	27	-0.59	131.00	0
131	Methionine (%)	0504	0.42000	0.02000	0.43031	0.01838	0.01063	27	-0.56	131.00	0
131	Methionine (%)	0354	0.42150	0.00300	0.43031	0.01838	0.01063	27	-0.48	131.00	0
131	Methionine (%)	0571	0.42150	0.00100	0.43031	0.01838	0.01063	27	-0.48	131.00	0
131	Methionine (%)	2144	0.42500	0.01000	0.43031	0.01838	0.01063	27	-0.29	131.99	0
131	Methionine (%)	0968	0.42550	0.00100	0.43031	0.01838	0.01063	27	-0.26	131.00	0
131	Methionine (%)	0918	0.42635	0.00570	0.43031	0.01838	0.01063	27	-0.22	131.00	0
131	Methionine (%)	0872	0.42800	0.00000	0.43031	0.01838	0.01063	27	-0.13	131.00	0
131	Methionine (%)	2059	0.43150	0.00700	0.43031	0.01838	0.01063	27	0.06	131.00	0
131	Methionine (%)	0619	0.43300	0.00400	0.43031	0.01838	0.01063	27	0.15	131.00	0
131	Methionine (%)	0652	0.43500	0.01000	0.43031	0.01838	0.01063	27	0.26	131.00	0
131	Methionine (%)	0226	0.44000	0.04000	0.43031	0.01838	0.01063	27	0.53	131.00	0
131	Methionine (%)	0227	0.44000	0.04000	0.43031	0.01838	0.01063	27	0.53	131.00	0
131	Methionine (%)	0910	0.44000	0.00000	0.43031	0.01838	0.01063	27	0.53	131.00	0
131	Methionine (%)	0610	0.44000	0.00000	0.43031	0.01838	0.01063	27	0.53	131.05	0
131	Methionine (%)	0676	0.44000	0.00000	0.43031	0.01838	0.01063	27	0.53	131.05	0
131	Methionine (%)	2145	0.44000	0.02000	0.43031	0.01838	0.01063	27	0.53	131.99	0
131	Methionine (%)	2146	0.44000	0.00000	0.43031	0.01838	0.01063	27	0.53	131.99	0
131	Methionine (%)	0644	0.45200	0.00200	0.43031	0.01838	0.01063	27	1.18	131.00	0
131	Methionine (%)	0675	0.45500	0.01000	0.43031	0.01838	0.01063	27	1.34	131.00	0
131	Methionine (%)	0870	0.46990	0.01360	0.43031	0.01838	0.01063	27	2.15	131.00	0
131	Methionine (%)	0684	0.50100	0.00000	0.43031	0.01838	0.01063	27	3.85	131.00	0
132	Phenylalanine (%)	0870	0.85495	0.00310	0.91827	0.03173	0.01463	23	-2.00	132.00	0
132	Phenylalanine (%)	0941	0.86300	0.00600	0.91827	0.03173	0.01463	23	-1.74	132.00	0
132	Phenylalanine (%)	0626	0.88400	0.01600	0.91827	0.03173	0.01463	23	-1.08	132.05	0
132	Phenylalanine (%)	0675	0.88500	0.03000	0.91827	0.03173	0.01463	23	-1.05	132.00	0
132	Phenylalanine (%)	0910	0.89000	0.02000	0.91827	0.03173	0.01463	23	-0.89	132.00	0
132	Phenylalanine (%)	0872	0.90050	0.01900	0.91827	0.03173	0.01463	23	-0.56	132.00	0
132	Phenylalanine (%)	0227	0.90500	0.01000	0.91827	0.03173	0.01463	23	-0.42	132.00	0
132	Phenylalanine (%)	0504	0.90500	0.01000	0.91827	0.03173	0.01463	23	-0.42	132.00	0
132	Phenylalanine (%)	2146	0.90500	0.03000	0.91827	0.03173	0.01463	23	-0.42	132.99	0
132	Phenylalanine (%)	0676	0.91000	0.04000	0.91827	0.03173	0.01463	23	-0.26	132.05	0
132	Phenylalanine (%)	0859	0.91255	0.00910	0.91827	0.03173	0.01463	23	-0.18	132.00	0
132	Phenylalanine (%)	0098	0.91750	0.02700	0.91827	0.03173	0.01463	23	-0.02	132.02	0
132	Phenylalanine (%)	0571	0.91900	0.01000	0.91827	0.03173	0.01463	23	0.02	132.00	0
132	Phenylalanine (%)	2059	0.92700	0.00200	0.91827	0.03173	0.01463	23	0.28	132.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
132	Phenylalanine (%)	0644	0.93400	0.00400	0.91827	0.03173	0.01463	23	0.50	132.00	0
132	Phenylalanine (%)	0684	0.93500	0.02600	0.91827	0.03173	0.01463	23	0.53	132.00	0
132	Phenylalanine (%)	0610	0.93500	0.01000	0.91827	0.03173	0.01463	23	0.53	132.05	0
132	Phenylalanine (%)	0968	0.93550	0.00500	0.91827	0.03173	0.01463	23	0.54	132.00	0
132	Phenylalanine (%)	0354	0.94050	0.00500	0.91827	0.03173	0.01463	23	0.70	132.00	0
132	Phenylalanine (%)	0226	0.95000	0.04000	0.91827	0.03173	0.01463	23	1.00	132.00	0
132	Phenylalanine (%)	0918	0.95745	0.00430	0.91827	0.03173	0.01463	23	1.23	132.00	0
132	Phenylalanine (%)	0619	0.96500	0.00000	0.91827	0.03173	0.01463	23	1.47	132.00	0
132	Phenylalanine (%)	0955	0.97500	0.01000	0.91827	0.03173	0.01463	23	1.79	132.00	0
132	Phenylalanine (%)	0652	0.87500	0.07000	0.91827	0.03173	0.01463	23	-1.36	132.00	1
133	Proline (%)	0859	1.1038	0.01980	1.2212	0.08109	0.03376	23	-1.45	133.00	0
133	Proline (%)	0870	1.1103	0.03390	1.2212	0.08109	0.03376	23	-1.37	133.00	0
133	Proline (%)	0652	1.1350	0.05000	1.2212	0.08109	0.03376	23	-1.06	133.00	0
133	Proline (%)	0941	1.1505	0.01700	1.2212	0.08109	0.03376	23	-0.87	133.00	0
133	Proline (%)	0354	1.1525	0.00900	1.2212	0.08109	0.03376	23	-0.85	133.00	0
133	Proline (%)	0872	1.1815	0.05700	1.2212	0.08109	0.03376	23	-0.49	133.00	0
133	Proline (%)	2146	1.1900	0.00000	1.2212	0.08109	0.03376	23	-0.39	133.99	0
133	Proline (%)	0227	1.1950	0.03000	1.2212	0.08109	0.03376	23	-0.32	133.00	0
133	Proline (%)	0968	1.1985	0.00700	1.2212	0.08109	0.03376	23	-0.28	133.00	0
133	Proline (%)	0955	1.2000	0.02000	1.2212	0.08109	0.03376	23	-0.26	133.00	0
133	Proline (%)	0610	1.2050	0.01000	1.2212	0.08109	0.03376	23	-0.20	133.05	0
133	Proline (%)	2059	1.2190	0.00800	1.2212	0.08109	0.03376	23	-0.03	133.00	0
133	Proline (%)	0571	1.2220	0.03400	1.2212	0.08109	0.03376	23	0.01	133.00	0
133	Proline (%)	0226	1.2250	0.05000	1.2212	0.08109	0.03376	23	0.05	133.00	0
133	Proline (%)	0626	1.2250	0.01600	1.2212	0.08109	0.03376	23	0.05	133.05	0
133	Proline (%)	0910	1.2300	0.12000	1.2212	0.08109	0.03376	23	0.11	133.00	0
133	Proline (%)	0644	1.2365	0.04700	1.2212	0.08109	0.03376	23	0.19	133.00	0
133	Proline (%)	0504	1.2500	0.06000	1.2212	0.08109	0.03376	23	0.35	133.00	0
133	Proline (%)	0684	1.2875	0.06300	1.2212	0.08109	0.03376	23	0.82	133.00	0
133	Proline (%)	0918	1.3452	0.00470	1.2212	0.08109	0.03376	23	1.53	133.00	0
133	Proline (%)	0675	1.3650	0.05000	1.2212	0.08109	0.03376	23	1.77	133.00	0
133	Proline (%)	0619	1.3950	0.01000	1.2212	0.08109	0.03376	23	2.14	133.00	0
133	Proline (%)	0676	1.4500	0.06000	1.2212	0.08109	0.03376	23	2.82	133.05	0
134	Serine (%)	0504	0.82500	0.13000	0.93149	0.04629	0.03261	24	-2.30	134.00	0
134	Serine (%)	2146	0.85500	0.01000	0.93149	0.04629	0.03261	24	-1.65	134.99	0
134	Serine (%)	0226	0.86000	0.14000	0.93149	0.04629	0.03261	24	-1.54	134.00	0
134	Serine (%)	0098	0.86500	0.03400	0.93149	0.04629	0.03261	24	-1.44	134.02	0
134	Serine (%)	0652	0.90000	0.02000	0.93149	0.04629	0.03261	24	-0.68	134.00	0
134	Serine (%)	0610	0.90000	0.02000	0.93149	0.04629	0.03261	24	-0.68	134.05	0
134	Serine (%)	0644	0.90300	0.00800	0.93149	0.04629	0.03261	24	-0.62	134.00	0
134	Serine (%)	0859	0.90555	0.00430	0.93149	0.04629	0.03261	24	-0.56	134.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
134	Serine (%)	0941	0.92850	0.02900	0.93149	0.04629	0.03261	24	-0.06	134.00	0
134	Serine (%)	0684	0.93700	0.14000	0.93149	0.04629	0.03261	24	0.12	134.00	0
134	Serine (%)	0571	0.93750	0.00300	0.93149	0.04629	0.03261	24	0.13	134.00	0
134	Serine (%)	0227	0.94000	0.04000	0.93149	0.04629	0.03261	24	0.18	134.00	0
134	Serine (%)	0626	0.94000	0.00800	0.93149	0.04629	0.03261	24	0.18	134.05	0
134	Serine (%)	2059	0.94200	0.01600	0.93149	0.04629	0.03261	24	0.23	134.00	0
134	Serine (%)	0918	0.94450	0.04300	0.93149	0.04629	0.03261	24	0.28	134.00	0
134	Serine (%)	0910	0.94500	0.03000	0.93149	0.04629	0.03261	24	0.29	134.00	0
134	Serine (%)	0968	0.95900	0.00200	0.93149	0.04629	0.03261	24	0.59	134.00	0
134	Serine (%)	0675	0.96000	0.02000	0.93149	0.04629	0.03261	24	0.62	134.00	0
134	Serine (%)	0955	0.96150	0.00500	0.93149	0.04629	0.03261	24	0.65	134.00	0
134	Serine (%)	0872	0.96300	0.01000	0.93149	0.04629	0.03261	24	0.68	134.00	0
134	Serine (%)	0354	0.96900	0.00400	0.93149	0.04629	0.03261	24	0.81	134.00	0
134	Serine (%)	0870	0.97815	0.00630	0.93149	0.04629	0.03261	24	1.01	134.00	0
134	Serine (%)	0676	0.99000	0.02000	0.93149	0.04629	0.03261	24	1.26	134.05	0
134	Serine (%)	0619	1.0600	0.04000	0.93149	0.04629	0.03261	24	2.78	134.00	0
135	Threonine (%)	0226	0.69000	0.02000	0.75299	0.02281	0.01220	25	-2.76	135.00	0
135	Threonine (%)	0859	0.71565	0.00470	0.75299	0.02281	0.01220	25	-1.64	135.00	0
135	Threonine (%)	0504	0.72000	0.02000	0.75299	0.02281	0.01220	25	-1.45	135.00	0
135	Threonine (%)	0870	0.72670	0.00660	0.75299	0.02281	0.01220	25	-1.15	135.00	0
135	Threonine (%)	0652	0.73000	0.02000	0.75299	0.02281	0.01220	25	-1.01	135.00	0
135	Threonine (%)	0941	0.73800	0.01600	0.75299	0.02281	0.01220	25	-0.66	135.00	0
135	Threonine (%)	0626	0.74450	0.00700	0.75299	0.02281	0.01220	25	-0.37	135.05	0
135	Threonine (%)	0644	0.74500	0.00400	0.75299	0.02281	0.01220	25	-0.35	135.00	0
135	Threonine (%)	0571	0.74700	0.00200	0.75299	0.02281	0.01220	25	-0.26	135.00	0
135	Threonine (%)	0227	0.75000	0.02000	0.75299	0.02281	0.01220	25	-0.13	135.00	0
135	Threonine (%)	0610	0.75000	0.00000	0.75299	0.02281	0.01220	25	-0.13	135.05	0
135	Threonine (%)	0684	0.75150	0.02500	0.75299	0.02281	0.01220	25	-0.07	135.00	0
135	Threonine (%)	2146	0.75500	0.03000	0.75299	0.02281	0.01220	25	0.09	135.99	0
135	Threonine (%)	0955	0.75650	0.00500	0.75299	0.02281	0.01220	25	0.15	135.00	0
135	Threonine (%)	0872	0.75700	0.01600	0.75299	0.02281	0.01220	25	0.18	135.00	0
135	Threonine (%)	2059	0.75700	0.00400	0.75299	0.02281	0.01220	25	0.18	135.00	0
135	Threonine (%)	0910	0.76000	0.00000	0.75299	0.02281	0.01220	25	0.31	135.00	0
135	Threonine (%)	0098	0.76000	0.01800	0.75299	0.02281	0.01220	25	0.31	135.02	0
135	Threonine (%)	0676	0.76500	0.01000	0.75299	0.02281	0.01220	25	0.53	135.05	0
135	Threonine (%)	0354	0.77000	0.00000	0.75299	0.02281	0.01220	25	0.75	135.00	0
135	Threonine (%)	0675	0.77000	0.02000	0.75299	0.02281	0.01220	25	0.75	135.00	0
135	Threonine (%)	0968	0.77950	0.00100	0.75299	0.02281	0.01220	25	1.16	135.00	0
135	Threonine (%)	0918	0.78015	0.01970	0.75299	0.02281	0.01220	25	1.19	135.00	0
135	Threonine (%)	0619	0.83300	0.02600	0.75299	0.02281	0.01220	25	3.51	135.00	0
135	Threonine (%)	2144	0.88500	0.01000	0.75299	0.02281	0.01220	25	5.79	135.99	0



Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
136	Tryptophan (%)	0870	0.18745	0.00030	0.24159	0.01402	0.00404	16	-3.86	136.00	0
136	Tryptophan (%)	0619	0.21650	0.01500	0.24159	0.01402	0.00404	16	-1.79	136.00	0
136	Tryptophan (%)	0910	0.22500	0.01000	0.24159	0.01402	0.00404	16	-1.18	136.00	0
136	Tryptophan (%)	0098	0.23500	0.00800	0.24159	0.01402	0.00404	16	-0.47	136.02	0
136	Tryptophan (%)	0941	0.23700	0.00000	0.24159	0.01402	0.00404	16	-0.33	136.00	0
136	Tryptophan (%)	0148	0.24000	0.00000	0.24159	0.01402	0.00404	16	-0.11	136.03	0
136	Tryptophan (%)	0918	0.24015	0.00450	0.24159	0.01402	0.00404	16	-0.10	136.00	0
136	Tryptophan (%)	0571	0.24050	0.00100	0.24159	0.01402	0.00404	16	-0.08	136.03	0
136	Tryptophan (%)	0859	0.24205	0.01390	0.24159	0.01402	0.00404	16	0.03	136.03	0
136	Tryptophan (%)	0872	0.24450	0.00500	0.24159	0.01402	0.00404	16	0.21	136.03	0
136	Tryptophan (%)	2059	0.24450	0.00100	0.24159	0.01402	0.00404	16	0.21	136.03	0
136	Tryptophan (%)	0297	0.24950	0.00100	0.24159	0.01402	0.00404	16	0.56	136.03	0
136	Tryptophan (%)	0955	0.25000	0.00200	0.24159	0.01402	0.00404	16	0.60	136.03	0
136	Tryptophan (%)	0644	0.25450	0.00100	0.24159	0.01402	0.00404	16	0.92	136.01	0
136	Tryptophan (%)	0684	0.25900	0.00200	0.24159	0.01402	0.00404	16	1.24	136.00	0
136	Tryptophan (%)	0227	0.28000	0.00000	0.24159	0.01402	0.00404	16	2.74	136.00	0
136	Tryptophan (%)	0504	0.22500	0.03000	0.24159	0.01402	0.00404	16	-1.18	136.99	1
137	Tyrosine (%)	0626	0.45600	0.00400	0.60448	0.06436	0.01633	18	-2.31	137.05	0
137	Tyrosine (%)	0870	0.53470	0.00200	0.60448	0.06436	0.01633	18	-1.08	137.00	0
137	Tyrosine (%)	0968	0.54350	0.00700	0.60448	0.06436	0.01633	18	-0.95	137.00	0
137	Tyrosine (%)	0675	0.54500	0.01000	0.60448	0.06436	0.01633	18	-0.92	137.00	0
137	Tyrosine (%)	2146	0.56500	0.03000	0.60448	0.06436	0.01633	18	-0.61	137.99	0
137	Tyrosine (%)	0504	0.57500	0.01000	0.60448	0.06436	0.01633	18	-0.46	137.00	0
137	Tyrosine (%)	0918	0.57905	0.00390	0.60448	0.06436	0.01633	18	-0.40	137.00	0
137	Tyrosine (%)	0941	0.58550	0.08300	0.60448	0.06436	0.01633	18	-0.29	137.00	0
137	Tyrosine (%)	0227	0.59000	0.00000	0.60448	0.06436	0.01633	18	-0.23	137.00	0
137	Tyrosine (%)	0354	0.59200	0.00600	0.60448	0.06436	0.01633	18	-0.19	137.00	0
137	Tyrosine (%)	0872	0.61400	0.00600	0.60448	0.06436	0.01633	18	0.15	137.00	0
137	Tyrosine (%)	0684	0.62450	0.01500	0.60448	0.06436	0.01633	18	0.31	137.00	0
137	Tyrosine (%)	0098	0.64550	0.01700	0.60448	0.06436	0.01633	18	0.64	137.02	0
137	Tyrosine (%)	0644	0.64700	0.00600	0.60448	0.06436	0.01633	18	0.66	137.00	0
137	Tyrosine (%)	2059	0.66100	0.00400	0.60448	0.06436	0.01633	18	0.88	137.00	0
137	Tyrosine (%)	0226	0.68000	0.04000	0.60448	0.06436	0.01633	18	1.17	137.00	0
137	Tyrosine (%)	0676	0.69000	0.04000	0.60448	0.06436	0.01633	18	1.33	137.05	0
137	Tyrosine (%)	0610	0.71500	0.01000	0.60448	0.06436	0.01633	18	1.72	137.05	0
137	Tyrosine (%)	0910	0.42500	0.15000	0.60448	0.06436	0.01633	18	-2.79	137.00	1
138	Valine (%)	0870	0.78010	0.01220	0.92851	0.04022	0.01464	24	-3.69	138.00	0
138	Valine (%)	0619	0.82550	0.00700	0.92851	0.04022	0.01464	24	-2.56	138.00	0
138	Valine (%)	0918	0.87720	0.01800	0.92851	0.04022	0.01464	24	-1.28	138.00	0
138	Valine (%)	0941	0.89100	0.00200	0.92851	0.04022	0.01464	24	-0.93	138.00	0
138	Valine (%)	0859	0.89995	0.01410	0.92851	0.04022	0.01464	24	-0.71	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
138	Valine (%)	0684	0.90300	0.01000	0.92851	0.04022	0.01464	24	-0.63	138.00	0
138	Valine (%)	0626	0.90300	0.02200	0.92851	0.04022	0.01464	24	-0.63	138.05	0
138	Valine (%)	0652	0.90500	0.01000	0.92851	0.04022	0.01464	24	-0.58	138.00	0
138	Valine (%)	2146	0.91500	0.03000	0.92851	0.04022	0.01464	24	-0.34	138.99	0
138	Valine (%)	0910	0.92000	0.04000	0.92851	0.04022	0.01464	24	-0.21	138.00	0
138	Valine (%)	0226	0.92000	0.02000	0.92851	0.04022	0.01464	24	-0.21	138.00	0
138	Valine (%)	0872	0.92400	0.01800	0.92851	0.04022	0.01464	24	-0.11	138.00	0
138	Valine (%)	0968	0.92450	0.00300	0.92851	0.04022	0.01464	24	-0.10	138.00	0
138	Valine (%)	2059	0.93450	0.00900	0.92851	0.04022	0.01464	24	0.15	138.00	0
138	Valine (%)	0354	0.94400	0.00200	0.92851	0.04022	0.01464	24	0.39	138.00	0
138	Valine (%)	0676	0.94500	0.03000	0.92851	0.04022	0.01464	24	0.41	138.05	0
138	Valine (%)	0571	0.94550	0.00900	0.92851	0.04022	0.01464	24	0.42	138.00	0
138	Valine (%)	0227	0.95500	0.01000	0.92851	0.04022	0.01464	24	0.66	138.00	0
138	Valine (%)	0610	0.95500	0.01000	0.92851	0.04022	0.01464	24	0.66	138.05	0
138	Valine (%)	0675	0.96500	0.03000	0.92851	0.04022	0.01464	24	0.91	138.00	0
138	Valine (%)	0098	0.96850	0.01500	0.92851	0.04022	0.01464	24	0.99	138.02	0
138	Valine (%)	0644	0.97500	0.00000	0.92851	0.04022	0.01464	24	1.16	138.00	0
138	Valine (%)	0504	0.99000	0.00000	0.92851	0.04022	0.01464	24	1.53	138.00	0
138	Valine (%)	0955	1.0450	0.03000	0.92851	0.04022	0.01464	24	2.90	138.00	0
139	Taurine (%)	0504	0.19000	0.00000				1		139.00	0
139	Taurine (%)	0098	0.00000	0.00000				1		139.02	4
160	Fructose (%)	0297	0.19300	0.05400	0.32575	0.15373	0.01850	4		160.99	0
160	Fructose (%)	0638	0.20000	0.00000	0.32575	0.15373	0.01850	4		160.99	0
160	Fructose (%)	0227	0.41000	0.02000	0.32575	0.15373	0.01850	4		160.99	0
160	Fructose (%)	0861	0.50000	0.00000	0.32575	0.15373	0.01850	4		160.99	0
161	Galactose (%)	0297	0.00000	0.00000				0		161.99	4
162	Glucose (%)	0638	0.10000	0.00000				3		162.99	0
162	Glucose (%)	0227	0.20500	0.07000				3		162.99	0
162	Glucose (%)	0297	0.32900	0.44200				3		162.99	0
162	Glucose (%)	0861	0.00000	0.00000				3		162.99	4
163	Lactose (%)	0297	0.00000	0.00000				0		163.99	4
163	Lactose (%)	0861	0.00000	0.00000				0		163.99	4
164	Maltose (%)	0297	0.20750	0.22100				1		164.99	0
164	Maltose (%)	0861	0.00000	0.00000				1		164.99	4
165	Sucrose (%)	0861	2.9000	0.20000				3		165.99	0
165	Sucrose (%)	0227	3.0000	0.00000				3		165.99	0
165	Sucrose (%)	0297	3.1395	0.22700				3		165.99	0
166	Raffinose (%)	0227	0.52500	0.01000				2		166.99	0
166	Raffinose (%)	0297	0.76950	0.07500				2		166.99	0
167	Stachyose (%)	0227	1.1600	0.00000				2		167.99	0
167	Stachyose (%)	0297	1.3680	0.34800				2		167.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
345	Amprolium (mg/kg (ppm))	0028	79.500	1.4000	97.902	7.3457	2.1689	16	-2.51	345.00	0
345	Amprolium (mg/kg (ppm))	0964	89.783	0.77170	97.902	7.3457	2.1689	16	-1.11	345.02	0
345	Amprolium (mg/kg (ppm))	0014	91.000	0.20000	97.902	7.3457	2.1689	16	-0.94	345.02	0
345	Amprolium (mg/kg (ppm))	0033	93.200	1.8000	97.902	7.3457	2.1689	16	-0.64	345.02	0
345	Amprolium (mg/kg (ppm))	2053	93.500	3.0000	97.902	7.3457	2.1689	16	-0.60	345.03	0
345	Amprolium (mg/kg (ppm))	0038	94.520	13.360	97.902	7.3457	2.1689	16	-0.46	345.02	0
345	Amprolium (mg/kg (ppm))	0043	97.000	0.00000	97.902	7.3457	2.1689	16	-0.12	345.00	0
345	Amprolium (mg/kg (ppm))	0218	97.245	1.3100	97.902	7.3457	2.1689	16	-0.09	345.02	0
345	Amprolium (mg/kg (ppm))	0512	97.830	1.5600	97.902	7.3457	2.1689	16	-0.01	345.02	0
345	Amprolium (mg/kg (ppm))	0036	97.900	2.0000	97.902	7.3457	2.1689	16	0.00	345.00	0
345	Amprolium (mg/kg (ppm))	0013	99.650	6.7000	97.902	7.3457	2.1689	16	0.24	345.00	0
345	Amprolium (mg/kg (ppm))	0629	101.00	0.00000	97.902	7.3457	2.1689	16	0.42	345.99	0
345	Amprolium (mg/kg (ppm))	0032	103.50	1.0000	97.902	7.3457	2.1689	16	0.76	345.02	0
345	Amprolium (mg/kg (ppm))	0001	107.00	0.00000	97.902	7.3457	2.1689	16	1.24	345.02	0
345	Amprolium (mg/kg (ppm))	0171	107.50	1.0000	97.902	7.3457	2.1689	16	1.31	345.00	0
345	Amprolium (mg/kg (ppm))	0019	117.90	0.60000	97.902	7.3457	2.1689	16	2.72	345.00	0
345	Amprolium (mg/kg (ppm))	0511	106.25	15.500	97.902	7.3457	2.1689	16	1.14	345.00	1
348	Bacitracin (mg/kg (ppm))	0043	18.650	1.1000	41.996	26.371	2.7430	6	-0.89	348.01	0
348	Bacitracin (mg/kg (ppm))	2053	20.400	1.8000	41.996	26.371	2.7430	6	-0.82	348.05	0
348	Bacitracin (mg/kg (ppm))	0016	34.950	6.7000	41.996	26.371	2.7430	6	-0.27	348.01	0
348	Bacitracin (mg/kg (ppm))	0964	47.565	3.8581	41.996	26.371	2.7430	6	0.21	348.01	0
348	Bacitracin (mg/kg (ppm))	2144	48.860	0.00000	41.996	26.371	2.7430	6	0.26	348.01	0
348	Bacitracin (mg/kg (ppm))	0875	106.50	3.0000	41.996	26.371	2.7430	6	2.45	348.06	0
400	Water activity (Units)	0843	0.54750	0.00300	0.57311	0.02266	0.00310	9	-1.13	400.99	0
400	Water activity (Units)	0843	0.55925	0.00390	0.57311	0.02266	0.00310	9	-0.61	400.01	0
400	Water activity (Units)	0407	0.56590	0.00040	0.57311	0.02266	0.00310	9	-0.32	400.01	0
400	Water activity (Units)	0589	0.56650	0.00300	0.57311	0.02266	0.00310	9	-0.29	400.01	0
400	Water activity (Units)	0942	0.56700	0.01000	0.57311	0.02266	0.00310	9	-0.27	400.01	0
400	Water activity (Units)	2073	0.56800	0.00200	0.57311	0.02266	0.00310	9	-0.23	400.99	0
400	Water activity (Units)	2009	0.57150	0.00100	0.57311	0.02266	0.00310	9	-0.07	400.01	0
400	Water activity (Units)	2109	0.60520	0.00420	0.57311	0.02266	0.00310	9	1.42	400.01	0
400	Water activity (Units)	0552	0.62390	0.00040	0.57311	0.02266	0.00310	9	2.24	400.01	0
412	Dietary Starch (%)	0353	31.030	0.34000				1		412.01	0
516	Arsenic, total (mg / kg (ppm))	0045	0.09300	0.01600	0.16876	0.03337	0.01481	8	-2.27	516.00	0
516	Arsenic, total (mg / kg (ppm))	0186	0.13535	0.00690	0.16876	0.03337	0.01481	8	-1.00	516.52	0
516	Arsenic, total (mg / kg (ppm))	0171	0.16000	0.02000	0.16876	0.03337	0.01481	8	-0.26	516.00	0
516	Arsenic, total (mg / kg (ppm))	0910	0.17000	0.02000	0.16876	0.03337	0.01481	8	0.04	516.52	0
516	Arsenic, total (mg / kg (ppm))	0098	0.17700	0.02000	0.16876	0.03337	0.01481	8	0.25	516.53	0
516	Arsenic, total (mg / kg (ppm))	0227	0.19350	0.01500	0.16876	0.03337	0.01481	8	0.74	516.53	0
516	Arsenic, total (mg / kg (ppm))	2146	0.19700	0.00200	0.16876	0.03337	0.01481	8	0.85	516.52	0
516	Arsenic, total (mg / kg (ppm))	0918	0.19850	0.01860	0.16876	0.03337	0.01481	8	0.89	516.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT	Your	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests	Z Score	Method	
518	Cadmium (mg / kg (ppm))	0619	0.00500	0.00200	0.07505	0.01159	0.00398	8	-6.04	518.41	0
518	Cadmium (mg / kg (ppm))	0227	0.06450	0.00500	0.07505	0.01159	0.00398	8	-0.91	518.53	0
518	Cadmium (mg / kg (ppm))	0910	0.07000	0.00000	0.07505	0.01159	0.00398	8	-0.44	518.52	0
518	Cadmium (mg / kg (ppm))	0098	0.07600	0.00400	0.07505	0.01159	0.00398	8	0.08	518.53	0
518	Cadmium (mg / kg (ppm))	0918	0.08035	0.01010	0.07505	0.01159	0.00398	8	0.46	518.53	0
518	Cadmium (mg / kg (ppm))	0186	0.08135	0.00370	0.07505	0.01159	0.00398	8	0.54	518.52	0
518	Cadmium (mg / kg (ppm))	2146	0.08250	0.00500	0.07505	0.01159	0.00398	8	0.64	518.52	0
518	Cadmium (mg / kg (ppm))	0171	0.08800	0.00200	0.07505	0.01159	0.00398	8	1.12	518.41	0
520	Chromium (mg / kg (ppm))	0186	1.2373	0.38900	2.0003	0.65279	0.16416	9	-1.17	520.52	0
520	Chromium (mg / kg (ppm))	0675	1.2600	0.12000	2.0003	0.65279	0.16416	9	-1.13	520.43	0
520	Chromium (mg / kg (ppm))	0619	1.4250	0.01000	2.0003	0.65279	0.16416	9	-0.88	520.41	0
520	Chromium (mg / kg (ppm))	0171	1.9350	0.01000	2.0003	0.65279	0.16416	9	-0.10	520.41	0
520	Chromium (mg / kg (ppm))	0693	2.1237	0.36010	2.0003	0.65279	0.16416	9	0.19	520.42	0
520	Chromium (mg / kg (ppm))	0918	2.1975	0.30930	2.0003	0.65279	0.16416	9	0.30	520.53	0
520	Chromium (mg / kg (ppm))	0045	2.4850	0.21000	2.0003	0.65279	0.16416	9	0.74	520.42	0
520	Chromium (mg / kg (ppm))	0510	2.6600	0.04000	2.0003	0.65279	0.16416	9	1.01	520.43	0
520	Chromium (mg / kg (ppm))	0032	2.6795	0.02900	2.0003	0.65279	0.16416	9	1.04	520.53	0
526	Lead (mg / kg (ppm))	0619	0.10000	0.01200	0.25118	0.08227	0.01193	10	-1.84	526.41	0
526	Lead (mg / kg (ppm))	0032	0.16400	0.01000	0.25118	0.08227	0.01193	10	-1.06	526.53	0
526	Lead (mg / kg (ppm))	0098	0.23350	0.02700	0.25118	0.08227	0.01193	10	-0.21	526.53	0
526	Lead (mg / kg (ppm))	0227	0.23500	0.01200	0.25118	0.08227	0.01193	10	-0.20	526.53	0
526	Lead (mg / kg (ppm))	0910	0.24000	0.02000	0.25118	0.08227	0.01193	10	-0.14	526.52	0
526	Lead (mg / kg (ppm))	0918	0.25415	0.00310	0.25118	0.08227	0.01193	10	0.04	526.53	0
526	Lead (mg / kg (ppm))	0186	0.25630	0.00020	0.25118	0.08227	0.01193	10	0.06	526.52	0
526	Lead (mg / kg (ppm))	2146	0.28800	0.00600	0.25118	0.08227	0.01193	10	0.45	526.52	0
526	Lead (mg / kg (ppm))	0171	0.33850	0.00900	0.25118	0.08227	0.01193	10	1.06	526.41	0
526	Lead (mg / kg (ppm))	2152	0.44000	0.02000	0.25118	0.08227	0.01193	10	2.30	526.41	0
539	Nickel (mg / kg (ppm))	0918	1.7171	0.12060	1.9610	0.22417	0.12930	5		539.53	0
539	Nickel (mg / kg (ppm))	0186	1.8281	0.24590	1.9610	0.22417	0.12930	5		539.52	0
539	Nickel (mg / kg (ppm))	0171	1.9000	0.00000	1.9610	0.22417	0.12930	5		539.41	0
539	Nickel (mg / kg (ppm))	2053	2.0700	0.16000	1.9610	0.22417	0.12930	5		539.42	0
539	Nickel (mg / kg (ppm))	2149	2.2900	0.12000	1.9610	0.22417	0.12930	5		539.31	0
710	Lauric Acid (12:0) (% (w/w))	0226	0.00100	0.00000				1		710.99	0
714	Myristic Acid (14:0) (% (w/w))	0226	0.01950	0.00100				1		714.99	0
716	Palmitic Acid (16:0) (% (w/w))	0226	0.55800	0.03800				1		716.99	0
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0226	0.02650	0.00100				1		718.99	0
722	Stearic Acid (18:0) (% (w/w))	0226	0.13050	0.00900				1		722.99	0
724	Oleic Acid (9c-18:1) (% (w/w))	0226	0.68000	0.04000				1		724.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0226	1.3895	0.12500				1		726.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (	0226	0.09600	0.01200				1		728.99	0
730	Arachidic Acid (20:0) (% (w/w))	0226	0.01150	0.00100				1		730.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
732	Gondoic Acid (11c-20:1) (% (w/w))	0226	0.01200	0.00000				1	732.99	0	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,17c) (% (w/w))	0226	0.01200	0.00200				1	740.99	0	
742	Behenic Acid (22:0) (% (w/w))	0226	0.00900	0.00000				1	742.99	0	
744	Erucic Acid (13c-22:1) (% (w/w))	0226	0.00000	0.00000				0	744.99	4	
746	Docosapentaenoic Acid n-3 DPA (DHA) (% (w/w))	0226	0.00250	0.00100				1	746.99	0	
748	Lignoceric Acid (24:0) (% (w/w))	0226	0.01050	0.00100				1	748.99	0	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c) (% (w/w))	0226	0.01500	0.00200				1	750.99	0	
752	Nervonic Acid (24:1) isomers (% (w/w))	0226	0.00000	0.00000				0	752.99	4	
772	Total Fatty Acids (% (w/w))	0226	3.0210	0.23600				1	772.99	0	

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 8 = Analyst data exempt and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in the case of 4 or 5 labs reporting Means and SD's may be reported based on Raw Data with obvious blunders removed (Mandel h and k exclusions apply; Grey). Flag 3 indicates not used in statistics.