



AAFCO
Proficiency Testing Program



Animal Feed Scheme

Equine Feed

Test Material Code # 202121

Labs Reporting: 151

Analytes Reported 110

Issue Date : 02/28/2021

Analyte Proficiency Testing Report

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.4500	0.1000				1		000.02	0
001	Loss on Drying (%)	0618	6.100	0.0800	7.725	0.2534	0.1265	63	-6.41	001.99	0
001	Loss on Drying (%)	0853	6.850	0.1000	7.725	0.2534	0.1265	63	-3.45	001.07	0
001	Loss on Drying (%)	2155	6.915	0.3700	7.725	0.2534	0.1265	63	-3.20	001.99	0
001	Loss on Drying (%)	2073	7.390	0.2400	7.725	0.2534	0.1265	63	-1.32	001.00	0
001	Loss on Drying (%)	0644	7.420	0.0100	7.725	0.2534	0.1265	63	-1.20	001.05	0
001	Loss on Drying (%)	0643	7.445	0.0500	7.725	0.2534	0.1265	63	-1.10	001.07	0
001	Loss on Drying (%)	0676	7.460	0.0200	7.725	0.2534	0.1265	63	-1.04	001.99	0
001	Loss on Drying (%)	0066	7.475	0.0900	7.725	0.2534	0.1265	63	-0.99	001.07	0
001	Loss on Drying (%)	0843	7.480	0.1000	7.725	0.2534	0.1265	63	-0.97	001.03	0
001	Loss on Drying (%)	0843	7.480	0.1000	7.725	0.2534	0.1265	63	-0.97	001.07	0
001	Loss on Drying (%)	2009	7.480	0.0049	7.725	0.2534	0.1265	63	-0.96	001.07	0
001	Loss on Drying (%)	0948	7.505	0.0500	7.725	0.2534	0.1265	63	-0.87	001.99	0
001	Loss on Drying (%)	0049	7.525	0.4100	7.725	0.2534	0.1265	63	-0.79	001.07	0
001	Loss on Drying (%)	0027	7.532	0.0370	7.725	0.2534	0.1265	63	-0.76	001.07	0
001	Loss on Drying (%)	0413	7.550	0.1000	7.725	0.2534	0.1265	63	-0.69	001.07	0
001	Loss on Drying (%)	0297	7.565	0.0700	7.725	0.2534	0.1265	63	-0.63	001.07	0
001	Loss on Drying (%)	0353	7.565	0.2300	7.725	0.2534	0.1265	63	-0.63	001.07	0
001	Loss on Drying (%)	0027	7.568	0.1070	7.725	0.2534	0.1265	63	-0.62	001.00	0
001	Loss on Drying (%)	0226	7.575	0.1900	7.725	0.2534	0.1265	63	-0.59	001.07	0
001	Loss on Drying (%)	0889	7.580	0.0000	7.725	0.2534	0.1265	63	-0.57	001.99	0
001	Loss on Drying (%)	0610	7.585	0.0100	7.725	0.2534	0.1265	63	-0.55	001.99	0
001	Loss on Drying (%)	0309	7.595	0.0300	7.725	0.2534	0.1265	63	-0.51	001.00	0
001	Loss on Drying (%)	0560	7.600	0.1200	7.725	0.2534	0.1265	63	-0.49	001.99	0
001	Loss on Drying (%)	0693	7.628	0.1640	7.725	0.2534	0.1265	63	-0.38	001.07	0
001	Loss on Drying (%)	0512	7.638	0.3040	7.725	0.2534	0.1265	63	-0.34	001.07	0
001	Loss on Drying (%)	0675	7.650	0.1000	7.725	0.2534	0.1265	63	-0.29	001.07	0
001	Loss on Drying (%)	0683	7.660	0.0000	7.725	0.2534	0.1265	63	-0.25	001.07	0
001	Loss on Drying (%)	0918	7.660	0.0400	7.725	0.2534	0.1265	63	-0.25	001.99	0
001	Loss on Drying (%)	0407	7.662	0.0180	7.725	0.2534	0.1265	63	-0.25	001.07	0
001	Loss on Drying (%)	2059	7.670	0.0200	7.725	0.2534	0.1265	63	-0.22	001.07	0
001	Loss on Drying (%)	0037	7.695	0.0100	7.725	0.2534	0.1265	63	-0.12	001.99	0
001	Loss on Drying (%)	0910	7.700	0.2000	7.725	0.2534	0.1265	63	-0.10	001.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
001	Loss on Drying (%)	0035	7.720	0.1000	7.725	0.2534	0.1265	63	-0.02	001.07	0
001	Loss on Drying (%)	2109	7.720	0.0400	7.725	0.2534	0.1265	63	-0.02	001.07	0
001	Loss on Drying (%)	2081	7.725	0.2500	7.725	0.2534	0.1265	63	0.00	001.99	0
001	Loss on Drying (%)	0083	7.750	0.0400	7.725	0.2534	0.1265	63	0.10	001.07	0
001	Loss on Drying (%)	0171	7.750	0.0000	7.725	0.2534	0.1265	63	0.10	001.07	0
001	Loss on Drying (%)	0638	7.750	0.1000	7.725	0.2534	0.1265	63	0.10	001.07	0
001	Loss on Drying (%)	0876	7.750	0.3000	7.725	0.2534	0.1265	63	0.10	001.07	0
001	Loss on Drying (%)	0074	7.765	0.1700	7.725	0.2534	0.1265	63	0.16	001.07	0
001	Loss on Drying (%)	2192	7.775	0.0300	7.725	0.2534	0.1265	63	0.20	001.07	0
001	Loss on Drying (%)	0148	7.780	0.1600	7.725	0.2534	0.1265	63	0.22	001.07	0
001	Loss on Drying (%)	0619	7.835	0.0900	7.725	0.2534	0.1265	63	0.44	001.03	0
001	Loss on Drying (%)	0571	7.840	0.0400	7.725	0.2534	0.1265	63	0.46	001.07	0
001	Loss on Drying (%)	0590	7.855	0.1900	7.725	0.2534	0.1265	63	0.51	001.07	0
001	Loss on Drying (%)	0650	7.885	0.1100	7.725	0.2534	0.1265	63	0.63	001.07	0
001	Loss on Drying (%)	0028	7.895	0.0100	7.725	0.2534	0.1265	63	0.67	001.07	0
001	Loss on Drying (%)	0098	7.895	0.0300	7.725	0.2534	0.1265	63	0.67	001.07	0
001	Loss on Drying (%)	0038	7.900	0.7000	7.725	0.2534	0.1265	63	0.69	001.07	0
001	Loss on Drying (%)	0045	7.920	0.6600	7.725	0.2534	0.1265	63	0.77	001.07	0
001	Loss on Drying (%)	0581	7.950	0.1000	7.725	0.2534	0.1265	63	0.89	001.07	0
001	Loss on Drying (%)	0689	7.950	0.1000	7.725	0.2534	0.1265	63	0.89	001.07	0
001	Loss on Drying (%)	0504	7.995	0.0700	7.725	0.2534	0.1265	63	1.07	001.00	0
001	Loss on Drying (%)	0629	8.030	0.0400	7.725	0.2534	0.1265	63	1.21	001.99	0
001	Loss on Drying (%)	0019	8.070	0.2000	7.725	0.2534	0.1265	63	1.36	001.99	0
001	Loss on Drying (%)	0357	8.071	0.0434	7.725	0.2534	0.1265	63	1.37	001.99	0
001	Loss on Drying (%)	2268	8.080	0.3600	7.725	0.2534	0.1265	63	1.40	001.99	0
001	Loss on Drying (%)	0345	8.100	0.0600	7.725	0.2534	0.1265	63	1.48	001.07	0
001	Loss on Drying (%)	0968	8.110	0.0200	7.725	0.2534	0.1265	63	1.52	001.05	0
001	Loss on Drying (%)	0142	8.110	0.0000	7.725	0.2534	0.1265	63	1.52	001.07	0
001	Loss on Drying (%)	2339	8.170	0.0600	7.725	0.2534	0.1265	63	1.76	001.07	0
001	Loss on Drying (%)	2259	8.737	0.0430	7.725	0.2534	0.1265	63	3.99	001.07	0
001	Loss on Drying (%)	0278	9.110	0.4800	7.725	0.2534	0.1265	63	5.47	001.07	0
001	Loss on Drying (%)	0019	6.700	1.000	7.725	0.2534	0.1265	63	-4.04	001.07	1
001	Loss on Drying (%)	0003	8.675	1.370	7.725	0.2534	0.1265	63	3.75	001.07	1
002	Protein, Crude (%)	0581	12.75	0.1000	14.17	0.2690	0.1183	147	-5.26	002.05	0
002	Protein, Crude (%)	0529	13.11	0.1300	14.17	0.2690	0.1183	147	-3.94	002.06	0
002	Protein, Crude (%)	2105	13.26	0.2500	14.17	0.2690	0.1183	147	-3.39	002.11	0
002	Protein, Crude (%)	0036	13.40	0.0266	14.17	0.2690	0.1183	147	-2.85	002.02	0
002	Protein, Crude (%)	0643	13.41	0.2000	14.17	0.2690	0.1183	147	-2.81	002.05	0
002	Protein, Crude (%)	0297	13.47	0.0200	14.17	0.2690	0.1183	147	-2.59	002.11	0
002	Protein, Crude (%)	0953	13.50	0.3100	14.17	0.2690	0.1183	147	-2.49	002.06	0
002	Protein, Crude (%)	0650	13.64	0.0000	14.17	0.2690	0.1183	147	-1.95	002.06	0
002	Protein, Crude (%)	0693	13.69	0.1250	14.17	0.2690	0.1183	147	-1.78	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0876	13.70	0.2000	14.17	0.2690	0.1183	147	-1.73	002.06	0
002	Protein, Crude (%)	0049	13.75	0.1000	14.17	0.2690	0.1183	147	-1.55	002.06	0
002	Protein, Crude (%)	0676	13.76	0.2500	14.17	0.2690	0.1183	147	-1.53	002.06	0
002	Protein, Crude (%)	0505	13.77	0.0100	14.17	0.2690	0.1183	147	-1.49	002.06	0
002	Protein, Crude (%)	2109	13.78	0.1700	14.17	0.2690	0.1183	147	-1.45	002.05	0
002	Protein, Crude (%)	0653	13.81	0.0300	14.17	0.2690	0.1183	147	-1.34	002.01	0
002	Protein, Crude (%)	0539	13.83	0.2100	14.17	0.2690	0.1183	147	-1.27	002.06	0
002	Protein, Crude (%)	0536	13.83	0.0200	14.17	0.2690	0.1183	147	-1.25	002.05	0
002	Protein, Crude (%)	0921	13.85	0.0360	14.17	0.2690	0.1183	147	-1.19	002.05	0
002	Protein, Crude (%)	0910	13.85	0.1000	14.17	0.2690	0.1183	147	-1.17	002.01	0
002	Protein, Crude (%)	0144	13.86	0.2900	14.17	0.2690	0.1183	147	-1.16	002.06	0
002	Protein, Crude (%)	0651	13.87	0.5104	14.17	0.2690	0.1183	147	-1.09	002.05	0
002	Protein, Crude (%)	0598	13.90	0.0400	14.17	0.2690	0.1183	147	-0.99	002.06	0
002	Protein, Crude (%)	2181	13.91	0.1300	14.17	0.2690	0.1183	147	-0.97	002.05	0
002	Protein, Crude (%)	0918	13.92	0.0200	14.17	0.2690	0.1183	147	-0.91	002.06	0
002	Protein, Crude (%)	0263	13.93	0.0275	14.17	0.2690	0.1183	147	-0.88	002.06	0
002	Protein, Crude (%)	2022	13.93	0.0200	14.17	0.2690	0.1183	147	-0.88	002.05	0
002	Protein, Crude (%)	0885	13.94	0.0547	14.17	0.2690	0.1183	147	-0.82	002.05	0
002	Protein, Crude (%)	2168	13.95	0.0500	14.17	0.2690	0.1183	147	-0.82	002.06	0
002	Protein, Crude (%)	0689	13.95	0.3000	14.17	0.2690	0.1183	147	-0.80	002.05	0
002	Protein, Crude (%)	0870	13.96	0.2812	14.17	0.2690	0.1183	147	-0.77	002.06	0
002	Protein, Crude (%)	0504	13.98	0.0400	14.17	0.2690	0.1183	147	-0.69	002.04	0
002	Protein, Crude (%)	0018	13.98	0.1200	14.17	0.2690	0.1183	147	-0.69	002.06	0
002	Protein, Crude (%)	0043	13.98	0.1000	14.17	0.2690	0.1183	147	-0.69	002.01	0
002	Protein, Crude (%)	0968	13.99	0.0900	14.17	0.2690	0.1183	147	-0.67	002.01	0
002	Protein, Crude (%)	2188	13.99	0.3000	14.17	0.2690	0.1183	147	-0.65	002.01	0
002	Protein, Crude (%)	0644	13.99	0.0410	14.17	0.2690	0.1183	147	-0.65	002.06	0
002	Protein, Crude (%)	0652	14.00	0.2000	14.17	0.2690	0.1183	147	-0.62	002.01	0
002	Protein, Crude (%)	2009	14.00	0.0109	14.17	0.2690	0.1183	147	-0.61	002.05	0
002	Protein, Crude (%)	2259	14.01	0.1200	14.17	0.2690	0.1183	147	-0.59	002.01	0
002	Protein, Crude (%)	2340	14.01	0.0270	14.17	0.2690	0.1183	147	-0.56	002.05	0
002	Protein, Crude (%)	0675	14.02	0.0100	14.17	0.2690	0.1183	147	-0.56	002.05	0
002	Protein, Crude (%)	2192	14.02	0.0900	14.17	0.2690	0.1183	147	-0.56	002.05	0
002	Protein, Crude (%)	0968	14.02	0.1400	14.17	0.2690	0.1183	147	-0.54	002.06	0
002	Protein, Crude (%)	0626	14.03	0.1700	14.17	0.2690	0.1183	147	-0.52	002.06	0
002	Protein, Crude (%)	0881	14.03	0.0980	14.17	0.2690	0.1183	147	-0.52	002.05	0
002	Protein, Crude (%)	2196	14.03	0.0000	14.17	0.2690	0.1183	147	-0.51	002.01	0
002	Protein, Crude (%)	0870	14.03	0.1310	14.17	0.2690	0.1183	147	-0.50	002.01	0
002	Protein, Crude (%)	0939	14.04	0.0100	14.17	0.2690	0.1183	147	-0.49	002.05	0
002	Protein, Crude (%)	0345	14.04	0.0700	14.17	0.2690	0.1183	147	-0.49	002.06	0
002	Protein, Crude (%)	2129	14.04	0.2050	14.17	0.2690	0.1183	147	-0.45	002.06	0
002	Protein, Crude (%)	0098	14.06	0.0900	14.17	0.2690	0.1183	147	-0.41	002.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0682	14.06	0.0000	14.17	0.2690	0.1183	147	-0.39	002.06	0
002	Protein, Crude (%)	0066	14.07	0.0600	14.17	0.2690	0.1183	147	-0.36	002.02	0
002	Protein, Crude (%)	0100	14.08	0.0900	14.17	0.2690	0.1183	147	-0.34	002.06	0
002	Protein, Crude (%)	0425	14.09	0.0600	14.17	0.2690	0.1183	147	-0.28	002.06	0
002	Protein, Crude (%)	0964	14.09	0.0600	14.17	0.2690	0.1183	147	-0.28	002.06	0
002	Protein, Crude (%)	2059	14.09	0.0375	14.17	0.2690	0.1183	147	-0.27	002.06	0
002	Protein, Crude (%)	0123	14.10	0.0300	14.17	0.2690	0.1183	147	-0.26	002.06	0
002	Protein, Crude (%)	0001	14.10	0.0200	14.17	0.2690	0.1183	147	-0.24	002.06	0
002	Protein, Crude (%)	0175	14.10	0.0000	14.17	0.2690	0.1183	147	-0.24	002.06	0
002	Protein, Crude (%)	0910	14.10	0.2000	14.17	0.2690	0.1183	147	-0.24	002.06	0
002	Protein, Crude (%)	0039	14.10	0.1000	14.17	0.2690	0.1183	147	-0.24	002.06	0
002	Protein, Crude (%)	0683	14.12	0.0700	14.17	0.2690	0.1183	147	-0.19	002.05	0
002	Protein, Crude (%)	2216	14.12	0.0700	14.17	0.2690	0.1183	147	-0.19	002.06	0
002	Protein, Crude (%)	0939	14.12	0.1000	14.17	0.2690	0.1183	147	-0.17	002.06	0
002	Protein, Crude (%)	0546	14.13	0.0450	14.17	0.2690	0.1183	147	-0.14	002.06	0
002	Protein, Crude (%)	0297	14.13	0.0200	14.17	0.2690	0.1183	147	-0.13	002.06	0
002	Protein, Crude (%)	0032	14.14	0.0390	14.17	0.2690	0.1183	147	-0.11	002.06	0
002	Protein, Crude (%)	2073	14.14	0.0200	14.17	0.2690	0.1183	147	-0.10	002.05	0
002	Protein, Crude (%)	0574	14.14	0.0600	14.17	0.2690	0.1183	147	-0.10	002.06	0
002	Protein, Crude (%)	0638	14.15	0.1000	14.17	0.2690	0.1183	147	-0.06	002.04	0
002	Protein, Crude (%)	0619	14.15	0.1000	14.17	0.2690	0.1183	147	-0.06	002.05	0
002	Protein, Crude (%)	0014	14.15	0.1000	14.17	0.2690	0.1183	147	-0.06	002.06	0
002	Protein, Crude (%)	0687	14.15	0.1000	14.17	0.2690	0.1183	147	-0.06	002.06	0
002	Protein, Crude (%)	0956	14.15	0.1000	14.17	0.2690	0.1183	147	-0.06	002.06	0
002	Protein, Crude (%)	0948	14.17	0.1000	14.17	0.2690	0.1183	147	0.02	002.05	0
002	Protein, Crude (%)	0590	14.18	0.0500	14.17	0.2690	0.1183	147	0.03	002.06	0
002	Protein, Crude (%)	2339	14.18	0.2300	14.17	0.2690	0.1183	147	0.03	002.06	0
002	Protein, Crude (%)	0309	14.18	0.1150	14.17	0.2690	0.1183	147	0.05	002.06	0
002	Protein, Crude (%)	0675	14.18	0.0400	14.17	0.2690	0.1183	147	0.05	002.06	0
002	Protein, Crude (%)	0028	14.20	0.2700	14.17	0.2690	0.1183	147	0.11	002.06	0
002	Protein, Crude (%)	0202	14.20	0.1900	14.17	0.2690	0.1183	147	0.11	002.06	0
002	Protein, Crude (%)	2066	14.20	0.2000	14.17	0.2690	0.1183	147	0.13	002.05	0
002	Protein, Crude (%)	0010	14.20	0.2000	14.17	0.2690	0.1183	147	0.13	002.06	0
002	Protein, Crude (%)	0017	14.20	0.0000	14.17	0.2690	0.1183	147	0.13	002.06	0
002	Protein, Crude (%)	0208	14.20	0.2000	14.17	0.2690	0.1183	147	0.13	002.06	0
002	Protein, Crude (%)	0619	14.20	0.0000	14.17	0.2690	0.1183	147	0.13	002.06	0
002	Protein, Crude (%)	0629	14.22	0.0900	14.17	0.2690	0.1183	147	0.18	002.10	0
002	Protein, Crude (%)	0859	14.22	0.1410	14.17	0.2690	0.1183	147	0.18	002.06	0
002	Protein, Crude (%)	0948	14.25	0.0500	14.17	0.2690	0.1183	147	0.29	002.06	0
002	Protein, Crude (%)	0610	14.25	0.1000	14.17	0.2690	0.1183	147	0.31	002.06	0
002	Protein, Crude (%)	0853	14.25	0.1000	14.17	0.2690	0.1183	147	0.31	002.06	0
002	Protein, Crude (%)	2326	14.25	0.0000	14.17	0.2690	0.1183	147	0.31	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0164	14.28	0.0600	14.17	0.2690	0.1183	147	0.42	002.06	0
002	Protein, Crude (%)	0589	14.29	0.0300	14.17	0.2690	0.1183	147	0.44	002.06	0
002	Protein, Crude (%)	2303	14.29	0.1700	14.17	0.2690	0.1183	147	0.44	002.06	0
002	Protein, Crude (%)	0171	14.29	0.0000	14.17	0.2690	0.1183	147	0.46	002.06	0
002	Protein, Crude (%)	0009	14.30	0.2500	14.17	0.2690	0.1183	147	0.48	002.06	0
002	Protein, Crude (%)	0541	14.30	0.2500	14.17	0.2690	0.1183	147	0.48	002.06	0
002	Protein, Crude (%)	0016	14.30	0.6000	14.17	0.2690	0.1183	147	0.50	002.06	0
002	Protein, Crude (%)	0045	14.30	0.0000	14.17	0.2690	0.1183	147	0.50	002.06	0
002	Protein, Crude (%)	0074	14.30	0.2000	14.17	0.2690	0.1183	147	0.50	002.06	0
002	Protein, Crude (%)	0265	14.30	0.2000	14.17	0.2690	0.1183	147	0.50	002.06	0
002	Protein, Crude (%)	0553	14.30	0.0000	14.17	0.2690	0.1183	147	0.50	002.06	0
002	Protein, Crude (%)	2081	14.30	0.1000	14.17	0.2690	0.1183	147	0.50	002.06	0
002	Protein, Crude (%)	0027	14.32	0.0570	14.17	0.2690	0.1183	147	0.58	002.06	0
002	Protein, Crude (%)	0571	14.34	0.0100	14.17	0.2690	0.1183	147	0.63	002.06	0
002	Protein, Crude (%)	0857	14.35	0.0100	14.17	0.2690	0.1183	147	0.67	002.06	0
002	Protein, Crude (%)	2150	14.35	0.0100	14.17	0.2690	0.1183	147	0.67	002.06	0
002	Protein, Crude (%)	0610	14.35	0.3000	14.17	0.2690	0.1183	147	0.68	002.01	0
002	Protein, Crude (%)	0019	14.35	0.0600	14.17	0.2690	0.1183	147	0.68	002.06	0
002	Protein, Crude (%)	0098	14.35	0.1000	14.17	0.2690	0.1183	147	0.68	002.06	0
002	Protein, Crude (%)	0142	14.36	0.1200	14.17	0.2690	0.1183	147	0.72	002.06	0
002	Protein, Crude (%)	0043	14.36	0.0750	14.17	0.2690	0.1183	147	0.73	002.06	0
002	Protein, Crude (%)	2089	14.37	0.1100	14.17	0.2690	0.1183	147	0.74	002.06	0
002	Protein, Crude (%)	0148	14.37	0.2230	14.17	0.2690	0.1183	147	0.75	002.06	0
002	Protein, Crude (%)	0889	14.38	0.0600	14.17	0.2690	0.1183	147	0.80	002.11	0
002	Protein, Crude (%)	0511	14.39	0.4100	14.17	0.2690	0.1183	147	0.81	002.06	0
002	Protein, Crude (%)	2109	14.39	0.0200	14.17	0.2690	0.1183	147	0.83	002.06	0
002	Protein, Crude (%)	0037	14.40	0.0200	14.17	0.2690	0.1183	147	0.87	002.06	0
002	Protein, Crude (%)	0242	14.40	0.0200	14.17	0.2690	0.1183	147	0.87	002.06	0
002	Protein, Crude (%)	0964	14.40	0.2000	14.17	0.2690	0.1183	147	0.87	002.11	0
002	Protein, Crude (%)	0358	14.43	0.0100	14.17	0.2690	0.1183	147	0.96	002.06	0
002	Protein, Crude (%)	0889	14.43	0.1000	14.17	0.2690	0.1183	147	0.98	002.01	0
002	Protein, Crude (%)	0353	14.43	0.0200	14.17	0.2690	0.1183	147	0.98	002.06	0
002	Protein, Crude (%)	0512	14.44	0.0700	14.17	0.2690	0.1183	147	1.00	002.06	0
002	Protein, Crude (%)	0413	14.45	0.1000	14.17	0.2690	0.1183	147	1.06	002.06	0
002	Protein, Crude (%)	0035	14.46	0.0700	14.17	0.2690	0.1183	147	1.07	002.06	0
002	Protein, Crude (%)	0226	14.46	0.4900	14.17	0.2690	0.1183	147	1.07	002.06	0
002	Protein, Crude (%)	0108	14.48	0.2500	14.17	0.2690	0.1183	147	1.15	002.06	0
002	Protein, Crude (%)	0685	14.49	0.0100	14.17	0.2690	0.1183	147	1.19	002.01	0
002	Protein, Crude (%)	2174	14.53	0.1300	14.17	0.2690	0.1183	147	1.33	002.06	0
002	Protein, Crude (%)	0407	14.53	0.2780	14.17	0.2690	0.1183	147	1.34	002.06	0
002	Protein, Crude (%)	0504	14.53	0.0600	14.17	0.2690	0.1183	147	1.35	002.06	0
002	Protein, Crude (%)	2213	14.53	0.0600	14.17	0.2690	0.1183	147	1.35	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0036	14.59	0.0900	14.17	0.2690	0.1183	147	1.56	002.06	0
002	Protein, Crude (%)	0042	14.60	0.4000	14.17	0.2690	0.1183	147	1.61	002.06	0
002	Protein, Crude (%)	0083	14.62	0.0200	14.17	0.2690	0.1183	147	1.69	002.06	0
002	Protein, Crude (%)	0190	14.64	0.0300	14.17	0.2690	0.1183	147	1.74	002.06	0
002	Protein, Crude (%)	0520	14.64	0.3000	14.17	0.2690	0.1183	147	1.76	002.06	0
002	Protein, Crude (%)	0298	14.68	0.0200	14.17	0.2690	0.1183	147	1.91	002.06	0
002	Protein, Crude (%)	0357	14.88	0.0000	14.17	0.2690	0.1183	147	2.64	002.06	0
002	Protein, Crude (%)	0047	14.90	0.4000	14.17	0.2690	0.1183	147	2.73	002.06	0
002	Protein, Crude (%)	0618	14.95	0.0710	14.17	0.2690	0.1183	147	2.92	002.06	0
002	Protein, Crude (%)	0563	15.40	0.0853	14.17	0.2690	0.1183	147	4.58	002.08	0
002	Protein, Crude (%)	2155	15.46	0.3290	14.17	0.2690	0.1183	147	4.80	002.06	0
002	Protein, Crude (%)	0278	15.60	0.6000	14.17	0.2690	0.1183	147	5.33	002.06	0
002	Protein, Crude (%)	0843	15.12	1.630	14.17	0.2690	0.1183	147	3.53	002.06	1
002	Protein, Crude (%)	2268	9.945	0.4100	14.17	0.2690	0.1183	147	-15.69	002.06	2
003	Fat, Crude (%)	0278	2.350	0.5000	7.590	1.094	0.1821	115	-4.79	003.14	0
003	Fat, Crude (%)	0357	2.600	0.2000	7.590	1.094	0.1821	115	-4.56	003.14	0
003	Fat, Crude (%)	0574	3.615	0.0100	7.590	1.094	0.1821	115	-3.63	003.14	0
003	Fat, Crude (%)	0504	3.755	0.3700	7.590	1.094	0.1821	115	-3.51	003.01	0
003	Fat, Crude (%)	0885	3.964	0.0515	7.590	1.094	0.1821	115	-3.31	003.00	0
003	Fat, Crude (%)	2129	4.019	0.4100	7.590	1.094	0.1821	115	-3.26	003.14	0
003	Fat, Crude (%)	0505	4.135	0.0300	7.590	1.094	0.1821	115	-3.16	003.14	0
003	Fat, Crude (%)	0175	4.610	0.1000	7.590	1.094	0.1821	115	-2.72	003.14	0
003	Fat, Crude (%)	0019	4.740	0.5400	7.590	1.094	0.1821	115	-2.61	003.14	0
003	Fat, Crude (%)	0298	4.860	0.0200	7.590	1.094	0.1821	115	-2.50	003.14	0
003	Fat, Crude (%)	0358	4.935	0.0900	7.590	1.094	0.1821	115	-2.43	003.14	0
003	Fat, Crude (%)	0171	5.135	0.3900	7.590	1.094	0.1821	115	-2.24	003.14	0
003	Fat, Crude (%)	0049	5.220	0.6600	7.590	1.094	0.1821	115	-2.17	003.14	0
003	Fat, Crude (%)	0229	5.260	0.4800	7.590	1.094	0.1821	115	-2.13	003.14	0
003	Fat, Crude (%)	0683	5.450	0.0800	7.590	1.094	0.1821	115	-1.96	003.14	0
003	Fat, Crude (%)	0202	5.465	0.0900	7.590	1.094	0.1821	115	-1.94	003.14	0
003	Fat, Crude (%)	0407	5.637	0.2159	7.590	1.094	0.1821	115	-1.78	003.14	0
003	Fat, Crude (%)	0876	5.750	0.7000	7.590	1.094	0.1821	115	-1.68	003.14	0
003	Fat, Crude (%)	0083	5.755	0.0900	7.590	1.094	0.1821	115	-1.68	003.14	0
003	Fat, Crude (%)	0939	5.935	0.6100	7.590	1.094	0.1821	115	-1.51	003.14	0
003	Fat, Crude (%)	0682	6.110	0.0000	7.590	1.094	0.1821	115	-1.35	003.14	0
003	Fat, Crude (%)	0520	6.300	0.2200	7.590	1.094	0.1821	115	-1.18	003.14	0
003	Fat, Crude (%)	0148	6.335	0.6500	7.590	1.094	0.1821	115	-1.15	003.14	0
003	Fat, Crude (%)	2155	6.546	0.9100	7.590	1.094	0.1821	115	-0.95	003.10	0
003	Fat, Crude (%)	0563	6.573	0.1856	7.590	1.094	0.1821	115	-0.93	003.06	0
003	Fat, Crude (%)	0563	6.573	0.1856	7.590	1.094	0.1821	115	-0.93	003.14	0
003	Fat, Crude (%)	0265	6.640	0.2200	7.590	1.094	0.1821	115	-0.87	003.14	0
003	Fat, Crude (%)	0956	6.700	0.2000	7.590	1.094	0.1821	115	-0.81	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0948	6.735	0.2500	7.590	1.094	0.1821	115	-0.78	003.14	0
003	Fat, Crude (%)	0843	6.855	0.0700	7.590	1.094	0.1821	115	-0.67	003.14	0
003	Fat, Crude (%)	0037	6.995	0.3500	7.590	1.094	0.1821	115	-0.54	003.14	0
003	Fat, Crude (%)	0968	7.055	0.1100	7.590	1.094	0.1821	115	-0.49	003.14	0
003	Fat, Crude (%)	0144	7.085	0.6500	7.590	1.094	0.1821	115	-0.46	003.14	0
003	Fat, Crude (%)	0598	7.105	0.0100	7.590	1.094	0.1821	115	-0.44	003.14	0
003	Fat, Crude (%)	2073	7.140	0.0400	7.590	1.094	0.1821	115	-0.41	003.10	0
003	Fat, Crude (%)	0581	7.150	0.1000	7.590	1.094	0.1821	115	-0.40	003.14	0
003	Fat, Crude (%)	0546	7.165	0.0300	7.590	1.094	0.1821	115	-0.39	003.99	0
003	Fat, Crude (%)	0027	7.302	0.0550	7.590	1.094	0.1821	115	-0.26	003.09	0
003	Fat, Crude (%)	0413	7.400	0.8000	7.590	1.094	0.1821	115	-0.17	003.14	0
003	Fat, Crude (%)	0036	7.441	0.0884	7.590	1.094	0.1821	115	-0.14	003.10	0
003	Fat, Crude (%)	0108	7.450	0.8600	7.590	1.094	0.1821	115	-0.13	003.14	0
003	Fat, Crude (%)	0229	7.490	0.4800	7.590	1.094	0.1821	115	-0.09	003.06	0
003	Fat, Crude (%)	0529	7.525	0.3900	7.590	1.094	0.1821	115	-0.06	003.14	0
003	Fat, Crude (%)	0001	7.578	0.0250	7.590	1.094	0.1821	115	-0.01	003.14	0
003	Fat, Crude (%)	0263	7.585	0.0856	7.590	1.094	0.1821	115	0.00	003.10	0
003	Fat, Crude (%)	2089	7.730	0.4800	7.590	1.094	0.1821	115	0.13	003.13	0
003	Fat, Crude (%)	0074	7.780	0.0200	7.590	1.094	0.1821	115	0.17	003.14	0
003	Fat, Crude (%)	0042	7.790	0.2200	7.590	1.094	0.1821	115	0.18	003.10	0
003	Fat, Crude (%)	0100	7.795	0.1500	7.590	1.094	0.1821	115	0.19	003.10	0
003	Fat, Crude (%)	0693	7.879	0.0030	7.590	1.094	0.1821	115	0.26	003.10	0
003	Fat, Crude (%)	0098	7.925	0.0500	7.590	1.094	0.1821	115	0.31	003.10	0
003	Fat, Crude (%)	0309	7.933	0.0060	7.590	1.094	0.1821	115	0.31	003.00	0
003	Fat, Crude (%)	0242	7.980	0.0400	7.590	1.094	0.1821	115	0.36	003.10	0
003	Fat, Crude (%)	2188	7.980	0.0000	7.590	1.094	0.1821	115	0.36	003.10	0
003	Fat, Crude (%)	0638	8.000	0.0000	7.590	1.094	0.1821	115	0.38	003.09	0
003	Fat, Crude (%)	0066	8.005	0.1100	7.590	1.094	0.1821	115	0.38	003.14	0
003	Fat, Crude (%)	2022	8.030	0.1400	7.590	1.094	0.1821	115	0.40	003.10	0
003	Fat, Crude (%)	0062	8.030	0.0400	7.590	1.094	0.1821	115	0.40	003.10	0
003	Fat, Crude (%)	0889	8.035	0.0100	7.590	1.094	0.1821	115	0.41	003.10	0
003	Fat, Crude (%)	0675	8.055	0.0500	7.590	1.094	0.1821	115	0.43	003.09	0
003	Fat, Crude (%)	0541	8.055	0.4300	7.590	1.094	0.1821	115	0.43	003.10	0
003	Fat, Crude (%)	2181	8.070	0.0200	7.590	1.094	0.1821	115	0.44	003.06	0
003	Fat, Crude (%)	0045	8.075	0.1300	7.590	1.094	0.1821	115	0.44	003.10	0
003	Fat, Crude (%)	0948	8.110	0.1400	7.590	1.094	0.1821	115	0.48	003.09	0
003	Fat, Crude (%)	0345	8.125	0.0500	7.590	1.094	0.1821	115	0.49	003.00	0
003	Fat, Crude (%)	0171	8.130	0.1000	7.590	1.094	0.1821	115	0.49	003.12	0
003	Fat, Crude (%)	0208	8.135	0.0100	7.590	1.094	0.1821	115	0.50	003.13	0
003	Fat, Crude (%)	2066	8.140	0.0000	7.590	1.094	0.1821	115	0.50	003.06	0
003	Fat, Crude (%)	0123	8.145	0.0300	7.590	1.094	0.1821	115	0.51	003.13	0
003	Fat, Crude (%)	0682	8.160	0.0000	7.590	1.094	0.1821	115	0.52	003.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0881	8.169	0.1330	7.590	1.094	0.1821	115	0.53	003.10	0
003	Fat, Crude (%)	0687	8.175	0.1500	7.590	1.094	0.1821	115	0.54	003.06	0
003	Fat, Crude (%)	0164	8.185	0.0100	7.590	1.094	0.1821	115	0.54	003.01	0
003	Fat, Crude (%)	0512	8.192	0.0090	7.590	1.094	0.1821	115	0.55	003.09	0
003	Fat, Crude (%)	0870	8.192	0.0914	7.590	1.094	0.1821	115	0.55	003.10	0
003	Fat, Crude (%)	0028	8.195	0.0100	7.590	1.094	0.1821	115	0.55	003.13	0
003	Fat, Crude (%)	2105	8.205	0.2300	7.590	1.094	0.1821	115	0.56	003.11	0
003	Fat, Crude (%)	2196	8.210	0.0000	7.590	1.094	0.1821	115	0.57	003.10	0
003	Fat, Crude (%)	0870	8.215	0.0300	7.590	1.094	0.1821	115	0.57	003.09	0
003	Fat, Crude (%)	0297	8.215	0.0300	7.590	1.094	0.1821	115	0.57	003.06	0
003	Fat, Crude (%)	0425	8.225	0.0500	7.590	1.094	0.1821	115	0.58	003.06	0
003	Fat, Crude (%)	2192	8.225	0.0300	7.590	1.094	0.1821	115	0.58	003.00	0
003	Fat, Crude (%)	2009	8.229	0.0016	7.590	1.094	0.1821	115	0.58	003.10	0
003	Fat, Crude (%)	0619	8.230	0.0200	7.590	1.094	0.1821	115	0.59	003.14	0
003	Fat, Crude (%)	0098	8.235	0.1700	7.590	1.094	0.1821	115	0.59	003.13	0
003	Fat, Crude (%)	0035	8.240	0.2200	7.590	1.094	0.1821	115	0.59	003.00	0
003	Fat, Crude (%)	0689	8.250	0.1000	7.590	1.094	0.1821	115	0.60	003.10	0
003	Fat, Crude (%)	0653	8.310	0.0600	7.590	1.094	0.1821	115	0.66	003.00	0
003	Fat, Crude (%)	2268	8.315	0.1900	7.590	1.094	0.1821	115	0.66	003.06	0
003	Fat, Crude (%)	0644	8.316	0.0100	7.590	1.094	0.1821	115	0.66	003.06	0
003	Fat, Crude (%)	0651	8.325	0.3425	7.590	1.094	0.1821	115	0.67	003.06	0
003	Fat, Crude (%)	0226	8.325	0.2700	7.590	1.094	0.1821	115	0.67	003.09	0
003	Fat, Crude (%)	0590	8.330	0.1600	7.590	1.094	0.1821	115	0.68	003.09	0
003	Fat, Crude (%)	0098	8.350	0.1400	7.590	1.094	0.1821	115	0.70	003.09	0
003	Fat, Crude (%)	2109	8.360	0.2800	7.590	1.094	0.1821	115	0.70	003.00	0
003	Fat, Crude (%)	0964	8.391	0.3440	7.590	1.094	0.1821	115	0.73	003.09	0
003	Fat, Crude (%)	0870	8.397	0.3386	7.590	1.094	0.1821	115	0.74	003.13	0
003	Fat, Crude (%)	0353	8.400	0.0800	7.590	1.094	0.1821	115	0.74	003.09	0
003	Fat, Crude (%)	0536	8.415	0.0900	7.590	1.094	0.1821	115	0.75	003.99	0
003	Fat, Crude (%)	2340	8.428	0.0320	7.590	1.094	0.1821	115	0.77	003.00	0
003	Fat, Crude (%)	0941	8.435	0.3100	7.590	1.094	0.1821	115	0.77	003.99	0
003	Fat, Crude (%)	0918	8.450	0.0400	7.590	1.094	0.1821	115	0.79	003.06	0
003	Fat, Crude (%)	0685	8.455	0.0100	7.590	1.094	0.1821	115	0.79	003.09	0
003	Fat, Crude (%)	0190	8.485	0.3100	7.590	1.094	0.1821	115	0.82	003.14	0
003	Fat, Crude (%)	0689	8.550	0.1000	7.590	1.094	0.1821	115	0.88	003.06	0
003	Fat, Crude (%)	0175	8.590	0.0200	7.590	1.094	0.1821	115	0.91	003.00	0
003	Fat, Crude (%)	0910	8.590	0.1000	7.590	1.094	0.1821	115	0.91	003.06	0
003	Fat, Crude (%)	0032	8.600	0.2000	7.590	1.094	0.1821	115	0.92	003.00	0
003	Fat, Crude (%)	0148	8.680	0.0000	7.590	1.094	0.1821	115	1.00	003.10	0
003	Fat, Crude (%)	0017	8.700	0.6000	7.590	1.094	0.1821	115	1.02	003.00	0
003	Fat, Crude (%)	2326	8.725	0.0100	7.590	1.094	0.1821	115	1.04	003.12	0
003	Fat, Crude (%)	0889	8.885	0.0900	7.590	1.094	0.1821	115	1.18	003.11	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0964	9.050	0.3000	7.590	1.094	0.1821	115	1.34	003.11	0
003	Fat, Crude (%)	0297	9.865	0.0100	7.590	1.094	0.1821	115	2.08	003.11	0
003	Fat, Crude (%)	0676	11.75	0.3900	7.590	1.094	0.1821	115	3.80	003.10	0
003	Fat, Crude (%)	0853	5.150	1.300	7.590	1.094	0.1821	115	-2.23	003.14	1
003	Fat, Crude (%)	0511	5.310	1.160	7.590	1.094	0.1821	115	-2.08	003.14	1
004	Fiber, Crude (%)	0278	5.100	0.8000	14.50	0.8480	0.3044	93	-11.08	004.07	0
004	Fiber, Crude (%)	2105	10.33	0.1300	14.50	0.8480	0.3044	93	-4.92	004.11	0
004	Fiber, Crude (%)	0265	13.35	0.3000	14.50	0.8480	0.3044	93	-1.35	004.07	0
004	Fiber, Crude (%)	0619	13.35	0.1000	14.50	0.8480	0.3044	93	-1.35	004.07	0
004	Fiber, Crude (%)	0100	13.36	0.6200	14.50	0.8480	0.3044	93	-1.34	004.07	0
004	Fiber, Crude (%)	0964	13.42	0.1300	14.50	0.8480	0.3044	93	-1.28	004.06	0
004	Fiber, Crude (%)	2089	13.43	0.7800	14.50	0.8480	0.3044	93	-1.26	004.03	0
004	Fiber, Crude (%)	0610	13.45	0.5000	14.50	0.8480	0.3044	93	-1.23	004.06	0
004	Fiber, Crude (%)	0028	13.45	1.300	14.50	0.8480	0.3044	93	-1.23	004.07	0
004	Fiber, Crude (%)	0229	13.47	1.160	14.50	0.8480	0.3044	93	-1.21	004.07	0
004	Fiber, Crude (%)	0407	13.50	0.3765	14.50	0.8480	0.3044	93	-1.18	004.07	0
004	Fiber, Crude (%)	0413	13.50	0.6000	14.50	0.8480	0.3044	93	-1.18	004.07	0
004	Fiber, Crude (%)	0683	13.52	0.2700	14.50	0.8480	0.3044	93	-1.16	004.07	0
004	Fiber, Crude (%)	2009	13.53	0.0501	14.50	0.8480	0.3044	93	-1.15	004.07	0
004	Fiber, Crude (%)	0644	13.57	0.1900	14.50	0.8480	0.3044	93	-1.09	004.07	0
004	Fiber, Crude (%)	0098	13.60	0.0400	14.50	0.8480	0.3044	93	-1.06	004.06	0
004	Fiber, Crude (%)	0035	13.62	0.1200	14.50	0.8480	0.3044	93	-1.03	004.07	0
004	Fiber, Crude (%)	2129	13.70	1.112	14.50	0.8480	0.3044	93	-0.94	004.99	0
004	Fiber, Crude (%)	2340	13.76	0.0070	14.50	0.8480	0.3044	93	-0.87	004.07	0
004	Fiber, Crude (%)	0956	13.80	0.0000	14.50	0.8480	0.3044	93	-0.82	004.07	0
004	Fiber, Crude (%)	0885	13.81	0.0618	14.50	0.8480	0.3044	93	-0.82	004.06	0
004	Fiber, Crude (%)	0505	13.81	0.3300	14.50	0.8480	0.3044	93	-0.82	004.07	0
004	Fiber, Crude (%)	0881	13.86	0.1570	14.50	0.8480	0.3044	93	-0.75	004.06	0
004	Fiber, Crude (%)	0643	13.92	0.0600	14.50	0.8480	0.3044	93	-0.68	004.07	0
004	Fiber, Crude (%)	0226	13.98	0.3700	14.50	0.8480	0.3044	93	-0.62	004.00	0
004	Fiber, Crude (%)	2066	13.98	0.1900	14.50	0.8480	0.3044	93	-0.62	004.00	0
004	Fiber, Crude (%)	0876	14.00	0.2000	14.50	0.8480	0.3044	93	-0.59	004.07	0
004	Fiber, Crude (%)	0689	14.10	0.2000	14.50	0.8480	0.3044	93	-0.47	004.06	0
004	Fiber, Crude (%)	0016	14.10	0.0000	14.50	0.8480	0.3044	93	-0.47	004.07	0
004	Fiber, Crude (%)	0910	14.10	0.4000	14.50	0.8480	0.3044	93	-0.47	004.07	0
004	Fiber, Crude (%)	0098	14.12	0.6600	14.50	0.8480	0.3044	93	-0.44	004.07	0
004	Fiber, Crude (%)	0309	14.17	0.0873	14.50	0.8480	0.3044	93	-0.39	004.00	0
004	Fiber, Crude (%)	0939	14.19	0.0300	14.50	0.8480	0.3044	93	-0.37	004.07	0
004	Fiber, Crude (%)	0881	14.19	0.3690	14.50	0.8480	0.3044	93	-0.37	004.07	0
004	Fiber, Crude (%)	0083	14.20	0.0500	14.50	0.8480	0.3044	93	-0.36	004.07	0
004	Fiber, Crude (%)	0208	14.20	0.4000	14.50	0.8480	0.3044	93	-0.35	004.00	0
004	Fiber, Crude (%)	0190	14.25	0.3000	14.50	0.8480	0.3044	93	-0.29	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	2181	14.25	0.0600	14.50	0.8480	0.3044	93	-0.29	004.07	0
004	Fiber, Crude (%)	0512	14.27	0.1100	14.50	0.8480	0.3044	93	-0.27	004.06	0
004	Fiber, Crude (%)	0171	14.29	0.3300	14.50	0.8480	0.3044	93	-0.25	004.00	0
004	Fiber, Crude (%)	0870	14.33	0.3984	14.50	0.8480	0.3044	93	-0.20	004.07	0
004	Fiber, Crude (%)	2192	14.33	0.5400	14.50	0.8480	0.3044	93	-0.20	004.03	0
004	Fiber, Crude (%)	0164	14.35	0.9000	14.50	0.8480	0.3044	93	-0.17	004.00	0
004	Fiber, Crude (%)	0563	14.43	0.2227	14.50	0.8480	0.3044	93	-0.08	004.07	0
004	Fiber, Crude (%)	0175	14.43	0.2200	14.50	0.8480	0.3044	93	-0.08	004.00	0
004	Fiber, Crude (%)	0123	14.44	0.0300	14.50	0.8480	0.3044	93	-0.07	004.07	0
004	Fiber, Crude (%)	0590	14.45	0.1000	14.50	0.8480	0.3044	93	-0.06	004.07	0
004	Fiber, Crude (%)	0629	14.45	0.5000	14.50	0.8480	0.3044	93	-0.06	004.99	0
004	Fiber, Crude (%)	0345	14.47	0.1300	14.50	0.8480	0.3044	93	-0.04	004.00	0
004	Fiber, Crude (%)	2196	14.47	0.0000	14.50	0.8480	0.3044	93	-0.03	004.07	0
004	Fiber, Crude (%)	2109	14.48	0.5400	14.50	0.8480	0.3044	93	-0.02	004.07	0
004	Fiber, Crude (%)	0425	14.55	0.1000	14.50	0.8480	0.3044	93	0.06	004.00	0
004	Fiber, Crude (%)	0948	14.56	0.0400	14.50	0.8480	0.3044	93	0.07	004.06	0
004	Fiber, Crude (%)	0948	14.59	0.0600	14.50	0.8480	0.3044	93	0.11	004.07	0
004	Fiber, Crude (%)	2259	14.60	0.1100	14.50	0.8480	0.3044	93	0.13	004.07	0
004	Fiber, Crude (%)	0042	14.66	0.5300	14.50	0.8480	0.3044	93	0.19	004.07	0
004	Fiber, Crude (%)	0066	14.66	0.3400	14.50	0.8480	0.3044	93	0.19	004.07	0
004	Fiber, Crude (%)	0653	14.67	0.2300	14.50	0.8480	0.3044	93	0.20	004.07	0
004	Fiber, Crude (%)	0045	14.75	0.3000	14.50	0.8480	0.3044	93	0.30	004.07	0
004	Fiber, Crude (%)	0144	14.79	0.2300	14.50	0.8480	0.3044	93	0.34	004.07	0
004	Fiber, Crude (%)	0039	14.81	0.0140	14.50	0.8480	0.3044	93	0.37	004.07	0
004	Fiber, Crude (%)	0941	14.84	0.1600	14.50	0.8480	0.3044	93	0.40	004.06	0
004	Fiber, Crude (%)	2073	14.89	0.1700	14.50	0.8480	0.3044	93	0.46	004.00	0
004	Fiber, Crude (%)	0353	14.95	0.1000	14.50	0.8480	0.3044	93	0.53	004.03	0
004	Fiber, Crude (%)	0968	14.96	0.5500	14.50	0.8480	0.3044	93	0.54	004.06	0
004	Fiber, Crude (%)	0504	14.96	0.9000	14.50	0.8480	0.3044	93	0.55	004.00	0
004	Fiber, Crude (%)	0638	15.00	0.0000	14.50	0.8480	0.3044	93	0.59	004.06	0
004	Fiber, Crude (%)	0009	15.04	0.0500	14.50	0.8480	0.3044	93	0.63	004.07	0
004	Fiber, Crude (%)	0675	15.10	0.2500	14.50	0.8480	0.3044	93	0.70	004.07	0
004	Fiber, Crude (%)	0889	15.12	0.1100	14.50	0.8480	0.3044	93	0.73	004.11	0
004	Fiber, Crude (%)	0511	15.20	0.4000	14.50	0.8480	0.3044	93	0.83	004.07	0
004	Fiber, Crude (%)	2188	15.24	0.0000	14.50	0.8480	0.3044	93	0.88	004.07	0
004	Fiber, Crude (%)	0074	15.26	0.5400	14.50	0.8480	0.3044	93	0.90	004.07	0
004	Fiber, Crude (%)	0019	15.28	0.3100	14.50	0.8480	0.3044	93	0.92	004.07	0
004	Fiber, Crude (%)	0553	15.29	0.5700	14.50	0.8480	0.3044	93	0.93	004.07	0
004	Fiber, Crude (%)	0536	15.30	0.1900	14.50	0.8480	0.3044	93	0.94	004.07	0
004	Fiber, Crude (%)	0032	15.35	0.7000	14.50	0.8480	0.3044	93	1.01	004.07	0
004	Fiber, Crude (%)	0581	15.35	0.1000	14.50	0.8480	0.3044	93	1.01	004.07	0
004	Fiber, Crude (%)	0626	15.39	0.1100	14.50	0.8480	0.3044	93	1.05	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	0589	15.43	0.7000	14.50	0.8480	0.3044	93	1.10	004.07	0
004	Fiber, Crude (%)	0918	15.45	0.3000	14.50	0.8480	0.3044	93	1.12	004.06	0
004	Fiber, Crude (%)	0693	15.48	0.1730	14.50	0.8480	0.3044	93	1.15	004.07	0
004	Fiber, Crude (%)	0964	15.50	1.000	14.50	0.8480	0.3044	93	1.18	004.11	0
004	Fiber, Crude (%)	0529	15.52	0.2500	14.50	0.8480	0.3044	93	1.20	004.07	0
004	Fiber, Crude (%)	0263	15.60	0.0134	14.50	0.8480	0.3044	93	1.30	004.07	0
004	Fiber, Crude (%)	0202	15.68	0.5600	14.50	0.8480	0.3044	93	1.39	004.07	0
004	Fiber, Crude (%)	2326	15.73	0.1300	14.50	0.8480	0.3044	93	1.45	004.00	0
004	Fiber, Crude (%)	0242	15.75	1.020	14.50	0.8480	0.3044	93	1.48	004.07	0
004	Fiber, Crude (%)	0682	15.80	0.0000	14.50	0.8480	0.3044	93	1.54	004.07	0
004	Fiber, Crude (%)	0598	15.82	0.0300	14.50	0.8480	0.3044	93	1.55	004.07	0
004	Fiber, Crude (%)	0520	16.00	0.1000	14.50	0.8480	0.3044	93	1.77	004.07	0
004	Fiber, Crude (%)	0676	16.06	0.3100	14.50	0.8480	0.3044	93	1.84	004.06	0
004	Fiber, Crude (%)	0968	16.40	0.0300	14.50	0.8480	0.3044	93	2.24	004.07	0
004	Fiber, Crude (%)	0889	0.0000	0.0000	14.50	0.8480	0.3044	93		004.07	4
005	Ash (%)	0297	8.520	0.0800	10.45	0.2366	0.1293	98	-8.17	005.11	0
005	Ash (%)	0108	8.640	0.0000	10.45	0.2366	0.1293	98	-7.66	005.00	0
005	Ash (%)	0889	9.025	0.0100	10.45	0.2366	0.1293	98	-6.03	005.11	0
005	Ash (%)	2081	9.775	0.3300	10.45	0.2366	0.1293	98	-2.86	005.99	0
005	Ash (%)	0953	9.900	0.1800	10.45	0.2366	0.1293	98	-2.33	005.00	0
005	Ash (%)	0425	10.01	0.1700	10.45	0.2366	0.1293	98	-1.89	005.00	0
005	Ash (%)	0539	10.01	0.1000	10.45	0.2366	0.1293	98	-1.87	005.00	0
005	Ash (%)	0019	10.03	0.0600	10.45	0.2366	0.1293	98	-1.78	005.00	0
005	Ash (%)	2268	10.08	0.0100	10.45	0.2366	0.1293	98	-1.59	005.00	0
005	Ash (%)	0144	10.08	0.0400	10.45	0.2366	0.1293	98	-1.57	005.00	0
005	Ash (%)	2022	10.14	0.0500	10.45	0.2366	0.1293	98	-1.34	005.00	0
005	Ash (%)	0357	10.15	0.1000	10.45	0.2366	0.1293	98	-1.28	005.00	0
005	Ash (%)	0574	10.18	0.0900	10.45	0.2366	0.1293	98	-1.17	005.00	0
005	Ash (%)	0042	10.19	0.0300	10.45	0.2366	0.1293	98	-1.13	005.00	0
005	Ash (%)	2073	10.19	0.0300	10.45	0.2366	0.1293	98	-1.13	005.00	0
005	Ash (%)	2192	10.22	0.0400	10.45	0.2366	0.1293	98	-0.98	005.05	0
005	Ash (%)	0650	10.23	0.0700	10.45	0.2366	0.1293	98	-0.96	005.00	0
005	Ash (%)	0358	10.23	0.0400	10.45	0.2366	0.1293	98	-0.94	005.00	0
005	Ash (%)	0049	10.27	0.3100	10.45	0.2366	0.1293	98	-0.79	005.00	0
005	Ash (%)	0918	10.27	0.0600	10.45	0.2366	0.1293	98	-0.77	005.00	0
005	Ash (%)	2150	10.27	0.0200	10.45	0.2366	0.1293	98	-0.77	005.00	0
005	Ash (%)	0175	10.28	0.0400	10.45	0.2366	0.1293	98	-0.73	005.00	0
005	Ash (%)	0644	10.29	0.1420	10.45	0.2366	0.1293	98	-0.70	005.02	0
005	Ash (%)	0208	10.30	0.2000	10.45	0.2366	0.1293	98	-0.64	005.00	0
005	Ash (%)	0643	10.31	0.1500	10.45	0.2366	0.1293	98	-0.62	005.00	0
005	Ash (%)	2340	10.32	0.0500	10.45	0.2366	0.1293	98	-0.56	005.00	0
005	Ash (%)	0039	10.33	0.2960	10.45	0.2366	0.1293	98	-0.54	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0693	10.33	0.3160	10.45	0.2366	0.1293	98	-0.52	005.00	0
005	Ash (%)	0881	10.34	0.2120	10.45	0.2366	0.1293	98	-0.48	005.00	0
005	Ash (%)	0589	10.35	0.0200	10.45	0.2366	0.1293	98	-0.43	005.00	0
005	Ash (%)	0142	10.36	0.3900	10.45	0.2366	0.1293	98	-0.41	005.00	0
005	Ash (%)	0968	10.36	0.0100	10.45	0.2366	0.1293	98	-0.41	005.00	0
005	Ash (%)	2181	10.38	0.1500	10.45	0.2366	0.1293	98	-0.32	005.00	0
005	Ash (%)	0598	10.38	0.0200	10.45	0.2366	0.1293	98	-0.30	005.00	0
005	Ash (%)	0541	10.39	0.0300	10.45	0.2366	0.1293	98	-0.28	005.00	0
005	Ash (%)	2326	10.39	0.2700	10.45	0.2366	0.1293	98	-0.28	005.00	0
005	Ash (%)	0689	10.39	0.0400	10.45	0.2366	0.1293	98	-0.26	005.05	0
005	Ash (%)	0045	10.40	0.6000	10.45	0.2366	0.1293	98	-0.22	005.00	0
005	Ash (%)	0956	10.40	0.2000	10.45	0.2366	0.1293	98	-0.22	005.00	0
005	Ash (%)	0682	10.42	0.0000	10.45	0.2366	0.1293	98	-0.13	005.00	0
005	Ash (%)	0242	10.43	0.0500	10.45	0.2366	0.1293	98	-0.11	005.00	0
005	Ash (%)	0298	10.43	0.0200	10.45	0.2366	0.1293	98	-0.09	005.00	0
005	Ash (%)	0229	10.44	0.1400	10.45	0.2366	0.1293	98	-0.05	005.00	0
005	Ash (%)	0297	10.44	0.0800	10.45	0.2366	0.1293	98	-0.05	005.00	0
005	Ash (%)	0148	10.45	0.2700	10.45	0.2366	0.1293	98	-0.03	005.00	0
005	Ash (%)	0553	10.45	0.1500	10.45	0.2366	0.1293	98	-0.03	005.00	0
005	Ash (%)	0265	10.45	0.1000	10.45	0.2366	0.1293	98	-0.01	005.00	0
005	Ash (%)	0619	10.45	0.1000	10.45	0.2366	0.1293	98	-0.01	005.05	0
005	Ash (%)	0638	10.45	0.3000	10.45	0.2366	0.1293	98	-0.01	005.05	0
005	Ash (%)	0968	10.46	0.0100	10.45	0.2366	0.1293	98	0.01	005.02	0
005	Ash (%)	0870	10.46	0.0750	10.45	0.2366	0.1293	98	0.04	005.00	0
005	Ash (%)	0263	10.46	0.0194	10.45	0.2366	0.1293	98	0.05	005.05	0
005	Ash (%)	0083	10.47	0.0200	10.45	0.2366	0.1293	98	0.08	005.00	0
005	Ash (%)	0563	10.48	0.0914	10.45	0.2366	0.1293	98	0.12	005.00	0
005	Ash (%)	0164	10.48	0.1600	10.45	0.2366	0.1293	98	0.12	005.00	0
005	Ash (%)	0504	10.49	0.1100	10.45	0.2366	0.1293	98	0.14	005.00	0
005	Ash (%)	0651	10.49	0.2045	10.45	0.2366	0.1293	98	0.15	005.00	0
005	Ash (%)	2259	10.49	0.0600	10.45	0.2366	0.1293	98	0.16	005.00	0
005	Ash (%)	0123	10.50	0.1500	10.45	0.2366	0.1293	98	0.18	005.00	0
005	Ash (%)	0345	10.50	0.2000	10.45	0.2366	0.1293	98	0.20	005.00	0
005	Ash (%)	0202	10.51	0.0600	10.45	0.2366	0.1293	98	0.25	005.99	0
005	Ash (%)	0062	10.52	0.0400	10.45	0.2366	0.1293	98	0.29	005.00	0
005	Ash (%)	0683	10.53	0.0100	10.45	0.2366	0.1293	98	0.31	005.05	0
005	Ash (%)	0618	10.53	0.1704	10.45	0.2366	0.1293	98	0.34	005.00	0
005	Ash (%)	0948	10.55	0.0500	10.45	0.2366	0.1293	98	0.39	005.00	0
005	Ash (%)	2109	10.55	0.3900	10.45	0.2366	0.1293	98	0.39	005.05	0
005	Ash (%)	0581	10.55	0.1000	10.45	0.2366	0.1293	98	0.42	005.00	0
005	Ash (%)	2196	10.55	0.0000	10.45	0.2366	0.1293	98	0.42	005.00	0
005	Ash (%)	2188	10.56	0.0500	10.45	0.2366	0.1293	98	0.44	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0171	10.56	0.0800	10.45	0.2366	0.1293	98	0.46	005.00	0
005	Ash (%)	0407	10.57	0.0535	10.45	0.2366	0.1293	98	0.51	005.00	0
005	Ash (%)	0035	10.58	0.1000	10.45	0.2366	0.1293	98	0.54	005.00	0
005	Ash (%)	0546	10.59	0.0700	10.45	0.2366	0.1293	98	0.56	005.99	0
005	Ash (%)	0413	10.60	0.2000	10.45	0.2366	0.1293	98	0.63	005.05	0
005	Ash (%)	0353	10.60	0.2400	10.45	0.2366	0.1293	98	0.63	005.00	0
005	Ash (%)	0853	10.60	0.6000	10.45	0.2366	0.1293	98	0.63	005.00	0
005	Ash (%)	0885	10.60	0.1254	10.45	0.2366	0.1293	98	0.65	005.05	0
005	Ash (%)	0098	10.61	0.0700	10.45	0.2366	0.1293	98	0.65	005.00	0
005	Ash (%)	0941	10.63	0.0800	10.45	0.2366	0.1293	98	0.75	005.05	0
005	Ash (%)	0889	10.64	0.1900	10.45	0.2366	0.1293	98	0.77	005.05	0
005	Ash (%)	2009	10.65	0.0046	10.45	0.2366	0.1293	98	0.83	005.05	0
005	Ash (%)	0590	10.65	0.1000	10.45	0.2366	0.1293	98	0.84	005.05	0
005	Ash (%)	0653	10.70	0.0400	10.45	0.2366	0.1293	98	1.05	005.05	0
005	Ash (%)	0675	10.72	0.2300	10.45	0.2366	0.1293	98	1.11	005.00	0
005	Ash (%)	0629	10.72	0.2000	10.45	0.2366	0.1293	98	1.13	005.99	0
005	Ash (%)	0520	10.73	0.0700	10.45	0.2366	0.1293	98	1.16	005.00	0
005	Ash (%)	0309	10.73	0.0200	10.45	0.2366	0.1293	98	1.18	005.00	0
005	Ash (%)	0652	10.75	0.1000	10.45	0.2366	0.1293	98	1.26	005.99	0
005	Ash (%)	2089	10.79	0.0900	10.45	0.2366	0.1293	98	1.41	005.00	0
005	Ash (%)	0226	10.80	0.2000	10.45	0.2366	0.1293	98	1.47	005.00	0
005	Ash (%)	0610	10.80	0.0000	10.45	0.2366	0.1293	98	1.47	005.05	0
005	Ash (%)	0278	10.83	0.6100	10.45	0.2366	0.1293	98	1.58	005.00	0
005	Ash (%)	2129	10.85	0.2820	10.45	0.2366	0.1293	98	1.68	005.05	0
005	Ash (%)	0685	10.86	0.0100	10.45	0.2366	0.1293	98	1.70	005.05	0
005	Ash (%)	0676	10.97	0.2400	10.45	0.2366	0.1293	98	2.19	005.99	0
005	Ash (%)	0910	11.00	0.2000	10.45	0.2366	0.1293	98	2.32	005.99	0
005	Ash (%)	0921	11.03	0.3100	10.45	0.2366	0.1293	98	2.42	005.05	0
005	Ash (%)	0536	11.04	0.0200	10.45	0.2366	0.1293	98	2.49	005.99	0
005	Ash (%)	2105	8.885	0.9500	10.45	0.2366	0.1293	98	-6.62	005.11	1
005	Ash (%)	0100	10.74	0.7600	10.45	0.2366	0.1293	98	1.22	005.00	1
006	Total Sugars (%)	0921	1.475	0.1300	3.447	1.278	0.1420	5		006.00	0
006	Total Sugars (%)	0910	3.150	0.1800	3.447	1.278	0.1420	5		006.00	0
006	Total Sugars (%)	0407	3.615	0.0100	3.447	1.278	0.1420	5		006.00	0
006	Total Sugars (%)	0956	4.100	0.2000	3.447	1.278	0.1420	5		006.99	0
006	Total Sugars (%)	2192	4.895	0.1900	3.447	1.278	0.1420	5		006.00	0
008	Fiber, Acid Detergent (%)	0278	5.100	0.4000	18.89	0.8248	0.2621	55	-16.72	008.08	0
008	Fiber, Acid Detergent (%)	0590	16.60	0.4000	18.89	0.8248	0.2621	55	-2.78	008.08	0
008	Fiber, Acid Detergent (%)	0653	17.36	0.0300	18.89	0.8248	0.2621	55	-1.86	008.08	0
008	Fiber, Acid Detergent (%)	0027	17.66	0.2580	18.89	0.8248	0.2621	55	-1.50	008.99	0
008	Fiber, Acid Detergent (%)	0629	17.90	0.2000	18.89	0.8248	0.2621	55	-1.20	008.99	0
008	Fiber, Acid Detergent (%)	0948	17.95	0.0900	18.89	0.8248	0.2621	55	-1.15	008.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
008	Fiber, Acid Detergent (%)	0910	18.01	0.3600	18.89	0.8248	0.2621	55	-1.07	008.08	0
008	Fiber, Acid Detergent (%)	0941	18.03	0.2400	18.89	0.8248	0.2621	55	-1.05	008.99	0
008	Fiber, Acid Detergent (%)	0968	18.05	0.1300	18.89	0.8248	0.2621	55	-1.03	008.08	0
008	Fiber, Acid Detergent (%)	0675	18.11	0.1300	18.89	0.8248	0.2621	55	-0.96	008.08	0
008	Fiber, Acid Detergent (%)	0948	18.11	0.1800	18.89	0.8248	0.2621	55	-0.95	008.08	0
008	Fiber, Acid Detergent (%)	0309	18.15	0.0317	18.89	0.8248	0.2621	55	-0.90	008.02	0
008	Fiber, Acid Detergent (%)	0939	18.30	0.1500	18.89	0.8248	0.2621	55	-0.73	008.08	0
008	Fiber, Acid Detergent (%)	0297	18.31	0.0200	18.89	0.8248	0.2621	55	-0.71	008.08	0
008	Fiber, Acid Detergent (%)	0098	18.37	0.0800	18.89	0.8248	0.2621	55	-0.63	008.02	0
008	Fiber, Acid Detergent (%)	0049	18.41	0.2100	18.89	0.8248	0.2621	55	-0.59	008.08	0
008	Fiber, Acid Detergent (%)	0956	18.45	0.3000	18.89	0.8248	0.2621	55	-0.54	008.08	0
008	Fiber, Acid Detergent (%)	0190	18.51	0.0200	18.89	0.8248	0.2621	55	-0.46	008.08	0
008	Fiber, Acid Detergent (%)	0035	18.59	0.1100	18.89	0.8248	0.2621	55	-0.37	008.08	0
008	Fiber, Acid Detergent (%)	2196	18.59	0.0000	18.89	0.8248	0.2621	55	-0.37	008.08	0
008	Fiber, Acid Detergent (%)	0001	18.65	0.1700	18.89	0.8248	0.2621	55	-0.30	008.08	0
008	Fiber, Acid Detergent (%)	0619	18.70	0.4000	18.89	0.8248	0.2621	55	-0.23	008.08	0
008	Fiber, Acid Detergent (%)	0870	18.74	0.3369	18.89	0.8248	0.2621	55	-0.19	008.08	0
008	Fiber, Acid Detergent (%)	0689	18.75	0.5000	18.89	0.8248	0.2621	55	-0.17	008.02	0
008	Fiber, Acid Detergent (%)	0610	18.75	0.1000	18.89	0.8248	0.2621	55	-0.17	008.99	0
008	Fiber, Acid Detergent (%)	0353	18.78	0.2000	18.89	0.8248	0.2621	55	-0.14	008.02	0
008	Fiber, Acid Detergent (%)	0016	18.80	0.2000	18.89	0.8248	0.2621	55	-0.11	008.08	0
008	Fiber, Acid Detergent (%)	0226	18.81	0.6200	18.89	0.8248	0.2621	55	-0.10	008.02	0
008	Fiber, Acid Detergent (%)	0357	18.85	0.1000	18.89	0.8248	0.2621	55	-0.05	008.08	0
008	Fiber, Acid Detergent (%)	0581	19.00	0.2000	18.89	0.8248	0.2621	55	0.13	008.08	0
008	Fiber, Acid Detergent (%)	0511	19.00	1.400	18.89	0.8248	0.2621	55	0.13	008.99	0
008	Fiber, Acid Detergent (%)	0889	19.03	0.0300	18.89	0.8248	0.2621	55	0.16	008.08	0
008	Fiber, Acid Detergent (%)	0504	19.07	0.1000	18.89	0.8248	0.2621	55	0.21	008.02	0
008	Fiber, Acid Detergent (%)	0042	19.07	0.8400	18.89	0.8248	0.2621	55	0.21	008.08	0
008	Fiber, Acid Detergent (%)	0263	19.13	0.0688	18.89	0.8248	0.2621	55	0.29	008.08	0
008	Fiber, Acid Detergent (%)	0345	19.15	0.1000	18.89	0.8248	0.2621	55	0.31	008.02	0
008	Fiber, Acid Detergent (%)	0918	19.24	0.1629	18.89	0.8248	0.2621	55	0.42	008.08	0
008	Fiber, Acid Detergent (%)	0407	19.30	0.1461	18.89	0.8248	0.2621	55	0.49	008.08	0
008	Fiber, Acid Detergent (%)	0037	19.35	0.1300	18.89	0.8248	0.2621	55	0.55	008.08	0
008	Fiber, Acid Detergent (%)	0676	19.45	0.3500	18.89	0.8248	0.2621	55	0.67	008.02	0
008	Fiber, Acid Detergent (%)	0148	19.48	0.5200	18.89	0.8248	0.2621	55	0.71	008.08	0
008	Fiber, Acid Detergent (%)	0148	19.48	0.1400	18.89	0.8248	0.2621	55	0.71	008.02	0
008	Fiber, Acid Detergent (%)	0066	19.50	0.3200	18.89	0.8248	0.2621	55	0.74	008.08	0
008	Fiber, Acid Detergent (%)	2192	19.52	0.7200	18.89	0.8248	0.2621	55	0.76	008.02	0
008	Fiber, Acid Detergent (%)	0083	19.55	0.0700	18.89	0.8248	0.2621	55	0.79	008.08	0
008	Fiber, Acid Detergent (%)	0171	19.57	0.2200	18.89	0.8248	0.2621	55	0.82	008.02	0
008	Fiber, Acid Detergent (%)	0358	19.66	0.6000	18.89	0.8248	0.2621	55	0.93	008.08	0
008	Fiber, Acid Detergent (%)	0164	19.80	0.0000	18.89	0.8248	0.2621	55	1.10	008.08	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
008	Fiber, Acid Detergent (%)	0964	19.88	0.0490	18.89	0.8248	0.2621	55	1.20	008.02	0
008	Fiber, Acid Detergent (%)	0045	20.05	0.9000	18.89	0.8248	0.2621	55	1.40	008.08	0
008	Fiber, Acid Detergent (%)	0693	20.08	0.4930	18.89	0.8248	0.2621	55	1.43	008.08	0
008	Fiber, Acid Detergent (%)	0265	20.45	0.1000	18.89	0.8248	0.2621	55	1.89	008.05	0
008	Fiber, Acid Detergent (%)	2129	21.25	0.3570	18.89	0.8248	0.2621	55	2.86	008.08	0
008	Fiber, Acid Detergent (%)	0536	21.60	0.0400	18.89	0.8248	0.2621	55	3.28	008.08	0
008	Fiber, Acid Detergent (%)	2326	22.52	0.3900	18.89	0.8248	0.2621	55	4.39	008.99	0
008	Fiber, Acid Detergent (%)	0413	20.00	1.800	18.89	0.8248	0.2621	55	1.34	008.08	1
008	Fiber, Acid Detergent (%)	0964	40.50	1.200	18.89	0.8248	0.2621	55	26.20	008.99	2
009	Fiber, Neutral Detergent (%)	0536	24.23	0.0900	35.22	1.424	0.3873	51	-7.73	009.09	0
009	Fiber, Neutral Detergent (%)	0910	31.35	0.3000	35.22	1.424	0.3873	51	-2.72	009.07	0
009	Fiber, Neutral Detergent (%)	0889	31.61	0.0100	35.22	1.424	0.3873	51	-2.54	009.99	0
009	Fiber, Neutral Detergent (%)	0590	33.20	0.4000	35.22	1.424	0.3873	51	-1.42	009.09	0
009	Fiber, Neutral Detergent (%)	0619	33.70	0.4000	35.22	1.424	0.3873	51	-1.07	009.09	0
009	Fiber, Neutral Detergent (%)	2340	33.71	0.1130	35.22	1.424	0.3873	51	-1.06	009.09	0
009	Fiber, Neutral Detergent (%)	0939	33.75	1.110	35.22	1.424	0.3873	51	-1.04	009.09	0
009	Fiber, Neutral Detergent (%)	0598	33.98	0.0100	35.22	1.424	0.3873	51	-0.88	009.09	0
009	Fiber, Neutral Detergent (%)	0504	34.13	0.1700	35.22	1.424	0.3873	51	-0.77	009.04	0
009	Fiber, Neutral Detergent (%)	0653	34.19	0.2600	35.22	1.424	0.3873	51	-0.73	009.09	0
009	Fiber, Neutral Detergent (%)	0263	34.30	0.0136	35.22	1.424	0.3873	51	-0.65	009.09	0
009	Fiber, Neutral Detergent (%)	0148	34.36	0.1100	35.22	1.424	0.3873	51	-0.61	009.09	0
009	Fiber, Neutral Detergent (%)	0629	34.40	0.6000	35.22	1.424	0.3873	51	-0.58	009.99	0
009	Fiber, Neutral Detergent (%)	2196	34.41	0.0000	35.22	1.424	0.3873	51	-0.57	009.09	0
009	Fiber, Neutral Detergent (%)	0407	34.54	1.010	35.22	1.424	0.3873	51	-0.48	009.09	0
009	Fiber, Neutral Detergent (%)	0870	34.60	0.8092	35.22	1.424	0.3873	51	-0.44	009.09	0
009	Fiber, Neutral Detergent (%)	0581	34.60	0.2000	35.22	1.424	0.3873	51	-0.44	009.09	0
009	Fiber, Neutral Detergent (%)	0948	34.61	0.1500	35.22	1.424	0.3873	51	-0.44	009.09	0
009	Fiber, Neutral Detergent (%)	0918	34.65	0.7914	35.22	1.424	0.3873	51	-0.41	009.09	0
009	Fiber, Neutral Detergent (%)	0675	34.67	0.0900	35.22	1.424	0.3873	51	-0.39	009.09	0
009	Fiber, Neutral Detergent (%)	2129	34.68	1.078	35.22	1.424	0.3873	51	-0.39	009.09	0
009	Fiber, Neutral Detergent (%)	0035	34.75	0.0100	35.22	1.424	0.3873	51	-0.34	009.09	0
009	Fiber, Neutral Detergent (%)	0037	34.75	0.1200	35.22	1.424	0.3873	51	-0.33	009.09	0
009	Fiber, Neutral Detergent (%)	0956	34.80	0.6000	35.22	1.424	0.3873	51	-0.30	009.09	0
009	Fiber, Neutral Detergent (%)	0610	34.85	0.5000	35.22	1.424	0.3873	51	-0.26	009.07	0
009	Fiber, Neutral Detergent (%)	0357	34.95	0.3000	35.22	1.424	0.3873	51	-0.19	009.09	0
009	Fiber, Neutral Detergent (%)	0948	35.08	0.5100	35.22	1.424	0.3873	51	-0.11	009.07	0
009	Fiber, Neutral Detergent (%)	0358	35.09	0.2700	35.22	1.424	0.3873	51	-0.10	009.09	0
009	Fiber, Neutral Detergent (%)	0968	35.21	0.4600	35.22	1.424	0.3873	51	-0.01	009.09	0
009	Fiber, Neutral Detergent (%)	0049	35.22	0.4100	35.22	1.424	0.3873	51	-0.01	009.09	0
009	Fiber, Neutral Detergent (%)	0693	35.23	0.0570	35.22	1.424	0.3873	51	0.00	009.09	0
009	Fiber, Neutral Detergent (%)	0164	35.55	0.1000	35.22	1.424	0.3873	51	0.23	009.09	0
009	Fiber, Neutral Detergent (%)	2192	35.71	0.2900	35.22	1.424	0.3873	51	0.34	009.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
009	Fiber, Neutral Detergent (%)	0045	35.75	0.1000	35.22	1.424	0.3873	51	0.37	009.09	0
009	Fiber, Neutral Detergent (%)	0098	35.85	0.7000	35.22	1.424	0.3873	51	0.44	009.07	0
009	Fiber, Neutral Detergent (%)	0066	35.90	0.3300	35.22	1.424	0.3873	51	0.47	009.09	0
009	Fiber, Neutral Detergent (%)	0353	35.99	0.5000	35.22	1.424	0.3873	51	0.54	009.07	0
009	Fiber, Neutral Detergent (%)	0689	36.05	0.5000	35.22	1.424	0.3873	51	0.58	009.07	0
009	Fiber, Neutral Detergent (%)	0889	36.05	0.2000	35.22	1.424	0.3873	51	0.58	009.09	0
009	Fiber, Neutral Detergent (%)	0413	36.25	0.3000	35.22	1.424	0.3873	51	0.72	009.09	0
009	Fiber, Neutral Detergent (%)	0345	36.30	0.2000	35.22	1.424	0.3873	51	0.76	009.07	0
009	Fiber, Neutral Detergent (%)	0941	36.38	0.2800	35.22	1.424	0.3873	51	0.81	009.99	0
009	Fiber, Neutral Detergent (%)	0226	36.42	0.2500	35.22	1.424	0.3873	51	0.84	009.07	0
009	Fiber, Neutral Detergent (%)	0083	37.14	0.0600	35.22	1.424	0.3873	51	1.35	009.09	0
009	Fiber, Neutral Detergent (%)	0676	37.41	0.4700	35.22	1.424	0.3873	51	1.53	009.07	0
009	Fiber, Neutral Detergent (%)	0309	37.60	0.1718	35.22	1.424	0.3873	51	1.67	009.07	0
009	Fiber, Neutral Detergent (%)	0265	37.75	0.5000	35.22	1.424	0.3873	51	1.77	009.09	0
009	Fiber, Neutral Detergent (%)	0297	37.95	1.700	35.22	1.424	0.3873	51	1.91	009.09	0
009	Fiber, Neutral Detergent (%)	2326	38.24	0.0900	35.22	1.424	0.3873	51	2.11	009.99	0
009	Fiber, Neutral Detergent (%)	0190	38.39	0.8600	35.22	1.424	0.3873	51	2.22	009.09	0
009	Fiber, Neutral Detergent (%)	0964	40.50	1.200	35.22	1.424	0.3873	51	3.71	009.99	0
009	Fiber, Neutral Detergent (%)	0964	35.51	2.155	35.22	1.424	0.3873	51	0.20	009.07	1
009	Fiber, Neutral Detergent (%)	0278	13.85	1.300	35.22	1.424	0.3873	51	-15.01	009.09	2
010	Moisture (%)	0546	7.055	0.0300	7.868	0.5624	0.1353	15	-1.45	010.99	0
010	Moisture (%)	0843	7.390	0.3800	7.868	0.5624	0.1353	15	-0.85	010.03	0
010	Moisture (%)	0948	7.505	0.0500	7.868	0.5624	0.1353	15	-0.64	010.99	0
010	Moisture (%)	0939	7.535	0.0700	7.868	0.5624	0.1353	15	-0.59	010.99	0
010	Moisture (%)	0964	7.583	0.0500	7.868	0.5624	0.1353	15	-0.51	010.99	0
010	Moisture (%)	0164	7.610	0.0400	7.868	0.5624	0.1353	15	-0.46	010.03	0
010	Moisture (%)	0889	7.680	0.0400	7.868	0.5624	0.1353	15	-0.33	010.11	0
010	Moisture (%)	2150	7.680	0.0200	7.868	0.5624	0.1353	15	-0.33	010.99	0
010	Moisture (%)	0652	7.750	0.3000	7.868	0.5624	0.1353	15	-0.21	010.99	0
010	Moisture (%)	0875	7.900	0.0000	7.868	0.5624	0.1353	15	0.06	010.99	0
010	Moisture (%)	0921	8.055	0.1300	7.868	0.5624	0.1353	15	0.33	010.99	0
010	Moisture (%)	2216	8.415	0.1900	7.868	0.5624	0.1353	15	0.97	010.99	0
010	Moisture (%)	0190	8.435	0.0300	7.868	0.5624	0.1353	15	1.01	010.99	0
010	Moisture (%)	0964	8.750	0.1000	7.868	0.5624	0.1353	15	1.57	010.11	0
010	Moisture (%)	2089	8.930	0.6000	7.868	0.5624	0.1353	15	1.89	010.99	0
010	Moisture (%)	2105	7.310	1.560	7.868	0.5624	0.1353	15	-0.99	010.11	1
010	Moisture (%)	2129	92.11	0.4460	7.868	0.5624	0.1353	15	149.78	010.99	2
011	Loss on Drying, HT (%)	0062	7.775	0.0500	8.539	0.3119	0.1257	61	-2.45	011.01	0
011	Loss on Drying, HT (%)	0685	8.015	0.0100	8.539	0.3119	0.1257	61	-1.68	011.01	0
011	Loss on Drying, HT (%)	0598	8.075	0.1700	8.539	0.3119	0.1257	61	-1.49	011.01	0
011	Loss on Drying, HT (%)	2340	8.089	0.0800	8.539	0.3119	0.1257	61	-1.44	011.01	0
011	Loss on Drying, HT (%)	0968	8.095	0.0300	8.539	0.3119	0.1257	61	-1.42	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
011	Loss on Drying, HT (%)	0857	8.100	0.4000	8.539	0.3119	0.1257	61	-1.41	011.99	0
011	Loss on Drying, HT (%)	0265	8.150	0.1000	8.539	0.3119	0.1257	61	-1.25	011.01	0
011	Loss on Drying, HT (%)	0263	8.185	0.1100	8.539	0.3119	0.1257	61	-1.13	011.01	0
011	Loss on Drying, HT (%)	2326	8.205	0.0500	8.539	0.3119	0.1257	61	-1.07	011.01	0
011	Loss on Drying, HT (%)	0859	8.236	0.0730	8.539	0.3119	0.1257	61	-0.97	011.01	0
011	Loss on Drying, HT (%)	0226	8.265	0.1900	8.539	0.3119	0.1257	61	-0.88	011.01	0
011	Loss on Drying, HT (%)	0675	8.290	0.2400	8.539	0.3119	0.1257	61	-0.80	011.01	0
011	Loss on Drying, HT (%)	0164	8.330	0.4200	8.539	0.3119	0.1257	61	-0.67	011.01	0
011	Loss on Drying, HT (%)	0098	8.330	0.2400	8.539	0.3119	0.1257	61	-0.67	011.01	0
011	Loss on Drying, HT (%)	2066	8.330	0.0200	8.539	0.3119	0.1257	61	-0.67	011.02	0
011	Loss on Drying, HT (%)	2181	8.365	0.1700	8.539	0.3119	0.1257	61	-0.56	011.01	0
011	Loss on Drying, HT (%)	0208	8.365	0.4300	8.539	0.3119	0.1257	61	-0.56	011.01	0
011	Loss on Drying, HT (%)	2174	8.365	0.3100	8.539	0.3119	0.1257	61	-0.56	011.01	0
011	Loss on Drying, HT (%)	0953	8.375	0.2100	8.539	0.3119	0.1257	61	-0.53	011.01	0
011	Loss on Drying, HT (%)	2168	8.375	0.0300	8.539	0.3119	0.1257	61	-0.53	011.01	0
011	Loss on Drying, HT (%)	0881	8.385	0.1810	8.539	0.3119	0.1257	61	-0.50	011.01	0
011	Loss on Drying, HT (%)	0425	8.390	0.0400	8.539	0.3119	0.1257	61	-0.48	011.01	0
011	Loss on Drying, HT (%)	2188	8.425	0.0500	8.539	0.3119	0.1257	61	-0.37	011.01	0
011	Loss on Drying, HT (%)	0100	8.455	0.0100	8.539	0.3119	0.1257	61	-0.27	011.01	0
011	Loss on Drying, HT (%)	0942	8.460	0.1800	8.539	0.3119	0.1257	61	-0.25	011.02	0
011	Loss on Drying, HT (%)	0047	8.500	0.2000	8.539	0.3119	0.1257	61	-0.12	011.01	0
011	Loss on Drying, HT (%)	0520	8.500	0.0000	8.539	0.3119	0.1257	61	-0.12	011.01	0
011	Loss on Drying, HT (%)	0843	8.510	0.0200	8.539	0.3119	0.1257	61	-0.09	011.01	0
011	Loss on Drying, HT (%)	0539	8.560	0.1000	8.539	0.3119	0.1257	61	0.07	011.01	0
011	Loss on Drying, HT (%)	0298	8.560	0.0200	8.539	0.3119	0.1257	61	0.07	011.01	0
011	Loss on Drying, HT (%)	0529	8.565	0.1100	8.539	0.3119	0.1257	61	0.08	011.02	0
011	Loss on Drying, HT (%)	0171	8.570	0.0200	8.539	0.3119	0.1257	61	0.10	011.01	0
011	Loss on Drying, HT (%)	2073	8.575	0.1100	8.539	0.3119	0.1257	61	0.12	011.01	0
011	Loss on Drying, HT (%)	0563	8.579	0.0408	8.539	0.3119	0.1257	61	0.13	011.01	0
011	Loss on Drying, HT (%)	0574	8.580	0.0200	8.539	0.3119	0.1257	61	0.13	011.01	0
011	Loss on Drying, HT (%)	2303	8.590	0.2990	8.539	0.3119	0.1257	61	0.16	011.99	0
011	Loss on Drying, HT (%)	0541	8.595	0.3300	8.539	0.3119	0.1257	61	0.18	011.01	0
011	Loss on Drying, HT (%)	2196	8.600	0.0000	8.539	0.3119	0.1257	61	0.20	011.01	0
011	Loss on Drying, HT (%)	0511	8.615	0.1900	8.539	0.3119	0.1257	61	0.24	011.01	0
011	Loss on Drying, HT (%)	0870	8.620	0.1204	8.539	0.3119	0.1257	61	0.26	011.01	0
011	Loss on Drying, HT (%)	0643	8.650	0.0200	8.539	0.3119	0.1257	61	0.36	011.01	0
011	Loss on Drying, HT (%)	0653	8.660	0.0200	8.539	0.3119	0.1257	61	0.39	011.01	0
011	Loss on Drying, HT (%)	0682	8.660	0.0000	8.539	0.3119	0.1257	61	0.39	011.01	0
011	Loss on Drying, HT (%)	0407	8.664	0.0487	8.539	0.3119	0.1257	61	0.40	011.01	0
011	Loss on Drying, HT (%)	0242	8.665	0.0500	8.539	0.3119	0.1257	61	0.40	011.01	0
011	Loss on Drying, HT (%)	2268	8.665	0.1900	8.539	0.3119	0.1257	61	0.40	011.01	0
011	Loss on Drying, HT (%)	0175	8.700	0.0000	8.539	0.3119	0.1257	61	0.52	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
011	Loss on Drying, HT (%)	0553	8.765	0.0300	8.539	0.3119	0.1257	61	0.73	011.01	0
011	Loss on Drying, HT (%)	0066	8.770	0.0600	8.539	0.3119	0.1257	61	0.74	011.01	0
011	Loss on Drying, HT (%)	2066	8.780	0.0600	8.539	0.3119	0.1257	61	0.77	011.01	0
011	Loss on Drying, HT (%)	0144	8.825	0.0700	8.539	0.3119	0.1257	61	0.92	011.01	0
011	Loss on Drying, HT (%)	0651	8.882	0.1023	8.539	0.3119	0.1257	61	1.10	011.01	0
011	Loss on Drying, HT (%)	0123	8.920	0.0600	8.539	0.3119	0.1257	61	1.22	011.01	0
011	Loss on Drying, HT (%)	0309	8.945	0.0500	8.539	0.3119	0.1257	61	1.30	011.01	0
011	Loss on Drying, HT (%)	2022	8.980	0.1400	8.539	0.3119	0.1257	61	1.41	011.01	0
011	Loss on Drying, HT (%)	0202	9.010	0.2400	8.539	0.3119	0.1257	61	1.51	011.01	0
011	Loss on Drying, HT (%)	0589	9.035	0.1700	8.539	0.3119	0.1257	61	1.59	011.01	0
011	Loss on Drying, HT (%)	0229	9.165	0.0900	8.539	0.3119	0.1257	61	2.01	011.01	0
011	Loss on Drying, HT (%)	0358	9.210	0.2600	8.539	0.3119	0.1257	61	2.15	011.01	0
011	Loss on Drying, HT (%)	0536	9.320	0.4800	8.539	0.3119	0.1257	61	2.50	011.01	0
011	Loss on Drying, HT (%)	0108	10.43	0.1500	8.539	0.3119	0.1257	61	6.05	011.01	0
011	Loss on Drying, HT (%)	0618	7.365	0.6300	8.539	0.3119	0.1257	61	-3.76	011.01	1
012	Starch (%)	0407	11.65	0.3943	14.29	1.648	0.2717	29	-1.60	012.03	0
012	Starch (%)	0098	11.95	0.7000	14.29	1.648	0.2717	29	-1.42	012.04	0
012	Starch (%)	0910	12.40	0.8000	14.29	1.648	0.2717	29	-1.15	012.01	0
012	Starch (%)	0676	12.64	0.1700	14.29	1.648	0.2717	29	-1.00	012.01	0
012	Starch (%)	0353	12.85	0.3400	14.29	1.648	0.2717	29	-0.87	012.20	0
012	Starch (%)	0870	12.90	0.4372	14.29	1.648	0.2717	29	-0.84	012.01	0
012	Starch (%)	2129	13.01	1.045	14.29	1.648	0.2717	29	-0.78	012.04	0
012	Starch (%)	0045	13.05	0.1000	14.29	1.648	0.2717	29	-0.75	012.01	0
012	Starch (%)	0297	13.08	0.0100	14.29	1.648	0.2717	29	-0.74	012.03	0
012	Starch (%)	0956	13.30	0.2000	14.29	1.648	0.2717	29	-0.60	012.01	0
012	Starch (%)	0148	13.49	0.0500	14.29	1.648	0.2717	29	-0.49	012.01	0
012	Starch (%)	0885	13.56	0.0191	14.29	1.648	0.2717	29	-0.44	012.01	0
012	Starch (%)	0918	13.66	0.0770	14.29	1.648	0.2717	29	-0.38	012.01	0
012	Starch (%)	0164	13.90	0.0000	14.29	1.648	0.2717	29	-0.24	012.01	0
012	Starch (%)	0889	14.15	0.1000	14.29	1.648	0.2717	29	-0.08	012.03	0
012	Starch (%)	0693	14.26	0.4330	14.29	1.648	0.2717	29	-0.02	012.01	0
012	Starch (%)	0948	14.95	0.2400	14.29	1.648	0.2717	29	0.40	012.04	0
012	Starch (%)	2188	15.30	0.0700	14.29	1.648	0.2717	29	0.61	012.00	0
012	Starch (%)	0619	15.30	0.0000	14.29	1.648	0.2717	29	0.61	012.00	0
012	Starch (%)	0689	15.35	0.3000	14.29	1.648	0.2717	29	0.64	012.00	0
012	Starch (%)	2192	15.37	0.0400	14.29	1.648	0.2717	29	0.66	012.00	0
012	Starch (%)	2089	15.49	0.0900	14.29	1.648	0.2717	29	0.73	012.01	0
012	Starch (%)	0889	15.51	0.3850	14.29	1.648	0.2717	29	0.74	012.11	0
012	Starch (%)	0164	15.75	0.1000	14.29	1.648	0.2717	29	0.89	012.00	0
012	Starch (%)	0297	15.84	0.8600	14.29	1.648	0.2717	29	0.94	012.11	0
012	Starch (%)	0683	16.09	0.2200	14.29	1.648	0.2717	29	1.09	012.00	0
012	Starch (%)	2181	16.25	0.1000	14.29	1.648	0.2717	29	1.19	012.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
012	Starch (%)	0265	16.40	0.4000	14.29	1.648	0.2717	29	1.28	012.01	0
012	Starch (%)	0590	19.10	0.2000	14.29	1.648	0.2717	29	2.92	012.11	0
012	Starch (%)	0910	15.70	1.400	14.29	1.648	0.2717	29	0.86	012.00	1
012	Starch (%)	0278	36.45	0.5000	14.29	1.648	0.2717	29	13.45	012.04	2
013	Fat, Acid Pretreat (%)	0083	6.420	0.0200	9.064	0.7255	0.1799	45	-3.64	013.00	0
013	Fat, Acid Pretreat (%)	0618	6.469	0.4541	9.064	0.7255	0.1799	45	-3.58	013.08	0
013	Fat, Acid Pretreat (%)	0939	7.255	0.5100	9.064	0.7255	0.1799	45	-2.49	013.13	0
013	Fat, Acid Pretreat (%)	0643	7.495	0.0900	9.064	0.7255	0.1799	45	-2.16	013.02	0
013	Fat, Acid Pretreat (%)	2073	7.990	0.1400	9.064	0.7255	0.1799	45	-1.48	013.00	0
013	Fat, Acid Pretreat (%)	2188	8.240	0.0000	9.064	0.7255	0.1799	45	-1.14	013.00	0
013	Fat, Acid Pretreat (%)	0242	8.355	0.4500	9.064	0.7255	0.1799	45	-0.98	013.00	0
013	Fat, Acid Pretreat (%)	0407	8.410	0.4200	9.064	0.7255	0.1799	45	-0.90	013.02	0
013	Fat, Acid Pretreat (%)	0229	8.455	0.2900	9.064	0.7255	0.1799	45	-0.84	013.00	0
013	Fat, Acid Pretreat (%)	0629	8.465	0.1700	9.064	0.7255	0.1799	45	-0.83	013.10	0
013	Fat, Acid Pretreat (%)	0610	8.530	0.1200	9.064	0.7255	0.1799	45	-0.74	013.10	0
013	Fat, Acid Pretreat (%)	0036	8.547	0.0554	9.064	0.7255	0.1799	45	-0.71	013.10	0
013	Fat, Acid Pretreat (%)	0689	8.550	0.1000	9.064	0.7255	0.1799	45	-0.71	013.00	0
013	Fat, Acid Pretreat (%)	0541	8.560	0.6000	9.064	0.7255	0.1799	45	-0.69	013.00	0
013	Fat, Acid Pretreat (%)	0881	8.582	0.2110	9.064	0.7255	0.1799	45	-0.66	013.00	0
013	Fat, Acid Pretreat (%)	0638	8.600	0.0000	9.064	0.7255	0.1799	45	-0.64	013.10	0
013	Fat, Acid Pretreat (%)	0650	8.845	0.1700	9.064	0.7255	0.1799	45	-0.30	013.00	0
013	Fat, Acid Pretreat (%)	0353	8.910	0.0400	9.064	0.7255	0.1799	45	-0.21	013.10	0
013	Fat, Acid Pretreat (%)	0683	8.965	0.0700	9.064	0.7255	0.1799	45	-0.14	013.13	0
013	Fat, Acid Pretreat (%)	0098	9.000	0.0200	9.064	0.7255	0.1799	45	-0.09	013.02	0
013	Fat, Acid Pretreat (%)	0265	9.050	0.2200	9.064	0.7255	0.1799	45	-0.02	013.13	0
013	Fat, Acid Pretreat (%)	0675	9.065	0.0500	9.064	0.7255	0.1799	45	0.00	013.02	0
013	Fat, Acid Pretreat (%)	2196	9.230	0.0000	9.064	0.7255	0.1799	45	0.23	013.10	0
013	Fat, Acid Pretreat (%)	0910	9.235	0.0500	9.064	0.7255	0.1799	45	0.24	013.00	0
013	Fat, Acid Pretreat (%)	0652	9.250	0.1000	9.064	0.7255	0.1799	45	0.26	013.00	0
013	Fat, Acid Pretreat (%)	0870	9.298	0.0529	9.064	0.7255	0.1799	45	0.32	013.02	0
013	Fat, Acid Pretreat (%)	0148	9.385	0.4100	9.064	0.7255	0.1799	45	0.44	013.02	0
013	Fat, Acid Pretreat (%)	0171	9.450	0.0400	9.064	0.7255	0.1799	45	0.53	013.02	0
013	Fat, Acid Pretreat (%)	0208	9.450	0.5000	9.064	0.7255	0.1799	45	0.53	013.02	0
013	Fat, Acid Pretreat (%)	0843	9.455	0.1700	9.064	0.7255	0.1799	45	0.54	013.13	0
013	Fat, Acid Pretreat (%)	0948	9.475	0.1300	9.064	0.7255	0.1799	45	0.57	013.00	0
013	Fat, Acid Pretreat (%)	0968	9.495	0.1700	9.064	0.7255	0.1799	45	0.59	013.13	0
013	Fat, Acid Pretreat (%)	0682	9.520	0.0000	9.064	0.7255	0.1799	45	0.63	013.02	0
013	Fat, Acid Pretreat (%)	0300	9.535	0.1100	9.064	0.7255	0.1799	45	0.65	013.02	0
013	Fat, Acid Pretreat (%)	0853	9.550	0.3000	9.064	0.7255	0.1799	45	0.67	013.02	0
013	Fat, Acid Pretreat (%)	0309	9.644	0.0472	9.064	0.7255	0.1799	45	0.80	013.00	0
013	Fat, Acid Pretreat (%)	0202	9.665	0.5300	9.064	0.7255	0.1799	45	0.83	013.00	0
013	Fat, Acid Pretreat (%)	2150	9.690	0.2000	9.064	0.7255	0.1799	45	0.86	013.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
013	Fat, Acid Pretreat (%)	0164	9.795	0.1100	9.064	0.7255	0.1799	45	1.01	013.02	0
013	Fat, Acid Pretreat (%)	0553	9.825	0.1700	9.064	0.7255	0.1799	45	1.05	013.02	0
013	Fat, Acid Pretreat (%)	0010	9.900	0.4000	9.064	0.7255	0.1799	45	1.15	013.02	0
013	Fat, Acid Pretreat (%)	2259	9.906	0.0440	9.064	0.7255	0.1799	45	1.16	013.02	0
013	Fat, Acid Pretreat (%)	0676	9.970	0.0200	9.064	0.7255	0.1799	45	1.25	013.02	0
013	Fat, Acid Pretreat (%)	0921	9.980	0.2400	9.064	0.7255	0.1799	45	1.26	013.02	0
013	Fat, Acid Pretreat (%)	0581	10.75	0.1000	9.064	0.7255	0.1799	45	2.32	013.13	0
013	Fat, Acid Pretreat (%)	0407	9.168	1.517	9.064	0.7255	0.1799	45	0.14	013.13	1
013	Fat, Acid Pretreat (%)	2216	11.63	2.050	9.064	0.7255	0.1799	45	3.53	013.13	1
015	Aluminum (ppm)	0037	111.1	6.000	191.0	36.82	5.961	18	-2.17	015.42	0
015	Aluminum (ppm)	0049	138.0	9.590	191.0	36.82	5.961	18	-1.44	015.41	0
015	Aluminum (ppm)	2129	156.0	12.00	191.0	36.82	5.961	18	-0.95	015.42	0
015	Aluminum (ppm)	0171	160.0	0.0000	191.0	36.82	5.961	18	-0.84	015.41	0
015	Aluminum (ppm)	0918	173.2	9.090	191.0	36.82	5.961	18	-0.48	015.43	0
015	Aluminum (ppm)	0407	177.2	1.080	191.0	36.82	5.961	18	-0.38	015.41	0
015	Aluminum (ppm)	0164	183.0	4.000	191.0	36.82	5.961	18	-0.22	015.41	0
015	Aluminum (ppm)	0520	185.5	9.000	191.0	36.82	5.961	18	-0.15	015.41	0
015	Aluminum (ppm)	0407	187.6	0.0610	191.0	36.82	5.961	18	-0.09	015.53	0
015	Aluminum (ppm)	0425	194.5	4.000	191.0	36.82	5.961	18	0.10	015.43	0
015	Aluminum (ppm)	0629	194.5	5.000	191.0	36.82	5.961	18	0.10	015.43	0
015	Aluminum (ppm)	0964	197.1	1.673	191.0	36.82	5.961	18	0.17	015.41	0
015	Aluminum (ppm)	0345	203.5	3.000	191.0	36.82	5.961	18	0.34	015.43	0
015	Aluminum (ppm)	0297	210.5	3.000	191.0	36.82	5.961	18	0.53	015.43	0
015	Aluminum (ppm)	0407	211.0	6.799	191.0	36.82	5.961	18	0.54	015.43	0
015	Aluminum (ppm)	0964	239.5	22.00	191.0	36.82	5.961	18	1.32	015.43	0
015	Aluminum (ppm)	0353	244.5	3.000	191.0	36.82	5.961	18	1.45	015.43	0
015	Aluminum (ppm)	0553	247.0	8.000	191.0	36.82	5.961	18	1.52	015.53	0
015	Aluminum (ppm)	0560	180.1	33.40	191.0	36.82	5.961	18	-0.30	015.52	1
017	Boron (ppm)	0265	3.645	0.7500	9.935	1.199	0.5706	17	-5.25	017.42	0
017	Boron (ppm)	0045	8.050	0.2000	9.935	1.199	0.5706	17	-1.57	017.42	0
017	Boron (ppm)	0358	8.575	0.2700	9.935	1.199	0.5706	17	-1.13	017.41	0
017	Boron (ppm)	0693	9.037	0.5340	9.935	1.199	0.5706	17	-0.75	017.42	0
017	Boron (ppm)	0345	9.250	0.3000	9.935	1.199	0.5706	17	-0.57	017.43	0
017	Boron (ppm)	0049	9.810	0.5200	9.935	1.199	0.5706	17	-0.10	017.41	0
017	Boron (ppm)	0553	9.895	0.2100	9.935	1.199	0.5706	17	-0.03	017.53	0
017	Boron (ppm)	0083	9.950	0.7000	9.935	1.199	0.5706	17	0.01	017.43	0
017	Boron (ppm)	0229	10.07	1.770	9.935	1.199	0.5706	17	0.11	017.41	0
017	Boron (ppm)	0226	10.09	0.1100	9.935	1.199	0.5706	17	0.13	017.41	0
017	Boron (ppm)	0407	10.24	0.1520	9.935	1.199	0.5706	17	0.25	017.53	0
017	Boron (ppm)	0407	10.24	0.9345	9.935	1.199	0.5706	17	0.25	017.41	0
017	Boron (ppm)	0037	10.55	0.1000	9.935	1.199	0.5706	17	0.51	017.42	0
017	Boron (ppm)	2129	10.61	0.0800	9.935	1.199	0.5706	17	0.56	017.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
017	Boron (ppm)	0629	10.85	0.5000	9.935	1.199	0.5706	17	0.76	017.43	0
017	Boron (ppm)	0353	12.00	2.000	9.935	1.199	0.5706	17	1.72	017.43	0
017	Boron (ppm)	0407	15.55	0.5694	9.935	1.199	0.5706	17	4.68	017.43	0
017	Boron (ppm)	0918	10.07	5.860	9.935	1.199	0.5706	17	0.11	017.43	1
017	Boron (ppm)	0297	0.0000	0.0000	9.935	1.199	0.5706	17		017.43	4
019	Calcium (%)	0047	1.125	0.0700	1.624	0.0835	0.0418	111	-5.97	019.52	0
019	Calcium (%)	2066	1.215	0.0100	1.624	0.0835	0.0418	111	-4.89	019.53	0
019	Calcium (%)	0921	1.262	0.0150	1.624	0.0835	0.0418	111	-4.34	019.31	0
019	Calcium (%)	0108	1.350	0.1800	1.624	0.0835	0.0418	111	-3.28	019.31	0
019	Calcium (%)	0590	1.420	0.0600	1.624	0.0835	0.0418	111	-2.44	019.99	0
019	Calcium (%)	2129	1.421	0.1590	1.624	0.0835	0.0418	111	-2.43	019.42	0
019	Calcium (%)	0242	1.430	0.0200	1.624	0.0835	0.0418	111	-2.32	019.99	0
019	Calcium (%)	0889	1.448	0.0150	1.624	0.0835	0.0418	111	-2.11	019.99	0
019	Calcium (%)	0014	1.470	0.0200	1.624	0.0835	0.0418	111	-1.84	019.31	0
019	Calcium (%)	0870	1.486	0.0680	1.624	0.0835	0.0418	111	-1.65	019.42	0
019	Calcium (%)	0018	1.490	0.0800	1.624	0.0835	0.0418	111	-1.60	019.41	0
019	Calcium (%)	0175	1.505	0.0100	1.624	0.0835	0.0418	111	-1.42	019.31	0
019	Calcium (%)	0407	1.510	0.1274	1.624	0.0835	0.0418	111	-1.36	019.53	0
019	Calcium (%)	0870	1.528	0.0060	1.624	0.0835	0.0418	111	-1.15	019.43	0
019	Calcium (%)	2188	1.530	0.0000	1.624	0.0835	0.0418	111	-1.12	019.08	0
019	Calcium (%)	0682	1.530	0.0000	1.624	0.0835	0.0418	111	-1.12	019.43	0
019	Calcium (%)	0229	1.545	0.0300	1.624	0.0835	0.0418	111	-0.94	019.41	0
019	Calcium (%)	2109	1.546	0.0280	1.624	0.0835	0.0418	111	-0.93	019.00	0
019	Calcium (%)	0043	1.549	0.0638	1.624	0.0835	0.0418	111	-0.90	019.43	0
019	Calcium (%)	0687	1.550	0.1000	1.624	0.0835	0.0418	111	-0.88	019.31	0
019	Calcium (%)	0619	1.555	0.0100	1.624	0.0835	0.0418	111	-0.82	019.41	0
019	Calcium (%)	0298	1.560	0.0200	1.624	0.0835	0.0418	111	-0.76	019.41	0
019	Calcium (%)	0297	1.560	0.0200	1.624	0.0835	0.0418	111	-0.76	019.43	0
019	Calcium (%)	0968	1.564	0.0050	1.624	0.0835	0.0418	111	-0.72	019.43	0
019	Calcium (%)	0208	1.565	0.0730	1.624	0.0835	0.0418	111	-0.71	019.41	0
019	Calcium (%)	0226	1.565	0.0100	1.624	0.0835	0.0418	111	-0.70	019.41	0
019	Calcium (%)	0100	1.565	0.0500	1.624	0.0835	0.0418	111	-0.70	019.99	0
019	Calcium (%)	0098	1.570	0.1400	1.624	0.0835	0.0418	111	-0.64	019.41	0
019	Calcium (%)	0689	1.570	0.0600	1.624	0.0835	0.0418	111	-0.64	019.08	0
019	Calcium (%)	0016	1.570	0.0200	1.624	0.0835	0.0418	111	-0.64	019.52	0
019	Calcium (%)	0629	1.580	0.0000	1.624	0.0835	0.0418	111	-0.52	019.08	0
019	Calcium (%)	0629	1.580	0.0000	1.624	0.0835	0.0418	111	-0.52	019.43	0
019	Calcium (%)	0144	1.585	0.0300	1.624	0.0835	0.0418	111	-0.46	019.41	0
019	Calcium (%)	0676	1.585	0.0300	1.624	0.0835	0.0418	111	-0.46	019.99	0
019	Calcium (%)	2259	1.586	0.0050	1.624	0.0835	0.0418	111	-0.46	019.41	0
019	Calcium (%)	0148	1.590	0.0200	1.624	0.0835	0.0418	111	-0.40	019.41	0
019	Calcium (%)	0171	1.590	0.0200	1.624	0.0835	0.0418	111	-0.40	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0098	1.590	0.0200	1.624	0.0835	0.0418	111	-0.40	019.43	0
019	Calcium (%)	0036	1.591	0.0138	1.624	0.0835	0.0418	111	-0.39	019.43	0
019	Calcium (%)	0910	1.595	0.1500	1.624	0.0835	0.0418	111	-0.34	019.41	0
019	Calcium (%)	0142	1.599	0.1906	1.624	0.0835	0.0418	111	-0.29	019.31	0
019	Calcium (%)	0042	1.600	0.0800	1.624	0.0835	0.0418	111	-0.28	019.42	0
019	Calcium (%)	0164	1.600	0.0600	1.624	0.0835	0.0418	111	-0.28	019.44	0
019	Calcium (%)	0529	1.605	0.0100	1.624	0.0835	0.0418	111	-0.22	019.31	0
019	Calcium (%)	0123	1.605	0.0100	1.624	0.0835	0.0418	111	-0.22	019.41	0
019	Calcium (%)	0358	1.605	0.0900	1.624	0.0835	0.0418	111	-0.22	019.41	0
019	Calcium (%)	0010	1.605	0.1100	1.624	0.0835	0.0418	111	-0.22	019.43	0
019	Calcium (%)	0083	1.610	0.0000	1.624	0.0835	0.0418	111	-0.16	019.43	0
019	Calcium (%)	0019	1.615	0.0500	1.624	0.0835	0.0418	111	-0.10	019.41	0
019	Calcium (%)	2196	1.617	0.0000	1.624	0.0835	0.0418	111	-0.08	019.31	0
019	Calcium (%)	2196	1.620	0.0000	1.624	0.0835	0.0418	111	-0.04	019.08	0
019	Calcium (%)	0345	1.624	0.0120	1.624	0.0835	0.0418	111	0.00	019.43	0
019	Calcium (%)	0017	1.624	0.0226	1.624	0.0835	0.0418	111	0.01	019.43	0
019	Calcium (%)	0536	1.625	0.0300	1.624	0.0835	0.0418	111	0.02	019.31	0
019	Calcium (%)	0948	1.625	0.0900	1.624	0.0835	0.0418	111	0.02	019.31	0
019	Calcium (%)	0045	1.625	0.1300	1.624	0.0835	0.0418	111	0.02	019.42	0
019	Calcium (%)	0425	1.625	0.0100	1.624	0.0835	0.0418	111	0.02	019.43	0
019	Calcium (%)	0675	1.625	0.0100	1.624	0.0835	0.0418	111	0.02	019.43	0
019	Calcium (%)	0939	1.625	0.0900	1.624	0.0835	0.0418	111	0.02	019.53	0
019	Calcium (%)	0043	1.631	0.0120	1.624	0.0835	0.0418	111	0.09	019.00	0
019	Calcium (%)	0265	1.635	0.0300	1.624	0.0835	0.0418	111	0.13	019.42	0
019	Calcium (%)	0610	1.635	0.0300	1.624	0.0835	0.0418	111	0.13	019.43	0
019	Calcium (%)	2055	1.636	0.0041	1.624	0.0835	0.0418	111	0.15	019.53	0
019	Calcium (%)	0693	1.641	0.1090	1.624	0.0835	0.0418	111	0.20	019.42	0
019	Calcium (%)	0560	1.641	0.0837	1.624	0.0835	0.0418	111	0.20	019.52	0
019	Calcium (%)	0885	1.643	0.0279	1.624	0.0835	0.0418	111	0.23	019.08	0
019	Calcium (%)	0036	1.643	0.0143	1.624	0.0835	0.0418	111	0.23	019.03	0
019	Calcium (%)	0555	1.645	0.0100	1.624	0.0835	0.0418	111	0.25	019.43	0
019	Calcium (%)	2009	1.645	0.0040	1.624	0.0835	0.0418	111	0.26	019.08	0
019	Calcium (%)	0263	1.646	0.0054	1.624	0.0835	0.0418	111	0.27	019.42	0
019	Calcium (%)	2340	1.649	0.0120	1.624	0.0835	0.0418	111	0.30	019.08	0
019	Calcium (%)	0563	1.649	0.0332	1.624	0.0835	0.0418	111	0.30	019.31	0
019	Calcium (%)	0939	1.650	0.0600	1.624	0.0835	0.0418	111	0.31	019.31	0
019	Calcium (%)	0653	1.654	0.0200	1.624	0.0835	0.0418	111	0.36	019.41	0
019	Calcium (%)	0407	1.656	0.0404	1.624	0.0835	0.0418	111	0.39	019.41	0
019	Calcium (%)	0964	1.660	0.0260	1.624	0.0835	0.0418	111	0.43	019.43	0
019	Calcium (%)	0074	1.660	0.0200	1.624	0.0835	0.0418	111	0.43	019.41	0
019	Calcium (%)	0035	1.660	0.0200	1.624	0.0835	0.0418	111	0.43	019.42	0
019	Calcium (%)	0512	1.664	0.0190	1.624	0.0835	0.0418	111	0.48	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0685	1.665	0.0100	1.624	0.0835	0.0418	111	0.49	019.41	0
019	Calcium (%)	0964	1.669	0.0005	1.624	0.0835	0.0418	111	0.54	019.41	0
019	Calcium (%)	0066	1.674	0.0190	1.624	0.0835	0.0418	111	0.60	019.41	0
019	Calcium (%)	2181	1.675	0.0500	1.624	0.0835	0.0418	111	0.61	019.00	0
019	Calcium (%)	0553	1.680	0.0600	1.624	0.0835	0.0418	111	0.67	019.53	0
019	Calcium (%)	0208	1.683	0.0430	1.624	0.0835	0.0418	111	0.70	019.31	0
019	Calcium (%)	0154	1.686	0.0252	1.624	0.0835	0.0418	111	0.74	019.52	0
019	Calcium (%)	2022	1.690	0.0200	1.624	0.0835	0.0418	111	0.79	019.00	0
019	Calcium (%)	0505	1.690	0.0000	1.624	0.0835	0.0418	111	0.79	019.43	0
019	Calcium (%)	0572	1.690	0.0200	1.624	0.0835	0.0418	111	0.79	019.53	0
019	Calcium (%)	0027	1.699	0.0290	1.624	0.0835	0.0418	111	0.90	019.43	0
019	Calcium (%)	0413	1.700	0.0000	1.624	0.0835	0.0418	111	0.91	019.41	0
019	Calcium (%)	0009	1.704	0.0752	1.624	0.0835	0.0418	111	0.96	019.42	0
019	Calcium (%)	0035	1.705	0.0100	1.624	0.0835	0.0418	111	0.97	019.43	0
019	Calcium (%)	0668	1.705	0.1100	1.624	0.0835	0.0418	111	0.97	019.43	0
019	Calcium (%)	2089	1.705	0.1100	1.624	0.0835	0.0418	111	0.97	019.43	0
019	Calcium (%)	0881	1.706	0.0580	1.624	0.0835	0.0418	111	0.98	019.00	0
019	Calcium (%)	0598	1.707	0.0160	1.624	0.0835	0.0418	111	1.00	019.41	0
019	Calcium (%)	2326	1.720	0.0000	1.624	0.0835	0.0418	111	1.15	019.43	0
019	Calcium (%)	0049	1.725	0.0900	1.624	0.0835	0.0418	111	1.21	019.41	0
019	Calcium (%)	0520	1.730	0.0200	1.624	0.0835	0.0418	111	1.27	019.41	0
019	Calcium (%)	0683	1.735	0.0300	1.624	0.0835	0.0418	111	1.33	019.00	0
019	Calcium (%)	0918	1.741	0.0470	1.624	0.0835	0.0418	111	1.40	019.43	0
019	Calcium (%)	0160	1.750	0.1000	1.624	0.0835	0.0418	111	1.51	019.44	0
019	Calcium (%)	0037	1.766	0.0240	1.624	0.0835	0.0418	111	1.70	019.42	0
019	Calcium (%)	0202	1.770	0.0200	1.624	0.0835	0.0418	111	1.75	019.43	0
019	Calcium (%)	0357	1.785	0.0371	1.624	0.0835	0.0418	111	1.93	019.42	0
019	Calcium (%)	2192	1.790	0.0400	1.624	0.0835	0.0418	111	1.99	019.43	0
019	Calcium (%)	0407	1.791	0.0384	1.624	0.0835	0.0418	111	2.00	019.43	0
019	Calcium (%)	0353	1.805	0.0300	1.624	0.0835	0.0418	111	2.17	019.43	0
019	Calcium (%)	0032	1.810	0.1600	1.624	0.0835	0.0418	111	2.23	019.43	0
019	Calcium (%)	0190	1.895	0.0100	1.624	0.0835	0.0418	111	3.25	019.42	0
019	Calcium (%)	0651	2.177	0.3470	1.624	0.0835	0.0418	111	6.63	019.31	1
019	Calcium (%)	0278	2.710	0.4400	1.624	0.0835	0.0418	111	13.00	019.42	1
019	Calcium (%)	0001	4.303	0.0130	1.624	0.0835	0.0418	111	32.07	019.31	2
021	Cobalt (ppm)	0016	5.960	0.2200	13.46	4.574	0.5460	30	-1.64	021.52	0
021	Cobalt (ppm)	2066	6.125	0.1900	13.46	4.574	0.5460	30	-1.60	021.53	0
021	Cobalt (ppm)	0918	7.005	0.2461	13.46	4.574	0.5460	30	-1.41	021.53	0
021	Cobalt (ppm)	2055	7.628	0.2540	13.46	4.574	0.5460	30	-1.27	021.53	0
021	Cobalt (ppm)	0910	7.750	0.4800	13.46	4.574	0.5460	30	-1.25	021.52	0
021	Cobalt (ppm)	0047	8.615	0.0300	13.46	4.574	0.5460	30	-1.06	021.52	0
021	Cobalt (ppm)	0619	9.965	0.0500	13.46	4.574	0.5460	30	-0.76	021.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
021	Cobalt (ppm)	0560	10.03	0.0200	13.46	4.574	0.5460	30	-0.75	021.52	0
021	Cobalt (ppm)	0066	10.59	0.4600	13.46	4.574	0.5460	30	-0.63	021.41	0
021	Cobalt (ppm)	0345	11.03	0.2500	13.46	4.574	0.5460	30	-0.53	021.43	0
021	Cobalt (ppm)	0171	11.85	0.5000	13.46	4.574	0.5460	30	-0.35	021.41	0
021	Cobalt (ppm)	0045	12.55	2.900	13.46	4.574	0.5460	30	-0.20	021.42	0
021	Cobalt (ppm)	0693	12.91	0.1210	13.46	4.574	0.5460	30	-0.12	021.42	0
021	Cobalt (ppm)	0555	13.21	0.0000	13.46	4.574	0.5460	30	-0.05	021.53	0
021	Cobalt (ppm)	0043	13.86	0.0594	13.46	4.574	0.5460	30	0.09	021.43	0
021	Cobalt (ppm)	0407	14.34	0.0169	13.46	4.574	0.5460	30	0.19	021.41	0
021	Cobalt (ppm)	0939	14.70	2.240	13.46	4.574	0.5460	30	0.27	021.53	0
021	Cobalt (ppm)	0407	15.36	0.4592	13.46	4.574	0.5460	30	0.42	021.43	0
021	Cobalt (ppm)	0407	16.35	0.4540	13.46	4.574	0.5460	30	0.63	021.53	0
021	Cobalt (ppm)	0164	16.50	1.000	13.46	4.574	0.5460	30	0.67	021.31	0
021	Cobalt (ppm)	0563	16.57	0.4024	13.46	4.574	0.5460	30	0.68	021.31	0
021	Cobalt (ppm)	0682	16.70	0.0000	13.46	4.574	0.5460	30	0.71	021.43	0
021	Cobalt (ppm)	0964	17.10	0.6000	13.46	4.574	0.5460	30	0.80	021.43	0
021	Cobalt (ppm)	0964	17.29	0.2738	13.46	4.574	0.5460	30	0.84	021.41	0
021	Cobalt (ppm)	0610	17.60	1.000	13.46	4.574	0.5460	30	0.91	021.43	0
021	Cobalt (ppm)	0610	17.60	0.8000	13.46	4.574	0.5460	30	0.91	021.53	0
021	Cobalt (ppm)	0148	17.76	0.5000	13.46	4.574	0.5460	30	0.94	021.41	0
021	Cobalt (ppm)	0553	18.05	1.300	13.46	4.574	0.5460	30	1.00	021.53	0
021	Cobalt (ppm)	2326	18.15	0.3000	13.46	4.574	0.5460	30	1.03	021.43	0
021	Cobalt (ppm)	0353	19.49	1.253	13.46	4.574	0.5460	30	1.32	021.43	0
021	Cobalt (ppm)	0208	147.0	4.000	13.46	4.574	0.5460	30	29.20	021.31	2
022	Copper (ppm)	2066	94.15	2.900	137.5	10.34	4.833	83	-4.19	022.53	0
022	Copper (ppm)	0278	102.3	5.700	137.5	10.34	4.833	83	-3.41	022.42	0
022	Copper (ppm)	0939	115.5	13.00	137.5	10.34	4.833	83	-2.13	022.53	0
022	Copper (ppm)	0653	119.3	2.200	137.5	10.34	4.833	83	-1.76	022.41	0
022	Copper (ppm)	0035	122.1	10.60	137.5	10.34	4.833	83	-1.49	022.42	0
022	Copper (ppm)	0263	122.2	0.3800	137.5	10.34	4.833	83	-1.48	022.42	0
022	Copper (ppm)	0148	122.3	0.4002	137.5	10.34	4.833	83	-1.47	022.41	0
022	Copper (ppm)	0870	123.2	8.200	137.5	10.34	4.833	83	-1.38	022.43	0
022	Copper (ppm)	0035	123.9	4.600	137.5	10.34	4.833	83	-1.32	022.43	0
022	Copper (ppm)	0619	124.0	0.8500	137.5	10.34	4.833	83	-1.31	022.41	0
022	Copper (ppm)	0572	125.0	2.000	137.5	10.34	4.833	83	-1.21	022.53	0
022	Copper (ppm)	0560	127.2	10.50	137.5	10.34	4.833	83	-1.00	022.52	0
022	Copper (ppm)	0202	127.5	7.000	137.5	10.34	4.833	83	-0.97	022.43	0
022	Copper (ppm)	0043	127.8	6.112	137.5	10.34	4.833	83	-0.94	022.43	0
022	Copper (ppm)	0049	128.7	3.750	137.5	10.34	4.833	83	-0.85	022.41	0
022	Copper (ppm)	0016	129.0	6.000	137.5	10.34	4.833	83	-0.82	022.52	0
022	Copper (ppm)	0910	129.5	15.00	137.5	10.34	4.833	83	-0.77	022.41	0
022	Copper (ppm)	2192	129.5	15.00	137.5	10.34	4.833	83	-0.77	022.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (ppm)	0171	130.2	1.200	137.5	10.34	4.833	83	-0.71	022.41	0
022	Copper (ppm)	2089	131.0	4.850	137.5	10.34	4.833	83	-0.63	022.43	0
022	Copper (ppm)	0047	131.1	16.20	137.5	10.34	4.833	83	-0.62	022.52	0
022	Copper (ppm)	0939	131.7	4.920	137.5	10.34	4.833	83	-0.56	022.31	0
022	Copper (ppm)	0529	131.9	4.200	137.5	10.34	4.833	83	-0.54	022.31	0
022	Copper (ppm)	0045	132.0	6.000	137.5	10.34	4.833	83	-0.53	022.42	0
022	Copper (ppm)	0100	132.5	5.000	137.5	10.34	4.833	83	-0.48	022.99	0
022	Copper (ppm)	2188	132.5	0.0300	137.5	10.34	4.833	83	-0.48	022.31	0
022	Copper (ppm)	0229	133.0	2.340	137.5	10.34	4.833	83	-0.44	022.41	0
022	Copper (ppm)	0265	133.0	8.000	137.5	10.34	4.833	83	-0.44	022.42	0
022	Copper (ppm)	0242	133.0	6.000	137.5	10.34	4.833	83	-0.44	022.99	0
022	Copper (ppm)	0870	133.5	3.200	137.5	10.34	4.833	83	-0.39	022.42	0
022	Copper (ppm)	0598	133.9	0.3000	137.5	10.34	4.833	83	-0.35	022.41	0
022	Copper (ppm)	0074	134.0	2.000	137.5	10.34	4.833	83	-0.34	022.41	0
022	Copper (ppm)	0682	134.8	0.0000	137.5	10.34	4.833	83	-0.26	022.43	0
022	Copper (ppm)	0019	135.1	1.010	137.5	10.34	4.833	83	-0.23	022.41	0
022	Copper (ppm)	2129	135.4	0.4000	137.5	10.34	4.833	83	-0.20	022.42	0
022	Copper (ppm)	0190	135.6	2.000	137.5	10.34	4.833	83	-0.18	022.42	0
022	Copper (ppm)	0918	135.7	2.970	137.5	10.34	4.833	83	-0.17	022.43	0
022	Copper (ppm)	0357	135.8	3.654	137.5	10.34	4.833	83	-0.16	022.42	0
022	Copper (ppm)	0208	135.9	2.500	137.5	10.34	4.833	83	-0.16	022.41	0
022	Copper (ppm)	0345	136.4	1.700	137.5	10.34	4.833	83	-0.11	022.43	0
022	Copper (ppm)	0297	136.5	7.000	137.5	10.34	4.833	83	-0.10	022.43	0
022	Copper (ppm)	0520	137.0	4.000	137.5	10.34	4.833	83	-0.05	022.41	0
022	Copper (ppm)	0413	137.0	2.000	137.5	10.34	4.833	83	-0.05	022.42	0
022	Copper (ppm)	0407	137.1	11.44	137.5	10.34	4.833	83	-0.04	022.53	0
022	Copper (ppm)	0098	137.4	10.30	137.5	10.34	4.833	83	-0.01	022.43	0
022	Copper (ppm)	0553	137.5	5.000	137.5	10.34	4.833	83	0.00	022.53	0
022	Copper (ppm)	0536	137.6	0.9500	137.5	10.34	4.833	83	0.01	022.31	0
022	Copper (ppm)	0563	138.0	7.283	137.5	10.34	4.833	83	0.04	022.31	0
022	Copper (ppm)	0425	138.6	1.100	137.5	10.34	4.833	83	0.10	022.43	0
022	Copper (ppm)	0175	139.0	2.000	137.5	10.34	4.833	83	0.14	022.31	0
022	Copper (ppm)	0407	139.9	12.17	137.5	10.34	4.833	83	0.23	022.41	0
022	Copper (ppm)	0590	141.0	6.000	137.5	10.34	4.833	83	0.34	022.99	0
022	Copper (ppm)	0098	141.4	1.300	137.5	10.34	4.833	83	0.37	022.41	0
022	Copper (ppm)	0968	141.5	1.000	137.5	10.34	4.833	83	0.39	022.43	0
022	Copper (ppm)	0358	141.8	5.290	137.5	10.34	4.833	83	0.41	022.41	0
022	Copper (ppm)	0083	142.5	3.000	137.5	10.34	4.833	83	0.48	022.43	0
022	Copper (ppm)	0164	143.0	2.000	137.5	10.34	4.833	83	0.53	022.44	0
022	Copper (ppm)	0010	143.8	6.600	137.5	10.34	4.833	83	0.61	022.33	0
022	Copper (ppm)	0009	144.0	4.000	137.5	10.34	4.833	83	0.63	022.42	0
022	Copper (ppm)	0555	144.0	0.0000	137.5	10.34	4.833	83	0.63	022.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (ppm)	0017	145.2	1.031	137.5	10.34	4.833	83	0.74	022.43	0
022	Copper (ppm)	0407	145.3	0.0375	137.5	10.34	4.833	83	0.75	022.43	0
022	Copper (ppm)	0042	145.5	7.000	137.5	10.34	4.833	83	0.77	022.42	0
022	Copper (ppm)	0675	145.9	1.180	137.5	10.34	4.833	83	0.81	022.43	0
022	Copper (ppm)	0964	147.2	3.694	137.5	10.34	4.833	83	0.93	022.41	0
022	Copper (ppm)	0610	147.3	5.500	137.5	10.34	4.833	83	0.94	022.43	0
022	Copper (ppm)	0027	147.3	4.587	137.5	10.34	4.833	83	0.94	022.43	0
022	Copper (ppm)	0948	147.4	4.400	137.5	10.34	4.833	83	0.96	022.33	0
022	Copper (ppm)	0505	147.5	2.200	137.5	10.34	4.833	83	0.97	022.43	0
022	Copper (ppm)	0964	147.5	11.00	137.5	10.34	4.833	83	0.97	022.43	0
022	Copper (ppm)	0685	148.3	0.0100	137.5	10.34	4.833	83	1.04	022.42	0
022	Copper (ppm)	0668	149.5	13.00	137.5	10.34	4.833	83	1.16	022.43	0
022	Copper (ppm)	2055	149.5	3.000	137.5	10.34	4.833	83	1.16	022.53	0
022	Copper (ppm)	2196	149.7	0.0000	137.5	10.34	4.833	83	1.18	022.31	0
022	Copper (ppm)	0651	149.9	5.880	137.5	10.34	4.833	83	1.19	022.31	0
022	Copper (ppm)	0066	150.2	11.20	137.5	10.34	4.833	83	1.23	022.44	0
022	Copper (ppm)	0032	150.5	3.000	137.5	10.34	4.833	83	1.26	022.43	0
022	Copper (ppm)	0689	151.0	10.80	137.5	10.34	4.833	83	1.30	022.31	0
022	Copper (ppm)	2326	151.3	9.600	137.5	10.34	4.833	83	1.33	022.43	0
022	Copper (ppm)	0037	152.2	4.300	137.5	10.34	4.833	83	1.42	022.42	0
022	Copper (ppm)	0226	157.5	1.530	137.5	10.34	4.833	83	1.93	022.41	0
022	Copper (ppm)	0693	160.5	11.08	137.5	10.34	4.833	83	2.22	022.42	0
022	Copper (ppm)	0353	163.0	2.000	137.5	10.34	4.833	83	2.46	022.43	0
022	Copper (ppm)	0001	26.42	0.1700	137.5	10.34	4.833	83	-10.74	022.31	2
024	Iodine (ppm)	0910	4.412	3.741				1		024.52	0
025	Iron (ppm)	0265	257.0	10.00	727.3	77.58	21.53	78	-6.06	025.42	0
025	Iron (ppm)	0154	258.9	24.52	727.3	77.58	21.53	78	-6.04	025.52	0
025	Iron (ppm)	0001	293.1	8.200	727.3	77.58	21.53	78	-5.60	025.31	0
025	Iron (ppm)	2066	304.5	53.00	727.3	77.58	21.53	78	-5.45	025.53	0
025	Iron (ppm)	0278	311.0	22.00	727.3	77.58	21.53	78	-5.37	025.42	0
025	Iron (ppm)	2055	333.5	57.00	727.3	77.58	21.53	78	-5.08	025.53	0
025	Iron (ppm)	0016	468.0	76.00	727.3	77.58	21.53	78	-3.34	025.52	0
025	Iron (ppm)	0190	503.8	32.03	727.3	77.58	21.53	78	-2.88	025.42	0
025	Iron (ppm)	0037	517.2	55.80	727.3	77.58	21.53	78	-2.71	025.42	0
025	Iron (ppm)	0619	554.0	11.02	727.3	77.58	21.53	78	-2.23	025.41	0
025	Iron (ppm)	0226	559.8	11.62	727.3	77.58	21.53	78	-2.16	025.41	0
025	Iron (ppm)	0668	579.0	178.0	727.3	77.58	21.53	78	-1.91	025.43	0
025	Iron (ppm)	0921	609.0	41.40	727.3	77.58	21.53	78	-1.52	025.31	0
025	Iron (ppm)	0598	626.2	19.10	727.3	77.58	21.53	78	-1.30	025.41	0
025	Iron (ppm)	0425	643.8	8.200	727.3	77.58	21.53	78	-1.08	025.43	0
025	Iron (ppm)	0910	673.0	12.00	727.3	77.58	21.53	78	-0.70	025.41	0
025	Iron (ppm)	0123	680.5	17.00	727.3	77.58	21.53	78	-0.60	025.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
025	Iron (ppm)	2188	681.4	0.0000	727.3	77.58	21.53	78	-0.59	025.31	0
025	Iron (ppm)	0345	682.0	12.00	727.3	77.58	21.53	78	-0.58	025.43	0
025	Iron (ppm)	0653	690.4	3.500	727.3	77.58	21.53	78	-0.48	025.41	0
025	Iron (ppm)	0160	692.5	13.00	727.3	77.58	21.53	78	-0.45	025.99	0
025	Iron (ppm)	0629	694.0	0.0000	727.3	77.58	21.53	78	-0.43	025.31	0
025	Iron (ppm)	0675	701.2	8.870	727.3	77.58	21.53	78	-0.34	025.43	0
025	Iron (ppm)	0043	705.0	40.66	727.3	77.58	21.53	78	-0.29	025.43	0
025	Iron (ppm)	0407	707.1	2.225	727.3	77.58	21.53	78	-0.26	025.41	0
025	Iron (ppm)	0529	710.2	14.70	727.3	77.58	21.53	78	-0.22	025.31	0
025	Iron (ppm)	0870	712.8	22.60	727.3	77.58	21.53	78	-0.19	025.42	0
025	Iron (ppm)	0520	716.5	21.00	727.3	77.58	21.53	78	-0.14	025.41	0
025	Iron (ppm)	0918	717.7	20.28	727.3	77.58	21.53	78	-0.12	025.43	0
025	Iron (ppm)	0358	717.9	20.03	727.3	77.58	21.53	78	-0.12	025.41	0
025	Iron (ppm)	0413	718.5	7.000	727.3	77.58	21.53	78	-0.11	025.42	0
025	Iron (ppm)	2129	718.9	6.500	727.3	77.58	21.53	78	-0.11	025.42	0
025	Iron (ppm)	0066	721.7	10.91	727.3	77.58	21.53	78	-0.07	025.41	0
025	Iron (ppm)	0098	723.0	3.300	727.3	77.58	21.53	78	-0.06	025.41	0
025	Iron (ppm)	0870	723.7	22.80	727.3	77.58	21.53	78	-0.05	025.43	0
025	Iron (ppm)	0629	727.0	2.000	727.3	77.58	21.53	78	0.00	025.43	0
025	Iron (ppm)	0045	731.5	73.00	727.3	77.58	21.53	78	0.05	025.42	0
025	Iron (ppm)	0083	731.5	5.000	727.3	77.58	21.53	78	0.05	025.43	0
025	Iron (ppm)	0208	740.4	17.40	727.3	77.58	21.53	78	0.17	025.41	0
025	Iron (ppm)	0563	740.6	56.34	727.3	77.58	21.53	78	0.17	025.31	0
025	Iron (ppm)	0693	741.4	20.93	727.3	77.58	21.53	78	0.18	025.42	0
025	Iron (ppm)	0175	742.0	0.0000	727.3	77.58	21.53	78	0.19	025.31	0
025	Iron (ppm)	0553	742.0	16.00	727.3	77.58	21.53	78	0.19	025.53	0
025	Iron (ppm)	0242	742.0	8.000	727.3	77.58	21.53	78	0.19	025.99	0
025	Iron (ppm)	0968	742.5	3.000	727.3	77.58	21.53	78	0.20	025.43	0
025	Iron (ppm)	2192	751.0	42.00	727.3	77.58	21.53	78	0.31	025.43	0
025	Iron (ppm)	0651	756.7	19.64	727.3	77.58	21.53	78	0.38	025.31	0
025	Iron (ppm)	0407	756.8	45.06	727.3	77.58	21.53	78	0.38	025.53	0
025	Iron (ppm)	0019	757.0	0.1000	727.3	77.58	21.53	78	0.38	025.41	0
025	Iron (ppm)	0263	758.4	6.570	727.3	77.58	21.53	78	0.40	025.42	0
025	Iron (ppm)	0164	761.0	16.00	727.3	77.58	21.53	78	0.44	025.41	0
025	Iron (ppm)	0148	761.6	2.342	727.3	77.58	21.53	78	0.44	025.41	0
025	Iron (ppm)	0171	762.5	7.700	727.3	77.58	21.53	78	0.45	025.41	0
025	Iron (ppm)	2196	766.7	0.0000	727.3	77.58	21.53	78	0.51	025.31	0
025	Iron (ppm)	0610	771.0	22.00	727.3	77.58	21.53	78	0.56	025.43	0
025	Iron (ppm)	0229	772.7	0.4300	727.3	77.58	21.53	78	0.59	025.41	0
025	Iron (ppm)	0098	774.7	1.000	727.3	77.58	21.53	78	0.61	025.43	0
025	Iron (ppm)	0100	775.0	26.00	727.3	77.58	21.53	78	0.62	025.99	0
025	Iron (ppm)	0353	777.0	6.000	727.3	77.58	21.53	78	0.64	025.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
025	Iron (ppm)	0074	783.0	18.00	727.3	77.58	21.53	78	0.72	025.41	0
025	Iron (ppm)	0297	785.0	2.000	727.3	77.58	21.53	78	0.74	025.43	0
025	Iron (ppm)	0536	786.7	15.10	727.3	77.58	21.53	78	0.77	025.31	0
025	Iron (ppm)	0407	787.2	31.36	727.3	77.58	21.53	78	0.77	025.43	0
025	Iron (ppm)	0964	788.4	2.250	727.3	77.58	21.53	78	0.79	025.43	0
025	Iron (ppm)	0512	790.7	3.400	727.3	77.58	21.53	78	0.82	025.43	0
025	Iron (ppm)	0049	791.5	18.99	727.3	77.58	21.53	78	0.83	025.41	0
025	Iron (ppm)	0017	801.7	96.79	727.3	77.58	21.53	78	0.96	025.43	0
025	Iron (ppm)	0035	805.3	7.600	727.3	77.58	21.53	78	1.01	025.43	0
025	Iron (ppm)	0555	807.0	6.000	727.3	77.58	21.53	78	1.03	025.43	0
025	Iron (ppm)	0939	807.0	38.00	727.3	77.58	21.53	78	1.03	025.53	0
025	Iron (ppm)	0035	808.2	4.000	727.3	77.58	21.53	78	1.04	025.42	0
025	Iron (ppm)	0505	808.2	6.800	727.3	77.58	21.53	78	1.04	025.43	0
025	Iron (ppm)	0939	817.9	18.96	727.3	77.58	21.53	78	1.17	025.31	0
025	Iron (ppm)	0964	819.7	35.41	727.3	77.58	21.53	78	1.19	025.41	0
025	Iron (ppm)	0682	825.2	0.0000	727.3	77.58	21.53	78	1.26	025.43	0
025	Iron (ppm)	0032	843.5	67.00	727.3	77.58	21.53	78	1.50	025.43	0
025	Iron (ppm)	2326	853.5	5.000	727.3	77.58	21.53	78	1.63	025.43	0
025	Iron (ppm)	0208	867.0	40.00	727.3	77.58	21.53	78	1.80	025.31	0
025	Iron (ppm)	2089	407.2	678.3	727.3	77.58	21.53	78	-4.13	025.43	1
025	Iron (ppm)	0042	507.0	302.0	727.3	77.58	21.53	78	-2.84	025.42	1
027	Magnesium (%)	0001	0.2362	0.0091	0.4231	0.0205	0.0081	84	-9.14	027.31	0
027	Magnesium (%)	0278	0.2900	0.0000	0.4231	0.0205	0.0081	84	-6.51	027.42	0
027	Magnesium (%)	0889	0.2900	0.0000	0.4231	0.0205	0.0081	84	-6.51	027.99	0
027	Magnesium (%)	2066	0.3000	0.0000	0.4231	0.0205	0.0081	84	-6.02	027.53	0
027	Magnesium (%)	0407	0.3597	0.0068	0.4231	0.0205	0.0081	84	-3.10	027.41	0
027	Magnesium (%)	2129	0.3751	0.0136	0.4231	0.0205	0.0081	84	-2.35	027.42	0
027	Magnesium (%)	0870	0.3767	0.0135	0.4231	0.0205	0.0081	84	-2.27	027.43	0
027	Magnesium (%)	0529	0.3815	0.0070	0.4231	0.0205	0.0081	84	-2.04	027.31	0
027	Magnesium (%)	0407	0.3868	0.0160	0.4231	0.0205	0.0081	84	-1.78	027.53	0
027	Magnesium (%)	0505	0.3950	0.0100	0.4231	0.0205	0.0081	84	-1.38	027.43	0
027	Magnesium (%)	0098	0.4000	0.0000	0.4231	0.0205	0.0081	84	-1.13	027.41	0
027	Magnesium (%)	0910	0.4000	0.0200	0.4231	0.0205	0.0081	84	-1.13	027.41	0
027	Magnesium (%)	0202	0.4005	0.0070	0.4231	0.0205	0.0081	84	-1.11	027.43	0
027	Magnesium (%)	0870	0.4023	0.0184	0.4231	0.0205	0.0081	84	-1.02	027.42	0
027	Magnesium (%)	0263	0.4031	0.0010	0.4231	0.0205	0.0081	84	-0.98	027.42	0
027	Magnesium (%)	0407	0.4032	0.0151	0.4231	0.0205	0.0081	84	-0.98	027.43	0
027	Magnesium (%)	0049	0.4050	0.0100	0.4231	0.0205	0.0081	84	-0.89	027.41	0
027	Magnesium (%)	0265	0.4050	0.0100	0.4231	0.0205	0.0081	84	-0.89	027.42	0
027	Magnesium (%)	0968	0.4080	0.0000	0.4231	0.0205	0.0081	84	-0.74	027.43	0
027	Magnesium (%)	0208	0.4085	0.0030	0.4231	0.0205	0.0081	84	-0.72	027.31	0
027	Magnesium (%)	0948	0.4095	0.0130	0.4231	0.0205	0.0081	84	-0.67	027.33	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0226	0.4100	0.0000	0.4231	0.0205	0.0081	84	-0.64	027.41	0
027	Magnesium (%)	0083	0.4100	0.0000	0.4231	0.0205	0.0081	84	-0.64	027.43	0
027	Magnesium (%)	0242	0.4100	0.0200	0.4231	0.0205	0.0081	84	-0.64	027.99	0
027	Magnesium (%)	0668	0.4105	0.0050	0.4231	0.0205	0.0081	84	-0.62	027.43	0
027	Magnesium (%)	0010	0.4150	0.0100	0.4231	0.0205	0.0081	84	-0.40	027.33	0
027	Magnesium (%)	0019	0.4150	0.0100	0.4231	0.0205	0.0081	84	-0.40	027.41	0
027	Magnesium (%)	0229	0.4150	0.0100	0.4231	0.0205	0.0081	84	-0.40	027.41	0
027	Magnesium (%)	0043	0.4159	0.0049	0.4231	0.0205	0.0081	84	-0.36	027.43	0
027	Magnesium (%)	0045	0.4165	0.0110	0.4231	0.0205	0.0081	84	-0.32	027.42	0
027	Magnesium (%)	0598	0.4185	0.0006	0.4231	0.0205	0.0081	84	-0.23	027.41	0
027	Magnesium (%)	2196	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.31	0
027	Magnesium (%)	0520	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.41	0
027	Magnesium (%)	0098	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.43	0
027	Magnesium (%)	0297	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.43	0
027	Magnesium (%)	0682	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.43	0
027	Magnesium (%)	2192	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.43	0
027	Magnesium (%)	0590	0.4200	0.0000	0.4231	0.0205	0.0081	84	-0.15	027.99	0
027	Magnesium (%)	0345	0.4230	0.0040	0.4231	0.0205	0.0081	84	-0.01	027.43	0
027	Magnesium (%)	0964	0.4232	0.0188	0.4231	0.0205	0.0081	84	0.00	027.41	0
027	Magnesium (%)	0939	0.4250	0.0100	0.4231	0.0205	0.0081	84	0.09	027.31	0
027	Magnesium (%)	0042	0.4250	0.0080	0.4231	0.0205	0.0081	84	0.09	027.42	0
027	Magnesium (%)	0629	0.4250	0.0100	0.4231	0.0205	0.0081	84	0.09	027.43	0
027	Magnesium (%)	0675	0.4250	0.0100	0.4231	0.0205	0.0081	84	0.09	027.43	0
027	Magnesium (%)	0100	0.4250	0.0100	0.4231	0.0205	0.0081	84	0.09	027.99	0
027	Magnesium (%)	0164	0.4270	0.0100	0.4231	0.0205	0.0081	84	0.19	027.44	0
027	Magnesium (%)	0555	0.4285	0.0050	0.4231	0.0205	0.0081	84	0.26	027.43	0
027	Magnesium (%)	0142	0.4300	0.0069	0.4231	0.0205	0.0081	84	0.33	027.31	0
027	Magnesium (%)	0425	0.4300	0.0000	0.4231	0.0205	0.0081	84	0.34	027.43	0
027	Magnesium (%)	2089	0.4300	0.0400	0.4231	0.0205	0.0081	84	0.34	027.43	0
027	Magnesium (%)	0160	0.4300	0.0200	0.4231	0.0205	0.0081	84	0.34	027.44	0
027	Magnesium (%)	0939	0.4300	0.0200	0.4231	0.0205	0.0081	84	0.34	027.53	0
027	Magnesium (%)	0553	0.4315	0.0090	0.4231	0.0205	0.0081	84	0.41	027.53	0
027	Magnesium (%)	0653	0.4320	0.0060	0.4231	0.0205	0.0081	84	0.43	027.41	0
027	Magnesium (%)	0037	0.4320	0.0100	0.4231	0.0205	0.0081	84	0.43	027.42	0
027	Magnesium (%)	0074	0.4325	0.0030	0.4231	0.0205	0.0081	84	0.46	027.41	0
027	Magnesium (%)	0009	0.4327	0.0076	0.4231	0.0205	0.0081	84	0.47	027.42	0
027	Magnesium (%)	0357	0.4339	0.0051	0.4231	0.0205	0.0081	84	0.52	027.42	0
027	Magnesium (%)	0619	0.4345	0.0030	0.4231	0.0205	0.0081	84	0.56	027.41	0
027	Magnesium (%)	0066	0.4350	0.0100	0.4231	0.0205	0.0081	84	0.58	027.41	0
027	Magnesium (%)	0413	0.4350	0.0100	0.4231	0.0205	0.0081	84	0.58	027.41	0
027	Magnesium (%)	0190	0.4350	0.0100	0.4231	0.0205	0.0081	84	0.58	027.42	0
027	Magnesium (%)	0685	0.4350	0.0100	0.4231	0.0205	0.0081	84	0.58	027.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0027	0.4365	0.0190	0.4231	0.0205	0.0081	84	0.65	027.43	0
027	Magnesium (%)	0512	0.4368	0.0089	0.4231	0.0205	0.0081	84	0.67	027.43	0
027	Magnesium (%)	0560	0.4394	0.0181	0.4231	0.0205	0.0081	84	0.79	027.52	0
027	Magnesium (%)	0572	0.4395	0.0230	0.4231	0.0205	0.0081	84	0.80	027.53	0
027	Magnesium (%)	0148	0.4400	0.0000	0.4231	0.0205	0.0081	84	0.82	027.41	0
027	Magnesium (%)	0171	0.4400	0.0000	0.4231	0.0205	0.0081	84	0.82	027.41	0
027	Magnesium (%)	0358	0.4400	0.0200	0.4231	0.0205	0.0081	84	0.82	027.41	0
027	Magnesium (%)	0035	0.4400	0.0000	0.4231	0.0205	0.0081	84	0.82	027.42	0
027	Magnesium (%)	0016	0.4405	0.0030	0.4231	0.0205	0.0081	84	0.85	027.52	0
027	Magnesium (%)	0918	0.4415	0.0050	0.4231	0.0205	0.0081	84	0.90	027.43	0
027	Magnesium (%)	2326	0.4425	0.0030	0.4231	0.0205	0.0081	84	0.95	027.43	0
027	Magnesium (%)	0629	0.4450	0.0100	0.4231	0.0205	0.0081	84	1.07	027.31	0
027	Magnesium (%)	0651	0.4466	0.0092	0.4231	0.0205	0.0081	84	1.15	027.31	0
027	Magnesium (%)	0536	0.4500	0.0000	0.4231	0.0205	0.0081	84	1.31	027.31	0
027	Magnesium (%)	0035	0.4500	0.0000	0.4231	0.0205	0.0081	84	1.31	027.43	0
027	Magnesium (%)	0964	0.4520	0.0078	0.4231	0.0205	0.0081	84	1.41	027.43	0
027	Magnesium (%)	0610	0.4550	0.0100	0.4231	0.0205	0.0081	84	1.56	027.43	0
027	Magnesium (%)	0154	0.4553	0.0013	0.4231	0.0205	0.0081	84	1.57	027.52	0
027	Magnesium (%)	0693	0.4610	0.0240	0.4231	0.0205	0.0081	84	1.85	027.42	0
027	Magnesium (%)	0047	0.4750	0.0100	0.4231	0.0205	0.0081	84	2.54	027.52	0
027	Magnesium (%)	2055	0.5011	0.0108	0.4231	0.0205	0.0081	84	3.81	027.53	0
027	Magnesium (%)	0353	0.4250	0.0700	0.4231	0.0205	0.0081	84	0.09	027.43	1
027	Magnesium (%)	0175	0.4600	0.0800	0.4231	0.0205	0.0081	84	1.80	027.31	1
027	Magnesium (%)	0032	0.4600	0.0600	0.4231	0.0205	0.0081	84	1.80	027.43	1
027	Magnesium (%)	0563	0.4818	0.0716	0.4231	0.0205	0.0081	84	2.87	027.31	1
027	Magnesium (%)	0017	0.0000	0.0000	0.4231	0.0205	0.0081	84		027.43	4
028	Manganese (ppm)	0001	166.1	3.800	326.3	21.59	10.59	85	-7.42	028.31	0
028	Manganese (ppm)	0563	167.8	11.49	326.3	21.59	10.59	85	-7.34	028.31	0
028	Manganese (ppm)	0278	222.5	7.000	326.3	21.59	10.59	85	-4.81	028.42	0
028	Manganese (ppm)	0689	232.1	2.500	326.3	21.59	10.59	85	-4.37	028.31	0
028	Manganese (ppm)	2066	235.5	3.000	326.3	21.59	10.59	85	-4.21	028.53	0
028	Manganese (ppm)	0226	249.1	6.010	326.3	21.59	10.59	85	-3.58	028.41	0
028	Manganese (ppm)	0619	257.6	4.781	326.3	21.59	10.59	85	-3.18	028.41	0
028	Manganese (ppm)	0536	277.2	5.300	326.3	21.59	10.59	85	-2.28	028.31	0
028	Manganese (ppm)	0263	286.7	6.160	326.3	21.59	10.59	85	-1.83	028.42	0
028	Manganese (ppm)	0066	292.5	5.930	326.3	21.59	10.59	85	-1.57	028.44	0
028	Manganese (ppm)	0870	295.0	2.500	326.3	21.59	10.59	85	-1.45	028.43	0
028	Manganese (ppm)	0910	297.5	5.000	326.3	21.59	10.59	85	-1.34	028.41	0
028	Manganese (ppm)	0047	297.8	1.100	326.3	21.59	10.59	85	-1.32	028.52	0
028	Manganese (ppm)	0407	301.9	11.91	326.3	21.59	10.59	85	-1.13	028.53	0
028	Manganese (ppm)	0870	307.0	4.600	326.3	21.59	10.59	85	-0.90	028.42	0
028	Manganese (ppm)	0425	309.4	2.800	326.3	21.59	10.59	85	-0.78	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
028	Manganese (ppm)	0948	309.9	7.150	326.3	21.59	10.59	85	-0.76	028.33	0
028	Manganese (ppm)	0042	311.5	3.000	326.3	21.59	10.59	85	-0.69	028.42	0
028	Manganese (ppm)	0553	311.5	9.000	326.3	21.59	10.59	85	-0.69	028.53	0
028	Manganese (ppm)	0242	312.0	2.000	326.3	21.59	10.59	85	-0.66	028.99	0
028	Manganese (ppm)	0560	314.1	28.00	326.3	21.59	10.59	85	-0.57	028.52	0
028	Manganese (ppm)	0297	314.5	3.000	326.3	21.59	10.59	85	-0.55	028.43	0
028	Manganese (ppm)	0098	315.4	21.70	326.3	21.59	10.59	85	-0.51	028.41	0
028	Manganese (ppm)	0407	315.7	11.13	326.3	21.59	10.59	85	-0.49	028.41	0
028	Manganese (ppm)	0590	316.0	2.000	326.3	21.59	10.59	85	-0.48	028.99	0
028	Manganese (ppm)	0939	316.2	8.770	326.3	21.59	10.59	85	-0.47	028.31	0
028	Manganese (ppm)	0520	317.5	11.00	326.3	21.59	10.59	85	-0.41	028.41	0
028	Manganese (ppm)	2129	320.2	16.00	326.3	21.59	10.59	85	-0.28	028.42	0
028	Manganese (ppm)	0512	321.0	12.00	326.3	21.59	10.59	85	-0.25	028.43	0
028	Manganese (ppm)	0918	321.3	8.730	326.3	21.59	10.59	85	-0.23	028.43	0
028	Manganese (ppm)	2055	321.6	8.300	326.3	21.59	10.59	85	-0.22	028.53	0
028	Manganese (ppm)	0049	321.6	1.640	326.3	21.59	10.59	85	-0.22	028.41	0
028	Manganese (ppm)	0629	322.0	4.000	326.3	21.59	10.59	85	-0.20	028.31	0
028	Manganese (ppm)	0045	322.5	11.00	326.3	21.59	10.59	85	-0.18	028.42	0
028	Manganese (ppm)	0675	323.0	19.35	326.3	21.59	10.59	85	-0.15	028.43	0
028	Manganese (ppm)	0098	324.1	8.700	326.3	21.59	10.59	85	-0.11	028.43	0
028	Manganese (ppm)	0208	324.6	24.10	326.3	21.59	10.59	85	-0.08	028.41	0
028	Manganese (ppm)	0685	325.0	0.0100	326.3	21.59	10.59	85	-0.06	028.42	0
028	Manganese (ppm)	0651	325.5	6.920	326.3	21.59	10.59	85	-0.04	028.31	0
028	Manganese (ppm)	0939	325.5	29.00	326.3	21.59	10.59	85	-0.04	028.53	0
028	Manganese (ppm)	0229	326.1	14.98	326.3	21.59	10.59	85	-0.01	028.41	0
028	Manganese (ppm)	0171	326.7	3.900	326.3	21.59	10.59	85	0.01	028.41	0
028	Manganese (ppm)	0175	327.0	2.000	326.3	21.59	10.59	85	0.03	028.31	0
028	Manganese (ppm)	0629	328.0	16.00	326.3	21.59	10.59	85	0.08	028.43	0
028	Manganese (ppm)	2192	328.0	42.00	326.3	21.59	10.59	85	0.08	028.53	0
028	Manganese (ppm)	0968	328.5	3.000	326.3	21.59	10.59	85	0.10	028.43	0
028	Manganese (ppm)	0345	329.5	9.000	326.3	21.59	10.59	85	0.15	028.43	0
028	Manganese (ppm)	0413	330.0	14.00	326.3	21.59	10.59	85	0.17	028.42	0
028	Manganese (ppm)	0555	330.0	0.0000	326.3	21.59	10.59	85	0.17	028.43	0
028	Manganese (ppm)	0043	330.0	21.98	326.3	21.59	10.59	85	0.17	028.43	0
028	Manganese (ppm)	0074	332.0	8.000	326.3	21.59	10.59	85	0.26	028.41	0
028	Manganese (ppm)	0009	333.0	2.000	326.3	21.59	10.59	85	0.31	028.42	0
028	Manganese (ppm)	0610	333.3	0.5000	326.3	21.59	10.59	85	0.32	028.43	0
028	Manganese (ppm)	0148	333.5	6.557	326.3	21.59	10.59	85	0.33	028.41	0
028	Manganese (ppm)	0353	333.5	13.00	326.3	21.59	10.59	85	0.33	028.43	0
028	Manganese (ppm)	0357	335.4	0.8930	326.3	21.59	10.59	85	0.42	028.42	0
028	Manganese (ppm)	0100	335.5	5.000	326.3	21.59	10.59	85	0.42	028.99	0
028	Manganese (ppm)	0529	335.7	23.60	326.3	21.59	10.59	85	0.43	028.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
028	Manganese (ppm)	0019	335.8	6.350	326.3	21.59	10.59	85	0.44	028.41	0
028	Manganese (ppm)	0202	336.5	27.00	326.3	21.59	10.59	85	0.47	028.43	0
028	Manganese (ppm)	0598	337.4	1.400	326.3	21.59	10.59	85	0.51	028.41	0
028	Manganese (ppm)	0035	338.6	2.800	326.3	21.59	10.59	85	0.57	028.43	0
028	Manganese (ppm)	0682	340.6	0.0000	326.3	21.59	10.59	85	0.66	028.43	0
028	Manganese (ppm)	0035	341.0	1.000	326.3	21.59	10.59	85	0.68	028.42	0
028	Manganese (ppm)	0265	342.0	30.00	326.3	21.59	10.59	85	0.73	028.42	0
028	Manganese (ppm)	2089	342.3	16.09	326.3	21.59	10.59	85	0.74	028.43	0
028	Manganese (ppm)	0964	342.5	13.00	326.3	21.59	10.59	85	0.75	028.43	0
028	Manganese (ppm)	0964	342.8	7.696	326.3	21.59	10.59	85	0.77	028.41	0
028	Manganese (ppm)	2196	343.1	0.0000	326.3	21.59	10.59	85	0.78	028.31	0
028	Manganese (ppm)	0190	343.6	10.80	326.3	21.59	10.59	85	0.80	028.42	0
028	Manganese (ppm)	0083	344.0	4.000	326.3	21.59	10.59	85	0.82	028.43	0
028	Manganese (ppm)	2188	344.1	0.0000	326.3	21.59	10.59	85	0.82	028.31	0
028	Manganese (ppm)	0505	348.0	15.60	326.3	21.59	10.59	85	1.00	028.43	0
028	Manganese (ppm)	0164	348.0	4.000	326.3	21.59	10.59	85	1.00	028.44	0
028	Manganese (ppm)	0208	350.5	9.000	326.3	21.59	10.59	85	1.12	028.31	0
028	Manganese (ppm)	0032	351.0	24.00	326.3	21.59	10.59	85	1.14	028.43	0
028	Manganese (ppm)	0668	353.0	18.00	326.3	21.59	10.59	85	1.24	028.43	0
028	Manganese (ppm)	0027	353.2	11.43	326.3	21.59	10.59	85	1.24	028.43	0
028	Manganese (ppm)	0358	355.8	9.080	326.3	21.59	10.59	85	1.37	028.41	0
028	Manganese (ppm)	0693	356.6	38.32	326.3	21.59	10.59	85	1.40	028.42	0
028	Manganese (ppm)	2326	357.0	20.00	326.3	21.59	10.59	85	1.42	028.43	0
028	Manganese (ppm)	0017	360.2	46.82	326.3	21.59	10.59	85	1.57	028.43	0
028	Manganese (ppm)	0407	364.9	9.097	326.3	21.59	10.59	85	1.78	028.43	0
028	Manganese (ppm)	0016	365.0	22.00	326.3	21.59	10.59	85	1.79	028.52	0
028	Manganese (ppm)	0037	381.9	25.50	326.3	21.59	10.59	85	2.57	028.42	0
028	Manganese (ppm)	0572	320.0	64.00	326.3	21.59	10.59	85	-0.29	028.53	1
031	Phosphorus (%)	0536	0.3950	0.0100	1.050	0.0426	0.0257	109	-15.39	031.06	0
031	Phosphorus (%)	0889	0.6550	0.0100	1.050	0.0426	0.0257	109	-9.28	031.99	0
031	Phosphorus (%)	0108	0.7150	0.0900	1.050	0.0426	0.0257	109	-7.87	031.01	0
031	Phosphorus (%)	0278	0.8800	0.1000	1.050	0.0426	0.0257	109	-3.99	031.42	0
031	Phosphorus (%)	0910	0.9500	0.0600	1.050	0.0426	0.0257	109	-2.35	031.41	0
031	Phosphorus (%)	0265	0.9600	0.0400	1.050	0.0426	0.0257	109	-2.11	031.42	0
031	Phosphorus (%)	0226	0.9650	0.0100	1.050	0.0426	0.0257	109	-1.99	031.41	0
031	Phosphorus (%)	0242	0.9650	0.0100	1.050	0.0426	0.0257	109	-1.99	031.99	0
031	Phosphorus (%)	0100	0.9800	0.0200	1.050	0.0426	0.0257	109	-1.64	031.99	0
031	Phosphorus (%)	2129	0.9917	0.1067	1.050	0.0426	0.0257	109	-1.37	031.42	0
031	Phosphorus (%)	0229	0.9950	0.0100	1.050	0.0426	0.0257	109	-1.29	031.41	0
031	Phosphorus (%)	0870	0.9972	0.0657	1.050	0.0426	0.0257	109	-1.24	031.43	0
031	Phosphorus (%)	0520	1.000	0.0400	1.050	0.0426	0.0257	109	-1.17	031.41	0
031	Phosphorus (%)	0016	1.005	0.0110	1.050	0.0426	0.0257	109	-1.07	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	0175	1.005	0.0100	1.050	0.0426	0.0257	109	-1.05	031.01	0
031	Phosphorus (%)	0626	1.005	0.0100	1.050	0.0426	0.0257	109	-1.05	031.01	0
031	Phosphorus (%)	0019	1.010	0.0200	1.050	0.0426	0.0257	109	-0.94	031.41	0
031	Phosphorus (%)	0144	1.010	0.0800	1.050	0.0426	0.0257	109	-0.94	031.41	0
031	Phosphorus (%)	0298	1.010	0.0200	1.050	0.0426	0.0257	109	-0.94	031.41	0
031	Phosphorus (%)	0066	1.013	0.0290	1.050	0.0426	0.0257	109	-0.88	031.44	0
031	Phosphorus (%)	0208	1.015	0.1110	1.050	0.0426	0.0257	109	-0.83	031.41	0
031	Phosphorus (%)	0676	1.015	0.0100	1.050	0.0426	0.0257	109	-0.82	031.99	0
031	Phosphorus (%)	0407	1.016	0.0283	1.050	0.0426	0.0257	109	-0.80	031.41	0
031	Phosphorus (%)	0263	1.019	0.0054	1.050	0.0426	0.0257	109	-0.73	031.42	0
031	Phosphorus (%)	0357	1.020	0.0214	1.050	0.0426	0.0257	109	-0.70	031.42	0
031	Phosphorus (%)	0407	1.021	0.0306	1.050	0.0426	0.0257	109	-0.68	031.53	0
031	Phosphorus (%)	0036	1.023	0.0088	1.050	0.0426	0.0257	109	-0.64	031.03	0
031	Phosphorus (%)	0685	1.025	0.0100	1.050	0.0426	0.0257	109	-0.58	031.41	0
031	Phosphorus (%)	0014	1.025	0.0500	1.050	0.0426	0.0257	109	-0.58	031.42	0
031	Phosphorus (%)	0045	1.025	0.0500	1.050	0.0426	0.0257	109	-0.58	031.42	0
031	Phosphorus (%)	0425	1.025	0.0100	1.050	0.0426	0.0257	109	-0.58	031.43	0
031	Phosphorus (%)	2089	1.025	0.0100	1.050	0.0426	0.0257	109	-0.58	031.43	0
031	Phosphorus (%)	0009	1.027	0.0091	1.050	0.0426	0.0257	109	-0.55	031.42	0
031	Phosphorus (%)	0885	1.027	0.0339	1.050	0.0426	0.0257	109	-0.55	031.01	0
031	Phosphorus (%)	0512	1.027	0.0040	1.050	0.0426	0.0257	109	-0.54	031.43	0
031	Phosphorus (%)	0870	1.029	0.0520	1.050	0.0426	0.0257	109	-0.49	031.42	0
031	Phosphorus (%)	0001	1.030	0.0200	1.050	0.0426	0.0257	109	-0.47	031.43	0
031	Phosphorus (%)	0610	1.035	0.0100	1.050	0.0426	0.0257	109	-0.35	031.43	0
031	Phosphorus (%)	0675	1.035	0.0100	1.050	0.0426	0.0257	109	-0.35	031.43	0
031	Phosphorus (%)	0563	1.039	0.0047	1.050	0.0426	0.0257	109	-0.25	031.01	0
031	Phosphorus (%)	0590	1.040	0.0000	1.050	0.0426	0.0257	109	-0.23	031.01	0
031	Phosphorus (%)	2188	1.040	0.0000	1.050	0.0426	0.0257	109	-0.23	031.01	0
031	Phosphorus (%)	0042	1.040	0.0800	1.050	0.0426	0.0257	109	-0.23	031.42	0
031	Phosphorus (%)	0083	1.040	0.0200	1.050	0.0426	0.0257	109	-0.23	031.43	0
031	Phosphorus (%)	0297	1.040	0.0800	1.050	0.0426	0.0257	109	-0.23	031.43	0
031	Phosphorus (%)	2326	1.040	0.0200	1.050	0.0426	0.0257	109	-0.23	031.43	0
031	Phosphorus (%)	2340	1.041	0.0190	1.050	0.0426	0.0257	109	-0.22	031.01	0
031	Phosphorus (%)	0651	1.044	0.0178	1.050	0.0426	0.0257	109	-0.14	031.01	0
031	Phosphorus (%)	0142	1.045	0.0073	1.050	0.0426	0.0257	109	-0.12	031.01	0
031	Phosphorus (%)	0683	1.045	0.0100	1.050	0.0426	0.0257	109	-0.12	031.01	0
031	Phosphorus (%)	0939	1.045	0.0100	1.050	0.0426	0.0257	109	-0.12	031.01	0
031	Phosphorus (%)	0049	1.045	0.0300	1.050	0.0426	0.0257	109	-0.12	031.41	0
031	Phosphorus (%)	0035	1.045	0.0100	1.050	0.0426	0.0257	109	-0.12	031.42	0
031	Phosphorus (%)	0555	1.045	0.0100	1.050	0.0426	0.0257	109	-0.12	031.43	0
031	Phosphorus (%)	0553	1.045	0.0500	1.050	0.0426	0.0257	109	-0.12	031.53	0
031	Phosphorus (%)	0939	1.045	0.0300	1.050	0.0426	0.0257	109	-0.12	031.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	0629	1.050	0.0200	1.050	0.0426	0.0257	109	0.00	031.01	0
031	Phosphorus (%)	0687	1.050	0.1000	1.050	0.0426	0.0257	109	0.00	031.01	0
031	Phosphorus (%)	0171	1.050	0.0000	1.050	0.0426	0.0257	109	0.00	031.41	0
031	Phosphorus (%)	0619	1.050	0.0000	1.050	0.0426	0.0257	109	0.00	031.41	0
031	Phosphorus (%)	0689	1.055	0.0100	1.050	0.0426	0.0257	109	0.12	031.01	0
031	Phosphorus (%)	0098	1.056	0.0250	1.050	0.0426	0.0257	109	0.13	031.41	0
031	Phosphorus (%)	0881	1.058	0.0040	1.050	0.0426	0.0257	109	0.19	031.01	0
031	Phosphorus (%)	0018	1.060	0.0000	1.050	0.0426	0.0257	109	0.24	031.01	0
031	Phosphorus (%)	2022	1.060	0.0200	1.050	0.0426	0.0257	109	0.24	031.01	0
031	Phosphorus (%)	0682	1.060	0.0000	1.050	0.0426	0.0257	109	0.24	031.43	0
031	Phosphorus (%)	0043	1.063	0.0170	1.050	0.0426	0.0257	109	0.30	031.02	0
031	Phosphorus (%)	0693	1.063	0.0760	1.050	0.0426	0.0257	109	0.31	031.42	0
031	Phosphorus (%)	2192	1.065	0.0100	1.050	0.0426	0.0257	109	0.35	031.01	0
031	Phosphorus (%)	0123	1.065	0.0500	1.050	0.0426	0.0257	109	0.35	031.41	0
031	Phosphorus (%)	0010	1.065	0.0300	1.050	0.0426	0.0257	109	0.35	031.43	0
031	Phosphorus (%)	0968	1.067	0.0090	1.050	0.0426	0.0257	109	0.39	031.43	0
031	Phosphorus (%)	2196	1.067	0.0000	1.050	0.0426	0.0257	109	0.39	031.01	0
031	Phosphorus (%)	0017	1.068	0.0389	1.050	0.0426	0.0257	109	0.43	031.43	0
031	Phosphorus (%)	0148	1.070	0.0000	1.050	0.0426	0.0257	109	0.47	031.41	0
031	Phosphorus (%)	0202	1.070	0.0600	1.050	0.0426	0.0257	109	0.47	031.43	0
031	Phosphorus (%)	0208	1.071	0.0270	1.050	0.0426	0.0257	109	0.48	031.01	0
031	Phosphorus (%)	0948	1.075	0.0300	1.050	0.0426	0.0257	109	0.59	031.01	0
031	Phosphorus (%)	0190	1.075	0.0300	1.050	0.0426	0.0257	109	0.59	031.42	0
031	Phosphorus (%)	0035	1.075	0.0100	1.050	0.0426	0.0257	109	0.59	031.43	0
031	Phosphorus (%)	0345	1.075	0.0300	1.050	0.0426	0.0257	109	0.59	031.43	0
031	Phosphorus (%)	0037	1.078	0.0240	1.050	0.0426	0.0257	109	0.66	031.42	0
031	Phosphorus (%)	2181	1.080	0.0200	1.050	0.0426	0.0257	109	0.71	031.01	0
031	Phosphorus (%)	0629	1.080	0.0000	1.050	0.0426	0.0257	109	0.71	031.43	0
031	Phosphorus (%)	2259	1.081	0.0010	1.050	0.0426	0.0257	109	0.72	031.41	0
031	Phosphorus (%)	0653	1.081	0.0040	1.050	0.0426	0.0257	109	0.73	031.41	0
031	Phosphorus (%)	0036	1.082	0.0033	1.050	0.0426	0.0257	109	0.76	031.43	0
031	Phosphorus (%)	0098	1.083	0.0150	1.050	0.0426	0.0257	109	0.77	031.43	0
031	Phosphorus (%)	0964	1.083	0.0332	1.050	0.0426	0.0257	109	0.78	031.41	0
031	Phosphorus (%)	2009	1.087	0.0016	1.050	0.0426	0.0257	109	0.88	031.01	0
031	Phosphorus (%)	0529	1.090	0.0000	1.050	0.0426	0.0257	109	0.94	031.01	0
031	Phosphorus (%)	0407	1.094	0.0462	1.050	0.0426	0.0257	109	1.03	031.43	0
031	Phosphorus (%)	0413	1.095	0.0100	1.050	0.0426	0.0257	109	1.06	031.41	0
031	Phosphorus (%)	0160	1.095	0.0300	1.050	0.0426	0.0257	109	1.06	031.44	0
031	Phosphorus (%)	0164	1.095	0.0300	1.050	0.0426	0.0257	109	1.06	031.44	0
031	Phosphorus (%)	0027	1.098	0.0290	1.050	0.0426	0.0257	109	1.12	031.43	0
031	Phosphorus (%)	0505	1.100	0.0000	1.050	0.0426	0.0257	109	1.18	031.43	0
031	Phosphorus (%)	0358	1.105	0.0300	1.050	0.0426	0.0257	109	1.29	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	2109	1.115	0.0270	1.050	0.0426	0.0257	109	1.52	031.01	0
031	Phosphorus (%)	0668	1.115	0.0300	1.050	0.0426	0.0257	109	1.53	031.43	0
031	Phosphorus (%)	2055	1.119	0.0179	1.050	0.0426	0.0257	109	1.62	031.53	0
031	Phosphorus (%)	0074	1.125	0.0100	1.050	0.0426	0.0257	109	1.76	031.41	0
031	Phosphorus (%)	0353	1.125	0.0300	1.050	0.0426	0.0257	109	1.76	031.43	0
031	Phosphorus (%)	0964	1.128	0.0232	1.050	0.0426	0.0257	109	1.83	031.43	0
031	Phosphorus (%)	0572	1.150	0.0800	1.050	0.0426	0.0257	109	2.35	031.53	0
031	Phosphorus (%)	0918	1.156	0.0160	1.050	0.0426	0.0257	109	2.49	031.43	0
031	Phosphorus (%)	0598	1.159	0.0300	1.050	0.0426	0.0257	109	2.56	031.41	0
031	Phosphorus (%)	0043	1.174	0.0222	1.050	0.0426	0.0257	109	2.91	031.43	0
031	Phosphorus (%)	0154	1.204	0.0103	1.050	0.0426	0.0257	109	3.62	031.52	0
031	Phosphorus (%)	0032	1.100	0.1400	1.050	0.0426	0.0257	109	1.18	031.43	1
031	Phosphorus (%)	2066	2.180	0.0200	1.050	0.0426	0.0257	109	26.55	031.53	2
032	Potassium (%)	2066	0.8000	0.0000	1.121	0.0582	0.0242	87	-5.51	032.53	0
032	Potassium (%)	0278	0.8350	0.0300	1.121	0.0582	0.0242	87	-4.91	032.42	0
032	Potassium (%)	0001	0.8565	0.0350	1.121	0.0582	0.0242	87	-4.54	032.99	0
032	Potassium (%)	0563	0.9584	0.0090	1.121	0.0582	0.0242	87	-2.79	032.31	0
032	Potassium (%)	2192	0.9800	0.0800	1.121	0.0582	0.0242	87	-2.42	032.43	0
032	Potassium (%)	0529	1.000	0.0600	1.121	0.0582	0.0242	87	-2.08	032.31	0
032	Potassium (%)	0910	1.020	0.0200	1.121	0.0582	0.0242	87	-1.73	032.41	0
032	Potassium (%)	0407	1.024	0.0662	1.121	0.0582	0.0242	87	-1.67	032.53	0
032	Potassium (%)	2089	1.025	0.0100	1.121	0.0582	0.0242	87	-1.65	032.43	0
032	Potassium (%)	0870	1.040	0.0090	1.121	0.0582	0.0242	87	-1.40	032.43	0
032	Potassium (%)	0032	1.040	0.1000	1.121	0.0582	0.0242	87	-1.39	032.43	0
032	Potassium (%)	0425	1.040	0.0200	1.121	0.0582	0.0242	87	-1.39	032.43	0
032	Potassium (%)	2129	1.046	0.0040	1.121	0.0582	0.0242	87	-1.29	032.42	0
032	Potassium (%)	0536	1.060	0.0200	1.121	0.0582	0.0242	87	-1.05	032.31	0
032	Potassium (%)	0358	1.060	0.0800	1.121	0.0582	0.0242	87	-1.05	032.41	0
032	Potassium (%)	0675	1.060	0.0000	1.121	0.0582	0.0242	87	-1.05	032.43	0
032	Potassium (%)	0100	1.060	0.0000	1.121	0.0582	0.0242	87	-1.05	032.99	0
032	Potassium (%)	0019	1.070	0.0200	1.121	0.0582	0.0242	87	-0.87	032.41	0
032	Potassium (%)	0619	1.070	0.0200	1.121	0.0582	0.0242	87	-0.87	032.41	0
032	Potassium (%)	0590	1.075	0.0500	1.121	0.0582	0.0242	87	-0.79	032.99	0
032	Potassium (%)	0870	1.078	0.0280	1.121	0.0582	0.0242	87	-0.74	032.42	0
032	Potassium (%)	0123	1.080	0.0400	1.121	0.0582	0.0242	87	-0.70	032.41	0
032	Potassium (%)	0229	1.080	0.0800	1.121	0.0582	0.0242	87	-0.70	032.41	0
032	Potassium (%)	0083	1.085	0.0100	1.121	0.0582	0.0242	87	-0.62	032.43	0
032	Potassium (%)	0968	1.085	0.0100	1.121	0.0582	0.0242	87	-0.62	032.43	0
032	Potassium (%)	0154	1.085	0.0022	1.121	0.0582	0.0242	87	-0.61	032.52	0
032	Potassium (%)	0208	1.087	0.0880	1.121	0.0582	0.0242	87	-0.58	032.41	0
032	Potassium (%)	0242	1.090	0.0200	1.121	0.0582	0.0242	87	-0.53	032.99	0
032	Potassium (%)	0144	1.095	0.0100	1.121	0.0582	0.0242	87	-0.44	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0263	1.101	0.0056	1.121	0.0582	0.0242	87	-0.33	032.42	0
032	Potassium (%)	0045	1.105	0.0300	1.121	0.0582	0.0242	87	-0.27	032.42	0
032	Potassium (%)	0939	1.105	0.0700	1.121	0.0582	0.0242	87	-0.27	032.53	0
032	Potassium (%)	0148	1.115	0.0100	1.121	0.0582	0.0242	87	-0.10	032.41	0
032	Potassium (%)	0049	1.120	0.0200	1.121	0.0582	0.0242	87	-0.02	032.41	0
032	Potassium (%)	0265	1.120	0.0200	1.121	0.0582	0.0242	87	-0.02	032.42	0
032	Potassium (%)	0553	1.120	0.0000	1.121	0.0582	0.0242	87	-0.02	032.53	0
032	Potassium (%)	0560	1.123	0.0034	1.121	0.0582	0.0242	87	0.04	032.52	0
032	Potassium (%)	0629	1.125	0.0100	1.121	0.0582	0.0242	87	0.07	032.31	0
032	Potassium (%)	0042	1.125	0.0100	1.121	0.0582	0.0242	87	0.07	032.42	0
032	Potassium (%)	0357	1.130	0.0136	1.121	0.0582	0.0242	87	0.15	032.42	0
032	Potassium (%)	0598	1.131	0.0040	1.121	0.0582	0.0242	87	0.17	032.41	0
032	Potassium (%)	0555	1.135	0.0100	1.121	0.0582	0.0242	87	0.24	032.43	0
032	Potassium (%)	0074	1.135	0.0300	1.121	0.0582	0.0242	87	0.24	032.41	0
032	Potassium (%)	0345	1.135	0.0300	1.121	0.0582	0.0242	87	0.24	032.43	0
032	Potassium (%)	0653	1.137	0.0020	1.121	0.0582	0.0242	87	0.28	032.41	0
032	Potassium (%)	0939	1.140	0.0000	1.121	0.0582	0.0242	87	0.33	032.31	0
032	Potassium (%)	0171	1.140	0.0200	1.121	0.0582	0.0242	87	0.33	032.41	0
032	Potassium (%)	0682	1.140	0.0000	1.121	0.0582	0.0242	87	0.33	032.43	0
032	Potassium (%)	0160	1.140	0.0200	1.121	0.0582	0.0242	87	0.33	032.44	0
032	Potassium (%)	0208	1.140	0.0600	1.121	0.0582	0.0242	87	0.33	032.31	0
032	Potassium (%)	0098	1.140	0.0600	1.121	0.0582	0.0242	87	0.33	032.41	0
032	Potassium (%)	0964	1.142	0.0219	1.121	0.0582	0.0242	87	0.36	032.43	0
032	Potassium (%)	0142	1.144	0.0107	1.121	0.0582	0.0242	87	0.40	032.31	0
032	Potassium (%)	0520	1.145	0.0100	1.121	0.0582	0.0242	87	0.41	032.41	0
032	Potassium (%)	0098	1.145	0.0100	1.121	0.0582	0.0242	87	0.41	032.43	0
032	Potassium (%)	0202	1.145	0.0700	1.121	0.0582	0.0242	87	0.41	032.43	0
032	Potassium (%)	0297	1.145	0.0300	1.121	0.0582	0.0242	87	0.41	032.43	0
032	Potassium (%)	0353	1.145	0.0300	1.121	0.0582	0.0242	87	0.41	032.43	0
032	Potassium (%)	0036	1.146	0.0087	1.121	0.0582	0.0242	87	0.44	032.43	0
032	Potassium (%)	0948	1.150	0.0200	1.121	0.0582	0.0242	87	0.50	032.31	0
032	Potassium (%)	0035	1.150	0.0000	1.121	0.0582	0.0242	87	0.50	032.43	0
032	Potassium (%)	0964	1.151	0.0018	1.121	0.0582	0.0242	87	0.51	032.41	0
032	Potassium (%)	0407	1.152	0.0482	1.121	0.0582	0.0242	87	0.53	032.41	0
032	Potassium (%)	0066	1.153	0.0080	1.121	0.0582	0.0242	87	0.55	032.41	0
032	Potassium (%)	0918	1.154	0.0180	1.121	0.0582	0.0242	87	0.57	032.43	0
032	Potassium (%)	0035	1.155	0.0100	1.121	0.0582	0.0242	87	0.59	032.42	0
032	Potassium (%)	0629	1.155	0.0100	1.121	0.0582	0.0242	87	0.59	032.43	0
032	Potassium (%)	0164	1.155	0.0300	1.121	0.0582	0.0242	87	0.59	032.44	0
032	Potassium (%)	0226	1.160	0.0000	1.121	0.0582	0.0242	87	0.67	032.41	0
032	Potassium (%)	0413	1.165	0.0300	1.121	0.0582	0.0242	87	0.76	032.41	0
032	Potassium (%)	0610	1.165	0.0100	1.121	0.0582	0.0242	87	0.76	032.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0016	1.165	0.0300	1.121	0.0582	0.0242	87	0.76	032.52	0
032	Potassium (%)	0043	1.168	0.0114	1.121	0.0582	0.0242	87	0.80	032.43	0
032	Potassium (%)	0512	1.169	0.0080	1.121	0.0582	0.0242	87	0.83	032.43	0
032	Potassium (%)	0010	1.170	0.0200	1.121	0.0582	0.0242	87	0.84	032.43	0
032	Potassium (%)	0505	1.175	0.0100	1.121	0.0582	0.0242	87	0.93	032.43	0
032	Potassium (%)	0693	1.182	0.0530	1.121	0.0582	0.0242	87	1.04	032.42	0
032	Potassium (%)	0190	1.185	0.0500	1.121	0.0582	0.0242	87	1.10	032.42	0
032	Potassium (%)	2326	1.185	0.0100	1.121	0.0582	0.0242	87	1.10	032.43	0
032	Potassium (%)	0889	1.185	0.0100	1.121	0.0582	0.0242	87	1.10	032.99	0
032	Potassium (%)	0668	1.190	0.0600	1.121	0.0582	0.0242	87	1.19	032.43	0
032	Potassium (%)	0017	1.197	0.0179	1.121	0.0582	0.0242	87	1.31	032.43	0
032	Potassium (%)	0037	1.202	0.0090	1.121	0.0582	0.0242	87	1.39	032.42	0
032	Potassium (%)	0009	1.220	0.0146	1.121	0.0582	0.0242	87	1.70	032.42	0
032	Potassium (%)	0175	1.225	0.0100	1.121	0.0582	0.0242	87	1.79	032.31	0
032	Potassium (%)	0407	1.228	0.0550	1.121	0.0582	0.0242	87	1.84	032.43	0
032	Potassium (%)	2055	1.281	0.0120	1.121	0.0582	0.0242	87	2.76	032.53	0
032	Potassium (%)	0572	1.170	0.1400	1.121	0.0582	0.0242	87	0.84	032.53	1
033	Salt as chloride (%)	0682	0.4300	0.0000	1.422	0.0769	0.0394	56	-12.89	033.01	0
033	Salt as chloride (%)	0885	0.6902	0.0336	1.422	0.0769	0.0394	56	-9.51	033.00	0
033	Salt as chloride (%)	0536	1.025	0.0100	1.422	0.0769	0.0394	56	-5.16	033.99	0
033	Salt as chloride (%)	0190	1.220	0.0800	1.422	0.0769	0.0394	56	-2.62	033.03	0
033	Salt as chloride (%)	0171	1.230	0.0200	1.422	0.0769	0.0394	56	-2.49	033.00	0
033	Salt as chloride (%)	0265	1.280	0.0400	1.422	0.0769	0.0394	56	-1.84	033.03	0
033	Salt as chloride (%)	0511	1.300	0.0800	1.422	0.0769	0.0394	56	-1.58	033.00	0
033	Salt as chloride (%)	0910	1.310	0.1000	1.422	0.0769	0.0394	56	-1.45	033.99	0
033	Salt as chloride (%)	0032	1.315	0.1300	1.422	0.0769	0.0394	56	-1.39	033.99	0
033	Salt as chloride (%)	0689	1.335	0.0500	1.422	0.0769	0.0394	56	-1.13	033.05	0
033	Salt as chloride (%)	0017	1.354	0.0009	1.422	0.0769	0.0394	56	-0.87	033.99	0
033	Salt as chloride (%)	0619	1.360	0.0000	1.422	0.0769	0.0394	56	-0.80	033.01	0
033	Salt as chloride (%)	0425	1.375	0.0300	1.422	0.0769	0.0394	56	-0.61	033.01	0
033	Salt as chloride (%)	2129	1.377	0.0720	1.422	0.0769	0.0394	56	-0.58	033.99	0
033	Salt as chloride (%)	0650	1.380	0.0400	1.422	0.0769	0.0394	56	-0.54	033.99	0
033	Salt as chloride (%)	0019	1.390	0.0800	1.422	0.0769	0.0394	56	-0.41	033.01	0
033	Salt as chloride (%)	2073	1.410	0.0400	1.422	0.0769	0.0394	56	-0.15	033.99	0
033	Salt as chloride (%)	2109	1.411	0.0190	1.422	0.0769	0.0394	56	-0.15	033.01	0
033	Salt as chloride (%)	0921	1.412	0.0480	1.422	0.0769	0.0394	56	-0.13	033.00	0
033	Salt as chloride (%)	0123	1.415	0.0300	1.422	0.0769	0.0394	56	-0.09	033.00	0
033	Salt as chloride (%)	0353	1.415	0.0100	1.422	0.0769	0.0394	56	-0.09	033.00	0
033	Salt as chloride (%)	0083	1.415	0.0100	1.422	0.0769	0.0394	56	-0.09	033.01	0
033	Salt as chloride (%)	2009	1.417	0.0013	1.422	0.0769	0.0394	56	-0.06	033.00	0
033	Salt as chloride (%)	0208	1.420	0.0200	1.422	0.0769	0.0394	56	-0.02	033.99	0
033	Salt as chloride (%)	0358	1.420	0.0600	1.422	0.0769	0.0394	56	-0.02	033.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
033	Salt as chloride (%)	2181	1.420	0.0400	1.422	0.0769	0.0394	56	-0.02	033.99	0
033	Salt as chloride (%)	0226	1.425	0.0500	1.422	0.0769	0.0394	56	0.04	033.01	0
033	Salt as chloride (%)	0098	1.430	0.0000	1.422	0.0769	0.0394	56	0.11	033.01	0
033	Salt as chloride (%)	0413	1.430	0.0000	1.422	0.0769	0.0394	56	0.11	033.01	0
033	Salt as chloride (%)	0309	1.431	0.0330	1.422	0.0769	0.0394	56	0.12	033.00	0
033	Salt as chloride (%)	0164	1.435	0.0100	1.422	0.0769	0.0394	56	0.17	033.01	0
033	Salt as chloride (%)	0242	1.435	0.0100	1.422	0.0769	0.0394	56	0.17	033.01	0
033	Salt as chloride (%)	0590	1.435	0.0300	1.422	0.0769	0.0394	56	0.17	033.01	0
033	Salt as chloride (%)	0683	1.435	0.0100	1.422	0.0769	0.0394	56	0.17	033.01	0
033	Salt as chloride (%)	0881	1.444	0.0060	1.422	0.0769	0.0394	56	0.29	033.00	0
033	Salt as chloride (%)	0675	1.450	0.0800	1.422	0.0769	0.0394	56	0.37	033.00	0
033	Salt as chloride (%)	2196	1.450	0.0000	1.422	0.0769	0.0394	56	0.37	033.00	0
033	Salt as chloride (%)	0948	1.450	0.0000	1.422	0.0769	0.0394	56	0.37	033.01	0
033	Salt as chloride (%)	0001	1.455	0.0100	1.422	0.0769	0.0394	56	0.43	033.01	0
033	Salt as chloride (%)	2268	1.455	0.0300	1.422	0.0769	0.0394	56	0.43	033.01	0
033	Salt as chloride (%)	0148	1.460	0.0400	1.422	0.0769	0.0394	56	0.50	033.01	0
033	Salt as chloride (%)	2326	1.460	0.0200	1.422	0.0769	0.0394	56	0.50	033.99	0
033	Salt as chloride (%)	0693	1.468	0.0330	1.422	0.0769	0.0394	56	0.60	033.00	0
033	Salt as chloride (%)	0629	1.470	0.0200	1.422	0.0769	0.0394	56	0.63	033.01	0
033	Salt as chloride (%)	0407	1.474	0.0010	1.422	0.0769	0.0394	56	0.67	033.01	0
033	Salt as chloride (%)	0175	1.475	0.0500	1.422	0.0769	0.0394	56	0.69	033.01	0
033	Salt as chloride (%)	0939	1.475	0.0100	1.422	0.0769	0.0394	56	0.69	033.01	0
033	Salt as chloride (%)	0045	1.480	0.1000	1.422	0.0769	0.0394	56	0.76	033.00	0
033	Salt as chloride (%)	0100	1.485	0.0300	1.422	0.0769	0.0394	56	0.82	033.01	0
033	Salt as chloride (%)	0229	1.510	0.0400	1.422	0.0769	0.0394	56	1.15	033.01	0
033	Salt as chloride (%)	0298	1.520	0.0200	1.422	0.0769	0.0394	56	1.28	033.00	0
033	Salt as chloride (%)	0539	1.535	0.0500	1.422	0.0769	0.0394	56	1.47	033.00	0
033	Salt as chloride (%)	0003	1.550	0.1000	1.422	0.0769	0.0394	56	1.67	033.01	0
033	Salt as chloride (%)	0505	1.595	0.1500	1.422	0.0769	0.0394	56	2.25	033.03	0
033	Salt as chloride (%)	0144	1.615	0.1500	1.422	0.0769	0.0394	56	2.51	033.03	0
033	Salt as chloride (%)	0278	2.120	0.0800	1.422	0.0769	0.0394	56	9.08	033.01	0
033	Salt as chloride (%)	0010	1.340	0.2200	1.422	0.0769	0.0394	56	-1.06	033.01	1
034	Selenium (ppm)	0047	1.145	0.2300	1.492	0.2057	0.1039	23	-1.69	034.52	0
034	Selenium (ppm)	0148	1.225	0.1900	1.492	0.2057	0.1039	23	-1.30	034.41	0
034	Selenium (ppm)	0610	1.240	0.0200	1.492	0.2057	0.1039	23	-1.23	034.53	0
034	Selenium (ppm)	0171	1.263	0.0260	1.492	0.2057	0.1039	23	-1.11	034.04	0
034	Selenium (ppm)	0619	1.340	0.2200	1.492	0.2057	0.1039	23	-0.74	034.41	0
034	Selenium (ppm)	0045	1.355	0.4700	1.492	0.2057	0.1039	23	-0.67	034.04	0
034	Selenium (ppm)	0190	1.365	0.0300	1.492	0.2057	0.1039	23	-0.62	034.99	0
034	Selenium (ppm)	2055	1.380	0.1200	1.492	0.2057	0.1039	23	-0.54	034.53	0
034	Selenium (ppm)	0910	1.400	0.0000	1.492	0.2057	0.1039	23	-0.45	034.52	0
034	Selenium (ppm)	0512	1.422	0.0910	1.492	0.2057	0.1039	23	-0.34	034.04	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
034	Selenium (ppm)	0560	1.480	0.0420	1.492	0.2057	0.1039	23	-0.06	034.53	0
034	Selenium (ppm)	0563	1.491	0.0967	1.492	0.2057	0.1039	23	-0.01	034.04	0
034	Selenium (ppm)	0918	1.503	0.2015	1.492	0.2057	0.1039	23	0.05	034.53	0
034	Selenium (ppm)	0016	1.565	0.0700	1.492	0.2057	0.1039	23	0.36	034.52	0
034	Selenium (ppm)	0555	1.565	0.0100	1.492	0.2057	0.1039	23	0.36	034.53	0
034	Selenium (ppm)	0032	1.600	0.2000	1.492	0.2057	0.1039	23	0.53	034.53	0
034	Selenium (ppm)	0208	1.645	0.0300	1.492	0.2057	0.1039	23	0.74	034.52	0
034	Selenium (ppm)	0407	1.673	0.1240	1.492	0.2057	0.1039	23	0.88	034.53	0
034	Selenium (ppm)	0066	1.683	0.1050	1.492	0.2057	0.1039	23	0.93	034.43	0
034	Selenium (ppm)	0003	1.697	0.0100	1.492	0.2057	0.1039	23	1.00	034.53	0
034	Selenium (ppm)	0939	1.700	0.0200	1.492	0.2057	0.1039	23	1.01	034.53	0
034	Selenium (ppm)	0968	1.741	0.0730	1.492	0.2057	0.1039	23	1.21	034.43	0
034	Selenium (ppm)	0964	2.305	0.0100	1.492	0.2057	0.1039	23	3.95	034.43	0
034	Selenium (ppm)	2066	0.8550	0.7900	1.492	0.2057	0.1039	23	-3.10	034.53	1
034	Selenium (ppm)	0682	< 5		1.492	0.2057	0.1039	23		034.43	5
035	Sodium (%)	0889	0.0900	0.0000	0.5183	0.0273	0.0131	78	-15.71	035.99	0
035	Sodium (%)	2066	0.3600	0.0000	0.5183	0.0273	0.0131	78	-5.81	035.53	0
035	Sodium (%)	2192	0.4300	0.0200	0.5183	0.0273	0.0131	78	-3.24	035.43	0
035	Sodium (%)	0536	0.4550	0.0100	0.5183	0.0273	0.0131	78	-2.32	035.31	0
035	Sodium (%)	0910	0.4700	0.0000	0.5183	0.0273	0.0131	78	-1.77	035.41	0
035	Sodium (%)	0629	0.4750	0.0100	0.5183	0.0273	0.0131	78	-1.59	035.31	0
035	Sodium (%)	0629	0.4750	0.0100	0.5183	0.0273	0.0131	78	-1.59	035.43	0
035	Sodium (%)	0242	0.4750	0.0100	0.5183	0.0273	0.0131	78	-1.59	035.99	0
035	Sodium (%)	0619	0.4780	0.0000	0.5183	0.0273	0.0131	78	-1.48	035.41	0
035	Sodium (%)	0407	0.4834	0.0468	0.5183	0.0273	0.0131	78	-1.28	035.53	0
035	Sodium (%)	2129	0.4890	0.0196	0.5183	0.0273	0.0131	78	-1.08	035.42	0
035	Sodium (%)	2196	0.4900	0.0000	0.5183	0.0273	0.0131	78	-1.04	035.31	0
035	Sodium (%)	0298	0.4900	0.0200	0.5183	0.0273	0.0131	78	-1.04	035.41	0
035	Sodium (%)	0100	0.4950	0.0100	0.5183	0.0273	0.0131	78	-0.86	035.99	0
035	Sodium (%)	0042	0.4965	0.0070	0.5183	0.0273	0.0131	78	-0.80	035.42	0
035	Sodium (%)	0148	0.4970	0.0300	0.5183	0.0273	0.0131	78	-0.78	035.41	0
035	Sodium (%)	0108	0.5000	0.0400	0.5183	0.0273	0.0131	78	-0.67	035.05	0
035	Sodium (%)	0171	0.5000	0.0000	0.5183	0.0273	0.0131	78	-0.67	035.41	0
035	Sodium (%)	0682	0.5000	0.0000	0.5183	0.0273	0.0131	78	-0.67	035.43	0
035	Sodium (%)	0353	0.5022	0.0127	0.5183	0.0273	0.0131	78	-0.59	035.43	0
035	Sodium (%)	0208	0.5025	0.0190	0.5183	0.0273	0.0131	78	-0.58	035.31	0
035	Sodium (%)	0190	0.5050	0.0100	0.5183	0.0273	0.0131	78	-0.49	035.42	0
035	Sodium (%)	0265	0.5050	0.0100	0.5183	0.0273	0.0131	78	-0.49	035.42	0
035	Sodium (%)	0939	0.5050	0.0500	0.5183	0.0273	0.0131	78	-0.49	035.53	0
035	Sodium (%)	0529	0.5085	0.0150	0.5183	0.0273	0.0131	78	-0.36	035.31	0
035	Sodium (%)	0049	0.5100	0.0000	0.5183	0.0273	0.0131	78	-0.31	035.41	0
035	Sodium (%)	0229	0.5100	0.0200	0.5183	0.0273	0.0131	78	-0.31	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
035	Sodium (%)	0297	0.5100	0.0000	0.5183	0.0273	0.0131	78	-0.31	035.43	0
035	Sodium (%)	0610	0.5100	0.0000	0.5183	0.0273	0.0131	78	-0.31	035.43	0
035	Sodium (%)	0675	0.5100	0.0200	0.5183	0.0273	0.0131	78	-0.31	035.43	0
035	Sodium (%)	0653	0.5105	0.0010	0.5183	0.0273	0.0131	78	-0.29	035.41	0
035	Sodium (%)	0345	0.5115	0.0030	0.5183	0.0273	0.0131	78	-0.25	035.43	0
035	Sodium (%)	0870	0.5128	0.0191	0.5183	0.0273	0.0131	78	-0.21	035.43	0
035	Sodium (%)	0357	0.5134	0.0076	0.5183	0.0273	0.0131	78	-0.18	035.42	0
035	Sodium (%)	0019	0.5150	0.0100	0.5183	0.0273	0.0131	78	-0.12	035.41	0
035	Sodium (%)	0098	0.5150	0.0300	0.5183	0.0273	0.0131	78	-0.12	035.41	0
035	Sodium (%)	0263	0.5153	0.0046	0.5183	0.0273	0.0131	78	-0.11	035.42	0
035	Sodium (%)	0045	0.5155	0.0290	0.5183	0.0273	0.0131	78	-0.10	035.42	0
035	Sodium (%)	0520	0.5164	0.0229	0.5183	0.0273	0.0131	78	-0.07	035.41	0
035	Sodium (%)	0560	0.5203	0.0312	0.5183	0.0273	0.0131	78	0.07	035.52	0
035	Sodium (%)	0563	0.5210	0.0193	0.5183	0.0273	0.0131	78	0.10	035.31	0
035	Sodium (%)	0407	0.5233	0.0152	0.5183	0.0273	0.0131	78	0.18	035.41	0
035	Sodium (%)	0918	0.5245	0.0190	0.5183	0.0273	0.0131	78	0.23	035.43	0
035	Sodium (%)	0939	0.5250	0.0100	0.5183	0.0273	0.0131	78	0.24	035.31	0
035	Sodium (%)	0144	0.5250	0.0100	0.5183	0.0273	0.0131	78	0.24	035.41	0
035	Sodium (%)	0098	0.5250	0.0100	0.5183	0.0273	0.0131	78	0.24	035.43	0
035	Sodium (%)	2089	0.5250	0.0100	0.5183	0.0273	0.0131	78	0.24	035.43	0
035	Sodium (%)	0142	0.5253	0.0078	0.5183	0.0273	0.0131	78	0.26	035.31	0
035	Sodium (%)	0870	0.5257	0.0047	0.5183	0.0273	0.0131	78	0.27	035.42	0
035	Sodium (%)	0598	0.5274	0.0002	0.5183	0.0273	0.0131	78	0.33	035.41	0
035	Sodium (%)	0413	0.5300	0.0400	0.5183	0.0273	0.0131	78	0.43	035.41	0
035	Sodium (%)	0035	0.5300	0.0000	0.5183	0.0273	0.0131	78	0.43	035.43	0
035	Sodium (%)	0083	0.5300	0.0000	0.5183	0.0273	0.0131	78	0.43	035.43	0
035	Sodium (%)	2109	0.5305	0.0090	0.5183	0.0273	0.0131	78	0.45	035.01	0
035	Sodium (%)	0164	0.5310	0.0220	0.5183	0.0273	0.0131	78	0.46	035.41	0
035	Sodium (%)	0693	0.5325	0.0150	0.5183	0.0273	0.0131	78	0.52	035.42	0
035	Sodium (%)	0017	0.5328	0.0004	0.5183	0.0273	0.0131	78	0.53	035.43	0
035	Sodium (%)	0202	0.5345	0.0150	0.5183	0.0273	0.0131	78	0.59	035.43	0
035	Sodium (%)	0553	0.5350	0.0160	0.5183	0.0273	0.0131	78	0.61	035.53	0
035	Sodium (%)	0964	0.5373	0.0028	0.5183	0.0273	0.0131	78	0.70	035.43	0
035	Sodium (%)	0555	0.5380	0.0100	0.5183	0.0273	0.0131	78	0.72	035.43	0
035	Sodium (%)	2340	0.5390	0.0040	0.5183	0.0273	0.0131	78	0.76	035.43	0
035	Sodium (%)	0123	0.5400	0.0000	0.5183	0.0273	0.0131	78	0.79	035.41	0
035	Sodium (%)	0035	0.5400	0.0000	0.5183	0.0273	0.0131	78	0.79	035.42	0
035	Sodium (%)	0590	0.5400	0.0200	0.5183	0.0273	0.0131	78	0.79	035.99	0
035	Sodium (%)	0948	0.5420	0.0100	0.5183	0.0273	0.0131	78	0.87	035.31	0
035	Sodium (%)	0226	0.5450	0.0100	0.5183	0.0273	0.0131	78	0.98	035.41	0
035	Sodium (%)	0037	0.5450	0.0000	0.5183	0.0273	0.0131	78	0.98	035.42	0
035	Sodium (%)	0154	0.5510	0.0006	0.5183	0.0273	0.0131	78	1.20	035.52	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
035	Sodium (%)	0668	0.5520	0.0140	0.5183	0.0273	0.0131	78	1.23	035.43	0
035	Sodium (%)	2326	0.5550	0.0300	0.5183	0.0273	0.0131	78	1.34	035.43	0
035	Sodium (%)	0407	0.5556	0.0220	0.5183	0.0273	0.0131	78	1.37	035.43	0
035	Sodium (%)	0358	0.5600	0.0200	0.5183	0.0273	0.0131	78	1.53	035.41	0
035	Sodium (%)	0964	0.5632	0.0347	0.5183	0.0273	0.0131	78	1.64	035.41	0
035	Sodium (%)	0175	0.5750	0.0100	0.5183	0.0273	0.0131	78	2.08	035.31	0
035	Sodium (%)	0425	0.5800	0.0600	0.5183	0.0273	0.0131	78	2.26	035.43	0
035	Sodium (%)	2055	0.6103	0.0028	0.5183	0.0273	0.0131	78	3.37	035.53	0
035	Sodium (%)	0278	0.7200	0.0000	0.5183	0.0273	0.0131	78	7.40	035.42	0
035	Sodium (%)	0572	0.5110	0.0880	0.5183	0.0273	0.0131	78	-0.27	035.53	1
035	Sodium (%)	0027	1.377	0.0340	0.5183	0.0273	0.0131	78	31.50	035.99	2
035	Sodium (%)	2259	1.384	0.0570	0.5183	0.0273	0.0131	78	31.73	035.41	2
036	Sulfur (%)	2066	0.2050	0.0300	0.3145	0.0251	0.0086	40	-4.35	036.53	0
036	Sulfur (%)	0889	0.2500	0.0000	0.3145	0.0251	0.0086	40	-2.56	036.99	0
036	Sulfur (%)	0870	0.2540	0.0033	0.3145	0.0251	0.0086	40	-2.41	036.42	0
036	Sulfur (%)	0870	0.2625	0.0079	0.3145	0.0251	0.0086	40	-2.07	036.43	0
036	Sulfur (%)	2129	0.2656	0.0110	0.3145	0.0251	0.0086	40	-1.94	036.42	0
036	Sulfur (%)	0910	0.2689	0.0056	0.3145	0.0251	0.0086	40	-1.81	036.42	0
036	Sulfur (%)	0042	0.2950	0.0220	0.3145	0.0251	0.0086	40	-0.77	036.42	0
036	Sulfur (%)	0045	0.2980	0.0200	0.3145	0.0251	0.0086	40	-0.65	036.42	0
036	Sulfur (%)	0226	0.3000	0.0000	0.3145	0.0251	0.0086	40	-0.58	036.04	0
036	Sulfur (%)	0035	0.3000	0.0000	0.3145	0.0251	0.0086	40	-0.58	036.42	0
036	Sulfur (%)	0297	0.3000	0.0000	0.3145	0.0251	0.0086	40	-0.58	036.43	0
036	Sulfur (%)	2326	0.3000	0.0000	0.3145	0.0251	0.0086	40	-0.58	036.43	0
036	Sulfur (%)	0242	0.3000	0.0000	0.3145	0.0251	0.0086	40	-0.58	036.99	0
036	Sulfur (%)	0357	0.3041	0.0102	0.3145	0.0251	0.0086	40	-0.41	036.42	0
036	Sulfur (%)	0553	0.3095	0.0070	0.3145	0.0251	0.0086	40	-0.20	036.53	0
036	Sulfur (%)	0083	0.3100	0.0000	0.3145	0.0251	0.0086	40	-0.18	036.43	0
036	Sulfur (%)	0353	0.3100	0.0200	0.3145	0.0251	0.0086	40	-0.18	036.43	0
036	Sulfur (%)	2089	0.3100	0.0000	0.3145	0.0251	0.0086	40	-0.18	036.43	0
036	Sulfur (%)	0407	0.3148	0.0068	0.3145	0.0251	0.0086	40	0.01	036.42	0
036	Sulfur (%)	0629	0.3150	0.0100	0.3145	0.0251	0.0086	40	0.02	036.43	0
036	Sulfur (%)	0555	0.3172	0.0007	0.3145	0.0251	0.0086	40	0.11	036.43	0
036	Sulfur (%)	0693	0.3185	0.0230	0.3145	0.0251	0.0086	40	0.16	036.42	0
036	Sulfur (%)	0164	0.3200	0.0000	0.3145	0.0251	0.0086	40	0.22	036.42	0
036	Sulfur (%)	0265	0.3200	0.0200	0.3145	0.0251	0.0086	40	0.22	036.42	0
036	Sulfur (%)	0278	0.3200	0.0200	0.3145	0.0251	0.0086	40	0.22	036.42	0
036	Sulfur (%)	0345	0.3235	0.0030	0.3145	0.0251	0.0086	40	0.36	036.43	0
036	Sulfur (%)	0964	0.3261	0.0073	0.3145	0.0251	0.0086	40	0.46	036.43	0
036	Sulfur (%)	0035	0.3300	0.0000	0.3145	0.0251	0.0086	40	0.62	036.43	0
036	Sulfur (%)	0682	0.3300	0.0000	0.3145	0.0251	0.0086	40	0.62	036.43	0
036	Sulfur (%)	0202	0.3330	0.0040	0.3145	0.0251	0.0086	40	0.74	036.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
036	Sulfur (%)	0190	0.3350	0.0100	0.3145	0.0251	0.0086	40	0.82	036.42	0
036	Sulfur (%)	0010	0.3350	0.0100	0.3145	0.0251	0.0086	40	0.82	036.43	0
036	Sulfur (%)	0668	0.3360	0.0160	0.3145	0.0251	0.0086	40	0.86	036.43	0
036	Sulfur (%)	0098	0.3369	0.0137	0.3145	0.0251	0.0086	40	0.89	036.43	0
036	Sulfur (%)	0171	0.3400	0.0000	0.3145	0.0251	0.0086	40	1.02	036.42	0
036	Sulfur (%)	0918	0.3405	0.0110	0.3145	0.0251	0.0086	40	1.04	036.43	0
036	Sulfur (%)	0407	0.3426	0.0134	0.3145	0.0251	0.0086	40	1.12	036.43	0
036	Sulfur (%)	0148	0.3430	0.0060	0.3145	0.0251	0.0086	40	1.14	036.04	0
036	Sulfur (%)	0032	0.3550	0.0300	0.3145	0.0251	0.0086	40	1.61	036.43	0
036	Sulfur (%)	0037	0.3820	0.0040	0.3145	0.0251	0.0086	40	2.69	036.42	0
037	Zinc (ppm)	2066	306.5	11.00	439.2	32.22	14.04	85	-4.12	037.53	0
037	Zinc (ppm)	0653	370.7	8.200	439.2	32.22	14.04	85	-2.13	037.41	0
037	Zinc (ppm)	0889	376.2	1.850	439.2	32.22	14.04	85	-1.96	037.99	0
037	Zinc (ppm)	0226	379.0	4.980	439.2	32.22	14.04	85	-1.87	037.41	0
037	Zinc (ppm)	0263	382.8	0.8900	439.2	32.22	14.04	85	-1.75	037.42	0
037	Zinc (ppm)	0910	390.0	30.00	439.2	32.22	14.04	85	-1.53	037.41	0
037	Zinc (ppm)	0016	392.5	5.000	439.2	32.22	14.04	85	-1.45	037.52	0
037	Zinc (ppm)	2129	392.7	10.50	439.2	32.22	14.04	85	-1.44	037.42	0
037	Zinc (ppm)	0407	395.7	18.32	439.2	32.22	14.04	85	-1.35	037.53	0
037	Zinc (ppm)	0066	398.8	18.83	439.2	32.22	14.04	85	-1.25	037.44	0
037	Zinc (ppm)	2055	402.0	4.000	439.2	32.22	14.04	85	-1.15	037.53	0
037	Zinc (ppm)	0045	402.5	61.00	439.2	32.22	14.04	85	-1.14	037.42	0
037	Zinc (ppm)	0939	402.5	9.000	439.2	32.22	14.04	85	-1.14	037.53	0
037	Zinc (ppm)	0560	404.8	43.30	439.2	32.22	14.04	85	-1.07	037.52	0
037	Zinc (ppm)	2188	405.2	0.9900	439.2	32.22	14.04	85	-1.06	037.31	0
037	Zinc (ppm)	0098	406.4	4.000	439.2	32.22	14.04	85	-1.02	037.41	0
037	Zinc (ppm)	0689	408.8	6.700	439.2	32.22	14.04	85	-0.95	037.31	0
037	Zinc (ppm)	0148	409.0	5.473	439.2	32.22	14.04	85	-0.94	037.41	0
037	Zinc (ppm)	0629	410.0	6.000	439.2	32.22	14.04	85	-0.91	037.31	0
037	Zinc (ppm)	0529	410.5	3.300	439.2	32.22	14.04	85	-0.89	037.31	0
037	Zinc (ppm)	0610	411.5	11.00	439.2	32.22	14.04	85	-0.86	037.43	0
037	Zinc (ppm)	0242	416.0	10.00	439.2	32.22	14.04	85	-0.72	037.99	0
037	Zinc (ppm)	0009	417.0	0.0000	439.2	32.22	14.04	85	-0.69	037.42	0
037	Zinc (ppm)	0619	418.4	8.769	439.2	32.22	14.04	85	-0.64	037.41	0
037	Zinc (ppm)	0682	420.5	0.0000	439.2	32.22	14.04	85	-0.58	037.43	0
037	Zinc (ppm)	0629	422.5	3.000	439.2	32.22	14.04	85	-0.52	037.43	0
037	Zinc (ppm)	0536	425.4	3.850	439.2	32.22	14.04	85	-0.43	037.31	0
037	Zinc (ppm)	0049	426.5	20.36	439.2	32.22	14.04	85	-0.39	037.41	0
037	Zinc (ppm)	0512	427.8	9.400	439.2	32.22	14.04	85	-0.35	037.43	0
037	Zinc (ppm)	0345	429.0	6.000	439.2	32.22	14.04	85	-0.32	037.43	0
037	Zinc (ppm)	0918	430.1	16.04	439.2	32.22	14.04	85	-0.28	037.43	0
037	Zinc (ppm)	0357	431.7	0.8070	439.2	32.22	14.04	85	-0.23	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0208	431.8	12.60	439.2	32.22	14.04	85	-0.23	037.41	0
037	Zinc (ppm)	0175	432.0	0.0000	439.2	32.22	14.04	85	-0.22	037.31	0
037	Zinc (ppm)	0964	432.0	20.00	439.2	32.22	14.04	85	-0.22	037.43	0
037	Zinc (ppm)	0520	434.0	8.000	439.2	32.22	14.04	85	-0.16	037.41	0
037	Zinc (ppm)	0939	437.0	13.92	439.2	32.22	14.04	85	-0.07	037.31	0
037	Zinc (ppm)	0010	440.0	20.00	439.2	32.22	14.04	85	0.02	037.33	0
037	Zinc (ppm)	0019	442.0	12.27	439.2	32.22	14.04	85	0.09	037.41	0
037	Zinc (ppm)	0948	442.3	8.650	439.2	32.22	14.04	85	0.10	037.33	0
037	Zinc (ppm)	0563	442.8	15.98	439.2	32.22	14.04	85	0.11	037.31	0
037	Zinc (ppm)	0693	443.2	50.52	439.2	32.22	14.04	85	0.12	037.42	0
037	Zinc (ppm)	0668	443.5	15.00	439.2	32.22	14.04	85	0.13	037.43	0
037	Zinc (ppm)	2089	444.7	3.080	439.2	32.22	14.04	85	0.17	037.43	0
037	Zinc (ppm)	0407	445.0	18.07	439.2	32.22	14.04	85	0.18	037.41	0
037	Zinc (ppm)	0098	445.6	16.50	439.2	32.22	14.04	85	0.20	037.43	0
037	Zinc (ppm)	0675	446.3	1.170	439.2	32.22	14.04	85	0.22	037.43	0
037	Zinc (ppm)	0425	446.8	3.200	439.2	32.22	14.04	85	0.24	037.43	0
037	Zinc (ppm)	2196	447.2	0.0000	439.2	32.22	14.04	85	0.25	037.31	0
037	Zinc (ppm)	0358	447.8	26.60	439.2	32.22	14.04	85	0.27	037.41	0
037	Zinc (ppm)	0598	448.4	2.300	439.2	32.22	14.04	85	0.28	037.41	0
037	Zinc (ppm)	0297	449.0	4.000	439.2	32.22	14.04	85	0.30	037.43	0
037	Zinc (ppm)	0171	450.0	19.20	439.2	32.22	14.04	85	0.34	037.41	0
037	Zinc (ppm)	0083	450.0	2.000	439.2	32.22	14.04	85	0.34	037.43	0
037	Zinc (ppm)	2326	450.0	2.000	439.2	32.22	14.04	85	0.34	037.43	0
037	Zinc (ppm)	0505	452.6	3.400	439.2	32.22	14.04	85	0.42	037.43	0
037	Zinc (ppm)	0202	453.0	12.00	439.2	32.22	14.04	85	0.43	037.43	0
037	Zinc (ppm)	0229	455.4	13.28	439.2	32.22	14.04	85	0.50	037.41	0
037	Zinc (ppm)	0590	455.5	9.000	439.2	32.22	14.04	85	0.51	037.99	0
037	Zinc (ppm)	0265	456.5	23.00	439.2	32.22	14.04	85	0.54	037.42	0
037	Zinc (ppm)	0968	459.5	1.000	439.2	32.22	14.04	85	0.63	037.43	0
037	Zinc (ppm)	0413	460.5	9.000	439.2	32.22	14.04	85	0.66	037.42	0
037	Zinc (ppm)	0042	461.0	10.00	439.2	32.22	14.04	85	0.68	037.42	0
037	Zinc (ppm)	0407	462.7	37.36	439.2	32.22	14.04	85	0.73	037.43	0
037	Zinc (ppm)	0555	463.0	0.0000	439.2	32.22	14.04	85	0.74	037.43	0
037	Zinc (ppm)	0164	465.5	1.000	439.2	32.22	14.04	85	0.82	037.44	0
037	Zinc (ppm)	0043	466.0	23.40	439.2	32.22	14.04	85	0.83	037.43	0
037	Zinc (ppm)	0074	467.0	36.00	439.2	32.22	14.04	85	0.86	037.41	0
037	Zinc (ppm)	0035	467.5	3.800	439.2	32.22	14.04	85	0.88	037.43	0
037	Zinc (ppm)	0870	468.6	9.700	439.2	32.22	14.04	85	0.91	037.43	0
037	Zinc (ppm)	0027	468.7	4.131	439.2	32.22	14.04	85	0.91	037.43	0
037	Zinc (ppm)	0190	469.4	14.60	439.2	32.22	14.04	85	0.94	037.42	0
037	Zinc (ppm)	0017	470.1	62.78	439.2	32.22	14.04	85	0.96	037.43	0
037	Zinc (ppm)	0032	472.5	71.00	439.2	32.22	14.04	85	1.03	037.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0870	474.4	8.500	439.2	32.22	14.04	85	1.09	037.42	0
037	Zinc (ppm)	0037	475.1	37.10	439.2	32.22	14.04	85	1.11	037.42	0
037	Zinc (ppm)	0100	475.5	5.000	439.2	32.22	14.04	85	1.13	037.99	0
037	Zinc (ppm)	0651	475.9	13.72	439.2	32.22	14.04	85	1.14	037.31	0
037	Zinc (ppm)	0208	477.5	57.00	439.2	32.22	14.04	85	1.19	037.31	0
037	Zinc (ppm)	0553	479.0	18.00	439.2	32.22	14.04	85	1.24	037.53	0
037	Zinc (ppm)	0035	480.7	15.00	439.2	32.22	14.04	85	1.29	037.42	0
037	Zinc (ppm)	0353	482.5	9.000	439.2	32.22	14.04	85	1.34	037.43	0
037	Zinc (ppm)	0964	497.8	43.65	439.2	32.22	14.04	85	1.82	037.41	0
037	Zinc (ppm)	2192	503.5	13.00	439.2	32.22	14.04	85	2.00	037.43	0
037	Zinc (ppm)	0278	520.1	11.50	439.2	32.22	14.04	85	2.51	037.42	0
037	Zinc (ppm)	0572	400.0	76.00	439.2	32.22	14.04	85	-1.22	037.53	1
037	Zinc (ppm)	0047	513.5	75.30	439.2	32.22	14.04	85	2.30	037.52	1
037	Zinc (ppm)	0001	188.5	0.2000	439.2	32.22	14.04	85	-7.78	037.31	2
038	Molybdenum (ppm)	0278	1.825	0.0300	2.642	0.5064	0.1347	22	-1.61	038.42	0
038	Molybdenum (ppm)	2055	1.980	0.0200	2.642	0.5064	0.1347	22	-1.31	038.53	0
038	Molybdenum (ppm)	0910	2.010	0.0000	2.642	0.5064	0.1347	22	-1.25	038.52	0
038	Molybdenum (ppm)	0297	2.200	0.1200	2.642	0.5064	0.1347	22	-0.87	038.43	0
038	Molybdenum (ppm)	0171	2.281	0.0670	2.642	0.5064	0.1347	22	-0.71	038.41	0
038	Molybdenum (ppm)	0345	2.295	0.0300	2.642	0.5064	0.1347	22	-0.69	038.43	0
038	Molybdenum (ppm)	0918	2.361	0.1340	2.642	0.5064	0.1347	22	-0.55	038.53	0
038	Molybdenum (ppm)	0083	2.400	0.0000	2.642	0.5064	0.1347	22	-0.48	038.43	0
038	Molybdenum (ppm)	0226	2.430	0.1800	2.642	0.5064	0.1347	22	-0.42	038.41	0
038	Molybdenum (ppm)	0353	2.452	0.0666	2.642	0.5064	0.1347	22	-0.37	038.43	0
038	Molybdenum (ppm)	0202	2.470	0.4200	2.642	0.5064	0.1347	22	-0.34	038.43	0
038	Molybdenum (ppm)	0407	2.678	0.0347	2.642	0.5064	0.1347	22	0.07	038.41	0
038	Molybdenum (ppm)	0939	2.790	0.4000	2.642	0.5064	0.1347	22	0.29	038.53	0
038	Molybdenum (ppm)	0407	2.931	0.1380	2.642	0.5064	0.1347	22	0.57	038.53	0
038	Molybdenum (ppm)	0693	2.932	0.0150	2.642	0.5064	0.1347	22	0.57	038.42	0
038	Molybdenum (ppm)	0964	2.985	0.0442	2.642	0.5064	0.1347	22	0.68	038.43	0
038	Molybdenum (ppm)	0555	3.030	0.0000	2.642	0.5064	0.1347	22	0.77	038.43	0
038	Molybdenum (ppm)	0407	3.074	0.0505	2.642	0.5064	0.1347	22	0.85	038.43	0
038	Molybdenum (ppm)	0964	3.172	0.2237	2.642	0.5064	0.1347	22	1.05	038.41	0
038	Molybdenum (ppm)	0265	3.190	0.4000	2.642	0.5064	0.1347	22	1.08	038.42	0
038	Molybdenum (ppm)	0553	3.235	0.2100	2.642	0.5064	0.1347	22	1.17	038.53	0
038	Molybdenum (ppm)	0045	3.350	0.3800	2.642	0.5064	0.1347	22	1.40	038.42	0
040	Barium (ppm)	0407	11.58	0.8160				3		040.53	0
040	Barium (ppm)	0918	12.04	0.1626				3		040.53	0
040	Barium (ppm)	0560	13.68	1.150				3		040.52	0
041	Vanadium (ppm)	0407	1.085	0.0250				2		041.53	0
041	Vanadium (ppm)	0553	1.245	0.0300				2		041.53	0
042	Chloride (%)	0948	0.8800	0.0000				3		042.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
042	Chloride (%)	2326	0.8850	0.0100				3		042.00	0
042	Chloride (%)	0297	0.8900	0.0800				3		042.99	0
102	Niacin (ppm)	0227	15.30	0.6000				1		102.01	0
103	Pantothenic Acid (ppm)	0227	21.35	0.3000				1		103.01	0
104	Riboflavin (ppm)	0171	6.970	0.0000				3		104.00	0
104	Riboflavin (ppm)	0939	10.41	0.1600				3		104.03	0
104	Riboflavin (ppm)	0227	10.50	0.2000				3		104.99	0
104	Riboflavin (ppm)	0910	6.635	1.210				3		104.03	1
105	Thiamine (ppm)	0227	16.30	0.2000				2		105.99	0
105	Thiamine (ppm)	0910	18.30	1.670				2		105.00	0
106	Vitamin A (KU / kg)	0619	16.25	2.900	23.65	4.175	3.069	16	-1.77	106.02	0
106	Vitamin A (KU / kg)	0036	19.20	3.800	23.65	4.175	3.069	16	-1.07	106.02	0
106	Vitamin A (KU / kg)	0910	19.75	3.300	23.65	4.175	3.069	16	-0.93	106.02	0
106	Vitamin A (KU / kg)	2192	21.20	2.000	23.65	4.175	3.069	16	-0.59	106.02	0
106	Vitamin A (KU / kg)	0035	21.50	1.000	23.65	4.175	3.069	16	-0.52	106.02	0
106	Vitamin A (KU / kg)	0610	21.50	0.6000	23.65	4.175	3.069	16	-0.52	106.02	0
106	Vitamin A (KU / kg)	0563	21.64	4.385	23.65	4.175	3.069	16	-0.48	106.02	0
106	Vitamin A (KU / kg)	0010	22.50	4.400	23.65	4.175	3.069	16	-0.28	106.02	0
106	Vitamin A (KU / kg)	0148	23.90	0.8000	23.65	4.175	3.069	16	0.06	106.02	0
106	Vitamin A (KU / kg)	0638	25.10	0.0000	23.65	4.175	3.069	16	0.35	106.02	0
106	Vitamin A (KU / kg)	0208	25.46	1.984	23.65	4.175	3.069	16	0.43	106.02	0
106	Vitamin A (KU / kg)	0171	25.50	1.800	23.65	4.175	3.069	16	0.44	106.00	0
106	Vitamin A (KU / kg)	0512	26.95	6.250	23.65	4.175	3.069	16	0.79	106.02	0
106	Vitamin A (KU / kg)	0027	27.24	3.984	23.65	4.175	3.069	16	0.86	106.02	0
106	Vitamin A (KU / kg)	2103	29.70	0.5980	23.65	4.175	3.069	16	1.45	106.02	0
106	Vitamin A (KU / kg)	0014	37.15	11.30	23.65	4.175	3.069	16	3.23	106.02	0
106	Vitamin A (KU / kg)	0098	29.35	16.10	23.65	4.175	3.069	16	1.36	106.01	1
108	Vitamin D3 (KU / kg)	0619	2.110	0.1800	2.564	0.4215	0.2775	4		108.99	0
108	Vitamin D3 (KU / kg)	0010	2.505	0.1500	2.564	0.4215	0.2775	4		108.99	0
108	Vitamin D3 (KU / kg)	0910	2.510	0.3000	2.564	0.4215	0.2775	4		108.02	0
108	Vitamin D3 (KU / kg)	0208	3.130	0.4800	2.564	0.4215	0.2775	4		108.02	0
108	Vitamin D3 (KU / kg)	0610	< 5000		2.564	0.4215	0.2775	4		108.02	5
109	Vitamin E (IU / kg)	0619	301.0	102.0	443.8	49.16	30.19	12	-2.91	109.02	0
109	Vitamin E (IU / kg)	0590	385.5	43.00	443.8	49.16	30.19	12	-1.19	109.02	0
109	Vitamin E (IU / kg)	0638	412.7	0.0000	443.8	49.16	30.19	12	-0.63	109.02	0
109	Vitamin E (IU / kg)	0563	421.7	24.80	443.8	49.16	30.19	12	-0.45	109.02	0
109	Vitamin E (IU / kg)	0148	422.3	5.770	443.8	49.16	30.19	12	-0.44	109.02	0
109	Vitamin E (IU / kg)	0910	435.5	1.000	443.8	49.16	30.19	12	-0.17	109.02	0
109	Vitamin E (IU / kg)	0171	462.5	3.000	443.8	49.16	30.19	12	0.38	109.99	0
109	Vitamin E (IU / kg)	0098	466.5	19.00	443.8	49.16	30.19	12	0.46	109.02	0
109	Vitamin E (IU / kg)	0208	470.1	83.82	443.8	49.16	30.19	12	0.53	109.02	0
109	Vitamin E (IU / kg)	0610	472.0	16.00	443.8	49.16	30.19	12	0.57	109.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
109	Vitamin E (IU / kg)	0036	489.3	23.90	443.8	49.16	30.19	12	0.92	109.02	0
109	Vitamin E (IU / kg)	2192	526.0	40.00	443.8	49.16	30.19	12	1.67	109.02	0
111	Vitamin C, Phosphorylated (ppm)	0921	0.0310	0.0000				1		111.01	0
111	Vitamin C, Phosphorylated (ppm)	0227	< 4.4					1		111.00	5
115	Non Protein N (NPN) (%)	0098	0.3450	0.0100				1		115.00	0
118	Peroxide value (meq/kg)	2081	3.735	1.570				1		118.99	0
120	Alanine (%)	0353	0.5550	0.0100	0.6204	0.0302	0.0099	25	-2.17	120.00	0
120	Alanine (%)	0675	0.5800	0.0200	0.6204	0.0302	0.0099	25	-1.34	120.00	0
120	Alanine (%)	2196	0.5840	0.0000	0.6204	0.0302	0.0099	25	-1.21	120.05	0
120	Alanine (%)	2188	0.5930	0.0000	0.6204	0.0302	0.0099	25	-0.91	120.05	0
120	Alanine (%)	0968	0.5950	0.0100	0.6204	0.0302	0.0099	25	-0.84	120.00	0
120	Alanine (%)	0148	0.5950	0.0100	0.6204	0.0302	0.0099	25	-0.84	120.05	0
120	Alanine (%)	0610	0.6000	0.0000	0.6204	0.0302	0.0099	25	-0.68	120.05	0
120	Alanine (%)	0407	0.6015	0.0210	0.6204	0.0302	0.0099	25	-0.63	120.05	0
120	Alanine (%)	0682	0.6120	0.0000	0.6204	0.0302	0.0099	25	-0.28	120.00	0
120	Alanine (%)	0619	0.6160	0.0020	0.6204	0.0302	0.0099	25	-0.15	120.00	0
120	Alanine (%)	0918	0.6166	0.0312	0.6204	0.0302	0.0099	25	-0.13	120.00	0
120	Alanine (%)	0504	0.6200	0.0000	0.6204	0.0302	0.0099	25	-0.01	120.00	0
120	Alanine (%)	0652	0.6200	0.0200	0.6204	0.0302	0.0099	25	-0.01	120.00	0
120	Alanine (%)	0644	0.6210	0.0080	0.6204	0.0302	0.0099	25	0.02	120.00	0
120	Alanine (%)	2059	0.6220	0.0000	0.6204	0.0302	0.0099	25	0.05	120.00	0
120	Alanine (%)	2339	0.6270	0.0020	0.6204	0.0302	0.0099	25	0.22	120.00	0
120	Alanine (%)	0571	0.6280	0.0120	0.6204	0.0302	0.0099	25	0.25	120.00	0
120	Alanine (%)	0684	0.6300	0.0000	0.6204	0.0302	0.0099	25	0.32	120.00	0
120	Alanine (%)	0098	0.6300	0.0220	0.6204	0.0302	0.0099	25	0.32	120.02	0
120	Alanine (%)	0859	0.6386	0.0052	0.6204	0.0302	0.0099	25	0.60	120.00	0
120	Alanine (%)	0226	0.6519	0.0226	0.6204	0.0302	0.0099	25	1.04	120.00	0
120	Alanine (%)	0870	0.6568	0.0207	0.6204	0.0302	0.0099	25	1.20	120.00	0
120	Alanine (%)	0626	0.6715	0.0210	0.6204	0.0302	0.0099	25	1.69	120.05	0
120	Alanine (%)	0889	0.6750	0.0100	0.6204	0.0302	0.0099	25	1.81	120.99	0
120	Alanine (%)	0910	0.7200	0.0000	0.6204	0.0302	0.0099	25	3.30	120.00	0
120	Alanine (%)	0171	0.6950	0.0500	0.6204	0.0302	0.0099	25	2.47	120.00	1
121	Arginine (%)	0407	0.6170	0.0300	0.8488	0.0406	0.0166	25	-5.71	121.05	0
121	Arginine (%)	0675	0.7550	0.0100	0.8488	0.0406	0.0166	25	-2.31	121.00	0
121	Arginine (%)	0682	0.7930	0.0000	0.8488	0.0406	0.0166	25	-1.38	121.00	0
121	Arginine (%)	0504	0.8150	0.0100	0.8488	0.0406	0.0166	25	-0.83	121.00	0
121	Arginine (%)	0098	0.8190	0.0020	0.8488	0.0406	0.0166	25	-0.73	121.02	0
121	Arginine (%)	0353	0.8200	0.0400	0.8488	0.0406	0.0166	25	-0.71	121.00	0
121	Arginine (%)	2196	0.8260	0.0000	0.8488	0.0406	0.0166	25	-0.56	121.05	0
121	Arginine (%)	0910	0.8300	0.0000	0.8488	0.0406	0.0166	25	-0.46	121.00	0
121	Arginine (%)	0968	0.8300	0.0000	0.8488	0.0406	0.0166	25	-0.46	121.00	0
121	Arginine (%)	0859	0.8318	0.0003	0.8488	0.0406	0.0166	25	-0.42	121.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
121	Arginine (%)	2339	0.8445	0.0050	0.8488	0.0406	0.0166	25	-0.11	121.00	0
121	Arginine (%)	0652	0.8450	0.0100	0.8488	0.0406	0.0166	25	-0.09	121.00	0
121	Arginine (%)	2188	0.8460	0.0000	0.8488	0.0406	0.0166	25	-0.07	121.05	0
121	Arginine (%)	0626	0.8530	0.0500	0.8488	0.0406	0.0166	25	0.10	121.05	0
121	Arginine (%)	0684	0.8550	0.0300	0.8488	0.0406	0.0166	25	0.15	121.00	0
121	Arginine (%)	2059	0.8625	0.0030	0.8488	0.0406	0.0166	25	0.34	121.00	0
121	Arginine (%)	0148	0.8650	0.0100	0.8488	0.0406	0.0166	25	0.40	121.05	0
121	Arginine (%)	0610	0.8650	0.0100	0.8488	0.0406	0.0166	25	0.40	121.05	0
121	Arginine (%)	0644	0.8695	0.0050	0.8488	0.0406	0.0166	25	0.51	121.00	0
121	Arginine (%)	0571	0.8715	0.0090	0.8488	0.0406	0.0166	25	0.56	121.00	0
121	Arginine (%)	0918	0.8819	0.0210	0.8488	0.0406	0.0166	25	0.81	121.00	0
121	Arginine (%)	0619	0.8920	0.0020	0.8488	0.0406	0.0166	25	1.06	121.00	0
121	Arginine (%)	0870	0.9398	0.0371	0.8488	0.0406	0.0166	25	2.24	121.00	0
121	Arginine (%)	0171	0.9400	0.0600	0.8488	0.0406	0.0166	25	2.25	121.00	0
121	Arginine (%)	0889	1.015	0.0700	0.8488	0.0406	0.0166	25	4.09	121.99	0
121	Arginine (%)	0226	0.9350	0.1403	0.8488	0.0406	0.0166	25	2.12	121.00	1
122	Aspartic (%)	0407	0.9760	0.0100	1.079	0.0372	0.0112	25	-2.76	122.05	0
122	Aspartic (%)	0619	1.029	0.0050	1.079	0.0372	0.0112	25	-1.35	122.00	0
122	Aspartic (%)	0148	1.030	0.0200	1.079	0.0372	0.0112	25	-1.31	122.05	0
122	Aspartic (%)	2196	1.041	0.0000	1.079	0.0372	0.0112	25	-1.01	122.05	0
122	Aspartic (%)	0682	1.043	0.0000	1.079	0.0372	0.0112	25	-0.96	122.00	0
122	Aspartic (%)	0918	1.050	0.0004	1.079	0.0372	0.0112	25	-0.78	122.00	0
122	Aspartic (%)	0675	1.055	0.0100	1.079	0.0372	0.0112	25	-0.64	122.00	0
122	Aspartic (%)	0910	1.060	0.0000	1.079	0.0372	0.0112	25	-0.50	122.00	0
122	Aspartic (%)	2188	1.069	0.0000	1.079	0.0372	0.0112	25	-0.26	122.05	0
122	Aspartic (%)	0504	1.070	0.0000	1.079	0.0372	0.0112	25	-0.23	122.00	0
122	Aspartic (%)	0353	1.075	0.0100	1.079	0.0372	0.0112	25	-0.10	122.00	0
122	Aspartic (%)	0610	1.075	0.0100	1.079	0.0372	0.0112	25	-0.10	122.05	0
122	Aspartic (%)	0226	1.075	0.0471	1.079	0.0372	0.0112	25	-0.09	122.00	0
122	Aspartic (%)	0098	1.079	0.0320	1.079	0.0372	0.0112	25	0.01	122.02	0
122	Aspartic (%)	0968	1.080	0.0000	1.079	0.0372	0.0112	25	0.04	122.00	0
122	Aspartic (%)	0644	1.086	0.0000	1.079	0.0372	0.0112	25	0.20	122.00	0
122	Aspartic (%)	2339	1.095	0.0060	1.079	0.0372	0.0112	25	0.44	122.00	0
122	Aspartic (%)	2059	1.098	0.0040	1.079	0.0372	0.0112	25	0.52	122.00	0
122	Aspartic (%)	0652	1.105	0.0300	1.079	0.0372	0.0112	25	0.71	122.00	0
122	Aspartic (%)	0571	1.109	0.0120	1.079	0.0372	0.0112	25	0.82	122.00	0
122	Aspartic (%)	0684	1.110	0.0200	1.079	0.0372	0.0112	25	0.84	122.00	0
122	Aspartic (%)	0859	1.111	0.0099	1.079	0.0372	0.0112	25	0.86	122.00	0
122	Aspartic (%)	0626	1.130	0.0020	1.079	0.0372	0.0112	25	1.38	122.05	0
122	Aspartic (%)	0889	1.175	0.0500	1.079	0.0372	0.0112	25	2.59	122.99	0
122	Aspartic (%)	0870	1.196	0.0014	1.079	0.0372	0.0112	25	3.17	122.00	0
122	Aspartic (%)	0171	1.450	0.1000	1.079	0.0372	0.0112	25	9.99	122.00	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
124	Cysteine/Cystine (%)	0407	0.1013	0.0007	0.2610	0.0209	0.0096	26	-7.65	124.05	0
124	Cysteine/Cystine (%)	2188	0.2150	0.0000	0.2610	0.0209	0.0096	26	-2.20	124.05	0
124	Cysteine/Cystine (%)	0227	0.2250	0.0100	0.2610	0.0209	0.0096	26	-1.72	124.99	0
124	Cysteine/Cystine (%)	0684	0.2400	0.0000	0.2610	0.0209	0.0096	26	-1.00	124.00	0
124	Cysteine/Cystine (%)	0644	0.2485	0.0190	0.2610	0.0209	0.0096	26	-0.60	124.00	0
124	Cysteine/Cystine (%)	0652	0.2500	0.0000	0.2610	0.0209	0.0096	26	-0.53	124.00	0
124	Cysteine/Cystine (%)	0910	0.2500	0.0000	0.2610	0.0209	0.0096	26	-0.53	124.00	0
124	Cysteine/Cystine (%)	0870	0.2526	0.0168	0.2610	0.0209	0.0096	26	-0.40	124.00	0
124	Cysteine/Cystine (%)	2059	0.2530	0.0040	0.2610	0.0209	0.0096	26	-0.38	124.00	0
124	Cysteine/Cystine (%)	0353	0.2550	0.0100	0.2610	0.0209	0.0096	26	-0.29	124.00	0
124	Cysteine/Cystine (%)	0889	0.2550	0.0100	0.2610	0.0209	0.0096	26	-0.29	124.99	0
124	Cysteine/Cystine (%)	0968	0.2575	0.0010	0.2610	0.0209	0.0096	26	-0.17	124.00	0
124	Cysteine/Cystine (%)	2339	0.2580	0.0140	0.2610	0.0209	0.0096	26	-0.14	124.00	0
124	Cysteine/Cystine (%)	0939	0.2600	0.0200	0.2610	0.0209	0.0096	26	-0.05	124.00	0
124	Cysteine/Cystine (%)	0571	0.2605	0.0070	0.2610	0.0209	0.0096	26	-0.02	124.00	0
124	Cysteine/Cystine (%)	0675	0.2650	0.0300	0.2610	0.0209	0.0096	26	0.19	124.00	0
124	Cysteine/Cystine (%)	0918	0.2650	0.0100	0.2610	0.0209	0.0096	26	0.19	124.00	0
124	Cysteine/Cystine (%)	0859	0.2700	0.0047	0.2610	0.0209	0.0096	26	0.43	124.00	0
124	Cysteine/Cystine (%)	0504	0.2700	0.0000	0.2610	0.0209	0.0096	26	0.43	124.00	0
124	Cysteine/Cystine (%)	0148	0.2700	0.0200	0.2610	0.0209	0.0096	26	0.43	124.05	0
124	Cysteine/Cystine (%)	0098	0.2730	0.0040	0.2610	0.0209	0.0096	26	0.58	124.02	0
124	Cysteine/Cystine (%)	0610	0.2750	0.0100	0.2610	0.0209	0.0096	26	0.67	124.05	0
124	Cysteine/Cystine (%)	0619	0.2915	0.0090	0.2610	0.0209	0.0096	26	1.46	124.00	0
124	Cysteine/Cystine (%)	2196	0.2950	0.0000	0.2610	0.0209	0.0096	26	1.63	124.05	0
124	Cysteine/Cystine (%)	0682	0.3000	0.0000	0.2610	0.0209	0.0096	26	1.87	124.00	0
124	Cysteine/Cystine (%)	0171	0.3150	0.0500	0.2610	0.0209	0.0096	26	2.59	124.00	0
124	Cysteine/Cystine (%)	0226	0.3300	0.0800	0.2610	0.0209	0.0096	26	3.31	124.00	1
125	Glutamic (%)	0918	2.136	0.0815	2.276	0.1022	0.0342	26	-1.37	125.00	0
125	Glutamic (%)	0682	2.151	0.0000	2.276	0.1022	0.0342	26	-1.22	125.00	0
125	Glutamic (%)	0407	2.166	0.0520	2.276	0.1022	0.0342	26	-1.07	125.05	0
125	Glutamic (%)	2188	2.203	0.0000	2.276	0.1022	0.0342	26	-0.71	125.05	0
125	Glutamic (%)	0148	2.205	0.0300	2.276	0.1022	0.0342	26	-0.69	125.05	0
125	Glutamic (%)	0353	2.215	0.0100	2.276	0.1022	0.0342	26	-0.59	125.00	0
125	Glutamic (%)	0098	2.224	0.0930	2.276	0.1022	0.0342	26	-0.51	125.02	0
125	Glutamic (%)	0675	2.225	0.0500	2.276	0.1022	0.0342	26	-0.49	125.00	0
125	Glutamic (%)	2196	2.229	0.0000	2.276	0.1022	0.0342	26	-0.46	125.05	0
125	Glutamic (%)	0504	2.230	0.0000	2.276	0.1022	0.0342	26	-0.45	125.00	0
125	Glutamic (%)	0610	2.230	0.0200	2.276	0.1022	0.0342	26	-0.45	125.05	0
125	Glutamic (%)	2339	2.235	0.0020	2.276	0.1022	0.0342	26	-0.40	125.00	0
125	Glutamic (%)	0652	2.240	0.0600	2.276	0.1022	0.0342	26	-0.35	125.00	0
125	Glutamic (%)	2059	2.243	0.0070	2.276	0.1022	0.0342	26	-0.32	125.00	0
125	Glutamic (%)	0684	2.250	0.0600	2.276	0.1022	0.0342	26	-0.25	125.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
125	Glutamic (%)	0968	2.260	0.0200	2.276	0.1022	0.0342	26	-0.15	125.00	0
125	Glutamic (%)	0571	2.281	0.0070	2.276	0.1022	0.0342	26	0.05	125.00	0
125	Glutamic (%)	0859	2.292	0.0333	2.276	0.1022	0.0342	26	0.16	125.00	0
125	Glutamic (%)	0644	2.297	0.0040	2.276	0.1022	0.0342	26	0.21	125.00	0
125	Glutamic (%)	0870	2.370	0.0409	2.276	0.1022	0.0342	26	0.92	125.00	0
125	Glutamic (%)	0619	2.398	0.0300	2.276	0.1022	0.0342	26	1.20	125.00	0
125	Glutamic (%)	0910	2.400	0.0000	2.276	0.1022	0.0342	26	1.22	125.00	0
125	Glutamic (%)	0226	2.414	0.1429	2.276	0.1022	0.0342	26	1.35	125.00	0
125	Glutamic (%)	0171	2.415	0.0900	2.276	0.1022	0.0342	26	1.36	125.00	0
125	Glutamic (%)	0626	2.431	0.0450	2.276	0.1022	0.0342	26	1.52	125.05	0
125	Glutamic (%)	0889	2.555	0.0100	2.276	0.1022	0.0342	26	2.73	125.99	0
126	Glycine (%)	0675	0.7250	0.0100	0.7616	0.0186	0.0103	24	-1.97	126.00	0
126	Glycine (%)	0682	0.7320	0.0000	0.7616	0.0186	0.0103	24	-1.60	126.00	0
126	Glycine (%)	0353	0.7350	0.0100	0.7616	0.0186	0.0103	24	-1.43	126.00	0
126	Glycine (%)	0918	0.7423	0.0202	0.7616	0.0186	0.0103	24	-1.04	126.00	0
126	Glycine (%)	0171	0.7450	0.0500	0.7616	0.0186	0.0103	24	-0.90	126.00	0
126	Glycine (%)	0652	0.7500	0.0200	0.7616	0.0186	0.0103	24	-0.63	126.00	0
126	Glycine (%)	2339	0.7540	0.0100	0.7616	0.0186	0.0103	24	-0.41	126.00	0
126	Glycine (%)	0968	0.7550	0.0100	0.7616	0.0186	0.0103	24	-0.36	126.00	0
126	Glycine (%)	0148	0.7550	0.0100	0.7616	0.0186	0.0103	24	-0.36	126.05	0
126	Glycine (%)	0504	0.7600	0.0000	0.7616	0.0186	0.0103	24	-0.09	126.00	0
126	Glycine (%)	2196	0.7620	0.0000	0.7616	0.0186	0.0103	24	0.02	126.05	0
126	Glycine (%)	2188	0.7630	0.0000	0.7616	0.0186	0.0103	24	0.07	126.05	0
126	Glycine (%)	0226	0.7642	0.0238	0.7616	0.0186	0.0103	24	0.14	126.00	0
126	Glycine (%)	0098	0.7650	0.0300	0.7616	0.0186	0.0103	24	0.18	126.02	0
126	Glycine (%)	0610	0.7650	0.0100	0.7616	0.0186	0.0103	24	0.18	126.05	0
126	Glycine (%)	0644	0.7665	0.0010	0.7616	0.0186	0.0103	24	0.26	126.00	0
126	Glycine (%)	2059	0.7690	0.0000	0.7616	0.0186	0.0103	24	0.40	126.00	0
126	Glycine (%)	0910	0.7700	0.0000	0.7616	0.0186	0.0103	24	0.45	126.00	0
126	Glycine (%)	0859	0.7727	0.0011	0.7616	0.0186	0.0103	24	0.59	126.00	0
126	Glycine (%)	0571	0.7745	0.0090	0.7616	0.0186	0.0103	24	0.69	126.00	0
126	Glycine (%)	0684	0.7750	0.0100	0.7616	0.0186	0.0103	24	0.72	126.00	0
126	Glycine (%)	0619	0.7930	0.0000	0.7616	0.0186	0.0103	24	1.69	126.00	0
126	Glycine (%)	0626	0.8045	0.0090	0.7616	0.0186	0.0103	24	2.31	126.05	0
126	Glycine (%)	0870	0.8089	0.0140	0.7616	0.0186	0.0103	24	2.55	126.00	0
126	Glycine (%)	0407	0.5785	0.0730	0.7616	0.0186	0.0103	24	-9.86	126.05	1
126	Glycine (%)	0889	0.3350	0.0100	0.7616	0.0186	0.0103	24	-22.97	126.99	2
127	Histidine (%)	0226	0.3126	0.0073	0.3490	0.0184	0.0041	25	-1.98	127.00	0
127	Histidine (%)	0675	0.3250	0.0100	0.3490	0.0184	0.0041	25	-1.30	127.00	0
127	Histidine (%)	2188	0.3280	0.0000	0.3490	0.0184	0.0041	25	-1.14	127.05	0
127	Histidine (%)	0918	0.3283	0.0053	0.3490	0.0184	0.0041	25	-1.13	127.00	0
127	Histidine (%)	0353	0.3350	0.0100	0.3490	0.0184	0.0041	25	-0.76	127.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
127	Histidine (%)	0889	0.3350	0.0100	0.3490	0.0184	0.0041	25	-0.76	127.99	0
127	Histidine (%)	2059	0.3395	0.0010	0.3490	0.0184	0.0041	25	-0.51	127.00	0
127	Histidine (%)	0968	0.3400	0.0000	0.3490	0.0184	0.0041	25	-0.49	127.00	0
127	Histidine (%)	0610	0.3400	0.0000	0.3490	0.0184	0.0041	25	-0.49	127.05	0
127	Histidine (%)	0859	0.3448	0.0042	0.3490	0.0184	0.0041	25	-0.23	127.00	0
127	Histidine (%)	0571	0.3475	0.0030	0.3490	0.0184	0.0041	25	-0.08	127.00	0
127	Histidine (%)	0098	0.3485	0.0010	0.3490	0.0184	0.0041	25	-0.03	127.02	0
127	Histidine (%)	0626	0.3485	0.0090	0.3490	0.0184	0.0041	25	-0.03	127.05	0
127	Histidine (%)	0504	0.3500	0.0000	0.3490	0.0184	0.0041	25	0.06	127.00	0
127	Histidine (%)	0684	0.3500	0.0200	0.3490	0.0184	0.0041	25	0.06	127.00	0
127	Histidine (%)	0910	0.3500	0.0000	0.3490	0.0184	0.0041	25	0.06	127.00	0
127	Histidine (%)	0644	0.3525	0.0010	0.3490	0.0184	0.0041	25	0.19	127.00	0
127	Histidine (%)	2196	0.3540	0.0000	0.3490	0.0184	0.0041	25	0.27	127.05	0
127	Histidine (%)	2339	0.3545	0.0010	0.3490	0.0184	0.0041	25	0.30	127.00	0
127	Histidine (%)	0148	0.3600	0.0000	0.3490	0.0184	0.0041	25	0.60	127.05	0
127	Histidine (%)	0652	0.3700	0.0000	0.3490	0.0184	0.0041	25	1.14	127.00	0
127	Histidine (%)	0682	0.3720	0.0000	0.3490	0.0184	0.0041	25	1.25	127.00	0
127	Histidine (%)	0619	0.3925	0.0130	0.3490	0.0184	0.0041	25	2.37	127.00	0
127	Histidine (%)	0407	0.3940	0.0040	0.3490	0.0184	0.0041	25	2.45	127.05	0
127	Histidine (%)	0870	0.4950	0.0019	0.3490	0.0184	0.0041	25	7.94	127.00	0
127	Histidine (%)	0171	0.4450	0.0300	0.3490	0.0184	0.0041	25	5.22	127.00	1
128	Isoleucine (%)	0889	0.3350	0.0100	0.4641	0.0419	0.0093	25	-3.08	128.99	0
128	Isoleucine (%)	0682	0.4060	0.0000	0.4641	0.0419	0.0093	25	-1.39	128.00	0
128	Isoleucine (%)	0353	0.4150	0.0100	0.4641	0.0419	0.0093	25	-1.17	128.00	0
128	Isoleucine (%)	0918	0.4225	0.0059	0.4641	0.0419	0.0093	25	-0.99	128.00	0
128	Isoleucine (%)	0675	0.4250	0.0300	0.4641	0.0419	0.0093	25	-0.93	128.00	0
128	Isoleucine (%)	0148	0.4250	0.0100	0.4641	0.0419	0.0093	25	-0.93	128.05	0
128	Isoleucine (%)	2188	0.4330	0.0000	0.4641	0.0419	0.0093	25	-0.74	128.05	0
128	Isoleucine (%)	0968	0.4350	0.0100	0.4641	0.0419	0.0093	25	-0.69	128.00	0
128	Isoleucine (%)	0652	0.4500	0.0000	0.4641	0.0419	0.0093	25	-0.34	128.00	0
128	Isoleucine (%)	0859	0.4515	0.0026	0.4641	0.0419	0.0093	25	-0.30	128.00	0
128	Isoleucine (%)	0910	0.4600	0.0000	0.4641	0.0419	0.0093	25	-0.10	128.00	0
128	Isoleucine (%)	2059	0.4605	0.0070	0.4641	0.0419	0.0093	25	-0.09	128.00	0
128	Isoleucine (%)	2339	0.4680	0.0180	0.4641	0.0419	0.0093	25	0.09	128.00	0
128	Isoleucine (%)	0098	0.4785	0.0110	0.4641	0.0419	0.0093	25	0.34	128.02	0
128	Isoleucine (%)	2196	0.4790	0.0000	0.4641	0.0419	0.0093	25	0.36	128.05	0
128	Isoleucine (%)	0684	0.4800	0.0000	0.4641	0.0419	0.0093	25	0.38	128.00	0
128	Isoleucine (%)	0610	0.4800	0.0000	0.4641	0.0419	0.0093	25	0.38	128.05	0
128	Isoleucine (%)	0571	0.4810	0.0040	0.4641	0.0419	0.0093	25	0.40	128.00	0
128	Isoleucine (%)	0644	0.4895	0.0150	0.4641	0.0419	0.0093	25	0.61	128.00	0
128	Isoleucine (%)	0626	0.4895	0.0110	0.4641	0.0419	0.0093	25	0.61	128.05	0
128	Isoleucine (%)	0407	0.4985	0.0070	0.4641	0.0419	0.0093	25	0.82	128.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
128	Isoleucine (%)	0504	0.5000	0.0000	0.4641	0.0419	0.0093	25	0.86	128.00	0
128	Isoleucine (%)	0226	0.5199	0.0581	0.4641	0.0419	0.0093	25	1.33	128.00	0
128	Isoleucine (%)	0619	0.5380	0.0060	0.4641	0.0419	0.0093	25	1.77	128.00	0
128	Isoleucine (%)	0870	0.5834	0.0159	0.4641	0.0419	0.0093	25	2.85	128.00	0
128	Isoleucine (%)	0171	0.5450	0.0900	0.4641	0.0419	0.0093	25	1.93	128.00	1
129	Leucine (%)	0682	0.7750	0.0000	0.8604	0.0339	0.0114	25	-2.52	129.00	0
129	Leucine (%)	0889	0.8000	0.0000	0.8604	0.0339	0.0114	25	-1.78	129.99	0
129	Leucine (%)	0148	0.8150	0.0500	0.8604	0.0339	0.0114	25	-1.34	129.05	0
129	Leucine (%)	0652	0.8250	0.0100	0.8604	0.0339	0.0114	25	-1.04	129.00	0
129	Leucine (%)	0675	0.8250	0.0500	0.8604	0.0339	0.0114	25	-1.04	129.00	0
129	Leucine (%)	0968	0.8250	0.0100	0.8604	0.0339	0.0114	25	-1.04	129.00	0
129	Leucine (%)	2196	0.8290	0.0000	0.8604	0.0339	0.0114	25	-0.93	129.05	0
129	Leucine (%)	0918	0.8456	0.0141	0.8604	0.0339	0.0114	25	-0.44	129.00	0
129	Leucine (%)	0910	0.8500	0.0000	0.8604	0.0339	0.0114	25	-0.31	129.00	0
129	Leucine (%)	0353	0.8650	0.0100	0.8604	0.0339	0.0114	25	0.14	129.00	0
129	Leucine (%)	0098	0.8660	0.0120	0.8604	0.0339	0.0114	25	0.17	129.02	0
129	Leucine (%)	2339	0.8670	0.0040	0.8604	0.0339	0.0114	25	0.19	129.00	0
129	Leucine (%)	2188	0.8680	0.0000	0.8604	0.0339	0.0114	25	0.22	129.05	0
129	Leucine (%)	0407	0.8690	0.0240	0.8604	0.0339	0.0114	25	0.25	129.05	0
129	Leucine (%)	2059	0.8700	0.0060	0.8604	0.0339	0.0114	25	0.28	129.00	0
129	Leucine (%)	0610	0.8700	0.0000	0.8604	0.0339	0.0114	25	0.28	129.05	0
129	Leucine (%)	0644	0.8775	0.0150	0.8604	0.0339	0.0114	25	0.50	129.00	0
129	Leucine (%)	0504	0.8800	0.0000	0.8604	0.0339	0.0114	25	0.58	129.00	0
129	Leucine (%)	0684	0.8800	0.0200	0.8604	0.0339	0.0114	25	0.58	129.00	0
129	Leucine (%)	0571	0.8825	0.0050	0.8604	0.0339	0.0114	25	0.65	129.00	0
129	Leucine (%)	0626	0.8840	0.0060	0.8604	0.0339	0.0114	25	0.70	129.05	0
129	Leucine (%)	0226	0.8872	0.0244	0.8604	0.0339	0.0114	25	0.79	129.00	0
129	Leucine (%)	0859	0.8876	0.0094	0.8604	0.0339	0.0114	25	0.80	129.00	0
129	Leucine (%)	0870	0.9289	0.0028	0.8604	0.0339	0.0114	25	2.02	129.00	0
129	Leucine (%)	0619	0.9430	0.0120	0.8604	0.0339	0.0114	25	2.44	129.00	0
129	Leucine (%)	0171	1.065	0.0700	0.8604	0.0339	0.0114	25	6.04	129.00	1
130	L-Lysine (%)	0407	0.6295	0.0390	0.8098	0.0337	0.0090	29	-5.34	130.05	0
130	L-Lysine (%)	0889	0.7250	0.0100	0.8098	0.0337	0.0090	29	-2.51	130.99	0
130	L-Lysine (%)	0148	0.7400	0.0200	0.8098	0.0337	0.0090	29	-2.07	130.05	0
130	L-Lysine (%)	0226	0.7747	0.0178	0.8098	0.0337	0.0090	29	-1.04	130.00	0
130	L-Lysine (%)	0353	0.7750	0.0100	0.8098	0.0337	0.0090	29	-1.03	130.00	0
130	L-Lysine (%)	0918	0.7791	0.0089	0.8098	0.0337	0.0090	29	-0.91	130.00	0
130	L-Lysine (%)	0652	0.7850	0.0300	0.8098	0.0337	0.0090	29	-0.74	130.00	0
130	L-Lysine (%)	0610	0.7950	0.0100	0.8098	0.0337	0.0090	29	-0.44	130.05	0
130	L-Lysine (%)	0512	0.7954	0.0186	0.8098	0.0337	0.0090	29	-0.43	130.00	0
130	L-Lysine (%)	0014	0.7990	0.0000	0.8098	0.0337	0.0090	29	-0.32	130.05	0
130	L-Lysine (%)	0644	0.7995	0.0010	0.8098	0.0337	0.0090	29	-0.31	130.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
130	L-Lysine (%)	2339	0.8025	0.0010	0.8098	0.0337	0.0090	29	-0.22	130.00	0
130	L-Lysine (%)	0682	0.8050	0.0000	0.8098	0.0337	0.0090	29	-0.14	130.00	0
130	L-Lysine (%)	0939	0.8050	0.0100	0.8098	0.0337	0.0090	29	-0.14	130.00	0
130	L-Lysine (%)	2059	0.8115	0.0010	0.8098	0.0337	0.0090	29	0.05	130.00	0
130	L-Lysine (%)	0571	0.8120	0.0040	0.8098	0.0337	0.0090	29	0.06	130.00	0
130	L-Lysine (%)	0968	0.8150	0.0100	0.8098	0.0337	0.0090	29	0.15	130.00	0
130	L-Lysine (%)	2188	0.8150	0.0000	0.8098	0.0337	0.0090	29	0.15	130.05	0
130	L-Lysine (%)	0684	0.8200	0.0000	0.8098	0.0337	0.0090	29	0.30	130.00	0
130	L-Lysine (%)	2196	0.8220	0.0000	0.8098	0.0337	0.0090	29	0.36	130.05	0
130	L-Lysine (%)	0675	0.8250	0.0100	0.8098	0.0337	0.0090	29	0.45	130.00	0
130	L-Lysine (%)	0910	0.8300	0.0000	0.8098	0.0337	0.0090	29	0.60	130.00	0
130	L-Lysine (%)	0619	0.8315	0.0190	0.8098	0.0337	0.0090	29	0.64	130.00	0
130	L-Lysine (%)	0504	0.8400	0.0000	0.8098	0.0337	0.0090	29	0.89	130.00	0
130	L-Lysine (%)	0016	0.8430	0.0100	0.8098	0.0337	0.0090	29	0.98	130.99	0
130	L-Lysine (%)	0626	0.8515	0.0090	0.8098	0.0337	0.0090	29	1.23	130.05	0
130	L-Lysine (%)	0859	0.8552	0.0013	0.8098	0.0337	0.0090	29	1.34	130.00	0
130	L-Lysine (%)	0098	0.8915	0.0030	0.8098	0.0337	0.0090	29	2.42	130.02	0
130	L-Lysine (%)	0870	0.9522	0.0163	0.8098	0.0337	0.0090	29	4.22	130.00	0
130	L-Lysine (%)	0171	0.7450	0.0500	0.8098	0.0337	0.0090	29	-1.92	130.00	1
131	Methionine (%)	0407	0.1589	0.0083	0.2587	0.0287	0.0090	31	-3.48	131.05	0
131	Methionine (%)	0619	0.1920	0.0180	0.2587	0.0287	0.0090	31	-2.32	131.00	0
131	Methionine (%)	0014	0.2160	0.0320	0.2587	0.0287	0.0090	31	-1.49	131.05	0
131	Methionine (%)	0626	0.2280	0.0320	0.2587	0.0287	0.0090	31	-1.07	131.05	0
131	Methionine (%)	2188	0.2290	0.0000	0.2587	0.0287	0.0090	31	-1.03	131.05	0
131	Methionine (%)	0675	0.2350	0.0100	0.2587	0.0287	0.0090	31	-0.83	131.00	0
131	Methionine (%)	0684	0.2350	0.0100	0.2587	0.0287	0.0090	31	-0.83	131.00	0
131	Methionine (%)	0918	0.2400	0.0200	0.2587	0.0287	0.0090	31	-0.65	131.00	0
131	Methionine (%)	0939	0.2400	0.0200	0.2587	0.0287	0.0090	31	-0.65	131.00	0
131	Methionine (%)	0353	0.2450	0.0100	0.2587	0.0287	0.0090	31	-0.48	131.00	0
131	Methionine (%)	0859	0.2476	0.0020	0.2587	0.0287	0.0090	31	-0.39	131.00	0
131	Methionine (%)	0098	0.2540	0.0040	0.2587	0.0287	0.0090	31	-0.16	131.02	0
131	Methionine (%)	0016	0.2545	0.0010	0.2587	0.0287	0.0090	31	-0.15	131.05	0
131	Methionine (%)	0512	0.2562	0.0037	0.2587	0.0287	0.0090	31	-0.09	131.00	0
131	Methionine (%)	2059	0.2575	0.0010	0.2587	0.0287	0.0090	31	-0.04	131.00	0
131	Methionine (%)	0504	0.2600	0.0000	0.2587	0.0287	0.0090	31	0.05	131.00	0
131	Methionine (%)	0652	0.2600	0.0200	0.2587	0.0287	0.0090	31	0.05	131.00	0
131	Methionine (%)	0148	0.2600	0.0000	0.2587	0.0287	0.0090	31	0.05	131.05	0
131	Methionine (%)	0610	0.2600	0.0000	0.2587	0.0287	0.0090	31	0.05	131.05	0
131	Methionine (%)	2196	0.2660	0.0000	0.2587	0.0287	0.0090	31	0.25	131.05	0
131	Methionine (%)	2339	0.2685	0.0050	0.2587	0.0287	0.0090	31	0.34	131.00	0
131	Methionine (%)	0571	0.2690	0.0020	0.2587	0.0287	0.0090	31	0.36	131.00	0
131	Methionine (%)	0968	0.2790	0.0080	0.2587	0.0287	0.0090	31	0.71	131.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
131	Methionine (%)	0227	0.2800	0.0200	0.2587	0.0287	0.0090	31	0.74	131.99	0
131	Methionine (%)	0682	0.2810	0.0000	0.2587	0.0287	0.0090	31	0.78	131.00	0
131	Methionine (%)	0644	0.2820	0.0140	0.2587	0.0287	0.0090	31	0.81	131.00	0
131	Methionine (%)	0226	0.2900	0.0000	0.2587	0.0287	0.0090	31	1.09	131.00	0
131	Methionine (%)	0910	0.2900	0.0000	0.2587	0.0287	0.0090	31	1.09	131.00	0
131	Methionine (%)	0171	0.3100	0.0200	0.2587	0.0287	0.0090	31	1.79	131.00	0
131	Methionine (%)	0889	0.3450	0.0100	0.2587	0.0287	0.0090	31	3.01	131.99	0
131	Methionine (%)	0870	0.3461	0.0087	0.2587	0.0287	0.0090	31	3.04	131.00	0
132	Phenylalanine (%)	0682	0.4480	0.0000	0.5502	0.0470	0.0143	26	-2.17	132.00	0
132	Phenylalanine (%)	0226	0.4687	0.0372	0.5502	0.0470	0.0143	26	-1.73	132.00	0
132	Phenylalanine (%)	0889	0.4750	0.0100	0.5502	0.0470	0.0143	26	-1.60	132.99	0
132	Phenylalanine (%)	0675	0.5050	0.0100	0.5502	0.0470	0.0143	26	-0.96	132.00	0
132	Phenylalanine (%)	0652	0.5150	0.0100	0.5502	0.0470	0.0143	26	-0.75	132.00	0
132	Phenylalanine (%)	0910	0.5200	0.0000	0.5502	0.0470	0.0143	26	-0.64	132.00	0
132	Phenylalanine (%)	0968	0.5300	0.0200	0.5502	0.0470	0.0143	26	-0.43	132.00	0
132	Phenylalanine (%)	2188	0.5300	0.0000	0.5502	0.0470	0.0143	26	-0.43	132.05	0
132	Phenylalanine (%)	2059	0.5320	0.0020	0.5502	0.0470	0.0143	26	-0.39	132.00	0
132	Phenylalanine (%)	0684	0.5350	0.0100	0.5502	0.0470	0.0143	26	-0.32	132.00	0
132	Phenylalanine (%)	0098	0.5405	0.0030	0.5502	0.0470	0.0143	26	-0.21	132.02	0
132	Phenylalanine (%)	0626	0.5440	0.0140	0.5502	0.0470	0.0143	26	-0.13	132.05	0
132	Phenylalanine (%)	0610	0.5450	0.0100	0.5502	0.0470	0.0143	26	-0.11	132.05	0
132	Phenylalanine (%)	0504	0.5550	0.0100	0.5502	0.0470	0.0143	26	0.10	132.00	0
132	Phenylalanine (%)	0644	0.5550	0.0040	0.5502	0.0470	0.0143	26	0.10	132.00	0
132	Phenylalanine (%)	0571	0.5575	0.0170	0.5502	0.0470	0.0143	26	0.16	132.00	0
132	Phenylalanine (%)	0619	0.5585	0.0590	0.5502	0.0470	0.0143	26	0.18	132.00	0
132	Phenylalanine (%)	2196	0.5630	0.0000	0.5502	0.0470	0.0143	26	0.27	132.05	0
132	Phenylalanine (%)	0148	0.5650	0.0100	0.5502	0.0470	0.0143	26	0.32	132.05	0
132	Phenylalanine (%)	2339	0.5685	0.0070	0.5502	0.0470	0.0143	26	0.39	132.00	0
132	Phenylalanine (%)	0171	0.5800	0.0400	0.5502	0.0470	0.0143	26	0.63	132.00	0
132	Phenylalanine (%)	0407	0.5880	0.0100	0.5502	0.0470	0.0143	26	0.80	132.05	0
132	Phenylalanine (%)	0918	0.6165	0.0157	0.5502	0.0470	0.0143	26	1.41	132.00	0
132	Phenylalanine (%)	0859	0.6449	0.0177	0.5502	0.0470	0.0143	26	2.01	132.00	0
132	Phenylalanine (%)	0353	0.6600	0.0400	0.5502	0.0470	0.0143	26	2.33	132.00	0
132	Phenylalanine (%)	0870	0.7003	0.0147	0.5502	0.0470	0.0143	26	3.19	132.00	0
133	Proline (%)	0682	0.7420	0.0000	0.7950	0.0305	0.0164	24	-1.74	133.00	0
133	Proline (%)	0148	0.7450	0.0300	0.7950	0.0305	0.0164	24	-1.64	133.05	0
133	Proline (%)	2188	0.7540	0.0000	0.7950	0.0305	0.0164	24	-1.34	133.05	0
133	Proline (%)	0504	0.7700	0.0200	0.7950	0.0305	0.0164	24	-0.82	133.00	0
133	Proline (%)	0652	0.7700	0.0200	0.7950	0.0305	0.0164	24	-0.82	133.00	0
133	Proline (%)	0675	0.7700	0.0400	0.7950	0.0305	0.0164	24	-0.82	133.00	0
133	Proline (%)	2059	0.7740	0.0040	0.7950	0.0305	0.0164	24	-0.69	133.00	0
133	Proline (%)	0870	0.7799	0.0337	0.7950	0.0305	0.0164	24	-0.50	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
133	Proline (%)	0859	0.7816	0.0077	0.7950	0.0305	0.0164	24	-0.44	133.00	0
133	Proline (%)	0684	0.7850	0.0300	0.7950	0.0305	0.0164	24	-0.33	133.00	0
133	Proline (%)	0226	0.7923	0.0075	0.7950	0.0305	0.0164	24	-0.09	133.00	0
133	Proline (%)	0610	0.7950	0.0100	0.7950	0.0305	0.0164	24	0.00	133.05	0
133	Proline (%)	0353	0.8050	0.0100	0.7950	0.0305	0.0164	24	0.33	133.00	0
133	Proline (%)	0407	0.8055	0.0290	0.7950	0.0305	0.0164	24	0.34	133.05	0
133	Proline (%)	0644	0.8075	0.0330	0.7950	0.0305	0.0164	24	0.41	133.00	0
133	Proline (%)	0571	0.8095	0.0090	0.7950	0.0305	0.0164	24	0.48	133.00	0
133	Proline (%)	0171	0.8100	0.0400	0.7950	0.0305	0.0164	24	0.49	133.00	0
133	Proline (%)	0910	0.8100	0.0000	0.7950	0.0305	0.0164	24	0.49	133.00	0
133	Proline (%)	0968	0.8100	0.0200	0.7950	0.0305	0.0164	24	0.49	133.00	0
133	Proline (%)	2196	0.8170	0.0000	0.7950	0.0305	0.0164	24	0.72	133.05	0
133	Proline (%)	0626	0.8265	0.0070	0.7950	0.0305	0.0164	24	1.03	133.05	0
133	Proline (%)	2339	0.8270	0.0080	0.7950	0.0305	0.0164	24	1.05	133.00	0
133	Proline (%)	0619	0.8600	0.0140	0.7950	0.0305	0.0164	24	2.13	133.00	0
133	Proline (%)	0889	0.9200	0.0200	0.7950	0.0305	0.0164	24	4.10	133.99	0
133	Proline (%)	0918	0.8938	0.0807	0.7950	0.0305	0.0164	24	3.24	133.00	1
134	Serine (%)	0407	0.5010	0.0000	0.6223	0.0483	0.0149	26	-2.51	134.05	0
134	Serine (%)	0504	0.5250	0.0500	0.6223	0.0483	0.0149	26	-2.01	134.00	0
134	Serine (%)	0610	0.5600	0.0000	0.6223	0.0483	0.0149	26	-1.29	134.05	0
134	Serine (%)	0226	0.5705	0.0530	0.6223	0.0483	0.0149	26	-1.07	134.00	0
134	Serine (%)	0619	0.5815	0.0270	0.6223	0.0483	0.0149	26	-0.84	134.00	0
134	Serine (%)	0682	0.5900	0.0000	0.6223	0.0483	0.0149	26	-0.67	134.00	0
134	Serine (%)	0098	0.5965	0.0290	0.6223	0.0483	0.0149	26	-0.53	134.02	0
134	Serine (%)	0644	0.5980	0.0160	0.6223	0.0483	0.0149	26	-0.50	134.00	0
134	Serine (%)	0910	0.6000	0.0000	0.6223	0.0483	0.0149	26	-0.46	134.00	0
134	Serine (%)	0675	0.6050	0.0100	0.6223	0.0483	0.0149	26	-0.36	134.00	0
134	Serine (%)	0918	0.6210	0.0109	0.6223	0.0483	0.0149	26	-0.03	134.00	0
134	Serine (%)	2339	0.6215	0.0250	0.6223	0.0483	0.0149	26	-0.02	134.00	0
134	Serine (%)	2188	0.6230	0.0000	0.6223	0.0483	0.0149	26	0.01	134.05	0
134	Serine (%)	2196	0.6250	0.0000	0.6223	0.0483	0.0149	26	0.06	134.05	0
134	Serine (%)	0652	0.6300	0.0000	0.6223	0.0483	0.0149	26	0.16	134.00	0
134	Serine (%)	0684	0.6300	0.0400	0.6223	0.0483	0.0149	26	0.16	134.00	0
134	Serine (%)	0571	0.6335	0.0110	0.6223	0.0483	0.0149	26	0.23	134.00	0
134	Serine (%)	0353	0.6350	0.0300	0.6223	0.0483	0.0149	26	0.26	134.00	0
134	Serine (%)	0968	0.6400	0.0000	0.6223	0.0483	0.0149	26	0.37	134.00	0
134	Serine (%)	2059	0.6405	0.0090	0.6223	0.0483	0.0149	26	0.38	134.00	0
134	Serine (%)	0148	0.6500	0.0400	0.6223	0.0483	0.0149	26	0.57	134.05	0
134	Serine (%)	0859	0.6508	0.0094	0.6223	0.0483	0.0149	26	0.59	134.00	0
134	Serine (%)	0626	0.6940	0.0060	0.6223	0.0483	0.0149	26	1.48	134.05	0
134	Serine (%)	0889	0.7100	0.0000	0.6223	0.0483	0.0149	26	1.82	134.99	0
134	Serine (%)	0870	0.7548	0.0020	0.6223	0.0483	0.0149	26	2.74	134.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
134	Serine (%)	0171	0.8000	0.0200	0.6223	0.0483	0.0149	26	3.68	134.00	0
135	Threonine (%)	0889	0.4200	0.0000	0.5390	0.0311	0.0133	27	-3.83	135.99	0
135	Threonine (%)	0407	0.4550	0.0000	0.5390	0.0311	0.0133	27	-2.70	135.05	0
135	Threonine (%)	0226	0.4869	0.0025	0.5390	0.0311	0.0133	27	-1.68	135.00	0
135	Threonine (%)	0682	0.5000	0.0000	0.5390	0.0311	0.0133	27	-1.25	135.00	0
135	Threonine (%)	0619	0.5010	0.0360	0.5390	0.0311	0.0133	27	-1.22	135.00	0
135	Threonine (%)	2188	0.5050	0.0000	0.5390	0.0311	0.0133	27	-1.09	135.05	0
135	Threonine (%)	0910	0.5200	0.0000	0.5390	0.0311	0.0133	27	-0.61	135.00	0
135	Threonine (%)	0939	0.5200	0.0400	0.5390	0.0311	0.0133	27	-0.61	135.00	0
135	Threonine (%)	0675	0.5250	0.0100	0.5390	0.0311	0.0133	27	-0.45	135.00	0
135	Threonine (%)	0610	0.5350	0.0100	0.5390	0.0311	0.0133	27	-0.13	135.05	0
135	Threonine (%)	0918	0.5395	0.0273	0.5390	0.0311	0.0133	27	0.01	135.00	0
135	Threonine (%)	0353	0.5450	0.0100	0.5390	0.0311	0.0133	27	0.19	135.00	0
135	Threonine (%)	0504	0.5450	0.0100	0.5390	0.0311	0.0133	27	0.19	135.00	0
135	Threonine (%)	0652	0.5450	0.0300	0.5390	0.0311	0.0133	27	0.19	135.00	0
135	Threonine (%)	2339	0.5490	0.0180	0.5390	0.0311	0.0133	27	0.32	135.00	0
135	Threonine (%)	0098	0.5515	0.0190	0.5390	0.0311	0.0133	27	0.40	135.02	0
135	Threonine (%)	2196	0.5520	0.0000	0.5390	0.0311	0.0133	27	0.42	135.05	0
135	Threonine (%)	0571	0.5540	0.0100	0.5390	0.0311	0.0133	27	0.48	135.00	0
135	Threonine (%)	2059	0.5550	0.0040	0.5390	0.0311	0.0133	27	0.51	135.00	0
135	Threonine (%)	0644	0.5565	0.0290	0.5390	0.0311	0.0133	27	0.56	135.00	0
135	Threonine (%)	0859	0.5574	0.0086	0.5390	0.0311	0.0133	27	0.59	135.00	0
135	Threonine (%)	0171	0.5600	0.0200	0.5390	0.0311	0.0133	27	0.67	135.00	0
135	Threonine (%)	0148	0.5600	0.0200	0.5390	0.0311	0.0133	27	0.67	135.05	0
135	Threonine (%)	0626	0.5650	0.0060	0.5390	0.0311	0.0133	27	0.83	135.05	0
135	Threonine (%)	0684	0.5750	0.0300	0.5390	0.0311	0.0133	27	1.16	135.00	0
135	Threonine (%)	0968	0.5750	0.0100	0.5390	0.0311	0.0133	27	1.16	135.00	0
135	Threonine (%)	0870	0.6370	0.0096	0.5390	0.0311	0.0133	27	3.15	135.00	0
136	Tryptophan (%)	0504	0.1450	0.0100	0.2187	0.0450	0.0047	16	-1.64	136.99	0
136	Tryptophan (%)	0684	0.1800	0.0000	0.2187	0.0450	0.0047	16	-0.86	136.00	0
136	Tryptophan (%)	0910	0.1800	0.0400	0.2187	0.0450	0.0047	16	-0.86	136.00	0
136	Tryptophan (%)	0098	0.1935	0.0030	0.2187	0.0450	0.0047	16	-0.56	136.02	0
136	Tryptophan (%)	2339	0.2025	0.0010	0.2187	0.0450	0.0047	16	-0.36	136.03	0
136	Tryptophan (%)	2059	0.2035	0.0010	0.2187	0.0450	0.0047	16	-0.34	136.03	0
136	Tryptophan (%)	0859	0.2068	0.0019	0.2187	0.0450	0.0047	16	-0.26	136.03	0
136	Tryptophan (%)	0644	0.2070	0.0020	0.2187	0.0450	0.0047	16	-0.26	136.01	0
136	Tryptophan (%)	0571	0.2070	0.0000	0.2187	0.0450	0.0047	16	-0.26	136.03	0
136	Tryptophan (%)	0682	0.2090	0.0000	0.2187	0.0450	0.0047	16	-0.21	136.00	0
136	Tryptophan (%)	0619	0.2110	0.0000	0.2187	0.0450	0.0047	16	-0.17	136.00	0
136	Tryptophan (%)	0227	0.2400	0.0000	0.2187	0.0450	0.0047	16	0.47	136.00	0
136	Tryptophan (%)	0353	0.2620	0.0040	0.2187	0.0450	0.0047	16	0.96	136.03	0
136	Tryptophan (%)	0870	0.2730	0.0079	0.2187	0.0450	0.0047	16	1.21	136.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
136	Tryptophan (%)	0889	0.3200	0.0000	0.2187	0.0450	0.0047	16	2.25	136.99	0
136	Tryptophan (%)	0407	0.3465	0.0050	0.2187	0.0450	0.0047	16	2.84	136.05	0
136	Tryptophan (%)	0918	0.2750	0.0700	0.2187	0.0450	0.0047	16	1.25	136.00	1
137	Tyrosine (%)	0889	0.3200	0.0000	0.4185	0.0594	0.0103	22	-1.66	137.99	0
137	Tyrosine (%)	0675	0.3400	0.0400	0.4185	0.0594	0.0103	22	-1.32	137.00	0
137	Tyrosine (%)	0910	0.3400	0.0000	0.4185	0.0594	0.0103	22	-1.32	137.00	0
137	Tyrosine (%)	0504	0.3650	0.0100	0.4185	0.0594	0.0103	22	-0.90	137.00	0
137	Tyrosine (%)	0682	0.3810	0.0000	0.4185	0.0594	0.0103	22	-0.63	137.00	0
137	Tyrosine (%)	0098	0.3875	0.0030	0.4185	0.0594	0.0103	22	-0.52	137.02	0
137	Tyrosine (%)	0626	0.3895	0.0330	0.4185	0.0594	0.0103	22	-0.49	137.05	0
137	Tyrosine (%)	0968	0.3950	0.0100	0.4185	0.0594	0.0103	22	-0.40	137.00	0
137	Tyrosine (%)	0171	0.4000	0.0400	0.4185	0.0594	0.0103	22	-0.31	137.00	0
137	Tyrosine (%)	0226	0.4041	0.0126	0.4185	0.0594	0.0103	22	-0.24	137.00	0
137	Tyrosine (%)	0684	0.4050	0.0100	0.4185	0.0594	0.0103	22	-0.23	137.00	0
137	Tyrosine (%)	0870	0.4186	0.0058	0.4185	0.0594	0.0103	22	0.00	137.00	0
137	Tyrosine (%)	0644	0.4275	0.0110	0.4185	0.0594	0.0103	22	0.15	137.00	0
137	Tyrosine (%)	2188	0.4320	0.0000	0.4185	0.0594	0.0103	22	0.23	137.05	0
137	Tyrosine (%)	2339	0.4505	0.0010	0.4185	0.0594	0.0103	22	0.54	137.00	0
137	Tyrosine (%)	2059	0.4525	0.0030	0.4185	0.0594	0.0103	22	0.57	137.00	0
137	Tyrosine (%)	2196	0.4540	0.0000	0.4185	0.0594	0.0103	22	0.60	137.05	0
137	Tyrosine (%)	0610	0.4550	0.0100	0.4185	0.0594	0.0103	22	0.61	137.05	0
137	Tyrosine (%)	0918	0.4637	0.0102	0.4185	0.0594	0.0103	22	0.76	137.00	0
137	Tyrosine (%)	0353	0.5050	0.0100	0.4185	0.0594	0.0103	22	1.46	137.00	0
137	Tyrosine (%)	0148	0.5050	0.0100	0.4185	0.0594	0.0103	22	1.46	137.05	0
137	Tyrosine (%)	0407	0.6450	0.0080	0.4185	0.0594	0.0103	22	3.81	137.05	0
138	Valine (%)	0889	0.5000	0.0000	0.6176	0.0305	0.0130	26	-3.86	138.99	0
138	Valine (%)	0226	0.5199	0.0581	0.6176	0.0305	0.0130	26	-3.21	138.00	0
138	Valine (%)	0675	0.5600	0.0200	0.6176	0.0305	0.0130	26	-1.89	138.00	0
138	Valine (%)	0682	0.5790	0.0000	0.6176	0.0305	0.0130	26	-1.27	138.00	0
138	Valine (%)	2196	0.5800	0.0000	0.6176	0.0305	0.0130	26	-1.23	138.05	0
138	Valine (%)	0652	0.6000	0.0000	0.6176	0.0305	0.0130	26	-0.58	138.00	0
138	Valine (%)	0918	0.6012	0.0019	0.6176	0.0305	0.0130	26	-0.54	138.00	0
138	Valine (%)	2059	0.6040	0.0060	0.6176	0.0305	0.0130	26	-0.45	138.00	0
138	Valine (%)	0148	0.6050	0.0500	0.6176	0.0305	0.0130	26	-0.41	138.05	0
138	Valine (%)	2188	0.6050	0.0000	0.6176	0.0305	0.0130	26	-0.41	138.05	0
138	Valine (%)	2339	0.6090	0.0380	0.6176	0.0305	0.0130	26	-0.28	138.00	0
138	Valine (%)	0353	0.6100	0.0200	0.6176	0.0305	0.0130	26	-0.25	138.00	0
138	Valine (%)	0968	0.6250	0.0100	0.6176	0.0305	0.0130	26	0.24	138.00	0
138	Valine (%)	0571	0.6275	0.0030	0.6176	0.0305	0.0130	26	0.33	138.00	0
138	Valine (%)	0859	0.6297	0.0037	0.6176	0.0305	0.0130	26	0.40	138.00	0
138	Valine (%)	0171	0.6350	0.0500	0.6176	0.0305	0.0130	26	0.57	138.00	0
138	Valine (%)	0098	0.6355	0.0110	0.6176	0.0305	0.0130	26	0.59	138.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
138	Valine (%)	0626	0.6360	0.0060	0.6176	0.0305	0.0130	26	0.60	138.05	0
138	Valine (%)	0910	0.6400	0.0000	0.6176	0.0305	0.0130	26	0.74	138.00	0
138	Valine (%)	0610	0.6400	0.0000	0.6176	0.0305	0.0130	26	0.74	138.05	0
138	Valine (%)	0870	0.6414	0.0090	0.6176	0.0305	0.0130	26	0.78	138.00	0
138	Valine (%)	0644	0.6415	0.0050	0.6176	0.0305	0.0130	26	0.78	138.00	0
138	Valine (%)	0407	0.6435	0.0030	0.6176	0.0305	0.0130	26	0.85	138.05	0
138	Valine (%)	0504	0.6450	0.0100	0.6176	0.0305	0.0130	26	0.90	138.00	0
138	Valine (%)	0684	0.6450	0.0300	0.6176	0.0305	0.0130	26	0.90	138.00	0
138	Valine (%)	0619	0.6960	0.0040	0.6176	0.0305	0.0130	26	2.57	138.00	0
139	Taurine (%)	0407	0.0035	0.0030				3		139.05	0
139	Taurine (%)	0889	0.0300	0.0000				3		139.99	0
139	Taurine (%)	0682	0.0580	0.0000				3		139.00	0
139	Taurine (%)	0504	0.1450	0.0100				3		139.00	2
139	Taurine (%)	0098	< 0.01					3		139.02	5
139	Taurine (%)	0227	< 0.01					3		139.99	5
160	Fructose (%)	0297	0.0795	0.0350				1		160.10	0
160	Fructose (%)	0889	0.0000	0.0000				1		160.99	4
161	Galactose (%)	0297	0.0000	0.0000				0		161.10	4
162	Glucose (%)	0297	0.0880	0.0240				1		162.10	0
162	Glucose (%)	0889	0.0000	0.0000				1		162.99	4
163	Lactose (%)	0297	0.0000	0.0000				0		163.10	4
164	Maltose (%)	0297	0.1450	0.0100				1		164.10	0
165	Sucrose (%)	0297	1.349	0.0290				1		165.10	0
165	Sucrose (%)	0889	0.0000	0.0000				1		165.99	4
166	Raffinose (%)	0227	0.6200	0.0400				2		166.99	0
166	Raffinose (%)	0297	0.6600	0.0200				2		166.10	0
167	Stachyose (%)	0297	0.1700	0.0200				2		167.10	0
167	Stachyose (%)	0227	0.3400	0.0000				2		167.99	0
400	Water Activity (Units)	0843	0.3773	0.0061	0.4130	0.0335	0.0049	12	-1.07	400.01	0
400	Water Activity (Units)	0843	0.3790	0.0080	0.4130	0.0335	0.0049	12	-1.01	400.99	0
400	Water Activity (Units)	2174	0.3920	0.0080	0.4130	0.0335	0.0049	12	-0.63	400.01	0
400	Water Activity (Units)	0942	0.3950	0.0040	0.4130	0.0335	0.0049	12	-0.54	400.01	0
400	Water Activity (Units)	0589	0.4005	0.0090	0.4130	0.0335	0.0049	12	-0.37	400.01	0
400	Water Activity (Units)	0407	0.4019	0.0003	0.4130	0.0335	0.0049	12	-0.33	400.01	0
400	Water Activity (Units)	2168	0.4105	0.0050	0.4130	0.0335	0.0049	12	-0.07	400.01	0
400	Water Activity (Units)	2303	0.4115	0.0008	0.4130	0.0335	0.0049	12	-0.04	400.01	0
400	Water Activity (Units)	2073	0.4155	0.0010	0.4130	0.0335	0.0049	12	0.08	400.99	0
400	Water Activity (Units)	2268	0.4475	0.0110	0.4130	0.0335	0.0049	12	1.03	400.01	0
400	Water Activity (Units)	2181	0.4618	0.0011	0.4130	0.0335	0.0049	12	1.46	400.01	0
400	Water Activity (Units)	2109	0.5219	0.0048	0.4130	0.0335	0.0049	12	3.26	400.01	0
516	Arsenic, Total (ppm)	0171	0.1820	0.0000	0.2097	0.0310	0.0149	7	-0.89	516.00	0
516	Arsenic, Total (ppm)	0553	0.1920	0.0180	0.2097	0.0310	0.0149	7	-0.57	516.53	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
516	Arsenic, Total (ppm)	0045	0.1960	0.0140	0.2097	0.0310	0.0149	7	-0.44	516.00	0
516	Arsenic, Total (ppm)	0407	0.1975	0.0210	0.2097	0.0310	0.0149	7	-0.39	516.53	0
516	Arsenic, Total (ppm)	0910	0.2050	0.0100	0.2097	0.0310	0.0149	7	-0.15	516.52	0
516	Arsenic, Total (ppm)	0918	0.2393	0.0010	0.2097	0.0310	0.0149	7	0.96	516.53	0
516	Arsenic, Total (ppm)	0939	0.2900	0.0400	0.2097	0.0310	0.0149	7	2.59	516.53	0
516	Arsenic, Total (ppm)	0555	< 2		0.2097	0.0310	0.0149	7		516.43	5
516	Arsenic, Total (ppm)	0682	< 10		0.2097	0.0310	0.0149	7		516.43	5
518	Cadmium (ppm)	0171	0.1155	0.0010	0.1788	0.0215	0.0057	10	-2.95	518.41	0
518	Cadmium (ppm)	0910	0.1650	0.0100	0.1788	0.0215	0.0057	10	-0.64	518.52	0
518	Cadmium (ppm)	0407	0.1660	0.0080	0.1788	0.0215	0.0057	10	-0.60	518.53	0
518	Cadmium (ppm)	0407	0.1704	0.0030	0.1788	0.0215	0.0057	10	-0.39	518.43	0
518	Cadmium (ppm)	0407	0.1728	0.0097	0.1788	0.0215	0.0057	10	-0.28	518.41	0
518	Cadmium (ppm)	0918	0.1787	0.0043	0.1788	0.0215	0.0057	10	-0.01	518.53	0
518	Cadmium (ppm)	0553	0.1855	0.0090	0.1788	0.0215	0.0057	10	0.31	518.53	0
518	Cadmium (ppm)	2055	0.1900	0.0060	0.1788	0.0215	0.0057	10	0.52	518.53	0
518	Cadmium (ppm)	0968	0.2020	0.0060	0.1788	0.0215	0.0057	10	1.08	518.43	0
518	Cadmium (ppm)	0682	0.2800	0.0000	0.1788	0.0215	0.0057	10	4.72	518.43	0
518	Cadmium (ppm)	0939	0.1800	0.0400	0.1788	0.0215	0.0057	10	0.06	518.53	1
520	Chromium (ppm)	0918	5.356	0.0304	15.31	6.173	0.6306	11	-1.61	520.53	0
520	Chromium (ppm)	0968	7.993	0.2060	15.31	6.173	0.6306	11	-1.19	520.43	0
520	Chromium (ppm)	0171	8.907	0.0360	15.31	6.173	0.6306	11	-1.04	520.41	0
520	Chromium (ppm)	0407	12.77	0.4574	15.31	6.173	0.6306	11	-0.41	520.41	0
520	Chromium (ppm)	0693	17.31	0.7640	15.31	6.173	0.6306	11	0.32	520.42	0
520	Chromium (ppm)	0045	17.35	2.100	15.31	6.173	0.6306	11	0.33	520.42	0
520	Chromium (ppm)	0407	18.29	0.8690	15.31	6.173	0.6306	11	0.48	520.53	0
520	Chromium (ppm)	0939	18.36	1.900	15.31	6.173	0.6306	11	0.49	520.53	0
520	Chromium (ppm)	0407	18.99	0.1741	15.31	6.173	0.6306	11	0.60	520.43	0
520	Chromium (ppm)	0553	20.80	0.4000	15.31	6.173	0.6306	11	0.89	520.53	0
520	Chromium (ppm)	0682	21.60	0.0000	15.31	6.173	0.6306	11	1.02	520.43	0
526	Lead (ppm)	0171	0.1715	0.0110	0.2147	0.0242	0.0118	7	-1.79	526.41	0
526	Lead (ppm)	0610	0.2050	0.0100	0.2147	0.0242	0.0118	7	-0.40	526.53	0
526	Lead (ppm)	0407	0.2105	0.0170	0.2147	0.0242	0.0118	7	-0.17	526.53	0
526	Lead (ppm)	0910	0.2150	0.0100	0.2147	0.0242	0.0118	7	0.01	526.52	0
526	Lead (ppm)	0407	0.2155	0.0094	0.2147	0.0242	0.0118	7	0.03	526.43	0
526	Lead (ppm)	0918	0.2275	0.0078	0.2147	0.0242	0.0118	7	0.53	526.53	0
526	Lead (ppm)	0407	0.2505	0.0177	0.2147	0.0242	0.0118	7	1.48	526.41	0
526	Lead (ppm)	0939	0.2300	0.1200	0.2147	0.0242	0.0118	7	0.63	526.53	1
526	Lead (ppm)	0682	< 3		0.2147	0.0242	0.0118	7		526.43	5
529	Mercury (ppb)	0407	6.769	0.1890				1		529.99	0
529	Mercury (ppb)	0682	< 10000					1		529.99	5
539	Nickel (ppm)	0171	5.941	0.0840	7.432	1.164	0.2410	6	-1.28	539.41	0
539	Nickel (ppm)	0407	6.757	0.0668	7.432	1.164	0.2410	6	-0.58	539.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
539	Nickel (ppm)	0939	7.430	0.7600	7.432	1.164	0.2410	6	0.00	539.53	0
539	Nickel (ppm)	0407	7.736	0.2572	7.432	1.164	0.2410	6	0.26	539.43	0
539	Nickel (ppm)	0407	7.749	0.2780	7.432	1.164	0.2410	6	0.27	539.53	0
539	Nickel (ppm)	0682	8.980	0.0000	7.432	1.164	0.2410	6	1.33	539.43	0
539	Nickel (ppm)	0918	7.963	3.454	7.432	1.164	0.2410	6	0.46	539.53	1
702	Butyric Acid (4:0) (%)	0619	0.0000	0.0000				0		702.00	4
702	Butyric Acid (4:0) (%)	0164	< 0.02					0		702.00	5
704	Caproic Acid (6:0) (%)	0619	0.0026	0.0002				1		704.00	0
704	Caproic Acid (6:0) (%)	0164	< 0.02					1		704.00	5
706	Caprylic acid (8:0) (%) (w/w)	0619	0.0004	0.0000				1		706.01	0
706	Caprylic acid (8:0) (%) (w/w)	0164	< 0.02					1		706.99	5
708	Capric acid (10:0) (%) (w/w)	0619	0.0002	0.0000				1		708.01	0
708	Capric acid (10:0) (%) (w/w)	0164	< 0.02					1		708.99	5
710	Lauric Acid (12:0) (%) (w/w)	0619	0.0021	0.0000				1		710.01	0
710	Lauric Acid (12:0) (%) (w/w)	0226	< 0.005					1		710.99	5
710	Lauric Acid (12:0) (%) (w/w)	0164	< 0.02					1		710.99	5
714	Myristic Acid (14:0) (%) (w/w)	0226	0.0069	0.0007	0.0378	0.0438	0.0004	4		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0171	0.0075	0.0010	0.0378	0.0438	0.0004	4		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0619	0.0368	0.0000	0.0378	0.0438	0.0004	4		714.01	0
714	Myristic Acid (14:0) (%) (w/w)	0910	0.1000	0.0000	0.0378	0.0438	0.0004	4		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0164	< 0.02		0.0378	0.0438	0.0004	4		714.99	5
716	Palmitic Acid (16:0) (%) (w/w)	0171	0.9375	0.0050	1.011	0.0655	0.0182	4		716.99	0
716	Palmitic Acid (16:0) (%) (w/w)	0226	0.9787	0.0014	1.011	0.0655	0.0182	4		716.99	0
716	Palmitic Acid (16:0) (%) (w/w)	0619	1.042	0.0365	1.011	0.0655	0.0182	4		716.01	0
716	Palmitic Acid (16:0) (%) (w/w)	0164	1.085	0.0300	1.011	0.0655	0.0182	4		716.99	0
716	Palmitic Acid (16:0) (%) (w/w)	0910	12.45	0.0000	1.011	0.0655	0.0182	4		716.99	2
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0171	0.0075	0.0010				3		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0226	0.0101	0.0006				3		718.99	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0619	0.0337	0.0005				3		718.01	0
718	Palmitoleic Acid (9c-16:1) (%) (w/w)	0164	< 0.02					3		718.99	5
720	Margaric acid (17:0) (%) (w/w)	0171	0.0065	0.0010				1		720.99	0
720	Margaric acid (17:0) (%) (w/w)	0164	< 0.02					1		720.99	5
722	Stearic Acid (18:0) (%) (w/w)	0619	0.1819	0.0095	0.2561	0.0507	0.0071	4		722.01	0
722	Stearic Acid (18:0) (%) (w/w)	0171	0.2685	0.0030	0.2561	0.0507	0.0071	4		722.99	0
722	Stearic Acid (18:0) (%) (w/w)	0226	0.2792	0.0060	0.2561	0.0507	0.0071	4		722.99	0
722	Stearic Acid (18:0) (%) (w/w)	0164	0.2950	0.0100	0.2561	0.0507	0.0071	4		722.99	0
722	Stearic Acid (18:0) (%) (w/w)	0910	3.640	0.0000	0.2561	0.0507	0.0071	4		722.99	2
724	Oleic Acid (9c-18:1) (%) (w/w)	0226	1.478	0.0532	1.537	0.1068	0.0479	4		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w)	0171	1.478	0.0120	1.537	0.1068	0.0479	4		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w)	0164	1.495	0.0300	1.537	0.1068	0.0479	4		724.99	0
724	Oleic Acid (9c-18:1) (%) (w/w)	0619	1.697	0.0964	1.537	0.1068	0.0479	4		724.01	0
724	Oleic Acid (9c-18:1) (%) (w/w)	0910	19.26	0.0000	1.537	0.1068	0.0479	4		724.99	2

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0171	3.845	0.0480	4.605	1.259	0.1836	6	-0.60	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0164	3.860	0.0600	4.605	1.259	0.1836	6	-0.59	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0226	3.879	0.1844	4.605	1.259	0.1836	6	-0.58	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0148	4.115	0.1900	4.605	1.259	0.1836	6	-0.39	726.02	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0619	5.439	0.6194	4.605	1.259	0.1836	6	0.66	726.01	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0910	52.91	0.0000	4.605	1.259	0.1836	6	38.38	726.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0171	0.4565	0.0130	0.4957	0.0272	0.0203	4		728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0226	0.5021	0.0420	0.4957	0.0272	0.0203	4		728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0164	0.5050	0.0100	0.4957	0.0272	0.0203	4		728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0619	0.5193	0.0162	0.4957	0.0272	0.0203	4		728.01	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v))	0910	6.840	0.0000	0.4957	0.0272	0.0203	4		728.99	2
730	Arachidic Acid (20:0) (% (w/w))	0226	0.0251	0.0000				3		730.99	0
730	Arachidic Acid (20:0) (% (w/w))	0164	0.0300	0.0000				3		730.99	0
730	Arachidic Acid (20:0) (% (w/w))	0619	0.0420	0.0002				3		730.01	0
730	Arachidic Acid (20:0) (% (w/w))	0171	0.0195	0.0010				3		730.99	1
730	Arachidic Acid (20:0) (% (w/w))	0910	0.3300	0.0000				3		730.99	2
732	Gondoic Acid (11c-20:1) (% (w/w))	0171	0.0190	0.0020	0.0289	0.0084	0.0010	4		732.99	0
732	Gondoic Acid (11c-20:1) (% (w/w))	0226	0.0271	0.0007	0.0289	0.0084	0.0010	4		732.99	0
732	Gondoic Acid (11c-20:1) (% (w/w))	0164	0.0300	0.0000	0.0289	0.0084	0.0010	4		732.99	0
732	Gondoic Acid (11c-20:1) (% (w/w))	0619	0.0395	0.0011	0.0289	0.0084	0.0010	4		732.01	0
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/v))	0619	0.0000	0.0000				0		736.01	4
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/v))	0164	< 0.02					0		736.99	5
738	Mead Acid (11c,14c,17c-20:3) (% (w/w))	0619	0.0000	0.0000				0		738.01	4
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c) (% (w/w))	0619	0.0000	0.0000				0		740.01	4
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c) (% (w/w))	0226	0.0000	0.0000				0		740.99	4
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c) (% (w/w))	0164	< 0.02					0		740.99	5
742	Behenic Acid (22:0) (% (w/w))	0171	0.0205	0.0010				3		742.99	0
742	Behenic Acid (22:0) (% (w/w))	0226	0.0261	0.0005				3		742.99	0
742	Behenic Acid (22:0) (% (w/w))	0164	0.0300	0.0000				3		742.99	0
742	Behenic Acid (22:0) (% (w/w))	0910	0.3700	0.0000				3		742.99	2
744	Erucic Acid (13c-22:1) (% (w/w))	0171	0.0090	0.0020				2		744.99	0
744	Erucic Acid (13c-22:1) (% (w/w))	0619	0.0350	0.0007				2		744.01	0
744	Erucic Acid (13c-22:1) (% (w/w))	0226	< 0.005					2		744.99	5
744	Erucic Acid (13c-22:1) (% (w/w))	0164	< 0.02					2		744.99	5
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c) (% (w/w))	0619	0.0000	0.0000				0		746.01	4
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c) (% (w/w))	0226	0.0000	0.0000				0		746.99	4
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c) (% (w/w))	0164	< 0.02					0		746.99	5
748	Lignoceric Acid (24:0) (% (w/w))	0171	0.0105	0.0010				3		748.99	0
748	Lignoceric Acid (24:0) (% (w/w))	0226	0.0170	0.0004				3		748.99	0
748	Lignoceric Acid (24:0) (% (w/w))	0164	0.0200	0.0000				3		748.99	0
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c) (% (w/w))	0619	0.0000	0.0000				0		750.01	4
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c) (% (w/w))	0226	0.0000	0.0000				0		750.99	4

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16	0164	< 0.02						0	750.99	5
752	Nervonic Acid (24:1) isomers (% (w/w))	0619	0.0000	0.0000					0	752.01	4
752	Nervonic Acid (24:1) isomers (% (w/w))	0226	< 0.005						0	752.99	5
752	Nervonic Acid (24:1) isomers (% (w/w))	0164	< 0.02						0	752.99	5
754	Total n-3 Polyunsaturated (Omega-3) Fatty Aci	0171	0.4565	0.0130	2.195	3.008	0.0273	6	-0.58	754.99	0
754	Total n-3 Polyunsaturated (Omega-3) Fatty Aci	0164	0.5200	0.0000	2.195	3.008	0.0273	6	-0.56	754.99	0
754	Total n-3 Polyunsaturated (Omega-3) Fatty Aci	0148	0.5590	0.0260	2.195	3.008	0.0273	6	-0.54	754.02	0
754	Total n-3 Polyunsaturated (Omega-3) Fatty Aci	0610	0.6500	0.1000	2.195	3.008	0.0273	6	-0.51	754.99	0
754	Total n-3 Polyunsaturated (Omega-3) Fatty Aci	0629	4.363	0.0250	2.195	3.008	0.0273	6	0.72	754.02	0
754	Total n-3 Polyunsaturated (Omega-3) Fatty Aci	0910	6.620	0.0000	2.195	3.008	0.0273	6	1.47	754.99	0
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0629	0.6065	0.0070	12.62	21.31	0.0590	5		756.02	0
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0171	3.845	0.0480	12.62	21.31	0.0590	5		756.99	0
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0164	3.875	0.0500	12.62	21.31	0.0590	5		756.99	0
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0148	4.115	0.1900	12.62	21.31	0.0590	5		756.01	0
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0910	50.65	0.0000	12.62	21.31	0.0590	5		756.99	0
756	Total n-6 Polyunsaturated (Omega-6) Fatty Aci	0610	5.100	0.6000	12.62	21.31	0.0590	5		756.99	1
758	Total Saturated Fatty Acids (% (w/w))	0171	1.271	0.0070				2		758.99	0
758	Total Saturated Fatty Acids (% (w/w))	0164	1.490	0.0400				2		758.99	0
762	Total Monounsaturated Fatty Acids (% (w/w))	0171	1.607	0.0110				1		762.99	0
764	Total cis Monounsaturated Fatty Acids (% (w/v	0164	1.665	0.0300				1		764.99	0
766	Total Polyunsaturated Fatty Acids (% (w/w))	0171	4.302	0.0590				1		766.99	0
768	Total cis Polyunsaturated Fatty Acids (% (w/w)	0164	4.390	0.0600				1		768.99	0
770	Total Fat (equivalent to NLEA) (% (w/w))	0164	7.920	0.1400				1		770.99	0
772	Total Fatty Acids (% (w/w))	0171	7.179	0.0770				3		772.99	0
772	Total Fatty Acids (% (w/w))	0226	7.229	0.2725				3		772.99	0
772	Total Fatty Acids (% (w/w))	0164	7.595	0.1300				3		772.99	0

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 5 = A reporting limit and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in the case of 4 or 5 labs reporting Means and SD's may be reported based on Raw Data with obvious blunders removed (Mandel h and k exclusions apply; Grey). Flag 3 indicates not used in statistics.