



AAFCO
Association of American Feed Control Officials



Animal Feed Scheme

Dry Cat Feed

Test Material Code # 202232

Labs Reporting: 183

Analytes Reported 118

Issue Date : 01/31/2023

Analyte Proficiency Testing Report

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
000	Urea (%)	0278	0.1000	0.0000				1		000.02	0
001	Loss on Drying (%)	0019	4.050	0.3000	6.855	0.2879	0.1000	87	-9.74	001.99	0
001	Loss on Drying (%)	2345	4.755	0.2300	6.855	0.2879	0.1000	87	-7.30	001.07	0
001	Loss on Drying (%)	2399	6.260	0.1200	6.855	0.2879	0.1000	87	-2.07	001.07	0
001	Loss on Drying (%)	0853	6.300	0.0000	6.855	0.2879	0.1000	87	-1.93	001.07	0
001	Loss on Drying (%)	0843	6.305	0.4700	6.855	0.2879	0.1000	87	-1.91	001.03	0
001	Loss on Drying (%)	0843	6.305	0.4700	6.855	0.2879	0.1000	87	-1.91	001.07	0
001	Loss on Drying (%)	2124	6.400	0.0800	6.855	0.2879	0.1000	87	-1.58	001.03	0
001	Loss on Drying (%)	0675	6.425	0.0100	6.855	0.2879	0.1000	87	-1.49	001.07	0
001	Loss on Drying (%)	0918	6.495	0.2100	6.855	0.2879	0.1000	87	-1.25	001.99	0
001	Loss on Drying (%)	0876	6.495	0.1900	6.855	0.2879	0.1000	87	-1.25	001.07	0
001	Loss on Drying (%)	0345	6.500	0.0200	6.855	0.2879	0.1000	87	-1.23	001.07	0
001	Loss on Drying (%)	0889	6.520	0.0400	6.855	0.2879	0.1000	87	-1.16	001.99	0
001	Loss on Drying (%)	0676	6.525	0.0300	6.855	0.2879	0.1000	87	-1.15	001.99	0
001	Loss on Drying (%)	0512	6.527	0.3300	6.855	0.2879	0.1000	87	-1.14	001.07	0
001	Loss on Drying (%)	2059	6.560	0.0200	6.855	0.2879	0.1000	87	-1.03	001.07	0
001	Loss on Drying (%)	2416	6.560	0.1000	6.855	0.2879	0.1000	87	-1.03	001.07	0
001	Loss on Drying (%)	2398	6.565	0.0500	6.855	0.2879	0.1000	87	-1.01	001.07	0
001	Loss on Drying (%)	2420	6.615	0.1500	6.855	0.2879	0.1000	87	-0.83	001.07	0
001	Loss on Drying (%)	1023	6.620	0.0600	6.855	0.2879	0.1000	87	-0.82	001.07	0
001	Loss on Drying (%)	2124	6.640	0.0800	6.855	0.2879	0.1000	87	-0.75	001.07	0
001	Loss on Drying (%)	0027	6.677	0.1830	6.855	0.2879	0.1000	87	-0.62	001.00	0
001	Loss on Drying (%)	2419	6.680	0.0000	6.855	0.2879	0.1000	87	-0.61	001.07	0
001	Loss on Drying (%)	0226	6.690	0.0200	6.855	0.2879	0.1000	87	-0.57	001.07	0
001	Loss on Drying (%)	0049	6.700	0.1200	6.855	0.2879	0.1000	87	-0.54	001.07	0
001	Loss on Drying (%)	0089	6.715	0.0100	6.855	0.2879	0.1000	87	-0.49	001.07	0
001	Loss on Drying (%)	2268	6.720	0.3800	6.855	0.2879	0.1000	87	-0.47	001.99	0
001	Loss on Drying (%)	0066	6.730	0.1000	6.855	0.2879	0.1000	87	-0.44	001.07	0
001	Loss on Drying (%)	2190	6.740	0.0400	6.855	0.2879	0.1000	87	-0.40	001.07	0
001	Loss on Drying (%)	2426	6.740	0.0000	6.855	0.2879	0.1000	87	-0.40	001.07	0
001	Loss on Drying (%)	2418	6.750	0.0400	6.855	0.2879	0.1000	87	-0.37	001.07	0
001	Loss on Drying (%)	0034	6.760	0.0200	6.855	0.2879	0.1000	87	-0.33	001.07	0
001	Loss on Drying (%)	0278	6.770	0.1200	6.855	0.2879	0.1000	87	-0.30	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
001	Loss on Drying (%)	0610	6.780	0.0200	6.855	0.2879	0.1000	87	-0.26	001.99	0
001	Loss on Drying (%)	0038	6.780	0.1800	6.855	0.2879	0.1000	87	-0.26	001.07	0
001	Loss on Drying (%)	0171	6.790	0.0000	6.855	0.2879	0.1000	87	-0.23	001.07	0
001	Loss on Drying (%)	0297	6.795	0.0700	6.855	0.2879	0.1000	87	-0.21	001.07	0
001	Loss on Drying (%)	0650	6.815	0.0100	6.855	0.2879	0.1000	87	-0.14	001.07	0
001	Loss on Drying (%)	0065	6.820	0.1200	6.855	0.2879	0.1000	87	-0.12	001.07	0
001	Loss on Drying (%)	2417	6.820	0.0800	6.855	0.2879	0.1000	87	-0.12	001.07	0
001	Loss on Drying (%)	0037	6.820	0.0200	6.855	0.2879	0.1000	87	-0.12	001.99	0
001	Loss on Drying (%)	0028	6.830	0.0200	6.855	0.2879	0.1000	87	-0.09	001.07	0
001	Loss on Drying (%)	0643	6.835	0.1050	6.855	0.2879	0.1000	87	-0.07	001.07	0
001	Loss on Drying (%)	2422	6.840	0.0200	6.855	0.2879	0.1000	87	-0.05	001.07	0
001	Loss on Drying (%)	0010	6.850	0.1000	6.855	0.2879	0.1000	87	-0.02	001.07	0
001	Loss on Drying (%)	2421	6.860	0.1200	6.855	0.2879	0.1000	87	0.02	001.07	0
001	Loss on Drying (%)	0505	6.890	0.2200	6.855	0.2879	0.1000	87	0.12	001.07	0
001	Loss on Drying (%)	0656	6.910	0.0000	6.855	0.2879	0.1000	87	0.19	001.99	0
001	Loss on Drying (%)	2187	6.920	0.0200	6.855	0.2879	0.1000	87	0.22	001.07	0
001	Loss on Drying (%)	0581	6.925	0.0300	6.855	0.2879	0.1000	87	0.24	001.07	0
001	Loss on Drying (%)	2009	6.934	0.0026	6.855	0.2879	0.1000	87	0.27	001.07	0
001	Loss on Drying (%)	2192	6.940	0.0400	6.855	0.2879	0.1000	87	0.29	001.07	0
001	Loss on Drying (%)	0083	6.945	0.0300	6.855	0.2879	0.1000	87	0.31	001.07	0
001	Loss on Drying (%)	2424	6.945	0.0700	6.855	0.2879	0.1000	87	0.31	001.07	0
001	Loss on Drying (%)	2319	6.950	0.1000	6.855	0.2879	0.1000	87	0.33	001.99	0
001	Loss on Drying (%)	0169	6.955	0.0100	6.855	0.2879	0.1000	87	0.35	001.00	0
001	Loss on Drying (%)	0035	6.955	0.1300	6.855	0.2879	0.1000	87	0.35	001.07	0
001	Loss on Drying (%)	0914	6.955	0.1500	6.855	0.2879	0.1000	87	0.35	001.99	0
001	Loss on Drying (%)	0148	6.965	0.1700	6.855	0.2879	0.1000	87	0.38	001.07	0
001	Loss on Drying (%)	0948	6.970	0.0200	6.855	0.2879	0.1000	87	0.40	001.99	0
001	Loss on Drying (%)	0407	7.003	0.2011	6.855	0.2879	0.1000	87	0.51	001.00	0
001	Loss on Drying (%)	0504	7.005	0.0300	6.855	0.2879	0.1000	87	0.52	001.00	0
001	Loss on Drying (%)	0353	7.005	0.1300	6.855	0.2879	0.1000	87	0.52	001.07	0
001	Loss on Drying (%)	0644	7.006	0.0040	6.855	0.2879	0.1000	87	0.52	001.05	0
001	Loss on Drying (%)	0309	7.021	0.1060	6.855	0.2879	0.1000	87	0.58	001.00	0
001	Loss on Drying (%)	2073	7.025	0.0300	6.855	0.2879	0.1000	87	0.59	001.00	0
001	Loss on Drying (%)	0510	7.050	0.1000	6.855	0.2879	0.1000	87	0.68	001.99	0
001	Loss on Drying (%)	0366	7.050	0.3000	6.855	0.2879	0.1000	87	0.68	001.07	0
001	Loss on Drying (%)	2242	7.075	0.0500	6.855	0.2879	0.1000	87	0.76	001.99	0
001	Loss on Drying (%)	0142	7.085	0.0100	6.855	0.2879	0.1000	87	0.80	001.07	0
001	Loss on Drying (%)	0910	7.100	0.2000	6.855	0.2879	0.1000	87	0.85	001.99	0
001	Loss on Drying (%)	0199	7.105	0.2300	6.855	0.2879	0.1000	87	0.87	001.07	0
001	Loss on Drying (%)	0571	7.105	0.0100	6.855	0.2879	0.1000	87	0.87	001.07	0
001	Loss on Drying (%)	0045	7.110	0.0600	6.855	0.2879	0.1000	87	0.88	001.07	0
001	Loss on Drying (%)	0033	7.125	0.0100	6.855	0.2879	0.1000	87	0.94	001.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
001	Loss on Drying (%)	0590	7.145	0.1700	6.855	0.2879	0.1000	87	1.01	001.07	0
001	Loss on Drying (%)	0689	7.150	0.3000	6.855	0.2879	0.1000	87	1.02	001.07	0
001	Loss on Drying (%)	2246	7.155	0.0339	6.855	0.2879	0.1000	87	1.04	001.99	0
001	Loss on Drying (%)	0682	7.190	0.0000	6.855	0.2879	0.1000	87	1.16	001.07	0
001	Loss on Drying (%)	0921	7.233	0.0183	6.855	0.2879	0.1000	87	1.31	001.08	0
001	Loss on Drying (%)	0098	7.235	0.0300	6.855	0.2879	0.1000	87	1.32	001.07	0
001	Loss on Drying (%)	0885	7.259	0.0312	6.855	0.2879	0.1000	87	1.40	001.07	0
001	Loss on Drying (%)	0407	7.269	0.1340	6.855	0.2879	0.1000	87	1.44	001.07	0
001	Loss on Drying (%)	2109	7.280	0.1200	6.855	0.2879	0.1000	87	1.48	001.07	0
001	Loss on Drying (%)	0619	7.315	0.0300	6.855	0.2879	0.1000	87	1.60	001.03	0
001	Loss on Drying (%)	2360	7.440	0.0200	6.855	0.2879	0.1000	87	2.03	001.99	0
001	Loss on Drying (%)	0074	7.675	0.4900	6.855	0.2879	0.1000	87	2.85	001.07	0
001	Loss on Drying (%)	0357	7.893	0.0035	6.855	0.2879	0.1000	87	3.60	001.99	0
001	Loss on Drying (%)	2155	3.780	1.520	6.855	0.2879	0.1000	87	-10.68	001.99	1
002	Protein, Crude (%)	0037	29.78	1.030	31.54	0.3699	0.2461	183	-4.77	002.06	0
002	Protein, Crude (%)	0297	29.98	0.3800	31.54	0.3699	0.2461	183	-4.22	002.11	0
002	Protein, Crude (%)	2073	30.34	0.0000	31.54	0.3699	0.2461	183	-3.24	002.05	0
002	Protein, Crude (%)	0889	30.50	0.0700	31.54	0.3699	0.2461	183	-2.83	002.01	0
002	Protein, Crude (%)	0345	30.50	0.2000	31.54	0.3699	0.2461	183	-2.81	002.06	0
002	Protein, Crude (%)	0910	30.60	0.4000	31.54	0.3699	0.2461	183	-2.54	002.01	0
002	Protein, Crude (%)	2246	30.63	0.1700	31.54	0.3699	0.2461	183	-2.47	002.05	0
002	Protein, Crude (%)	2199	30.65	0.1000	31.54	0.3699	0.2461	183	-2.41	002.05	0
002	Protein, Crude (%)	0726	30.66	0.3100	31.54	0.3699	0.2461	183	-2.39	002.06	0
002	Protein, Crude (%)	2360	30.69	0.1800	31.54	0.3699	0.2461	183	-2.30	002.05	0
002	Protein, Crude (%)	0643	30.80	0.1200	31.54	0.3699	0.2461	183	-2.00	002.05	0
002	Protein, Crude (%)	0510	30.85	0.5000	31.54	0.3699	0.2461	183	-1.87	002.06	0
002	Protein, Crude (%)	2200	30.90	0.2000	31.54	0.3699	0.2461	183	-1.73	002.05	0
002	Protein, Crude (%)	0685	30.91	0.1700	31.54	0.3699	0.2461	183	-1.72	002.01	0
002	Protein, Crude (%)	2421	30.92	0.0300	31.54	0.3699	0.2461	183	-1.69	002.06	0
002	Protein, Crude (%)	2192	30.92	0.3800	31.54	0.3699	0.2461	183	-1.68	002.05	0
002	Protein, Crude (%)	0921	30.94	0.0000	31.54	0.3699	0.2461	183	-1.62	002.05	0
002	Protein, Crude (%)	0728	30.96	0.1000	31.54	0.3699	0.2461	183	-1.57	002.04	0
002	Protein, Crude (%)	0689	31.00	0.0000	31.54	0.3699	0.2461	183	-1.46	002.05	0
002	Protein, Crude (%)	2190	31.01	0.0500	31.54	0.3699	0.2461	183	-1.45	002.05	0
002	Protein, Crude (%)	2426	31.01	0.0200	31.54	0.3699	0.2461	183	-1.43	002.06	0
002	Protein, Crude (%)	0529	31.04	0.7100	31.54	0.3699	0.2461	183	-1.37	002.06	0
002	Protein, Crude (%)	2023	31.05	0.1100	31.54	0.3699	0.2461	183	-1.34	002.10	0
002	Protein, Crude (%)	2420	31.10	0.1150	31.54	0.3699	0.2461	183	-1.20	002.06	0
002	Protein, Crude (%)	0354	31.10	0.0010	31.54	0.3699	0.2461	183	-1.19	002.05	0
002	Protein, Crude (%)	0505	31.10	0.0200	31.54	0.3699	0.2461	183	-1.19	002.06	0
002	Protein, Crude (%)	0539	31.15	0.4600	31.54	0.3699	0.2461	183	-1.05	002.06	0
002	Protein, Crude (%)	0650	31.15	0.7000	31.54	0.3699	0.2461	183	-1.05	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	2109	31.17	0.0700	31.54	0.3699	0.2461	183	-1.01	002.05	0
002	Protein, Crude (%)	0504	31.21	0.0100	31.54	0.3699	0.2461	183	-0.91	002.04	0
002	Protein, Crude (%)	0651	31.24	0.3939	31.54	0.3699	0.2461	183	-0.81	002.05	0
002	Protein, Crude (%)	0889	31.25	0.1300	31.54	0.3699	0.2461	183	-0.80	002.11	0
002	Protein, Crude (%)	2424	31.26	0.2570	31.54	0.3699	0.2461	183	-0.76	002.06	0
002	Protein, Crude (%)	2174	31.26	0.2400	31.54	0.3699	0.2461	183	-0.76	002.06	0
002	Protein, Crude (%)	0968	31.27	0.1900	31.54	0.3699	0.2461	183	-0.74	002.01	0
002	Protein, Crude (%)	2188	31.27	0.0000	31.54	0.3699	0.2461	183	-0.73	002.01	0
002	Protein, Crude (%)	0939	31.27	0.5200	31.54	0.3699	0.2461	183	-0.73	002.05	0
002	Protein, Crude (%)	2416	31.27	0.2060	31.54	0.3699	0.2461	183	-0.72	002.06	0
002	Protein, Crude (%)	2006	31.28	0.1700	31.54	0.3699	0.2461	183	-0.72	002.05	0
002	Protein, Crude (%)	0843	31.29	0.8100	31.54	0.3699	0.2461	183	-0.69	002.06	0
002	Protein, Crude (%)	0619	31.30	0.0000	31.54	0.3699	0.2461	183	-0.65	002.01	0
002	Protein, Crude (%)	0885	31.30	0.0670	31.54	0.3699	0.2461	183	-0.64	002.05	0
002	Protein, Crude (%)	2168	31.31	0.0200	31.54	0.3699	0.2461	183	-0.62	002.06	0
002	Protein, Crude (%)	1023	31.32	0.4910	31.54	0.3699	0.2461	183	-0.60	002.06	0
002	Protein, Crude (%)	0870	31.33	0.5940	31.54	0.3699	0.2461	183	-0.58	002.01	0
002	Protein, Crude (%)	0358	31.33	1.220	31.54	0.3699	0.2461	183	-0.57	002.06	0
002	Protein, Crude (%)	2345	31.34	0.2300	31.54	0.3699	0.2461	183	-0.55	002.00	0
002	Protein, Crude (%)	0004	31.34	0.0200	31.54	0.3699	0.2461	183	-0.54	002.06	0
002	Protein, Crude (%)	0622	31.34	0.1483	31.54	0.3699	0.2461	183	-0.53	002.05	0
002	Protein, Crude (%)	0675	31.35	0.1100	31.54	0.3699	0.2461	183	-0.53	002.06	0
002	Protein, Crude (%)	0652	31.35	0.3000	31.54	0.3699	0.2461	183	-0.51	002.01	0
002	Protein, Crude (%)	0010	31.35	0.1000	31.54	0.3699	0.2461	183	-0.51	002.06	0
002	Protein, Crude (%)	2359	31.35	0.1000	31.54	0.3699	0.2461	183	-0.51	002.06	0
002	Protein, Crude (%)	0953	31.37	0.1600	31.54	0.3699	0.2461	183	-0.46	002.06	0
002	Protein, Crude (%)	0674	31.37	0.0000	31.54	0.3699	0.2461	183	-0.46	002.01	0
002	Protein, Crude (%)	0508	31.37	0.0990	31.54	0.3699	0.2461	183	-0.46	002.06	0
002	Protein, Crude (%)	0006	31.38	0.5700	31.54	0.3699	0.2461	183	-0.45	002.06	0
002	Protein, Crude (%)	0066	31.38	0.0920	31.54	0.3699	0.2461	183	-0.44	002.02	0
002	Protein, Crude (%)	2196	31.38	0.0000	31.54	0.3699	0.2461	183	-0.43	002.01	0
002	Protein, Crude (%)	0169	31.39	0.6100	31.54	0.3699	0.2461	183	-0.42	002.00	0
002	Protein, Crude (%)	2422	31.39	0.4460	31.54	0.3699	0.2461	183	-0.40	002.06	0
002	Protein, Crude (%)	2418	31.39	0.1090	31.54	0.3699	0.2461	183	-0.40	002.06	0
002	Protein, Crude (%)	0199	31.40	0.1100	31.54	0.3699	0.2461	183	-0.39	002.01	0
002	Protein, Crude (%)	0939	31.40	0.2500	31.54	0.3699	0.2461	183	-0.39	002.06	0
002	Protein, Crude (%)	2009	31.40	0.0258	31.54	0.3699	0.2461	183	-0.39	002.05	0
002	Protein, Crude (%)	0848	31.40	0.0000	31.54	0.3699	0.2461	183	-0.38	002.06	0
002	Protein, Crude (%)	0880	31.40	0.2000	31.54	0.3699	0.2461	183	-0.38	002.06	0
002	Protein, Crude (%)	0357	31.41	0.0625	31.54	0.3699	0.2461	183	-0.36	002.06	0
002	Protein, Crude (%)	0263	31.42	0.0870	31.54	0.3699	0.2461	183	-0.32	002.06	0
002	Protein, Crude (%)	0242	31.43	0.3700	31.54	0.3699	0.2461	183	-0.31	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0199	31.43	0.1700	31.54	0.3699	0.2461	183	-0.31	002.06	0
002	Protein, Crude (%)	0646	31.43	0.0100	31.54	0.3699	0.2461	183	-0.31	002.06	0
002	Protein, Crude (%)	2184	31.43	0.3300	31.54	0.3699	0.2461	183	-0.31	002.06	0
002	Protein, Crude (%)	2187	31.44	0.0500	31.54	0.3699	0.2461	183	-0.28	002.06	0
002	Protein, Crude (%)	2022	31.44	0.0200	31.54	0.3699	0.2461	183	-0.27	002.05	0
002	Protein, Crude (%)	2419	31.45	0.0300	31.54	0.3699	0.2461	183	-0.26	002.06	0
002	Protein, Crude (%)	0098	31.45	0.4100	31.54	0.3699	0.2461	183	-0.26	002.08	0
002	Protein, Crude (%)	0049	31.45	0.5000	31.54	0.3699	0.2461	183	-0.24	002.06	0
002	Protein, Crude (%)	2349	31.45	0.5000	31.54	0.3699	0.2461	183	-0.24	002.06	0
002	Protein, Crude (%)	0202	31.45	0.7000	31.54	0.3699	0.2461	183	-0.24	002.06	0
002	Protein, Crude (%)	2389	31.45	0.3000	31.54	0.3699	0.2461	183	-0.24	002.06	0
002	Protein, Crude (%)	0074	31.46	0.6300	31.54	0.3699	0.2461	183	-0.23	002.06	0
002	Protein, Crude (%)	0948	31.48	0.0100	31.54	0.3699	0.2461	183	-0.18	002.05	0
002	Protein, Crude (%)	0035	31.48	0.0000	31.54	0.3699	0.2461	183	-0.16	002.06	0
002	Protein, Crude (%)	0563	31.48	0.3762	31.54	0.3699	0.2461	183	-0.16	002.08	0
002	Protein, Crude (%)	0589	31.49	0.2400	31.54	0.3699	0.2461	183	-0.14	002.06	0
002	Protein, Crude (%)	0407	31.49	0.6960	31.54	0.3699	0.2461	183	-0.12	002.06	0
002	Protein, Crude (%)	0047	31.50	0.6000	31.54	0.3699	0.2461	183	-0.11	002.06	0
002	Protein, Crude (%)	0590	31.50	0.0000	31.54	0.3699	0.2461	183	-0.11	002.06	0
002	Protein, Crude (%)	0354	31.51	0.0900	31.54	0.3699	0.2461	183	-0.09	002.06	0
002	Protein, Crude (%)	0089	31.53	0.0300	31.54	0.3699	0.2461	183	-0.04	002.06	0
002	Protein, Crude (%)	2337	31.55	0.0400	31.54	0.3699	0.2461	183	0.03	002.05	0
002	Protein, Crude (%)	0504	31.55	0.4200	31.54	0.3699	0.2461	183	0.03	002.06	0
002	Protein, Crude (%)	2325	31.56	0.0400	31.54	0.3699	0.2461	183	0.05	002.01	0
002	Protein, Crude (%)	0958	31.59	0.0500	31.54	0.3699	0.2461	183	0.12	002.06	0
002	Protein, Crude (%)	0407	31.59	0.0000	31.54	0.3699	0.2461	183	0.15	002.05	0
002	Protein, Crude (%)	2417	31.59	0.3100	31.54	0.3699	0.2461	183	0.15	002.06	0
002	Protein, Crude (%)	0019	31.60	0.1900	31.54	0.3699	0.2461	183	0.15	002.06	0
002	Protein, Crude (%)	0164	31.60	0.1900	31.54	0.3699	0.2461	183	0.15	002.06	0
002	Protein, Crude (%)	0876	31.60	0.2170	31.54	0.3699	0.2461	183	0.15	002.06	0
002	Protein, Crude (%)	0098	31.60	0.4000	31.54	0.3699	0.2461	183	0.16	002.06	0
002	Protein, Crude (%)	0610	31.60	0.2000	31.54	0.3699	0.2461	183	0.16	002.06	0
002	Protein, Crude (%)	0619	31.60	0.0000	31.54	0.3699	0.2461	183	0.16	002.06	0
002	Protein, Crude (%)	0968	31.60	0.1600	31.54	0.3699	0.2461	183	0.16	002.06	0
002	Protein, Crude (%)	0626	31.60	0.3475	31.54	0.3699	0.2461	183	0.17	002.06	0
002	Protein, Crude (%)	0028	31.61	0.5100	31.54	0.3699	0.2461	183	0.18	002.06	0
002	Protein, Crude (%)	2399	31.62	0.4400	31.54	0.3699	0.2461	183	0.22	002.06	0
002	Protein, Crude (%)	0142	31.63	0.1800	31.54	0.3699	0.2461	183	0.24	002.06	0
002	Protein, Crude (%)	0610	31.65	0.1000	31.54	0.3699	0.2461	183	0.30	002.01	0
002	Protein, Crude (%)	0038	31.65	0.3000	31.54	0.3699	0.2461	183	0.30	002.06	0
002	Protein, Crude (%)	0294	31.65	0.1000	31.54	0.3699	0.2461	183	0.30	002.06	0
002	Protein, Crude (%)	0687	31.65	0.3000	31.54	0.3699	0.2461	183	0.30	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	0676	31.66	0.0600	31.54	0.3699	0.2461	183	0.32	002.06	0
002	Protein, Crude (%)	2124	31.66	0.1400	31.54	0.3699	0.2461	183	0.32	002.06	0
002	Protein, Crude (%)	0353	31.67	0.3700	31.54	0.3699	0.2461	183	0.34	002.06	0
002	Protein, Crude (%)	0870	31.67	0.4063	31.54	0.3699	0.2461	183	0.34	002.06	0
002	Protein, Crude (%)	0512	31.68	0.0500	31.54	0.3699	0.2461	183	0.36	002.06	0
002	Protein, Crude (%)	2089	31.68	0.2900	31.54	0.3699	0.2461	183	0.36	002.06	0
002	Protein, Crude (%)	0964	31.68	0.0720	31.54	0.3699	0.2461	183	0.37	002.06	0
002	Protein, Crude (%)	0171	31.68	0.0600	31.54	0.3699	0.2461	183	0.38	002.06	0
002	Protein, Crude (%)	0941	31.69	0.1500	31.54	0.3699	0.2461	183	0.39	002.05	0
002	Protein, Crude (%)	0009	31.69	0.2300	31.54	0.3699	0.2461	183	0.39	002.06	0
002	Protein, Crude (%)	0278	31.70	0.0000	31.54	0.3699	0.2461	183	0.43	002.06	0
002	Protein, Crude (%)	0417	31.72	0.5100	31.54	0.3699	0.2461	183	0.47	002.06	0
002	Protein, Crude (%)	0164	31.72	0.4400	31.54	0.3699	0.2461	183	0.49	002.01	0
002	Protein, Crude (%)	0553	31.72	0.0200	31.54	0.3699	0.2461	183	0.49	002.06	0
002	Protein, Crude (%)	0309	31.73	0.3105	31.54	0.3699	0.2461	183	0.52	002.06	0
002	Protein, Crude (%)	0018	31.74	0.1100	31.54	0.3699	0.2461	183	0.53	002.06	0
002	Protein, Crude (%)	0144	31.75	0.0600	31.54	0.3699	0.2461	183	0.57	002.06	0
002	Protein, Crude (%)	0297	31.75	0.3600	31.54	0.3699	0.2461	183	0.57	002.06	0
002	Protein, Crude (%)	0948	31.75	0.2000	31.54	0.3699	0.2461	183	0.57	002.06	0
002	Protein, Crude (%)	2312	31.75	0.8600	31.54	0.3699	0.2461	183	0.57	002.06	0
002	Protein, Crude (%)	0083	31.76	0.0500	31.54	0.3699	0.2461	183	0.58	002.06	0
002	Protein, Crude (%)	0574	31.76	0.0600	31.54	0.3699	0.2461	183	0.59	002.06	0
002	Protein, Crude (%)	0541	31.77	0.9900	31.54	0.3699	0.2461	183	0.61	002.06	0
002	Protein, Crude (%)	0065	31.77	0.4230	31.54	0.3699	0.2461	183	0.63	002.06	0
002	Protein, Crude (%)	0511	31.78	0.0100	31.54	0.3699	0.2461	183	0.64	002.06	0
002	Protein, Crude (%)	2246	31.78	0.0112	31.54	0.3699	0.2461	183	0.65	002.06	0
002	Protein, Crude (%)	0692	31.80	0.8000	31.54	0.3699	0.2461	183	0.70	002.06	0
002	Protein, Crude (%)	2375	31.81	0.0600	31.54	0.3699	0.2461	183	0.73	002.06	0
002	Protein, Crude (%)	0520	31.82	0.1300	31.54	0.3699	0.2461	183	0.74	002.06	0
002	Protein, Crude (%)	0226	31.83	0.0500	31.54	0.3699	0.2461	183	0.77	002.06	0
002	Protein, Crude (%)	0546	31.83	0.0250	31.54	0.3699	0.2461	183	0.78	002.06	0
002	Protein, Crude (%)	2033	31.83	0.0600	31.54	0.3699	0.2461	183	0.78	002.06	0
002	Protein, Crude (%)	2150	31.83	0.7600	31.54	0.3699	0.2461	183	0.78	002.06	0
002	Protein, Crude (%)	0644	31.84	0.0660	31.54	0.3699	0.2461	183	0.80	002.06	0
002	Protein, Crude (%)	0425	31.85	0.3100	31.54	0.3699	0.2461	183	0.82	002.06	0
002	Protein, Crude (%)	0918	31.85	0.5700	31.54	0.3699	0.2461	183	0.82	002.06	0
002	Protein, Crude (%)	0853	31.85	0.1000	31.54	0.3699	0.2461	183	0.84	002.06	0
002	Protein, Crude (%)	0148	31.86	0.1520	31.54	0.3699	0.2461	183	0.86	002.06	0
002	Protein, Crude (%)	0123	31.88	0.0900	31.54	0.3699	0.2461	183	0.91	002.06	0
002	Protein, Crude (%)	2398	31.91	0.0600	31.54	0.3699	0.2461	183	1.01	002.06	0
002	Protein, Crude (%)	0036	31.93	0.3690	31.54	0.3699	0.2461	183	1.04	002.06	0
002	Protein, Crude (%)	0571	31.94	0.0500	31.54	0.3699	0.2461	183	1.07	002.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
002	Protein, Crude (%)	2213	31.94	0.6600	31.54	0.3699	0.2461	183	1.08	002.06	0
002	Protein, Crude (%)	0034	31.95	0.0300	31.54	0.3699	0.2461	183	1.09	002.06	0
002	Protein, Crude (%)	0045	31.95	0.1000	31.54	0.3699	0.2461	183	1.11	002.06	0
002	Protein, Crude (%)	0366	31.95	0.9000	31.54	0.3699	0.2461	183	1.11	002.06	0
002	Protein, Crude (%)	0956	31.95	0.1000	31.54	0.3699	0.2461	183	1.11	002.06	0
002	Protein, Crude (%)	0042	31.95	0.5000	31.54	0.3699	0.2461	183	1.11	002.06	0
002	Protein, Crude (%)	2409	31.96	0.0900	31.54	0.3699	0.2461	183	1.13	002.06	0
002	Protein, Crude (%)	0682	31.96	0.0000	31.54	0.3699	0.2461	183	1.14	002.06	0
002	Protein, Crude (%)	2268	31.97	1.020	31.54	0.3699	0.2461	183	1.16	002.06	0
002	Protein, Crude (%)	0859	31.98	0.1160	31.54	0.3699	0.2461	183	1.20	002.06	0
002	Protein, Crude (%)	2059	31.99	0.1031	31.54	0.3699	0.2461	183	1.22	002.06	0
002	Protein, Crude (%)	0884	32.00	0.6000	31.54	0.3699	0.2461	183	1.24	002.06	0
002	Protein, Crude (%)	2319	32.00	0.2000	31.54	0.3699	0.2461	183	1.24	002.06	0
002	Protein, Crude (%)	2155	32.01	0.2900	31.54	0.3699	0.2461	183	1.26	002.06	0
002	Protein, Crude (%)	0656	32.01	0.0000	31.54	0.3699	0.2461	183	1.27	002.01	0
002	Protein, Crude (%)	2109	32.01	0.0600	31.54	0.3699	0.2461	183	1.27	002.06	0
002	Protein, Crude (%)	0100	32.03	0.0600	31.54	0.3699	0.2461	183	1.32	002.06	0
002	Protein, Crude (%)	0229	32.08	0.2800	31.54	0.3699	0.2461	183	1.46	002.06	0
002	Protein, Crude (%)	0017	32.20	0.0000	31.54	0.3699	0.2461	183	1.78	002.06	0
002	Protein, Crude (%)	2363	32.25	0.9000	31.54	0.3699	0.2461	183	1.92	002.06	0
002	Protein, Crude (%)	0914	32.26	0.1000	31.54	0.3699	0.2461	183	1.95	002.06	0
002	Protein, Crude (%)	2303	32.29	0.0800	31.54	0.3699	0.2461	183	2.03	002.06	0
002	Protein, Crude (%)	0190	32.35	0.0700	31.54	0.3699	0.2461	183	2.18	002.06	0
002	Protein, Crude (%)	2129	32.46	0.0980	31.54	0.3699	0.2461	183	2.49	002.06	0
002	Protein, Crude (%)	0001	32.53	0.1900	31.54	0.3699	0.2461	183	2.66	002.06	0
002	Protein, Crude (%)	0011	32.75	0.4900	31.54	0.3699	0.2461	183	3.26	002.06	0
002	Protein, Crude (%)	2076	32.82	1.198	31.54	0.3699	0.2461	183	3.45	002.06	0
002	Protein, Crude (%)	2326	32.85	0.3100	31.54	0.3699	0.2461	183	3.53	002.06	0
002	Protein, Crude (%)	0265	33.45	0.3000	31.54	0.3699	0.2461	183	5.16	002.06	0
002	Protein, Crude (%)	2242	31.32	1.290	31.54	0.3699	0.2461	183	-0.61	002.06	1
002	Protein, Crude (%)	0108	31.48	1.580	31.54	0.3699	0.2461	183	-0.16	002.06	1
002	Protein, Crude (%)	0618	5.169	0.0120	31.54	0.3699	0.2461	183	-71.30	002.06	2
003	Fat, Crude (%)	0357	5.275	0.0300	6.892	0.5937	0.1388	124	-2.72	003.14	0
003	Fat, Crude (%)	0265	5.755	0.0700	6.892	0.5937	0.1388	124	-1.91	003.14	0
003	Fat, Crude (%)	2184	5.835	0.1500	6.892	0.5937	0.1388	124	-1.78	003.10	0
003	Fat, Crude (%)	0870	5.987	0.0431	6.892	0.5937	0.1388	124	-1.52	003.10	0
003	Fat, Crude (%)	0242	6.005	0.4500	6.892	0.5937	0.1388	124	-1.49	003.10	0
003	Fat, Crude (%)	0651	6.031	0.0309	6.892	0.5937	0.1388	124	-1.45	003.14	0
003	Fat, Crude (%)	2073	6.040	0.0200	6.892	0.5937	0.1388	124	-1.43	003.10	0
003	Fat, Crude (%)	0646	6.065	0.2900	6.892	0.5937	0.1388	124	-1.39	003.13	0
003	Fat, Crude (%)	0870	6.091	0.0459	6.892	0.5937	0.1388	124	-1.35	003.13	0
003	Fat, Crude (%)	0354	6.168	0.0150	6.892	0.5937	0.1388	124	-1.22	003.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0918	6.185	0.5300	6.892	0.5937	0.1388	124	-1.19	003.06	0
003	Fat, Crude (%)	0358	6.190	0.0800	6.892	0.5937	0.1388	124	-1.18	003.14	0
003	Fat, Crude (%)	2326	6.210	0.2000	6.892	0.5937	0.1388	124	-1.15	003.12	0
003	Fat, Crude (%)	0037	6.220	0.2600	6.892	0.5937	0.1388	124	-1.13	003.14	0
003	Fat, Crude (%)	0968	6.225	0.0300	6.892	0.5937	0.1388	124	-1.12	003.06	0
003	Fat, Crude (%)	0504	6.240	0.0600	6.892	0.5937	0.1388	124	-1.10	003.01	0
003	Fat, Crude (%)	0574	6.280	0.1800	6.892	0.5937	0.1388	124	-1.03	003.14	0
003	Fat, Crude (%)	0027	6.285	0.1300	6.892	0.5937	0.1388	124	-1.02	003.09	0
003	Fat, Crude (%)	0685	6.310	0.1000	6.892	0.5937	0.1388	124	-0.98	003.09	0
003	Fat, Crude (%)	2076	6.321	0.1482	6.892	0.5937	0.1388	124	-0.96	003.14	0
003	Fat, Crude (%)	0019	6.325	0.0300	6.892	0.5937	0.1388	124	-0.95	003.14	0
003	Fat, Crude (%)	2409	6.345	0.3900	6.892	0.5937	0.1388	124	-0.92	003.14	0
003	Fat, Crude (%)	0674	6.350	0.0000	6.892	0.5937	0.1388	124	-0.91	003.06	0
003	Fat, Crude (%)	0345	6.370	0.0400	6.892	0.5937	0.1388	124	-0.88	003.00	0
003	Fat, Crude (%)	0144	6.370	0.0800	6.892	0.5937	0.1388	124	-0.88	003.14	0
003	Fat, Crude (%)	0108	6.375	0.1100	6.892	0.5937	0.1388	124	-0.87	003.14	0
003	Fat, Crude (%)	0512	6.390	0.2450	6.892	0.5937	0.1388	124	-0.85	003.09	0
003	Fat, Crude (%)	0581	6.395	0.0100	6.892	0.5937	0.1388	124	-0.84	003.14	0
003	Fat, Crude (%)	0968	6.410	0.0200	6.892	0.5937	0.1388	124	-0.81	003.14	0
003	Fat, Crude (%)	0546	6.410	0.1200	6.892	0.5937	0.1388	124	-0.81	003.99	0
003	Fat, Crude (%)	0889	6.425	0.0500	6.892	0.5937	0.1388	124	-0.79	003.10	0
003	Fat, Crude (%)	0728	6.445	0.3100	6.892	0.5937	0.1388	124	-0.75	003.10	0
003	Fat, Crude (%)	0049	6.455	0.3500	6.892	0.5937	0.1388	124	-0.74	003.14	0
003	Fat, Crude (%)	0682	6.490	0.0000	6.892	0.5937	0.1388	124	-0.68	003.06	0
003	Fat, Crude (%)	0853	6.500	0.2000	6.892	0.5937	0.1388	124	-0.66	003.14	0
003	Fat, Crude (%)	0682	6.510	0.0000	6.892	0.5937	0.1388	124	-0.64	003.14	0
003	Fat, Crude (%)	0529	6.565	0.0500	6.892	0.5937	0.1388	124	-0.55	003.14	0
003	Fat, Crude (%)	2337	6.585	0.0100	6.892	0.5937	0.1388	124	-0.52	003.00	0
003	Fat, Crude (%)	0425	6.590	0.0200	6.892	0.5937	0.1388	124	-0.51	003.06	0
003	Fat, Crude (%)	0100	6.615	0.0100	6.892	0.5937	0.1388	124	-0.47	003.10	0
003	Fat, Crude (%)	0676	6.620	0.0600	6.892	0.5937	0.1388	124	-0.46	003.10	0
003	Fat, Crude (%)	0294	6.645	0.0100	6.892	0.5937	0.1388	124	-0.42	003.06	0
003	Fat, Crude (%)	0366	6.650	0.3000	6.892	0.5937	0.1388	124	-0.41	003.10	0
003	Fat, Crude (%)	0089	6.675	0.0100	6.892	0.5937	0.1388	124	-0.36	003.14	0
003	Fat, Crude (%)	0590	6.720	0.3400	6.892	0.5937	0.1388	124	-0.29	003.09	0
003	Fat, Crude (%)	0148	6.720	0.1000	6.892	0.5937	0.1388	124	-0.29	003.10	0
003	Fat, Crude (%)	0675	6.725	0.0700	6.892	0.5937	0.1388	124	-0.28	003.14	0
003	Fat, Crude (%)	2033	6.735	0.2700	6.892	0.5937	0.1388	124	-0.26	003.06	0
003	Fat, Crude (%)	0948	6.750	0.0200	6.892	0.5937	0.1388	124	-0.24	003.09	0
003	Fat, Crude (%)	0689	6.750	0.1000	6.892	0.5937	0.1388	124	-0.24	003.10	0
003	Fat, Crude (%)	0619	6.770	0.0400	6.892	0.5937	0.1388	124	-0.20	003.10	0
003	Fat, Crude (%)	2009	6.770	0.0263	6.892	0.5937	0.1388	124	-0.20	003.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	0045	6.795	0.3500	6.892	0.5937	0.1388	124	-0.16	003.10	0
003	Fat, Crude (%)	0964	6.798	0.1560	6.892	0.5937	0.1388	124	-0.16	003.09	0
003	Fat, Crude (%)	0689	6.800	0.4000	6.892	0.5937	0.1388	124	-0.15	003.06	0
003	Fat, Crude (%)	0687	6.825	0.3500	6.892	0.5937	0.1388	124	-0.11	003.06	0
003	Fat, Crude (%)	0610	6.825	0.0900	6.892	0.5937	0.1388	124	-0.11	003.10	0
003	Fat, Crude (%)	0618	6.830	0.0320	6.892	0.5937	0.1388	124	-0.10	003.10	0
003	Fat, Crude (%)	0199	6.840	0.0200	6.892	0.5937	0.1388	124	-0.09	003.06	0
003	Fat, Crude (%)	0884	6.850	0.1000	6.892	0.5937	0.1388	124	-0.07	003.06	0
003	Fat, Crude (%)	2006	6.860	0.2000	6.892	0.5937	0.1388	124	-0.05	003.13	0
003	Fat, Crude (%)	2360	6.860	0.0400	6.892	0.5937	0.1388	124	-0.05	003.13	0
003	Fat, Crude (%)	0948	6.860	0.0800	6.892	0.5937	0.1388	124	-0.05	003.14	0
003	Fat, Crude (%)	0910	6.870	0.0600	6.892	0.5937	0.1388	124	-0.04	003.06	0
003	Fat, Crude (%)	0190	6.870	0.0200	6.892	0.5937	0.1388	124	-0.04	003.14	0
003	Fat, Crude (%)	0148	6.890	0.0000	6.892	0.5937	0.1388	124	0.00	003.14	0
003	Fat, Crude (%)	0171	6.890	0.0600	6.892	0.5937	0.1388	124	0.00	003.14	0
003	Fat, Crude (%)	0541	6.895	0.3500	6.892	0.5937	0.1388	124	0.01	003.10	0
003	Fat, Crude (%)	2319	6.900	0.0000	6.892	0.5937	0.1388	124	0.01	003.10	0
003	Fat, Crude (%)	0692	6.900	0.6000	6.892	0.5937	0.1388	124	0.01	003.14	0
003	Fat, Crude (%)	0042	6.905	0.0900	6.892	0.5937	0.1388	124	0.02	003.10	0
003	Fat, Crude (%)	2023	6.935	0.0700	6.892	0.5937	0.1388	124	0.07	003.14	0
003	Fat, Crude (%)	0066	6.955	0.0700	6.892	0.5937	0.1388	124	0.11	003.14	0
003	Fat, Crude (%)	2196	6.970	0.0000	6.892	0.5937	0.1388	124	0.13	003.10	0
003	Fat, Crude (%)	0848	6.970	0.1600	6.892	0.5937	0.1388	124	0.13	003.14	0
003	Fat, Crude (%)	0956	7.000	0.2000	6.892	0.5937	0.1388	124	0.18	003.14	0
003	Fat, Crude (%)	0164	7.005	0.0300	6.892	0.5937	0.1388	124	0.19	003.01	0
003	Fat, Crude (%)	0309	7.034	0.1261	6.892	0.5937	0.1388	124	0.24	003.00	0
003	Fat, Crude (%)	2155	7.037	0.6240	6.892	0.5937	0.1388	124	0.25	003.10	0
003	Fat, Crude (%)	0263	7.097	0.0490	6.892	0.5937	0.1388	124	0.35	003.10	0
003	Fat, Crude (%)	0278	7.100	0.2000	6.892	0.5937	0.1388	124	0.35	003.14	0
003	Fat, Crude (%)	0563	7.135	0.0005	6.892	0.5937	0.1388	124	0.41	003.01	0
003	Fat, Crude (%)	0876	7.165	0.0900	6.892	0.5937	0.1388	124	0.46	003.14	0
003	Fat, Crude (%)	0202	7.170	0.0600	6.892	0.5937	0.1388	124	0.47	003.14	0
003	Fat, Crude (%)	0885	7.181	0.3553	6.892	0.5937	0.1388	124	0.49	003.00	0
003	Fat, Crude (%)	2190	7.205	0.1100	6.892	0.5937	0.1388	124	0.53	003.00	0
003	Fat, Crude (%)	2129	7.206	0.2370	6.892	0.5937	0.1388	124	0.53	003.14	0
003	Fat, Crude (%)	0726	7.210	0.0400	6.892	0.5937	0.1388	124	0.54	003.14	0
003	Fat, Crude (%)	0062	7.240	0.0600	6.892	0.5937	0.1388	124	0.59	003.10	0
003	Fat, Crude (%)	0563	7.242	0.0698	6.892	0.5937	0.1388	124	0.59	003.14	0
003	Fat, Crude (%)	0619	7.255	0.1300	6.892	0.5937	0.1388	124	0.61	003.14	0
003	Fat, Crude (%)	2109	7.275	0.0900	6.892	0.5937	0.1388	124	0.65	003.00	0
003	Fat, Crude (%)	0171	7.280	0.1400	6.892	0.5937	0.1388	124	0.65	003.12	0
003	Fat, Crude (%)	0407	7.288	0.1372	6.892	0.5937	0.1388	124	0.67	003.14	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
003	Fat, Crude (%)	2188	7.290	0.0000	6.892	0.5937	0.1388	124	0.67	003.10	0
003	Fat, Crude (%)	0036	7.296	0.2700	6.892	0.5937	0.1388	124	0.68	003.10	0
003	Fat, Crude (%)	2375	7.325	0.1100	6.892	0.5937	0.1388	124	0.73	003.14	0
003	Fat, Crude (%)	0229	7.350	0.6200	6.892	0.5937	0.1388	124	0.77	003.06	0
003	Fat, Crude (%)	0098	7.395	0.0500	6.892	0.5937	0.1388	124	0.85	003.10	0
003	Fat, Crude (%)	0297	7.400	0.1400	6.892	0.5937	0.1388	124	0.86	003.06	0
003	Fat, Crude (%)	0123	7.410	0.1400	6.892	0.5937	0.1388	124	0.87	003.10	0
003	Fat, Crude (%)	2022	7.410	0.0200	6.892	0.5937	0.1388	124	0.87	003.10	0
003	Fat, Crude (%)	0098	7.440	0.0800	6.892	0.5937	0.1388	124	0.92	003.13	0
003	Fat, Crude (%)	2199	7.450	0.1000	6.892	0.5937	0.1388	124	0.94	003.12	0
003	Fat, Crude (%)	0880	7.500	0.6000	6.892	0.5937	0.1388	124	1.02	003.99	0
003	Fat, Crude (%)	0229	7.505	0.4300	6.892	0.5937	0.1388	124	1.03	003.14	0
003	Fat, Crude (%)	0098	7.535	0.1300	6.892	0.5937	0.1388	124	1.08	003.09	0
003	Fat, Crude (%)	0644	7.588	0.0090	6.892	0.5937	0.1388	124	1.17	003.06	0
003	Fat, Crude (%)	0083	7.615	0.0100	6.892	0.5937	0.1388	124	1.22	003.14	0
003	Fat, Crude (%)	2200	7.650	0.3000	6.892	0.5937	0.1388	124	1.28	003.12	0
003	Fat, Crude (%)	0226	7.690	0.2400	6.892	0.5937	0.1388	124	1.34	003.14	0
003	Fat, Crude (%)	0889	7.910	0.2400	6.892	0.5937	0.1388	124	1.72	003.11	0
003	Fat, Crude (%)	0520	8.255	0.2100	6.892	0.5937	0.1388	124	2.30	003.14	0
003	Fat, Crude (%)	0297	8.965	0.0500	6.892	0.5937	0.1388	124	3.49	003.11	0
003	Fat, Crude (%)	2246	9.420	0.0800	6.892	0.5937	0.1388	124	4.26	003.13	0
003	Fat, Crude (%)	0505	9.455	0.4300	6.892	0.5937	0.1388	124	4.32	003.14	0
003	Fat, Crude (%)	0074	9.965	0.2700	6.892	0.5937	0.1388	124	5.18	003.14	0
003	Fat, Crude (%)	0941	10.14	0.1100	6.892	0.5937	0.1388	124	5.46	003.99	0
003	Fat, Crude (%)	0656	10.21	0.0000	6.892	0.5937	0.1388	124	5.59	003.99	0
003	Fat, Crude (%)	2325	10.22	0.0400	6.892	0.5937	0.1388	124	5.61	003.99	0
003	Fat, Crude (%)	0034	10.43	0.0400	6.892	0.5937	0.1388	124	5.96	003.14	0
003	Fat, Crude (%)	0169	10.75	0.0100	6.892	0.5937	0.1388	124	6.49	003.06	0
003	Fat, Crude (%)	1023	11.27	0.1800	6.892	0.5937	0.1388	124	7.37	003.00	0
003	Fat, Crude (%)	0035	11.31	0.0000	6.892	0.5937	0.1388	124	7.44	003.14	0
003	Fat, Crude (%)	0353	6.960	1.460	6.892	0.5937	0.1388	124	0.12	003.09	1
004	Fiber, Crude (%)	2345	0.4350	0.0300	1.979	0.3639	0.1498	111	-4.24	004.07	0
004	Fiber, Crude (%)	0622	0.6044	0.0406	1.979	0.3639	0.1498	111	-3.78	004.07	0
004	Fiber, Crude (%)	2199	1.000	0.0000	1.979	0.3639	0.1498	111	-2.69	004.06	0
004	Fiber, Crude (%)	0708	1.005	0.0500	1.979	0.3639	0.1498	111	-2.68	004.07	0
004	Fiber, Crude (%)	0510	1.350	0.1000	1.979	0.3639	0.1498	111	-1.73	004.07	0
004	Fiber, Crude (%)	0656	1.350	0.0000	1.979	0.3639	0.1498	111	-1.73	004.07	0
004	Fiber, Crude (%)	0407	1.449	0.0434	1.979	0.3639	0.1498	111	-1.46	004.07	0
004	Fiber, Crude (%)	0202	1.470	0.0200	1.979	0.3639	0.1498	111	-1.40	004.07	0
004	Fiber, Crude (%)	0098	1.480	0.0000	1.979	0.3639	0.1498	111	-1.37	004.07	0
004	Fiber, Crude (%)	0956	1.500	0.0000	1.979	0.3639	0.1498	111	-1.32	004.07	0
004	Fiber, Crude (%)	2022	1.545	0.0100	1.979	0.3639	0.1498	111	-1.19	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	0425	1.550	0.1000	1.979	0.3639	0.1498	111	-1.18	004.00	0
004	Fiber, Crude (%)	2360	1.560	0.0200	1.979	0.3639	0.1498	111	-1.15	004.03	0
004	Fiber, Crude (%)	0100	1.590	0.0800	1.979	0.3639	0.1498	111	-1.07	004.07	0
004	Fiber, Crude (%)	2089	1.595	0.2300	1.979	0.3639	0.1498	111	-1.06	004.03	0
004	Fiber, Crude (%)	0353	1.600	0.0000	1.979	0.3639	0.1498	111	-1.04	004.03	0
004	Fiber, Crude (%)	0169	1.610	0.1000	1.979	0.3639	0.1498	111	-1.01	004.00	0
004	Fiber, Crude (%)	0190	1.650	0.3000	1.979	0.3639	0.1498	111	-0.90	004.07	0
004	Fiber, Crude (%)	0066	1.700	0.0600	1.979	0.3639	0.1498	111	-0.77	004.07	0
004	Fiber, Crude (%)	0682	1.700	0.0000	1.979	0.3639	0.1498	111	-0.77	004.07	0
004	Fiber, Crude (%)	2312	1.700	0.2000	1.979	0.3639	0.1498	111	-0.77	004.00	0
004	Fiber, Crude (%)	2409	1.705	0.1300	1.979	0.3639	0.1498	111	-0.75	004.07	0
004	Fiber, Crude (%)	0083	1.720	0.1000	1.979	0.3639	0.1498	111	-0.71	004.07	0
004	Fiber, Crude (%)	0964	1.750	0.0800	1.979	0.3639	0.1498	111	-0.63	004.06	0
004	Fiber, Crude (%)	0004	1.750	0.2000	1.979	0.3639	0.1498	111	-0.63	004.07	0
004	Fiber, Crude (%)	0910	1.750	0.1000	1.979	0.3639	0.1498	111	-0.63	004.07	0
004	Fiber, Crude (%)	0619	1.755	0.0700	1.979	0.3639	0.1498	111	-0.62	004.07	0
004	Fiber, Crude (%)	0885	1.756	0.0641	1.979	0.3639	0.1498	111	-0.61	004.07	0
004	Fiber, Crude (%)	0553	1.760	0.0200	1.979	0.3639	0.1498	111	-0.60	004.07	0
004	Fiber, Crude (%)	2190	1.765	0.4300	1.979	0.3639	0.1498	111	-0.59	004.07	0
004	Fiber, Crude (%)	2188	1.770	0.1000	1.979	0.3639	0.1498	111	-0.58	004.07	0
004	Fiber, Crude (%)	2325	1.785	0.0300	1.979	0.3639	0.1498	111	-0.53	004.06	0
004	Fiber, Crude (%)	0941	1.790	0.1600	1.979	0.3639	0.1498	111	-0.52	004.06	0
004	Fiber, Crude (%)	2337	1.795	0.0100	1.979	0.3639	0.1498	111	-0.51	004.07	0
004	Fiber, Crude (%)	0563	1.803	0.0930	1.979	0.3639	0.1498	111	-0.48	004.07	0
004	Fiber, Crude (%)	0123	1.815	0.0100	1.979	0.3639	0.1498	111	-0.45	004.07	0
004	Fiber, Crude (%)	0589	1.840	0.3600	1.979	0.3639	0.1498	111	-0.38	004.07	0
004	Fiber, Crude (%)	0208	1.845	0.3700	1.979	0.3639	0.1498	111	-0.37	004.00	0
004	Fiber, Crude (%)	0164	1.850	0.1000	1.979	0.3639	0.1498	111	-0.36	004.00	0
004	Fiber, Crude (%)	0505	1.850	0.2200	1.979	0.3639	0.1498	111	-0.36	004.07	0
004	Fiber, Crude (%)	0876	1.850	0.1000	1.979	0.3639	0.1498	111	-0.36	004.07	0
004	Fiber, Crude (%)	0939	1.850	0.1200	1.979	0.3639	0.1498	111	-0.36	004.07	0
004	Fiber, Crude (%)	0726	1.855	0.0300	1.979	0.3639	0.1498	111	-0.34	004.07	0
004	Fiber, Crude (%)	0242	1.870	0.4800	1.979	0.3639	0.1498	111	-0.30	004.07	0
004	Fiber, Crude (%)	2188	1.870	0.0000	1.979	0.3639	0.1498	111	-0.30	004.06	0
004	Fiber, Crude (%)	0300	1.880	0.0800	1.979	0.3639	0.1498	111	-0.27	004.07	0
004	Fiber, Crude (%)	0309	1.884	0.0902	1.979	0.3639	0.1498	111	-0.26	004.00	0
004	Fiber, Crude (%)	0504	1.895	0.1300	1.979	0.3639	0.1498	111	-0.23	004.07	0
004	Fiber, Crude (%)	2076	1.898	0.1020	1.979	0.3639	0.1498	111	-0.22	004.00	0
004	Fiber, Crude (%)	0028	1.900	0.0000	1.979	0.3639	0.1498	111	-0.22	004.07	0
004	Fiber, Crude (%)	0948	1.910	0.0400	1.979	0.3639	0.1498	111	-0.19	004.07	0
004	Fiber, Crude (%)	0098	1.925	0.1900	1.979	0.3639	0.1498	111	-0.15	004.06	0
004	Fiber, Crude (%)	0038	1.935	0.3500	1.979	0.3639	0.1498	111	-0.12	004.06	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	0889	1.940	0.1000	1.979	0.3639	0.1498	111	-0.11	004.11	0
004	Fiber, Crude (%)	2129	1.944	0.1430	1.979	0.3639	0.1498	111	-0.10	004.99	0
004	Fiber, Crude (%)	2023	1.945	0.0100	1.979	0.3639	0.1498	111	-0.09	004.00	0
004	Fiber, Crude (%)	0948	1.945	0.0300	1.979	0.3639	0.1498	111	-0.09	004.06	0
004	Fiber, Crude (%)	2359	1.950	0.1000	1.979	0.3639	0.1498	111	-0.08	004.00	0
004	Fiber, Crude (%)	2200	1.950	0.1000	1.979	0.3639	0.1498	111	-0.08	004.06	0
004	Fiber, Crude (%)	2319	1.950	0.1000	1.979	0.3639	0.1498	111	-0.08	004.06	0
004	Fiber, Crude (%)	2349	1.950	0.1000	1.979	0.3639	0.1498	111	-0.08	004.06	0
004	Fiber, Crude (%)	2363	1.960	0.4800	1.979	0.3639	0.1498	111	-0.05	004.07	0
004	Fiber, Crude (%)	2006	1.995	0.0700	1.979	0.3639	0.1498	111	0.04	004.06	0
004	Fiber, Crude (%)	0011	2.000	0.2000	1.979	0.3639	0.1498	111	0.06	004.07	0
004	Fiber, Crude (%)	0529	2.005	0.4500	1.979	0.3639	0.1498	111	0.07	004.07	0
004	Fiber, Crude (%)	0643	2.010	0.0200	1.979	0.3639	0.1498	111	0.08	004.07	0
004	Fiber, Crude (%)	0968	2.015	0.1100	1.979	0.3639	0.1498	111	0.10	004.07	0
004	Fiber, Crude (%)	0644	2.028	0.2100	1.979	0.3639	0.1498	111	0.13	004.07	0
004	Fiber, Crude (%)	2196	2.030	0.0000	1.979	0.3639	0.1498	111	0.14	004.07	0
004	Fiber, Crude (%)	0045	2.035	0.1500	1.979	0.3639	0.1498	111	0.15	004.07	0
004	Fiber, Crude (%)	2109	2.055	0.0100	1.979	0.3639	0.1498	111	0.21	004.07	0
004	Fiber, Crude (%)	2124	2.060	0.3600	1.979	0.3639	0.1498	111	0.22	004.07	0
004	Fiber, Crude (%)	0689	2.100	0.4000	1.979	0.3639	0.1498	111	0.33	004.06	0
004	Fiber, Crude (%)	0692	2.100	0.4000	1.979	0.3639	0.1498	111	0.33	004.07	0
004	Fiber, Crude (%)	0511	2.100	0.2000	1.979	0.3639	0.1498	111	0.33	004.07	0
004	Fiber, Crude (%)	2033	2.100	0.0000	1.979	0.3639	0.1498	111	0.33	004.07	0
004	Fiber, Crude (%)	0512	2.129	0.3340	1.979	0.3639	0.1498	111	0.41	004.07	0
004	Fiber, Crude (%)	0610	2.135	0.1500	1.979	0.3639	0.1498	111	0.43	004.06	0
004	Fiber, Crude (%)	0675	2.140	0.1400	1.979	0.3639	0.1498	111	0.44	004.07	0
004	Fiber, Crude (%)	0345	2.150	0.1000	1.979	0.3639	0.1498	111	0.47	004.00	0
004	Fiber, Crude (%)	0870	2.168	0.1138	1.979	0.3639	0.1498	111	0.52	004.07	0
004	Fiber, Crude (%)	0581	2.180	0.0800	1.979	0.3639	0.1498	111	0.55	004.07	0
004	Fiber, Crude (%)	0263	2.187	0.1540	1.979	0.3639	0.1498	111	0.57	004.07	0
004	Fiber, Crude (%)	0354	2.225	0.0700	1.979	0.3639	0.1498	111	0.68	004.07	0
004	Fiber, Crude (%)	0171	2.230	0.0600	1.979	0.3639	0.1498	111	0.69	004.00	0
004	Fiber, Crude (%)	0968	2.235	0.3300	1.979	0.3639	0.1498	111	0.70	004.06	0
004	Fiber, Crude (%)	0009	2.245	0.2900	1.979	0.3639	0.1498	111	0.73	004.07	0
004	Fiber, Crude (%)	0017	2.250	0.5000	1.979	0.3639	0.1498	111	0.74	004.00	0
004	Fiber, Crude (%)	0685	2.260	0.0400	1.979	0.3639	0.1498	111	0.77	004.06	0
004	Fiber, Crude (%)	0229	2.260	0.1200	1.979	0.3639	0.1498	111	0.77	004.07	0
004	Fiber, Crude (%)	0294	2.350	0.1000	1.979	0.3639	0.1498	111	1.02	004.07	0
004	Fiber, Crude (%)	0674	2.350	0.0000	1.979	0.3639	0.1498	111	1.02	004.06	0
004	Fiber, Crude (%)	0089	2.360	0.0200	1.979	0.3639	0.1498	111	1.05	004.07	0
004	Fiber, Crude (%)	0848	2.360	0.2400	1.979	0.3639	0.1498	111	1.05	004.07	0
004	Fiber, Crude (%)	0626	2.380	0.1068	1.979	0.3639	0.1498	111	1.10	004.07	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
004	Fiber, Crude (%)	0918	2.470	0.1000	1.979	0.3639	0.1498	111	1.35	004.06	0
004	Fiber, Crude (%)	0676	2.485	0.0700	1.979	0.3639	0.1498	111	1.39	004.06	0
004	Fiber, Crude (%)	0199	2.495	0.1900	1.979	0.3639	0.1498	111	1.42	004.06	0
004	Fiber, Crude (%)	0034	2.515	0.2100	1.979	0.3639	0.1498	111	1.47	004.07	0
004	Fiber, Crude (%)	0042	2.585	0.1300	1.979	0.3639	0.1498	111	1.66	004.07	0
004	Fiber, Crude (%)	0520	2.590	0.5400	1.979	0.3639	0.1498	111	1.68	004.07	0
004	Fiber, Crude (%)	0646	2.645	0.1300	1.979	0.3639	0.1498	111	1.83	004.07	0
004	Fiber, Crude (%)	0074	2.795	0.5500	1.979	0.3639	0.1498	111	2.24	004.07	0
004	Fiber, Crude (%)	2192	2.940	0.2600	1.979	0.3639	0.1498	111	2.64	004.03	0
004	Fiber, Crude (%)	0226	2.955	0.0500	1.979	0.3639	0.1498	111	2.68	004.07	0
004	Fiber, Crude (%)	0914	3.250	0.5000	1.979	0.3639	0.1498	111	3.49	004.07	0
004	Fiber, Crude (%)	0884	3.700	0.8000	1.979	0.3639	0.1498	111	4.73	004.00	0
004	Fiber, Crude (%)	0278	3.850	0.3000	1.979	0.3639	0.1498	111	5.14	004.07	0
004	Fiber, Crude (%)	0921	3.995	0.0900	1.979	0.3639	0.1498	111	5.54	004.03	0
004	Fiber, Crude (%)	2246	4.390	0.0000	1.979	0.3639	0.1498	111	6.63	004.03	0
004	Fiber, Crude (%)	2326	5.605	0.2700	1.979	0.3639	0.1498	111	9.96	004.00	0
004	Fiber, Crude (%)	0019	2.410	1.100	1.979	0.3639	0.1498	111	1.18	004.07	1
004	Fiber, Crude (%)	0366	3.250	2.300	1.979	0.3639	0.1498	111	3.49	004.07	1
004	Fiber, Crude (%)	0265	10.25	0.3000	1.979	0.3639	0.1498	111	22.73	004.07	2
005	Ash (%)	0880	5.715	0.2100	6.518	0.1093	0.0786	147	-7.35	005.00	0
005	Ash (%)	2389	5.925	0.0300	6.518	0.1093	0.0786	147	-5.42	005.11	0
005	Ash (%)	0644	5.999	0.0650	6.518	0.1093	0.0786	147	-4.75	005.99	0
005	Ash (%)	2246	6.095	0.1100	6.518	0.1093	0.0786	147	-3.87	005.00	0
005	Ash (%)	0546	6.255	0.0700	6.518	0.1093	0.0786	147	-2.41	005.99	0
005	Ash (%)	0278	6.270	0.1200	6.518	0.1093	0.0786	147	-2.27	005.00	0
005	Ash (%)	0229	6.280	0.1200	6.518	0.1093	0.0786	147	-2.18	005.00	0
005	Ash (%)	0089	6.290	0.0000	6.518	0.1093	0.0786	147	-2.09	005.00	0
005	Ash (%)	0953	6.300	0.0200	6.518	0.1093	0.0786	147	-1.99	005.00	0
005	Ash (%)	0956	6.300	0.0000	6.518	0.1093	0.0786	147	-1.99	005.00	0
005	Ash (%)	0511	6.300	0.2000	6.518	0.1093	0.0786	147	-1.99	005.03	0
005	Ash (%)	0169	6.345	0.0100	6.518	0.1093	0.0786	147	-1.58	005.00	0
005	Ash (%)	0726	6.345	0.0700	6.518	0.1093	0.0786	147	-1.58	005.05	0
005	Ash (%)	0019	6.350	0.1000	6.518	0.1093	0.0786	147	-1.54	005.99	0
005	Ash (%)	0889	6.355	0.0100	6.518	0.1093	0.0786	147	-1.49	005.05	0
005	Ash (%)	2190	6.365	0.2500	6.518	0.1093	0.0786	147	-1.40	005.05	0
005	Ash (%)	0142	6.370	0.0200	6.518	0.1093	0.0786	147	-1.35	005.00	0
005	Ash (%)	0004	6.390	0.0000	6.518	0.1093	0.0786	147	-1.17	005.00	0
005	Ash (%)	0417	6.390	0.1200	6.518	0.1093	0.0786	147	-1.17	005.00	0
005	Ash (%)	2184	6.390	0.1400	6.518	0.1093	0.0786	147	-1.17	005.00	0
005	Ash (%)	0914	6.395	0.1100	6.518	0.1093	0.0786	147	-1.13	005.99	0
005	Ash (%)	0144	6.400	0.0200	6.518	0.1093	0.0786	147	-1.08	005.00	0
005	Ash (%)	0358	6.400	0.1400	6.518	0.1093	0.0786	147	-1.08	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0505	6.400	0.0000	6.518	0.1093	0.0786	147	-1.08	005.00	0
005	Ash (%)	2268	6.400	0.2400	6.518	0.1093	0.0786	147	-1.08	005.00	0
005	Ash (%)	0884	6.400	0.0000	6.518	0.1093	0.0786	147	-1.08	005.99	0
005	Ash (%)	2319	6.400	0.2000	6.518	0.1093	0.0786	147	-1.08	005.99	0
005	Ash (%)	0407	6.404	0.0884	6.518	0.1093	0.0786	147	-1.04	005.00	0
005	Ash (%)	0651	6.404	0.2156	6.518	0.1093	0.0786	147	-1.04	005.00	0
005	Ash (%)	2345	6.415	0.1300	6.518	0.1093	0.0786	147	-0.94	005.05	0
005	Ash (%)	0646	6.420	0.1400	6.518	0.1093	0.0786	147	-0.90	005.00	0
005	Ash (%)	0848	6.425	0.0900	6.518	0.1093	0.0786	147	-0.85	005.00	0
005	Ash (%)	0685	6.440	0.0800	6.518	0.1093	0.0786	147	-0.71	005.00	0
005	Ash (%)	2188	6.440	0.0000	6.518	0.1093	0.0786	147	-0.71	005.00	0
005	Ash (%)	2199	6.450	0.3000	6.518	0.1093	0.0786	147	-0.62	005.00	0
005	Ash (%)	0366	6.450	0.1000	6.518	0.1093	0.0786	147	-0.62	005.00	0
005	Ash (%)	0425	6.450	0.1000	6.518	0.1093	0.0786	147	-0.62	005.00	0
005	Ash (%)	0529	6.450	0.0000	6.518	0.1093	0.0786	147	-0.62	005.00	0
005	Ash (%)	2033	6.450	0.1000	6.518	0.1093	0.0786	147	-0.62	005.00	0
005	Ash (%)	2337	6.450	0.0200	6.518	0.1093	0.0786	147	-0.62	005.00	0
005	Ash (%)	0692	6.450	0.1000	6.518	0.1093	0.0786	147	-0.62	005.05	0
005	Ash (%)	2196	6.460	0.0000	6.518	0.1093	0.0786	147	-0.53	005.00	0
005	Ash (%)	0208	6.465	0.0300	6.518	0.1093	0.0786	147	-0.49	005.00	0
005	Ash (%)	0202	6.465	0.1100	6.518	0.1093	0.0786	147	-0.49	005.99	0
005	Ash (%)	0618	6.468	0.0232	6.518	0.1093	0.0786	147	-0.46	005.00	0
005	Ash (%)	0643	6.470	0.0800	6.518	0.1093	0.0786	147	-0.44	005.05	0
005	Ash (%)	0553	6.470	0.2000	6.518	0.1093	0.0786	147	-0.44	005.00	0
005	Ash (%)	2022	6.470	0.0200	6.518	0.1093	0.0786	147	-0.44	005.00	0
005	Ash (%)	0038	6.485	0.0500	6.518	0.1093	0.0786	147	-0.30	005.05	0
005	Ash (%)	2360	6.485	0.0500	6.518	0.1093	0.0786	147	-0.30	005.99	0
005	Ash (%)	0042	6.485	0.0900	6.518	0.1093	0.0786	147	-0.30	005.00	0
005	Ash (%)	0354	6.485	0.0100	6.518	0.1093	0.0786	147	-0.30	005.00	0
005	Ash (%)	0035	6.490	0.0400	6.518	0.1093	0.0786	147	-0.26	005.00	0
005	Ash (%)	2023	6.490	0.1000	6.518	0.1093	0.0786	147	-0.26	005.99	0
005	Ash (%)	0171	6.500	0.1200	6.518	0.1093	0.0786	147	-0.17	005.00	0
005	Ash (%)	0853	6.500	0.0000	6.518	0.1093	0.0786	147	-0.17	005.00	0
005	Ash (%)	2409	6.500	0.0200	6.518	0.1093	0.0786	147	-0.17	005.99	0
005	Ash (%)	2399	6.505	0.0500	6.518	0.1093	0.0786	147	-0.12	005.00	0
005	Ash (%)	0941	6.505	0.0500	6.518	0.1093	0.0786	147	-0.12	005.05	0
005	Ash (%)	0563	6.505	0.0066	6.518	0.1093	0.0786	147	-0.12	005.00	0
005	Ash (%)	0242	6.510	0.0400	6.518	0.1093	0.0786	147	-0.07	005.00	0
005	Ash (%)	2349	6.510	0.0400	6.518	0.1093	0.0786	147	-0.07	005.00	0
005	Ash (%)	2419	6.510	0.0800	6.518	0.1093	0.0786	147	-0.07	005.05	0
005	Ash (%)	0622	6.513	0.0941	6.518	0.1093	0.0786	147	-0.05	005.00	0
005	Ash (%)	0033	6.515	0.0900	6.518	0.1093	0.0786	147	-0.03	005.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	2246	6.515	0.0100	6.518	0.1093	0.0786	147	-0.03	005.05	0
005	Ash (%)	0083	6.515	0.0300	6.518	0.1093	0.0786	147	-0.03	005.00	0
005	Ash (%)	0541	6.515	0.2300	6.518	0.1093	0.0786	147	-0.03	005.00	0
005	Ash (%)	2006	6.520	0.0800	6.518	0.1093	0.0786	147	0.02	005.00	0
005	Ash (%)	2124	6.520	0.2200	6.518	0.1093	0.0786	147	0.02	005.00	0
005	Ash (%)	0066	6.525	0.0500	6.518	0.1093	0.0786	147	0.06	005.05	0
005	Ash (%)	0689	6.525	0.0300	6.518	0.1093	0.0786	147	0.06	005.05	0
005	Ash (%)	2076	6.527	0.1144	6.518	0.1093	0.0786	147	0.08	005.00	0
005	Ash (%)	0589	6.530	0.1600	6.518	0.1093	0.0786	147	0.11	005.00	0
005	Ash (%)	0353	6.535	0.1100	6.518	0.1093	0.0786	147	0.15	005.00	0
005	Ash (%)	0510	6.535	0.0700	6.518	0.1093	0.0786	147	0.15	005.00	0
005	Ash (%)	0619	6.535	0.0500	6.518	0.1093	0.0786	147	0.15	005.05	0
005	Ash (%)	2192	6.535	0.0700	6.518	0.1093	0.0786	147	0.15	005.05	0
005	Ash (%)	2420	6.535	0.0100	6.518	0.1093	0.0786	147	0.15	005.05	0
005	Ash (%)	0309	6.536	0.0150	6.518	0.1093	0.0786	147	0.16	005.00	0
005	Ash (%)	0123	6.540	0.0400	6.518	0.1093	0.0786	147	0.20	005.00	0
005	Ash (%)	0504	6.540	0.0200	6.518	0.1093	0.0786	147	0.20	005.00	0
005	Ash (%)	2424	6.540	0.0800	6.518	0.1093	0.0786	147	0.20	005.05	0
005	Ash (%)	0870	6.542	0.1268	6.518	0.1093	0.0786	147	0.21	005.00	0
005	Ash (%)	2129	6.543	0.0868	6.518	0.1093	0.0786	147	0.23	005.05	0
005	Ash (%)	0345	6.545	0.0500	6.518	0.1093	0.0786	147	0.25	005.00	0
005	Ash (%)	0017	6.550	0.1000	6.518	0.1093	0.0786	147	0.29	005.00	0
005	Ash (%)	0047	6.550	0.1000	6.518	0.1093	0.0786	147	0.29	005.00	0
005	Ash (%)	0098	6.550	0.0200	6.518	0.1093	0.0786	147	0.29	005.00	0
005	Ash (%)	0948	6.550	0.0000	6.518	0.1093	0.0786	147	0.29	005.00	0
005	Ash (%)	2359	6.550	0.1000	6.518	0.1093	0.0786	147	0.29	005.00	0
005	Ash (%)	0590	6.550	0.0800	6.518	0.1093	0.0786	147	0.29	005.05	0
005	Ash (%)	0650	6.555	0.0100	6.518	0.1093	0.0786	147	0.34	005.00	0
005	Ash (%)	2150	6.555	0.0500	6.518	0.1093	0.0786	147	0.34	005.00	0
005	Ash (%)	2326	6.555	0.1500	6.518	0.1093	0.0786	147	0.34	005.00	0
005	Ash (%)	2421	6.555	0.0100	6.518	0.1093	0.0786	147	0.34	005.05	0
005	Ash (%)	0065	6.560	0.1000	6.518	0.1093	0.0786	147	0.38	005.05	0
005	Ash (%)	2109	6.560	0.0600	6.518	0.1093	0.0786	147	0.38	005.05	0
005	Ash (%)	0512	6.563	0.3010	6.518	0.1093	0.0786	147	0.41	005.00	0
005	Ash (%)	0918	6.565	0.0500	6.518	0.1093	0.0786	147	0.43	005.00	0
005	Ash (%)	2416	6.565	0.0300	6.518	0.1093	0.0786	147	0.43	005.05	0
005	Ash (%)	0574	6.570	0.1400	6.518	0.1093	0.0786	147	0.47	005.00	0
005	Ash (%)	0939	6.570	0.1600	6.518	0.1093	0.0786	147	0.47	005.05	0
005	Ash (%)	0199	6.575	0.0100	6.518	0.1093	0.0786	147	0.52	005.00	0
005	Ash (%)	1023	6.575	0.0100	6.518	0.1093	0.0786	147	0.52	005.00	0
005	Ash (%)	0682	6.580	0.0000	6.518	0.1093	0.0786	147	0.57	005.00	0
005	Ash (%)	0610	6.580	0.0800	6.518	0.1093	0.0786	147	0.57	005.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0001	6.583	0.0850	6.518	0.1093	0.0786	147	0.59	005.00	0
005	Ash (%)	0644	6.584	0.0540	6.518	0.1093	0.0786	147	0.60	005.02	0
005	Ash (%)	0263	6.587	0.0060	6.518	0.1093	0.0786	147	0.63	005.05	0
005	Ash (%)	2187	6.590	0.0200	6.518	0.1093	0.0786	147	0.66	005.03	0
005	Ash (%)	2417	6.595	0.1500	6.518	0.1093	0.0786	147	0.70	005.05	0
005	Ash (%)	0049	6.595	0.2300	6.518	0.1093	0.0786	147	0.70	005.00	0
005	Ash (%)	0968	6.595	0.0300	6.518	0.1093	0.0786	147	0.70	005.00	0
005	Ash (%)	0265	6.600	0.0000	6.518	0.1093	0.0786	147	0.75	005.00	0
005	Ash (%)	0294	6.600	0.2000	6.518	0.1093	0.0786	147	0.75	005.05	0
005	Ash (%)	0652	6.600	0.0000	6.518	0.1093	0.0786	147	0.75	005.99	0
005	Ash (%)	0910	6.600	0.0000	6.518	0.1093	0.0786	147	0.75	005.99	0
005	Ash (%)	0034	6.604	0.0210	6.518	0.1093	0.0786	147	0.78	005.05	0
005	Ash (%)	2325	6.605	0.0300	6.518	0.1093	0.0786	147	0.79	005.00	0
005	Ash (%)	0676	6.605	0.0700	6.518	0.1093	0.0786	147	0.79	005.99	0
005	Ash (%)	2398	6.610	0.0400	6.518	0.1093	0.0786	147	0.84	005.05	0
005	Ash (%)	2009	6.611	0.0169	6.518	0.1093	0.0786	147	0.85	005.05	0
005	Ash (%)	0027	6.615	0.0300	6.518	0.1093	0.0786	147	0.89	005.00	0
005	Ash (%)	0876	6.615	0.1300	6.518	0.1093	0.0786	147	0.89	005.00	0
005	Ash (%)	2242	6.615	0.0300	6.518	0.1093	0.0786	147	0.89	005.00	0
005	Ash (%)	2426	6.620	0.0000	6.518	0.1093	0.0786	147	0.93	005.05	0
005	Ash (%)	0885	6.624	0.0030	6.518	0.1093	0.0786	147	0.97	005.05	0
005	Ash (%)	2422	6.630	0.0800	6.518	0.1093	0.0786	147	1.02	005.05	0
005	Ash (%)	0539	6.640	0.0800	6.518	0.1093	0.0786	147	1.11	005.00	0
005	Ash (%)	0100	6.640	0.2800	6.518	0.1093	0.0786	147	1.11	005.00	0
005	Ash (%)	2200	6.650	0.1000	6.518	0.1093	0.0786	147	1.21	005.00	0
005	Ash (%)	0190	6.650	0.0600	6.518	0.1093	0.0786	147	1.21	005.05	0
005	Ash (%)	2312	6.660	0.1600	6.518	0.1093	0.0786	147	1.30	005.00	0
005	Ash (%)	2418	6.660	0.0400	6.518	0.1093	0.0786	147	1.30	005.05	0
005	Ash (%)	0164	6.670	0.0200	6.518	0.1093	0.0786	147	1.39	005.00	0
005	Ash (%)	0062	6.690	0.0400	6.518	0.1093	0.0786	147	1.57	005.00	0
005	Ash (%)	0674	6.690	0.0000	6.518	0.1093	0.0786	147	1.57	005.00	0
005	Ash (%)	0045	6.715	0.4300	6.518	0.1093	0.0786	147	1.80	005.00	0
005	Ash (%)	0675	6.715	0.0100	6.518	0.1093	0.0786	147	1.80	005.00	0
005	Ash (%)	2089	6.740	0.0200	6.518	0.1093	0.0786	147	2.03	005.00	0
005	Ash (%)	0226	6.870	0.2800	6.518	0.1093	0.0786	147	3.22	005.00	0
005	Ash (%)	0520	6.890	0.0600	6.518	0.1093	0.0786	147	3.40	005.00	0
005	Ash (%)	0357	7.000	0.0000	6.518	0.1093	0.0786	147	4.41	005.00	0
005	Ash (%)	0889	7.480	0.1200	6.518	0.1093	0.0786	147	8.80	005.11	0
005	Ash (%)	0656	9.110	0.0000	6.518	0.1093	0.0786	147	23.71	005.00	0
005	Ash (%)	0297	9.380	0.1800	6.518	0.1093	0.0786	147	26.18	005.11	0
005	Ash (%)	0148	5.895	1.270	6.518	0.1093	0.0786	147	-5.70	005.00	1
005	Ash (%)	0108	6.050	0.8800	6.518	0.1093	0.0786	147	-4.28	005.00	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
005	Ash (%)	0297	6.650	0.6400	6.518	0.1093	0.0786	147	1.21	005.00	1
005	Ash (%)	0581	0.5950	0.1100	6.518	0.1093	0.0786	147	-54.17	005.00	2
006	Total Sugars (%)	0407	0.7000	0.0200	1.701	0.8259	0.1325	4		006.00	0
006	Total Sugars (%)	0226	1.550	0.2800	1.701	0.8259	0.1325	4		006.99	0
006	Total Sugars (%)	0910	1.855	0.0300	1.701	0.8259	0.1325	4		006.00	0
006	Total Sugars (%)	0956	2.700	0.2000	1.701	0.8259	0.1325	4		006.99	0
008	Fiber, Acid Detergent (%)	2345	0.2200	0.0200	3.912	0.8169	0.2137	57	-4.52	008.08	0
008	Fiber, Acid Detergent (%)	0345	2.375	0.1500	3.912	0.8169	0.2137	57	-1.88	008.02	0
008	Fiber, Acid Detergent (%)	0968	2.565	0.5500	3.912	0.8169	0.2137	57	-1.65	008.08	0
008	Fiber, Acid Detergent (%)	0278	2.700	0.2000	3.912	0.8169	0.2137	57	-1.48	008.08	0
008	Fiber, Acid Detergent (%)	2129	2.780	0.0800	3.912	0.8169	0.2137	57	-1.39	008.08	0
008	Fiber, Acid Detergent (%)	0956	2.800	0.2000	3.912	0.8169	0.2137	57	-1.36	008.08	0
008	Fiber, Acid Detergent (%)	0885	2.840	0.1800	3.912	0.8169	0.2137	57	-1.31	008.08	0
008	Fiber, Acid Detergent (%)	0676	2.865	0.0500	3.912	0.8169	0.2137	57	-1.28	008.02	0
008	Fiber, Acid Detergent (%)	0948	3.010	0.1000	3.912	0.8169	0.2137	57	-1.10	008.02	0
008	Fiber, Acid Detergent (%)	0674	3.180	0.0000	3.912	0.8169	0.2137	57	-0.90	008.02	0
008	Fiber, Acid Detergent (%)	0294	3.200	0.0000	3.912	0.8169	0.2137	57	-0.87	008.08	0
008	Fiber, Acid Detergent (%)	2246	3.248	0.4500	3.912	0.8169	0.2137	57	-0.81	008.02	0
008	Fiber, Acid Detergent (%)	0511	3.250	0.7000	3.912	0.8169	0.2137	57	-0.81	008.08	0
008	Fiber, Acid Detergent (%)	0098	3.275	0.0500	3.912	0.8169	0.2137	57	-0.78	008.02	0
008	Fiber, Acid Detergent (%)	0939	3.280	0.0800	3.912	0.8169	0.2137	57	-0.77	008.08	0
008	Fiber, Acid Detergent (%)	0066	3.460	0.1400	3.912	0.8169	0.2137	57	-0.55	008.08	0
008	Fiber, Acid Detergent (%)	2190	3.590	0.3000	3.912	0.8169	0.2137	57	-0.39	008.08	0
008	Fiber, Acid Detergent (%)	0297	3.600	0.4000	3.912	0.8169	0.2137	57	-0.38	008.08	0
008	Fiber, Acid Detergent (%)	0510	3.600	0.2000	3.912	0.8169	0.2137	57	-0.38	008.08	0
008	Fiber, Acid Detergent (%)	0354	3.630	0.3000	3.912	0.8169	0.2137	57	-0.34	008.08	0
008	Fiber, Acid Detergent (%)	0689	3.650	0.3000	3.912	0.8169	0.2137	57	-0.32	008.02	0
008	Fiber, Acid Detergent (%)	0848	3.665	0.0100	3.912	0.8169	0.2137	57	-0.30	008.08	0
008	Fiber, Acid Detergent (%)	0309	3.719	0.0089	3.912	0.8169	0.2137	57	-0.24	008.02	0
008	Fiber, Acid Detergent (%)	0619	3.735	0.6100	3.912	0.8169	0.2137	57	-0.22	008.08	0
008	Fiber, Acid Detergent (%)	0004	3.790	0.5000	3.912	0.8169	0.2137	57	-0.15	008.08	0
008	Fiber, Acid Detergent (%)	0889	3.795	0.0700	3.912	0.8169	0.2137	57	-0.14	008.08	0
008	Fiber, Acid Detergent (%)	0366	3.800	0.2000	3.912	0.8169	0.2137	57	-0.14	008.08	0
008	Fiber, Acid Detergent (%)	0581	3.895	0.4900	3.912	0.8169	0.2137	57	-0.02	008.08	0
008	Fiber, Acid Detergent (%)	0148	3.955	0.0500	3.912	0.8169	0.2137	57	0.05	008.08	0
008	Fiber, Acid Detergent (%)	0027	4.055	0.1300	3.912	0.8169	0.2137	57	0.18	008.99	0
008	Fiber, Acid Detergent (%)	0001	4.075	0.4390	3.912	0.8169	0.2137	57	0.20	008.08	0
008	Fiber, Acid Detergent (%)	2196	4.100	0.0000	3.912	0.8169	0.2137	57	0.23	008.08	0
008	Fiber, Acid Detergent (%)	0504	4.140	0.1400	3.912	0.8169	0.2137	57	0.28	008.08	0
008	Fiber, Acid Detergent (%)	0353	4.165	0.1100	3.912	0.8169	0.2137	57	0.31	008.02	0
008	Fiber, Acid Detergent (%)	0870	4.172	0.1807	3.912	0.8169	0.2137	57	0.32	008.08	0
008	Fiber, Acid Detergent (%)	0964	4.196	0.2310	3.912	0.8169	0.2137	57	0.35	008.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
008	Fiber, Acid Detergent (%)	0407	4.197	0.1855	3.912	0.8169	0.2137	57	0.35	008.08	0
008	Fiber, Acid Detergent (%)	0675	4.200	0.0600	3.912	0.8169	0.2137	57	0.35	008.08	0
008	Fiber, Acid Detergent (%)	0610	4.200	0.4800	3.912	0.8169	0.2137	57	0.35	008.99	0
008	Fiber, Acid Detergent (%)	2409	4.205	1.070	3.912	0.8169	0.2137	57	0.36	008.08	0
008	Fiber, Acid Detergent (%)	0358	4.250	0.4200	3.912	0.8169	0.2137	57	0.41	008.08	0
008	Fiber, Acid Detergent (%)	0042	4.335	0.0900	3.912	0.8169	0.2137	57	0.52	008.08	0
008	Fiber, Acid Detergent (%)	0265	4.470	0.0600	3.912	0.8169	0.2137	57	0.68	008.99	0
008	Fiber, Acid Detergent (%)	0263	4.603	0.0630	3.912	0.8169	0.2137	57	0.85	008.08	0
008	Fiber, Acid Detergent (%)	0164	4.650	0.3000	3.912	0.8169	0.2137	57	0.90	008.08	0
008	Fiber, Acid Detergent (%)	0190	4.655	0.0300	3.912	0.8169	0.2137	57	0.91	008.08	0
008	Fiber, Acid Detergent (%)	0726	4.655	0.0300	3.912	0.8169	0.2137	57	0.91	008.08	0
008	Fiber, Acid Detergent (%)	0171	4.705	0.0100	3.912	0.8169	0.2137	57	0.97	008.02	0
008	Fiber, Acid Detergent (%)	0148	4.755	0.2300	3.912	0.8169	0.2137	57	1.03	008.02	0
008	Fiber, Acid Detergent (%)	0083	4.765	0.2100	3.912	0.8169	0.2137	57	1.04	008.08	0
008	Fiber, Acid Detergent (%)	0918	4.825	0.3510	3.912	0.8169	0.2137	57	1.12	008.08	0
008	Fiber, Acid Detergent (%)	0226	4.885	0.0300	3.912	0.8169	0.2137	57	1.19	008.02	0
008	Fiber, Acid Detergent (%)	0646	4.925	0.0500	3.912	0.8169	0.2137	57	1.24	008.08	0
008	Fiber, Acid Detergent (%)	0941	5.060	0.4600	3.912	0.8169	0.2137	57	1.41	008.99	0
008	Fiber, Acid Detergent (%)	2375	5.075	0.3500	3.912	0.8169	0.2137	57	1.42	008.08	0
008	Fiber, Acid Detergent (%)	0037	5.385	0.0100	3.912	0.8169	0.2137	57	1.80	008.08	0
008	Fiber, Acid Detergent (%)	0357	5.995	0.0700	3.912	0.8169	0.2137	57	2.55	008.08	0
008	Fiber, Acid Detergent (%)	0045	4.585	1.670	3.912	0.8169	0.2137	57	0.82	008.08	1
008	Fiber, Acid Detergent (%)	0049	5.570	1.780	3.912	0.8169	0.2137	57	2.03	008.08	1
009	Fiber, Neutral Detergent (%)	2345	0.2150	0.0500	11.79	2.166	0.4938	52	-5.34	009.09	0
009	Fiber, Neutral Detergent (%)	0297	7.100	1.000	11.79	2.166	0.4938	52	-2.17	009.09	0
009	Fiber, Neutral Detergent (%)	0353	8.175	0.1300	11.79	2.166	0.4938	52	-1.67	009.07	0
009	Fiber, Neutral Detergent (%)	0098	8.655	0.8500	11.79	2.166	0.4938	52	-1.45	009.07	0
009	Fiber, Neutral Detergent (%)	0345	8.700	0.2000	11.79	2.166	0.4938	52	-1.43	009.07	0
009	Fiber, Neutral Detergent (%)	0939	9.650	0.6600	11.79	2.166	0.4938	52	-0.99	009.09	0
009	Fiber, Neutral Detergent (%)	0263	9.902	0.3530	11.79	2.166	0.4938	52	-0.87	009.09	0
009	Fiber, Neutral Detergent (%)	0407	9.902	0.0602	11.79	2.166	0.4938	52	-0.87	009.09	0
009	Fiber, Neutral Detergent (%)	0885	10.10	0.0795	11.79	2.166	0.4938	52	-0.78	009.09	0
009	Fiber, Neutral Detergent (%)	2190	10.11	0.4600	11.79	2.166	0.4938	52	-0.78	009.09	0
009	Fiber, Neutral Detergent (%)	0870	10.13	0.0154	11.79	2.166	0.4938	52	-0.77	009.09	0
009	Fiber, Neutral Detergent (%)	0083	10.16	0.1200	11.79	2.166	0.4938	52	-0.75	009.09	0
009	Fiber, Neutral Detergent (%)	0581	10.22	0.2700	11.79	2.166	0.4938	52	-0.73	009.09	0
009	Fiber, Neutral Detergent (%)	0948	10.25	0.0100	11.79	2.166	0.4938	52	-0.71	009.07	0
009	Fiber, Neutral Detergent (%)	0964	10.30	0.0560	11.79	2.166	0.4938	52	-0.69	009.07	0
009	Fiber, Neutral Detergent (%)	2129	10.56	0.4500	11.79	2.166	0.4938	52	-0.57	009.09	0
009	Fiber, Neutral Detergent (%)	0956	10.90	1.400	11.79	2.166	0.4938	52	-0.41	009.09	0
009	Fiber, Neutral Detergent (%)	0037	10.91	0.3600	11.79	2.166	0.4938	52	-0.41	009.09	0
009	Fiber, Neutral Detergent (%)	0619	10.92	0.2100	11.79	2.166	0.4938	52	-0.41	009.09	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
009	Fiber, Neutral Detergent (%)	2192	11.00	0.6000	11.79	2.166	0.4938	52	-0.37	009.07	0
009	Fiber, Neutral Detergent (%)	0066	11.02	0.2100	11.79	2.166	0.4938	52	-0.36	009.09	0
009	Fiber, Neutral Detergent (%)	0889	11.34	0.3800	11.79	2.166	0.4938	52	-0.21	009.99	0
009	Fiber, Neutral Detergent (%)	0148	11.36	0.5700	11.79	2.166	0.4938	52	-0.20	009.09	0
009	Fiber, Neutral Detergent (%)	0676	11.58	2.346	11.79	2.166	0.4938	52	-0.10	009.07	0
009	Fiber, Neutral Detergent (%)	0504	11.59	0.3100	11.79	2.166	0.4938	52	-0.10	009.09	0
009	Fiber, Neutral Detergent (%)	2375	11.74	0.5400	11.79	2.166	0.4938	52	-0.02	009.09	0
009	Fiber, Neutral Detergent (%)	0278	11.75	0.1000	11.79	2.166	0.4938	52	-0.02	009.09	0
009	Fiber, Neutral Detergent (%)	0190	11.79	0.0700	11.79	2.166	0.4938	52	0.00	009.09	0
009	Fiber, Neutral Detergent (%)	0726	11.79	0.0700	11.79	2.166	0.4938	52	0.00	009.09	0
009	Fiber, Neutral Detergent (%)	0918	12.02	2.739	11.79	2.166	0.4938	52	0.10	009.09	0
009	Fiber, Neutral Detergent (%)	2196	12.12	0.0000	11.79	2.166	0.4938	52	0.15	009.09	0
009	Fiber, Neutral Detergent (%)	0226	12.15	0.3600	11.79	2.166	0.4938	52	0.16	009.07	0
009	Fiber, Neutral Detergent (%)	0164	12.20	0.4000	11.79	2.166	0.4938	52	0.19	009.09	0
009	Fiber, Neutral Detergent (%)	0510	12.20	0.6000	11.79	2.166	0.4938	52	0.19	009.09	0
009	Fiber, Neutral Detergent (%)	0674	12.60	0.0000	11.79	2.166	0.4938	52	0.37	009.07	0
009	Fiber, Neutral Detergent (%)	0646	12.67	0.2500	11.79	2.166	0.4938	52	0.40	009.09	0
009	Fiber, Neutral Detergent (%)	0358	12.76	0.5000	11.79	2.166	0.4938	52	0.45	009.09	0
009	Fiber, Neutral Detergent (%)	0610	12.80	0.6000	11.79	2.166	0.4938	52	0.46	009.07	0
009	Fiber, Neutral Detergent (%)	0941	13.02	0.1400	11.79	2.166	0.4938	52	0.57	009.99	0
009	Fiber, Neutral Detergent (%)	0294	13.10	0.8000	11.79	2.166	0.4938	52	0.60	009.09	0
009	Fiber, Neutral Detergent (%)	0045	13.10	0.4000	11.79	2.166	0.4938	52	0.60	009.09	0
009	Fiber, Neutral Detergent (%)	0689	13.20	0.2000	11.79	2.166	0.4938	52	0.65	009.07	0
009	Fiber, Neutral Detergent (%)	0357	13.82	0.1700	11.79	2.166	0.4938	52	0.93	009.09	0
009	Fiber, Neutral Detergent (%)	0265	14.40	0.2000	11.79	2.166	0.4938	52	1.20	009.09	0
009	Fiber, Neutral Detergent (%)	0309	14.47	0.1524	11.79	2.166	0.4938	52	1.23	009.07	0
009	Fiber, Neutral Detergent (%)	0968	14.47	1.820	11.79	2.166	0.4938	52	1.24	009.09	0
009	Fiber, Neutral Detergent (%)	0675	15.39	0.0500	11.79	2.166	0.4938	52	1.66	009.09	0
009	Fiber, Neutral Detergent (%)	0889	15.84	0.4300	11.79	2.166	0.4938	52	1.87	009.09	0
009	Fiber, Neutral Detergent (%)	0848	16.21	0.0600	11.79	2.166	0.4938	52	2.04	009.09	0
009	Fiber, Neutral Detergent (%)	0366	16.40	1.800	11.79	2.166	0.4938	52	2.13	009.09	0
009	Fiber, Neutral Detergent (%)	0354	18.37	1.400	11.79	2.166	0.4938	52	3.04	009.09	0
009	Fiber, Neutral Detergent (%)	2246	20.56	0.6736	11.79	2.166	0.4938	52	4.04	009.07	0
009	Fiber, Neutral Detergent (%)	0049	12.90	3.270	11.79	2.166	0.4938	52	0.51	009.09	1
010	Moisture (%)	0546	5.120	0.1800	6.952	0.3019	0.1032	19	-6.07	010.99	0
010	Moisture (%)	2076	5.965	0.2300	6.952	0.3019	0.1032	19	-3.27	010.99	0
010	Moisture (%)	2129	6.595	0.1240	6.952	0.3019	0.1032	19	-1.18	010.99	0
010	Moisture (%)	2409	6.705	0.1900	6.952	0.3019	0.1032	19	-0.82	010.99	0
010	Moisture (%)	2375	6.785	0.0100	6.952	0.3019	0.1032	19	-0.55	010.99	0
010	Moisture (%)	0692	6.800	0.4000	6.952	0.3019	0.1032	19	-0.50	010.99	0
010	Moisture (%)	0164	6.890	0.0400	6.952	0.3019	0.1032	19	-0.21	010.03	0
010	Moisture (%)	0019	6.890	0.0600	6.952	0.3019	0.1032	19	-0.21	010.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
010	Moisture (%)	0889	6.965	0.0700	6.952	0.3019	0.1032	19	0.04	010.11	0
010	Moisture (%)	0726	6.965	0.0300	6.952	0.3019	0.1032	19	0.04	010.99	0
010	Moisture (%)	0948	6.970	0.0200	6.952	0.3019	0.1032	19	0.06	010.99	0
010	Moisture (%)	0939	6.995	0.3500	6.952	0.3019	0.1032	19	0.14	010.99	0
010	Moisture (%)	2150	7.075	0.0300	6.952	0.3019	0.1032	19	0.41	010.99	0
010	Moisture (%)	0884	7.100	0.0000	6.952	0.3019	0.1032	19	0.49	010.99	0
010	Moisture (%)	2089	7.120	0.0200	6.952	0.3019	0.1032	19	0.56	010.99	0
010	Moisture (%)	0652	7.150	0.1000	6.952	0.3019	0.1032	19	0.66	010.99	0
010	Moisture (%)	0190	7.275	0.0500	6.952	0.3019	0.1032	19	1.07	010.99	0
010	Moisture (%)	0964	7.407	0.0270	6.952	0.3019	0.1032	19	1.51	010.99	0
010	Moisture (%)	0843	7.655	0.0300	6.952	0.3019	0.1032	19	2.33	010.03	0
010	Moisture (%)	0622	4.866	3.023	6.952	0.3019	0.1032	19	-6.91	010.99	1
011	Loss on Drying, HT (%)	2359	6.500	0.0000	7.521	0.2833	0.1035	73	-3.60	011.01	0
011	Loss on Drying, HT (%)	0859	6.766	0.1080	7.521	0.2833	0.1035	73	-2.66	011.01	0
011	Loss on Drying, HT (%)	2174	6.795	0.3300	7.521	0.2833	0.1035	73	-2.56	011.99	0
011	Loss on Drying, HT (%)	0047	7.000	0.0000	7.521	0.2833	0.1035	73	-1.84	011.01	0
011	Loss on Drying, HT (%)	0417	7.065	0.3500	7.521	0.2833	0.1035	73	-1.61	011.02	0
011	Loss on Drying, HT (%)	2168	7.065	0.4700	7.521	0.2833	0.1035	73	-1.61	011.99	0
011	Loss on Drying, HT (%)	0682	7.070	0.0000	7.521	0.2833	0.1035	73	-1.59	011.01	0
011	Loss on Drying, HT (%)	2200	7.100	0.2000	7.521	0.2833	0.1035	73	-1.48	011.01	0
011	Loss on Drying, HT (%)	0229	7.120	0.1600	7.521	0.2833	0.1035	73	-1.41	011.01	0
011	Loss on Drying, HT (%)	2199	7.150	0.1000	7.521	0.2833	0.1035	73	-1.31	011.01	0
011	Loss on Drying, HT (%)	0553	7.290	0.2000	7.521	0.2833	0.1035	73	-0.81	011.01	0
011	Loss on Drying, HT (%)	0685	7.290	0.1200	7.521	0.2833	0.1035	73	-0.81	011.01	0
011	Loss on Drying, HT (%)	2326	7.300	0.0200	7.521	0.2833	0.1035	73	-0.78	011.01	0
011	Loss on Drying, HT (%)	0942	7.325	0.0100	7.521	0.2833	0.1035	73	-0.69	011.02	0
011	Loss on Drying, HT (%)	2303	7.329	0.0100	7.521	0.2833	0.1035	73	-0.68	011.99	0
011	Loss on Drying, HT (%)	0100	7.340	0.0600	7.521	0.2833	0.1035	73	-0.64	011.01	0
011	Loss on Drying, HT (%)	0226	7.340	0.0800	7.521	0.2833	0.1035	73	-0.64	011.01	0
011	Loss on Drying, HT (%)	0848	7.355	0.1100	7.521	0.2833	0.1035	73	-0.58	011.01	0
011	Loss on Drying, HT (%)	0529	7.360	0.1000	7.521	0.2833	0.1035	73	-0.57	011.02	0
011	Loss on Drying, HT (%)	2325	7.365	0.0100	7.521	0.2833	0.1035	73	-0.55	011.01	0
011	Loss on Drying, HT (%)	0171	7.375	0.0100	7.521	0.2833	0.1035	73	-0.51	011.01	0
011	Loss on Drying, HT (%)	0208	7.380	0.1600	7.521	0.2833	0.1035	73	-0.50	011.01	0
011	Loss on Drying, HT (%)	0643	7.385	0.0060	7.521	0.2833	0.1035	73	-0.48	011.01	0
011	Loss on Drying, HT (%)	0539	7.400	0.1600	7.521	0.2833	0.1035	73	-0.43	011.01	0
011	Loss on Drying, HT (%)	0675	7.410	0.0800	7.521	0.2833	0.1035	73	-0.39	011.01	0
011	Loss on Drying, HT (%)	0263	7.416	0.0410	7.521	0.2833	0.1035	73	-0.37	011.01	0
011	Loss on Drying, HT (%)	2312	7.420	0.0000	7.521	0.2833	0.1035	73	-0.36	011.01	0
011	Loss on Drying, HT (%)	0953	7.430	0.0200	7.521	0.2833	0.1035	73	-0.32	011.01	0
011	Loss on Drying, HT (%)	0425	7.455	0.0300	7.521	0.2833	0.1035	73	-0.23	011.01	0
011	Loss on Drying, HT (%)	0066	7.460	0.0600	7.521	0.2833	0.1035	73	-0.21	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
011	Loss on Drying, HT (%)	0968	7.465	0.0100	7.521	0.2833	0.1035	73	-0.20	011.01	0
011	Loss on Drying, HT (%)	2188	7.470	0.0000	7.521	0.2833	0.1035	73	-0.18	011.01	0
011	Loss on Drying, HT (%)	2022	7.485	0.0300	7.521	0.2833	0.1035	73	-0.13	011.01	0
011	Loss on Drying, HT (%)	2268	7.490	0.2000	7.521	0.2833	0.1035	73	-0.11	011.01	0
011	Loss on Drying, HT (%)	0242	7.515	0.0700	7.521	0.2833	0.1035	73	-0.02	011.01	0
011	Loss on Drying, HT (%)	0563	7.528	0.2357	7.521	0.2833	0.1035	73	0.03	011.01	0
011	Loss on Drying, HT (%)	0574	7.530	0.0400	7.521	0.2833	0.1035	73	0.03	011.01	0
011	Loss on Drying, HT (%)	0354	7.540	0.0200	7.521	0.2833	0.1035	73	0.07	011.01	0
011	Loss on Drying, HT (%)	0674	7.540	0.0000	7.521	0.2833	0.1035	73	0.07	011.01	0
011	Loss on Drying, HT (%)	0520	7.545	0.0300	7.521	0.2833	0.1035	73	0.09	011.01	0
011	Loss on Drying, HT (%)	0294	7.550	0.1000	7.521	0.2833	0.1035	73	0.10	011.01	0
011	Loss on Drying, HT (%)	0646	7.555	0.0300	7.521	0.2833	0.1035	73	0.12	011.01	0
011	Loss on Drying, HT (%)	0004	7.565	0.0700	7.521	0.2833	0.1035	73	0.16	011.01	0
011	Loss on Drying, HT (%)	0511	7.565	0.0500	7.521	0.2833	0.1035	73	0.16	011.01	0
011	Loss on Drying, HT (%)	2033	7.565	0.0100	7.521	0.2833	0.1035	73	0.16	011.01	0
011	Loss on Drying, HT (%)	0108	7.580	0.0800	7.521	0.2833	0.1035	73	0.21	011.01	0
011	Loss on Drying, HT (%)	0144	7.605	0.0300	7.521	0.2833	0.1035	73	0.30	011.01	0
011	Loss on Drying, HT (%)	2196	7.610	0.0000	7.521	0.2833	0.1035	73	0.32	011.01	0
011	Loss on Drying, HT (%)	0870	7.611	0.1743	7.521	0.2833	0.1035	73	0.32	011.01	0
011	Loss on Drying, HT (%)	2337	7.615	0.0100	7.521	0.2833	0.1035	73	0.33	011.01	0
011	Loss on Drying, HT (%)	0622	7.629	0.0075	7.521	0.2833	0.1035	73	0.38	011.01	0
011	Loss on Drying, HT (%)	2023	7.640	0.1200	7.521	0.2833	0.1035	73	0.42	011.02	0
011	Loss on Drying, HT (%)	0062	7.645	0.1300	7.521	0.2833	0.1035	73	0.44	011.01	0
011	Loss on Drying, HT (%)	0202	7.665	0.3300	7.521	0.2833	0.1035	73	0.51	011.01	0
011	Loss on Drying, HT (%)	2184	7.695	0.2100	7.521	0.2833	0.1035	73	0.62	011.01	0
011	Loss on Drying, HT (%)	0309	7.705	0.1100	7.521	0.2833	0.1035	73	0.65	011.01	0
011	Loss on Drying, HT (%)	2073	7.730	0.0400	7.521	0.2833	0.1035	73	0.74	011.01	0
011	Loss on Drying, HT (%)	0098	7.740	0.3600	7.521	0.2833	0.1035	73	0.77	011.01	0
011	Loss on Drying, HT (%)	0728	7.770	0.0400	7.521	0.2833	0.1035	73	0.88	011.01	0
011	Loss on Drying, HT (%)	0123	7.775	0.0500	7.521	0.2833	0.1035	73	0.90	011.01	0
011	Loss on Drying, HT (%)	0589	7.780	0.1000	7.521	0.2833	0.1035	73	0.92	011.01	0
011	Loss on Drying, HT (%)	0006	7.792	0.0120	7.521	0.2833	0.1035	73	0.96	011.99	0
011	Loss on Drying, HT (%)	0651	7.798	0.4683	7.521	0.2833	0.1035	73	0.98	011.01	0
011	Loss on Drying, HT (%)	0541	7.860	0.2400	7.521	0.2833	0.1035	73	1.20	011.01	0
011	Loss on Drying, HT (%)	0265	7.900	0.2000	7.521	0.2833	0.1035	73	1.34	011.01	0
011	Loss on Drying, HT (%)	0358	7.900	0.1600	7.521	0.2833	0.1035	73	1.34	011.01	0
011	Loss on Drying, HT (%)	2006	7.915	0.0900	7.521	0.2833	0.1035	73	1.39	011.01	0
011	Loss on Drying, HT (%)	2246	7.961	0.0126	7.521	0.2833	0.1035	73	1.56	011.01	0
011	Loss on Drying, HT (%)	0618	7.965	0.0500	7.521	0.2833	0.1035	73	1.57	011.01	0
011	Loss on Drying, HT (%)	0164	7.995	0.0100	7.521	0.2833	0.1035	73	1.67	011.01	0
011	Loss on Drying, HT (%)	0510	8.000	0.0000	7.521	0.2833	0.1035	73	1.69	011.01	0
011	Loss on Drying, HT (%)	0407	8.387	0.0184	7.521	0.2833	0.1035	73	3.06	011.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
011	Loss on Drying, HT (%)	0880	8.430	0.6000	7.521	0.2833	0.1035	73	3.21	011.01	0
011	Loss on Drying, HT (%)	0843	7.290	0.7400	7.521	0.2833	0.1035	73	-0.81	011.01	1
011	Loss on Drying, HT (%)	2174	11.03	1.170	7.521	0.2833	0.1035	73	12.37	011.01	2
012	Starch (%)	0676	26.85	0.2800	32.53	1.563	0.7345	36	-3.64	012.01	0
012	Starch (%)	0265	27.65	0.7000	32.53	1.563	0.7345	36	-3.12	012.01	0
012	Starch (%)	0407	28.23	0.8434	32.53	1.563	0.7345	36	-2.76	012.03	0
012	Starch (%)	0918	30.61	1.825	32.53	1.563	0.7345	36	-1.23	012.01	0
012	Starch (%)	0226	30.95	1.060	32.53	1.563	0.7345	36	-1.01	012.04	0
012	Starch (%)	0889	31.03	0.3500	32.53	1.563	0.7345	36	-0.97	012.11	0
012	Starch (%)	0066	31.13	0.5200	32.53	1.563	0.7345	36	-0.90	012.03	0
012	Starch (%)	0510	31.25	0.3000	32.53	1.563	0.7345	36	-0.82	012.04	0
012	Starch (%)	2192	31.42	0.8400	32.53	1.563	0.7345	36	-0.71	012.00	0
012	Starch (%)	0885	31.45	0.9534	32.53	1.563	0.7345	36	-0.70	012.01	0
012	Starch (%)	0689	31.80	0.2000	32.53	1.563	0.7345	36	-0.47	012.00	0
012	Starch (%)	0164	31.80	1.800	32.53	1.563	0.7345	36	-0.47	012.00	0
012	Starch (%)	2242	31.81	2.390	32.53	1.563	0.7345	36	-0.47	012.01	0
012	Starch (%)	0353	32.18	0.7800	32.53	1.563	0.7345	36	-0.23	012.20	0
012	Starch (%)	0407	32.26	0.5806	32.53	1.563	0.7345	36	-0.18	012.01	0
012	Starch (%)	0870	32.26	1.210	32.53	1.563	0.7345	36	-0.18	012.01	0
012	Starch (%)	2188	32.26	0.3800	32.53	1.563	0.7345	36	-0.18	012.00	0
012	Starch (%)	0297	32.49	0.3400	32.53	1.563	0.7345	36	-0.03	012.03	0
012	Starch (%)	0148	32.53	0.6900	32.53	1.563	0.7345	36	-0.01	012.01	0
012	Starch (%)	0956	32.65	1.300	32.53	1.563	0.7345	36	0.07	012.01	0
012	Starch (%)	0910	32.85	0.5000	32.53	1.563	0.7345	36	0.20	012.00	0
012	Starch (%)	2129	32.90	1.779	32.53	1.563	0.7345	36	0.23	012.04	0
012	Starch (%)	0674	33.01	0.0000	32.53	1.563	0.7345	36	0.30	012.04	0
012	Starch (%)	2009	33.15	0.1483	32.53	1.563	0.7345	36	0.40	012.00	0
012	Starch (%)	0610	33.35	0.3000	32.53	1.563	0.7345	36	0.52	012.00	0
012	Starch (%)	0045	33.40	1.200	32.53	1.563	0.7345	36	0.55	012.01	0
012	Starch (%)	0354	33.49	0.2720	32.53	1.563	0.7345	36	0.61	012.00	0
012	Starch (%)	2006	33.65	0.1400	32.53	1.563	0.7345	36	0.71	012.00	0
012	Starch (%)	0619	33.80	0.0000	32.53	1.563	0.7345	36	0.81	012.00	0
012	Starch (%)	0366	33.85	1.500	32.53	1.563	0.7345	36	0.84	012.01	0
012	Starch (%)	0164	33.90	0.2000	32.53	1.563	0.7345	36	0.87	012.01	0
012	Starch (%)	0278	34.00	1.200	32.53	1.563	0.7345	36	0.94	012.04	0
012	Starch (%)	0948	34.83	0.1500	32.53	1.563	0.7345	36	1.47	012.04	0
012	Starch (%)	0848	34.89	0.2100	32.53	1.563	0.7345	36	1.50	012.00	0
012	Starch (%)	0098	35.05	1.300	32.53	1.563	0.7345	36	1.61	012.04	0
012	Starch (%)	2089	35.89	0.2000	32.53	1.563	0.7345	36	2.15	012.01	0
013	Fat, Acid Pretreat (%)	0618	7.232	0.0246	10.58	0.5241	0.2450	83	-6.39	013.08	0
013	Fat, Acid Pretreat (%)	0510	9.300	0.1200	10.58	0.5241	0.2450	83	-2.44	013.13	0
013	Fat, Acid Pretreat (%)	0885	9.454	0.2422	10.58	0.5241	0.2450	83	-2.15	013.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
013	Fat, Acid Pretreat (%)	2345	9.775	1.250	10.58	0.5241	0.2450	83	-1.54	013.00	0
013	Fat, Acid Pretreat (%)	2363	9.795	0.2900	10.58	0.5241	0.2450	83	-1.50	013.13	0
013	Fat, Acid Pretreat (%)	0242	9.840	0.5200	10.58	0.5241	0.2450	83	-1.41	013.00	0
013	Fat, Acid Pretreat (%)	0065	9.945	0.2700	10.58	0.5241	0.2450	83	-1.21	013.02	0
013	Fat, Acid Pretreat (%)	2188	9.950	0.0000	10.58	0.5241	0.2450	83	-1.20	013.10	0
013	Fat, Acid Pretreat (%)	2196	9.970	0.0000	10.58	0.5241	0.2450	83	-1.16	013.10	0
013	Fat, Acid Pretreat (%)	2076	9.985	0.0100	10.58	0.5241	0.2450	83	-1.13	013.00	0
013	Fat, Acid Pretreat (%)	0083	10.07	0.2600	10.58	0.5241	0.2450	83	-0.97	013.00	0
013	Fat, Acid Pretreat (%)	0939	10.09	0.0500	10.58	0.5241	0.2450	83	-0.94	013.13	0
013	Fat, Acid Pretreat (%)	0038	10.09	0.3000	10.58	0.5241	0.2450	83	-0.93	013.02	0
013	Fat, Acid Pretreat (%)	2073	10.10	0.1500	10.58	0.5241	0.2450	83	-0.92	013.00	0
013	Fat, Acid Pretreat (%)	0682	10.10	0.0000	10.58	0.5241	0.2450	83	-0.91	013.02	0
013	Fat, Acid Pretreat (%)	0581	10.13	0.2800	10.58	0.5241	0.2450	83	-0.86	013.13	0
013	Fat, Acid Pretreat (%)	0036	10.13	0.4411	10.58	0.5241	0.2450	83	-0.85	013.10	0
013	Fat, Acid Pretreat (%)	0033	10.14	0.3900	10.58	0.5241	0.2450	83	-0.85	013.13	0
013	Fat, Acid Pretreat (%)	2319	10.15	0.1000	10.58	0.5241	0.2450	83	-0.82	013.00	0
013	Fat, Acid Pretreat (%)	0914	10.20	0.1600	10.58	0.5241	0.2450	83	-0.72	013.02	0
013	Fat, Acid Pretreat (%)	2187	10.21	0.0200	10.58	0.5241	0.2450	83	-0.71	013.00	0
013	Fat, Acid Pretreat (%)	2129	10.23	0.0460	10.58	0.5241	0.2450	83	-0.67	013.13	0
013	Fat, Acid Pretreat (%)	0265	10.25	0.3000	10.58	0.5241	0.2450	83	-0.63	013.13	0
013	Fat, Acid Pretreat (%)	0675	10.25	0.0400	10.58	0.5241	0.2450	83	-0.63	013.13	0
013	Fat, Acid Pretreat (%)	2124	10.28	0.4900	10.58	0.5241	0.2450	83	-0.58	013.10	0
013	Fat, Acid Pretreat (%)	0650	10.30	0.0000	10.58	0.5241	0.2450	83	-0.53	013.00	0
013	Fat, Acid Pretreat (%)	0853	10.30	0.2000	10.58	0.5241	0.2450	83	-0.53	013.02	0
013	Fat, Acid Pretreat (%)	0948	10.31	0.0800	10.58	0.5241	0.2450	83	-0.51	013.00	0
013	Fat, Acid Pretreat (%)	0019	10.32	0.4500	10.58	0.5241	0.2450	83	-0.50	013.13	0
013	Fat, Acid Pretreat (%)	2312	10.34	0.0300	10.58	0.5241	0.2450	83	-0.47	013.02	0
013	Fat, Acid Pretreat (%)	0689	10.35	0.1000	10.58	0.5241	0.2450	83	-0.44	013.00	0
013	Fat, Acid Pretreat (%)	0610	10.35	0.1000	10.58	0.5241	0.2450	83	-0.44	013.10	0
013	Fat, Acid Pretreat (%)	0353	10.36	0.8700	10.58	0.5241	0.2450	83	-0.43	013.10	0
013	Fat, Acid Pretreat (%)	0618	10.41	0.3496	10.58	0.5241	0.2450	83	-0.32	013.00	0
013	Fat, Acid Pretreat (%)	0009	10.42	0.5600	10.58	0.5241	0.2450	83	-0.30	013.13	0
013	Fat, Acid Pretreat (%)	0017	10.45	0.3000	10.58	0.5241	0.2450	83	-0.25	013.02	0
013	Fat, Acid Pretreat (%)	0013	10.50	0.3200	10.58	0.5241	0.2450	83	-0.15	013.02	0
013	Fat, Acid Pretreat (%)	0407	10.52	0.0398	10.58	0.5241	0.2450	83	-0.11	013.13	0
013	Fat, Acid Pretreat (%)	0100	10.55	0.3400	10.58	0.5241	0.2450	83	-0.06	013.02	0
013	Fat, Acid Pretreat (%)	0968	10.56	0.7800	10.58	0.5241	0.2450	83	-0.04	013.13	0
013	Fat, Acid Pretreat (%)	0511	10.56	0.5000	10.58	0.5241	0.2450	83	-0.04	013.13	0
013	Fat, Acid Pretreat (%)	2302	10.57	0.1400	10.58	0.5241	0.2450	83	-0.02	013.13	0
013	Fat, Acid Pretreat (%)	2420	10.60	0.2200	10.58	0.5241	0.2450	83	0.04	013.02	0
013	Fat, Acid Pretreat (%)	2268	10.61	0.4500	10.58	0.5241	0.2450	83	0.05	013.10	0
013	Fat, Acid Pretreat (%)	2424	10.63	0.1600	10.58	0.5241	0.2450	83	0.10	013.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
013	Fat, Acid Pretreat (%)	2426	10.64	0.0900	10.58	0.5241	0.2450	83	0.11	013.02	0
013	Fat, Acid Pretreat (%)	0028	10.64	0.2000	10.58	0.5241	0.2450	83	0.12	013.10	0
013	Fat, Acid Pretreat (%)	0651	10.65	0.4510	10.58	0.5241	0.2450	83	0.13	013.13	0
013	Fat, Acid Pretreat (%)	2416	10.67	0.2300	10.58	0.5241	0.2450	83	0.16	013.02	0
013	Fat, Acid Pretreat (%)	0354	10.68	0.0700	10.58	0.5241	0.2450	83	0.18	013.13	0
013	Fat, Acid Pretreat (%)	0652	10.70	0.0000	10.58	0.5241	0.2450	83	0.23	013.00	0
013	Fat, Acid Pretreat (%)	0884	10.75	0.1000	10.58	0.5241	0.2450	83	0.33	013.00	0
013	Fat, Acid Pretreat (%)	2422	10.76	0.1300	10.58	0.5241	0.2450	83	0.33	013.02	0
013	Fat, Acid Pretreat (%)	0553	10.78	0.9000	10.58	0.5241	0.2450	83	0.38	013.02	0
013	Fat, Acid Pretreat (%)	0870	10.78	0.6024	10.58	0.5241	0.2450	83	0.39	013.02	0
013	Fat, Acid Pretreat (%)	2417	10.82	0.1600	10.58	0.5241	0.2450	83	0.46	013.02	0
013	Fat, Acid Pretreat (%)	0229	10.83	0.2400	10.58	0.5241	0.2450	83	0.48	013.00	0
013	Fat, Acid Pretreat (%)	0098	10.83	0.2600	10.58	0.5241	0.2450	83	0.48	013.02	0
013	Fat, Acid Pretreat (%)	0921	10.85	0.3064	10.58	0.5241	0.2450	83	0.51	013.02	0
013	Fat, Acid Pretreat (%)	0035	10.89	0.1000	10.58	0.5241	0.2450	83	0.59	013.00	0
013	Fat, Acid Pretreat (%)	2419	10.89	0.1200	10.58	0.5241	0.2450	83	0.59	013.02	0
013	Fat, Acid Pretreat (%)	2418	10.93	0.0700	10.58	0.5241	0.2450	83	0.66	013.02	0
013	Fat, Acid Pretreat (%)	0001	10.95	0.3560	10.58	0.5241	0.2450	83	0.70	013.02	0
013	Fat, Acid Pretreat (%)	0148	10.96	0.0400	10.58	0.5241	0.2450	83	0.73	013.02	0
013	Fat, Acid Pretreat (%)	0407	10.97	0.0680	10.58	0.5241	0.2450	83	0.74	013.02	0
013	Fat, Acid Pretreat (%)	0843	10.99	0.7700	10.58	0.5241	0.2450	83	0.77	013.13	0
013	Fat, Acid Pretreat (%)	0164	11.03	0.0300	10.58	0.5241	0.2450	83	0.85	013.02	0
013	Fat, Acid Pretreat (%)	0004	11.07	0.1800	10.58	0.5241	0.2450	83	0.94	013.02	0
013	Fat, Acid Pretreat (%)	2421	11.08	0.2000	10.58	0.5241	0.2450	83	0.95	013.02	0
013	Fat, Acid Pretreat (%)	2089	11.09	0.1000	10.58	0.5241	0.2450	83	0.97	013.00	0
013	Fat, Acid Pretreat (%)	0541	11.13	0.2800	10.58	0.5241	0.2450	83	1.05	013.00	0
013	Fat, Acid Pretreat (%)	2399	11.22	0.0000	10.58	0.5241	0.2450	83	1.22	013.02	0
013	Fat, Acid Pretreat (%)	2150	11.23	0.0500	10.58	0.5241	0.2450	83	1.23	013.00	0
013	Fat, Acid Pretreat (%)	0011	11.25	0.0900	10.58	0.5241	0.2450	83	1.27	013.02	0
013	Fat, Acid Pretreat (%)	0309	11.27	0.2901	10.58	0.5241	0.2450	83	1.32	013.00	0
013	Fat, Acid Pretreat (%)	0171	11.28	0.0900	10.58	0.5241	0.2450	83	1.33	013.02	0
013	Fat, Acid Pretreat (%)	2359	11.30	0.0000	10.58	0.5241	0.2450	83	1.37	013.02	0
013	Fat, Acid Pretreat (%)	0013	11.39	0.1000	10.58	0.5241	0.2450	83	1.55	013.13	0
013	Fat, Acid Pretreat (%)	0643	11.41	0.3500	10.58	0.5241	0.2450	83	1.57	013.02	0
013	Fat, Acid Pretreat (%)	0202	11.45	0.1000	10.58	0.5241	0.2450	83	1.66	013.00	0
013	Fat, Acid Pretreat (%)	0876	11.46	0.8200	10.58	0.5241	0.2450	83	1.68	013.13	0
013	Fat, Acid Pretreat (%)	2398	11.63	0.3700	10.58	0.5241	0.2450	83	1.99	013.02	0
013	Fat, Acid Pretreat (%)	0676	11.64	0.2800	10.58	0.5241	0.2450	83	2.02	013.02	0
013	Fat, Acid Pretreat (%)	0297	8.335	1.730	10.58	0.5241	0.2450	83	-4.28	013.00	1
013	Fat, Acid Pretreat (%)	0010	11.70	1.400	10.58	0.5241	0.2450	83	2.14	013.02	1
014	Fiber, Total Dietary (%)	0164	8.300	0.6000				1		014.99	0
015	Aluminum (ppm)	0520	45.70	12.24	70.63	18.04	3.215	17	-1.38	015.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
015	Aluminum (ppm)	0037	46.40	0.4000	70.63	18.04	3.215	17	-1.34	015.42	0
015	Aluminum (ppm)	0123	53.55	4.300	70.63	18.04	3.215	17	-0.95	015.99	0
015	Aluminum (ppm)	0049	54.39	2.670	70.63	18.04	3.215	17	-0.90	015.41	0
015	Aluminum (ppm)	0407	62.31	0.2574	70.63	18.04	3.215	17	-0.46	015.41	0
015	Aluminum (ppm)	2129	64.47	1.190	70.63	18.04	3.215	17	-0.34	015.42	0
015	Aluminum (ppm)	0164	65.00	0.0000	70.63	18.04	3.215	17	-0.31	015.41	0
015	Aluminum (ppm)	0510	65.00	2.000	70.63	18.04	3.215	17	-0.31	015.43	0
015	Aluminum (ppm)	0297	71.50	5.000	70.63	18.04	3.215	17	0.05	015.43	0
015	Aluminum (ppm)	0407	72.36	1.230	70.63	18.04	3.215	17	0.10	015.43	0
015	Aluminum (ppm)	0171	72.95	1.100	70.63	18.04	3.215	17	0.13	015.41	0
015	Aluminum (ppm)	0169	76.55	0.3000	70.63	18.04	3.215	17	0.33	015.43	0
015	Aluminum (ppm)	0345	81.76	2.710	70.63	18.04	3.215	17	0.62	015.43	0
015	Aluminum (ppm)	0407	85.29	4.505	70.63	18.04	3.215	17	0.81	015.53	0
015	Aluminum (ppm)	0353	91.00	10.00	70.63	18.04	3.215	17	1.13	015.43	0
015	Aluminum (ppm)	0964	94.95	4.500	70.63	18.04	3.215	17	1.35	015.43	0
015	Aluminum (ppm)	0876	97.56	2.248	70.63	18.04	3.215	17	1.49	015.43	0
017	Boron (ppm)	0265	3.310	0.3000	5.064	0.9346	0.5613	17	-1.88	017.42	0
017	Boron (ppm)	2129	3.447	0.8420	5.064	0.9346	0.5613	17	-1.73	017.42	0
017	Boron (ppm)	0345	4.475	0.0500	5.064	0.9346	0.5613	17	-0.63	017.43	0
017	Boron (ppm)	0226	4.495	0.0500	5.064	0.9346	0.5613	17	-0.61	017.41	0
017	Boron (ppm)	0407	4.655	0.2749	5.064	0.9346	0.5613	17	-0.44	017.41	0
017	Boron (ppm)	0358	4.700	0.3400	5.064	0.9346	0.5613	17	-0.39	017.41	0
017	Boron (ppm)	0049	4.895	2.030	5.064	0.9346	0.5613	17	-0.18	017.41	0
017	Boron (ppm)	0353	5.000	0.0000	5.064	0.9346	0.5613	17	-0.07	017.43	0
017	Boron (ppm)	0510	5.000	0.0000	5.064	0.9346	0.5613	17	-0.07	017.43	0
017	Boron (ppm)	0407	5.042	0.0941	5.064	0.9346	0.5613	17	-0.02	017.43	0
017	Boron (ppm)	0037	5.100	0.6000	5.064	0.9346	0.5613	17	0.04	017.42	0
017	Boron (ppm)	0045	5.170	1.140	5.064	0.9346	0.5613	17	0.11	017.42	0
017	Boron (ppm)	0407	5.360	1.151	5.064	0.9346	0.5613	17	0.32	017.53	0
017	Boron (ppm)	0918	5.585	0.4100	5.064	0.9346	0.5613	17	0.56	017.43	0
017	Boron (ppm)	0294	6.350	0.1000	5.064	0.9346	0.5613	17	1.38	017.42	0
017	Boron (ppm)	0083	7.450	0.1000	5.064	0.9346	0.5613	17	2.55	017.43	0
017	Boron (ppm)	0229	9.860	2.060	5.064	0.9346	0.5613	17	5.13	017.41	0
017	Boron (ppm)	0297	0.0000	0.0000	5.064	0.9346	0.5613	17		017.43	4
019	Calcium (%)	0199	0.9700	0.0600	1.198	0.0638	0.0366	135	-3.57	019.53	0
019	Calcium (%)	0921	1.009	0.1070	1.198	0.0638	0.0366	135	-2.97	019.31	0
019	Calcium (%)	2325	1.035	0.0100	1.198	0.0638	0.0366	135	-2.55	019.31	0
019	Calcium (%)	0294	1.040	0.0200	1.198	0.0638	0.0366	135	-2.47	019.42	0
019	Calcium (%)	0169	1.045	0.0100	1.198	0.0638	0.0366	135	-2.40	019.32	0
019	Calcium (%)	0226	1.060	0.0200	1.198	0.0638	0.0366	135	-2.16	019.43	0
019	Calcium (%)	2319	1.075	0.1100	1.198	0.0638	0.0366	135	-1.93	019.42	0
019	Calcium (%)	0848	1.075	0.0500	1.198	0.0638	0.0366	135	-1.93	019.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0520	1.076	0.0530	1.198	0.0638	0.0366	135	-1.92	019.41	0
019	Calcium (%)	0144	1.080	0.0000	1.198	0.0638	0.0366	135	-1.85	019.41	0
019	Calcium (%)	2129	1.089	0.0060	1.198	0.0638	0.0366	135	-1.71	019.42	0
019	Calcium (%)	0656	1.090	0.0000	1.198	0.0638	0.0366	135	-1.69	019.31	0
019	Calcium (%)	0265	1.095	0.1100	1.198	0.0638	0.0366	135	-1.61	019.42	0
019	Calcium (%)	0242	1.105	0.0500	1.198	0.0638	0.0366	135	-1.46	019.99	0
019	Calcium (%)	0918	1.111	0.1050	1.198	0.0638	0.0366	135	-1.37	019.43	0
019	Calcium (%)	2192	1.115	0.0500	1.198	0.0638	0.0366	135	-1.30	019.43	0
019	Calcium (%)	2246	1.120	0.0000	1.198	0.0638	0.0366	135	-1.22	019.31	0
019	Calcium (%)	0674	1.120	0.0000	1.198	0.0638	0.0366	135	-1.22	019.41	0
019	Calcium (%)	0910	1.120	0.0200	1.198	0.0638	0.0366	135	-1.22	019.41	0
019	Calcium (%)	0939	1.120	0.0000	1.198	0.0638	0.0366	135	-1.22	019.53	0
019	Calcium (%)	2419	1.135	0.0100	1.198	0.0638	0.0366	135	-0.99	019.44	0
019	Calcium (%)	0619	1.135	0.0500	1.198	0.0638	0.0366	135	-0.99	019.41	0
019	Calcium (%)	0018	1.135	0.0300	1.198	0.0638	0.0366	135	-0.99	019.43	0
019	Calcium (%)	0004	1.140	0.0600	1.198	0.0638	0.0366	135	-0.91	019.41	0
019	Calcium (%)	0358	1.145	0.0300	1.198	0.0638	0.0366	135	-0.83	019.41	0
019	Calcium (%)	2023	1.145	0.0300	1.198	0.0638	0.0366	135	-0.83	019.43	0
019	Calcium (%)	0297	1.150	0.0800	1.198	0.0638	0.0366	135	-0.75	019.43	0
019	Calcium (%)	2109	1.153	0.0170	1.198	0.0638	0.0366	135	-0.71	019.00	0
019	Calcium (%)	0006	1.155	0.0300	1.198	0.0638	0.0366	135	-0.67	019.43	0
019	Calcium (%)	0345	1.155	0.0700	1.198	0.0638	0.0366	135	-0.67	019.43	0
019	Calcium (%)	0098	1.160	0.0600	1.198	0.0638	0.0366	135	-0.59	019.41	0
019	Calcium (%)	0010	1.160	0.0800	1.198	0.0638	0.0366	135	-0.59	019.43	0
019	Calcium (%)	0870	1.163	0.0030	1.198	0.0638	0.0366	135	-0.55	019.42	0
019	Calcium (%)	0651	1.164	0.0446	1.198	0.0638	0.0366	135	-0.54	019.31	0
019	Calcium (%)	1023	1.165	0.0100	1.198	0.0638	0.0366	135	-0.52	019.41	0
019	Calcium (%)	0590	1.165	0.0100	1.198	0.0638	0.0366	135	-0.52	019.99	0
019	Calcium (%)	2416	1.168	0.0070	1.198	0.0638	0.0366	135	-0.48	019.44	0
019	Calcium (%)	0939	1.170	0.0200	1.198	0.0638	0.0366	135	-0.44	019.31	0
019	Calcium (%)	0019	1.170	0.0200	1.198	0.0638	0.0366	135	-0.44	019.41	0
019	Calcium (%)	0229	1.170	0.0400	1.198	0.0638	0.0366	135	-0.44	019.41	0
019	Calcium (%)	2426	1.170	0.1000	1.198	0.0638	0.0366	135	-0.44	019.44	0
019	Calcium (%)	0036	1.170	0.0334	1.198	0.0638	0.0366	135	-0.43	019.43	0
019	Calcium (%)	2337	1.175	0.0900	1.198	0.0638	0.0366	135	-0.36	019.08	0
019	Calcium (%)	0687	1.175	0.0500	1.198	0.0638	0.0366	135	-0.36	019.31	0
019	Calcium (%)	0083	1.175	0.0300	1.198	0.0638	0.0366	135	-0.36	019.43	0
019	Calcium (%)	0123	1.175	0.0100	1.198	0.0638	0.0366	135	-0.36	019.99	0
019	Calcium (%)	0876	1.175	0.1100	1.198	0.0638	0.0366	135	-0.36	019.43	0
019	Calcium (%)	0622	1.176	0.0136	1.198	0.0638	0.0366	135	-0.34	019.31	0
019	Calcium (%)	2421	1.179	0.0210	1.198	0.0638	0.0366	135	-0.30	019.44	0
019	Calcium (%)	0202	1.180	0.0600	1.198	0.0638	0.0366	135	-0.28	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0164	1.180	0.0200	1.198	0.0638	0.0366	135	-0.28	019.44	0
019	Calcium (%)	2187	1.183	0.0028	1.198	0.0638	0.0366	135	-0.23	019.43	0
019	Calcium (%)	2409	1.184	0.0060	1.198	0.0638	0.0366	135	-0.22	019.53	0
019	Calcium (%)	0948	1.185	0.0100	1.198	0.0638	0.0366	135	-0.20	019.31	0
019	Calcium (%)	0066	1.185	0.0700	1.198	0.0638	0.0366	135	-0.20	019.41	0
019	Calcium (%)	0366	1.185	0.0300	1.198	0.0638	0.0366	135	-0.20	019.42	0
019	Calcium (%)	0610	1.185	0.0100	1.198	0.0638	0.0366	135	-0.20	019.43	0
019	Calcium (%)	2418	1.189	0.0580	1.198	0.0638	0.0366	135	-0.14	019.44	0
019	Calcium (%)	2196	1.190	0.0000	1.198	0.0638	0.0366	135	-0.12	019.08	0
019	Calcium (%)	0646	1.190	0.0200	1.198	0.0638	0.0366	135	-0.12	019.31	0
019	Calcium (%)	0042	1.190	0.0600	1.198	0.0638	0.0366	135	-0.12	019.42	0
019	Calcium (%)	0045	1.190	0.0800	1.198	0.0638	0.0366	135	-0.12	019.42	0
019	Calcium (%)	0035	1.190	0.0200	1.198	0.0638	0.0366	135	-0.12	019.43	0
019	Calcium (%)	0511	1.190	0.0400	1.198	0.0638	0.0366	135	-0.12	019.43	0
019	Calcium (%)	2420	1.190	0.0000	1.198	0.0638	0.0366	135	-0.12	019.44	0
019	Calcium (%)	0563	1.193	0.0046	1.198	0.0638	0.0366	135	-0.08	019.31	0
019	Calcium (%)	0038	1.195	0.0500	1.198	0.0638	0.0366	135	-0.04	019.31	0
019	Calcium (%)	0512	1.196	0.0230	1.198	0.0638	0.0366	135	-0.04	019.43	0
019	Calcium (%)	0001	1.197	0.0040	1.198	0.0638	0.0366	135	-0.01	019.31	0
019	Calcium (%)	2022	1.200	0.0000	1.198	0.0638	0.0366	135	0.03	019.31	0
019	Calcium (%)	2196	1.200	0.0000	1.198	0.0638	0.0366	135	0.03	019.31	0
019	Calcium (%)	0148	1.200	0.0000	1.198	0.0638	0.0366	135	0.03	019.41	0
019	Calcium (%)	0035	1.200	0.0000	1.198	0.0638	0.0366	135	0.03	019.42	0
019	Calcium (%)	2033	1.200	0.0000	1.198	0.0638	0.0366	135	0.03	019.43	0
019	Calcium (%)	0263	1.201	0.0010	1.198	0.0638	0.0366	135	0.04	019.42	0
019	Calcium (%)	0017	1.204	0.0247	1.198	0.0638	0.0366	135	0.09	019.43	0
019	Calcium (%)	0689	1.205	0.0300	1.198	0.0638	0.0366	135	0.11	019.08	0
019	Calcium (%)	2089	1.205	0.0100	1.198	0.0638	0.0366	135	0.11	019.43	0
019	Calcium (%)	0142	1.206	0.0810	1.198	0.0638	0.0366	135	0.13	019.31	0
019	Calcium (%)	2009	1.207	0.0080	1.198	0.0638	0.0366	135	0.14	019.08	0
019	Calcium (%)	2114	1.209	0.0262	1.198	0.0638	0.0366	135	0.17	019.44	0
019	Calcium (%)	0529	1.210	0.0000	1.198	0.0638	0.0366	135	0.19	019.31	0
019	Calcium (%)	0505	1.210	0.0400	1.198	0.0638	0.0366	135	0.19	019.43	0
019	Calcium (%)	0676	1.210	0.0000	1.198	0.0638	0.0366	135	0.19	019.99	0
019	Calcium (%)	0051	1.210	0.1039	1.198	0.0638	0.0366	135	0.19	019.43	0
019	Calcium (%)	0590	1.215	0.1100	1.198	0.0638	0.0366	135	0.27	019.08	0
019	Calcium (%)	0884	1.215	0.1300	1.198	0.0638	0.0366	135	0.27	019.31	0
019	Calcium (%)	0037	1.220	0.0390	1.198	0.0638	0.0366	135	0.34	019.42	0
019	Calcium (%)	0692	1.220	0.0400	1.198	0.0638	0.0366	135	0.35	019.42	0
019	Calcium (%)	0504	1.224	0.0450	1.198	0.0638	0.0366	135	0.40	019.42	0
019	Calcium (%)	2398	1.225	0.0100	1.198	0.0638	0.0366	135	0.43	019.41	0
019	Calcium (%)	0098	1.225	0.0100	1.198	0.0638	0.0366	135	0.43	019.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0870	1.228	0.0110	1.198	0.0638	0.0366	135	0.46	019.43	0
019	Calcium (%)	2417	1.229	0.0670	1.198	0.0638	0.0366	135	0.48	019.44	0
019	Calcium (%)	0968	1.229	0.0020	1.198	0.0638	0.0366	135	0.49	019.43	0
019	Calcium (%)	0011	1.230	0.0200	1.198	0.0638	0.0366	135	0.50	019.43	0
019	Calcium (%)	0885	1.232	0.0062	1.198	0.0638	0.0366	135	0.54	019.08	0
019	Calcium (%)	2124	1.235	0.0100	1.198	0.0638	0.0366	135	0.58	019.43	0
019	Calcium (%)	0100	1.235	0.0900	1.198	0.0638	0.0366	135	0.58	019.99	0
019	Calcium (%)	2199	1.240	0.0800	1.198	0.0638	0.0366	135	0.66	019.08	0
019	Calcium (%)	2424	1.240	0.0200	1.198	0.0638	0.0366	135	0.66	019.44	0
019	Calcium (%)	0407	1.243	0.0290	1.198	0.0638	0.0366	135	0.71	019.41	0
019	Calcium (%)	2200	1.245	0.0100	1.198	0.0638	0.0366	135	0.74	019.08	0
019	Calcium (%)	0675	1.245	0.0100	1.198	0.0638	0.0366	135	0.74	019.43	0
019	Calcium (%)	2422	1.245	0.0100	1.198	0.0638	0.0366	135	0.74	019.44	0
019	Calcium (%)	2188	1.250	0.0000	1.198	0.0638	0.0366	135	0.82	019.08	0
019	Calcium (%)	0038	1.250	0.1000	1.198	0.0638	0.0366	135	0.82	019.43	0
019	Calcium (%)	0300	1.250	0.1000	1.198	0.0638	0.0366	135	0.82	019.43	0
019	Calcium (%)	0353	1.250	0.0000	1.198	0.0638	0.0366	135	0.82	019.43	0
019	Calcium (%)	0682	1.250	0.0000	1.198	0.0638	0.0366	135	0.82	019.43	0
019	Calcium (%)	2326	1.250	0.1000	1.198	0.0638	0.0366	135	0.82	019.43	0
019	Calcium (%)	0065	1.252	0.0530	1.198	0.0638	0.0366	135	0.84	019.44	0
019	Calcium (%)	0027	1.253	0.0420	1.198	0.0638	0.0366	135	0.86	019.43	0
019	Calcium (%)	0407	1.262	0.1422	1.198	0.0638	0.0366	135	1.01	019.53	0
019	Calcium (%)	0357	1.265	0.0020	1.198	0.0638	0.0366	135	1.05	019.42	0
019	Calcium (%)	0089	1.265	0.0100	1.198	0.0638	0.0366	135	1.05	019.43	0
019	Calcium (%)	0049	1.270	0.0200	1.198	0.0638	0.0366	135	1.13	019.41	0
019	Calcium (%)	0171	1.270	0.0000	1.198	0.0638	0.0366	135	1.13	019.41	0
019	Calcium (%)	0964	1.272	0.0903	1.198	0.0638	0.0366	135	1.17	019.43	0
019	Calcium (%)	0407	1.278	0.0979	1.198	0.0638	0.0366	135	1.26	019.43	0
019	Calcium (%)	2190	1.279	0.0478	1.198	0.0638	0.0366	135	1.27	019.08	0
019	Calcium (%)	2360	1.280	0.0200	1.198	0.0638	0.0366	135	1.29	019.31	0
019	Calcium (%)	0226	1.280	0.0200	1.198	0.0638	0.0366	135	1.29	019.41	0
019	Calcium (%)	0510	1.285	0.0300	1.198	0.0638	0.0366	135	1.37	019.43	0
019	Calcium (%)	0108	1.295	0.0500	1.198	0.0638	0.0366	135	1.52	019.31	0
019	Calcium (%)	0354	1.301	0.0060	1.198	0.0638	0.0366	135	1.62	019.41	0
019	Calcium (%)	0685	1.310	0.0400	1.198	0.0638	0.0366	135	1.76	019.41	0
019	Calcium (%)	0009	1.318	0.0023	1.198	0.0638	0.0366	135	1.88	019.42	0
019	Calcium (%)	0278	1.325	0.0500	1.198	0.0638	0.0366	135	1.99	019.42	0
019	Calcium (%)	2006	1.330	0.0830	1.198	0.0638	0.0366	135	2.06	019.09	0
019	Calcium (%)	2006	1.334	0.0690	1.198	0.0638	0.0366	135	2.13	019.00	0
019	Calcium (%)	0626	1.354	0.0250	1.198	0.0638	0.0366	135	2.44	019.43	0
019	Calcium (%)	2375	1.375	0.0900	1.198	0.0638	0.0366	135	2.78	019.42	0
019	Calcium (%)	0190	1.390	0.0000	1.198	0.0638	0.0366	135	3.01	019.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
019	Calcium (%)	0726	1.445	0.0700	1.198	0.0638	0.0366	135	3.87	019.42	0
021	Cobalt (ppm)	2326	0.2700	0.0200	0.5725	0.1469	0.0759	18	-2.06	021.43	0
021	Cobalt (ppm)	0148	0.3985	0.1250	0.5725	0.1469	0.0759	18	-1.18	021.41	0
021	Cobalt (ppm)	0610	0.4650	0.0100	0.5725	0.1469	0.0759	18	-0.73	021.53	0
021	Cobalt (ppm)	0964	0.4780	0.0100	0.5725	0.1469	0.0759	18	-0.64	021.43	0
021	Cobalt (ppm)	0199	0.4800	0.0080	0.5725	0.1469	0.0759	18	-0.63	021.53	0
021	Cobalt (ppm)	0407	0.4829	0.1118	0.5725	0.1469	0.0759	18	-0.61	021.53	0
021	Cobalt (ppm)	0619	0.4880	0.0200	0.5725	0.1469	0.0759	18	-0.58	021.41	0
021	Cobalt (ppm)	0910	0.5450	0.0300	0.5725	0.1469	0.0759	18	-0.19	021.41	0
021	Cobalt (ppm)	0918	0.5450	0.0180	0.5725	0.1469	0.0759	18	-0.19	021.53	0
021	Cobalt (ppm)	0164	0.5500	0.1000	0.5725	0.1469	0.0759	18	-0.15	021.41	0
021	Cobalt (ppm)	0171	0.5800	0.0200	0.5725	0.1469	0.0759	18	0.05	021.41	0
021	Cobalt (ppm)	0407	0.6102	0.0486	0.5725	0.1469	0.0759	18	0.26	021.41	0
021	Cobalt (ppm)	0510	0.6150	0.0100	0.5725	0.1469	0.0759	18	0.29	021.43	0
021	Cobalt (ppm)	0169	0.6800	0.0400	0.5725	0.1469	0.0759	18	0.73	021.43	0
021	Cobalt (ppm)	0045	0.6950	0.2100	0.5725	0.1469	0.0759	18	0.83	021.42	0
021	Cobalt (ppm)	2033	0.7550	0.0700	0.5725	0.1469	0.0759	18	1.24	021.43	0
021	Cobalt (ppm)	0066	1.191	0.1140	0.5725	0.1469	0.0759	18	4.21	021.41	0
021	Cobalt (ppm)	0366	1.300	0.4000	0.5725	0.1469	0.0759	18	4.95	021.42	0
021	Cobalt (ppm)	0407	0.6562	0.5569	0.5725	0.1469	0.0759	18	0.57	021.43	1
021	Cobalt (ppm)	0682	< 1		0.5725	0.1469	0.0759	18		021.43	5
021	Cobalt (ppm)	0563	< 2.5		0.5725	0.1469	0.0759	18		021.31	5
022	Copper (ppm)	2409	12.82	0.3610	23.62	1.826	0.6605	92	-5.91	022.53	0
022	Copper (ppm)	0148	19.31	2.494	23.62	1.826	0.6605	92	-2.36	022.41	0
022	Copper (ppm)	0848	19.59	0.5910	23.62	1.826	0.6605	92	-2.21	022.41	0
022	Copper (ppm)	0038	19.95	0.3000	23.62	1.826	0.6605	92	-2.01	022.32	0
022	Copper (ppm)	0199	20.89	0.2400	23.62	1.826	0.6605	92	-1.50	022.53	0
022	Copper (ppm)	0520	20.94	1.135	23.62	1.826	0.6605	92	-1.47	022.41	0
022	Copper (ppm)	0511	21.00	0.0000	23.62	1.826	0.6605	92	-1.44	022.43	0
022	Copper (ppm)	0674	21.13	0.0000	23.62	1.826	0.6605	92	-1.37	022.41	0
022	Copper (ppm)	0066	21.56	0.5400	23.62	1.826	0.6605	92	-1.13	022.44	0
022	Copper (ppm)	2089	21.61	0.1400	23.62	1.826	0.6605	92	-1.10	022.43	0
022	Copper (ppm)	0049	21.70	2.200	23.62	1.826	0.6605	92	-1.05	022.41	0
022	Copper (ppm)	0226	21.74	0.1700	23.62	1.826	0.6605	92	-1.03	022.43	0
022	Copper (ppm)	0229	21.81	0.0500	23.62	1.826	0.6605	92	-1.00	022.41	0
022	Copper (ppm)	0918	21.86	0.0200	23.62	1.826	0.6605	92	-0.97	022.43	0
022	Copper (ppm)	0407	21.89	0.2223	23.62	1.826	0.6605	92	-0.95	022.41	0
022	Copper (ppm)	0366	22.00	0.0000	23.62	1.826	0.6605	92	-0.89	022.42	0
022	Copper (ppm)	0265	22.10	1.000	23.62	1.826	0.6605	92	-0.84	022.42	0
022	Copper (ppm)	0870	22.26	0.0200	23.62	1.826	0.6605	92	-0.75	022.42	0
022	Copper (ppm)	2246	22.26	0.1736	23.62	1.826	0.6605	92	-0.75	022.31	0
022	Copper (ppm)	2129	22.30	0.3600	23.62	1.826	0.6605	92	-0.73	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (ppm)	0004	22.31	1.780	23.62	1.826	0.6605	92	-0.72	022.41	0
022	Copper (ppm)	0689	22.40	0.4000	23.62	1.826	0.6605	92	-0.67	022.31	0
022	Copper (ppm)	2319	22.40	0.4000	23.62	1.826	0.6605	92	-0.67	022.42	0
022	Copper (ppm)	0358	22.43	1.000	23.62	1.826	0.6605	92	-0.65	022.41	0
022	Copper (ppm)	0202	22.50	1.000	23.62	1.826	0.6605	92	-0.62	022.43	0
022	Copper (ppm)	0297	22.50	1.000	23.62	1.826	0.6605	92	-0.62	022.43	0
022	Copper (ppm)	0100	22.50	1.000	23.62	1.826	0.6605	92	-0.62	022.99	0
022	Copper (ppm)	0512	22.51	0.3200	23.62	1.826	0.6605	92	-0.61	022.43	0
022	Copper (ppm)	2023	22.60	0.8000	23.62	1.826	0.6605	92	-0.56	022.53	0
022	Copper (ppm)	0345	22.63	0.2500	23.62	1.826	0.6605	92	-0.55	022.43	0
022	Copper (ppm)	0964	22.70	3.200	23.62	1.826	0.6605	92	-0.51	022.43	0
022	Copper (ppm)	0098	22.81	0.2600	23.62	1.826	0.6605	92	-0.45	022.41	0
022	Copper (ppm)	0939	22.88	0.1500	23.62	1.826	0.6605	92	-0.41	022.31	0
022	Copper (ppm)	0083	22.97	0.4500	23.62	1.826	0.6605	92	-0.36	022.43	0
022	Copper (ppm)	0164	23.00	0.0000	23.62	1.826	0.6605	92	-0.34	022.41	0
022	Copper (ppm)	0035	23.00	0.0000	23.62	1.826	0.6605	92	-0.34	022.43	0
022	Copper (ppm)	0910	23.00	0.0000	23.62	1.826	0.6605	92	-0.34	022.44	0
022	Copper (ppm)	0242	23.00	0.0000	23.62	1.826	0.6605	92	-0.34	022.99	0
022	Copper (ppm)	0098	23.12	1.010	23.62	1.826	0.6605	92	-0.28	022.43	0
022	Copper (ppm)	0675	23.17	0.0500	23.62	1.826	0.6605	92	-0.25	022.43	0
022	Copper (ppm)	0563	23.22	0.1100	23.62	1.826	0.6605	92	-0.22	022.31	0
022	Copper (ppm)	0407	23.25	1.898	23.62	1.826	0.6605	92	-0.21	022.43	0
022	Copper (ppm)	0407	23.37	1.626	23.62	1.826	0.6605	92	-0.14	022.53	0
022	Copper (ppm)	0019	23.38	0.9300	23.62	1.826	0.6605	92	-0.14	022.41	0
022	Copper (ppm)	0939	23.48	0.0000	23.62	1.826	0.6605	92	-0.08	022.53	0
022	Copper (ppm)	0169	23.50	0.2000	23.62	1.826	0.6605	92	-0.07	022.43	0
022	Copper (ppm)	0610	23.50	0.3000	23.62	1.826	0.6605	92	-0.07	022.43	0
022	Copper (ppm)	2114	23.62	1.145	23.62	1.826	0.6605	92	0.00	022.44	0
022	Copper (ppm)	0123	23.65	0.1000	23.62	1.826	0.6605	92	0.01	022.99	0
022	Copper (ppm)	0263	23.71	0.3230	23.62	1.826	0.6605	92	0.05	022.42	0
022	Copper (ppm)	0590	23.75	0.3000	23.62	1.826	0.6605	92	0.07	022.99	0
022	Copper (ppm)	0357	23.85	0.1280	23.62	1.826	0.6605	92	0.12	022.42	0
022	Copper (ppm)	0619	23.85	0.3000	23.62	1.826	0.6605	92	0.12	022.41	0
022	Copper (ppm)	0848	23.88	0.5080	23.62	1.826	0.6605	92	0.14	022.43	0
022	Copper (ppm)	2187	23.95	0.1000	23.62	1.826	0.6605	92	0.18	022.43	0
022	Copper (ppm)	0017	23.97	0.6149	23.62	1.826	0.6605	92	0.19	022.43	0
022	Copper (ppm)	0870	23.99	0.0500	23.62	1.826	0.6605	92	0.20	022.43	0
022	Copper (ppm)	0010	24.00	0.2000	23.62	1.826	0.6605	92	0.21	022.33	0
022	Copper (ppm)	2188	24.27	0.0000	23.62	1.826	0.6605	92	0.35	022.31	0
022	Copper (ppm)	0045	24.30	3.600	23.62	1.826	0.6605	92	0.37	022.42	0
022	Copper (ppm)	0726	24.37	0.4000	23.62	1.826	0.6605	92	0.41	022.42	0
022	Copper (ppm)	0504	24.45	3.300	23.62	1.826	0.6605	92	0.45	022.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
022	Copper (ppm)	0353	24.50	3.000	23.62	1.826	0.6605	92	0.48	022.43	0
022	Copper (ppm)	0510	24.50	1.000	23.62	1.826	0.6605	92	0.48	022.43	0
022	Copper (ppm)	2124	24.59	0.9200	23.62	1.826	0.6605	92	0.53	022.43	0
022	Copper (ppm)	2192	24.70	0.4000	23.62	1.826	0.6605	92	0.59	022.43	0
022	Copper (ppm)	0051	24.74	0.9100	23.62	1.826	0.6605	92	0.61	022.43	0
022	Copper (ppm)	0294	24.77	0.0600	23.62	1.826	0.6605	92	0.63	022.42	0
022	Copper (ppm)	0027	24.77	0.1090	23.62	1.826	0.6605	92	0.63	022.43	0
022	Copper (ppm)	0968	24.78	0.3570	23.62	1.826	0.6605	92	0.63	022.43	0
022	Copper (ppm)	0190	24.80	0.0100	23.62	1.826	0.6605	92	0.64	022.42	0
022	Copper (ppm)	0037	24.85	0.1000	23.62	1.826	0.6605	92	0.67	022.42	0
022	Copper (ppm)	0035	25.00	0.0000	23.62	1.826	0.6605	92	0.75	022.42	0
022	Copper (ppm)	2196	25.08	0.0000	23.62	1.826	0.6605	92	0.80	022.31	0
022	Copper (ppm)	2033	25.25	0.7000	23.62	1.826	0.6605	92	0.89	022.43	0
022	Copper (ppm)	0038	25.35	2.500	23.62	1.826	0.6605	92	0.94	022.43	0
022	Copper (ppm)	0626	25.38	0.0050	23.62	1.826	0.6605	92	0.96	022.43	0
022	Copper (ppm)	0682	25.40	0.0000	23.62	1.826	0.6605	92	0.97	022.43	0
022	Copper (ppm)	0505	25.44	0.4400	23.62	1.826	0.6605	92	0.99	022.43	0
022	Copper (ppm)	0278	25.50	0.2000	23.62	1.826	0.6605	92	1.03	022.42	0
022	Copper (ppm)	0685	25.79	0.1000	23.62	1.826	0.6605	92	1.19	022.42	0
022	Copper (ppm)	2360	26.38	0.4900	23.62	1.826	0.6605	92	1.51	022.31	0
022	Copper (ppm)	2326	26.90	3.780	23.62	1.826	0.6605	92	1.79	022.43	0
022	Copper (ppm)	0171	26.93	0.4400	23.62	1.826	0.6605	92	1.81	022.41	0
022	Copper (ppm)	0042	27.00	0.4000	23.62	1.826	0.6605	92	1.85	022.42	0
022	Copper (ppm)	2375	27.00	2.000	23.62	1.826	0.6605	92	1.85	022.42	0
022	Copper (ppm)	0226	27.09	0.9800	23.62	1.826	0.6605	92	1.90	022.41	0
022	Copper (ppm)	0948	27.45	0.6100	23.62	1.826	0.6605	92	2.09	022.33	0
022	Copper (ppm)	0622	27.73	0.7420	23.62	1.826	0.6605	92	2.25	022.31	0
022	Copper (ppm)	0009	28.70	0.2000	23.62	1.826	0.6605	92	2.78	022.42	0
022	Copper (ppm)	0354	30.62	0.3900	23.62	1.826	0.6605	92	3.83	022.41	0
022	Copper (ppm)	0529	30.65	0.7000	23.62	1.826	0.6605	92	3.85	022.31	0
022	Copper (ppm)	0692	22.65	6.100	23.62	1.826	0.6605	92	-0.53	022.42	1
022	Copper (ppm)	0651	24.80	6.579	23.62	1.826	0.6605	92	0.64	022.31	1
024	Iodine (ppm)	0910	1.818	0.2140				1		024.52	0
025	Iron (ppm)	0199	131.0	8.000	256.5	22.94	9.036	86	-5.47	025.53	0
025	Iron (ppm)	0689	148.0	8.100	256.5	22.94	9.036	86	-4.73	025.31	0
025	Iron (ppm)	2246	186.6	1.810	256.5	22.94	9.036	86	-3.05	025.31	0
025	Iron (ppm)	2188	206.1	0.0000	256.5	22.94	9.036	86	-2.20	025.31	0
025	Iron (ppm)	0066	212.4	11.12	256.5	22.94	9.036	86	-1.92	025.41	0
025	Iron (ppm)	0619	212.6	0.0000	256.5	22.94	9.036	86	-1.92	025.41	0
025	Iron (ppm)	0674	219.4	0.0000	256.5	22.94	9.036	86	-1.62	025.41	0
025	Iron (ppm)	0345	220.0	2.000	256.5	22.94	9.036	86	-1.59	025.43	0
025	Iron (ppm)	0939	220.0	26.70	256.5	22.94	9.036	86	-1.59	025.31	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
025	Iron (ppm)	2409	229.5	6.945	256.5	22.94	9.036	86	-1.18	025.53	0
025	Iron (ppm)	0939	229.5	7.000	256.5	22.94	9.036	86	-1.18	025.53	0
025	Iron (ppm)	0226	229.8	0.6400	256.5	22.94	9.036	86	-1.17	025.43	0
025	Iron (ppm)	0520	229.9	8.487	256.5	22.94	9.036	86	-1.16	025.41	0
025	Iron (ppm)	0265	231.5	5.000	256.5	22.94	9.036	86	-1.09	025.42	0
025	Iron (ppm)	0511	232.5	9.000	256.5	22.94	9.036	86	-1.05	025.43	0
025	Iron (ppm)	0019	234.9	13.60	256.5	22.94	9.036	86	-0.94	025.41	0
025	Iron (ppm)	0563	236.3	7.195	256.5	22.94	9.036	86	-0.88	025.31	0
025	Iron (ppm)	2360	238.5	29.83	256.5	22.94	9.036	86	-0.79	025.31	0
025	Iron (ppm)	0004	238.6	33.36	256.5	22.94	9.036	86	-0.78	025.41	0
025	Iron (ppm)	0263	238.8	6.423	256.5	22.94	9.036	86	-0.77	025.42	0
025	Iron (ppm)	0358	239.5	10.20	256.5	22.94	9.036	86	-0.74	025.41	0
025	Iron (ppm)	0123	241.5	7.000	256.5	22.94	9.036	86	-0.66	025.99	0
025	Iron (ppm)	0100	242.5	13.00	256.5	22.94	9.036	86	-0.61	025.99	0
025	Iron (ppm)	0294	243.2	1.360	256.5	22.94	9.036	86	-0.58	025.42	0
025	Iron (ppm)	0910	244.0	10.00	256.5	22.94	9.036	86	-0.55	025.41	0
025	Iron (ppm)	0504	244.0	12.00	256.5	22.94	9.036	86	-0.55	025.42	0
025	Iron (ppm)	2129	244.9	3.600	256.5	22.94	9.036	86	-0.51	025.42	0
025	Iron (ppm)	0354	245.0	1.110	256.5	22.94	9.036	86	-0.50	025.41	0
025	Iron (ppm)	0870	246.1	8.800	256.5	22.94	9.036	86	-0.45	025.42	0
025	Iron (ppm)	0045	249.0	2.000	256.5	22.94	9.036	86	-0.33	025.42	0
025	Iron (ppm)	0726	249.1	2.700	256.5	22.94	9.036	86	-0.33	025.42	0
025	Iron (ppm)	0353	250.5	17.00	256.5	22.94	9.036	86	-0.26	025.43	0
025	Iron (ppm)	0242	250.5	1.000	256.5	22.94	9.036	86	-0.26	025.99	0
025	Iron (ppm)	0049	251.0	22.97	256.5	22.94	9.036	86	-0.24	025.41	0
025	Iron (ppm)	0229	251.6	13.90	256.5	22.94	9.036	86	-0.22	025.41	0
025	Iron (ppm)	0164	253.5	3.000	256.5	22.94	9.036	86	-0.13	025.41	0
025	Iron (ppm)	0098	254.1	0.4000	256.5	22.94	9.036	86	-0.11	025.41	0
025	Iron (ppm)	2319	254.5	1.000	256.5	22.94	9.036	86	-0.09	025.42	0
025	Iron (ppm)	0297	256.0	22.00	256.5	22.94	9.036	86	-0.02	025.43	0
025	Iron (ppm)	0190	256.9	0.6000	256.5	22.94	9.036	86	0.02	025.42	0
025	Iron (ppm)	2192	257.5	3.000	256.5	22.94	9.036	86	0.04	025.43	0
025	Iron (ppm)	0610	257.8	11.50	256.5	22.94	9.036	86	0.05	025.43	0
025	Iron (ppm)	0675	258.3	7.410	256.5	22.94	9.036	86	0.08	025.43	0
025	Iron (ppm)	0870	260.2	6.800	256.5	22.94	9.036	86	0.16	025.43	0
025	Iron (ppm)	0505	260.3	12.40	256.5	22.94	9.036	86	0.16	025.43	0
025	Iron (ppm)	0169	260.5	1.000	256.5	22.94	9.036	86	0.17	025.43	0
025	Iron (ppm)	0226	260.6	5.230	256.5	22.94	9.036	86	0.18	025.41	0
025	Iron (ppm)	2114	260.6	3.170	256.5	22.94	9.036	86	0.18	025.41	0
025	Iron (ppm)	0876	260.8	0.5000	256.5	22.94	9.036	86	0.18	025.43	0
025	Iron (ppm)	2033	261.6	4.500	256.5	22.94	9.036	86	0.22	025.43	0
025	Iron (ppm)	0948	262.0	0.0500	256.5	22.94	9.036	86	0.24	025.33	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
025	Iron (ppm)	0171	262.3	0.8000	256.5	22.94	9.036	86	0.25	025.41	0
025	Iron (ppm)	0278	262.5	7.000	256.5	22.94	9.036	86	0.26	025.42	0
025	Iron (ppm)	0512	262.7	17.50	256.5	22.94	9.036	86	0.27	025.43	0
025	Iron (ppm)	0529	264.2	0.6000	256.5	22.94	9.036	86	0.33	025.31	0
025	Iron (ppm)	0051	265.0	9.730	256.5	22.94	9.036	86	0.37	025.43	0
025	Iron (ppm)	2196	266.2	0.0000	256.5	22.94	9.036	86	0.42	025.31	0
025	Iron (ppm)	0407	266.7	5.209	256.5	22.94	9.036	86	0.45	025.41	0
025	Iron (ppm)	0042	267.5	17.00	256.5	22.94	9.036	86	0.48	025.42	0
025	Iron (ppm)	2326	267.5	29.00	256.5	22.94	9.036	86	0.48	025.43	0
025	Iron (ppm)	0017	268.1	21.09	256.5	22.94	9.036	86	0.51	025.43	0
025	Iron (ppm)	2023	269.0	14.00	256.5	22.94	9.036	86	0.54	025.43	0
025	Iron (ppm)	0202	271.0	32.00	256.5	22.94	9.036	86	0.63	025.43	0
025	Iron (ppm)	0098	271.3	13.20	256.5	22.94	9.036	86	0.64	025.43	0
025	Iron (ppm)	0918	273.2	13.28	256.5	22.94	9.036	86	0.72	025.43	0
025	Iron (ppm)	0626	274.5	2.540	256.5	22.94	9.036	86	0.78	025.43	0
025	Iron (ppm)	0510	275.0	6.000	256.5	22.94	9.036	86	0.81	025.43	0
025	Iron (ppm)	0366	275.5	11.00	256.5	22.94	9.036	86	0.83	025.42	0
025	Iron (ppm)	0001	276.5	2.100	256.5	22.94	9.036	86	0.87	025.31	0
025	Iron (ppm)	2375	278.0	12.00	256.5	22.94	9.036	86	0.94	025.42	0
025	Iron (ppm)	0921	278.7	0.0800	256.5	22.94	9.036	86	0.97	025.31	0
025	Iron (ppm)	0407	279.3	1.374	256.5	22.94	9.036	86	0.99	025.53	0
025	Iron (ppm)	0682	280.5	0.0000	256.5	22.94	9.036	86	1.05	025.43	0
025	Iron (ppm)	0968	280.5	0.7120	256.5	22.94	9.036	86	1.05	025.43	0
025	Iron (ppm)	2124	280.7	14.30	256.5	22.94	9.036	86	1.05	025.43	0
025	Iron (ppm)	0038	281.0	30.00	256.5	22.94	9.036	86	1.07	025.31	0
025	Iron (ppm)	0035	281.0	10.00	256.5	22.94	9.036	86	1.07	025.42	0
025	Iron (ppm)	0964	281.5	13.00	256.5	22.94	9.036	86	1.09	025.43	0
025	Iron (ppm)	0035	282.0	10.00	256.5	22.94	9.036	86	1.11	025.43	0
025	Iron (ppm)	0407	284.7	3.694	256.5	22.94	9.036	86	1.23	025.43	0
025	Iron (ppm)	0357	286.5	16.01	256.5	22.94	9.036	86	1.31	025.42	0
025	Iron (ppm)	0083	289.3	0.1300	256.5	22.94	9.036	86	1.43	025.43	0
025	Iron (ppm)	0148	290.1	2.674	256.5	22.94	9.036	86	1.46	025.41	0
025	Iron (ppm)	0038	291.5	25.00	256.5	22.94	9.036	86	1.52	025.43	0
025	Iron (ppm)	2089	293.5	18.32	256.5	22.94	9.036	86	1.61	025.43	0
025	Iron (ppm)	0651	298.6	23.37	256.5	22.94	9.036	86	1.83	025.31	0
025	Iron (ppm)	0037	212.1	59.30	256.5	22.94	9.036	86	-1.94	025.42	1
025	Iron (ppm)	0692	228.5	99.00	256.5	22.94	9.036	86	-1.22	025.42	1
027	Magnesium (%)	0226	0.1100	0.0000	0.1319	0.0088	0.0032	101	-2.47	027.43	0
027	Magnesium (%)	0948	0.1170	0.0040	0.1319	0.0088	0.0032	101	-1.68	027.33	0
027	Magnesium (%)	2246	0.1176	0.0001	0.1319	0.0088	0.0032	101	-1.62	027.31	0
027	Magnesium (%)	0407	0.1186	0.0094	0.1319	0.0088	0.0032	101	-1.50	027.41	0
027	Magnesium (%)	2129	0.1187	0.0005	0.1319	0.0088	0.0032	101	-1.49	027.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0520	0.1195	0.0070	0.1319	0.0088	0.0032	101	-1.40	027.41	0
027	Magnesium (%)	0019	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.41	0
027	Magnesium (%)	0229	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.41	0
027	Magnesium (%)	0358	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.41	0
027	Magnesium (%)	0674	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.41	0
027	Magnesium (%)	0265	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.42	0
027	Magnesium (%)	0510	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.43	0
027	Magnesium (%)	0511	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.43	0
027	Magnesium (%)	2192	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.43	0
027	Magnesium (%)	0939	0.1200	0.0000	0.1319	0.0088	0.0032	101	-1.34	027.53	0
027	Magnesium (%)	0345	0.1215	0.0010	0.1319	0.0088	0.0032	101	-1.17	027.43	0
027	Magnesium (%)	0001	0.1226	0.0011	0.1319	0.0088	0.0032	101	-1.05	027.31	0
027	Magnesium (%)	0004	0.1250	0.0100	0.1319	0.0088	0.0032	101	-0.78	027.41	0
027	Magnesium (%)	0098	0.1250	0.0100	0.1319	0.0088	0.0032	101	-0.78	027.41	0
027	Magnesium (%)	0006	0.1250	0.0020	0.1319	0.0088	0.0032	101	-0.78	027.43	0
027	Magnesium (%)	0297	0.1250	0.0100	0.1319	0.0088	0.0032	101	-0.78	027.43	0
027	Magnesium (%)	0675	0.1250	0.0100	0.1319	0.0088	0.0032	101	-0.78	027.43	0
027	Magnesium (%)	2023	0.1250	0.0000	0.1319	0.0088	0.0032	101	-0.78	027.43	0
027	Magnesium (%)	0123	0.1250	0.0100	0.1319	0.0088	0.0032	101	-0.78	027.99	0
027	Magnesium (%)	0870	0.1253	0.0036	0.1319	0.0088	0.0032	101	-0.74	027.43	0
027	Magnesium (%)	0199	0.1255	0.0002	0.1319	0.0088	0.0032	101	-0.72	027.53	0
027	Magnesium (%)	0066	0.1260	0.0060	0.1319	0.0088	0.0032	101	-0.66	027.41	0
027	Magnesium (%)	0870	0.1267	0.0045	0.1319	0.0088	0.0032	101	-0.59	027.42	0
027	Magnesium (%)	0407	0.1271	0.0037	0.1319	0.0088	0.0032	101	-0.54	027.43	0
027	Magnesium (%)	0512	0.1271	0.0021	0.1319	0.0088	0.0032	101	-0.54	027.43	0
027	Magnesium (%)	0968	0.1280	0.0020	0.1319	0.0088	0.0032	101	-0.44	027.43	0
027	Magnesium (%)	0083	0.1285	0.0010	0.1319	0.0088	0.0032	101	-0.38	027.43	0
027	Magnesium (%)	0263	0.1290	0.0000	0.1319	0.0088	0.0032	101	-0.32	027.42	0
027	Magnesium (%)	0504	0.1295	0.0090	0.1319	0.0088	0.0032	101	-0.27	027.42	0
027	Magnesium (%)	0939	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.31	0
027	Magnesium (%)	0171	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.41	0
027	Magnesium (%)	0910	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.41	0
027	Magnesium (%)	0190	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.42	0
027	Magnesium (%)	0366	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.42	0
027	Magnesium (%)	0726	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.42	0
027	Magnesium (%)	2319	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.42	0
027	Magnesium (%)	0035	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.43	0
027	Magnesium (%)	0098	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.43	0
027	Magnesium (%)	0505	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.43	0
027	Magnesium (%)	0610	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.43	0
027	Magnesium (%)	2089	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.43	0
027	Magnesium (%)	0242	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.99	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0590	0.1300	0.0000	0.1319	0.0088	0.0032	101	-0.21	027.99	0
027	Magnesium (%)	1023	0.1310	0.0020	0.1319	0.0088	0.0032	101	-0.10	027.41	0
027	Magnesium (%)	0142	0.1322	0.0093	0.1319	0.0088	0.0032	101	0.03	027.31	0
027	Magnesium (%)	0876	0.1324	0.0048	0.1319	0.0088	0.0032	101	0.06	027.43	0
027	Magnesium (%)	0164	0.1325	0.0010	0.1319	0.0088	0.0032	101	0.07	027.41	0
027	Magnesium (%)	0918	0.1325	0.0010	0.1319	0.0088	0.0032	101	0.07	027.43	0
027	Magnesium (%)	2187	0.1330	0.0004	0.1319	0.0088	0.0032	101	0.13	027.43	0
027	Magnesium (%)	0045	0.1335	0.0030	0.1319	0.0088	0.0032	101	0.18	027.42	0
027	Magnesium (%)	0037	0.1340	0.0000	0.1319	0.0088	0.0032	101	0.24	027.42	0
027	Magnesium (%)	2418	0.1340	0.0040	0.1319	0.0088	0.0032	101	0.24	027.44	0
027	Magnesium (%)	2114	0.1342	0.0025	0.1319	0.0088	0.0032	101	0.26	027.44	0
027	Magnesium (%)	0038	0.1345	0.0050	0.1319	0.0088	0.0032	101	0.30	027.31	0
027	Magnesium (%)	0049	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.41	0
027	Magnesium (%)	0148	0.1350	0.0040	0.1319	0.0088	0.0032	101	0.35	027.41	0
027	Magnesium (%)	0294	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.42	0
027	Magnesium (%)	0202	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.43	0
027	Magnesium (%)	0353	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.43	0
027	Magnesium (%)	2124	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.43	0
027	Magnesium (%)	2326	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.43	0
027	Magnesium (%)	2419	0.1350	0.0020	0.1319	0.0088	0.0032	101	0.35	027.44	0
027	Magnesium (%)	2421	0.1350	0.0000	0.1319	0.0088	0.0032	101	0.35	027.44	0
027	Magnesium (%)	0100	0.1350	0.0100	0.1319	0.0088	0.0032	101	0.35	027.99	0
027	Magnesium (%)	2416	0.1355	0.0010	0.1319	0.0088	0.0032	101	0.41	027.44	0
027	Magnesium (%)	0017	0.1357	0.0056	0.1319	0.0088	0.0032	101	0.43	027.43	0
027	Magnesium (%)	0619	0.1360	0.0000	0.1319	0.0088	0.0032	101	0.47	027.41	0
027	Magnesium (%)	0027	0.1360	0.0008	0.1319	0.0088	0.0032	101	0.47	027.43	0
027	Magnesium (%)	0042	0.1365	0.0030	0.1319	0.0088	0.0032	101	0.52	027.42	0
027	Magnesium (%)	2420	0.1365	0.0010	0.1319	0.0088	0.0032	101	0.52	027.44	0
027	Magnesium (%)	0051	0.1366	0.0015	0.1319	0.0088	0.0032	101	0.53	027.43	0
027	Magnesium (%)	0563	0.1368	0.0028	0.1319	0.0088	0.0032	101	0.56	027.31	0
027	Magnesium (%)	2409	0.1370	0.0040	0.1319	0.0088	0.0032	101	0.58	027.53	0
027	Magnesium (%)	2398	0.1380	0.0000	0.1319	0.0088	0.0032	101	0.69	027.41	0
027	Magnesium (%)	0407	0.1389	0.0121	0.1319	0.0088	0.0032	101	0.79	027.53	0
027	Magnesium (%)	2196	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.31	0
027	Magnesium (%)	2360	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.31	0
027	Magnesium (%)	0226	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.41	0
027	Magnesium (%)	0035	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.42	0
027	Magnesium (%)	0682	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.43	0
027	Magnesium (%)	2033	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.43	0
027	Magnesium (%)	2422	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.44	0
027	Magnesium (%)	2424	0.1400	0.0000	0.1319	0.0088	0.0032	101	0.92	027.44	0
027	Magnesium (%)	0964	0.1418	0.0064	0.1319	0.0088	0.0032	101	1.12	027.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
027	Magnesium (%)	0357	0.1421	0.0000	0.1319	0.0088	0.0032	101	1.16	027.42	0
027	Magnesium (%)	0354	0.1435	0.0010	0.1319	0.0088	0.0032	101	1.32	027.41	0
027	Magnesium (%)	2417	0.1440	0.0000	0.1319	0.0088	0.0032	101	1.37	027.44	0
027	Magnesium (%)	0065	0.1450	0.0020	0.1319	0.0088	0.0032	101	1.49	027.44	0
027	Magnesium (%)	2375	0.1450	0.0100	0.1319	0.0088	0.0032	101	1.49	027.42	0
027	Magnesium (%)	2426	0.1450	0.0100	0.1319	0.0088	0.0032	101	1.49	027.44	0
027	Magnesium (%)	0089	0.1500	0.0000	0.1319	0.0088	0.0032	101	2.05	027.43	0
027	Magnesium (%)	0009	0.1519	0.0010	0.1319	0.0088	0.0032	101	2.27	027.42	0
027	Magnesium (%)	0685	0.1550	0.0100	0.1319	0.0088	0.0032	101	2.62	027.42	0
027	Magnesium (%)	0626	0.1555	0.0010	0.1319	0.0088	0.0032	101	2.67	027.43	0
027	Magnesium (%)	0278	0.1600	0.0200	0.1319	0.0088	0.0032	101	3.18	027.42	0
027	Magnesium (%)	0169	0.1650	0.0100	0.1319	0.0088	0.0032	101	3.75	027.32	0
027	Magnesium (%)	0692	0.1300	0.0400	0.1319	0.0088	0.0032	101	-0.21	027.42	1
027	Magnesium (%)	0529	0.2565	0.0050	0.1319	0.0088	0.0032	101	14.09	027.31	2
028	Manganese (ppm)	2246	22.74	0.0667	40.33	3.072	1.729	98	-5.72	028.31	0
028	Manganese (ppm)	0066	31.11	1.550	40.33	3.072	1.729	98	-3.00	028.44	0
028	Manganese (ppm)	2188	33.87	0.0000	40.33	3.072	1.729	98	-2.10	028.31	0
028	Manganese (ppm)	0199	33.91	1.090	40.33	3.072	1.729	98	-2.09	028.53	0
028	Manganese (ppm)	0226	34.07	0.0600	40.33	3.072	1.729	98	-2.04	028.43	0
028	Manganese (ppm)	0870	34.83	0.2700	40.33	3.072	1.729	98	-1.79	028.43	0
028	Manganese (ppm)	0358	35.10	1.870	40.33	3.072	1.729	98	-1.70	028.41	0
028	Manganese (ppm)	0870	35.16	0.5000	40.33	3.072	1.729	98	-1.68	028.42	0
028	Manganese (ppm)	0563	35.47	0.7781	40.33	3.072	1.729	98	-1.58	028.31	0
028	Manganese (ppm)	0520	35.89	4.014	40.33	3.072	1.729	98	-1.44	028.41	0
028	Manganese (ppm)	0511	36.50	1.000	40.33	3.072	1.729	98	-1.25	028.43	0
028	Manganese (ppm)	2089	36.93	1.760	40.33	3.072	1.729	98	-1.11	028.43	0
028	Manganese (ppm)	0685	36.96	0.2000	40.33	3.072	1.729	98	-1.10	028.42	0
028	Manganese (ppm)	0619	37.45	0.5000	40.33	3.072	1.729	98	-0.94	028.41	0
028	Manganese (ppm)	0505	37.63	0.3900	40.33	3.072	1.729	98	-0.88	028.43	0
028	Manganese (ppm)	0675	37.74	0.1000	40.33	3.072	1.729	98	-0.84	028.43	0
028	Manganese (ppm)	0004	37.81	5.620	40.33	3.072	1.729	98	-0.82	028.41	0
028	Manganese (ppm)	0098	37.93	0.9200	40.33	3.072	1.729	98	-0.78	028.41	0
028	Manganese (ppm)	2360	37.98	2.480	40.33	3.072	1.729	98	-0.76	028.31	0
028	Manganese (ppm)	0164	38.00	0.0000	40.33	3.072	1.729	98	-0.76	028.41	0
028	Manganese (ppm)	0297	38.00	2.000	40.33	3.072	1.729	98	-0.76	028.43	0
028	Manganese (ppm)	0512	38.04	0.0600	40.33	3.072	1.729	98	-0.74	028.43	0
028	Manganese (ppm)	2409	38.08	0.2860	40.33	3.072	1.729	98	-0.73	028.53	0
028	Manganese (ppm)	0918	38.08	2.820	40.33	3.072	1.729	98	-0.73	028.43	0
028	Manganese (ppm)	0674	38.11	0.0000	40.33	3.072	1.729	98	-0.72	028.41	0
028	Manganese (ppm)	0948	38.28	0.5200	40.33	3.072	1.729	98	-0.67	028.33	0
028	Manganese (ppm)	2319	38.45	2.300	40.33	3.072	1.729	98	-0.61	028.42	0
028	Manganese (ppm)	0610	38.48	0.0500	40.33	3.072	1.729	98	-0.60	028.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
028	Manganese (ppm)	0910	38.50	1.000	40.33	3.072	1.729	98	-0.59	028.41	0
028	Manganese (ppm)	0692	38.50	7.000	40.33	3.072	1.729	98	-0.59	028.42	0
028	Manganese (ppm)	0510	38.50	1.000	40.33	3.072	1.729	98	-0.59	028.43	0
028	Manganese (ppm)	0529	38.70	0.2000	40.33	3.072	1.729	98	-0.53	028.31	0
028	Manganese (ppm)	0049	38.86	1.360	40.33	3.072	1.729	98	-0.48	028.41	0
028	Manganese (ppm)	0169	38.95	0.5000	40.33	3.072	1.729	98	-0.45	028.43	0
028	Manganese (ppm)	0035	39.00	0.0000	40.33	3.072	1.729	98	-0.43	028.43	0
028	Manganese (ppm)	0001	39.02	1.780	40.33	3.072	1.729	98	-0.43	028.31	0
028	Manganese (ppm)	2398	39.14	0.7000	40.33	3.072	1.729	98	-0.39	028.41	0
028	Manganese (ppm)	2114	39.18	0.1810	40.33	3.072	1.729	98	-0.37	028.44	0
028	Manganese (ppm)	0939	39.26	2.020	40.33	3.072	1.729	98	-0.35	028.53	0
028	Manganese (ppm)	0229	39.45	1.870	40.33	3.072	1.729	98	-0.29	028.41	0
028	Manganese (ppm)	0083	39.89	0.1800	40.33	3.072	1.729	98	-0.14	028.43	0
028	Manganese (ppm)	0123	39.90	3.600	40.33	3.072	1.729	98	-0.14	028.99	0
028	Manganese (ppm)	0171	39.97	0.4500	40.33	3.072	1.729	98	-0.12	028.41	0
028	Manganese (ppm)	2419	39.98	0.1800	40.33	3.072	1.729	98	-0.11	028.44	0
028	Manganese (ppm)	0504	40.00	7.800	40.33	3.072	1.729	98	-0.11	028.42	0
028	Manganese (ppm)	0964	40.10	1.600	40.33	3.072	1.729	98	-0.07	028.43	0
028	Manganese (ppm)	0263	40.21	0.2160	40.33	3.072	1.729	98	-0.04	028.42	0
028	Manganese (ppm)	2418	40.30	1.890	40.33	3.072	1.729	98	-0.01	028.44	0
028	Manganese (ppm)	0357	40.59	0.2710	40.33	3.072	1.729	98	0.09	028.42	0
028	Manganese (ppm)	0019	40.71	0.6700	40.33	3.072	1.729	98	0.12	028.41	0
028	Manganese (ppm)	0626	40.74	0.2150	40.33	3.072	1.729	98	0.14	028.43	0
028	Manganese (ppm)	2416	40.86	1.660	40.33	3.072	1.729	98	0.17	028.44	0
028	Manganese (ppm)	2033	40.92	4.610	40.33	3.072	1.729	98	0.19	028.43	0
028	Manganese (ppm)	0354	40.98	0.2100	40.33	3.072	1.729	98	0.21	028.41	0
028	Manganese (ppm)	2196	40.99	0.0000	40.33	3.072	1.729	98	0.22	028.31	0
028	Manganese (ppm)	0035	41.00	2.000	40.33	3.072	1.729	98	0.22	028.42	0
028	Manganese (ppm)	0345	41.00	1.200	40.33	3.072	1.729	98	0.22	028.43	0
028	Manganese (ppm)	0353	41.00	6.000	40.33	3.072	1.729	98	0.22	028.43	0
028	Manganese (ppm)	0100	41.00	0.0000	40.33	3.072	1.729	98	0.22	028.99	0
028	Manganese (ppm)	0098	41.02	0.6300	40.33	3.072	1.729	98	0.22	028.43	0
028	Manganese (ppm)	2420	41.10	0.9000	40.33	3.072	1.729	98	0.25	028.44	0
028	Manganese (ppm)	2124	41.10	2.360	40.33	3.072	1.729	98	0.25	028.43	0
028	Manganese (ppm)	0042	41.15	2.100	40.33	3.072	1.729	98	0.27	028.42	0
028	Manganese (ppm)	0202	41.20	0.6000	40.33	3.072	1.729	98	0.28	028.43	0
028	Manganese (ppm)	0242	41.50	1.000	40.33	3.072	1.729	98	0.38	028.99	0
028	Manganese (ppm)	2426	41.64	4.390	40.33	3.072	1.729	98	0.43	028.44	0
028	Manganese (ppm)	2129	41.64	0.0900	40.33	3.072	1.729	98	0.43	028.42	0
028	Manganese (ppm)	2192	41.70	5.000	40.33	3.072	1.729	98	0.45	028.53	0
028	Manganese (ppm)	2424	41.83	2.070	40.33	3.072	1.729	98	0.49	028.44	0
028	Manganese (ppm)	0407	41.93	0.0953	40.33	3.072	1.729	98	0.52	028.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
028	Manganese (ppm)	0278	42.00	2.000	40.33	3.072	1.729	98	0.54	028.42	0
028	Manganese (ppm)	0226	42.02	0.5700	40.33	3.072	1.729	98	0.55	028.41	0
028	Manganese (ppm)	0148	42.09	3.961	40.33	3.072	1.729	98	0.57	028.41	0
028	Manganese (ppm)	2023	42.10	1.200	40.33	3.072	1.729	98	0.58	028.43	0
028	Manganese (ppm)	0407	42.38	3.187	40.33	3.072	1.729	98	0.67	028.43	0
028	Manganese (ppm)	0682	42.44	0.0000	40.33	3.072	1.729	98	0.69	028.43	0
028	Manganese (ppm)	2421	42.48	1.680	40.33	3.072	1.729	98	0.70	028.44	0
028	Manganese (ppm)	0065	42.49	2.320	40.33	3.072	1.729	98	0.70	028.44	0
028	Manganese (ppm)	0407	42.69	0.6218	40.33	3.072	1.729	98	0.77	028.53	0
028	Manganese (ppm)	2422	42.72	0.5400	40.33	3.072	1.729	98	0.78	028.44	0
028	Manganese (ppm)	0366	43.00	2.000	40.33	3.072	1.729	98	0.87	028.42	0
028	Manganese (ppm)	0590	43.20	1.800	40.33	3.072	1.729	98	0.94	028.99	0
028	Manganese (ppm)	0939	43.30	1.740	40.33	3.072	1.729	98	0.97	028.31	0
028	Manganese (ppm)	0051	43.44	8.120	40.33	3.072	1.729	98	1.01	028.43	0
028	Manganese (ppm)	0037	43.75	0.3000	40.33	3.072	1.729	98	1.11	028.42	0
028	Manganese (ppm)	0038	43.80	7.000	40.33	3.072	1.729	98	1.13	028.32	0
028	Manganese (ppm)	0651	44.09	4.706	40.33	3.072	1.729	98	1.22	028.31	0
028	Manganese (ppm)	0038	44.35	6.500	40.33	3.072	1.729	98	1.31	028.43	0
028	Manganese (ppm)	0045	44.65	1.100	40.33	3.072	1.729	98	1.41	028.42	0
028	Manganese (ppm)	0017	44.78	5.054	40.33	3.072	1.729	98	1.45	028.43	0
028	Manganese (ppm)	0294	45.01	0.1800	40.33	3.072	1.729	98	1.52	028.42	0
028	Manganese (ppm)	2375	45.50	3.000	40.33	3.072	1.729	98	1.68	028.42	0
028	Manganese (ppm)	0968	45.60	0.1110	40.33	3.072	1.729	98	1.72	028.43	0
028	Manganese (ppm)	2417	45.94	9.130	40.33	3.072	1.729	98	1.83	028.44	0
028	Manganese (ppm)	0009	46.00	0.0000	40.33	3.072	1.729	98	1.85	028.42	0
028	Manganese (ppm)	2326	46.00	0.0000	40.33	3.072	1.729	98	1.85	028.43	0
028	Manganese (ppm)	0190	46.31	0.4900	40.33	3.072	1.729	98	1.95	028.42	0
028	Manganese (ppm)	0726	47.09	1.330	40.33	3.072	1.729	98	2.20	028.42	0
028	Manganese (ppm)	0265	40.15	14.90	40.33	3.072	1.729	98	-0.06	028.42	1
030	Nitrate (%)	0357	0.4950	0.0000				1		030.01	0
031	Phosphorus (%)	0108	0.8350	0.0500	1.056	0.0488	0.0294	130	-4.52	031.01	0
031	Phosphorus (%)	0169	0.9250	0.0300	1.056	0.0488	0.0294	130	-2.68	031.03	0
031	Phosphorus (%)	0226	0.9300	0.0000	1.056	0.0488	0.0294	130	-2.58	031.43	0
031	Phosphorus (%)	0848	0.9400	0.0400	1.056	0.0488	0.0294	130	-2.37	031.41	0
031	Phosphorus (%)	0294	0.9400	0.0200	1.056	0.0488	0.0294	130	-2.37	031.42	0
031	Phosphorus (%)	2200	0.9650	0.0300	1.056	0.0488	0.0294	130	-1.86	031.01	0
031	Phosphorus (%)	0066	0.9690	0.0440	1.056	0.0488	0.0294	130	-1.78	031.44	0
031	Phosphorus (%)	0042	0.9775	0.0250	1.056	0.0488	0.0294	130	-1.60	031.42	0
031	Phosphorus (%)	0263	0.9785	0.0070	1.056	0.0488	0.0294	130	-1.58	031.42	0
031	Phosphorus (%)	0910	0.9800	0.0200	1.056	0.0488	0.0294	130	-1.55	031.41	0
031	Phosphorus (%)	0019	0.9850	0.0300	1.056	0.0488	0.0294	130	-1.45	031.41	0
031	Phosphorus (%)	0229	0.9850	0.1100	1.056	0.0488	0.0294	130	-1.45	031.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	0656	0.9900	0.0000	1.056	0.0488	0.0294	130	-1.35	031.01	0
031	Phosphorus (%)	0265	0.9950	0.0700	1.056	0.0488	0.0294	130	-1.24	031.42	0
031	Phosphorus (%)	0144	1.000	0.0400	1.056	0.0488	0.0294	130	-1.14	031.41	0
031	Phosphorus (%)	0047	1.000	0.0200	1.056	0.0488	0.0294	130	-1.14	031.42	0
031	Phosphorus (%)	2419	1.005	0.0100	1.056	0.0488	0.0294	130	-1.04	031.44	0
031	Phosphorus (%)	0051	1.007	0.0487	1.056	0.0488	0.0294	130	-0.99	031.43	0
031	Phosphorus (%)	0529	1.010	0.0000	1.056	0.0488	0.0294	130	-0.94	031.01	0
031	Phosphorus (%)	0004	1.010	0.0600	1.056	0.0488	0.0294	130	-0.94	031.41	0
031	Phosphorus (%)	0674	1.010	0.0000	1.056	0.0488	0.0294	130	-0.94	031.41	0
031	Phosphorus (%)	0685	1.010	0.0200	1.056	0.0488	0.0294	130	-0.94	031.41	0
031	Phosphorus (%)	0366	1.010	0.0800	1.056	0.0488	0.0294	130	-0.94	031.42	0
031	Phosphorus (%)	0242	1.010	0.0200	1.056	0.0488	0.0294	130	-0.94	031.99	0
031	Phosphorus (%)	0676	1.010	0.0200	1.056	0.0488	0.0294	130	-0.94	031.99	0
031	Phosphorus (%)	2199	1.015	0.0500	1.056	0.0488	0.0294	130	-0.83	031.01	0
031	Phosphorus (%)	1023	1.015	0.0300	1.056	0.0488	0.0294	130	-0.83	031.41	0
031	Phosphorus (%)	0001	1.015	0.0100	1.056	0.0488	0.0294	130	-0.83	031.43	0
031	Phosphorus (%)	0010	1.015	0.0300	1.056	0.0488	0.0294	130	-0.83	031.43	0
031	Phosphorus (%)	0511	1.015	0.0100	1.056	0.0488	0.0294	130	-0.83	031.43	0
031	Phosphorus (%)	2246	1.020	0.0000	1.056	0.0488	0.0294	130	-0.73	031.01	0
031	Phosphorus (%)	0297	1.020	0.0600	1.056	0.0488	0.0294	130	-0.73	031.43	0
031	Phosphorus (%)	2421	1.021	0.0170	1.056	0.0488	0.0294	130	-0.72	031.44	0
031	Phosphorus (%)	0520	1.023	0.0620	1.056	0.0488	0.0294	130	-0.67	031.41	0
031	Phosphorus (%)	2416	1.024	0.0010	1.056	0.0488	0.0294	130	-0.66	031.44	0
031	Phosphorus (%)	0199	1.024	0.0120	1.056	0.0488	0.0294	130	-0.65	031.53	0
031	Phosphorus (%)	2418	1.025	0.0350	1.056	0.0488	0.0294	130	-0.64	031.44	0
031	Phosphorus (%)	0646	1.025	0.0100	1.056	0.0488	0.0294	130	-0.63	031.01	0
031	Phosphorus (%)	0689	1.025	0.0100	1.056	0.0488	0.0294	130	-0.63	031.01	0
031	Phosphorus (%)	2192	1.025	0.0100	1.056	0.0488	0.0294	130	-0.63	031.01	0
031	Phosphorus (%)	2319	1.025	0.0500	1.056	0.0488	0.0294	130	-0.63	031.42	0
031	Phosphorus (%)	0038	1.030	0.0400	1.056	0.0488	0.0294	130	-0.53	031.01	0
031	Phosphorus (%)	0045	1.030	0.0200	1.056	0.0488	0.0294	130	-0.53	031.42	0
031	Phosphorus (%)	2426	1.030	0.0800	1.056	0.0488	0.0294	130	-0.53	031.44	0
031	Phosphorus (%)	0512	1.032	0.0050	1.056	0.0488	0.0294	130	-0.49	031.43	0
031	Phosphorus (%)	0142	1.034	0.0307	1.056	0.0488	0.0294	130	-0.44	031.01	0
031	Phosphorus (%)	0345	1.035	0.0300	1.056	0.0488	0.0294	130	-0.42	031.43	0
031	Phosphorus (%)	2006	1.039	0.0410	1.056	0.0488	0.0294	130	-0.35	031.01	0
031	Phosphorus (%)	0651	1.040	0.0577	1.056	0.0488	0.0294	130	-0.32	031.01	0
031	Phosphorus (%)	0968	1.043	0.0150	1.056	0.0488	0.0294	130	-0.27	031.43	0
031	Phosphorus (%)	0590	1.045	0.0500	1.056	0.0488	0.0294	130	-0.22	031.01	0
031	Phosphorus (%)	0164	1.045	0.0100	1.056	0.0488	0.0294	130	-0.22	031.44	0
031	Phosphorus (%)	2420	1.045	0.0100	1.056	0.0488	0.0294	130	-0.22	031.44	0
031	Phosphorus (%)	0622	1.047	0.0281	1.056	0.0488	0.0294	130	-0.17	031.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	2129	1.050	0.0190	1.056	0.0488	0.0294	130	-0.13	031.42	0
031	Phosphorus (%)	2009	1.050	0.0009	1.056	0.0488	0.0294	130	-0.13	031.01	0
031	Phosphorus (%)	0504	1.050	0.0060	1.056	0.0488	0.0294	130	-0.12	031.42	0
031	Phosphorus (%)	0018	1.050	0.0800	1.056	0.0488	0.0294	130	-0.12	031.01	0
031	Phosphorus (%)	2337	1.050	0.0000	1.056	0.0488	0.0294	130	-0.12	031.01	0
031	Phosphorus (%)	2033	1.050	0.0200	1.056	0.0488	0.0294	130	-0.12	031.43	0
031	Phosphorus (%)	0407	1.054	0.0169	1.056	0.0488	0.0294	130	-0.04	031.41	0
031	Phosphorus (%)	0610	1.055	0.0100	1.056	0.0488	0.0294	130	-0.01	031.43	0
031	Phosphorus (%)	0100	1.055	0.0100	1.056	0.0488	0.0294	130	-0.01	031.99	0
031	Phosphorus (%)	0001	1.057	0.0090	1.056	0.0488	0.0294	130	0.02	031.03	0
031	Phosphorus (%)	0870	1.058	0.0190	1.056	0.0488	0.0294	130	0.04	031.42	0
031	Phosphorus (%)	0884	1.060	0.0400	1.056	0.0488	0.0294	130	0.09	031.01	0
031	Phosphorus (%)	2196	1.060	0.0000	1.056	0.0488	0.0294	130	0.09	031.01	0
031	Phosphorus (%)	0006	1.060	0.0200	1.056	0.0488	0.0294	130	0.09	031.43	0
031	Phosphorus (%)	0563	1.061	0.0138	1.056	0.0488	0.0294	130	0.11	031.01	0
031	Phosphorus (%)	0098	1.063	0.0490	1.056	0.0488	0.0294	130	0.14	031.41	0
031	Phosphorus (%)	0964	1.064	0.1458	1.056	0.0488	0.0294	130	0.18	031.43	0
031	Phosphorus (%)	0687	1.065	0.0300	1.056	0.0488	0.0294	130	0.19	031.01	0
031	Phosphorus (%)	0948	1.065	0.0100	1.056	0.0488	0.0294	130	0.19	031.01	0
031	Phosphorus (%)	0171	1.065	0.0100	1.056	0.0488	0.0294	130	0.19	031.41	0
031	Phosphorus (%)	0619	1.065	0.0100	1.056	0.0488	0.0294	130	0.19	031.41	0
031	Phosphorus (%)	0885	1.066	0.0137	1.056	0.0488	0.0294	130	0.22	031.01	0
031	Phosphorus (%)	0035	1.070	0.0200	1.056	0.0488	0.0294	130	0.29	031.42	0
031	Phosphorus (%)	0354	1.075	0.0000	1.056	0.0488	0.0294	130	0.40	031.41	0
031	Phosphorus (%)	0083	1.075	0.0120	1.056	0.0488	0.0294	130	0.40	031.43	0
031	Phosphorus (%)	0939	1.075	0.0500	1.056	0.0488	0.0294	130	0.40	031.01	0
031	Phosphorus (%)	2424	1.075	0.0100	1.056	0.0488	0.0294	130	0.40	031.44	0
031	Phosphorus (%)	0939	1.075	0.0700	1.056	0.0488	0.0294	130	0.40	031.53	0
031	Phosphorus (%)	2190	1.077	0.0068	1.056	0.0488	0.0294	130	0.43	031.01	0
031	Phosphorus (%)	0918	1.079	0.0240	1.056	0.0488	0.0294	130	0.48	031.43	0
031	Phosphorus (%)	0098	1.079	0.0420	1.056	0.0488	0.0294	130	0.48	031.43	0
031	Phosphorus (%)	2022	1.080	0.0000	1.056	0.0488	0.0294	130	0.50	031.01	0
031	Phosphorus (%)	2325	1.080	0.0000	1.056	0.0488	0.0294	130	0.50	031.01	0
031	Phosphorus (%)	2398	1.080	0.0200	1.056	0.0488	0.0294	130	0.50	031.41	0
031	Phosphorus (%)	0202	1.080	0.0200	1.056	0.0488	0.0294	130	0.50	031.43	0
031	Phosphorus (%)	0682	1.080	0.0000	1.056	0.0488	0.0294	130	0.50	031.43	0
031	Phosphorus (%)	2089	1.080	0.0400	1.056	0.0488	0.0294	130	0.50	031.43	0
031	Phosphorus (%)	0123	1.080	0.0200	1.056	0.0488	0.0294	130	0.50	031.99	0
031	Phosphorus (%)	2114	1.080	0.0228	1.056	0.0488	0.0294	130	0.51	031.44	0
031	Phosphorus (%)	0407	1.082	0.1147	1.056	0.0488	0.0294	130	0.55	031.43	0
031	Phosphorus (%)	0358	1.085	0.0700	1.056	0.0488	0.0294	130	0.60	031.41	0
031	Phosphorus (%)	0038	1.085	0.0900	1.056	0.0488	0.0294	130	0.60	031.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
031	Phosphorus (%)	0505	1.085	0.0900	1.056	0.0488	0.0294	130	0.60	031.43	0
031	Phosphorus (%)	2422	1.085	0.0100	1.056	0.0488	0.0294	130	0.60	031.44	0
031	Phosphorus (%)	0027	1.089	0.0240	1.056	0.0488	0.0294	130	0.68	031.43	0
031	Phosphorus (%)	2417	1.089	0.0340	1.056	0.0488	0.0294	130	0.68	031.44	0
031	Phosphorus (%)	0876	1.090	0.0400	1.056	0.0488	0.0294	130	0.70	031.43	0
031	Phosphorus (%)	2109	1.092	0.0170	1.056	0.0488	0.0294	130	0.73	031.01	0
031	Phosphorus (%)	2187	1.092	0.0063	1.056	0.0488	0.0294	130	0.74	031.43	0
031	Phosphorus (%)	0017	1.094	0.0444	1.056	0.0488	0.0294	130	0.78	031.43	0
031	Phosphorus (%)	0035	1.095	0.0100	1.056	0.0488	0.0294	130	0.81	031.43	0
031	Phosphorus (%)	0353	1.095	0.0300	1.056	0.0488	0.0294	130	0.81	031.43	0
031	Phosphorus (%)	0065	1.098	0.0350	1.056	0.0488	0.0294	130	0.86	031.44	0
031	Phosphorus (%)	2188	1.100	0.0000	1.056	0.0488	0.0294	130	0.91	031.01	0
031	Phosphorus (%)	0148	1.100	0.1000	1.056	0.0488	0.0294	130	0.91	031.41	0
031	Phosphorus (%)	0226	1.100	0.0200	1.056	0.0488	0.0294	130	0.91	031.41	0
031	Phosphorus (%)	2023	1.100	0.0400	1.056	0.0488	0.0294	130	0.91	031.43	0
031	Phosphorus (%)	2326	1.100	0.0000	1.056	0.0488	0.0294	130	0.91	031.43	0
031	Phosphorus (%)	0300	1.105	0.0100	1.056	0.0488	0.0294	130	1.01	031.43	0
031	Phosphorus (%)	2124	1.105	0.0100	1.056	0.0488	0.0294	130	1.01	031.43	0
031	Phosphorus (%)	0037	1.109	0.0120	1.056	0.0488	0.0294	130	1.09	031.42	0
031	Phosphorus (%)	0278	1.110	0.0200	1.056	0.0488	0.0294	130	1.11	031.42	0
031	Phosphorus (%)	0675	1.110	0.0200	1.056	0.0488	0.0294	130	1.11	031.43	0
031	Phosphorus (%)	0049	1.120	0.0600	1.056	0.0488	0.0294	130	1.32	031.41	0
031	Phosphorus (%)	0626	1.126	0.0080	1.056	0.0488	0.0294	130	1.44	031.43	0
031	Phosphorus (%)	0510	1.130	0.0400	1.056	0.0488	0.0294	130	1.52	031.43	0
031	Phosphorus (%)	0089	1.140	0.0000	1.056	0.0488	0.0294	130	1.73	031.43	0
031	Phosphorus (%)	0036	1.145	0.0087	1.056	0.0488	0.0294	130	1.83	031.43	0
031	Phosphorus (%)	0726	1.145	0.0100	1.056	0.0488	0.0294	130	1.83	031.42	0
031	Phosphorus (%)	0190	1.160	0.0000	1.056	0.0488	0.0294	130	2.14	031.42	0
031	Phosphorus (%)	0870	1.161	0.0630	1.056	0.0488	0.0294	130	2.15	031.43	0
031	Phosphorus (%)	0357	1.161	0.0405	1.056	0.0488	0.0294	130	2.15	031.42	0
031	Phosphorus (%)	0407	1.170	0.0954	1.056	0.0488	0.0294	130	2.34	031.53	0
031	Phosphorus (%)	0009	1.183	0.0415	1.056	0.0488	0.0294	130	2.61	031.42	0
031	Phosphorus (%)	0011	1.200	0.0400	1.056	0.0488	0.0294	130	2.96	031.43	0
031	Phosphorus (%)	2375	1.205	0.0700	1.056	0.0488	0.0294	130	3.06	031.42	0
031	Phosphorus (%)	0921	0.7837	0.2921	1.056	0.0488	0.0294	130	-5.57	031.01	1
031	Phosphorus (%)	0692	1.010	0.2600	1.056	0.0488	0.0294	130	-0.94	031.42	1
031	Phosphorus (%)	2409	0.5510	0.0140	1.056	0.0488	0.0294	130	-10.34	031.53	2
032	Potassium (%)	0038	0.6405	0.0470	0.7706	0.0446	0.0226	105	-2.92	032.31	0
032	Potassium (%)	0226	0.6500	0.0000	0.7706	0.0446	0.0226	105	-2.70	032.43	0
032	Potassium (%)	0265	0.6550	0.0300	0.7706	0.0446	0.0226	105	-2.59	032.42	0
032	Potassium (%)	0674	0.6800	0.0000	0.7706	0.0446	0.0226	105	-2.03	032.41	0
032	Potassium (%)	0019	0.6850	0.0300	0.7706	0.0446	0.0226	105	-1.92	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	2129	0.6888	0.0016	0.7706	0.0446	0.0226	105	-1.83	032.42	0
032	Potassium (%)	0968	0.6895	0.0010	0.7706	0.0446	0.0226	105	-1.82	032.43	0
032	Potassium (%)	0520	0.6980	0.0240	0.7706	0.0446	0.0226	105	-1.63	032.41	0
032	Potassium (%)	0870	0.7021	0.0094	0.7706	0.0446	0.0226	105	-1.54	032.42	0
032	Potassium (%)	0045	0.7045	0.0010	0.7706	0.0446	0.0226	105	-1.48	032.42	0
032	Potassium (%)	0004	0.7100	0.0400	0.7706	0.0446	0.0226	105	-1.36	032.41	0
032	Potassium (%)	0144	0.7100	0.0400	0.7706	0.0446	0.0226	105	-1.36	032.41	0
032	Potassium (%)	0910	0.7100	0.0000	0.7706	0.0446	0.0226	105	-1.36	032.41	0
032	Potassium (%)	0098	0.7100	0.0200	0.7706	0.0446	0.0226	105	-1.36	032.43	0
032	Potassium (%)	2319	0.7100	0.0400	0.7706	0.0446	0.0226	105	-1.36	032.52	0
032	Potassium (%)	0294	0.7150	0.0300	0.7706	0.0446	0.0226	105	-1.25	032.42	0
032	Potassium (%)	0619	0.7175	0.0170	0.7706	0.0446	0.0226	105	-1.19	032.41	0
032	Potassium (%)	0870	0.7216	0.0118	0.7706	0.0446	0.0226	105	-1.10	032.43	0
032	Potassium (%)	0610	0.7250	0.0100	0.7706	0.0446	0.0226	105	-1.02	032.43	0
032	Potassium (%)	0358	0.7300	0.0200	0.7706	0.0446	0.0226	105	-0.91	032.41	0
032	Potassium (%)	1023	0.7300	0.0200	0.7706	0.0446	0.0226	105	-0.91	032.41	0
032	Potassium (%)	0169	0.7350	0.0100	0.7706	0.0446	0.0226	105	-0.80	032.32	0
032	Potassium (%)	0512	0.7358	0.0215	0.7706	0.0446	0.0226	105	-0.78	032.43	0
032	Potassium (%)	0345	0.7360	0.0100	0.7706	0.0446	0.0226	105	-0.78	032.43	0
032	Potassium (%)	0148	0.7395	0.0030	0.7706	0.0446	0.0226	105	-0.70	032.41	0
032	Potassium (%)	0529	0.7400	0.0400	0.7706	0.0446	0.0226	105	-0.69	032.31	0
032	Potassium (%)	0199	0.7419	0.0049	0.7706	0.0446	0.0226	105	-0.64	032.53	0
032	Potassium (%)	2089	0.7450	0.0100	0.7706	0.0446	0.0226	105	-0.57	032.43	0
032	Potassium (%)	0918	0.7480	0.0120	0.7706	0.0446	0.0226	105	-0.51	032.43	0
032	Potassium (%)	0511	0.7500	0.0400	0.7706	0.0446	0.0226	105	-0.46	032.43	0
032	Potassium (%)	2246	0.7524	0.0165	0.7706	0.0446	0.0226	105	-0.41	032.31	0
032	Potassium (%)	2023	0.7530	0.0020	0.7706	0.0446	0.0226	105	-0.39	032.43	0
032	Potassium (%)	0098	0.7550	0.0300	0.7706	0.0446	0.0226	105	-0.35	032.41	0
032	Potassium (%)	2114	0.7565	0.0143	0.7706	0.0446	0.0226	105	-0.32	032.44	0
032	Potassium (%)	0042	0.7565	0.0030	0.7706	0.0446	0.0226	105	-0.32	032.42	0
032	Potassium (%)	0164	0.7595	0.0030	0.7706	0.0446	0.0226	105	-0.25	032.44	0
032	Potassium (%)	0229	0.7600	0.0400	0.7706	0.0446	0.0226	105	-0.24	032.41	0
032	Potassium (%)	0242	0.7600	0.0200	0.7706	0.0446	0.0226	105	-0.24	032.99	0
032	Potassium (%)	0142	0.7621	0.0710	0.7706	0.0446	0.0226	105	-0.19	032.31	0
032	Potassium (%)	0027	0.7630	0.0060	0.7706	0.0446	0.0226	105	-0.17	032.43	0
032	Potassium (%)	0171	0.7650	0.0100	0.7706	0.0446	0.0226	105	-0.13	032.41	0
032	Potassium (%)	0939	0.7650	0.0100	0.7706	0.0446	0.0226	105	-0.13	032.53	0
032	Potassium (%)	0407	0.7694	0.0287	0.7706	0.0446	0.0226	105	-0.03	032.41	0
032	Potassium (%)	2418	0.7695	0.0230	0.7706	0.0446	0.0226	105	-0.02	032.44	0
032	Potassium (%)	0089	0.7700	0.0000	0.7706	0.0446	0.0226	105	-0.01	032.43	0
032	Potassium (%)	0100	0.7700	0.0200	0.7706	0.0446	0.0226	105	-0.01	032.99	0
032	Potassium (%)	0354	0.7710	0.0000	0.7706	0.0446	0.0226	105	0.01	032.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0001	0.7715	0.0230	0.7706	0.0446	0.0226	105	0.02	032.99	0
032	Potassium (%)	0083	0.7735	0.0210	0.7706	0.0446	0.0226	105	0.07	032.43	0
032	Potassium (%)	0939	0.7750	0.0100	0.7706	0.0446	0.0226	105	0.10	032.31	0
032	Potassium (%)	2398	0.7750	0.0100	0.7706	0.0446	0.0226	105	0.10	032.41	0
032	Potassium (%)	0006	0.7750	0.0060	0.7706	0.0446	0.0226	105	0.10	032.43	0
032	Potassium (%)	0035	0.7750	0.0100	0.7706	0.0446	0.0226	105	0.10	032.43	0
032	Potassium (%)	0675	0.7750	0.0100	0.7706	0.0446	0.0226	105	0.10	032.43	0
032	Potassium (%)	2124	0.7750	0.0500	0.7706	0.0446	0.0226	105	0.10	032.43	0
032	Potassium (%)	0037	0.7770	0.0040	0.7706	0.0446	0.0226	105	0.14	032.42	0
032	Potassium (%)	0876	0.7775	0.0650	0.7706	0.0446	0.0226	105	0.15	032.43	0
032	Potassium (%)	0035	0.7800	0.0000	0.7706	0.0446	0.0226	105	0.21	032.42	0
032	Potassium (%)	0353	0.7800	0.0800	0.7706	0.0446	0.0226	105	0.21	032.43	0
032	Potassium (%)	0038	0.7805	0.0610	0.7706	0.0446	0.0226	105	0.22	032.43	0
032	Potassium (%)	0066	0.7820	0.0400	0.7706	0.0446	0.0226	105	0.26	032.41	0
032	Potassium (%)	2416	0.7835	0.0010	0.7706	0.0446	0.0226	105	0.29	032.44	0
032	Potassium (%)	0226	0.7850	0.0100	0.7706	0.0446	0.0226	105	0.32	032.41	0
032	Potassium (%)	0278	0.7850	0.0500	0.7706	0.0446	0.0226	105	0.32	032.42	0
032	Potassium (%)	0504	0.7850	0.0500	0.7706	0.0446	0.0226	105	0.32	032.42	0
032	Potassium (%)	2033	0.7850	0.0100	0.7706	0.0446	0.0226	105	0.32	032.43	0
032	Potassium (%)	2419	0.7850	0.0100	0.7706	0.0446	0.0226	105	0.32	032.44	0
032	Potassium (%)	0123	0.7850	0.0100	0.7706	0.0446	0.0226	105	0.32	032.99	0
032	Potassium (%)	2187	0.7889	0.0017	0.7706	0.0446	0.0226	105	0.41	032.43	0
032	Potassium (%)	0051	0.7892	0.0094	0.7706	0.0446	0.0226	105	0.42	032.43	0
032	Potassium (%)	0948	0.7895	0.0410	0.7706	0.0446	0.0226	105	0.42	032.31	0
032	Potassium (%)	0017	0.7898	0.0286	0.7706	0.0446	0.0226	105	0.43	032.43	0
032	Potassium (%)	2360	0.7900	0.0600	0.7706	0.0446	0.0226	105	0.44	032.31	0
032	Potassium (%)	0047	0.7900	0.0200	0.7706	0.0446	0.0226	105	0.44	032.42	0
032	Potassium (%)	0505	0.7900	0.0200	0.7706	0.0446	0.0226	105	0.44	032.43	0
032	Potassium (%)	0682	0.7900	0.0000	0.7706	0.0446	0.0226	105	0.44	032.43	0
032	Potassium (%)	2422	0.7900	0.0200	0.7706	0.0446	0.0226	105	0.44	032.44	0
032	Potassium (%)	0590	0.7900	0.0400	0.7706	0.0446	0.0226	105	0.44	032.99	0
032	Potassium (%)	0964	0.7912	0.0535	0.7706	0.0446	0.0226	105	0.46	032.43	0
032	Potassium (%)	0011	0.7950	0.0500	0.7706	0.0446	0.0226	105	0.55	032.43	0
032	Potassium (%)	2420	0.7950	0.0100	0.7706	0.0446	0.0226	105	0.55	032.44	0
032	Potassium (%)	0208	0.7965	0.0110	0.7706	0.0446	0.0226	105	0.58	032.31	0
032	Potassium (%)	0036	0.7973	0.0348	0.7706	0.0446	0.0226	105	0.60	032.43	0
032	Potassium (%)	0202	0.8000	0.0200	0.7706	0.0446	0.0226	105	0.66	032.43	0
032	Potassium (%)	0297	0.8000	0.0200	0.7706	0.0446	0.0226	105	0.66	032.43	0
032	Potassium (%)	2424	0.8000	0.0200	0.7706	0.0446	0.0226	105	0.66	032.44	0
032	Potassium (%)	2421	0.8030	0.0040	0.7706	0.0446	0.0226	105	0.73	032.44	0
032	Potassium (%)	0510	0.8100	0.0200	0.7706	0.0446	0.0226	105	0.88	032.43	0
032	Potassium (%)	0263	0.8160	0.0060	0.7706	0.0446	0.0226	105	1.02	032.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
032	Potassium (%)	0049	0.8200	0.1000	0.7706	0.0446	0.0226	105	1.11	032.41	0
032	Potassium (%)	0366	0.8200	0.0400	0.7706	0.0446	0.0226	105	1.11	032.42	0
032	Potassium (%)	0010	0.8200	0.0200	0.7706	0.0446	0.0226	105	1.11	032.43	0
032	Potassium (%)	2426	0.8200	0.0800	0.7706	0.0446	0.0226	105	1.11	032.44	0
032	Potassium (%)	2409	0.8245	0.0230	0.7706	0.0446	0.0226	105	1.21	032.53	0
032	Potassium (%)	2326	0.8250	0.0900	0.7706	0.0446	0.0226	105	1.22	032.43	0
032	Potassium (%)	0190	0.8300	0.0000	0.7706	0.0446	0.0226	105	1.33	032.42	0
032	Potassium (%)	0726	0.8350	0.0100	0.7706	0.0446	0.0226	105	1.44	032.42	0
032	Potassium (%)	0626	0.8350	0.0000	0.7706	0.0446	0.0226	105	1.44	032.43	0
032	Potassium (%)	0357	0.8351	0.0039	0.7706	0.0446	0.0226	105	1.44	032.42	0
032	Potassium (%)	2417	0.8405	0.0070	0.7706	0.0446	0.0226	105	1.57	032.44	0
032	Potassium (%)	0065	0.8485	0.0130	0.7706	0.0446	0.0226	105	1.75	032.44	0
032	Potassium (%)	0407	0.8531	0.0026	0.7706	0.0446	0.0226	105	1.85	032.43	0
032	Potassium (%)	0407	0.8557	0.0009	0.7706	0.0446	0.0226	105	1.91	032.53	0
032	Potassium (%)	2375	0.9200	0.0600	0.7706	0.0446	0.0226	105	3.35	032.42	0
032	Potassium (%)	0009	0.9236	0.0593	0.7706	0.0446	0.0226	105	3.43	032.42	0
032	Potassium (%)	0692	0.7750	0.1700	0.7706	0.0446	0.0226	105	0.10	032.42	1
032	Potassium (%)	0563	0.3777	0.0136	0.7706	0.0446	0.0226	105	-8.81	032.31	2
033	Salt as chloride (%)	0366	0.4400	0.0800	1.100	0.0594	0.0172	60	-11.10	033.00	0
033	Salt as chloride (%)	2023	0.6700	0.0000	1.100	0.0594	0.0172	60	-7.23	033.01	0
033	Salt as chloride (%)	0199	0.7079	0.0012	1.100	0.0594	0.0172	60	-6.60	033.01	0
033	Salt as chloride (%)	2076	0.7500	0.0860	1.100	0.0594	0.0172	60	-5.89	033.00	0
033	Salt as chloride (%)	2246	0.7903	0.0309	1.100	0.0594	0.0172	60	-5.21	033.99	0
033	Salt as chloride (%)	0675	0.9200	0.0200	1.100	0.0594	0.0172	60	-3.03	033.00	0
033	Salt as chloride (%)	0358	0.9400	0.0400	1.100	0.0594	0.0172	60	-2.69	033.99	0
033	Salt as chloride (%)	0017	0.9985	0.0356	1.100	0.0594	0.0172	60	-1.71	033.99	0
033	Salt as chloride (%)	0619	1.015	0.0100	1.100	0.0594	0.0172	60	-1.43	033.01	0
033	Salt as chloride (%)	0171	1.020	0.0200	1.100	0.0594	0.0172	60	-1.35	033.05	0
033	Salt as chloride (%)	0300	1.025	0.0100	1.100	0.0594	0.0172	60	-1.26	033.99	0
033	Salt as chloride (%)	0921	1.026	0.0265	1.100	0.0594	0.0172	60	-1.24	033.00	0
033	Salt as chloride (%)	0353	1.045	0.0500	1.100	0.0594	0.0172	60	-0.93	033.00	0
033	Salt as chloride (%)	0148	1.060	0.0200	1.100	0.0594	0.0172	60	-0.67	033.01	0
033	Salt as chloride (%)	2009	1.061	0.0177	1.100	0.0594	0.0172	60	-0.66	033.00	0
033	Salt as chloride (%)	0885	1.070	0.0458	1.100	0.0594	0.0172	60	-0.51	033.00	0
033	Salt as chloride (%)	0674	1.070	0.0000	1.100	0.0594	0.0172	60	-0.50	033.00	0
033	Salt as chloride (%)	0229	1.080	0.0000	1.100	0.0594	0.0172	60	-0.34	033.01	0
033	Salt as chloride (%)	0510	1.080	0.0160	1.100	0.0594	0.0172	60	-0.34	033.01	0
033	Salt as chloride (%)	0190	1.080	0.0000	1.100	0.0594	0.0172	60	-0.34	033.03	0
033	Salt as chloride (%)	0123	1.090	0.0200	1.100	0.0594	0.0172	60	-0.17	033.00	0
033	Salt as chloride (%)	0309	1.094	0.0205	1.100	0.0594	0.0172	60	-0.09	033.00	0
033	Salt as chloride (%)	0004	1.095	0.0100	1.100	0.0594	0.0172	60	-0.08	033.01	0
033	Salt as chloride (%)	2109	1.099	0.0160	1.100	0.0594	0.0172	60	-0.02	033.01	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
033	Salt as chloride (%)	0278	1.100	0.0200	1.100	0.0594	0.0172	60	0.00	033.01	0
033	Salt as chloride (%)	0505	1.100	0.0000	1.100	0.0594	0.0172	60	0.00	033.03	0
033	Salt as chloride (%)	0028	1.105	0.0300	1.100	0.0594	0.0172	60	0.08	033.01	0
033	Salt as chloride (%)	0208	1.105	0.0300	1.100	0.0594	0.0172	60	0.08	033.99	0
033	Salt as chloride (%)	0910	1.105	0.0100	1.100	0.0594	0.0172	60	0.08	033.99	0
033	Salt as chloride (%)	2268	1.110	0.0400	1.100	0.0594	0.0172	60	0.17	033.01	0
033	Salt as chloride (%)	0939	1.110	0.0200	1.100	0.0594	0.0172	60	0.17	033.01	0
033	Salt as chloride (%)	0689	1.110	0.0200	1.100	0.0594	0.0172	60	0.17	033.05	0
033	Salt as chloride (%)	2196	1.120	0.0000	1.100	0.0594	0.0172	60	0.34	033.00	0
033	Salt as chloride (%)	2337	1.120	0.0000	1.100	0.0594	0.0172	60	0.34	033.00	0
033	Salt as chloride (%)	2073	1.120	0.0200	1.100	0.0594	0.0172	60	0.34	033.99	0
033	Salt as chloride (%)	0884	1.125	0.0100	1.100	0.0594	0.0172	60	0.42	033.00	0
033	Salt as chloride (%)	0590	1.135	0.0100	1.100	0.0594	0.0172	60	0.59	033.01	0
033	Salt as chloride (%)	2190	1.139	0.0018	1.100	0.0594	0.0172	60	0.65	033.01	0
033	Salt as chloride (%)	0001	1.140	0.0000	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0083	1.140	0.0200	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0098	1.140	0.0000	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0164	1.140	0.0000	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0242	1.140	0.0000	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0354	1.140	0.0000	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0948	1.140	0.0000	1.100	0.0594	0.0172	60	0.67	033.01	0
033	Salt as chloride (%)	0539	1.140	0.0600	1.100	0.0594	0.0172	60	0.67	033.00	0
033	Salt as chloride (%)	0650	1.140	0.0400	1.100	0.0594	0.0172	60	0.67	033.99	0
033	Salt as chloride (%)	2022	1.145	0.0100	1.100	0.0594	0.0172	60	0.76	033.00	0
033	Salt as chloride (%)	0019	1.145	0.0100	1.100	0.0594	0.0172	60	0.76	033.01	0
033	Salt as chloride (%)	0265	1.145	0.0100	1.100	0.0594	0.0172	60	0.76	033.03	0
033	Salt as chloride (%)	2326	1.145	0.0100	1.100	0.0594	0.0172	60	0.76	033.99	0
033	Salt as chloride (%)	0407	1.146	0.0000	1.100	0.0594	0.0172	60	0.77	033.01	0
033	Salt as chloride (%)	2319	1.149	0.0160	1.100	0.0594	0.0172	60	0.82	033.01	0
033	Salt as chloride (%)	0100	1.150	0.0200	1.100	0.0594	0.0172	60	0.84	033.01	0
033	Salt as chloride (%)	0226	1.150	0.0000	1.100	0.0594	0.0172	60	0.84	033.01	0
033	Salt as chloride (%)	0144	1.150	0.0000	1.100	0.0594	0.0172	60	0.84	033.03	0
033	Salt as chloride (%)	2375	1.165	0.0100	1.100	0.0594	0.0172	60	1.09	033.01	0
033	Salt as chloride (%)	0045	1.170	0.0400	1.100	0.0594	0.0172	60	1.18	033.00	0
033	Salt as chloride (%)	0682	1.190	0.0000	1.100	0.0594	0.0172	60	1.51	033.01	0
033	Salt as chloride (%)	0726	1.800	0.0000	1.100	0.0594	0.0172	60	11.78	033.03	0
033	Salt as chloride (%)	0511	1.125	0.0900	1.100	0.0594	0.0172	60	0.42	033.00	1
034	Selenium, Total (Se) (ppm)	0009	0.4784	0.0161	0.6269	0.1280	0.0373	18	-1.16	034.53	0
034	Selenium, Total (Se) (ppm)	0066	0.4790	0.0220	0.6269	0.1280	0.0373	18	-1.16	034.43	0
034	Selenium, Total (Se) (ppm)	0045	0.4880	0.1320	0.6269	0.1280	0.0373	18	-1.08	034.04	0
034	Selenium, Total (Se) (ppm)	2033	0.5150	0.0100	0.6269	0.1280	0.0373	18	-0.87	034.53	0
034	Selenium, Total (Se) (ppm)	0563	0.5361	0.0181	0.6269	0.1280	0.0373	18	-0.71	034.04	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
034	Selenium, Total (Se) (ppm)	0148	0.5405	0.0050	0.6269	0.1280	0.0373	18	-0.67	034.41	0
034	Selenium, Total (Se) (ppm)	0512	0.5846	0.0689	0.6269	0.1280	0.0373	18	-0.33	034.04	0
034	Selenium, Total (Se) (ppm)	0199	0.5995	0.0030	0.6269	0.1280	0.0373	18	-0.21	034.53	0
034	Selenium, Total (Se) (ppm)	0164	0.6230	0.0220	0.6269	0.1280	0.0373	18	-0.03	034.53	0
034	Selenium, Total (Se) (ppm)	0910	0.6300	0.0200	0.6269	0.1280	0.0373	18	0.02	034.51	0
034	Selenium, Total (Se) (ppm)	0169	0.6350	0.0100	0.6269	0.1280	0.0373	18	0.06	034.04	0
034	Selenium, Total (Se) (ppm)	0610	0.6600	0.0000	0.6269	0.1280	0.0373	18	0.26	034.53	0
034	Selenium, Total (Se) (ppm)	0038	0.6740	0.0300	0.6269	0.1280	0.0373	18	0.37	034.01	0
034	Selenium, Total (Se) (ppm)	0964	0.6840	0.0880	0.6269	0.1280	0.0373	18	0.45	034.43	0
034	Selenium, Total (Se) (ppm)	2023	0.7000	0.0000	0.6269	0.1280	0.0373	18	0.57	034.53	0
034	Selenium, Total (Se) (ppm)	0407	0.8787	0.1435	0.6269	0.1280	0.0373	18	1.97	034.53	0
034	Selenium, Total (Se) (ppm)	0918	0.8940	0.0720	0.6269	0.1280	0.0373	18	2.09	034.53	0
034	Selenium, Total (Se) (ppm)	0190	1.375	0.0100	0.6269	0.1280	0.0373	18	5.85	034.99	0
034	Selenium, Total (Se) (ppm)	0505	222.3	18.80	0.6269	0.1280	0.0373	18	1731.98	034.43	2
034	Selenium, Total (Se) (ppm)	0692	0.0000	0.0000	0.6269	0.1280	0.0373	18		034.42	4
034	Selenium, Total (Se) (ppm)	0682	< 5		0.6269	0.1280	0.0373	18		034.43	5
035	Sodium (%)	0366	0.3120	0.0260	0.3861	0.0236	0.0134	105	-3.13	035.42	0
035	Sodium (%)	0265	0.3250	0.0300	0.3861	0.0236	0.0134	105	-2.58	035.42	0
035	Sodium (%)	0169	0.3350	0.0100	0.3861	0.0236	0.0134	105	-2.16	035.32	0
035	Sodium (%)	0242	0.3400	0.0400	0.3861	0.0236	0.0134	105	-1.95	035.99	0
035	Sodium (%)	0226	0.3400	0.0000	0.3861	0.0236	0.0134	105	-1.95	035.43	0
035	Sodium (%)	0345	0.3485	0.0050	0.3861	0.0236	0.0134	105	-1.59	035.43	0
035	Sodium (%)	0910	0.3500	0.0000	0.3861	0.0236	0.0134	105	-1.53	035.41	0
035	Sodium (%)	2319	0.3510	0.0240	0.3861	0.0236	0.0134	105	-1.48	035.42	0
035	Sodium (%)	2129	0.3535	0.0033	0.3861	0.0236	0.0134	105	-1.38	035.42	0
035	Sodium (%)	0511	0.3550	0.0100	0.3861	0.0236	0.0134	105	-1.31	035.43	0
035	Sodium (%)	0066	0.3575	0.0170	0.3861	0.0236	0.0134	105	-1.21	035.41	0
035	Sodium (%)	0144	0.3600	0.0000	0.3861	0.0236	0.0134	105	-1.10	035.41	0
035	Sodium (%)	0939	0.3600	0.0200	0.3861	0.0236	0.0134	105	-1.10	035.53	0
035	Sodium (%)	0199	0.3610	0.0040	0.3861	0.0236	0.0134	105	-1.06	035.53	0
035	Sodium (%)	0045	0.3615	0.0250	0.3861	0.0236	0.0134	105	-1.04	035.42	0
035	Sodium (%)	0622	0.3620	0.0039	0.3861	0.0236	0.0134	105	-1.02	035.31	0
035	Sodium (%)	0042	0.3635	0.0050	0.3861	0.0236	0.0134	105	-0.96	035.42	0
035	Sodium (%)	2246	0.3647	0.0021	0.3861	0.0236	0.0134	105	-0.91	035.31	0
035	Sodium (%)	0294	0.3650	0.0100	0.3861	0.0236	0.0134	105	-0.89	035.42	0
035	Sodium (%)	0692	0.3650	0.0300	0.3861	0.0236	0.0134	105	-0.89	035.42	0
035	Sodium (%)	0619	0.3665	0.0030	0.3861	0.0236	0.0134	105	-0.83	035.41	0
035	Sodium (%)	0921	0.3675	0.0211	0.3861	0.0236	0.0134	105	-0.79	035.31	0
035	Sodium (%)	0563	0.3691	0.0004	0.3861	0.0236	0.0134	105	-0.72	035.31	0
035	Sodium (%)	0968	0.3695	0.0010	0.3861	0.0236	0.0134	105	-0.70	035.43	0
035	Sodium (%)	0108	0.3700	0.0600	0.3861	0.0236	0.0134	105	-0.68	035.05	0
035	Sodium (%)	0358	0.3700	0.0200	0.3861	0.0236	0.0134	105	-0.68	035.41	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
035	Sodium (%)	0674	0.3700	0.0000	0.3861	0.0236	0.0134	105	-0.68	035.41	0
035	Sodium (%)	0098	0.3700	0.0000	0.3861	0.0236	0.0134	105	-0.68	035.43	0
035	Sodium (%)	0038	0.3710	0.0860	0.3861	0.0236	0.0134	105	-0.64	035.31	0
035	Sodium (%)	0870	0.3720	0.0095	0.3861	0.0236	0.0134	105	-0.60	035.42	0
035	Sodium (%)	2023	0.3735	0.0110	0.3861	0.0236	0.0134	105	-0.53	035.43	0
035	Sodium (%)	2409	0.3735	0.0030	0.3861	0.0236	0.0134	105	-0.53	035.53	0
035	Sodium (%)	0520	0.3745	0.0130	0.3861	0.0236	0.0134	105	-0.49	035.41	0
035	Sodium (%)	0098	0.3750	0.0100	0.3861	0.0236	0.0134	105	-0.47	035.41	0
035	Sodium (%)	1023	0.3750	0.0100	0.3861	0.0236	0.0134	105	-0.47	035.41	0
035	Sodium (%)	0610	0.3750	0.0100	0.3861	0.0236	0.0134	105	-0.47	035.43	0
035	Sodium (%)	0037	0.3785	0.0090	0.3861	0.0236	0.0134	105	-0.32	035.42	0
035	Sodium (%)	0939	0.3800	0.0000	0.3861	0.0236	0.0134	105	-0.26	035.31	0
035	Sodium (%)	2196	0.3800	0.0000	0.3861	0.0236	0.0134	105	-0.26	035.31	0
035	Sodium (%)	0004	0.3800	0.0200	0.3861	0.0236	0.0134	105	-0.26	035.41	0
035	Sodium (%)	0171	0.3800	0.0000	0.3861	0.0236	0.0134	105	-0.26	035.41	0
035	Sodium (%)	0229	0.3800	0.0000	0.3861	0.0236	0.0134	105	-0.26	035.41	0
035	Sodium (%)	2419	0.3800	0.0000	0.3861	0.0236	0.0134	105	-0.26	035.41	0
035	Sodium (%)	0263	0.3800	0.0040	0.3861	0.0236	0.0134	105	-0.26	035.42	0
035	Sodium (%)	2124	0.3800	0.0400	0.3861	0.0236	0.0134	105	-0.26	035.43	0
035	Sodium (%)	0407	0.3809	0.0027	0.3861	0.0236	0.0134	105	-0.22	035.41	0
035	Sodium (%)	0148	0.3810	0.0100	0.3861	0.0236	0.0134	105	-0.22	035.41	0
035	Sodium (%)	0870	0.3816	0.0130	0.3861	0.0236	0.0134	105	-0.19	035.43	0
035	Sodium (%)	0038	0.3825	0.0870	0.3861	0.0236	0.0134	105	-0.15	035.43	0
035	Sodium (%)	0083	0.3830	0.0120	0.3861	0.0236	0.0134	105	-0.13	035.43	0
035	Sodium (%)	2418	0.3835	0.0130	0.3861	0.0236	0.0134	105	-0.11	035.41	0
035	Sodium (%)	0876	0.3842	0.0184	0.3861	0.0236	0.0134	105	-0.08	035.43	0
035	Sodium (%)	2416	0.3850	0.0080	0.3861	0.0236	0.0134	105	-0.05	035.41	0
035	Sodium (%)	2421	0.3850	0.0040	0.3861	0.0236	0.0134	105	-0.05	035.41	0
035	Sodium (%)	0100	0.3850	0.0300	0.3861	0.0236	0.0134	105	-0.05	035.99	0
035	Sodium (%)	0918	0.3860	0.0000	0.3861	0.0236	0.0134	105	0.00	035.43	0
035	Sodium (%)	0142	0.3880	0.0219	0.3861	0.0236	0.0134	105	0.08	035.31	0
035	Sodium (%)	0164	0.3880	0.0000	0.3861	0.0236	0.0134	105	0.08	035.41	0
035	Sodium (%)	2188	0.3900	0.0000	0.3861	0.0236	0.0134	105	0.17	035.31	0
035	Sodium (%)	2420	0.3900	0.0000	0.3861	0.0236	0.0134	105	0.17	035.41	0
035	Sodium (%)	0006	0.3900	0.0140	0.3861	0.0236	0.0134	105	0.17	035.43	0
035	Sodium (%)	0353	0.3900	0.0400	0.3861	0.0236	0.0134	105	0.17	035.43	0
035	Sodium (%)	0682	0.3900	0.0000	0.3861	0.0236	0.0134	105	0.17	035.43	0
035	Sodium (%)	2033	0.3905	0.0150	0.3861	0.0236	0.0134	105	0.19	035.43	0
035	Sodium (%)	0017	0.3928	0.0140	0.3861	0.0236	0.0134	105	0.28	035.43	0
035	Sodium (%)	2187	0.3940	0.0050	0.3861	0.0236	0.0134	105	0.33	035.43	0
035	Sodium (%)	0019	0.3950	0.0100	0.3861	0.0236	0.0134	105	0.38	035.41	0
035	Sodium (%)	0202	0.3950	0.0100	0.3861	0.0236	0.0134	105	0.38	035.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
035	Sodium (%)	0297	0.3950	0.0100	0.3861	0.0236	0.0134	105	0.38	035.43	0
035	Sodium (%)	0675	0.3950	0.0100	0.3861	0.0236	0.0134	105	0.38	035.43	0
035	Sodium (%)	0123	0.3950	0.0100	0.3861	0.0236	0.0134	105	0.38	035.99	0
035	Sodium (%)	0590	0.3950	0.0300	0.3861	0.0236	0.0134	105	0.38	035.99	0
035	Sodium (%)	0512	0.3951	0.0605	0.3861	0.0236	0.0134	105	0.38	035.43	0
035	Sodium (%)	0051	0.3967	0.0061	0.3861	0.0236	0.0134	105	0.45	035.43	0
035	Sodium (%)	2114	0.3976	0.0079	0.3861	0.0236	0.0134	105	0.48	035.41	0
035	Sodium (%)	2422	0.4000	0.0200	0.3861	0.0236	0.0134	105	0.59	035.41	0
035	Sodium (%)	2424	0.4000	0.0000	0.3861	0.0236	0.0134	105	0.59	035.41	0
035	Sodium (%)	0726	0.4000	0.0000	0.3861	0.0236	0.0134	105	0.59	035.42	0
035	Sodium (%)	2089	0.4000	0.0000	0.3861	0.0236	0.0134	105	0.59	035.43	0
035	Sodium (%)	0300	0.4030	0.0040	0.3861	0.0236	0.0134	105	0.71	035.43	0
035	Sodium (%)	2360	0.4050	0.0300	0.3861	0.0236	0.0134	105	0.80	035.31	0
035	Sodium (%)	0278	0.4050	0.0300	0.3861	0.0236	0.0134	105	0.80	035.42	0
035	Sodium (%)	0035	0.4050	0.0100	0.3861	0.0236	0.0134	105	0.80	035.43	0
035	Sodium (%)	0510	0.4055	0.0090	0.3861	0.0236	0.0134	105	0.82	035.43	0
035	Sodium (%)	0964	0.4088	0.0398	0.3861	0.0236	0.0134	105	0.96	035.43	0
035	Sodium (%)	0035	0.4100	0.0000	0.3861	0.0236	0.0134	105	1.01	035.42	0
035	Sodium (%)	0190	0.4100	0.0000	0.3861	0.0236	0.0134	105	1.01	035.42	0
035	Sodium (%)	2375	0.4100	0.0000	0.3861	0.0236	0.0134	105	1.01	035.42	0
035	Sodium (%)	0226	0.4100	0.0200	0.3861	0.0236	0.0134	105	1.01	035.41	0
035	Sodium (%)	0504	0.4100	0.0200	0.3861	0.0236	0.0134	105	1.01	035.42	0
035	Sodium (%)	2109	0.4110	0.0020	0.3861	0.0236	0.0134	105	1.05	035.01	0
035	Sodium (%)	0065	0.4115	0.0010	0.3861	0.0236	0.0134	105	1.07	035.41	0
035	Sodium (%)	2417	0.4120	0.0120	0.3861	0.0236	0.0134	105	1.10	035.41	0
035	Sodium (%)	2426	0.4150	0.0300	0.3861	0.0236	0.0134	105	1.22	035.41	0
035	Sodium (%)	0089	0.4200	0.0000	0.3861	0.0236	0.0134	105	1.43	035.43	0
035	Sodium (%)	0407	0.4202	0.0083	0.3861	0.0236	0.0134	105	1.44	035.43	0
035	Sodium (%)	0407	0.4210	0.0104	0.3861	0.0236	0.0134	105	1.48	035.53	0
035	Sodium (%)	0626	0.4280	0.0000	0.3861	0.0236	0.0134	105	1.77	035.43	0
035	Sodium (%)	0354	0.4285	0.0010	0.3861	0.0236	0.0134	105	1.79	035.41	0
035	Sodium (%)	2022	0.4300	0.0000	0.3861	0.0236	0.0134	105	1.86	035.31	0
035	Sodium (%)	0049	0.4300	0.0600	0.3861	0.0236	0.0134	105	1.86	035.41	0
035	Sodium (%)	0948	0.4345	0.0150	0.3861	0.0236	0.0134	105	2.05	035.31	0
035	Sodium (%)	2326	0.4350	0.0300	0.3861	0.0236	0.0134	105	2.07	035.43	0
035	Sodium (%)	0357	0.4532	0.0001	0.3861	0.0236	0.0134	105	2.84	035.42	0
035	Sodium (%)	0656	0.7300	0.0000	0.3861	0.0236	0.0134	105	14.54	035.31	0
035	Sodium (%)	0529	162.2	323.7	0.3861	0.0236	0.0134	105	6840.64	035.31	2
036	Sulfur (%)	0366	0.3900	0.0200	0.4590	0.0345	0.0120	49	-2.00	036.42	0
036	Sulfur (%)	0910	0.3950	0.0100	0.4590	0.0345	0.0120	49	-1.86	036.42	0
036	Sulfur (%)	0294	0.4050	0.0100	0.4590	0.0345	0.0120	49	-1.57	036.42	0
036	Sulfur (%)	0265	0.4100	0.0200	0.4590	0.0345	0.0120	49	-1.42	036.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
036	Sulfur (%)	0242	0.4150	0.0100	0.4590	0.0345	0.0120	49	-1.28	036.99	0
036	Sulfur (%)	0870	0.4199	0.0085	0.4590	0.0345	0.0120	49	-1.14	036.42	0
036	Sulfur (%)	0035	0.4200	0.0000	0.4590	0.0345	0.0120	49	-1.13	036.42	0
036	Sulfur (%)	0229	0.4250	0.0100	0.4590	0.0345	0.0120	49	-0.99	036.04	0
036	Sulfur (%)	2129	0.4280	0.0114	0.4590	0.0345	0.0120	49	-0.90	036.42	0
036	Sulfur (%)	2409	0.4310	0.0140	0.4590	0.0345	0.0120	49	-0.81	036.53	0
036	Sulfur (%)	0297	0.4350	0.0100	0.4590	0.0345	0.0120	49	-0.70	036.43	0
036	Sulfur (%)	0042	0.4370	0.0020	0.4590	0.0345	0.0120	49	-0.64	036.42	0
036	Sulfur (%)	0407	0.4370	0.0160	0.4590	0.0345	0.0120	49	-0.64	036.42	0
036	Sulfur (%)	0407	0.4418	0.0149	0.4590	0.0345	0.0120	49	-0.50	036.43	0
036	Sulfur (%)	0045	0.4435	0.0030	0.4590	0.0345	0.0120	49	-0.45	036.42	0
036	Sulfur (%)	2033	0.4450	0.0100	0.4590	0.0345	0.0120	49	-0.41	036.43	0
036	Sulfur (%)	0345	0.4465	0.0010	0.4590	0.0345	0.0120	49	-0.36	036.43	0
036	Sulfur (%)	0918	0.4465	0.0090	0.4590	0.0345	0.0120	49	-0.36	036.43	0
036	Sulfur (%)	0123	0.4500	0.0200	0.4590	0.0345	0.0120	49	-0.26	036.99	0
036	Sulfur (%)	0964	0.4507	0.0388	0.4590	0.0345	0.0120	49	-0.24	036.43	0
036	Sulfur (%)	0001	0.4510	0.0300	0.4590	0.0345	0.0120	49	-0.23	036.04	0
036	Sulfur (%)	0171	0.4550	0.0100	0.4590	0.0345	0.0120	49	-0.12	036.42	0
036	Sulfur (%)	0870	0.4555	0.0305	0.4590	0.0345	0.0120	49	-0.10	036.43	0
036	Sulfur (%)	0357	0.4573	0.0043	0.4590	0.0345	0.0120	49	-0.05	036.42	0
036	Sulfur (%)	0708	0.4580	0.0000	0.4590	0.0345	0.0120	49	-0.03	036.42	0
036	Sulfur (%)	0353	0.4600	0.0400	0.4590	0.0345	0.0120	49	0.03	036.43	0
036	Sulfur (%)	0726	0.4600	0.0000	0.4590	0.0345	0.0120	49	0.03	036.42	0
036	Sulfur (%)	0098	0.4631	0.0267	0.4590	0.0345	0.0120	49	0.12	036.43	0
036	Sulfur (%)	0164	0.4650	0.0100	0.4590	0.0345	0.0120	49	0.17	036.42	0
036	Sulfur (%)	0190	0.4650	0.0100	0.4590	0.0345	0.0120	49	0.17	036.42	0
036	Sulfur (%)	0038	0.4660	0.0140	0.4590	0.0345	0.0120	49	0.20	036.43	0
036	Sulfur (%)	0083	0.4695	0.0050	0.4590	0.0345	0.0120	49	0.30	036.43	0
036	Sulfur (%)	2089	0.4700	0.0000	0.4590	0.0345	0.0120	49	0.32	036.43	0
036	Sulfur (%)	0037	0.4725	0.0030	0.4590	0.0345	0.0120	49	0.39	036.42	0
036	Sulfur (%)	0035	0.4750	0.0100	0.4590	0.0345	0.0120	49	0.46	036.43	0
036	Sulfur (%)	0202	0.4750	0.0100	0.4590	0.0345	0.0120	49	0.46	036.43	0
036	Sulfur (%)	0510	0.4750	0.0100	0.4590	0.0345	0.0120	49	0.46	036.43	0
036	Sulfur (%)	0876	0.4782	0.0063	0.4590	0.0345	0.0120	49	0.55	036.43	0
036	Sulfur (%)	2375	0.4800	0.0000	0.4590	0.0345	0.0120	49	0.61	036.42	0
036	Sulfur (%)	0278	0.4850	0.0100	0.4590	0.0345	0.0120	49	0.75	036.42	0
036	Sulfur (%)	0148	0.4875	0.0050	0.4590	0.0345	0.0120	49	0.83	036.04	0
036	Sulfur (%)	2326	0.4900	0.0400	0.4590	0.0345	0.0120	49	0.90	036.43	0
036	Sulfur (%)	0682	0.5100	0.0000	0.4590	0.0345	0.0120	49	1.48	036.43	0
036	Sulfur (%)	0226	0.5150	0.0100	0.4590	0.0345	0.0120	49	1.62	036.04	0
036	Sulfur (%)	0038	0.5195	0.0270	0.4590	0.0345	0.0120	49	1.75	036.00	0
036	Sulfur (%)	0066	0.5225	0.0130	0.4590	0.0345	0.0120	49	1.84	036.43	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
036	Sulfur (%)	0948	0.5342	0.0042	0.4590	0.0345	0.0120	49	2.18	036.04	0
036	Sulfur (%)	0169	0.5350	0.0100	0.4590	0.0345	0.0120	49	2.20	036.43	0
036	Sulfur (%)	0011	0.5550	0.0100	0.4590	0.0345	0.0120	49	2.78	036.43	0
036	Sulfur (%)	0692	0.4100	0.1000	0.4590	0.0345	0.0120	49	-1.42	036.42	1
037	Zinc (ppm)	0563	143.5	2.094	216.4	17.47	6.398	91	-4.17	037.31	0
037	Zinc (ppm)	0066	165.8	5.500	216.4	17.47	6.398	91	-2.89	037.44	0
037	Zinc (ppm)	0870	174.7	3.600	216.4	17.47	6.398	91	-2.38	037.42	0
037	Zinc (ppm)	0520	180.3	7.846	216.4	17.47	6.398	91	-2.06	037.41	0
037	Zinc (ppm)	0226	184.3	0.8700	216.4	17.47	6.398	91	-1.84	037.43	0
037	Zinc (ppm)	0199	186.3	0.6400	216.4	17.47	6.398	91	-1.72	037.53	0
037	Zinc (ppm)	0511	186.5	13.00	216.4	17.47	6.398	91	-1.71	037.43	0
037	Zinc (ppm)	0870	187.9	6.000	216.4	17.47	6.398	91	-1.63	037.43	0
037	Zinc (ppm)	2409	191.8	10.38	216.4	17.47	6.398	91	-1.41	037.53	0
037	Zinc (ppm)	0590	192.2	0.2000	216.4	17.47	6.398	91	-1.38	037.99	0
037	Zinc (ppm)	0366	193.5	3.000	216.4	17.47	6.398	91	-1.31	037.42	0
037	Zinc (ppm)	0358	194.3	4.640	216.4	17.47	6.398	91	-1.26	037.41	0
037	Zinc (ppm)	0848	195.4	3.939	216.4	17.47	6.398	91	-1.20	037.41	0
037	Zinc (ppm)	0265	199.0	0.0000	216.4	17.47	6.398	91	-0.99	037.42	0
037	Zinc (ppm)	0354	199.6	0.3800	216.4	17.47	6.398	91	-0.96	037.41	0
037	Zinc (ppm)	0045	200.0	8.000	216.4	17.47	6.398	91	-0.94	037.42	0
037	Zinc (ppm)	0939	200.0	10.00	216.4	17.47	6.398	91	-0.94	037.53	0
037	Zinc (ppm)	0294	201.0	1.080	216.4	17.47	6.398	91	-0.88	037.42	0
037	Zinc (ppm)	2129	201.3	2.400	216.4	17.47	6.398	91	-0.86	037.42	0
037	Zinc (ppm)	0529	202.9	2.200	216.4	17.47	6.398	91	-0.77	037.31	0
037	Zinc (ppm)	0675	202.9	1.110	216.4	17.47	6.398	91	-0.77	037.43	0
037	Zinc (ppm)	2114	204.0	3.530	216.4	17.47	6.398	91	-0.71	037.44	0
037	Zinc (ppm)	0242	204.0	4.000	216.4	17.47	6.398	91	-0.71	037.99	0
037	Zinc (ppm)	0051	204.8	2.210	216.4	17.47	6.398	91	-0.66	037.43	0
037	Zinc (ppm)	0512	205.5	0.8000	216.4	17.47	6.398	91	-0.62	037.43	0
037	Zinc (ppm)	0510	206.5	13.00	216.4	17.47	6.398	91	-0.56	037.43	0
037	Zinc (ppm)	0049	207.3	19.37	216.4	17.47	6.398	91	-0.52	037.41	0
037	Zinc (ppm)	2188	208.7	3.730	216.4	17.47	6.398	91	-0.44	037.34	0
037	Zinc (ppm)	0345	209.3	4.500	216.4	17.47	6.398	91	-0.41	037.43	0
037	Zinc (ppm)	2319	209.5	1.000	216.4	17.47	6.398	91	-0.39	037.42	0
037	Zinc (ppm)	0918	209.9	32.95	216.4	17.47	6.398	91	-0.37	037.43	0
037	Zinc (ppm)	0297	210.0	12.00	216.4	17.47	6.398	91	-0.36	037.43	0
037	Zinc (ppm)	0263	211.2	1.093	216.4	17.47	6.398	91	-0.30	037.42	0
037	Zinc (ppm)	0098	211.3	1.900	216.4	17.47	6.398	91	-0.29	037.41	0
037	Zinc (ppm)	0229	211.7	13.00	216.4	17.47	6.398	91	-0.27	037.41	0
037	Zinc (ppm)	0968	212.0	1.481	216.4	17.47	6.398	91	-0.25	037.43	0
037	Zinc (ppm)	0019	212.7	8.200	216.4	17.47	6.398	91	-0.21	037.41	0
037	Zinc (ppm)	0010	214.7	5.500	216.4	17.47	6.398	91	-0.10	037.33	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0948	214.9	0.8900	216.4	17.47	6.398	91	-0.09	037.33	0
037	Zinc (ppm)	0964	215.0	30.00	216.4	17.47	6.398	91	-0.08	037.43	0
037	Zinc (ppm)	0619	215.9	10.34	216.4	17.47	6.398	91	-0.03	037.41	0
037	Zinc (ppm)	0278	215.9	2.200	216.4	17.47	6.398	91	-0.03	037.42	0
037	Zinc (ppm)	0001	216.0	9.500	216.4	17.47	6.398	91	-0.02	037.31	0
037	Zinc (ppm)	0910	216.5	1.000	216.4	17.47	6.398	91	0.01	037.41	0
037	Zinc (ppm)	0610	216.5	0.0000	216.4	17.47	6.398	91	0.01	037.43	0
037	Zinc (ppm)	0407	217.7	4.983	216.4	17.47	6.398	91	0.08	037.41	0
037	Zinc (ppm)	0939	217.9	20.64	216.4	17.47	6.398	91	0.09	037.31	0
037	Zinc (ppm)	0674	218.1	0.0000	216.4	17.47	6.398	91	0.10	037.41	0
037	Zinc (ppm)	2033	219.4	1.100	216.4	17.47	6.398	91	0.17	037.43	0
037	Zinc (ppm)	0083	219.5	1.540	216.4	17.47	6.398	91	0.18	037.43	0
037	Zinc (ppm)	0504	219.5	15.00	216.4	17.47	6.398	91	0.18	037.42	0
037	Zinc (ppm)	0027	219.6	0.1090	216.4	17.47	6.398	91	0.19	037.43	0
037	Zinc (ppm)	0848	220.3	3.118	216.4	17.47	6.398	91	0.22	037.43	0
037	Zinc (ppm)	0123	221.5	15.00	216.4	17.47	6.398	91	0.29	037.99	0
037	Zinc (ppm)	2124	222.2	8.550	216.4	17.47	6.398	91	0.33	037.43	0
037	Zinc (ppm)	2089	222.2	0.9600	216.4	17.47	6.398	91	0.34	037.43	0
037	Zinc (ppm)	0171	222.6	3.200	216.4	17.47	6.398	91	0.36	037.41	0
037	Zinc (ppm)	0689	223.1	10.80	216.4	17.47	6.398	91	0.39	037.31	0
037	Zinc (ppm)	0169	223.5	5.000	216.4	17.47	6.398	91	0.41	037.43	0
037	Zinc (ppm)	0202	223.5	1.000	216.4	17.47	6.398	91	0.41	037.43	0
037	Zinc (ppm)	0164	223.5	7.000	216.4	17.47	6.398	91	0.41	037.44	0
037	Zinc (ppm)	2187	223.9	4.900	216.4	17.47	6.398	91	0.43	037.43	0
037	Zinc (ppm)	2196	224.1	0.0000	216.4	17.47	6.398	91	0.44	037.31	0
037	Zinc (ppm)	0017	224.1	1.557	216.4	17.47	6.398	91	0.44	037.43	0
037	Zinc (ppm)	0357	225.1	1.286	216.4	17.47	6.398	91	0.50	037.42	0
037	Zinc (ppm)	0626	225.5	1.580	216.4	17.47	6.398	91	0.52	037.43	0
037	Zinc (ppm)	2192	225.5	9.000	216.4	17.47	6.398	91	0.52	037.43	0
037	Zinc (ppm)	0190	227.9	1.500	216.4	17.47	6.398	91	0.66	037.42	0
037	Zinc (ppm)	0098	228.3	15.80	216.4	17.47	6.398	91	0.68	037.43	0
037	Zinc (ppm)	0692	228.5	25.00	216.4	17.47	6.398	91	0.69	037.42	0
037	Zinc (ppm)	0038	229.0	2.000	216.4	17.47	6.398	91	0.72	037.32	0
037	Zinc (ppm)	0407	229.1	20.66	216.4	17.47	6.398	91	0.73	037.43	0
037	Zinc (ppm)	2360	229.4	3.030	216.4	17.47	6.398	91	0.74	037.31	0
037	Zinc (ppm)	0876	229.5	3.000	216.4	17.47	6.398	91	0.75	037.43	0
037	Zinc (ppm)	0035	230.0	2.000	216.4	17.47	6.398	91	0.78	037.42	0
037	Zinc (ppm)	0035	230.0	2.000	216.4	17.47	6.398	91	0.78	037.43	0
037	Zinc (ppm)	0148	233.0	8.084	216.4	17.47	6.398	91	0.95	037.41	0
037	Zinc (ppm)	0682	234.2	0.0000	216.4	17.47	6.398	91	1.02	037.43	0
037	Zinc (ppm)	0407	234.8	7.194	216.4	17.47	6.398	91	1.06	037.53	0
037	Zinc (ppm)	0726	235.2	1.600	216.4	17.47	6.398	91	1.08	037.42	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
037	Zinc (ppm)	0226	236.5	1.640	216.4	17.47	6.398	91	1.15	037.41	0
037	Zinc (ppm)	0042	236.5	13.00	216.4	17.47	6.398	91	1.15	037.42	0
037	Zinc (ppm)	2023	238.0	2.000	216.4	17.47	6.398	91	1.24	037.43	0
037	Zinc (ppm)	0009	240.0	4.000	216.4	17.47	6.398	91	1.35	037.42	0
037	Zinc (ppm)	2375	242.5	17.00	216.4	17.47	6.398	91	1.50	037.42	0
037	Zinc (ppm)	0100	245.0	18.00	216.4	17.47	6.398	91	1.64	037.99	0
037	Zinc (ppm)	0651	245.6	17.96	216.4	17.47	6.398	91	1.67	037.31	0
037	Zinc (ppm)	0622	248.5	4.487	216.4	17.47	6.398	91	1.84	037.31	0
037	Zinc (ppm)	0037	248.6	2.900	216.4	17.47	6.398	91	1.84	037.42	0
037	Zinc (ppm)	0038	249.5	7.000	216.4	17.47	6.398	91	1.90	037.43	0
037	Zinc (ppm)	0353	252.5	17.00	216.4	17.47	6.398	91	2.07	037.43	0
037	Zinc (ppm)	2326	187.0	34.00	216.4	17.47	6.398	91	-1.68	037.43	1
037	Zinc (ppm)	0004	227.2	35.22	216.4	17.47	6.398	91	0.62	037.41	1
037	Zinc (ppm)	2246	56.01	0.8336	216.4	17.47	6.398	91	-9.18	037.31	2
038	Molybdenum (ppm)	0038	0.2965	0.0310	0.6523	0.1387	0.0436	19	-2.57	038.43	0
038	Molybdenum (ppm)	0169	0.4700	0.0400	0.6523	0.1387	0.0436	19	-1.31	038.43	0
038	Molybdenum (ppm)	0297	0.5000	0.0000	0.6523	0.1387	0.0436	19	-1.10	038.43	0
038	Molybdenum (ppm)	0171	0.5500	0.0200	0.6523	0.1387	0.0436	19	-0.74	038.41	0
038	Molybdenum (ppm)	0345	0.5675	0.0050	0.6523	0.1387	0.0436	19	-0.61	038.43	0
038	Molybdenum (ppm)	0407	0.5696	0.0808	0.6523	0.1387	0.0436	19	-0.60	038.53	0
038	Molybdenum (ppm)	0407	0.5827	0.0416	0.6523	0.1387	0.0436	19	-0.50	038.41	0
038	Molybdenum (ppm)	2023	0.6100	0.0200	0.6523	0.1387	0.0436	19	-0.30	038.53	0
038	Molybdenum (ppm)	0910	0.6250	0.0100	0.6523	0.1387	0.0436	19	-0.20	038.41	0
038	Molybdenum (ppm)	0407	0.6446	0.0260	0.6523	0.1387	0.0436	19	-0.06	038.43	0
038	Molybdenum (ppm)	0164	0.6590	0.0180	0.6523	0.1387	0.0436	19	0.05	038.53	0
038	Molybdenum (ppm)	0226	0.6950	0.0300	0.6523	0.1387	0.0436	19	0.31	038.41	0
038	Molybdenum (ppm)	0083	0.7350	0.0500	0.6523	0.1387	0.0436	19	0.60	038.43	0
038	Molybdenum (ppm)	0366	0.7500	0.1000	0.6523	0.1387	0.0436	19	0.70	038.42	0
038	Molybdenum (ppm)	0510	0.7500	0.1000	0.6523	0.1387	0.0436	19	0.70	038.43	0
038	Molybdenum (ppm)	0148	0.7551	0.0253	0.6523	0.1387	0.0436	19	0.74	038.41	0
038	Molybdenum (ppm)	0045	0.7650	0.0300	0.6523	0.1387	0.0436	19	0.81	038.42	0
038	Molybdenum (ppm)	0278	1.015	0.1100	0.6523	0.1387	0.0436	19	2.62	038.42	0
038	Molybdenum (ppm)	2033	1.065	0.0900	0.6523	0.1387	0.0436	19	2.98	038.43	0
038	Molybdenum (ppm)	0265	1.790	0.8400	0.6523	0.1387	0.0436	19	8.20	038.42	1
040	Barium (ppm)	0407	6.011	0.1291				1		040.53	0
041	Vanadium (ppm)	0407	0.5634	0.0223				1		041.53	0
042	Chloride (%)	0619	0.6175	0.0070	0.7373	0.0921	0.0115	10	-1.30	042.00	0
042	Chloride (%)	0948	0.6900	0.0000	0.7373	0.0921	0.0115	10	-0.51	042.00	0
042	Chloride (%)	0941	0.6948	0.0075	0.7373	0.0921	0.0115	10	-0.46	042.99	0
042	Chloride (%)	2326	0.6950	0.0100	0.7373	0.0921	0.0115	10	-0.46	042.00	0
042	Chloride (%)	0226	0.7000	0.0000	0.7373	0.0921	0.0115	10	-0.40	042.00	0
042	Chloride (%)	0610	0.7000	0.0000	0.7373	0.0921	0.0115	10	-0.40	042.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
042	Chloride (%)	0297	0.7450	0.0100	0.7373	0.0921	0.0115	10	0.08	042.99	0
042	Chloride (%)	2199	0.8050	0.0300	0.7373	0.0921	0.0115	10	0.74	042.00	0
042	Chloride (%)	2200	0.8500	0.0200	0.7373	0.0921	0.0115	10	1.22	042.00	0
042	Chloride (%)	0066	1.205	0.0300	0.7373	0.0921	0.0115	10	5.08	042.99	0
101	Choline Chloride (ppm)	0051	3,267	3.000				2		101.01	0
101	Choline Chloride (ppm)	0227	3,470	20.00				2		101.99	0
102	Niacin (ppm)	2124	1.910	0.0400				3		102.99	0
102	Niacin (ppm)	2319	136.0	2.000				3		102.02	0
102	Niacin (ppm)	0227	162.5	1.000				3		102.01	0
103	Pantothenic Acid (ppm)	2124	0.2100	0.0400				2		103.99	0
103	Pantothenic Acid (ppm)	0227	21.90	1.200				2		103.01	0
104	Riboflavin (ppm)	2124	0.0785	0.0090	9.452	6.263	0.1623	4		104.99	0
104	Riboflavin (ppm)	0227	12.15	0.3000	9.452	6.263	0.1623	4		104.03	0
104	Riboflavin (ppm)	2319	12.45	0.1000	9.452	6.263	0.1623	4		104.03	0
104	Riboflavin (ppm)	0939	13.13	0.2400	9.452	6.263	0.1623	4		104.03	0
104	Riboflavin (ppm)	0910	8.635	1.590	9.452	6.263	0.1623	4		104.03	1
105	Thiamine (ppm)	2319	9.900	0.0000				3		105.00	0
105	Thiamine (ppm)	0227	13.30	0.4000				3		105.00	0
105	Thiamine (ppm)	0939	13.59	0.2600				3		105.00	0
105	Thiamine (ppm)	0910	13.65	2.540				3		105.00	1
105	Thiamine (ppm)	2124	0.1960	0.0080				3		105.99	2
106	Vitamin A (KU / kg)	0676	6.750	0.5000	9.273	2.575	1.138	15	-0.98	106.02	0
106	Vitamin A (KU / kg)	0921	6.785	0.0300	9.273	2.575	1.138	15	-0.97	106.02	0
106	Vitamin A (KU / kg)	0870	7.087	2.487	9.273	2.575	1.138	15	-0.85	106.02	0
106	Vitamin A (KU / kg)	0227	7.215	0.6300	9.273	2.575	1.138	15	-0.80	106.00	0
106	Vitamin A (KU / kg)	0512	7.470	0.7590	9.273	2.575	1.138	15	-0.70	106.02	0
106	Vitamin A (KU / kg)	0563	7.567	0.4870	9.273	2.575	1.138	15	-0.66	106.02	0
106	Vitamin A (KU / kg)	0910	8.150	0.7000	9.273	2.575	1.138	15	-0.44	106.02	0
106	Vitamin A (KU / kg)	2319	8.175	1.330	9.273	2.575	1.138	15	-0.43	106.02	0
106	Vitamin A (KU / kg)	0619	9.255	4.290	9.273	2.575	1.138	15	-0.01	106.02	0
106	Vitamin A (KU / kg)	0038	10.42	3.160	9.273	2.575	1.138	15	0.45	106.02	0
106	Vitamin A (KU / kg)	0610	11.05	0.1000	9.273	2.575	1.138	15	0.69	106.02	0
106	Vitamin A (KU / kg)	2023	11.90	0.0000	9.273	2.575	1.138	15	1.02	106.02	0
106	Vitamin A (KU / kg)	0148	12.04	1.294	9.273	2.575	1.138	15	1.08	106.02	0
106	Vitamin A (KU / kg)	0689	12.10	1.200	9.273	2.575	1.138	15	1.10	106.02	0
106	Vitamin A (KU / kg)	0098	15.45	0.1000	9.273	2.575	1.138	15	2.40	106.01	0
107	Vitamin B12 (ppb)	2124	5.200	0.4000				2		107.99	0
107	Vitamin B12 (ppb)	0227	84.75	18.50				2		107.00	0
108	Vitamin D3 (KU / kg)	2023	0.3500	0.1000	1.224	0.8226	0.2654	7	-1.06	108.01	0
108	Vitamin D3 (KU / kg)	0227	0.7070	0.0680	1.224	0.8226	0.2654	7	-0.63	108.02	0
108	Vitamin D3 (KU / kg)	0010	0.8850	0.0700	1.224	0.8226	0.2654	7	-0.41	108.99	0
108	Vitamin D3 (KU / kg)	2319	0.9950	0.5500	1.224	0.8226	0.2654	7	-0.28	108.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
108	Vitamin D3 (KU / kg)	0910	1.295	0.4500	1.224	0.8226	0.2654	7	0.09	108.02	0
108	Vitamin D3 (KU / kg)	0619	1.880	0.3200	1.224	0.8226	0.2654	7	0.80	108.02	0
108	Vitamin D3 (KU / kg)	0610	2.850	0.3000	1.224	0.8226	0.2654	7	1.98	108.02	0
108	Vitamin D3 (KU / kg)	0870	0.4628	0.9256	1.224	0.8226	0.2654	7		108.02	4
109	Vitamin E (IU / kg)	2023	40.50	3.000	101.3	18.15	3.460	16	-3.35	109.02	0
109	Vitamin E (IU / kg)	0910	79.40	7.800	101.3	18.15	3.460	16	-1.20	109.02	0
109	Vitamin E (IU / kg)	0590	80.75	0.5000	101.3	18.15	3.460	16	-1.13	109.02	0
109	Vitamin E (IU / kg)	0619	92.50	3.000	101.3	18.15	3.460	16	-0.48	109.02	0
109	Vitamin E (IU / kg)	2188	92.93	0.0000	101.3	18.15	3.460	16	-0.46	109.02	0
109	Vitamin E (IU / kg)	0610	94.90	5.800	101.3	18.15	3.460	16	-0.35	109.02	0
109	Vitamin E (IU / kg)	0676	98.15	1.300	101.3	18.15	3.460	16	-0.17	109.02	0
109	Vitamin E (IU / kg)	0563	100.3	1.934	101.3	18.15	3.460	16	-0.05	109.02	0
109	Vitamin E (IU / kg)	0098	100.4	3.200	101.3	18.15	3.460	16	-0.05	109.02	0
109	Vitamin E (IU / kg)	2319	102.1	5.800	101.3	18.15	3.460	16	0.05	109.02	0
109	Vitamin E (IU / kg)	0921	104.6	0.6000	101.3	18.15	3.460	16	0.18	109.02	0
109	Vitamin E (IU / kg)	0870	110.0	0.1314	101.3	18.15	3.460	16	0.48	109.02	0
109	Vitamin E (IU / kg)	0227	114.5	3.000	101.3	18.15	3.460	16	0.73	109.02	0
109	Vitamin E (IU / kg)	0171	123.0	12.00	101.3	18.15	3.460	16	1.20	109.99	0
109	Vitamin E (IU / kg)	0148	124.3	6.500	101.3	18.15	3.460	16	1.27	109.02	0
109	Vitamin E (IU / kg)	0199	138.5	0.8000	101.3	18.15	3.460	16	2.05	109.02	0
109	Vitamin E (IU / kg)	0038	103.7	18.60	101.3	18.15	3.460	16	0.13	109.02	1
111	Vitamin C, Phosphorylated (ppm)	0910	8.350	0.3000				1		111.98	0
111	Vitamin C, Phosphorylated (ppm)	0227	< 4.4					1		111.00	5
112	Pyridoxine (µg / g)	2124	11.37	1.140	13.39	2.477	0.8075	4		112.99	0
112	Pyridoxine (µg / g)	2319	11.85	0.3000	13.39	2.477	0.8075	4		112.01	0
112	Pyridoxine (µg / g)	0227	13.50	0.2000	13.39	2.477	0.8075	4		112.01	0
112	Pyridoxine (µg / g)	0939	16.85	1.590	13.39	2.477	0.8075	4		112.01	0
113	Folic Acid (ppm)	2124	0.0015	0.0010				3		113.99	0
113	Folic Acid (ppm)	0227	2.650	0.2400				3		113.01	0
113	Folic Acid (ppm)	2319	2.700	0.0000				3		113.02	0
114	Biotin (ppm)	2124	0.0010	0.0001				2		114.99	0
114	Biotin (ppm)	0227	0.5240	0.0040				2		114.01	0
115	Non Protein N (NPN) (%)	0407	0.0650	0.0100				3		115.00	0
115	Non Protein N (NPN) (%)	0098	0.4350	0.0100				3		115.00	0
115	Non Protein N (NPN) (%)	2129	0.6794	0.0888				3		115.99	0
118	Peroxide value (meq/kg)	0853	7.750	0.5000				1		118.99	0
120	Alanine (%)	0889	1.820	0.0200	2.136	0.0822	0.0341	30	-3.84	120.99	0
120	Alanine (%)	0676	1.995	0.0100	2.136	0.0822	0.0341	30	-1.71	120.05	0
120	Alanine (%)	0918	2.025	0.0100	2.136	0.0822	0.0341	30	-1.35	120.00	0
120	Alanine (%)	0939	2.070	0.0400	2.136	0.0822	0.0341	30	-0.80	120.00	0
120	Alanine (%)	0675	2.070	0.0200	2.136	0.0822	0.0341	30	-0.80	120.00	0
120	Alanine (%)	2196	2.072	0.0000	2.136	0.0822	0.0341	30	-0.78	120.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
120	Alanine (%)	2023	2.075	0.0300	2.136	0.0822	0.0341	30	-0.74	120.02	0
120	Alanine (%)	2319	2.080	0.0000	2.136	0.0822	0.0341	30	-0.68	120.05	0
120	Alanine (%)	0148	2.085	0.1300	2.136	0.0822	0.0341	30	-0.62	120.05	0
120	Alanine (%)	0968	2.100	0.0000	2.136	0.0822	0.0341	30	-0.44	120.00	0
120	Alanine (%)	0407	2.111	0.1110	2.136	0.0822	0.0341	30	-0.31	120.05	0
120	Alanine (%)	0353	2.115	0.0700	2.136	0.0822	0.0341	30	-0.25	120.00	0
120	Alanine (%)	2246	2.119	0.0154	2.136	0.0822	0.0341	30	-0.20	120.05	0
120	Alanine (%)	0504	2.125	0.0300	2.136	0.0822	0.0341	30	-0.13	120.00	0
120	Alanine (%)	0619	2.125	0.0100	2.136	0.0822	0.0341	30	-0.13	120.00	0
120	Alanine (%)	2360	2.125	0.0100	2.136	0.0822	0.0341	30	-0.13	120.99	0
120	Alanine (%)	0859	2.132	0.0054	2.136	0.0822	0.0341	30	-0.05	120.00	0
120	Alanine (%)	0098	2.136	0.0140	2.136	0.0822	0.0341	30	0.00	120.02	0
120	Alanine (%)	0610	2.140	0.0600	2.136	0.0822	0.0341	30	0.05	120.05	0
120	Alanine (%)	0354	2.154	0.0110	2.136	0.0822	0.0341	30	0.21	120.00	0
120	Alanine (%)	2059	2.156	0.0040	2.136	0.0822	0.0341	30	0.25	120.00	0
120	Alanine (%)	0571	2.172	0.0120	2.136	0.0822	0.0341	30	0.44	120.00	0
120	Alanine (%)	0226	2.178	0.0171	2.136	0.0822	0.0341	30	0.51	120.00	0
120	Alanine (%)	0941	2.208	0.0460	2.136	0.0822	0.0341	30	0.88	120.00	0
120	Alanine (%)	2188	2.210	0.0000	2.136	0.0822	0.0341	30	0.90	120.05	0
120	Alanine (%)	0644	2.232	0.0150	2.136	0.0822	0.0341	30	1.16	120.00	0
120	Alanine (%)	0652	2.260	0.0600	2.136	0.0822	0.0341	30	1.51	120.00	0
120	Alanine (%)	0626	2.274	0.1020	2.136	0.0822	0.0341	30	1.68	120.05	0
120	Alanine (%)	0227	2.305	0.0500	2.136	0.0822	0.0341	30	2.06	120.99	0
120	Alanine (%)	0870	2.320	0.1211	2.136	0.0822	0.0341	30	2.24	120.00	0
121	Arginine (%)	2188	1.230	0.0000	1.678	0.1077	0.0404	29	-4.16	121.05	0
121	Arginine (%)	0407	1.258	0.0060	1.678	0.1077	0.0404	29	-3.90	121.05	0
121	Arginine (%)	2360	1.485	0.0900	1.678	0.1077	0.0404	29	-1.79	121.99	0
121	Arginine (%)	0227	1.560	0.0800	1.678	0.1077	0.0404	29	-1.09	121.99	0
121	Arginine (%)	0675	1.565	0.0700	1.678	0.1077	0.0404	29	-1.05	121.00	0
121	Arginine (%)	0918	1.570	0.0400	1.678	0.1077	0.0404	29	-1.00	121.00	0
121	Arginine (%)	0098	1.592	0.0370	1.678	0.1077	0.0404	29	-0.80	121.02	0
121	Arginine (%)	0889	1.600	0.0000	1.678	0.1077	0.0404	29	-0.72	121.99	0
121	Arginine (%)	0968	1.620	0.0200	1.678	0.1077	0.0404	29	-0.54	121.00	0
121	Arginine (%)	0226	1.625	0.0320	1.678	0.1077	0.0404	29	-0.49	121.00	0
121	Arginine (%)	0676	1.640	0.0400	1.678	0.1077	0.0404	29	-0.35	121.05	0
121	Arginine (%)	0504	1.665	0.0100	1.678	0.1077	0.0404	29	-0.12	121.00	0
121	Arginine (%)	0939	1.670	0.0200	1.678	0.1077	0.0404	29	-0.07	121.00	0
121	Arginine (%)	2059	1.672	0.0120	1.678	0.1077	0.0404	29	-0.05	121.00	0
121	Arginine (%)	0354	1.708	0.0310	1.678	0.1077	0.0404	29	0.28	121.00	0
121	Arginine (%)	0870	1.712	0.0883	1.678	0.1077	0.0404	29	0.32	121.00	0
121	Arginine (%)	0619	1.715	0.0100	1.678	0.1077	0.0404	29	0.35	121.00	0
121	Arginine (%)	2023	1.715	0.1700	1.678	0.1077	0.0404	29	0.35	121.02	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
121	Arginine (%)	0859	1.727	0.0223	1.678	0.1077	0.0404	29	0.45	121.00	0
121	Arginine (%)	0644	1.729	0.0090	1.678	0.1077	0.0404	29	0.47	121.00	0
121	Arginine (%)	0610	1.735	0.0500	1.678	0.1077	0.0404	29	0.53	121.05	0
121	Arginine (%)	0571	1.739	0.0300	1.678	0.1077	0.0404	29	0.57	121.00	0
121	Arginine (%)	2246	1.747	0.0676	1.678	0.1077	0.0404	29	0.65	121.05	0
121	Arginine (%)	0652	1.770	0.0400	1.678	0.1077	0.0404	29	0.86	121.00	0
121	Arginine (%)	0626	1.785	0.0530	1.678	0.1077	0.0404	29	0.99	121.05	0
121	Arginine (%)	0941	1.793	0.0920	1.678	0.1077	0.0404	29	1.07	121.00	0
121	Arginine (%)	0148	1.805	0.0500	1.678	0.1077	0.0404	29	1.18	121.05	0
121	Arginine (%)	2196	1.810	0.0000	1.678	0.1077	0.0404	29	1.23	121.05	0
121	Arginine (%)	2319	1.850	0.0000	1.678	0.1077	0.0404	29	1.60	121.05	0
121	Arginine (%)	0353	1.485	0.2700	1.678	0.1077	0.0404	29	-1.79	121.00	1
122	Aspartic (%)	2188	2.057	0.0000	2.349	0.0949	0.0225	28	-3.08	122.05	0
122	Aspartic (%)	0407	2.140	0.0010	2.349	0.0949	0.0225	28	-2.21	122.05	0
122	Aspartic (%)	0676	2.210	0.0000	2.349	0.0949	0.0225	28	-1.47	122.05	0
122	Aspartic (%)	0918	2.245	0.0100	2.349	0.0949	0.0225	28	-1.10	122.00	0
122	Aspartic (%)	0675	2.250	0.0400	2.349	0.0949	0.0225	28	-1.05	122.00	0
122	Aspartic (%)	0859	2.265	0.0205	2.349	0.0949	0.0225	28	-0.89	122.00	0
122	Aspartic (%)	0968	2.265	0.0100	2.349	0.0949	0.0225	28	-0.89	122.00	0
122	Aspartic (%)	2246	2.285	0.0198	2.349	0.0949	0.0225	28	-0.68	122.05	0
122	Aspartic (%)	0504	2.310	0.0600	2.349	0.0949	0.0225	28	-0.41	122.00	0
122	Aspartic (%)	0939	2.320	0.0200	2.349	0.0949	0.0225	28	-0.31	122.00	0
122	Aspartic (%)	0226	2.325	0.0038	2.349	0.0949	0.0225	28	-0.25	122.00	0
122	Aspartic (%)	0610	2.345	0.0500	2.349	0.0949	0.0225	28	-0.05	122.05	0
122	Aspartic (%)	0098	2.355	0.0180	2.349	0.0949	0.0225	28	0.06	122.02	0
122	Aspartic (%)	0889	2.360	0.0200	2.349	0.0949	0.0225	28	0.11	122.99	0
122	Aspartic (%)	2059	2.363	0.0010	2.349	0.0949	0.0225	28	0.14	122.00	0
122	Aspartic (%)	2319	2.370	0.0000	2.349	0.0949	0.0225	28	0.22	122.05	0
122	Aspartic (%)	0354	2.376	0.0160	2.349	0.0949	0.0225	28	0.28	122.00	0
122	Aspartic (%)	0353	2.380	0.0000	2.349	0.0949	0.0225	28	0.32	122.00	0
122	Aspartic (%)	0619	2.380	0.0200	2.349	0.0949	0.0225	28	0.32	122.00	0
122	Aspartic (%)	0644	2.411	0.0100	2.349	0.0949	0.0225	28	0.65	122.00	0
122	Aspartic (%)	0571	2.412	0.0360	2.349	0.0949	0.0225	28	0.66	122.00	0
122	Aspartic (%)	0227	2.420	0.0400	2.349	0.0949	0.0225	28	0.74	122.99	0
122	Aspartic (%)	2196	2.421	0.0000	2.349	0.0949	0.0225	28	0.75	122.05	0
122	Aspartic (%)	0870	2.424	0.0963	2.349	0.0949	0.0225	28	0.79	122.00	0
122	Aspartic (%)	0941	2.427	0.0460	2.349	0.0949	0.0225	28	0.82	122.00	0
122	Aspartic (%)	0626	2.467	0.0510	2.349	0.0949	0.0225	28	1.23	122.05	0
122	Aspartic (%)	2360	2.500	0.0000	2.349	0.0949	0.0225	28	1.59	122.99	0
122	Aspartic (%)	2023	2.610	0.0400	2.349	0.0949	0.0225	28	2.75	122.02	0
122	Aspartic (%)	0148	2.350	0.1800	2.349	0.0949	0.0225	28	0.01	122.05	1
122	Aspartic (%)	0652	2.460	0.2000	2.349	0.0949	0.0225	28	1.17	122.00	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
124	Cysteine/Cystine (%)	0407	0.3287	0.0057	0.4223	0.0391	0.0103	28	-2.40	124.05	0
124	Cysteine/Cystine (%)	2319	0.3700	0.0000	0.4223	0.0391	0.0103	28	-1.34	124.05	0
124	Cysteine/Cystine (%)	0889	0.3750	0.0100	0.4223	0.0391	0.0103	28	-1.21	124.99	0
124	Cysteine/Cystine (%)	2246	0.3889	0.0109	0.4223	0.0391	0.0103	28	-0.86	124.99	0
124	Cysteine/Cystine (%)	0619	0.3895	0.0190	0.4223	0.0391	0.0103	28	-0.84	124.00	0
124	Cysteine/Cystine (%)	0227	0.3900	0.0000	0.4223	0.0391	0.0103	28	-0.83	124.00	0
124	Cysteine/Cystine (%)	2246	0.3950	0.0283	0.4223	0.0391	0.0103	28	-0.70	124.05	0
124	Cysteine/Cystine (%)	0353	0.4000	0.0000	0.4223	0.0391	0.0103	28	-0.57	124.00	0
124	Cysteine/Cystine (%)	0652	0.4050	0.0300	0.4223	0.0391	0.0103	28	-0.44	124.00	0
124	Cysteine/Cystine (%)	0859	0.4066	0.0093	0.4223	0.0391	0.0103	28	-0.40	124.00	0
124	Cysteine/Cystine (%)	0941	0.4075	0.0090	0.4223	0.0391	0.0103	28	-0.38	124.00	0
124	Cysteine/Cystine (%)	2059	0.4095	0.0050	0.4223	0.0391	0.0103	28	-0.33	124.00	0
124	Cysteine/Cystine (%)	0939	0.4100	0.0000	0.4223	0.0391	0.0103	28	-0.32	124.00	0
124	Cysteine/Cystine (%)	0676	0.4150	0.0100	0.4223	0.0391	0.0103	28	-0.19	124.05	0
124	Cysteine/Cystine (%)	0226	0.4199	0.0082	0.4223	0.0391	0.0103	28	-0.06	124.00	0
124	Cysteine/Cystine (%)	2188	0.4210	0.0000	0.4223	0.0391	0.0103	28	-0.03	124.05	0
124	Cysteine/Cystine (%)	0504	0.4250	0.0100	0.4223	0.0391	0.0103	28	0.07	124.00	0
124	Cysteine/Cystine (%)	0870	0.4288	0.0009	0.4223	0.0391	0.0103	28	0.16	124.00	0
124	Cysteine/Cystine (%)	0644	0.4300	0.0100	0.4223	0.0391	0.0103	28	0.20	124.00	0
124	Cysteine/Cystine (%)	0571	0.4340	0.0140	0.4223	0.0391	0.0103	28	0.30	124.00	0
124	Cysteine/Cystine (%)	0098	0.4420	0.0000	0.4223	0.0391	0.0103	28	0.50	124.02	0
124	Cysteine/Cystine (%)	0354	0.4580	0.0280	0.4223	0.0391	0.0103	28	0.91	124.00	0
124	Cysteine/Cystine (%)	2196	0.4580	0.0000	0.4223	0.0391	0.0103	28	0.91	124.05	0
124	Cysteine/Cystine (%)	0968	0.4700	0.0000	0.4223	0.0391	0.0103	28	1.22	124.00	0
124	Cysteine/Cystine (%)	0610	0.4700	0.0000	0.4223	0.0391	0.0103	28	1.22	124.05	0
124	Cysteine/Cystine (%)	0675	0.5100	0.0400	0.4223	0.0391	0.0103	28	2.24	124.00	0
124	Cysteine/Cystine (%)	2023	0.5500	0.0200	0.4223	0.0391	0.0103	28	3.27	124.02	0
124	Cysteine/Cystine (%)	0148	0.5665	0.0210	0.4223	0.0391	0.0103	28	3.69	124.05	0
124	Cysteine/Cystine (%)	0918	0.5800	0.1800	0.4223	0.0391	0.0103	28	4.03	124.00	1
125	Glutamic (%)	2023	3.685	0.0100	5.066	0.2892	0.0749	30	-4.78	125.02	0
125	Glutamic (%)	2188	4.491	0.0000	5.066	0.2892	0.0749	30	-1.99	125.05	0
125	Glutamic (%)	0407	4.543	0.0830	5.066	0.2892	0.0749	30	-1.81	125.05	0
125	Glutamic (%)	0676	4.675	0.0500	5.066	0.2892	0.0749	30	-1.35	125.05	0
125	Glutamic (%)	0619	4.725	0.0500	5.066	0.2892	0.0749	30	-1.18	125.00	0
125	Glutamic (%)	0675	4.735	0.0900	5.066	0.2892	0.0749	30	-1.14	125.00	0
125	Glutamic (%)	0968	4.830	0.0200	5.066	0.2892	0.0749	30	-0.82	125.00	0
125	Glutamic (%)	0859	4.882	0.0394	5.066	0.2892	0.0749	30	-0.64	125.00	0
125	Glutamic (%)	0918	4.905	0.0100	5.066	0.2892	0.0749	30	-0.56	125.00	0
125	Glutamic (%)	2319	4.920	0.0000	5.066	0.2892	0.0749	30	-0.51	125.05	0
125	Glutamic (%)	2059	4.998	0.0330	5.066	0.2892	0.0749	30	-0.24	125.00	0
125	Glutamic (%)	0889	5.010	0.0600	5.066	0.2892	0.0749	30	-0.19	125.99	0
125	Glutamic (%)	0504	5.040	0.1000	5.066	0.2892	0.0749	30	-0.09	125.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
125	Glutamic (%)	0098	5.046	0.0360	5.066	0.2892	0.0749	30	-0.07	125.02	0
125	Glutamic (%)	0571	5.134	0.1100	5.066	0.2892	0.0749	30	0.23	125.00	0
125	Glutamic (%)	0941	5.168	0.2250	5.066	0.2892	0.0749	30	0.35	125.00	0
125	Glutamic (%)	0652	5.170	0.1200	5.066	0.2892	0.0749	30	0.36	125.00	0
125	Glutamic (%)	0626	5.176	0.1330	5.066	0.2892	0.0749	30	0.38	125.05	0
125	Glutamic (%)	0354	5.215	0.0190	5.066	0.2892	0.0749	30	0.51	125.00	0
125	Glutamic (%)	0610	5.230	0.1400	5.066	0.2892	0.0749	30	0.57	125.05	0
125	Glutamic (%)	2246	5.238	0.0843	5.066	0.2892	0.0749	30	0.59	125.05	0
125	Glutamic (%)	0644	5.251	0.0360	5.066	0.2892	0.0749	30	0.64	125.00	0
125	Glutamic (%)	0939	5.265	0.0100	5.066	0.2892	0.0749	30	0.69	125.00	0
125	Glutamic (%)	0227	5.270	0.0000	5.066	0.2892	0.0749	30	0.71	125.99	0
125	Glutamic (%)	2360	5.275	0.0100	5.066	0.2892	0.0749	30	0.72	125.99	0
125	Glutamic (%)	0353	5.305	0.1500	5.066	0.2892	0.0749	30	0.83	125.00	0
125	Glutamic (%)	2196	5.371	0.0000	5.066	0.2892	0.0749	30	1.05	125.05	0
125	Glutamic (%)	0226	5.406	0.0536	5.066	0.2892	0.0749	30	1.18	125.00	0
125	Glutamic (%)	0148	5.420	0.3200	5.066	0.2892	0.0749	30	1.22	125.05	0
125	Glutamic (%)	0870	5.428	0.2547	5.066	0.2892	0.0749	30	1.25	125.00	0
126	Glycine (%)	0676	1.830	0.0000	1.964	0.0779	0.0327	28	-1.71	126.05	0
126	Glycine (%)	2196	1.833	0.0000	1.964	0.0779	0.0327	28	-1.67	126.05	0
126	Glycine (%)	0918	1.855	0.0100	1.964	0.0779	0.0327	28	-1.39	126.00	0
126	Glycine (%)	0675	1.870	0.0600	1.964	0.0779	0.0327	28	-1.20	126.00	0
126	Glycine (%)	0859	1.879	0.0085	1.964	0.0779	0.0327	28	-1.09	126.00	0
126	Glycine (%)	2023	1.895	0.0100	1.964	0.0779	0.0327	28	-0.88	126.02	0
126	Glycine (%)	0968	1.915	0.0100	1.964	0.0779	0.0327	28	-0.62	126.00	0
126	Glycine (%)	0619	1.925	0.0100	1.964	0.0779	0.0327	28	-0.49	126.00	0
126	Glycine (%)	0407	1.935	0.0010	1.964	0.0779	0.0327	28	-0.37	126.05	0
126	Glycine (%)	0504	1.940	0.0800	1.964	0.0779	0.0327	28	-0.30	126.00	0
126	Glycine (%)	2319	1.940	0.0000	1.964	0.0779	0.0327	28	-0.30	126.05	0
126	Glycine (%)	2059	1.954	0.0150	1.964	0.0779	0.0327	28	-0.13	126.00	0
126	Glycine (%)	0353	1.955	0.0900	1.964	0.0779	0.0327	28	-0.11	126.00	0
126	Glycine (%)	0939	1.960	0.0200	1.964	0.0779	0.0327	28	-0.05	126.00	0
126	Glycine (%)	0148	1.960	0.0600	1.964	0.0779	0.0327	28	-0.05	126.05	0
126	Glycine (%)	0652	1.970	0.0600	1.964	0.0779	0.0327	28	0.08	126.00	0
126	Glycine (%)	0354	1.984	0.0370	1.964	0.0779	0.0327	28	0.26	126.00	0
126	Glycine (%)	0610	1.985	0.0500	1.964	0.0779	0.0327	28	0.28	126.05	0
126	Glycine (%)	0098	2.000	0.0250	1.964	0.0779	0.0327	28	0.46	126.02	0
126	Glycine (%)	0226	2.004	0.0021	1.964	0.0779	0.0327	28	0.51	126.00	0
126	Glycine (%)	0571	2.007	0.0040	1.964	0.0779	0.0327	28	0.56	126.00	0
126	Glycine (%)	0870	2.029	0.0445	1.964	0.0779	0.0327	28	0.84	126.00	0
126	Glycine (%)	2246	2.032	0.0579	1.964	0.0779	0.0327	28	0.88	126.05	0
126	Glycine (%)	0644	2.036	0.0010	1.964	0.0779	0.0327	28	0.92	126.00	0
126	Glycine (%)	0941	2.043	0.0580	1.964	0.0779	0.0327	28	1.02	126.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
126	Glycine (%)	0227	2.055	0.0700	1.964	0.0779	0.0327	28	1.17	126.99	0
126	Glycine (%)	2188	2.123	0.0000	1.964	0.0779	0.0327	28	2.05	126.05	0
126	Glycine (%)	0626	2.292	0.1320	1.964	0.0779	0.0327	28	4.21	126.05	0
126	Glycine (%)	0889	0.6100	0.0000	1.964	0.0779	0.0327	28	-17.36	126.99	2
127	Histidine (%)	2188	0.5100	0.0000	0.6732	0.0561	0.0115	28	-2.91	127.05	0
127	Histidine (%)	0676	0.5900	0.0000	0.6732	0.0561	0.0115	28	-1.48	127.05	0
127	Histidine (%)	0098	0.6055	0.0250	0.6732	0.0561	0.0115	28	-1.21	127.02	0
127	Histidine (%)	0889	0.6100	0.0000	0.6732	0.0561	0.0115	28	-1.13	127.99	0
127	Histidine (%)	2196	0.6180	0.0000	0.6732	0.0561	0.0115	28	-0.98	127.05	0
127	Histidine (%)	2023	0.6350	0.0100	0.6732	0.0561	0.0115	28	-0.68	127.02	0
127	Histidine (%)	0859	0.6400	0.0064	0.6732	0.0561	0.0115	28	-0.59	127.00	0
127	Histidine (%)	0407	0.6430	0.0020	0.6732	0.0561	0.0115	28	-0.54	127.05	0
127	Histidine (%)	2059	0.6485	0.0030	0.6732	0.0561	0.0115	28	-0.44	127.00	0
127	Histidine (%)	0918	0.6500	0.0200	0.6732	0.0561	0.0115	28	-0.41	127.00	0
127	Histidine (%)	0968	0.6550	0.0100	0.6732	0.0561	0.0115	28	-0.32	127.00	0
127	Histidine (%)	0939	0.6600	0.0000	0.6732	0.0561	0.0115	28	-0.23	127.00	0
127	Histidine (%)	0675	0.6650	0.0500	0.6732	0.0561	0.0115	28	-0.15	127.00	0
127	Histidine (%)	0354	0.6680	0.0040	0.6732	0.0561	0.0115	28	-0.09	127.00	0
127	Histidine (%)	0610	0.6700	0.0000	0.6732	0.0561	0.0115	28	-0.06	127.05	0
127	Histidine (%)	0571	0.6705	0.0110	0.6732	0.0561	0.0115	28	-0.05	127.00	0
127	Histidine (%)	0644	0.6780	0.0060	0.6732	0.0561	0.0115	28	0.09	127.00	0
127	Histidine (%)	0504	0.6800	0.0000	0.6732	0.0561	0.0115	28	0.12	127.00	0
127	Histidine (%)	0353	0.6850	0.0100	0.6732	0.0561	0.0115	28	0.21	127.00	0
127	Histidine (%)	0227	0.6950	0.0100	0.6732	0.0561	0.0115	28	0.39	127.99	0
127	Histidine (%)	0870	0.7108	0.0272	0.6732	0.0561	0.0115	28	0.67	127.00	0
127	Histidine (%)	0941	0.7230	0.0100	0.6732	0.0561	0.0115	28	0.89	127.00	0
127	Histidine (%)	0619	0.7275	0.0010	0.6732	0.0561	0.0115	28	0.97	127.00	0
127	Histidine (%)	0652	0.7300	0.0600	0.6732	0.0561	0.0115	28	1.01	127.00	0
127	Histidine (%)	2319	0.7300	0.0000	0.6732	0.0561	0.0115	28	1.01	127.05	0
127	Histidine (%)	2246	0.7709	0.0310	0.6732	0.0561	0.0115	28	1.74	127.05	0
127	Histidine (%)	0626	0.7740	0.0140	0.6732	0.0561	0.0115	28	1.80	127.05	0
127	Histidine (%)	0226	0.8160	0.0116	0.6732	0.0561	0.0115	28	2.55	127.00	0
127	Histidine (%)	0148	0.6135	0.0770	0.6732	0.0561	0.0115	28	-1.06	127.05	1
128	Isoleucine (%)	2360	0.9150	0.0500	1.152	0.0757	0.0171	30	-3.13	128.99	0
128	Isoleucine (%)	2319	0.9700	0.0000	1.152	0.0757	0.0171	30	-2.41	128.05	0
128	Isoleucine (%)	0676	1.045	0.0100	1.152	0.0757	0.0171	30	-1.42	128.05	0
128	Isoleucine (%)	0889	1.050	0.0000	1.152	0.0757	0.0171	30	-1.35	128.99	0
128	Isoleucine (%)	0353	1.080	0.0000	1.152	0.0757	0.0171	30	-0.95	128.00	0
128	Isoleucine (%)	0918	1.080	0.0200	1.152	0.0757	0.0171	30	-0.95	128.00	0
128	Isoleucine (%)	0098	1.091	0.0060	1.152	0.0757	0.0171	30	-0.81	128.02	0
128	Isoleucine (%)	0148	1.100	0.0400	1.152	0.0757	0.0171	30	-0.69	128.05	0
128	Isoleucine (%)	0968	1.115	0.0100	1.152	0.0757	0.0171	30	-0.49	128.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
128	Isoleucine (%)	0354	1.119	0.0120	1.152	0.0757	0.0171	30	-0.44	128.00	0
128	Isoleucine (%)	0939	1.130	0.0000	1.152	0.0757	0.0171	30	-0.29	128.00	0
128	Isoleucine (%)	2188	1.132	0.0000	1.152	0.0757	0.0171	30	-0.27	128.05	0
128	Isoleucine (%)	0675	1.145	0.0300	1.152	0.0757	0.0171	30	-0.10	128.00	0
128	Isoleucine (%)	0226	1.151	0.0279	1.152	0.0757	0.0171	30	-0.02	128.00	0
128	Isoleucine (%)	0644	1.154	0.0010	1.152	0.0757	0.0171	30	0.02	128.00	0
128	Isoleucine (%)	0870	1.158	0.0678	1.152	0.0757	0.0171	30	0.08	128.00	0
128	Isoleucine (%)	2023	1.165	0.0300	1.152	0.0757	0.0171	30	0.17	128.02	0
128	Isoleucine (%)	2059	1.167	0.0070	1.152	0.0757	0.0171	30	0.19	128.00	0
128	Isoleucine (%)	0407	1.174	0.0190	1.152	0.0757	0.0171	30	0.28	128.05	0
128	Isoleucine (%)	0619	1.175	0.0100	1.152	0.0757	0.0171	30	0.30	128.00	0
128	Isoleucine (%)	0571	1.194	0.0230	1.152	0.0757	0.0171	30	0.55	128.00	0
128	Isoleucine (%)	0859	1.203	0.0027	1.152	0.0757	0.0171	30	0.67	128.00	0
128	Isoleucine (%)	0652	1.205	0.0100	1.152	0.0757	0.0171	30	0.70	128.00	0
128	Isoleucine (%)	2246	1.212	0.0059	1.152	0.0757	0.0171	30	0.79	128.05	0
128	Isoleucine (%)	0610	1.215	0.0300	1.152	0.0757	0.0171	30	0.83	128.05	0
128	Isoleucine (%)	0626	1.228	0.0130	1.152	0.0757	0.0171	30	1.00	128.05	0
128	Isoleucine (%)	2196	1.236	0.0000	1.152	0.0757	0.0171	30	1.11	128.05	0
128	Isoleucine (%)	0941	1.242	0.0390	1.152	0.0757	0.0171	30	1.18	128.00	0
128	Isoleucine (%)	0227	1.260	0.0000	1.152	0.0757	0.0171	30	1.42	128.99	0
128	Isoleucine (%)	0504	1.295	0.0500	1.152	0.0757	0.0171	30	1.89	128.00	0
129	Leucine (%)	0889	2.565	0.1600	3.072	0.1415	0.0383	30	-3.58	129.99	0
129	Leucine (%)	0918	2.820	0.1600	3.072	0.1415	0.0383	30	-1.78	129.00	0
129	Leucine (%)	0407	2.862	0.0220	3.072	0.1415	0.0383	30	-1.48	129.05	0
129	Leucine (%)	0676	2.885	0.0700	3.072	0.1415	0.0383	30	-1.32	129.05	0
129	Leucine (%)	2188	2.887	0.0000	3.072	0.1415	0.0383	30	-1.31	129.05	0
129	Leucine (%)	2319	2.890	0.0000	3.072	0.1415	0.0383	30	-1.29	129.05	0
129	Leucine (%)	0098	2.972	0.0010	3.072	0.1415	0.0383	30	-0.71	129.02	0
129	Leucine (%)	0619	3.005	0.0300	3.072	0.1415	0.0383	30	-0.47	129.00	0
129	Leucine (%)	0353	3.025	0.0100	3.072	0.1415	0.0383	30	-0.33	129.00	0
129	Leucine (%)	0939	3.035	0.0100	3.072	0.1415	0.0383	30	-0.26	129.00	0
129	Leucine (%)	0148	3.035	0.1100	3.072	0.1415	0.0383	30	-0.26	129.05	0
129	Leucine (%)	0675	3.050	0.0600	3.072	0.1415	0.0383	30	-0.15	129.00	0
129	Leucine (%)	0626	3.058	0.0350	3.072	0.1415	0.0383	30	-0.10	129.05	0
129	Leucine (%)	0859	3.068	0.0119	3.072	0.1415	0.0383	30	-0.03	129.00	0
129	Leucine (%)	2023	3.090	0.0400	3.072	0.1415	0.0383	30	0.13	129.02	0
129	Leucine (%)	2059	3.093	0.0080	3.072	0.1415	0.0383	30	0.15	129.00	0
129	Leucine (%)	0504	3.115	0.0300	3.072	0.1415	0.0383	30	0.30	129.00	0
129	Leucine (%)	0652	3.120	0.0200	3.072	0.1415	0.0383	30	0.34	129.00	0
129	Leucine (%)	2360	3.120	0.0400	3.072	0.1415	0.0383	30	0.34	129.99	0
129	Leucine (%)	0968	3.125	0.0300	3.072	0.1415	0.0383	30	0.38	129.00	0
129	Leucine (%)	2196	3.147	0.0000	3.072	0.1415	0.0383	30	0.53	129.05	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
129	Leucine (%)	0571	3.148	0.0300	3.072	0.1415	0.0383	30	0.54	129.00	0
129	Leucine (%)	0941	3.164	0.0770	3.072	0.1415	0.0383	30	0.65	129.00	0
129	Leucine (%)	0610	3.165	0.0900	3.072	0.1415	0.0383	30	0.66	129.05	0
129	Leucine (%)	0644	3.176	0.0260	3.072	0.1415	0.0383	30	0.74	129.00	0
129	Leucine (%)	0226	3.211	0.0076	3.072	0.1415	0.0383	30	0.98	129.00	0
129	Leucine (%)	0354	3.227	0.0080	3.072	0.1415	0.0383	30	1.10	129.00	0
129	Leucine (%)	2246	3.232	0.0167	3.072	0.1415	0.0383	30	1.13	129.05	0
129	Leucine (%)	0227	3.250	0.0200	3.072	0.1415	0.0383	30	1.26	129.99	0
129	Leucine (%)	0870	3.368	0.0257	3.072	0.1415	0.0383	30	2.09	129.00	0
130	L-Lysine (%)	0848	1.205	0.0100	1.433	0.0809	0.0259	32	-2.82	130.00	0
130	L-Lysine (%)	0148	1.300	0.1000	1.433	0.0809	0.0259	32	-1.65	130.05	0
130	L-Lysine (%)	2023	1.320	0.0200	1.433	0.0809	0.0259	32	-1.40	130.02	0
130	L-Lysine (%)	2246	1.322	0.0096	1.433	0.0809	0.0259	32	-1.38	130.99	0
130	L-Lysine (%)	2246	1.336	0.0577	1.433	0.0809	0.0259	32	-1.20	130.05	0
130	L-Lysine (%)	0353	1.350	0.0200	1.433	0.0809	0.0259	32	-1.03	130.00	0
130	L-Lysine (%)	0918	1.375	0.0900	1.433	0.0809	0.0259	32	-0.72	130.00	0
130	L-Lysine (%)	2360	1.385	0.0700	1.433	0.0809	0.0259	32	-0.60	130.99	0
130	L-Lysine (%)	0512	1.397	0.0310	1.433	0.0809	0.0259	32	-0.46	130.00	0
130	L-Lysine (%)	0968	1.400	0.0200	1.433	0.0809	0.0259	32	-0.41	130.00	0
130	L-Lysine (%)	0226	1.403	0.0266	1.433	0.0809	0.0259	32	-0.37	130.00	0
130	L-Lysine (%)	0939	1.410	0.0000	1.433	0.0809	0.0259	32	-0.29	130.00	0
130	L-Lysine (%)	0676	1.410	0.0200	1.433	0.0809	0.0259	32	-0.29	130.05	0
130	L-Lysine (%)	0859	1.427	0.0149	1.433	0.0809	0.0259	32	-0.08	130.00	0
130	L-Lysine (%)	0644	1.428	0.0010	1.433	0.0809	0.0259	32	-0.07	130.00	0
130	L-Lysine (%)	0675	1.430	0.0200	1.433	0.0809	0.0259	32	-0.04	130.00	0
130	L-Lysine (%)	0610	1.445	0.0300	1.433	0.0809	0.0259	32	0.14	130.05	0
130	L-Lysine (%)	2059	1.449	0.0010	1.433	0.0809	0.0259	32	0.19	130.00	0
130	L-Lysine (%)	0354	1.453	0.0010	1.433	0.0809	0.0259	32	0.23	130.00	0
130	L-Lysine (%)	0571	1.459	0.0070	1.433	0.0809	0.0259	32	0.31	130.00	0
130	L-Lysine (%)	2188	1.460	0.0000	1.433	0.0809	0.0259	32	0.33	130.05	0
130	L-Lysine (%)	2196	1.467	0.0000	1.433	0.0809	0.0259	32	0.41	130.05	0
130	L-Lysine (%)	0941	1.470	0.0120	1.433	0.0809	0.0259	32	0.45	130.00	0
130	L-Lysine (%)	0619	1.475	0.0100	1.433	0.0809	0.0259	32	0.51	130.00	0
130	L-Lysine (%)	0652	1.480	0.0400	1.433	0.0809	0.0259	32	0.57	130.00	0
130	L-Lysine (%)	0098	1.482	0.0070	1.433	0.0809	0.0259	32	0.59	130.02	0
130	L-Lysine (%)	0889	1.513	0.0150	1.433	0.0809	0.0259	32	0.98	130.99	0
130	L-Lysine (%)	0504	1.520	0.0600	1.433	0.0809	0.0259	32	1.07	130.00	0
130	L-Lysine (%)	0407	1.521	0.0150	1.433	0.0809	0.0259	32	1.08	130.05	0
130	L-Lysine (%)	0227	1.555	0.0300	1.433	0.0809	0.0259	32	1.50	130.99	0
130	L-Lysine (%)	0870	1.654	0.0911	1.433	0.0809	0.0259	32	2.73	130.00	0
130	L-Lysine (%)	2319	1.740	0.0000	1.433	0.0809	0.0259	32	3.79	130.05	0
130	L-Lysine (%)	0626	1.577	0.7710	1.433	0.0809	0.0259	32	1.77	130.05	1

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
131	Methionine (%)	0918	0.2950	0.0500	0.7400	0.0635	0.0152	32	-7.01	131.00	0
131	Methionine (%)	0889	0.5825	0.0050	0.7400	0.0635	0.0152	32	-2.48	131.99	0
131	Methionine (%)	0407	0.6213	0.0437	0.7400	0.0635	0.0152	32	-1.87	131.05	0
131	Methionine (%)	0848	0.6300	0.0000	0.7400	0.0635	0.0152	32	-1.73	131.00	0
131	Methionine (%)	2319	0.6800	0.0000	0.7400	0.0635	0.0152	32	-0.95	131.05	0
131	Methionine (%)	2246	0.6820	0.0428	0.7400	0.0635	0.0152	32	-0.91	131.99	0
131	Methionine (%)	0859	0.6879	0.0001	0.7400	0.0635	0.0152	32	-0.82	131.00	0
131	Methionine (%)	0968	0.7000	0.0000	0.7400	0.0635	0.0152	32	-0.63	131.00	0
131	Methionine (%)	0098	0.7030	0.0140	0.7400	0.0635	0.0152	32	-0.58	131.02	0
131	Methionine (%)	0504	0.7100	0.0200	0.7400	0.0635	0.0152	32	-0.47	131.00	0
131	Methionine (%)	0354	0.7130	0.0300	0.7400	0.0635	0.0152	32	-0.43	131.00	0
131	Methionine (%)	0512	0.7288	0.0188	0.7400	0.0635	0.0152	32	-0.18	131.00	0
131	Methionine (%)	0939	0.7300	0.0200	0.7400	0.0635	0.0152	32	-0.16	131.00	0
131	Methionine (%)	0610	0.7300	0.0000	0.7400	0.0635	0.0152	32	-0.16	131.05	0
131	Methionine (%)	0941	0.7415	0.0110	0.7400	0.0635	0.0152	32	0.02	131.00	0
131	Methionine (%)	0619	0.7430	0.0060	0.7400	0.0635	0.0152	32	0.05	131.00	0
131	Methionine (%)	0870	0.7448	0.0245	0.7400	0.0635	0.0152	32	0.07	131.00	0
131	Methionine (%)	2246	0.7452	0.0133	0.7400	0.0635	0.0152	32	0.08	131.05	0
131	Methionine (%)	2059	0.7475	0.0010	0.7400	0.0635	0.0152	32	0.12	131.00	0
131	Methionine (%)	0652	0.7500	0.0600	0.7400	0.0635	0.0152	32	0.16	131.00	0
131	Methionine (%)	0227	0.7650	0.0100	0.7400	0.0635	0.0152	32	0.39	131.00	0
131	Methionine (%)	2023	0.7700	0.0200	0.7400	0.0635	0.0152	32	0.47	131.02	0
131	Methionine (%)	0571	0.7750	0.0260	0.7400	0.0635	0.0152	32	0.55	131.00	0
131	Methionine (%)	0148	0.7760	0.0000	0.7400	0.0635	0.0152	32	0.57	131.05	0
131	Methionine (%)	2196	0.7850	0.0000	0.7400	0.0635	0.0152	32	0.71	131.05	0
131	Methionine (%)	0644	0.7885	0.0030	0.7400	0.0635	0.0152	32	0.76	131.00	0
131	Methionine (%)	2188	0.7960	0.0000	0.7400	0.0635	0.0152	32	0.88	131.05	0
131	Methionine (%)	0226	0.8027	0.0159	0.7400	0.0635	0.0152	32	0.99	131.00	0
131	Methionine (%)	0626	0.8065	0.0310	0.7400	0.0635	0.0152	32	1.05	131.05	0
131	Methionine (%)	2360	0.8300	0.0000	0.7400	0.0635	0.0152	32	1.42	131.99	0
131	Methionine (%)	0353	0.8350	0.0100	0.7400	0.0635	0.0152	32	1.50	131.00	0
131	Methionine (%)	0676	0.9150	0.0100	0.7400	0.0635	0.0152	32	2.76	131.05	0
131	Methionine (%)	0675	0.8150	0.0900	0.7400	0.0635	0.0152	32	1.18	131.00	1
132	Phenylalanine (%)	0889	1.290	0.0200	1.443	0.0736	0.0258	30	-2.07	132.99	0
132	Phenylalanine (%)	0675	1.335	0.0300	1.443	0.0736	0.0258	30	-1.46	132.00	0
132	Phenylalanine (%)	2360	1.335	0.0300	1.443	0.0736	0.0258	30	-1.46	132.99	0
132	Phenylalanine (%)	2188	1.364	0.0000	1.443	0.0736	0.0258	30	-1.07	132.05	0
132	Phenylalanine (%)	0619	1.375	0.0700	1.443	0.0736	0.0258	30	-0.92	132.00	0
132	Phenylalanine (%)	0407	1.379	0.0120	1.443	0.0736	0.0258	30	-0.86	132.05	0
132	Phenylalanine (%)	0098	1.383	0.0070	1.443	0.0736	0.0258	30	-0.82	132.02	0
132	Phenylalanine (%)	0676	1.390	0.0400	1.443	0.0736	0.0258	30	-0.71	132.05	0
132	Phenylalanine (%)	0918	1.395	0.0700	1.443	0.0736	0.0258	30	-0.65	132.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
132	Phenylalanine (%)	2319	1.400	0.0000	1.443	0.0736	0.0258	30	-0.58	132.05	0
132	Phenylalanine (%)	0968	1.415	0.0100	1.443	0.0736	0.0258	30	-0.37	132.00	0
132	Phenylalanine (%)	2023	1.420	0.0200	1.443	0.0736	0.0258	30	-0.31	132.02	0
132	Phenylalanine (%)	2196	1.436	0.0000	1.443	0.0736	0.0258	30	-0.09	132.05	0
132	Phenylalanine (%)	0859	1.439	0.0089	1.443	0.0736	0.0258	30	-0.05	132.00	0
132	Phenylalanine (%)	0353	1.450	0.0000	1.443	0.0736	0.0258	30	0.10	132.00	0
132	Phenylalanine (%)	0148	1.450	0.0600	1.443	0.0736	0.0258	30	0.10	132.05	0
132	Phenylalanine (%)	0610	1.450	0.0400	1.443	0.0736	0.0258	30	0.10	132.05	0
132	Phenylalanine (%)	2059	1.463	0.0010	1.443	0.0736	0.0258	30	0.27	132.00	0
132	Phenylalanine (%)	0226	1.467	0.0046	1.443	0.0736	0.0258	30	0.33	132.00	0
132	Phenylalanine (%)	0504	1.475	0.0100	1.443	0.0736	0.0258	30	0.44	132.00	0
132	Phenylalanine (%)	0571	1.482	0.0580	1.443	0.0736	0.0258	30	0.54	132.00	0
132	Phenylalanine (%)	0941	1.485	0.0380	1.443	0.0736	0.0258	30	0.58	132.00	0
132	Phenylalanine (%)	0652	1.490	0.0200	1.443	0.0736	0.0258	30	0.64	132.00	0
132	Phenylalanine (%)	0939	1.490	0.0000	1.443	0.0736	0.0258	30	0.64	132.00	0
132	Phenylalanine (%)	0354	1.491	0.0090	1.443	0.0736	0.0258	30	0.65	132.00	0
132	Phenylalanine (%)	0644	1.493	0.0180	1.443	0.0736	0.0258	30	0.69	132.00	0
132	Phenylalanine (%)	0626	1.536	0.0160	1.443	0.0736	0.0258	30	1.27	132.05	0
132	Phenylalanine (%)	0227	1.555	0.0300	1.443	0.0736	0.0258	30	1.53	132.99	0
132	Phenylalanine (%)	2246	1.588	0.0936	1.443	0.0736	0.0258	30	1.97	132.05	0
132	Phenylalanine (%)	0870	1.622	0.0574	1.443	0.0736	0.0258	30	2.44	132.00	0
133	Proline (%)	0889	1.893	0.0650	2.226	0.1337	0.0386	28	-2.49	133.99	0
133	Proline (%)	0859	1.988	0.0120	2.226	0.1337	0.0386	28	-1.78	133.00	0
133	Proline (%)	0353	2.010	0.0200	2.226	0.1337	0.0386	28	-1.61	133.00	0
133	Proline (%)	2188	2.070	0.0000	2.226	0.1337	0.0386	28	-1.17	133.05	0
133	Proline (%)	0968	2.085	0.0300	2.226	0.1337	0.0386	28	-1.05	133.00	0
133	Proline (%)	0918	2.100	0.0800	2.226	0.1337	0.0386	28	-0.94	133.00	0
133	Proline (%)	0407	2.154	0.0450	2.226	0.1337	0.0386	28	-0.54	133.05	0
133	Proline (%)	0148	2.155	0.1300	2.226	0.1337	0.0386	28	-0.53	133.05	0
133	Proline (%)	2319	2.170	0.0000	2.226	0.1337	0.0386	28	-0.42	133.05	0
133	Proline (%)	2360	2.175	0.0100	2.226	0.1337	0.0386	28	-0.38	133.99	0
133	Proline (%)	0676	2.180	0.0200	2.226	0.1337	0.0386	28	-0.34	133.05	0
133	Proline (%)	0504	2.190	0.0800	2.226	0.1337	0.0386	28	-0.27	133.00	0
133	Proline (%)	2059	2.212	0.0140	2.226	0.1337	0.0386	28	-0.10	133.00	0
133	Proline (%)	0610	2.240	0.0400	2.226	0.1337	0.0386	28	0.11	133.05	0
133	Proline (%)	0571	2.250	0.0480	2.226	0.1337	0.0386	28	0.18	133.00	0
133	Proline (%)	0226	2.268	0.0106	2.226	0.1337	0.0386	28	0.31	133.00	0
133	Proline (%)	0652	2.270	0.0600	2.226	0.1337	0.0386	28	0.33	133.00	0
133	Proline (%)	0941	2.274	0.0700	2.226	0.1337	0.0386	28	0.36	133.00	0
133	Proline (%)	2246	2.282	0.0372	2.226	0.1337	0.0386	28	0.42	133.05	0
133	Proline (%)	2196	2.288	0.0000	2.226	0.1337	0.0386	28	0.47	133.05	0
133	Proline (%)	0675	2.305	0.0700	2.226	0.1337	0.0386	28	0.59	133.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
133	Proline (%)	0644	2.314	0.0110	2.226	0.1337	0.0386	28	0.66	133.00	0
133	Proline (%)	0626	2.322	0.0810	2.226	0.1337	0.0386	28	0.72	133.05	0
133	Proline (%)	0939	2.330	0.0400	2.226	0.1337	0.0386	28	0.78	133.00	0
133	Proline (%)	0227	2.385	0.0500	2.226	0.1337	0.0386	28	1.19	133.99	0
133	Proline (%)	0870	2.401	0.0239	2.226	0.1337	0.0386	28	1.31	133.00	0
133	Proline (%)	0354	2.403	0.0130	2.226	0.1337	0.0386	28	1.32	133.00	0
133	Proline (%)	2023	2.530	0.0200	2.226	0.1337	0.0386	28	2.27	133.99	0
133	Proline (%)	0619	2.365	0.2100	2.226	0.1337	0.0386	28	1.04	133.00	1
134	Serine (%)	0407	0.9945	0.0130	1.382	0.1414	0.0225	30	-2.74	134.05	0
134	Serine (%)	0504	1.125	0.0300	1.382	0.1414	0.0225	30	-1.82	134.00	0
134	Serine (%)	0675	1.175	0.0300	1.382	0.1414	0.0225	30	-1.46	134.00	0
134	Serine (%)	0098	1.194	0.0010	1.382	0.1414	0.0225	30	-1.33	134.02	0
134	Serine (%)	0676	1.200	0.0000	1.382	0.1414	0.0225	30	-1.28	134.05	0
134	Serine (%)	0918	1.230	0.0800	1.382	0.1414	0.0225	30	-1.07	134.00	0
134	Serine (%)	0610	1.285	0.0300	1.382	0.1414	0.0225	30	-0.68	134.05	0
134	Serine (%)	2188	1.306	0.0000	1.382	0.1414	0.0225	30	-0.54	134.05	0
134	Serine (%)	2196	1.318	0.0000	1.382	0.1414	0.0225	30	-0.45	134.05	0
134	Serine (%)	0859	1.337	0.0100	1.382	0.1414	0.0225	30	-0.31	134.00	0
134	Serine (%)	0619	1.360	0.0000	1.382	0.1414	0.0225	30	-0.15	134.00	0
134	Serine (%)	0968	1.360	0.0000	1.382	0.1414	0.0225	30	-0.15	134.00	0
134	Serine (%)	0353	1.365	0.0700	1.382	0.1414	0.0225	30	-0.12	134.00	0
134	Serine (%)	0571	1.389	0.0320	1.382	0.1414	0.0225	30	0.05	134.00	0
134	Serine (%)	2059	1.391	0.0030	1.382	0.1414	0.0225	30	0.06	134.00	0
134	Serine (%)	0941	1.400	0.0350	1.382	0.1414	0.0225	30	0.13	134.00	0
134	Serine (%)	0226	1.410	0.0122	1.382	0.1414	0.0225	30	0.20	134.00	0
134	Serine (%)	0227	1.415	0.0100	1.382	0.1414	0.0225	30	0.24	134.99	0
134	Serine (%)	0354	1.432	0.0060	1.382	0.1414	0.0225	30	0.36	134.00	0
134	Serine (%)	0939	1.435	0.0300	1.382	0.1414	0.0225	30	0.38	134.00	0
134	Serine (%)	2360	1.445	0.0100	1.382	0.1414	0.0225	30	0.45	134.99	0
134	Serine (%)	0626	1.454	0.0380	1.382	0.1414	0.0225	30	0.51	134.05	0
134	Serine (%)	0652	1.470	0.0400	1.382	0.1414	0.0225	30	0.62	134.00	0
134	Serine (%)	2319	1.470	0.0000	1.382	0.1414	0.0225	30	0.62	134.05	0
134	Serine (%)	0870	1.485	0.0022	1.382	0.1414	0.0225	30	0.73	134.00	0
134	Serine (%)	0644	1.495	0.0110	1.382	0.1414	0.0225	30	0.80	134.00	0
134	Serine (%)	2246	1.536	0.0453	1.382	0.1414	0.0225	30	1.09	134.05	0
134	Serine (%)	0148	1.575	0.0900	1.382	0.1414	0.0225	30	1.37	134.05	0
134	Serine (%)	0889	1.588	0.0050	1.382	0.1414	0.0225	30	1.46	134.99	0
134	Serine (%)	2023	1.730	0.0400	1.382	0.1414	0.0225	30	2.46	134.02	0
135	Threonine (%)	0407	0.8425	0.0150	1.106	0.0491	0.0186	31	-5.37	135.05	0
135	Threonine (%)	0504	1.045	0.0100	1.106	0.0491	0.0186	31	-1.25	135.00	0
135	Threonine (%)	0675	1.045	0.0700	1.106	0.0491	0.0186	31	-1.25	135.00	0
135	Threonine (%)	0226	1.054	0.0041	1.106	0.0491	0.0186	31	-1.07	135.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
135	Threonine (%)	2246	1.058	0.0393	1.106	0.0491	0.0186	31	-0.98	135.99	0
135	Threonine (%)	0676	1.060	0.0200	1.106	0.0491	0.0186	31	-0.94	135.05	0
135	Threonine (%)	0918	1.065	0.0100	1.106	0.0491	0.0186	31	-0.84	135.00	0
135	Threonine (%)	0859	1.066	0.0094	1.106	0.0491	0.0186	31	-0.81	135.00	0
135	Threonine (%)	0098	1.068	0.0040	1.106	0.0491	0.0186	31	-0.78	135.02	0
135	Threonine (%)	0968	1.085	0.0100	1.106	0.0491	0.0186	31	-0.43	135.00	0
135	Threonine (%)	0353	1.090	0.0400	1.106	0.0491	0.0186	31	-0.33	135.00	0
135	Threonine (%)	2023	1.090	0.0200	1.106	0.0491	0.0186	31	-0.33	135.02	0
135	Threonine (%)	0619	1.095	0.0100	1.106	0.0491	0.0186	31	-0.23	135.00	0
135	Threonine (%)	0610	1.095	0.0300	1.106	0.0491	0.0186	31	-0.23	135.05	0
135	Threonine (%)	2188	1.101	0.0000	1.106	0.0491	0.0186	31	-0.11	135.05	0
135	Threonine (%)	2196	1.105	0.0000	1.106	0.0491	0.0186	31	-0.02	135.05	0
135	Threonine (%)	2360	1.105	0.0100	1.106	0.0491	0.0186	31	-0.02	135.99	0
135	Threonine (%)	0939	1.110	0.0000	1.106	0.0491	0.0186	31	0.08	135.00	0
135	Threonine (%)	2059	1.115	0.0040	1.106	0.0491	0.0186	31	0.18	135.00	0
135	Threonine (%)	0652	1.120	0.0600	1.106	0.0491	0.0186	31	0.28	135.00	0
135	Threonine (%)	0571	1.122	0.0340	1.106	0.0491	0.0186	31	0.32	135.00	0
135	Threonine (%)	0227	1.130	0.0200	1.106	0.0491	0.0186	31	0.49	135.99	0
135	Threonine (%)	0626	1.132	0.0330	1.106	0.0491	0.0186	31	0.52	135.05	0
135	Threonine (%)	0941	1.134	0.0600	1.106	0.0491	0.0186	31	0.57	135.00	0
135	Threonine (%)	2319	1.140	0.0000	1.106	0.0491	0.0186	31	0.69	135.05	0
135	Threonine (%)	0644	1.154	0.0050	1.106	0.0491	0.0186	31	0.96	135.00	0
135	Threonine (%)	0354	1.157	0.0050	1.106	0.0491	0.0186	31	1.03	135.00	0
135	Threonine (%)	0148	1.195	0.0300	1.106	0.0491	0.0186	31	1.81	135.05	0
135	Threonine (%)	0870	1.197	0.0168	1.106	0.0491	0.0186	31	1.85	135.00	0
135	Threonine (%)	0889	1.200	0.0000	1.106	0.0491	0.0186	31	1.91	135.99	0
135	Threonine (%)	2246	1.242	0.0061	1.106	0.0491	0.0186	31	2.77	135.05	0
136	Tryptophan (%)	2246	0.1871	0.0106	0.2765	0.0233	0.0053	21	-3.83	136.05	0
136	Tryptophan (%)	2114	0.2461	0.0035	0.2765	0.0233	0.0053	21	-1.31	136.03	0
136	Tryptophan (%)	0504	0.2500	0.0200	0.2765	0.0233	0.0053	21	-1.14	136.99	0
136	Tryptophan (%)	2196	0.2550	0.0000	0.2765	0.0233	0.0053	21	-0.92	136.03	0
136	Tryptophan (%)	0941	0.2610	0.0000	0.2765	0.0233	0.0053	21	-0.67	136.00	0
136	Tryptophan (%)	0098	0.2640	0.0120	0.2765	0.0233	0.0053	21	-0.54	136.02	0
136	Tryptophan (%)	0619	0.2645	0.0010	0.2765	0.0233	0.0053	21	-0.52	136.00	0
136	Tryptophan (%)	2319	0.2650	0.0100	0.2765	0.0233	0.0053	21	-0.49	136.05	0
136	Tryptophan (%)	0644	0.2720	0.0080	0.2765	0.0233	0.0053	21	-0.19	136.01	0
136	Tryptophan (%)	2022	0.2750	0.0100	0.2765	0.0233	0.0053	21	-0.07	136.01	0
136	Tryptophan (%)	0226	0.2785	0.0036	0.2765	0.0233	0.0053	21	0.08	136.03	0
136	Tryptophan (%)	2059	0.2785	0.0010	0.2765	0.0233	0.0053	21	0.08	136.03	0
136	Tryptophan (%)	0353	0.2800	0.0000	0.2765	0.0233	0.0053	21	0.15	136.03	0
136	Tryptophan (%)	0571	0.2815	0.0030	0.2765	0.0233	0.0053	21	0.21	136.03	0
136	Tryptophan (%)	0859	0.2878	0.0100	0.2765	0.0233	0.0053	21	0.48	136.03	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
136	Tryptophan (%)	0227	0.2900	0.0000	0.2765	0.0233	0.0053	21	0.58	136.00	0
136	Tryptophan (%)	0939	0.2900	0.0000	0.2765	0.0233	0.0053	21	0.58	136.03	0
136	Tryptophan (%)	0407	0.2920	0.0040	0.2765	0.0233	0.0053	21	0.66	136.05	0
136	Tryptophan (%)	0870	0.3259	0.0110	0.2765	0.0233	0.0053	21	2.12	136.00	0
136	Tryptophan (%)	0918	0.3400	0.0000	0.2765	0.0233	0.0053	21	2.72	136.00	0
136	Tryptophan (%)	2246	0.4263	0.0045	0.2765	0.0233	0.0053	21	6.42	136.99	0
136	Tryptophan (%)	2023	0.2350	0.0300	0.2765	0.0233	0.0053	21	-1.78	136.02	1
136	Tryptophan (%)	0889	0.8075	0.0050	0.2765	0.0233	0.0053	21	22.76	136.99	2
137	Tyrosine (%)	0675	0.7200	0.0800	1.038	0.1368	0.0205	25	-2.33	137.00	0
137	Tyrosine (%)	0889	0.8075	0.0050	1.038	0.1368	0.0205	25	-1.69	137.99	0
137	Tyrosine (%)	2246	0.8714	0.0223	1.038	0.1368	0.0205	25	-1.22	137.05	0
137	Tyrosine (%)	0227	0.8750	0.0300	1.038	0.1368	0.0205	25	-1.19	137.99	0
137	Tyrosine (%)	2023	0.9000	0.0000	1.038	0.1368	0.0205	25	-1.01	137.02	0
137	Tyrosine (%)	2360	0.9150	0.0100	1.038	0.1368	0.0205	25	-0.90	137.99	0
137	Tyrosine (%)	0918	0.9450	0.0100	1.038	0.1368	0.0205	25	-0.68	137.00	0
137	Tyrosine (%)	0407	0.9945	0.0150	1.038	0.1368	0.0205	25	-0.32	137.05	0
137	Tyrosine (%)	2319	1.020	0.0000	1.038	0.1368	0.0205	25	-0.13	137.05	0
137	Tyrosine (%)	0968	1.025	0.0100	1.038	0.1368	0.0205	25	-0.10	137.00	0
137	Tyrosine (%)	0941	1.026	0.0690	1.038	0.1368	0.0205	25	-0.09	137.00	0
137	Tyrosine (%)	0098	1.034	0.0030	1.038	0.1368	0.0205	25	-0.04	137.02	0
137	Tyrosine (%)	2196	1.039	0.0000	1.038	0.1368	0.0205	25	0.00	137.05	0
137	Tyrosine (%)	0939	1.040	0.0200	1.038	0.1368	0.0205	25	0.01	137.00	0
137	Tyrosine (%)	0354	1.057	0.0270	1.038	0.1368	0.0205	25	0.13	137.00	0
137	Tyrosine (%)	0870	1.065	0.0332	1.038	0.1368	0.0205	25	0.19	137.00	0
137	Tyrosine (%)	0626	1.108	0.0200	1.038	0.1368	0.0205	25	0.51	137.05	0
137	Tyrosine (%)	0644	1.118	0.0220	1.038	0.1368	0.0205	25	0.58	137.00	0
137	Tyrosine (%)	0226	1.122	0.0234	1.038	0.1368	0.0205	25	0.61	137.00	0
137	Tyrosine (%)	2059	1.124	0.0020	1.038	0.1368	0.0205	25	0.63	137.00	0
137	Tyrosine (%)	0353	1.165	0.0100	1.038	0.1368	0.0205	25	0.93	137.00	0
137	Tyrosine (%)	0676	1.200	0.0400	1.038	0.1368	0.0205	25	1.18	137.05	0
137	Tyrosine (%)	2188	1.200	0.0000	1.038	0.1368	0.0205	25	1.18	137.05	0
137	Tyrosine (%)	0610	1.220	0.0200	1.038	0.1368	0.0205	25	1.33	137.05	0
137	Tyrosine (%)	0148	1.230	0.0400	1.038	0.1368	0.0205	25	1.40	137.05	0
137	Tyrosine (%)	0504	1.080	0.1200	1.038	0.1368	0.0205	25	0.30	137.00	1
138	Valine (%)	2360	1.170	0.0400	1.367	0.0724	0.0201	30	-2.73	138.99	0
138	Valine (%)	0889	1.188	0.0150	1.367	0.0724	0.0201	30	-2.49	138.99	0
138	Valine (%)	0353	1.255	0.0100	1.367	0.0724	0.0201	30	-1.55	138.00	0
138	Valine (%)	2319	1.260	0.0000	1.367	0.0724	0.0201	30	-1.49	138.05	0
138	Valine (%)	0968	1.300	0.0000	1.367	0.0724	0.0201	30	-0.93	138.00	0
138	Valine (%)	2188	1.311	0.0000	1.367	0.0724	0.0201	30	-0.78	138.05	0
138	Valine (%)	0148	1.315	0.0300	1.367	0.0724	0.0201	30	-0.73	138.05	0
138	Valine (%)	0939	1.325	0.0500	1.367	0.0724	0.0201	30	-0.59	138.00	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
138	Valine (%)	0676	1.325	0.0100	1.367	0.0724	0.0201	30	-0.59	138.05	0
138	Valine (%)	0918	1.335	0.0500	1.367	0.0724	0.0201	30	-0.45	138.00	0
138	Valine (%)	0619	1.345	0.0100	1.367	0.0724	0.0201	30	-0.31	138.00	0
138	Valine (%)	0354	1.357	0.0130	1.367	0.0724	0.0201	30	-0.15	138.00	0
138	Valine (%)	0407	1.359	0.0360	1.367	0.0724	0.0201	30	-0.12	138.05	0
138	Valine (%)	2023	1.360	0.0400	1.367	0.0724	0.0201	30	-0.10	138.02	0
138	Valine (%)	0870	1.366	0.0244	1.367	0.0724	0.0201	30	-0.02	138.00	0
138	Valine (%)	0644	1.370	0.0110	1.367	0.0724	0.0201	30	0.03	138.00	0
138	Valine (%)	0859	1.379	0.0020	1.367	0.0724	0.0201	30	0.16	138.00	0
138	Valine (%)	2059	1.381	0.0020	1.367	0.0724	0.0201	30	0.19	138.00	0
138	Valine (%)	2196	1.384	0.0000	1.367	0.0724	0.0201	30	0.23	138.05	0
138	Valine (%)	0652	1.405	0.0100	1.367	0.0724	0.0201	30	0.52	138.00	0
138	Valine (%)	0610	1.410	0.0200	1.367	0.0724	0.0201	30	0.59	138.05	0
138	Valine (%)	0941	1.411	0.0160	1.367	0.0724	0.0201	30	0.60	138.00	0
138	Valine (%)	0098	1.418	0.0010	1.367	0.0724	0.0201	30	0.69	138.02	0
138	Valine (%)	0675	1.425	0.0500	1.367	0.0724	0.0201	30	0.79	138.00	0
138	Valine (%)	0226	1.430	0.0149	1.367	0.0724	0.0201	30	0.87	138.00	0
138	Valine (%)	0571	1.441	0.0570	1.367	0.0724	0.0201	30	1.01	138.00	0
138	Valine (%)	0626	1.442	0.0340	1.367	0.0724	0.0201	30	1.03	138.05	0
138	Valine (%)	2246	1.449	0.0068	1.367	0.0724	0.0201	30	1.13	138.05	0
138	Valine (%)	0504	1.470	0.0400	1.367	0.0724	0.0201	30	1.42	138.00	0
138	Valine (%)	0227	1.545	0.0100	1.367	0.0724	0.0201	30	2.45	138.99	0
139	Taurine (%)	0941	0.1492	0.0026	0.1854	0.0386	0.0047	9	-0.94	139.00	0
139	Taurine (%)	2319	0.1520	0.0060	0.1854	0.0386	0.0047	9	-0.87	139.99	0
139	Taurine (%)	0098	0.1700	0.0080	0.1854	0.0386	0.0047	9	-0.40	139.02	0
139	Taurine (%)	0407	0.1740	0.0020	0.1854	0.0386	0.0047	9	-0.30	139.05	0
139	Taurine (%)	0148	0.1750	0.0040	0.1854	0.0386	0.0047	9	-0.27	139.05	0
139	Taurine (%)	0227	0.1800	0.0000	0.1854	0.0386	0.0047	9	-0.14	139.99	0
139	Taurine (%)	0676	0.1850	0.0100	0.1854	0.0386	0.0047	9	-0.01	139.05	0
139	Taurine (%)	2360	0.2400	0.0000	0.1854	0.0386	0.0047	9	1.42	139.99	0
139	Taurine (%)	0504	0.3850	0.0100	0.1854	0.0386	0.0047	9	5.17	139.00	0
139	Taurine (%)	0939	1,576	16.00	0.1854	0.0386	0.0047	9	40848.09	139.00	2
160	Fructose (%)	0297	0.1000	0.0200				1		160.10	0
160	Fructose (%)	0227	< 0.15					1		160.99	5
161	Galactose (%)	0297	0.0000	0.0000				0		161.10	4
162	Glucose (%)	0297	0.0500	0.0000				2		162.10	0
162	Glucose (%)	0227	0.2050	0.0100				2		162.99	0
163	Lactose (%)	0297	0.0000	0.0000				0		163.10	4
163	Lactose (%)	0227	< 0.15					0		163.99	5
164	Maltose (%)	0297	0.0000	0.0000				0		164.10	4
164	Maltose (%)	0227	< 0.15					0		164.99	5
165	Sucrose (%)	0297	1.210	0.0200				2		165.10	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
165	Sucrose (%)	0227	1.235	0.0100				2		165.99	0
166	Raffinose (%)	0297	0.1900	0.0000				2		166.10	0
166	Raffinose (%)	0227	0.2000	0.0000				2		166.99	0
167	Stachyose (%)	0227	0.3800	0.0000				2		167.99	0
167	Stachyose (%)	0297	0.3850	0.0100				2		167.10	0
392	Fenbendazole (ppm)	0910	< 1					0		392.99	5
400	Water Activity (Units)	2409	0.3080	0.0166	0.4520	0.0214	0.0084	19	-6.72	400.01	0
400	Water Activity (Units)	0918	0.4300	0.0200	0.4520	0.0214	0.0084	19	-1.03	400.99	0
400	Water Activity (Units)	2174	0.4315	0.0170	0.4520	0.0214	0.0084	19	-0.96	400.01	0
400	Water Activity (Units)	2303	0.4360	0.0020	0.4520	0.0214	0.0084	19	-0.75	400.01	0
400	Water Activity (Units)	0853	0.4382	0.0009	0.4520	0.0214	0.0084	19	-0.65	400.01	0
400	Water Activity (Units)	0051	0.4415	0.0010	0.4520	0.0214	0.0084	19	-0.49	400.01	0
400	Water Activity (Units)	2268	0.4425	0.0110	0.4520	0.0214	0.0084	19	-0.44	400.01	0
400	Water Activity (Units)	2168	0.4445	0.0170	0.4520	0.0214	0.0084	19	-0.35	400.01	0
400	Water Activity (Units)	2023	0.4470	0.0020	0.4520	0.0214	0.0084	19	-0.23	400.01	0
400	Water Activity (Units)	0942	0.4475	0.0150	0.4520	0.0214	0.0084	19	-0.21	400.01	0
400	Water Activity (Units)	0589	0.4500	0.0000	0.4520	0.0214	0.0084	19	-0.09	400.01	0
400	Water Activity (Units)	2033	0.4530	0.0260	0.4520	0.0214	0.0084	19	0.05	400.99	0
400	Water Activity (Units)	0407	0.4571	0.0009	0.4520	0.0214	0.0084	19	0.24	400.01	0
400	Water Activity (Units)	0123	0.4575	0.0050	0.4520	0.0214	0.0084	19	0.26	400.01	0
400	Water Activity (Units)	2073	0.4670	0.0120	0.4520	0.0214	0.0084	19	0.70	400.99	0
400	Water Activity (Units)	2114	0.4766	0.0020	0.4520	0.0214	0.0084	19	1.15	400.01	0
400	Water Activity (Units)	0676	0.4800	0.0080	0.4520	0.0214	0.0084	19	1.31	400.99	0
400	Water Activity (Units)	2109	0.5137	0.0041	0.4520	0.0214	0.0084	19	2.88	400.01	0
400	Water Activity (Units)	0885	0.5300	0.0000	0.4520	0.0214	0.0084	19	3.64	400.01	0
516	Arsenic, Total (As) (ppm)	0199	0.0800	0.0200	0.0882	0.0075	0.0094	4		516.53	0
516	Arsenic, Total (As) (ppm)	0407	0.0837	0.0037	0.0882	0.0075	0.0094	4		516.53	0
516	Arsenic, Total (As) (ppm)	0227	0.0940	0.0040	0.0882	0.0075	0.0094	4		516.53	0
516	Arsenic, Total (As) (ppm)	0910	0.0950	0.0100	0.0882	0.0075	0.0094	4		516.52	0
516	Arsenic, Total (As) (ppm)	2124	< 0.89		0.0882	0.0075	0.0094	4		516.43	5
516	Arsenic, Total (As) (ppm)	0682	< 20		0.0882	0.0075	0.0094	4		516.43	5
518	Cadmium (ppm)	0199	0.0400	0.0000	0.0467	0.0065	0.0046	6	-1.04	518.53	0
518	Cadmium (ppm)	0407	0.0425	0.0080	0.0467	0.0065	0.0046	6	-0.66	518.43	0
518	Cadmium (ppm)	0227	0.0450	0.0040	0.0467	0.0065	0.0046	6	-0.27	518.53	0
518	Cadmium (ppm)	0407	0.0460	0.0026	0.0467	0.0065	0.0046	6	-0.11	518.53	0
518	Cadmium (ppm)	0407	0.0520	0.0031	0.0467	0.0065	0.0046	6	0.81	518.41	0
518	Cadmium (ppm)	0910	0.0550	0.0100	0.0467	0.0065	0.0046	6	1.28	518.52	0
518	Cadmium (ppm)	2124	< 0.16		0.0467	0.0065	0.0046	6		518.43	5
518	Cadmium (ppm)	0682	< 0.2		0.0467	0.0065	0.0046	6		518.43	5
520	Chromium, Total (Cr) (ppm)	0199	1.250	0.0400	1.909	0.5587	0.1315	10	-1.18	520.53	0
520	Chromium, Total (Cr) (ppm)	2023	1.400	0.0800	1.909	0.5587	0.1315	10	-0.91	520.53	0
520	Chromium, Total (Cr) (ppm)	0910	1.540	0.1400	1.909	0.5587	0.1315	10	-0.66	520.51	0

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
520	Chromium, Total (Cr) (ppm)	0164	1.605	0.0300	1.909	0.5587	0.1315	10	-0.54	520.53	0
520	Chromium, Total (Cr) (ppm)	0407	1.752	0.2398	1.909	0.5587	0.1315	10	-0.28	520.41	0
520	Chromium, Total (Cr) (ppm)	0407	1.827	0.0098	1.909	0.5587	0.1315	10	-0.15	520.43	0
520	Chromium, Total (Cr) (ppm)	0682	2.160	0.0000	1.909	0.5587	0.1315	10	0.45	520.43	0
520	Chromium, Total (Cr) (ppm)	0407	2.345	0.3058	1.909	0.5587	0.1315	10	0.78	520.53	0
520	Chromium, Total (Cr) (ppm)	0510	2.575	0.0900	1.909	0.5587	0.1315	10	1.19	520.43	0
520	Chromium, Total (Cr) (ppm)	0045	2.640	0.3800	1.909	0.5587	0.1315	10	1.31	520.42	0
526	Lead (ppm)	0407	0.1236	0.0640	0.1946	0.0606	0.0273	7	-1.17	526.41	0
526	Lead (ppm)	0407	0.1471	0.0513	0.1946	0.0606	0.0273	7	-0.78	526.43	0
526	Lead (ppm)	0407	0.1697	0.0210	0.1946	0.0606	0.0273	7	-0.41	526.53	0
526	Lead (ppm)	0227	0.1915	0.0150	0.1946	0.0606	0.0273	7	-0.05	526.53	0
526	Lead (ppm)	0910	0.2200	0.0000	0.1946	0.0606	0.0273	7	0.42	526.52	0
526	Lead (ppm)	0199	0.2300	0.0200	0.1946	0.0606	0.0273	7	0.59	526.53	0
526	Lead (ppm)	0939	0.2800	0.0200	0.1946	0.0606	0.0273	7	1.41	526.53	0
526	Lead (ppm)	0682	< 10		0.1946	0.0606	0.0273	7		526.43	5
529	Mercury (ppb)	0407	1.585	0.0449				1		529.99	0
529	Mercury (ppb)	0910	< 0.01					1		529.99	5
529	Mercury (ppb)	0199	< 10					1		529.99	5
529	Mercury (ppb)	0227	< 100					1		529.99	5
529	Mercury (ppb)	0682	< 10000					1		529.99	5
539	Nickel (ppm)	0407	1.019	0.3507	1.229	0.0863	0.1365	7	-2.44	539.43	0
539	Nickel (ppm)	2023	1.195	0.0700	1.229	0.0863	0.1365	7	-0.40	539.53	0
539	Nickel (ppm)	0407	1.207	0.0274	1.229	0.0863	0.1365	7	-0.26	539.41	0
539	Nickel (ppm)	0407	1.230	0.2375	1.229	0.0863	0.1365	7	0.01	539.53	0
539	Nickel (ppm)	0910	1.245	0.0700	1.229	0.0863	0.1365	7	0.18	539.51	0
539	Nickel (ppm)	0682	1.270	0.0000	1.229	0.0863	0.1365	7	0.47	539.43	0
539	Nickel (ppm)	0939	1.410	0.2000	1.229	0.0863	0.1365	7	2.09	539.53	0
702	Butyric Acid (4:0) (%)	0164	< 0.02					0		702.00	5
704	Caproic Acid (6:0) (%)	0164	< 0.02					0		704.00	5
706	Caprylic acid (8:0) (%) (w/w)	0164	< 0.02					0		706.99	5
706	Caprylic acid (8:0) (%) (w/w)	0910	< 0.05					0		706.99	5
708	Capric acid (10:0) (%) (w/w)	0164	< 0.02					0		708.99	5
708	Capric acid (10:0) (%) (w/w)	0910	< 0.05					0		708.99	5
710	Lauric Acid (12:0) (%) (w/w)	0226	0.0069	0.0001				2		710.99	0
710	Lauric Acid (12:0) (%) (w/w)	0910	0.0500	0.0000				2		710.99	0
710	Lauric Acid (12:0) (%) (w/w)	0676	< 0.01					2		710.99	5
710	Lauric Acid (12:0) (%) (w/w)	0164	< 0.02					2		710.99	5
714	Myristic Acid (14:0) (%) (w/w)	0171	0.0250	0.0100	0.0472	0.0148	0.0076	4		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0226	0.0539	0.0004	0.0472	0.0148	0.0076	4		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0918	0.0550	0.0100	0.0472	0.0148	0.0076	4		714.01	0
714	Myristic Acid (14:0) (%) (w/w)	0164	0.0550	0.0100	0.0472	0.0148	0.0076	4		714.99	0
714	Myristic Acid (14:0) (%) (w/w)	0910	0.5550	0.0100	0.0472	0.0148	0.0076	4		714.99	2

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
716	Palmitic Acid (16:0) (% (w/w))	0171	1.615	0.0500	1.937	0.2204	0.0433	4	716.99	0	
716	Palmitic Acid (16:0) (% (w/w))	0918	2.010	0.0600	1.937	0.2204	0.0433	4	716.01	0	
716	Palmitic Acid (16:0) (% (w/w))	0164	2.010	0.0200	1.937	0.2204	0.0433	4	716.99	0	
716	Palmitic Acid (16:0) (% (w/w))	0226	2.114	0.0433	1.937	0.2204	0.0433	4	716.99	0	
716	Palmitic Acid (16:0) (% (w/w))	0910	21.70	0.2400	1.937	0.2204	0.0433	4	716.99	2	
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0171	0.3450	0.0100	0.4119	0.0393	0.0072	5	718.99	0	
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0164	0.4150	0.0100	0.4119	0.0393	0.0072	5	718.99	0	
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0676	0.4190	0.0000	0.4119	0.0393	0.0072	5	718.99	0	
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0226	0.4355	0.0062	0.4119	0.0393	0.0072	5	718.99	0	
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0918	0.4450	0.0100	0.4119	0.0393	0.0072	5	718.01	0	
718	Palmitoleic Acid (9c-16:1) (% (w/w))	0910	5.340	0.0600	0.4119	0.0393	0.0072	5	718.99	1	
720	Margaric acid (17:0) (% (w/w))	0171	0.0100	0.0000				1	720.99	0	
720	Margaric acid (17:0) (% (w/w))	0164	< 0.02					1	720.99	5	
720	Margaric acid (17:0) (% (w/w))	0918	< 0.05					1	720.01	5	
722	Stearic Acid (18:0) (% (w/w))	0171	0.4400	0.0200	0.5859	0.1053	0.0214	4	722.99	0	
722	Stearic Acid (18:0) (% (w/w))	0918	0.5850	0.0300	0.5859	0.1053	0.0214	4	722.01	0	
722	Stearic Acid (18:0) (% (w/w))	0164	0.6350	0.0100	0.5859	0.1053	0.0214	4	722.99	0	
722	Stearic Acid (18:0) (% (w/w))	0226	0.6836	0.0254	0.5859	0.1053	0.0214	4	722.99	0	
722	Stearic Acid (18:0) (% (w/w))	0910	5.950	0.0000	0.5859	0.1053	0.0214	4	722.99	2	
724	Oleic Acid (9c-18:1) (% (w/w))	0171	2.865	0.0500	3.026	0.1490	0.0543	4	724.99	0	
724	Oleic Acid (9c-18:1) (% (w/w))	0164	2.935	0.0100	3.026	0.1490	0.0543	4	724.99	0	
724	Oleic Acid (9c-18:1) (% (w/w))	0918	3.140	0.1200	3.026	0.1490	0.0543	4	724.01	0	
724	Oleic Acid (9c-18:1) (% (w/w))	0226	3.165	0.0370	3.026	0.1490	0.0543	4	724.99	0	
724	Oleic Acid (9c-18:1) (% (w/w))	0910	35.35	0.0000	3.026	0.1490	0.0543	4	724.99	2	
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0171	2.175	0.0300	2.593	0.2557	0.0453	7	-1.64	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0148	2.435	0.0300	2.593	0.2557	0.0453	7	-0.62	726.02	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0918	2.555	0.1300	2.593	0.2557	0.0453	7	-0.15	726.01	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0164	2.565	0.0100	2.593	0.2557	0.0453	7	-0.11	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0676	2.748	0.0070	2.593	0.2557	0.0453	7	0.60	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0226	2.775	0.0001	2.593	0.2557	0.0453	7	0.71	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0610	2.865	0.1100	2.593	0.2557	0.0453	7	1.06	726.99	0
726	Linoleic Acid (9c,12c-18:2) (% (w/w))	0910	24.49	0.4000	2.593	0.2557	0.0453	7	85.64	726.99	2
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0171	0.0750	0.0100	0.1054	0.0150	0.0022	6	-2.02	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0941	0.0965	0.0010	0.1054	0.0150	0.0022	6	-0.59	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0918	0.1100	0.0000	0.1054	0.0150	0.0022	6	0.31	728.01	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0164	0.1100	0.0000	0.1054	0.0150	0.0022	6	0.31	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0676	0.1160	0.0020	0.1054	0.0150	0.0022	6	0.71	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0226	0.1171	0.0001	0.1054	0.0150	0.0022	6	0.78	728.99	0
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% (w/v)	0910	1.195	0.0300	0.1054	0.0150	0.0022	6	72.56	728.99	1
730	Arachidic Acid (20:0) (% (w/w))	0171	0.0100	0.0000				3	730.99	0	
730	Arachidic Acid (20:0) (% (w/w))	0164	0.0200	0.0000				3	730.99	0	
730	Arachidic Acid (20:0) (% (w/w))	0226	0.0232	0.0000				3	730.99	0	

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
730	Arachidic Acid (20:0) (% (w/w))	0910	0.1800	0.0200				3	730.99	2	
732	Gondoic Acid (11c-20:1) (% (w/w))	0171	0.0200	0.0000				3	732.99	0	
732	Gondoic Acid (11c-20:1) (% (w/w))	0164	0.0300	0.0000				3	732.99	0	
732	Gondoic Acid (11c-20:1) (% (w/w))	0226	0.0324	0.0004				3	732.99	0	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/w))	0171	0.0200	0.0000				3	736.99	0	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/w))	0164	0.0500	0.0000				3	736.99	0	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/w))	0676	0.0530	0.0000				3	736.99	0	
736	Arachidonic Acid (5c,8c,11c,14c-20:4) (% (w/w))	0910	0.3500	0.0400				3	736.99	2	
738	Mead Acid (11c,14c,17c-20:3) (% (w/w))	0171	0.0100	0.0000				1	738.99	0	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (% (w/w))	0226	0.0095	0.0002				3	740.99	0	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (% (w/w))	0676	0.0095	0.0010				3	740.99	0	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (% (w/w))	0171	0.0100	0.0000				3	740.99	0	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (% (w/w))	0910	0.0900	0.0200				3	740.99	2	
740	Eicosapentaenoic Acid EPA (5c,8c,11c,14c,17c-20:5) (% (w/w))	0164	< 0.02					3	740.99	5	
742	Behenic Acid (22:0) (% (w/w))	0171	0.0100	0.0000				3	742.99	0	
742	Behenic Acid (22:0) (% (w/w))	0226	0.0141	0.0005				3	742.99	0	
742	Behenic Acid (22:0) (% (w/w))	0910	0.0950	0.0100				3	742.99	0	
742	Behenic Acid (22:0) (% (w/w))	0164	< 0.02					3	742.99	5	
744	Erucic Acid (13c-22:1) (% (w/w))	0171	0.0000	0.0000				0	744.99	4	
744	Erucic Acid (13c-22:1) (% (w/w))	0226	< 0.005					0	744.99	5	
744	Erucic Acid (13c-22:1) (% (w/w))	0164	< 0.02					0	744.99	5	
744	Erucic Acid (13c-22:1) (% (w/w))	0910	< 0.05					0	744.99	5	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c-20:5) (% (w/w))	0226	0.0058	0.0001				2	746.99	0	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c-20:5) (% (w/w))	0676	0.0060	0.0000				2	746.99	0	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c-20:5) (% (w/w))	0171	0.0000	0.0000				2	746.99	4	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c-20:5) (% (w/w))	0164	< 0.02					2	746.99	5	
746	Docosapentaenoic Acid n-3 DPA (7c,10c,13c,16c-20:5) (% (w/w))	0910	< 0.05					2	746.99	5	
748	Lignoceric Acid (24:0) (% (w/w))	0171	0.0100	0.0000				3	748.99	0	
748	Lignoceric Acid (24:0) (% (w/w))	0226	0.0152	0.0005				3	748.99	0	
748	Lignoceric Acid (24:0) (% (w/w))	0164	0.0200	0.0000				3	748.99	0	
748	Lignoceric Acid (24:0) (% (w/w))	0910	0.0950	0.0100				3	748.99	2	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-20:6) (% (w/w))	0171	0.0100	0.0000				3	750.99	0	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-20:6) (% (w/w))	0676	0.0100	0.0000				3	750.99	0	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-20:6) (% (w/w))	0226	0.0106	0.0003				3	750.99	0	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-20:6) (% (w/w))	0910	0.0900	0.0200				3	750.99	2	
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-20:6) (% (w/w))	0164	< 0.02					3	750.99	5	
752	Nervonic Acid (24:1) isomers (% (w/w))	0226	0.0054	0.0006				2	752.99	0	
752	Nervonic Acid (24:1) isomers (% (w/w))	0171	0.0100	0.0000				2	752.99	0	
752	Nervonic Acid (24:1) isomers (% (w/w))	0164	< 0.02					2	752.99	5	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% (w/w))	0171	0.0750	0.0100	0.1180	0.0328	0.0050	4	754.99	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% (w/w))	0918	0.1100	0.0000	0.1180	0.0328	0.0050	4	754.01	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% (w/w))	0676	0.1420	0.0020	0.1180	0.0328	0.0050	4	754.99	0	

Method Group	Analyte Group (Units)	Lab Code	Lab Data		Method Values				AAFCO PT Z Score	Your Method	Flag
			Value	Range	Rob Mean	Robust SD	R-bar	# Tests			
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0148	0.1450	0.0080	0.1180	0.0328	0.0050	4	754.02	0	
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids	0164	7.070	13.86	0.1180	0.0328	0.0050	4	754.99	2	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0171	2.220	0.0400	2.562	0.2644	0.0170	4	756.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0148	2.510	0.0200	2.562	0.2644	0.0170	4	756.01	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0164	2.680	0.0000	2.562	0.2644	0.0170	4	756.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0676	2.838	0.0080	2.562	0.2644	0.0170	4	756.99	0	
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids	0918	2.555	0.1300	2.562	0.2644	0.0170	4	756.01	1	
758	Total Saturated Fatty Acids (% (w/w))	2360	2.085	0.0100	2.416	0.3723	0.0525	4	758.99	0	
758	Total Saturated Fatty Acids (% (w/w))	0171	2.105	0.0700	2.416	0.3723	0.0525	4	758.99	0	
758	Total Saturated Fatty Acids (% (w/w))	0918	2.700	0.1000	2.416	0.3723	0.0525	4	758.01	0	
758	Total Saturated Fatty Acids (% (w/w))	0164	2.775	0.0300	2.416	0.3723	0.0525	4	758.99	0	
758	Total Saturated Fatty Acids (% (w/w))	0910	28.85	0.2500	2.416	0.3723	0.0525	4	758.99	2	
762	Total Monounsaturated Fatty Acids (% (w/w))	2360	2.905	0.0100				3	762.99	0	
762	Total Monounsaturated Fatty Acids (% (w/w))	0171	3.245	0.0500				3	762.99	0	
762	Total Monounsaturated Fatty Acids (% (w/w))	0918	3.765	0.1500				3	762.01	0	
762	Total Monounsaturated Fatty Acids (% (w/w))	0910	41.35	0.1600				3	762.99	2	
764	Total cis Monounsaturated Fatty Acids (% (w/w))	0164	3.615	0.0100				1	764.99	0	
766	Total Polyunsaturated Fatty Acids (% (w/w))	2360	1.860	0.0200				3	766.99	0	
766	Total Polyunsaturated Fatty Acids (% (w/w))	0171	2.300	0.0200				3	766.99	0	
766	Total Polyunsaturated Fatty Acids (% (w/w))	0918	2.665	0.1300				3	766.01	0	
766	Total Polyunsaturated Fatty Acids (% (w/w))	0910	26.37	0.4800				3	766.99	2	
768	Total cis Polyunsaturated Fatty Acids (% (w/w))	0164	2.830	0.0000				1	768.99	0	
770	Total Fat (equivalent to NLEA) (% (w/w))	0164	9.700	0.0400				1	770.99	0	
772	Total Fatty Acids (% (w/w))	0171	7.655	0.1500	8.882	0.8291	0.1678	4	772.99	0	
772	Total Fatty Acids (% (w/w))	0918	9.135	0.3700	8.882	0.8291	0.1678	4	772.01	0	
772	Total Fatty Acids (% (w/w))	0164	9.270	0.0400	8.882	0.8291	0.1678	4	772.99	0	
772	Total Fatty Acids (% (w/w))	0226	9.467	0.1112	8.882	0.8291	0.1678	4	772.99	0	

Notes: Interpreting Z Scores: Red indicates a normally distributed Z value >3 or <-3 (requires action), Orange = Z between 2 and 3 or -2 and -3 (warning) and Green = Z < 2 and >-2 (OK at 95%). Flags indicate data usage: 0 = Used, 1 = Rejected for duplicates too far apart, 2 = Rejected as outlier, 5 = A reporting limit and 4 = zeros submitted as values. Robust statistics not used if < 6 labs reporting, in the case of 4 or 5 labs reporting Means and SD's may be reported based on Raw Data with obvious blunders removed (Mandel h and k exclusions apply; Grey). Flag 3 indicates not used in statistics.