
Analyte

Summary Statistics



Statistical reports have been updated to a new organizational format.

Statistical analysis and number of reports remain the same. The types of reports are shown below.

Results from all labs...

- ...sorted by analyte (Analyte All Labs PT Report)

- ...sorted by method (Method All Labs PT Report)

Summary statistics...

- ...for each analyte (**Analyte Summary Statistics**)

- ...for each method (Method Summary Statistics)

Report cards evaluating individual lab performance...

- ...for an analyte regardless of method (Analyte Laboratory Report Card)

- ...for a specific method (Method Laboratory Report Card).

Detailed description on the content of the **Analyte Summary Statistics** is provided in the Appendix



ANALYTE Summary Statistics

202623 (Chick Starter medicated)

Issue Date: 4/30/2026

Code	Analyte	1 Trueness (Lab Value)				2 Thompson Horwitz %RSD	3 Precision (range)		
		Robust Mean	n used	Robust Uncert.	Robust StDev		Robust Mean	n used	
001	Loss on Drying (%)	11.04	51	0.0859	0.4905	4.44	2.79	0.1303	48
002	Protein, Crude (%)	18.69	121	0.0369	0.3245	1.74	2.31	0.2251	112
003	Fat, Crude (%)	2.385	106	0.0226	0.1859	7.79	3.51	0.1073	101
004	Fiber, Crude (%)	3.676	93	0.0482	0.3716	10.1	3.29	0.1348	88
005	Ash (%)	5.725	106	0.0343	0.2829	4.94	3.08	0.0957	101
006	Total Sugars (%)	4.561	8	0.8398	1.9	41.7	3.18	0.1722	8
008	Fiber, Acid Detergent (%)	5.472	45	0.1254	0.6732	12.3	3.1	0.1848	40
009	Fiber, Neutral Detergent (%)	14.08	41	0.22	1.127	8	2.66	0.2993	35
010	Moisture (18%)	11.21	19	0.175	0.6103	5.44	2.78	0.1989	19
011	Loss on Drying (%)	12.02	53	0.0647	0.3765	3.13	2.75	0.1092	50
012	Starch (%)	37.05	28	0.5773	2.444	6.6	1.64	0.5669	25
013	Fat, Pretreat (%)	3.161	39	0.1055	0.527	16.7	3.36	0.1748	36
014	Fiber, Total Dietary (%)	17.25	1					0.3	1

Code	Analyte	¹ Trueness (Lab Value)					² Thompson Horwitz %RSD	³ Precision (range)	
		Robust Mean	n used	Robust Uncert.	Robust StDev	Robust %RSD		Robust Mean	n used
015	Aluminum (ppm)	73.22	15	6.704	20.77	28.4	8.38	2.393	15
017	Boron (ppm)	8.458	16	0.2775	0.888	10.5	11.6	0.4872	14
019	Calcium (%)	0.9998	106	0.0079	0.0649	6.49	4	0.0344	97
021	Cobalt (ppm)	0.5541	17	0.0542	0.1788	32.3	17.5	0.0492	16
022	Copper (ppm)	10.12	71	0.1738	1.172	11.6	11.3	0.563	66
024	Iodine (ppm)	0.6085	1					0.033	1
025	Iron (ppm)	131.7	73	1.678	11.47	8.71	7.67	4.502	68
027	Magnesium (%)	0.2118	78	0.0016	0.0116	5.49	5.05	0.006	60
028	Manganese (ppm)	86.41	79	0.7998	5.687	6.58	8.18	3.469	76
031	Phosphorus (%)	0.6326	104	0.0036	0.029	4.59	4.29	0.0184	88
032	Potassium (%)	0.9736	79	0.0085	0.0602	6.19	4.02	0.025	75
033	Salt (%)	0.4553	53	0.0056	0.0329	7.22	4.5	0.0165	39
033	Salt as chloride (%)	0.4553	53	0.0056	0.0329	7.22	4.5	0.0165	39
034	Selenium (ppm)	0.2974	17	0.0164	0.054	18.2	19.2	0.0276	16
035	Sodium (%)	0.1674	79	0.0017	0.0118	7.07	5.23	0.0068	62
036	Sulfur (%)	0.2429	53	0.003	0.0175	7.19	4.95	0.0074	38
037	Zinc (ppm)	82.23	80	1.081	7.734	9.41	8.24	3.666	77
038	Molybdenum (ppm)	0.972	24	0.0483	0.1893	19.5	16.1	0.0902	22
040	Barium (46ppm)	6.212	3	0.474	0.6568	10.6	12.2	0.306	3

Code	Analyte	¹ Trueness (Lab Value)					² Thompson Horwitz %RSD	³ Precision (range)	
		Robust Mean	n used	Robust Uncert.	Robust StDev	Robust %RSD		Robust Mean	n used
041	Vanadium (46ppm)	0.4734	1					0.0413	1
042	Chloride (%)	0.2925	11	0.0087	0.0231	7.89	4.81	0.0089	8
101	Choline Chloride (ppm)	1715	1					50	1
102	Niacin (ppm)	85.2	1					2.2	1
103	Pantothenic Acid (ppm)	11.05	1					1.7	1
104	Riboflavin (ppm)	8.28	1					0.26	1
105	Thiamine (ppm)	5.24	1					0.24	1
106	Vitamin A (KU/kg)	5.768	10	0.7795	1.972	34.2		1.25	10
107	Vitamin B12 (ppb)	42.15	2		9.192			1.8	2
108	Vitamin D3 (KU/kg)	2.176	5	0.5392	0.9645	44.3		0.297	4
109	Vitamin E (IU/kg)	50.63	9	4.024	9.657	19.1		3.247	9
112	Pyridoxine (ppm)	137.5	1					1	1
113	Folic Acid (ppm)	0.9025	1					0.057	1
114	Biotin (ppm)	0.1845	1					0.033	1
115	Non Protein N (NPN) (%)	0.088	1					0.144	1
120	Alanine (%)	0.958	16	0.0115	0.0369	3.85	4.03	0.0117	14
121	Arginine (%)	1.036	17	0.017	0.0561	5.42	3.98	0.0291	14
122	Aspartic (%)	1.622	17	0.0373	0.1231	7.59	3.72	0.0329	14
124	Cysteine/Cystine (%)	0.298	16	0.0105	0.0335	11.2	4.8	0.012	11

Code	Analyte	¹ Trueness (Lab Value)					² Thompson Horwitz %RSD	³ Precision (range)	
		Robust Mean	n used	Robust Uncert.	Robust StDev	Robust %RSD		Robust Mean	n used
125	Glutamic (%)	3.206	16	0.0442	0.1415	4.41	3.36	0.0363	14
126	Glycine (%)	0.7795	17	0.0146	0.0483	6.2	4.15	0.02	14
127	Histidine (%)	0.4635	16	0.0073	0.0234	5.05	4.49	0.0127	11
128	Isoleucine (%)	0.6912	17	0.0099	0.0328	4.75	4.23	0.0222	14
129	Leucine (%)	1.519	17	0.0169	0.0558	3.67	3.76	0.0265	13
130	L-Lysine (%)	0.8396	20	0.0143	0.0511	6.09	4.11	0.0135	16
131	Methionine (%)	0.3046	20	0.0055	0.0198	6.51	4.78	0.0128	17
132	Phenylalanine (%)	0.8194	16	0.0112	0.0358	4.37	4.12	0.0183	14
133	Proline (%)	1.156	16	0.0119	0.038	3.29	3.91	0.0129	13
134	Serine (%)	0.8521	17	0.015	0.0496	5.82	4.1	0.017	15
135	Threonine (%)	0.6692	16	0.0088	0.0283	4.22	4.25	0.0144	13
136	Tryptophan (%)	0.2142	12	0.0102	0.0283	13.2	5.04	0.0081	9
137	Tyrosine (%)	0.5552	16	0.0251	0.0804	14.5	4.37	0.0271	14
138	Valine (%)	0.8216	17	0.0155	0.051	6.21	4.12	0.0192	15
139	Taurine (%)	0.0892	2		0.0859			0.001	1
160	Fructose (%)	0.2667	3	0.0543	0.0752	28.2	4.88	0.02	3
162	Glucose (%)	0.28	3	0.0377	0.0522	18.6	4.84		
163	Lactose (%)	0.09	1						
164	Maltose (%)	0.3225	2		0.1732			0.05	1

Code	Analyte	¹ Trueness (Lab Value)					² Thompson Horwitz %RSD	³ Precision (range)	
		Robust Mean	n used	Robust Uncert.	Robust StDev	Robust %RSD		Robust Mean	n used
165	Sucrose (%)	1.968	3	0.0788	0.1091	5.54	3.61	0.0833	3
166	Raffinose (%)	0.4	2		0			0.04	2
167	Stachyose (%)	1.333	3	0.292	0.4046	30.3	3.83	0.0333	3
345	Amprolium (ppm)	112.6	10	5.083	12.86	11.4	7.86	2.388	8
400	Water Activity (Units)	0.6453	7	0.01	0.0212	3.28	1.24	0.0036	6
516	Arsenic, Total (ppm)	0.0669	4	0.0225	0.036	53.9	22	0.0036	4
518	Cadmium (ppm)	0.0601	7	0.0056	0.0119	19.7	22	0.0044	7
520	Chromium (ppm)	2.165	14	0.1676	0.5018	23.2	14.2	0.1624	13
526	Lead (ppm)	0.138	7	0.0576	0.1218	88.2	21.6	0.0261	7
529	Mercury (ppb)	5.981	1					0.279	1
539	Nickel (ppm)	2.49	7	0.3062	0.6481	26	13.9	0.1475	7
706	Caprylic acid (8:0) (% w/w)	0.0055	1					0.009	1
708	Capric acid (10:0) (% w/w)	0.004	1					0.006	1
710	Lauric Acid (12:0) (% w/w)	0.0035	1					0.003	1
714	Myristic Acid (14:0) (% w/w)	0.005	1					0.002	1
716	Palmitic Acid (16:0) (% w/w)	0.4457	2		0.0103			0.02435	2
718	Palmitoleic Acid (9c-16:1) (% w/w)	0.0055	1					0.001	1
720	Margaric acid (17:0) (% w/w)	0.0045	1					0.001	1
722	Stearic Acid (18:0) (% w/w)	0.0744	2		0.0037			0.00525	2

Code	Analyte	1 Trueness (Lab Value)				2 Thompson Horwitz %RSD	3 Precision (range)	
		Robust Mean	n used	Robust Uncert.	Robust StDev		Robust Mean	n used
724	Oleic Acid (9c-18:1) (% w/w)	0.5867	2		0.0258		0.01765	2
726	Linoleic Acid (9c,12c-18:2) (% w/w)	1.47	2		0.0337		0.0484	2
728	alpha-Linolenic Acid (9c,12c,15c-18:3) (% w/w)	0.0863	2		0.0004		0.0013	1
730	Arachidic Acid (20:0) (% w/w)	0.0104	2		0.0002		0.00055	2
732	Gondoic Acid (11c-20:1) (% w/w)	0.0086	2		0.0001		0.001	1
742	Behenic Acid (22:0) (% w/w)	0.009	2		0.0014		0.0013	2
744	Erucic Acid (13c-22:1) (% w/w)	0.002	1					
748	Lignoceric Acid (24:0) (% w/w)	0.0106	2		0.0005		0.00105	2
750	Docosahexaenoic Acid DHA (4c,7c,10c,13c,16c,19c-22 (% w/	0.0015	1				0.001	1
752	Nervonic Acid (24:1) isomers (% w/w)	0.0035	1				0.001	1
754	Total n-3 Polyunsaturated (Omega-3) Fatty Acids (% w/w)	0.088	1				0.002	1
756	Total n-6 Polyunsaturated (Omega-6) Fatty Acids (% w/w)	1.454	1				0.099	1
758	Total Saturated Fatty Acids (% w/w)	0.5865	1				0.067	1
764	Total cis Monounsaturated Fatty Acids (% w/w)	0.6235	1				0.029	1
768	Total cis Polyunsaturated Fatty Acids (% w/w)	1.546	1				0.095	1
770	Total Fat (equivalent to NLEA) (% w/w)	2.893	1				0.2	1
772	Total Fatty Acids (% w/w)	2.75	2		0.0216		0.1105	2

1. Trueness Parameters: Statistical parameters defining the distribution of lab values which are used to evaluate how close a Lab Value is to the mean. Parameters shown for number of observations used (n used) > 2. Analyte All Labs PT report identifies data not used. Robust statistics was employed to determine mean and standard deviation (StDev) if number of observations used (n used) >=6 (blue background). Classical statistics was employed if number of observations used (n used) = 3, 4, or 5 (no color background). %RSD is the relative standard deviation with respect to the mean (StDev/Mean x 100). Uncertainty (Uncert.) is a measure of where the true population mean lies.

2. Thompson-Horwitz %RSD: Expected relative standard deviation based on analysis of data by Thompson and Horwitz (Thompson, DOI: 10.1039/b000282h).

3. Precision Parameters: Lab's precision is estimated by the difference in 2 results reported by a lab (range). Mean of ranges is shown for number of observations used (n used) > 2. Analyte All Tests report identifies data not used. Robust statistics was employed to determine mean if number of observations used (n used) >=6 (green background). Classical statistics was employed if number of observations used (n used) = 3, 4, or 5 (no color background).

Appendix

Content Description of ANALYTE Summary Statistics Report

The Analyte Summary Statistics Report provides trueness and precision parameters from determination of an analyte regardless of method. Determination of summary statistics followed protocols in ISO 13528:2015(E) using Algorithm A robust analysis (Statistical methods for use in proficiency testing by interlaboratory comparison). Robust statistics was used to determine statistical parameters for sets with 6 or more observations. Classical statistics was used for sets with 3, 4, or 5 observations. Robust statistics has an advantage of removing undesired influence of outlying data on the mean and standard deviation without removing data from the statistical analysis.

For trueness, the mean and standard deviation are presented for the number of observations (n used). The uncertainty (Uncert.) is a measure of where the “real” value for the concentration lies around the mean with a 68% certainty (Mean \pm Uncert.). As the number of observations (n used) increases, uncertainty decreases. The relative standard deviation (%RSD) is a percentage of the standard deviation divided by the mean (standard deviation / mean x 100). The Thompson-Horwitz %RSD is a standard benchmark on variability based on data analyzed by Thompson and Horwitz (Thompson, DOI: 10.1039/b000282h).

Precision in the data populations is estimated by the range of duplicate results reported. The robust or classical mean is presented along with the number of observations. Any duplicate results that are exactly the same are removed in the determination of the mean to remove undue influence of entries that may be from labs reporting one result twice.